Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Session Type: Rate

Suggested Citation

Software: Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.2.3.
Data: Alaska Cancer Registry SEER*Stat Database - Incidence data for diagnosis years 1996 to 2003. Released December 2006. Alaska population data for rate calculations are from the SEER program (http://www.seer.cancer.gov/popdata/) and include populations by borough/census area, expanded races, and Hispanic origin.

Data

Database: ACR w/Borough, Race, & Hispanic Pops (1996-2003), December 2005

Statistic

Statistic: Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)
P-Values: .05
Options: Display Confidence Intervals and Standard Errors

Selection

Option: Select only malignant behavior

Table

Page: Year of diagnosis
County at DX - County Names-no Total [County at DX]

Row: Site rec w/Kaposi and meso-no sex sites [Site rec with Kaposi and mesothelioma]

Output

Title: Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area
Suppress: Statistics based on fewer than 6 cases
Display Rates as: Cases per 100,000
Precision: 1 decimal place (default)

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	332.5	197.5	652.2	35
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	286.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	286.0	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	286.0	0
Tonsil	0.0	0.0	286.0	0
Oropharynx	0.0	0.0	286.0	0
Hypopharynx	0.0	0.0	286.0	0
Other Oral Cavity and Pharynx	0.0	0.0	286.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	286.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	286.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	286.0	0
Appendix	0.0	0.0	286.0	0
Ascending Colon	0.0	0.0	286.0	0
Hepatic Flexure	0.0	0.0	286.0	0
Transverse Colon	0.0	0.0	286.0	0
Splenic Flexure	0.0	0.0	286.0	0
Descending Colon	0.0	0.0	286.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	286.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	286.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	286.0	0
Liver	0.0	0.0	286.0	0
Intrahepatic Bile Duct	0.0	0.0	286.0	0
Gallbladder	0.0	0.0	286.0	0
Other Biliary	0.0	0.0	286.0	0
Pancreas	0.0	0.0	286.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	286.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	286.0	0
Other Digestive Organs	0.0	0.0	286.0	0
Respiratory System	118.2	39.1	416.9	8
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	286.0	0
Lung and Bronchus	112.1	34.7	411.3	7
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	286.0	0
Bones and Joints	0.0	0.0	286.0	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	286.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	286.0	0
Ureter	0.0	0.0	286.0	0
Other Urinary Organs	0.0	0.0	286.0	0
Eye and Orbit	0.0	0.0	286.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	286.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	286.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	286.0	0
Hodgkin - Nodal	0.0	0.0	286.0	0
Hodgkin - Extranodal	0.0	0.0	286.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	286.0	0
Myeloma	0.0	0.0	286.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	286.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	286.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	286.0	0
Acute Myeloid Leukemia	0.0	0.0	286.0	0
Acute Monocytic Leukemia	0.0	0.0	286.0	0
Chronic Myeloid Leukemia	0.0	0.0	286.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	286.0	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	286.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	286.0	0
Kaposi Sarcoma	0.0	0.0	286.0	0
Miscellaneous	0.0	0.0	286.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	418.0	288.7	667.7	85
Oral Cavity and Pharynx	37.9	4.1	248.2	6
Lip	0.0	0.0	204.3	0
Tongue	0.0	0.0	204.3	0
Salivary Gland	0.0	0.0	204.3	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	204.3	0
Hypopharynx	0.0	0.0	204.3	0
Other Oral Cavity and Pharynx	0.0	0.0	204.3	0
Digestive System	153.0	81.0	366.2	23
Esophagus	0.0	0.0	204.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	204.3	0
Colon and Rectum	103.4	47.7	309.5	16
Colon excluding Rectum	71.2	24.1	277.8	8
Cecum	^	^	^	^
Appendix	0.0	0.0	204.3	0
Ascending Colon	0.0	0.0	204.3	0
Hepatic Flexure	0.0	0.0	204.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	204.3	0
Descending Colon	0.0	0.0	204.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	204.3	0
Rectum and Rectosigmoid Junction	32.2	10.2	230.3	8
Rectosigmoid Junction	^	^	^	^
Rectum	23.6	5.6	223.0	6
Anus, Anal Canal and Anorectum	0.0	0.0	204.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	204.3	0
Gallbladder	0.0	0.0	204.3	0
Other Biliary	0.0	0.0	204.3	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	204.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	204.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	79.1	34.9	280.0	17
Nose, Nasal Cavity and Middle Ear	0.0	0.0	204.3	0
Larynx	^	^	^	^
Lung and Bronchus	77.3	33.3	278.3	16
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	204.3	0
Bones and Joints	0.0	0.0	204.3	0
Soft Tissue including Heart	0.0	0.0	204.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	204.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	204.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	204.3	0
Other Urinary Organs	0.0	0.0	204.3	0
Eye and Orbit	0.0	0.0	204.3	0
Brain and Other Nervous System	0.0	0.0	204.3	0
Brain	0.0	0.0	204.3	0
Cranial Nerves Other Nervous System	0.0	0.0	204.3	0
Endocrine System	0.0	0.0	204.3	0
Thyroid	0.0	0.0	204.3	0
Other Endocrine including Thymus	0.0	0.0	204.3	0
Lymphoma	11.0	3.8	211.1	6
Hodgkin Lymphoma	0.0	0.0	204.3	0
Hodgkin - Nodal	0.0	0.0	204.3	0
Hodgkin - Extranodal	0.0	0.0	204.3	0
Non-Hodgkin Lymphoma	11.0	3.8	211.1	6
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	204.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	204.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	204.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	204.3	0
Chronic Myeloid Leukemia	0.0	0.0	204.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	204.3	0
Other Leukemia	0.0	0.0	204.3	0
Other Acute Leukemia	0.0	0.0	204.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	204.3	0
Mesothelioma	0.0	0.0	204.3	0
Kaposi Sarcoma	0.0	0.0	204.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	495.2	481.8	508.9	6,483
Oral Cavity and Pharynx	11.1	9.2	13.3	150
Lip	0.9	0.4	1.9	10
Tongue	3.3	2.3	4.7	42
Salivary Gland	1.3	0.7	2.3	17
Floor of Mouth	1.1	0.6	2.1	15
Gum and Other Mouth	0.8	0.4	1.8	11
Nasopharynx	1.5	0.9	2.6	20
Tonsil	1.2	0.7	2.2	19
Oropharynx	^	^	^	^
Hypopharynx	0.4	0.1	1.1	6
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	89.5	83.6	95.7	1,075
Esophagus	4.3	3.2	5.9	54
Stomach	10.1	8.2	12.5	113
Small Intestine	1.6	0.9	2.8	22
Colon and Rectum	48.5	44.2	53.2	571
Colon excluding Rectum	34.6	30.8	38.7	377
Cecum	7.4	5.8	9.5	80
Appendix	0.5	0.2	1.3	9
Ascending Colon	6.2	4.6	8.2	63
Hepatic Flexure	1.7	1.0	2.9	20
Transverse Colon	2.6	1.7	3.9	31
Splenic Flexure	1.2	0.5	2.3	12
Descending Colon	1.3	0.7	2.4	15
Sigmoid Colon	11.2	9.1	13.7	119
Large Intestine, NOS	2.5	1.6	3.8	28
Rectum and Rectosigmoid Junction	13.9	11.8	16.4	194
Rectosigmoid Junction	3.4	2.4	4.8	44
Rectum	10.5	8.8	12.7	150
Anus, Anal Canal and Anorectum	1.6	1.0	2.7	25
Liver and Intrahepatic Bile Duct	8.7	7.0	10.8	116
Liver	7.8	6.3	9.9	103
Intrahepatic Bile Duct	0.8	0.4	1.7	13
Gallbladder	1.1	0.4	2.2	9
Other Biliary	1.1	0.6	2.2	13
Pancreas	10.3	8.4	12.7	127

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	1.5	0.8	2.8	16
Respiratory System	77.3	71.9	83.1	901
Nose, Nasal Cavity and Middle Ear	0.8	0.4	1.6	12
Larynx	4.3	3.1	5.8	53
Lung and Bronchus	72.1	66.9	77.7	833
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.8	0.5	1.6	18
Soft Tissue including Heart	3.4	2.5	4.7	59
Skin excluding Basal and Squamous	13.7	11.8	16.1	226
Melanoma of the Skin	12.5	10.6	14.7	207
Other Non-Epithelial Skin	1.3	0.7	2.3	19
Urinary System	41.2	37.2	45.6	475
Urinary Bladder	26.6	23.3	30.3	276
Kidney and Renal Pelvis	13.7	11.6	16.2	191
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.5	0.2	1.3	9
Brain and Other Nervous System	6.8	5.5	8.5	116
Brain	6.5	5.2	8.1	110
Cranial Nerves Other Nervous System	0.3	0.1	1.1	6
Endocrine System	9.8	8.4	11.6	192
Thyroid	9.1	7.7	10.8	180
Other Endocrine including Thymus	0.7	0.3	1.6	12
Lymphoma	22.6	20.0	25.6	338
Hodgkin Lymphoma	3.1	2.3	4.3	60
Hodgkin - Nodal	3.0	2.2	4.2	59
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	19.5	17.0	22.4	278
NHL - Nodal	13.6	11.5	16.0	196
NHL - Extranodal	5.9	4.6	7.7	82
Myeloma	5.5	4.1	7.3	66
Leukemia	12.9	10.8	15.3	176
Lymphocytic Leukemia	6.5	5.0	8.4	84
Acute Lymphocytic Leukemia	1.0	0.6	1.9	21
Chronic Lymphocytic Leukemia	5.0	3.7	6.8	57

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.4	0.1	1.2	6
Myeloid and Monocytic Leukemia	5.7	4.4	7.5	81
Acute Myeloid Leukemia	3.3	2.3	4.7	46
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.0	1.3	3.2	29
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.7	0.3	1.5	11
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.3	0.1	1.0	6
Mesothelioma	2.1	1.2	3.5	19
Kaposi Sarcoma	0.3	0.1	1.0	8
Miscellaneous	10.4	8.4	12.9	117

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	372.1	322.5	428.4	244
Oral Cavity and Pharynx	7.3	2.3	20.4	6
Lip	0.0	0.0	10.5	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	10.5	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	10.5	0
Hypopharynx	0.0	0.0	10.5	0
Other Oral Cavity and Pharynx	0.0	0.0	10.5	0
Digestive System	168.3	134.1	209.6	97
Esophagus	14.6	5.6	32.1	7
Stomach	20.8	10.2	39.1	13
Small Intestine	^	^	^	^
Colon and Rectum	101.6	75.3	135.3	57
Colon excluding Rectum	84.3	60.0	116.2	44
Cecum	24.1	12.1	44.2	12
Appendix	0.0	0.0	10.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	26.1	14.5	45.1	17
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	17.3	8.6	33.5	13
Rectosigmoid Junction	^	^	^	^
Rectum	14.9	7.2	30.0	12
Anus, Anal Canal and Anorectum	0.0	0.0	10.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	10.5	0
Gallbladder	0.0	0.0	10.5	0
Other Biliary	^	^	^	^
Pancreas	16.2	6.9	33.6	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	10.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	73.7	52.1	102.5	43
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	68.9	47.9	97.3	39
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	10.5	0
Urinary System	18.2	8.3	36.0	10
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	15.2	6.2	32.5	8
Ureter	0.0	0.0	10.5	0
Other Urinary Organs	0.0	0.0	10.5	0
Eye and Orbit	0.0	0.0	10.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	10.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	10.5	0
Lymphoma	10.2	4.2	23.9	9
Hodgkin Lymphoma	0.0	0.0	10.5	0
Hodgkin - Nodal	0.0	0.0	10.5	0
Hodgkin - Extranodal	0.0	0.0	10.5	0
Non-Hodgkin Lymphoma	10.2	4.2	23.9	9
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	10.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	10.5	0
Acute Monocytic Leukemia	0.0	0.0	10.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.5	0
Other Leukemia	0.0	0.0	10.5	0
Other Acute Leukemia	0.0	0.0	10.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.5	0
Mesothelioma	0.0	0.0	10.5	0
Kaposi Sarcoma	0.0	0.0	10.5	0
Miscellaneous	25.6	14.0	44.8	17

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	260.4	137.5	587.9	18
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	301.1	0
Salivary Gland	0.0	0.0	301.1	0
Floor of Mouth	0.0	0.0	301.1	0
Gum and Other Mouth	0.0	0.0	301.1	0
Nasopharynx	0.0	0.0	301.1	0
Tonsil	0.0	0.0	301.1	0
Oropharynx	0.0	0.0	301.1	0
Hypopharynx	0.0	0.0	301.1	0
Other Oral Cavity and Pharynx	0.0	0.0	301.1	0
Digestive System	57.1	20.4	348.2	6
Esophagus	0.0	0.0	301.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	301.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	301.1	0
Ascending Colon	0.0	0.0	301.1	0
Hepatic Flexure	0.0	0.0	301.1	0
Transverse Colon	0.0	0.0	301.1	0
Splenic Flexure	0.0	0.0	301.1	0
Descending Colon	0.0	0.0	301.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	301.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	301.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	301.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	301.1	0
Gallbladder	0.0	0.0	301.1	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	301.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	301.1	0
Other Digestive Organs	0.0	0.0	301.1	0
Respiratory System	0.0	0.0	301.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	301.1	0
Larynx	0.0	0.0	301.1	0
Lung and Bronchus	0.0	0.0	301.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	301.1	0
Bones and Joints	0.0	0.0	301.1	0
Soft Tissue including Heart	0.0	0.0	301.1	0
Skin excluding Basal and Squamous	0.0	0.0	301.1	0
Melanoma of the Skin	0.0	0.0	301.1	0
Other Non-Epithelial Skin	0.0	0.0	301.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	301.1	0
Other Urinary Organs	0.0	0.0	301.1	0
Eye and Orbit	0.0	0.0	301.1	0
Brain and Other Nervous System	0.0	0.0	301.1	0
Brain	0.0	0.0	301.1	0
Cranial Nerves Other Nervous System	0.0	0.0	301.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	301.1	0
Lymphoma	0.0	0.0	301.1	0
Hodgkin Lymphoma	0.0	0.0	301.1	0
Hodgkin - Nodal	0.0	0.0	301.1	0
Hodgkin - Extranodal	0.0	0.0	301.1	0
Non-Hodgkin Lymphoma	0.0	0.0	301.1	0
NHL - Nodal	0.0	0.0	301.1	0
NHL - Extranodal	0.0	0.0	301.1	0
Myeloma	0.0	0.0	301.1	0
Leukemia	0.0	0.0	301.1	0
Lymphocytic Leukemia	0.0	0.0	301.1	0
Acute Lymphocytic Leukemia	0.0	0.0	301.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	301.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	301.1	0
Acute Myeloid Leukemia	0.0	0.0	301.1	0
Acute Monocytic Leukemia	0.0	0.0	301.1	0
Chronic Myeloid Leukemia	0.0	0.0	301.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	301.1	0
Other Leukemia	0.0	0.0	301.1	0
Other Acute Leukemia	0.0	0.0	301.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	301.1	0
Mesothelioma	0.0	0.0	301.1	0
Kaposi Sarcoma	0.0	0.0	301.1	0
Miscellaneous	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	497.3	301.0	826.1	41
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	205.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	205.7	0
Floor of Mouth	0.0	0.0	205.7	0
Gum and Other Mouth	0.0	0.0	205.7	0
Nasopharynx	0.0	0.0	205.7	0
Tonsil	0.0	0.0	205.7	0
Oropharynx	0.0	0.0	205.7	0
Hypopharynx	0.0	0.0	205.7	0
Other Oral Cavity and Pharynx	0.0	0.0	205.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	205.7	0
Stomach	0.0	0.0	205.7	0
Small Intestine	0.0	0.0	205.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	205.7	0
Appendix	0.0	0.0	205.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	205.7	0
Transverse Colon	0.0	0.0	205.7	0
Splenic Flexure	0.0	0.0	205.7	0
Descending Colon	0.0	0.0	205.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	205.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	205.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	205.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	205.7	0
Liver	0.0	0.0	205.7	0
Intrahepatic Bile Duct	0.0	0.0	205.7	0
Gallbladder	0.0	0.0	205.7	0
Other Biliary	0.0	0.0	205.7	0
Pancreas	0.0	0.0	205.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	205.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	205.7	0
Other Digestive Organs	0.0	0.0	205.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	205.7	0
Larynx	0.0	0.0	205.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	205.7	0
Bones and Joints	0.0	0.0	205.7	0
Soft Tissue including Heart	0.0	0.0	205.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	205.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	205.7	0
Other Urinary Organs	0.0	0.0	205.7	0
Eye and Orbit	0.0	0.0	205.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	205.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	205.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	205.7	0
Hodgkin - Nodal	0.0	0.0	205.7	0
Hodgkin - Extranodal	0.0	0.0	205.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	205.7	0
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	205.7	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	205.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	205.7	0
Acute Myeloid Leukemia	0.0	0.0	205.7	0
Acute Monocytic Leukemia	0.0	0.0	205.7	0
Chronic Myeloid Leukemia	0.0	0.0	205.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	205.7	0
Other Leukemia	0.0	0.0	205.7	0
Other Acute Leukemia	0.0	0.0	205.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	205.7	0
Mesothelioma	0.0	0.0	205.7	0
Kaposi Sarcoma	0.0	0.0	205.7	0
Miscellaneous	0.0	0.0	205.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	481.3	388.4	594.2	110
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.1	0
Tongue	0.0	0.0	32.1	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	32.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	32.1	0
Oropharynx	0.0	0.0	32.1	0
Hypopharynx	0.0	0.0	32.1	0
Other Oral Cavity and Pharynx	0.0	0.0	32.1	0
Digestive System	194.6	136.4	274.0	42
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	32.1	0
Colon and Rectum	129.7	81.7	200.2	25
Colon excluding Rectum	101.1	59.9	164.9	20
Cecum	^	^	^	^
Appendix	0.0	0.0	32.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	32.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	43.4	18.7	92.2	9
Large Intestine, NOS	0.0	0.0	32.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	32.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	32.1	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	32.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	32.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.1	0
Other Digestive Organs	0.0	0.0	32.1	0
Respiratory System	103.5	61.7	167.9	21
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.1	0
Larynx	^	^	^	^
Lung and Bronchus	100.5	59.1	164.5	20
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.1	0
Bones and Joints	0.0	0.0	32.1	0
Soft Tissue including Heart	0.0	0.0	32.1	0
Skin excluding Basal and Squamous	0.0	0.0	32.1	0
Melanoma of the Skin	0.0	0.0	32.1	0
Other Non-Epithelial Skin	0.0	0.0	32.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	32.1	0
Other Urinary Organs	0.0	0.0	32.1	0
Eye and Orbit	0.0	0.0	32.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	32.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	32.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.1	0
Hodgkin - Nodal	0.0	0.0	32.1	0
Hodgkin - Extranodal	0.0	0.0	32.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	32.1	0
Acute Lymphocytic Leukemia	0.0	0.0	32.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	32.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.1	0
Chronic Myeloid Leukemia	0.0	0.0	32.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.1	0
Other Leukemia	0.0	0.0	32.1	0
Other Acute Leukemia	0.0	0.0	32.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.1	0
Mesothelioma	0.0	0.0	32.1	0
Kaposi Sarcoma	0.0	0.0	32.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	511.3	485.9	538.1	1,904
Oral Cavity and Pharynx	15.2	11.1	21.0	56
Lip	2.9	1.1	6.7	8
Tongue	2.2	1.0	5.2	10
Salivary Gland	2.5	0.9	6.0	7
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.5	0.5	4.4	6
Tonsil	2.2	0.9	5.2	10
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	95.4	84.1	108.2	313
Esophagus	6.9	4.2	11.2	25
Stomach	6.6	4.1	10.8	24
Small Intestine	^	^	^	^
Colon and Rectum	54.3	45.8	64.2	177
Colon excluding Rectum	39.0	31.6	47.9	117
Cecum	6.8	4.0	11.3	22
Appendix	^	^	^	^
Ascending Colon	5.4	2.8	9.9	15
Hepatic Flexure	^	^	^	^
Transverse Colon	2.5	0.9	6.1	7
Splenic Flexure	^	^	^	^
Descending Colon	3.9	1.8	7.9	9
Sigmoid Colon	13.1	9.0	18.9	40
Large Intestine, NOS	3.4	1.7	6.9	13
Rectum and Rectosigmoid Junction	15.3	11.4	20.7	60
Rectosigmoid Junction	4.7	2.7	8.4	18
Rectum	10.6	7.4	15.3	42
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.0	4.2	11.6	24
Liver	6.4	3.7	10.9	22
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	15.9	11.3	22.1	47

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	2.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	79.5	69.3	91.1	260
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.8	2.1	7.3	15
Lung and Bronchus	74.4	64.5	85.8	238
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.3	0.6	3.8	10
Soft Tissue including Heart	3.3	1.7	6.7	17
Skin excluding Basal and Squamous	13.8	10.3	18.9	63
Melanoma of the Skin	12.7	9.2	17.6	57
Other Non-Epithelial Skin	1.2	0.4	3.8	6
Urinary System	39.4	32.4	47.8	137
Urinary Bladder	24.9	19.3	31.9	82
Kidney and Renal Pelvis	12.8	9.1	18.1	49
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.9	0.3	3.5	6
Brain and Other Nervous System	8.1	5.4	12.3	36
Brain	8.1	5.4	12.3	36
Cranial Nerves Other Nervous System	0.0	0.0	2.5	0
Endocrine System	7.4	5.1	11.1	44
Thyroid	7.1	4.9	10.8	43
Other Endocrine including Thymus	^	^	^	^
Lymphoma	25.1	20.0	31.8	108
Hodgkin Lymphoma	2.7	1.5	5.6	17
Hodgkin - Nodal	2.7	1.5	5.6	17
Hodgkin - Extranodal	0.0	0.0	2.5	0
Non-Hodgkin Lymphoma	22.4	17.5	28.9	91
NHL - Nodal	15.1	11.1	20.6	62
NHL - Extranodal	7.4	4.6	11.8	29
Myeloma	5.5	3.2	9.4	20
Leukemia	11.4	7.8	16.7	41
Lymphocytic Leukemia	5.3	2.9	9.4	19
Acute Lymphocytic Leukemia	0.7	0.3	3.2	6
Chronic Lymphocytic Leukemia	4.3	2.1	8.4	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.9	2.6	8.9	17
Acute Myeloid Leukemia	3.1	1.4	6.6	11
Acute Monocytic Leukemia	0.0	0.0	2.5	0
Chronic Myeloid Leukemia	1.8	0.6	5.0	6
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	2.5	0
Miscellaneous	8.0	4.9	12.7	26

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	530.9	420.1	665.8	87
Oral Cavity and Pharynx	0.0	0.0	36.3	0
Lip	0.0	0.0	36.3	0
Tongue	0.0	0.0	36.3	0
Salivary Gland	0.0	0.0	36.3	0
Floor of Mouth	0.0	0.0	36.3	0
Gum and Other Mouth	0.0	0.0	36.3	0
Nasopharynx	0.0	0.0	36.3	0
Tonsil	0.0	0.0	36.3	0
Oropharynx	0.0	0.0	36.3	0
Hypopharynx	0.0	0.0	36.3	0
Other Oral Cavity and Pharynx	0.0	0.0	36.3	0
Digestive System	147.4	91.2	229.6	23
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	36.3	0
Colon and Rectum	75.2	36.3	142.1	11
Colon excluding Rectum	55.6	23.2	116.6	8
Cecum	^	^	^	^
Appendix	0.0	0.0	36.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	36.3	0
Splenic Flexure	0.0	0.0	36.3	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	36.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	36.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	36.3	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	36.3	0
Other Biliary	0.0	0.0	36.3	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	36.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	36.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	79.6	40.5	145.7	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	36.3	0
Larynx	^	^	^	^
Lung and Bronchus	75.5	37.3	141.1	12
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	36.3	0
Bones and Joints	0.0	0.0	36.3	0
Soft Tissue including Heart	0.0	0.0	36.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	36.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	36.3	0
Other Urinary Organs	0.0	0.0	36.3	0
Eye and Orbit	0.0	0.0	36.3	0
Brain and Other Nervous System	0.0	0.0	36.3	0
Brain	0.0	0.0	36.3	0
Cranial Nerves Other Nervous System	0.0	0.0	36.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	36.3	0
Lymphoma	36.3	12.2	89.0	6
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	36.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	36.3	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	36.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	36.3	0
Chronic Myeloid Leukemia	0.0	0.0	36.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	36.3	0
Other Leukemia	0.0	0.0	36.3	0
Other Acute Leukemia	0.0	0.0	36.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	36.3	0
Mesothelioma	0.0	0.0	36.3	0
Kaposi Sarcoma	0.0	0.0	36.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	478.5	443.3	516.2	811
Oral Cavity and Pharynx	8.3	4.4	15.0	16
Lip	0.0	0.0	4.2	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	96.0	79.9	114.9	147
Esophagus	8.5	4.4	15.7	14
Stomach	5.6	2.4	12.0	9
Small Intestine	^	^	^	^
Colon and Rectum	53.5	41.6	68.2	81
Colon excluding Rectum	41.4	31.1	54.6	63
Cecum	8.9	4.6	16.2	15
Appendix	^	^	^	^
Ascending Colon	7.2	3.1	14.7	9
Hepatic Flexure	^	^	^	^
Transverse Colon	3.7	1.4	9.2	7
Splenic Flexure	0.0	0.0	4.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	10.3	5.6	18.1	15
Large Intestine, NOS	4.2	1.5	10.3	7
Rectum and Rectosigmoid Junction	12.1	6.7	20.5	18
Rectosigmoid Junction	^	^	^	^
Rectum	10.0	5.1	18.0	14
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.6	2.8	13.6	9
Liver	5.6	2.2	12.4	8
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	4.2	0
Other Biliary	^	^	^	^
Pancreas	14.3	8.7	22.8	23

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	4.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.2	0
Other Digestive Organs	^	^	^	^
Respiratory System	72.1	58.2	88.7	106
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.8	1.9	10.8	9
Lung and Bronchus	66.4	53.1	82.4	96
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.2	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	5.3	2.8	10.7	14
Melanoma of the Skin	4.2	2.1	9.1	12
Other Non-Epithelial Skin	^	^	^	^
Urinary System	24.4	16.9	34.6	41
Urinary Bladder	15.4	9.5	24.3	24
Kidney and Renal Pelvis	9.0	4.9	15.9	17
Ureter	0.0	0.0	4.2	0
Other Urinary Organs	0.0	0.0	4.2	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	8.4	4.7	14.9	17
Brain	8.4	4.7	14.9	17
Cranial Nerves Other Nervous System	0.0	0.0	4.2	0
Endocrine System	14.2	9.3	21.6	31
Thyroid	13.3	8.6	20.7	29
Other Endocrine including Thymus	^	^	^	^
Lymphoma	23.8	16.4	34.2	40
Hodgkin Lymphoma	3.0	1.0	8.2	6
Hodgkin - Nodal	3.0	1.0	8.2	6
Hodgkin - Extranodal	0.0	0.0	4.2	0
Non-Hodgkin Lymphoma	20.9	13.8	30.8	34
NHL - Nodal	14.1	8.7	22.4	26
NHL - Extranodal	6.8	2.8	14.1	8
Myeloma	5.8	2.6	12.1	10
Leukemia	13.9	8.5	22.2	24
Lymphocytic Leukemia	6.7	3.3	13.0	13
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	3.8	1.4	9.5	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	7.2	3.4	14.2	11
Acute Myeloid Leukemia	4.6	1.7	10.7	7
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	4.2	0
Other Acute Leukemia	0.0	0.0	4.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.2	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	10.6	5.8	18.4	16

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	488.6	461.7	517.2	1,476
Oral Cavity and Pharynx	7.2	4.6	11.9	26
Lip	^	^	^	^
Tongue	3.6	1.7	7.8	12
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	3.4	0
Hypopharynx	0.0	0.0	3.4	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	84.2	72.7	97.5	233
Esophagus	5.5	3.2	10.1	17
Stomach	5.7	3.0	10.6	14
Small Intestine	^	^	^	^
Colon and Rectum	46.6	38.3	56.9	128
Colon excluding Rectum	32.9	25.7	42.0	87
Cecum	9.4	5.9	15.1	25
Appendix	0.0	0.0	3.4	0
Ascending Colon	6.7	3.6	12.1	16
Hepatic Flexure	^	^	^	^
Transverse Colon	3.7	1.4	8.6	8
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	6.9	3.9	12.0	20
Large Intestine, NOS	2.4	1.0	6.2	8
Rectum and Rectosigmoid Junction	13.8	9.7	19.8	41
Rectosigmoid Junction	5.4	3.1	9.9	18
Rectum	8.3	5.1	13.7	23
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	4.0	2.2	8.1	15
Liver	3.3	1.7	7.1	13
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	13.5	9.2	19.9	39

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	3.4	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	104.7	92.1	119.2	298
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.0	1.4	6.8	11
Lung and Bronchus	100.1	87.7	114.3	282
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.0	1.3	7.2	9
Skin excluding Basal and Squamous	12.9	9.0	18.7	45
Melanoma of the Skin	12.4	8.6	18.2	43
Other Non-Epithelial Skin	^	^	^	^
Urinary System	34.8	27.9	43.6	105
Urinary Bladder	18.8	13.6	26.1	52
Kidney and Renal Pelvis	15.6	11.5	21.7	52
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	3.4	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	4.8	11.6	29
Brain	6.6	4.3	11.0	27
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	7.9	5.3	12.4	32
Thyroid	7.1	4.7	11.6	29
Other Endocrine including Thymus	^	^	^	^
Lymphoma	25.2	19.5	32.9	79
Hodgkin Lymphoma	2.3	1.0	6.1	9
Hodgkin - Nodal	2.3	1.0	6.1	9
Hodgkin - Extranodal	0.0	0.0	3.4	0
Non-Hodgkin Lymphoma	22.9	17.3	30.3	70
NHL - Nodal	16.2	11.8	22.5	52
NHL - Extranodal	6.7	3.6	12.1	18
Myeloma	4.8	2.4	9.7	13
Leukemia	17.3	12.2	24.5	46
Lymphocytic Leukemia	6.6	3.7	11.7	19
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	4.8	2.5	9.2	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	3.4	0
Myeloid and Monocytic Leukemia	8.9	5.3	14.7	23
Acute Myeloid Leukemia	4.2	1.9	8.9	11
Acute Monocytic Leukemia	0.0	0.0	3.4	0
Chronic Myeloid Leukemia	4.7	2.2	9.6	12
Other Myeloid/Monocytic Leukemia	0.0	0.0	3.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	1.9	0.7	5.7	6
Kaposi Sarcoma	^	^	^	^
Miscellaneous	12.3	8.2	18.5	34

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	533.6	484.8	586.6	484
Oral Cavity and Pharynx	22.4	13.5	35.9	21
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	6.6	0
Gum and Other Mouth	6.9	2.4	16.6	6
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	6.6	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	6.6	0
Digestive System	104.4	82.6	130.8	86
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	71.9	54.1	94.3	60
Colon excluding Rectum	47.6	33.3	66.7	39
Cecum	8.2	2.9	18.8	6
Appendix	0.0	0.0	6.6	0
Ascending Colon	9.0	3.2	20.5	6
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	6.6	0
Descending Colon	^	^	^	^
Sigmoid Colon	14.6	7.8	26.0	14
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	24.3	14.6	38.7	21
Rectosigmoid Junction	^	^	^	^
Rectum	19.9	11.4	33.1	18
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	6.8	2.3	16.5	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	6.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.6	0
Other Digestive Organs	0.0	0.0	6.6	0
Respiratory System	72.1	54.8	94.0	63
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.6	0
Larynx	^	^	^	^
Lung and Bronchus	68.7	51.8	90.2	60
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.6	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	18.2	10.5	30.5	19
Melanoma of the Skin	15.3	8.6	26.5	17
Other Non-Epithelial Skin	^	^	^	^
Urinary System	47.4	33.3	66.2	40
Urinary Bladder	34.4	22.4	51.3	28
Kidney and Renal Pelvis	10.2	4.7	20.6	10
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	6.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.6	0
Endocrine System	7.5	3.4	16.3	9
Thyroid	7.5	3.4	16.3	9
Other Endocrine including Thymus	0.0	0.0	6.6	0
Lymphoma	20.8	12.3	34.0	19
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.6	0
Non-Hodgkin Lymphoma	18.7	10.7	31.5	17
NHL - Nodal	13.7	6.9	25.4	12
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	17.8	10.1	30.3	17
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	9.2	3.8	19.7	8
Acute Myeloid Leukemia	7.7	3.0	17.6	7
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	6.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	6.6	0
Miscellaneous	17.0	8.6	30.8	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	513.8	449.8	586.4	314
Oral Cavity and Pharynx	10.3	3.7	27.6	7
Lip	0.0	0.0	14.6	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	14.6	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	14.6	0
Hypopharynx	0.0	0.0	14.6	0
Other Oral Cavity and Pharynx	0.0	0.0	14.6	0
Digestive System	124.1	90.6	167.6	56
Esophagus	^	^	^	^
Stomach	20.6	8.1	44.6	8
Small Intestine	0.0	0.0	14.6	0
Colon and Rectum	67.0	43.0	101.3	30
Colon excluding Rectum	36.8	19.3	65.2	15
Cecum	16.7	5.8	39.3	7
Appendix	0.0	0.0	14.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	14.6	0
Descending Colon	0.0	0.0	14.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	14.6	0
Rectum and Rectosigmoid Junction	30.2	15.5	55.5	15
Rectosigmoid Junction	^	^	^	^
Rectum	24.5	11.4	48.4	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	14.6	0
Gallbladder	0.0	0.0	14.6	0
Other Biliary	^	^	^	^
Pancreas	16.8	6.7	37.8	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	14.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	14.6	0
Other Digestive Organs	^	^	^	^
Respiratory System	70.2	47.7	102.2	41
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	64.9	42.9	96.5	36
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	14.6	0
Skin excluding Basal and Squamous	13.4	6.2	30.6	13
Melanoma of the Skin	8.6	4.1	23.6	10
Other Non-Epithelial Skin	^	^	^	^
Urinary System	35.9	20.6	61.2	22
Urinary Bladder	22.4	11.1	43.9	14
Kidney and Renal Pelvis	13.5	4.7	33.6	8
Ureter	0.0	0.0	14.6	0
Other Urinary Organs	0.0	0.0	14.6	0
Eye and Orbit	0.0	0.0	14.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	14.6	0
Endocrine System	6.4	2.0	22.1	6
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	16.0	7.5	34.5	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	14.6	0
Non-Hodgkin Lymphoma	14.2	6.2	32.6	10
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	13.2	4.2	33.7	9
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	14.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	14.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	14.6	0
Acute Monocytic Leukemia	0.0	0.0	14.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	14.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	14.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	14.6	0
Kaposi Sarcoma	0.0	0.0	14.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	530.6	375.1	753.1	45
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	110.0	0
Tongue	0.0	0.0	110.0	0
Salivary Gland	0.0	0.0	110.0	0
Floor of Mouth	0.0	0.0	110.0	0
Gum and Other Mouth	0.0	0.0	110.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	110.0	0
Oropharynx	0.0	0.0	110.0	0
Hypopharynx	0.0	0.0	110.0	0
Other Oral Cavity and Pharynx	0.0	0.0	110.0	0
Digestive System	97.2	42.9	229.1	9
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	110.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	110.0	0
Appendix	0.0	0.0	110.0	0
Ascending Colon	0.0	0.0	110.0	0
Hepatic Flexure	0.0	0.0	110.0	0
Transverse Colon	0.0	0.0	110.0	0
Splenic Flexure	0.0	0.0	110.0	0
Descending Colon	0.0	0.0	110.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	110.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	110.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	110.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	110.0	0
Liver	0.0	0.0	110.0	0
Intrahepatic Bile Duct	0.0	0.0	110.0	0
Gallbladder	0.0	0.0	110.0	0
Other Biliary	0.0	0.0	110.0	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	110.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	110.0	0
Other Digestive Organs	0.0	0.0	110.0	0
Respiratory System	167.3	79.0	334.9	11
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	128.8	55.1	282.8	9
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	110.0	0
Bones and Joints	0.0	0.0	110.0	0
Soft Tissue including Heart	0.0	0.0	110.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	110.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	110.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	110.0	0
Other Urinary Organs	0.0	0.0	110.0	0
Eye and Orbit	0.0	0.0	110.0	0
Brain and Other Nervous System	0.0	0.0	110.0	0
Brain	0.0	0.0	110.0	0
Cranial Nerves Other Nervous System	0.0	0.0	110.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	110.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	110.0	0
Hodgkin - Nodal	0.0	0.0	110.0	0
Hodgkin - Extranodal	0.0	0.0	110.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	110.0	0
Myeloma	0.0	0.0	110.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	110.0	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	110.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	110.0	0
Chronic Myeloid Leukemia	0.0	0.0	110.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	110.0	0
Other Leukemia	0.0	0.0	110.0	0
Other Acute Leukemia	0.0	0.0	110.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	110.0	0
Mesothelioma	0.0	0.0	110.0	0
Kaposi Sarcoma	0.0	0.0	110.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	493.1	466.1	521.8	1,569
Oral Cavity and Pharynx	9.2	6.2	14.1	36
Lip	^	^	^	^
Tongue	2.4	0.9	6.4	8
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.5	0.5	5.0	6
Nasopharynx	^	^	^	^
Tonsil	1.8	0.8	5.4	9
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	92.9	80.8	106.9	269
Esophagus	7.2	3.9	12.8	21
Stomach	4.0	2.1	8.2	14
Small Intestine	2.0	0.7	6.0	6
Colon and Rectum	57.0	47.6	68.4	157
Colon excluding Rectum	42.4	34.2	52.7	114
Cecum	14.8	9.7	22.2	33
Appendix	^	^	^	^
Ascending Colon	8.3	4.9	14.0	21
Hepatic Flexure	^	^	^	^
Transverse Colon	2.5	1.0	6.5	8
Splenic Flexure	^	^	^	^
Descending Colon	3.0	1.2	7.3	8
Sigmoid Colon	8.4	5.4	13.6	28
Large Intestine, NOS	2.3	0.6	6.7	6
Rectum and Rectosigmoid Junction	14.6	10.3	20.9	43
Rectosigmoid Junction	2.4	0.9	6.4	7
Rectum	12.2	8.3	18.1	36
Anus, Anal Canal and Anorectum	1.2	0.4	4.6	6
Liver and Intrahepatic Bile Duct	8.7	5.4	14.2	27
Liver	7.8	4.7	13.1	24
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	3.4	1.3	8.1	8
Pancreas	5.8	3.4	10.4	20

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	73.9	63.8	85.9	227
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.9	1.3	6.9	10
Lung and Bronchus	70.8	60.8	82.6	216
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	2.5	1.2	6.2	11
Skin excluding Basal and Squamous	16.9	12.5	23.3	62
Melanoma of the Skin	15.3	11.2	21.3	58
Other Non-Epithelial Skin	^	^	^	^
Urinary System	45.5	37.3	55.7	132
Urinary Bladder	30.1	23.3	38.8	81
Kidney and Renal Pelvis	13.8	9.8	19.8	47
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	3.4	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	6.6	4.1	11.2	26
Brain	6.6	4.1	11.2	26
Cranial Nerves Other Nervous System	0.0	0.0	3.4	0
Endocrine System	8.3	5.8	12.8	38
Thyroid	7.4	5.1	11.6	35
Other Endocrine including Thymus	^	^	^	^
Lymphoma	23.3	17.8	30.8	77
Hodgkin Lymphoma	2.7	1.4	6.5	12
Hodgkin - Nodal	2.7	1.4	6.5	12
Hodgkin - Extranodal	0.0	0.0	3.4	0
Non-Hodgkin Lymphoma	20.6	15.3	27.9	65
NHL - Nodal	15.8	11.2	22.5	49
NHL - Extranodal	4.8	2.5	9.2	16
Myeloma	4.6	2.4	9.0	15
Leukemia	16.8	11.6	24.1	49
Lymphocytic Leukemia	8.9	5.5	14.6	29
Acute Lymphocytic Leukemia	2.7	1.4	6.2	14
Chronic Lymphocytic Leukemia	5.5	2.6	11.0	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.3	3.2	11.7	16
Acute Myeloid Leukemia	4.0	1.6	8.8	10
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	3.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	3.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	3.4	0
Miscellaneous	10.1	6.6	15.8	32

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	484.8	417.9	561.4	213
Oral Cavity and Pharynx	19.9	8.5	42.8	9
Lip	0.0	0.0	15.8	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	15.8	0
Gum and Other Mouth	0.0	0.0	15.8	0
Nasopharynx	15.0	5.7	36.2	7
Tonsil	0.0	0.0	15.8	0
Oropharynx	0.0	0.0	15.8	0
Hypopharynx	0.0	0.0	15.8	0
Other Oral Cavity and Pharynx	0.0	0.0	15.8	0
Digestive System	205.4	161.8	259.1	85
Esophagus	^	^	^	^
Stomach	29.3	14.8	55.1	13
Small Intestine	^	^	^	^
Colon and Rectum	125.1	91.8	168.9	51
Colon excluding Rectum	105.2	74.6	146.4	42
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	41.9	24.1	70.5	18
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	19.9	8.6	42.8	9
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.8	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	15.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	101.7	71.5	142.4	40
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.8	0
Larynx	^	^	^	^
Lung and Bronchus	99.1	69.3	139.5	39
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.8	0
Bones and Joints	0.0	0.0	15.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	15.8	0
Melanoma of the Skin	0.0	0.0	15.8	0
Other Non-Epithelial Skin	0.0	0.0	15.8	0
Urinary System	33.3	17.1	60.9	13
Urinary Bladder	16.9	5.8	40.7	6
Kidney and Renal Pelvis	13.4	4.8	33.9	6
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	15.8	0
Eye and Orbit	0.0	0.0	15.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	15.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	15.8	0
Lymphoma	24.0	11.7	47.3	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	15.8	0
Non-Hodgkin Lymphoma	22.5	10.6	45.7	11
NHL - Nodal	18.2	7.4	40.8	8
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	8.9	2.7	27.1	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	15.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	15.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.8	0
Other Leukemia	0.0	0.0	15.8	0
Other Acute Leukemia	0.0	0.0	15.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.8	0
Mesothelioma	0.0	0.0	15.8	0
Kaposi Sarcoma	0.0	0.0	15.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	485.9	399.7	592.2	149
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.8	0
Tongue	0.0	0.0	35.8	0
Salivary Gland	0.0	0.0	35.8	0
Floor of Mouth	0.0	0.0	35.8	0
Gum and Other Mouth	0.0	0.0	35.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	35.8	0
Oropharynx	0.0	0.0	35.8	0
Hypopharynx	0.0	0.0	35.8	0
Other Oral Cavity and Pharynx	0.0	0.0	35.8	0
Digestive System	157.5	109.7	227.3	45
Esophagus	^	^	^	^
Stomach	33.7	14.5	78.4	10
Small Intestine	0.0	0.0	35.8	0
Colon and Rectum	83.7	50.7	139.6	25
Colon excluding Rectum	44.3	21.5	91.8	13
Cecum	^	^	^	^
Appendix	0.0	0.0	35.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	35.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	35.8	0
Rectum and Rectosigmoid Junction	39.4	18.1	85.7	12
Rectosigmoid Junction	^	^	^	^
Rectum	34.7	14.6	80.6	10
Anus, Anal Canal and Anorectum	0.0	0.0	35.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.8	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	35.8	0
Pancreas	30.3	10.3	77.7	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	35.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.8	0
Other Digestive Organs	0.0	0.0	35.8	0
Respiratory System	114.5	75.2	176.1	32
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.8	0
Larynx	^	^	^	^
Lung and Bronchus	111.8	72.8	173.1	31
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.8	0
Bones and Joints	0.0	0.0	35.8	0
Soft Tissue including Heart	0.0	0.0	35.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	40.8	16.6	91.7	10
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	27.1	9.9	70.9	8
Ureter	0.0	0.0	35.8	0
Other Urinary Organs	0.0	0.0	35.8	0
Eye and Orbit	0.0	0.0	35.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	35.8	0
Endocrine System	10.6	3.8	45.9	6
Thyroid	10.6	3.8	45.9	6
Other Endocrine including Thymus	0.0	0.0	35.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	35.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	35.8	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	35.8	0
Lymphocytic Leukemia	0.0	0.0	35.8	0
Acute Lymphocytic Leukemia	0.0	0.0	35.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	35.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	35.8	0
Acute Myeloid Leukemia	0.0	0.0	35.8	0
Acute Monocytic Leukemia	0.0	0.0	35.8	0
Chronic Myeloid Leukemia	0.0	0.0	35.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.8	0
Other Leukemia	0.0	0.0	35.8	0
Other Acute Leukemia	0.0	0.0	35.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.8	0
Mesothelioma	0.0	0.0	35.8	0
Kaposi Sarcoma	0.0	0.0	35.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	420.6	341.5	517.5	118
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	29.5	0
Tongue	0.0	0.0	29.5	0
Salivary Gland	0.0	0.0	29.5	0
Floor of Mouth	0.0	0.0	29.5	0
Gum and Other Mouth	0.0	0.0	29.5	0
Nasopharynx	0.0	0.0	29.5	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	29.5	0
Hypopharynx	0.0	0.0	29.5	0
Other Oral Cavity and Pharynx	0.0	0.0	29.5	0
Digestive System	153.6	108.1	217.6	43
Esophagus	0.0	0.0	29.5	0
Stomach	25.2	9.0	63.7	8
Small Intestine	^	^	^	^
Colon and Rectum	95.9	60.4	150.9	25
Colon excluding Rectum	79.1	46.9	131.2	20
Cecum	^	^	^	^
Appendix	0.0	0.0	29.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	29.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	29.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	29.5	0
Liver	0.0	0.0	29.5	0
Intrahepatic Bile Duct	0.0	0.0	29.5	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	29.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	29.5	0
Other Digestive Organs	0.0	0.0	29.5	0
Respiratory System	76.0	45.0	126.8	20
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	70.2	40.3	120.1	18
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	29.5	0
Bones and Joints	0.0	0.0	29.5	0
Soft Tissue including Heart	0.0	0.0	29.5	0
Skin excluding Basal and Squamous	0.0	0.0	29.5	0
Melanoma of the Skin	0.0	0.0	29.5	0
Other Non-Epithelial Skin	0.0	0.0	29.5	0
Urinary System	40.8	19.7	82.6	11
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	25.7	9.9	63.3	7
Ureter	0.0	0.0	29.5	0
Other Urinary Organs	0.0	0.0	29.5	0
Eye and Orbit	0.0	0.0	29.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	29.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	29.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	29.5	0
Hodgkin - Nodal	0.0	0.0	29.5	0
Hodgkin - Extranodal	0.0	0.0	29.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	29.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	29.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	29.5	0
Chronic Myeloid Leukemia	0.0	0.0	29.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	29.5	0
Other Leukemia	0.0	0.0	29.5	0
Other Acute Leukemia	0.0	0.0	29.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	29.5	0
Mesothelioma	0.0	0.0	29.5	0
Kaposi Sarcoma	0.0	0.0	29.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	509.8	411.6	633.8	146
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	45.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	45.8	0
Floor of Mouth	0.0	0.0	45.8	0
Gum and Other Mouth	0.0	0.0	45.8	0
Nasopharynx	0.0	0.0	45.8	0
Tonsil	0.0	0.0	45.8	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	45.8	0
Other Oral Cavity and Pharynx	0.0	0.0	45.8	0
Digestive System	150.9	96.7	234.5	34
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	45.8	0
Colon and Rectum	117.6	69.2	196.7	25
Colon excluding Rectum	63.5	30.2	129.0	14
Cecum	^	^	^	^
Appendix	0.0	0.0	45.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	45.8	0
Splenic Flexure	0.0	0.0	45.8	0
Descending Colon	0.0	0.0	45.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	54.1	23.0	118.8	11
Rectosigmoid Junction	^	^	^	^
Rectum	37.3	11.9	98.5	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	45.8	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	45.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	45.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.8	0
Other Digestive Organs	0.0	0.0	45.8	0
Respiratory System	84.6	47.5	151.8	23
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	72.5	38.7	136.9	20
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.8	0
Bones and Joints	0.0	0.0	45.8	0
Soft Tissue including Heart	0.0	0.0	45.8	0
Skin excluding Basal and Squamous	23.6	5.2	79.4	7
Melanoma of the Skin	23.6	5.2	79.4	7
Other Non-Epithelial Skin	0.0	0.0	45.8	0
Urinary System	40.3	14.9	99.8	11
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	45.8	0
Eye and Orbit	0.0	0.0	45.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	45.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	45.8	0
Lymphoma	27.9	7.9	83.6	9
Hodgkin Lymphoma	0.0	0.0	45.8	0
Hodgkin - Nodal	0.0	0.0	45.8	0
Hodgkin - Extranodal	0.0	0.0	45.8	0
Non-Hodgkin Lymphoma	27.9	7.9	83.6	9
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	45.8	0
Acute Lymphocytic Leukemia	0.0	0.0	45.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	45.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	45.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	45.8	0
Chronic Myeloid Leukemia	0.0	0.0	45.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.8	0
Other Leukemia	0.0	0.0	45.8	0
Other Acute Leukemia	0.0	0.0	45.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.8	0
Mesothelioma	0.0	0.0	45.8	0
Kaposi Sarcoma	0.0	0.0	45.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	402.2	348.9	463.1	227
Oral Cavity and Pharynx	17.2	7.1	36.9	8
Lip	0.0	0.0	12.6	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	12.6	0
Floor of Mouth	0.0	0.0	12.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	12.6	0
Tonsil	0.0	0.0	12.6	0
Oropharynx	0.0	0.0	12.6	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	12.6	0
Digestive System	87.5	63.8	119.4	49
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	12.6	0
Colon and Rectum	64.2	44.4	92.2	37
Colon excluding Rectum	44.0	28.3	68.0	26
Cecum	^	^	^	^
Appendix	0.0	0.0	12.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	14.9	6.6	32.3	9
Large Intestine, NOS	0.0	0.0	12.6	0
Rectum and Rectosigmoid Junction	20.2	9.5	40.1	11
Rectosigmoid Junction	^	^	^	^
Rectum	17.5	7.5	37.0	9
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	12.6	0
Gallbladder	0.0	0.0	12.6	0
Other Biliary	0.0	0.0	12.6	0
Pancreas	12.0	4.3	29.5	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	12.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	12.6	0
Other Digestive Organs	0.0	0.0	12.6	0
Respiratory System	66.9	46.4	95.5	37
Nose, Nasal Cavity and Middle Ear	0.0	0.0	12.6	0
Larynx	^	^	^	^
Lung and Bronchus	62.1	42.3	90.2	34
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	12.6	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	12.7	5.3	29.2	8
Melanoma of the Skin	10.5	4.0	26.2	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	32.1	17.7	55.6	16
Urinary Bladder	13.8	4.6	33.2	6
Kidney and Renal Pelvis	18.4	8.6	37.2	10
Ureter	0.0	0.0	12.6	0
Other Urinary Organs	0.0	0.0	12.6	0
Eye and Orbit	0.0	0.0	12.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	12.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	12.6	0
Lymphoma	21.9	11.7	40.7	14
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	12.6	0
Non-Hodgkin Lymphoma	18.1	8.7	36.3	11
NHL - Nodal	11.9	5.0	27.8	8
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	15.2	5.6	34.8	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	12.6	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	12.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	12.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	12.6	0
Other Leukemia	0.0	0.0	12.6	0
Other Acute Leukemia	0.0	0.0	12.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	12.6	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	366.6	286.2	467.8	86
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	33.5	0
Tongue	0.0	0.0	33.5	0
Salivary Gland	0.0	0.0	33.5	0
Floor of Mouth	0.0	0.0	33.5	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	33.5	0
Tonsil	0.0	0.0	33.5	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	33.5	0
Other Oral Cavity and Pharynx	0.0	0.0	33.5	0
Digestive System	80.8	43.6	142.1	16
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	33.5	0
Colon and Rectum	40.7	14.2	94.5	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	33.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	33.5	0
Transverse Colon	0.0	0.0	33.5	0
Splenic Flexure	0.0	0.0	33.5	0
Descending Colon	0.0	0.0	33.5	0
Sigmoid Colon	0.0	0.0	33.5	0
Large Intestine, NOS	0.0	0.0	33.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	33.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	33.5	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	33.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	33.5	0
Other Digestive Organs	0.0	0.0	33.5	0
Respiratory System	27.5	8.6	72.8	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	33.5	0
Larynx	0.0	0.0	33.5	0
Lung and Bronchus	27.5	8.6	72.8	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	33.5	0
Bones and Joints	0.0	0.0	33.5	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	33.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	33.5	0
Other Urinary Organs	0.0	0.0	33.5	0
Eye and Orbit	0.0	0.0	33.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	33.5	0
Endocrine System	20.6	7.0	59.4	6
Thyroid	20.6	7.0	59.4	6
Other Endocrine including Thymus	0.0	0.0	33.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	33.5	0
Hodgkin - Nodal	0.0	0.0	33.5	0
Hodgkin - Extranodal	0.0	0.0	33.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	33.5	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	33.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	33.5	0
Chronic Myeloid Leukemia	0.0	0.0	33.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	33.5	0
Other Leukemia	0.0	0.0	33.5	0
Other Acute Leukemia	0.0	0.0	33.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	33.5	0
Mesothelioma	0.0	0.0	33.5	0
Kaposi Sarcoma	0.0	0.0	33.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	559.2	468.6	666.9	175
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	28.9	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	28.9	0
Floor of Mouth	0.0	0.0	28.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	28.9	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	28.9	0
Hypopharynx	0.0	0.0	28.9	0
Other Oral Cavity and Pharynx	0.0	0.0	28.9	0
Digestive System	89.6	53.2	146.0	24
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	28.9	0
Colon and Rectum	56.5	28.6	105.2	14
Colon excluding Rectum	30.6	11.9	70.9	8
Cecum	^	^	^	^
Appendix	0.0	0.0	28.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	28.9	0
Transverse Colon	0.0	0.0	28.9	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	28.9	0
Rectum and Rectosigmoid Junction	25.9	8.2	66.5	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	28.9	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	28.9	0
Other Biliary	0.0	0.0	28.9	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	28.9	0
Other Digestive Organs	0.0	0.0	28.9	0
Respiratory System	58.5	33.2	102.8	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	28.9	0
Larynx	^	^	^	^
Lung and Bronchus	56.5	31.6	100.7	18
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	28.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	28.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	28.9	0
Urinary System	66.6	35.2	118.9	16
Urinary Bladder	31.4	11.4	73.9	7
Kidney and Renal Pelvis	35.2	14.0	78.4	9
Ureter	0.0	0.0	28.9	0
Other Urinary Organs	0.0	0.0	28.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	28.9	0
Lymphoma	26.7	12.5	61.0	11
Hodgkin Lymphoma	0.0	0.0	28.9	0
Hodgkin - Nodal	0.0	0.0	28.9	0
Hodgkin - Extranodal	0.0	0.0	28.9	0
Non-Hodgkin Lymphoma	26.7	12.5	61.0	11
NHL - Nodal	^	^	^	^
NHL - Extranodal	21.0	8.3	54.6	8
Myeloma	0.0	0.0	28.9	0
Leukemia	24.8	8.9	62.5	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	28.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	28.9	0
Chronic Myeloid Leukemia	0.0	0.0	28.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	28.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	28.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	28.9	0
Miscellaneous	26.8	10.8	63.9	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	506.4	440.1	582.1	273
Oral Cavity and Pharynx	17.7	6.7	40.8	9
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	15.5	0
Floor of Mouth	0.0	0.0	15.5	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	15.5	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	15.5	0
Digestive System	98.0	68.1	138.6	46
Esophagus	10.8	3.9	29.3	7
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	54.3	32.9	86.7	25
Colon excluding Rectum	38.6	21.4	66.9	19
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	15.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	25.6	11.4	51.8	11
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	15.6	5.0	38.9	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.5	0
Gallbladder	0.0	0.0	15.5	0
Other Biliary	0.0	0.0	15.5	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	15.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.5	0
Other Digestive Organs	0.0	0.0	15.5	0
Respiratory System	99.0	70.5	137.7	49
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.5	0
Larynx	^	^	^	^
Lung and Bronchus	91.0	63.6	128.6	45
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.5	0
Bones and Joints	0.0	0.0	15.5	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	11.5	3.9	30.9	6
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	27.1	13.5	51.7	14
Urinary Bladder	24.4	11.3	48.9	11
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.5	0
Other Urinary Organs	0.0	0.0	15.5	0
Eye and Orbit	0.0	0.0	15.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	15.5	0
Endocrine System	10.0	4.2	26.9	8
Thyroid	10.0	4.2	26.9	8
Other Endocrine including Thymus	0.0	0.0	15.5	0
Lymphoma	33.8	19.4	58.4	20
Hodgkin Lymphoma	0.0	0.0	15.5	0
Hodgkin - Nodal	0.0	0.0	15.5	0
Hodgkin - Extranodal	0.0	0.0	15.5	0
Non-Hodgkin Lymphoma	33.8	19.4	58.4	20
NHL - Nodal	23.4	12.4	44.7	15
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	15.5	0
Acute Lymphocytic Leukemia	0.0	0.0	15.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	15.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	15.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	15.5	0
Chronic Myeloid Leukemia	0.0	0.0	15.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.5	0
Other Leukemia	0.0	0.0	15.5	0
Other Acute Leukemia	0.0	0.0	15.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.5	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	15.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	437.5	351.1	544.8	107
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	34.9	0
Tongue	0.0	0.0	34.9	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	34.9	0
Gum and Other Mouth	0.0	0.0	34.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	34.9	0
Oropharynx	0.0	0.0	34.9	0
Hypopharynx	0.0	0.0	34.9	0
Other Oral Cavity and Pharynx	0.0	0.0	34.9	0
Digestive System	193.6	136.2	273.4	43
Esophagus	0.0	0.0	34.9	0
Stomach	33.1	11.9	80.9	7
Small Intestine	0.0	0.0	34.9	0
Colon and Rectum	96.5	57.8	158.6	22
Colon excluding Rectum	85.4	48.3	146.4	18
Cecum	^	^	^	^
Appendix	0.0	0.0	34.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	28.5	9.7	73.8	6
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	34.9	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	34.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	34.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	34.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	34.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	34.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	97.4	59.6	158.1	23
Nose, Nasal Cavity and Middle Ear	0.0	0.0	34.9	0
Larynx	0.0	0.0	34.9	0
Lung and Bronchus	97.4	59.6	158.1	23
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	34.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	34.9	0
Skin excluding Basal and Squamous	0.0	0.0	34.9	0
Melanoma of the Skin	0.0	0.0	34.9	0
Other Non-Epithelial Skin	0.0	0.0	34.9	0
Urinary System	28.5	11.1	71.3	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	34.9	0
Eye and Orbit	0.0	0.0	34.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	34.9	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	34.9	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	34.9	0
Hodgkin - Nodal	0.0	0.0	34.9	0
Hodgkin - Extranodal	0.0	0.0	34.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	34.9	0
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	34.9	0
Lymphocytic Leukemia	0.0	0.0	34.9	0
Acute Lymphocytic Leukemia	0.0	0.0	34.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	34.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	34.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	34.9	0
Acute Myeloid Leukemia	0.0	0.0	34.9	0
Acute Monocytic Leukemia	0.0	0.0	34.9	0
Chronic Myeloid Leukemia	0.0	0.0	34.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	34.9	0
Other Leukemia	0.0	0.0	34.9	0
Other Acute Leukemia	0.0	0.0	34.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	34.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	34.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	451.2	391.2	518.7	211
Oral Cavity and Pharynx	11.3	4.0	27.2	6
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	11.3	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	11.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	11.3	0
Oropharynx	0.0	0.0	11.3	0
Hypopharynx	0.0	0.0	11.3	0
Other Oral Cavity and Pharynx	0.0	0.0	11.3	0
Digestive System	82.1	57.9	114.2	39
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	11.3	0
Colon and Rectum	41.8	24.9	67.0	19
Colon excluding Rectum	32.3	17.4	55.7	14
Cecum	^	^	^	^
Appendix	0.0	0.0	11.3	0
Ascending Colon	0.0	0.0	11.3	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	11.3	0
Descending Colon	0.0	0.0	11.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	11.3	0
Liver and Intrahepatic Bile Duct	9.4	3.5	23.8	6
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	11.3	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	11.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.3	0
Other Digestive Organs	0.0	0.0	11.3	0
Respiratory System	86.4	60.8	120.1	38
Nose, Nasal Cavity and Middle Ear	0.0	0.0	11.3	0
Larynx	^	^	^	^
Lung and Bronchus	76.7	52.8	108.8	34
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.3	0
Bones and Joints	0.0	0.0	11.3	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	11.3	0
Urinary System	29.5	15.9	51.4	14
Urinary Bladder	19.2	8.6	38.5	9
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	11.3	0
Other Urinary Organs	0.0	0.0	11.3	0
Eye and Orbit	0.0	0.0	11.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	11.3	0
Endocrine System	11.2	3.9	27.2	6
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	18.1	7.6	37.5	8
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	11.3	0
Non-Hodgkin Lymphoma	16.4	6.4	35.4	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	11.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	11.3	0
Chronic Myeloid Leukemia	0.0	0.0	11.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.3	0
Other Leukemia	0.0	0.0	11.3	0
Other Acute Leukemia	0.0	0.0	11.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	11.3	0
Mesothelioma	0.0	0.0	11.3	0
Kaposi Sarcoma	0.0	0.0	11.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	913.7	419.1	1,882.9	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	658.2	0
Tongue	0.0	0.0	658.2	0
Salivary Gland	0.0	0.0	658.2	0
Floor of Mouth	0.0	0.0	658.2	0
Gum and Other Mouth	0.0	0.0	658.2	0
Nasopharynx	0.0	0.0	658.2	0
Tonsil	0.0	0.0	658.2	0
Oropharynx	0.0	0.0	658.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	658.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	658.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	658.2	0
Colon and Rectum	0.0	0.0	658.2	0
Colon excluding Rectum	0.0	0.0	658.2	0
Cecum	0.0	0.0	658.2	0
Appendix	0.0	0.0	658.2	0
Ascending Colon	0.0	0.0	658.2	0
Hepatic Flexure	0.0	0.0	658.2	0
Transverse Colon	0.0	0.0	658.2	0
Splenic Flexure	0.0	0.0	658.2	0
Descending Colon	0.0	0.0	658.2	0
Sigmoid Colon	0.0	0.0	658.2	0
Large Intestine, NOS	0.0	0.0	658.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	658.2	0
Rectosigmoid Junction	0.0	0.0	658.2	0
Rectum	0.0	0.0	658.2	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	658.2	0
Liver	0.0	0.0	658.2	0
Intrahepatic Bile Duct	0.0	0.0	658.2	0
Gallbladder	0.0	0.0	658.2	0
Other Biliary	0.0	0.0	658.2	0
Pancreas	0.0	0.0	658.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	658.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	658.2	0
Other Digestive Organs	0.0	0.0	658.2	0
Respiratory System	276.0	39.6	1,077.9	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	658.2	0
Larynx	0.0	0.0	658.2	0
Lung and Bronchus	276.0	39.6	1,077.9	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	658.2	0
Bones and Joints	0.0	0.0	658.2	0
Soft Tissue including Heart	0.0	0.0	658.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	658.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	658.2	0
Other Urinary Organs	0.0	0.0	658.2	0
Eye and Orbit	0.0	0.0	658.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	658.2	0
Endocrine System	0.0	0.0	658.2	0
Thyroid	0.0	0.0	658.2	0
Other Endocrine including Thymus	0.0	0.0	658.2	0
Lymphoma	0.0	0.0	658.2	0
Hodgkin Lymphoma	0.0	0.0	658.2	0
Hodgkin - Nodal	0.0	0.0	658.2	0
Hodgkin - Extranodal	0.0	0.0	658.2	0
Non-Hodgkin Lymphoma	0.0	0.0	658.2	0
NHL - Nodal	0.0	0.0	658.2	0
NHL - Extranodal	0.0	0.0	658.2	0
Myeloma	0.0	0.0	658.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	658.2	0
Acute Lymphocytic Leukemia	0.0	0.0	658.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	658.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	658.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	658.2	0
Acute Monocytic Leukemia	0.0	0.0	658.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	658.2	0
Other Leukemia	0.0	0.0	658.2	0
Other Acute Leukemia	0.0	0.0	658.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	658.2	0
Mesothelioma	0.0	0.0	658.2	0
Kaposi Sarcoma	0.0	0.0	658.2	0
Miscellaneous	0.0	0.0	658.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	456.8	385.7	539.0	167
Oral Cavity and Pharynx	21.2	9.2	45.6	9
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	17.0	0
Gum and Other Mouth	0.0	0.0	17.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	17.0	0
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	17.0	0
Digestive System	166.0	124.5	218.9	61
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	112.4	77.9	158.9	39
Colon excluding Rectum	88.4	57.2	132.0	28
Cecum	^	^	^	^
Appendix	0.0	0.0	17.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	22.9	8.0	52.0	6
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	17.0	0
Sigmoid Colon	33.4	16.4	63.0	12
Large Intestine, NOS	0.0	0.0	17.0	0
Rectum and Rectosigmoid Junction	24.0	11.4	48.6	11
Rectosigmoid Junction	^	^	^	^
Rectum	19.9	8.6	43.6	9
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	17.0	0
Other Biliary	^	^	^	^
Pancreas	19.2	7.1	44.5	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	17.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.0	0
Other Digestive Organs	0.0	0.0	17.0	0
Respiratory System	75.7	46.8	117.5	23
Nose, Nasal Cavity and Middle Ear	0.0	0.0	17.0	0
Larynx	^	^	^	^
Lung and Bronchus	73.9	45.2	115.5	22
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	17.0	0
Bones and Joints	0.0	0.0	17.0	0
Soft Tissue including Heart	0.0	0.0	17.0	0
Skin excluding Basal and Squamous	0.0	0.0	17.0	0
Melanoma of the Skin	0.0	0.0	17.0	0
Other Non-Epithelial Skin	0.0	0.0	17.0	0
Urinary System	32.2	16.3	60.3	13
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	28.7	13.5	56.4	11
Ureter	0.0	0.0	17.0	0
Other Urinary Organs	0.0	0.0	17.0	0
Eye and Orbit	0.0	0.0	17.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	17.0	0
Endocrine System	0.0	0.0	17.0	0
Thyroid	0.0	0.0	17.0	0
Other Endocrine including Thymus	0.0	0.0	17.0	0
Lymphoma	16.6	6.0	40.1	7
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	17.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	17.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	17.0	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

Total/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	17.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	17.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.0	0
Other Leukemia	0.0	0.0	17.0	0
Other Acute Leukemia	0.0	0.0	17.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.0	0
Mesothelioma	0.0	0.0	17.0	0
Kaposi Sarcoma	0.0	0.0	17.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	2,489.8	0
Lip	0.0	0.0	2,489.8	0
Tongue	0.0	0.0	2,489.8	0
Salivary Gland	0.0	0.0	2,489.8	0
Floor of Mouth	0.0	0.0	2,489.8	0
Gum and Other Mouth	0.0	0.0	2,489.8	0
Nasopharynx	0.0	0.0	2,489.8	0
Tonsil	0.0	0.0	2,489.8	0
Oropharynx	0.0	0.0	2,489.8	0
Hypopharynx	0.0	0.0	2,489.8	0
Other Oral Cavity and Pharynx	0.0	0.0	2,489.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	2,489.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	2,489.8	0
Colon and Rectum	0.0	0.0	2,489.8	0
Colon excluding Rectum	0.0	0.0	2,489.8	0
Cecum	0.0	0.0	2,489.8	0
Appendix	0.0	0.0	2,489.8	0
Ascending Colon	0.0	0.0	2,489.8	0
Hepatic Flexure	0.0	0.0	2,489.8	0
Transverse Colon	0.0	0.0	2,489.8	0
Splenic Flexure	0.0	0.0	2,489.8	0
Descending Colon	0.0	0.0	2,489.8	0
Sigmoid Colon	0.0	0.0	2,489.8	0
Large Intestine, NOS	0.0	0.0	2,489.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,489.8	0
Rectosigmoid Junction	0.0	0.0	2,489.8	0
Rectum	0.0	0.0	2,489.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,489.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,489.8	0
Liver	0.0	0.0	2,489.8	0
Intrahepatic Bile Duct	0.0	0.0	2,489.8	0
Gallbladder	0.0	0.0	2,489.8	0
Other Biliary	0.0	0.0	2,489.8	0
Pancreas	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,489.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,489.8	0
Other Digestive Organs	0.0	0.0	2,489.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,489.8	0
Larynx	0.0	0.0	2,489.8	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,489.8	0
Bones and Joints	0.0	0.0	2,489.8	0
Soft Tissue including Heart	0.0	0.0	2,489.8	0
Skin excluding Basal and Squamous	0.0	0.0	2,489.8	0
Melanoma of the Skin	0.0	0.0	2,489.8	0
Other Non-Epithelial Skin	0.0	0.0	2,489.8	0
Urinary System	0.0	0.0	2,489.8	0
Urinary Bladder	0.0	0.0	2,489.8	0
Kidney and Renal Pelvis	0.0	0.0	2,489.8	0
Ureter	0.0	0.0	2,489.8	0
Other Urinary Organs	0.0	0.0	2,489.8	0
Eye and Orbit	0.0	0.0	2,489.8	0
Brain and Other Nervous System	0.0	0.0	2,489.8	0
Brain	0.0	0.0	2,489.8	0
Cranial Nerves Other Nervous System	0.0	0.0	2,489.8	0
Endocrine System	0.0	0.0	2,489.8	0
Thyroid	0.0	0.0	2,489.8	0
Other Endocrine including Thymus	0.0	0.0	2,489.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	2,489.8	0
Hodgkin - Nodal	0.0	0.0	2,489.8	0
Hodgkin - Extranodal	0.0	0.0	2,489.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	2,489.8	0
Myeloma	0.0	0.0	2,489.8	0
Leukemia	0.0	0.0	2,489.8	0
Lymphocytic Leukemia	0.0	0.0	2,489.8	0
Acute Lymphocytic Leukemia	0.0	0.0	2,489.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,489.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,489.8	0
Acute Myeloid Leukemia	0.0	0.0	2,489.8	0
Acute Monocytic Leukemia	0.0	0.0	2,489.8	0
Chronic Myeloid Leukemia	0.0	0.0	2,489.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,489.8	0
Other Leukemia	0.0	0.0	2,489.8	0
Other Acute Leukemia	0.0	0.0	2,489.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,489.8	0
Mesothelioma	0.0	0.0	2,489.8	0
Kaposi Sarcoma	0.0	0.0	2,489.8	0
Miscellaneous	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	690.5	159.6	3,575.9	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2,860.5	0
Tongue	0.0	0.0	2,860.5	0
Salivary Gland	0.0	0.0	2,860.5	0
Floor of Mouth	0.0	0.0	2,860.5	0
Gum and Other Mouth	0.0	0.0	2,860.5	0
Nasopharynx	0.0	0.0	2,860.5	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	2,860.5	0
Hypopharynx	0.0	0.0	2,860.5	0
Other Oral Cavity and Pharynx	0.0	0.0	2,860.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	2,860.5	0
Stomach	0.0	0.0	2,860.5	0
Small Intestine	0.0	0.0	2,860.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	2,860.5	0
Appendix	0.0	0.0	2,860.5	0
Ascending Colon	0.0	0.0	2,860.5	0
Hepatic Flexure	0.0	0.0	2,860.5	0
Transverse Colon	0.0	0.0	2,860.5	0
Splenic Flexure	0.0	0.0	2,860.5	0
Descending Colon	0.0	0.0	2,860.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	2,860.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	2,860.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	2,860.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Liver	0.0	0.0	2,860.5	0
Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Gallbladder	0.0	0.0	2,860.5	0
Other Biliary	0.0	0.0	2,860.5	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,860.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,860.5	0
Other Digestive Organs	0.0	0.0	2,860.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,860.5	0
Larynx	0.0	0.0	2,860.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,860.5	0
Bones and Joints	0.0	0.0	2,860.5	0
Soft Tissue including Heart	0.0	0.0	2,860.5	0
Skin excluding Basal and Squamous	0.0	0.0	2,860.5	0
Melanoma of the Skin	0.0	0.0	2,860.5	0
Other Non-Epithelial Skin	0.0	0.0	2,860.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	2,860.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	2,860.5	0
Other Urinary Organs	0.0	0.0	2,860.5	0
Eye and Orbit	0.0	0.0	2,860.5	0
Brain and Other Nervous System	0.0	0.0	2,860.5	0
Brain	0.0	0.0	2,860.5	0
Cranial Nerves Other Nervous System	0.0	0.0	2,860.5	0
Endocrine System	0.0	0.0	2,860.5	0
Thyroid	0.0	0.0	2,860.5	0
Other Endocrine including Thymus	0.0	0.0	2,860.5	0
Lymphoma	0.0	0.0	2,860.5	0
Hodgkin Lymphoma	0.0	0.0	2,860.5	0
Hodgkin - Nodal	0.0	0.0	2,860.5	0
Hodgkin - Extranodal	0.0	0.0	2,860.5	0
Non-Hodgkin Lymphoma	0.0	0.0	2,860.5	0
NHL - Nodal	0.0	0.0	2,860.5	0
NHL - Extranodal	0.0	0.0	2,860.5	0
Myeloma	0.0	0.0	2,860.5	0
Leukemia	0.0	0.0	2,860.5	0
Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Acute Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,860.5	0
Acute Myeloid Leukemia	0.0	0.0	2,860.5	0
Acute Monocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Myeloid Leukemia	0.0	0.0	2,860.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,860.5	0
Other Leukemia	0.0	0.0	2,860.5	0
Other Acute Leukemia	0.0	0.0	2,860.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,860.5	0
Mesothelioma	0.0	0.0	2,860.5	0
Kaposi Sarcoma	0.0	0.0	2,860.5	0
Miscellaneous	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	482.8	441.2	528.4	660
Oral Cavity and Pharynx	11.7	6.4	22.0	17
Lip	0.0	0.0	7.8	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	7.8	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	7.8	0
Digestive System	94.2	74.7	118.5	106
Esophagus	^	^	^	^
Stomach	12.6	6.2	24.6	14
Small Intestine	4.6	1.1	14.4	6
Colon and Rectum	51.1	37.2	69.9	56
Colon excluding Rectum	36.2	24.5	53.0	38
Cecum	^	^	^	^
Appendix	0.0	0.0	7.8	0
Ascending Colon	6.7	2.1	17.4	6
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.4	6.9	25.2	15
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	14.9	8.2	26.9	18
Rectosigmoid Junction	5.4	1.9	14.9	7
Rectum	9.5	4.3	20.2	11
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.9	2.7	16.9	8
Liver	5.9	1.9	15.8	6
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	7.8	0
Other Biliary	0.0	0.0	7.8	0
Pancreas	13.5	6.5	26.4	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	7.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	90.7	73.4	112.4	118
Nose, Nasal Cavity and Middle Ear	0.0	0.0	7.8	0
Larynx	8.7	3.9	19.0	11
Lung and Bronchus	81.5	65.2	102.2	106
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	5.2	2.3	13.8	11
Skin excluding Basal and Squamous	11.1	6.1	21.1	19
Melanoma of the Skin	11.1	6.1	21.1	19
Other Non-Epithelial Skin	0.0	0.0	7.8	0
Urinary System	33.6	22.7	49.5	39
Urinary Bladder	18.5	10.7	31.5	21
Kidney and Renal Pelvis	14.4	7.6	26.5	17
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	7.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	3.3	1.5	11.0	9
Brain	2.9	1.3	10.6	8
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	9.2	5.2	18.3	19
Thyroid	9.2	5.2	18.3	19
Other Endocrine including Thymus	0.0	0.0	7.8	0
Lymphoma	26.9	18.5	40.0	45
Hodgkin Lymphoma	4.6	2.2	12.6	12
Hodgkin - Nodal	4.2	1.9	12.2	11
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	22.3	14.5	35.0	33
NHL - Nodal	18.7	11.7	30.6	28
NHL - Extranodal	^	^	^	^
Myeloma	7.6	3.2	17.7	9
Leukemia	14.9	8.2	26.8	19
Lymphocytic Leukemia	6.0	2.6	14.9	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	4.6	1.6	13.5	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	8.2	3.1	19.3	7
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	7.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	7.8	0
Miscellaneous	9.1	3.6	20.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	220.4	118.6	392.1	17
Oral Cavity and Pharynx	0.0	0.0	98.6	0
Lip	0.0	0.0	98.6	0
Tongue	0.0	0.0	98.6	0
Salivary Gland	0.0	0.0	98.6	0
Floor of Mouth	0.0	0.0	98.6	0
Gum and Other Mouth	0.0	0.0	98.6	0
Nasopharynx	0.0	0.0	98.6	0
Tonsil	0.0	0.0	98.6	0
Oropharynx	0.0	0.0	98.6	0
Hypopharynx	0.0	0.0	98.6	0
Other Oral Cavity and Pharynx	0.0	0.0	98.6	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	98.6	0
Small Intestine	0.0	0.0	98.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	98.6	0
Appendix	0.0	0.0	98.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	98.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	98.6	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	98.6	0
Large Intestine, NOS	0.0	0.0	98.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	98.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	98.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	98.6	0
Liver	0.0	0.0	98.6	0
Intrahepatic Bile Duct	0.0	0.0	98.6	0
Gallbladder	0.0	0.0	98.6	0
Other Biliary	0.0	0.0	98.6	0
Pancreas	0.0	0.0	98.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	98.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	98.6	0
Other Digestive Organs	0.0	0.0	98.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	98.6	0
Lung and Bronchus	0.0	0.0	98.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	98.6	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	98.6	0
Skin excluding Basal and Squamous	0.0	0.0	98.6	0
Melanoma of the Skin	0.0	0.0	98.6	0
Other Non-Epithelial Skin	0.0	0.0	98.6	0
Urinary System	0.0	0.0	98.6	0
Urinary Bladder	0.0	0.0	98.6	0
Kidney and Renal Pelvis	0.0	0.0	98.6	0
Ureter	0.0	0.0	98.6	0
Other Urinary Organs	0.0	0.0	98.6	0
Eye and Orbit	0.0	0.0	98.6	0
Brain and Other Nervous System	0.0	0.0	98.6	0
Brain	0.0	0.0	98.6	0
Cranial Nerves Other Nervous System	0.0	0.0	98.6	0
Endocrine System	0.0	0.0	98.6	0
Thyroid	0.0	0.0	98.6	0
Other Endocrine including Thymus	0.0	0.0	98.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	98.6	0
Hodgkin - Nodal	0.0	0.0	98.6	0
Hodgkin - Extranodal	0.0	0.0	98.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	98.6	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	98.6	0
Lymphocytic Leukemia	0.0	0.0	98.6	0
Acute Lymphocytic Leukemia	0.0	0.0	98.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	98.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	98.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	98.6	0
Acute Myeloid Leukemia	0.0	0.0	98.6	0
Acute Monocytic Leukemia	0.0	0.0	98.6	0
Chronic Myeloid Leukemia	0.0	0.0	98.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	98.6	0
Other Leukemia	0.0	0.0	98.6	0
Other Acute Leukemia	0.0	0.0	98.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	98.6	0
Mesothelioma	0.0	0.0	98.6	0
Kaposi Sarcoma	0.0	0.0	98.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Lip	0.0	0.0	3,291.0	0
Tongue	0.0	0.0	3,291.0	0
Salivary Gland	0.0	0.0	3,291.0	0
Floor of Mouth	0.0	0.0	3,291.0	0
Gum and Other Mouth	0.0	0.0	3,291.0	0
Nasopharynx	0.0	0.0	3,291.0	0
Tonsil	0.0	0.0	3,291.0	0
Oropharynx	0.0	0.0	3,291.0	0
Hypopharynx	0.0	0.0	3,291.0	0
Other Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	3,291.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	3,291.0	0
Colon and Rectum	0.0	0.0	3,291.0	0
Colon excluding Rectum	0.0	0.0	3,291.0	0
Cecum	0.0	0.0	3,291.0	0
Appendix	0.0	0.0	3,291.0	0
Ascending Colon	0.0	0.0	3,291.0	0
Hepatic Flexure	0.0	0.0	3,291.0	0
Transverse Colon	0.0	0.0	3,291.0	0
Splenic Flexure	0.0	0.0	3,291.0	0
Descending Colon	0.0	0.0	3,291.0	0
Sigmoid Colon	0.0	0.0	3,291.0	0
Large Intestine, NOS	0.0	0.0	3,291.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	3,291.0	0
Rectosigmoid Junction	0.0	0.0	3,291.0	0
Rectum	0.0	0.0	3,291.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	3,291.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Liver	0.0	0.0	3,291.0	0
Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Gallbladder	0.0	0.0	3,291.0	0
Other Biliary	0.0	0.0	3,291.0	0
Pancreas	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	3,291.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	3,291.0	0
Other Digestive Organs	0.0	0.0	3,291.0	0
Respiratory System	0.0	0.0	3,291.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	3,291.0	0
Larynx	0.0	0.0	3,291.0	0
Lung and Bronchus	0.0	0.0	3,291.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3,291.0	0
Bones and Joints	0.0	0.0	3,291.0	0
Soft Tissue including Heart	0.0	0.0	3,291.0	0
Skin excluding Basal and Squamous	0.0	0.0	3,291.0	0
Melanoma of the Skin	0.0	0.0	3,291.0	0
Other Non-Epithelial Skin	0.0	0.0	3,291.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	3,291.0	0
Ureter	0.0	0.0	3,291.0	0
Other Urinary Organs	0.0	0.0	3,291.0	0
Eye and Orbit	0.0	0.0	3,291.0	0
Brain and Other Nervous System	0.0	0.0	3,291.0	0
Brain	0.0	0.0	3,291.0	0
Cranial Nerves Other Nervous System	0.0	0.0	3,291.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	3,291.0	0
Lymphoma	0.0	0.0	3,291.0	0
Hodgkin Lymphoma	0.0	0.0	3,291.0	0
Hodgkin - Nodal	0.0	0.0	3,291.0	0
Hodgkin - Extranodal	0.0	0.0	3,291.0	0
Non-Hodgkin Lymphoma	0.0	0.0	3,291.0	0
NHL - Nodal	0.0	0.0	3,291.0	0
NHL - Extranodal	0.0	0.0	3,291.0	0
Myeloma	0.0	0.0	3,291.0	0
Leukemia	0.0	0.0	3,291.0	0
Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Acute Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	3,291.0	0
Acute Myeloid Leukemia	0.0	0.0	3,291.0	0
Acute Monocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Myeloid Leukemia	0.0	0.0	3,291.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	3,291.0	0
Other Leukemia	0.0	0.0	3,291.0	0
Other Acute Leukemia	0.0	0.0	3,291.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	3,291.0	0
Mesothelioma	0.0	0.0	3,291.0	0
Kaposi Sarcoma	0.0	0.0	3,291.0	0
Miscellaneous	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	632.0	130.7	2,210.6	6
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	1,316.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1,316.4	0
Floor of Mouth	0.0	0.0	1,316.4	0
Gum and Other Mouth	0.0	0.0	1,316.4	0
Nasopharynx	0.0	0.0	1,316.4	0
Tonsil	0.0	0.0	1,316.4	0
Oropharynx	0.0	0.0	1,316.4	0
Hypopharynx	0.0	0.0	1,316.4	0
Other Oral Cavity and Pharynx	0.0	0.0	1,316.4	0
Digestive System	0.0	0.0	1,316.4	0
Esophagus	0.0	0.0	1,316.4	0
Stomach	0.0	0.0	1,316.4	0
Small Intestine	0.0	0.0	1,316.4	0
Colon and Rectum	0.0	0.0	1,316.4	0
Colon excluding Rectum	0.0	0.0	1,316.4	0
Cecum	0.0	0.0	1,316.4	0
Appendix	0.0	0.0	1,316.4	0
Ascending Colon	0.0	0.0	1,316.4	0
Hepatic Flexure	0.0	0.0	1,316.4	0
Transverse Colon	0.0	0.0	1,316.4	0
Splenic Flexure	0.0	0.0	1,316.4	0
Descending Colon	0.0	0.0	1,316.4	0
Sigmoid Colon	0.0	0.0	1,316.4	0
Large Intestine, NOS	0.0	0.0	1,316.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,316.4	0
Rectosigmoid Junction	0.0	0.0	1,316.4	0
Rectum	0.0	0.0	1,316.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,316.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,316.4	0
Liver	0.0	0.0	1,316.4	0
Intrahepatic Bile Duct	0.0	0.0	1,316.4	0
Gallbladder	0.0	0.0	1,316.4	0
Other Biliary	0.0	0.0	1,316.4	0
Pancreas	0.0	0.0	1,316.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,316.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,316.4	0
Other Digestive Organs	0.0	0.0	1,316.4	0
Respiratory System	0.0	0.0	1,316.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,316.4	0
Larynx	0.0	0.0	1,316.4	0
Lung and Bronchus	0.0	0.0	1,316.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,316.4	0
Bones and Joints	0.0	0.0	1,316.4	0
Soft Tissue including Heart	0.0	0.0	1,316.4	0
Skin excluding Basal and Squamous	0.0	0.0	1,316.4	0
Melanoma of the Skin	0.0	0.0	1,316.4	0
Other Non-Epithelial Skin	0.0	0.0	1,316.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	1,316.4	0
Other Urinary Organs	0.0	0.0	1,316.4	0
Eye and Orbit	0.0	0.0	1,316.4	0
Brain and Other Nervous System	0.0	0.0	1,316.4	0
Brain	0.0	0.0	1,316.4	0
Cranial Nerves Other Nervous System	0.0	0.0	1,316.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,316.4	0
Lymphoma	0.0	0.0	1,316.4	0
Hodgkin Lymphoma	0.0	0.0	1,316.4	0
Hodgkin - Nodal	0.0	0.0	1,316.4	0
Hodgkin - Extranodal	0.0	0.0	1,316.4	0
Non-Hodgkin Lymphoma	0.0	0.0	1,316.4	0
NHL - Nodal	0.0	0.0	1,316.4	0
NHL - Extranodal	0.0	0.0	1,316.4	0
Myeloma	0.0	0.0	1,316.4	0
Leukemia	0.0	0.0	1,316.4	0
Lymphocytic Leukemia	0.0	0.0	1,316.4	0
Acute Lymphocytic Leukemia	0.0	0.0	1,316.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,316.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,316.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,316.4	0
Acute Myeloid Leukemia	0.0	0.0	1,316.4	0
Acute Monocytic Leukemia	0.0	0.0	1,316.4	0
Chronic Myeloid Leukemia	0.0	0.0	1,316.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,316.4	0
Other Leukemia	0.0	0.0	1,316.4	0
Other Acute Leukemia	0.0	0.0	1,316.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,316.4	0
Mesothelioma	0.0	0.0	1,316.4	0
Kaposi Sarcoma	0.0	0.0	1,316.4	0
Miscellaneous	0.0	0.0	1,316.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	589.0	286.1	1,126.8	12
Oral Cavity and Pharynx	0.0	0.0	317.8	0
Lip	0.0	0.0	317.8	0
Tongue	0.0	0.0	317.8	0
Salivary Gland	0.0	0.0	317.8	0
Floor of Mouth	0.0	0.0	317.8	0
Gum and Other Mouth	0.0	0.0	317.8	0
Nasopharynx	0.0	0.0	317.8	0
Tonsil	0.0	0.0	317.8	0
Oropharynx	0.0	0.0	317.8	0
Hypopharynx	0.0	0.0	317.8	0
Other Oral Cavity and Pharynx	0.0	0.0	317.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	317.8	0
Stomach	0.0	0.0	317.8	0
Small Intestine	0.0	0.0	317.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	317.8	0
Appendix	0.0	0.0	317.8	0
Ascending Colon	0.0	0.0	317.8	0
Hepatic Flexure	0.0	0.0	317.8	0
Transverse Colon	0.0	0.0	317.8	0
Splenic Flexure	0.0	0.0	317.8	0
Descending Colon	0.0	0.0	317.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	317.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	317.8	0
Rectosigmoid Junction	0.0	0.0	317.8	0
Rectum	0.0	0.0	317.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	317.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	317.8	0
Liver	0.0	0.0	317.8	0
Intrahepatic Bile Duct	0.0	0.0	317.8	0
Gallbladder	0.0	0.0	317.8	0
Other Biliary	0.0	0.0	317.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	317.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	317.8	0
Other Digestive Organs	0.0	0.0	317.8	0
Respiratory System	294.4	97.0	742.4	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	317.8	0
Larynx	0.0	0.0	317.8	0
Lung and Bronchus	294.4	97.0	742.4	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	317.8	0
Bones and Joints	0.0	0.0	317.8	0
Soft Tissue including Heart	0.0	0.0	317.8	0
Skin excluding Basal and Squamous	0.0	0.0	317.8	0
Melanoma of the Skin	0.0	0.0	317.8	0
Other Non-Epithelial Skin	0.0	0.0	317.8	0
Urinary System	0.0	0.0	317.8	0
Urinary Bladder	0.0	0.0	317.8	0
Kidney and Renal Pelvis	0.0	0.0	317.8	0
Ureter	0.0	0.0	317.8	0
Other Urinary Organs	0.0	0.0	317.8	0
Eye and Orbit	0.0	0.0	317.8	0
Brain and Other Nervous System	0.0	0.0	317.8	0
Brain	0.0	0.0	317.8	0
Cranial Nerves Other Nervous System	0.0	0.0	317.8	0
Endocrine System	0.0	0.0	317.8	0
Thyroid	0.0	0.0	317.8	0
Other Endocrine including Thymus	0.0	0.0	317.8	0
Lymphoma	0.0	0.0	317.8	0
Hodgkin Lymphoma	0.0	0.0	317.8	0
Hodgkin - Nodal	0.0	0.0	317.8	0
Hodgkin - Extranodal	0.0	0.0	317.8	0
Non-Hodgkin Lymphoma	0.0	0.0	317.8	0
NHL - Nodal	0.0	0.0	317.8	0
NHL - Extranodal	0.0	0.0	317.8	0
Myeloma	0.0	0.0	317.8	0
Leukemia	0.0	0.0	317.8	0
Lymphocytic Leukemia	0.0	0.0	317.8	0
Acute Lymphocytic Leukemia	0.0	0.0	317.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	317.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	317.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	317.8	0
Acute Myeloid Leukemia	0.0	0.0	317.8	0
Acute Monocytic Leukemia	0.0	0.0	317.8	0
Chronic Myeloid Leukemia	0.0	0.0	317.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	317.8	0
Other Leukemia	0.0	0.0	317.8	0
Other Acute Leukemia	0.0	0.0	317.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	317.8	0
Mesothelioma	0.0	0.0	317.8	0
Kaposi Sarcoma	0.0	0.0	317.8	0
Miscellaneous	0.0	0.0	317.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	489.4	414.3	578.9	200
Oral Cavity and Pharynx	28.3	12.7	62.4	10
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	26.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	26.0	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	26.0	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	26.0	0
Digestive System	110.8	73.4	165.1	36
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	26.0	0
Colon and Rectum	65.1	38.7	108.8	23
Colon excluding Rectum	53.7	29.1	96.1	17
Cecum	^	^	^	^
Appendix	0.0	0.0	26.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	26.0	0
Transverse Colon	0.0	0.0	26.0	0
Splenic Flexure	0.0	0.0	26.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	18.9	6.1	51.7	6
Large Intestine, NOS	20.6	7.3	53.3	7
Rectum and Rectosigmoid Junction	11.5	3.9	38.8	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	26.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	26.0	0
Gallbladder	0.0	0.0	26.0	0
Other Biliary	0.0	0.0	26.0	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	26.0	0
Other Digestive Organs	0.0	0.0	26.0	0
Respiratory System	76.5	48.9	120.4	28
Nose, Nasal Cavity and Middle Ear	0.0	0.0	26.0	0
Larynx	^	^	^	^
Lung and Bronchus	63.0	38.0	104.8	23
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	26.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	26.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	26.0	0
Urinary System	45.3	26.0	81.3	19
Urinary Bladder	25.5	12.4	56.4	12
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	26.0	0
Endocrine System	11.9	2.1	43.6	6
Thyroid	11.9	2.1	43.6	6
Other Endocrine including Thymus	0.0	0.0	26.0	0
Lymphoma	26.0	11.6	58.7	13
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	26.0	0
Non-Hodgkin Lymphoma	20.0	7.0	52.4	8
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	26.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	26.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	26.0	0
Chronic Myeloid Leukemia	0.0	0.0	26.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	26.0	0
Other Leukemia	0.0	0.0	26.0	0
Other Acute Leukemia	0.0	0.0	26.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	26.0	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	26.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	415.3	174.0	972.9	8
Oral Cavity and Pharynx	0.0	0.0	440.1	0
Lip	0.0	0.0	440.1	0
Tongue	0.0	0.0	440.1	0
Salivary Gland	0.0	0.0	440.1	0
Floor of Mouth	0.0	0.0	440.1	0
Gum and Other Mouth	0.0	0.0	440.1	0
Nasopharynx	0.0	0.0	440.1	0
Tonsil	0.0	0.0	440.1	0
Oropharynx	0.0	0.0	440.1	0
Hypopharynx	0.0	0.0	440.1	0
Other Oral Cavity and Pharynx	0.0	0.0	440.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	440.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	440.1	0
Colon and Rectum	0.0	0.0	440.1	0
Colon excluding Rectum	0.0	0.0	440.1	0
Cecum	0.0	0.0	440.1	0
Appendix	0.0	0.0	440.1	0
Ascending Colon	0.0	0.0	440.1	0
Hepatic Flexure	0.0	0.0	440.1	0
Transverse Colon	0.0	0.0	440.1	0
Splenic Flexure	0.0	0.0	440.1	0
Descending Colon	0.0	0.0	440.1	0
Sigmoid Colon	0.0	0.0	440.1	0
Large Intestine, NOS	0.0	0.0	440.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	440.1	0
Rectosigmoid Junction	0.0	0.0	440.1	0
Rectum	0.0	0.0	440.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	440.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	440.1	0
Liver	0.0	0.0	440.1	0
Intrahepatic Bile Duct	0.0	0.0	440.1	0
Gallbladder	0.0	0.0	440.1	0
Other Biliary	0.0	0.0	440.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	440.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	440.1	0
Other Digestive Organs	0.0	0.0	440.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	440.1	0
Larynx	0.0	0.0	440.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	440.1	0
Bones and Joints	0.0	0.0	440.1	0
Soft Tissue including Heart	0.0	0.0	440.1	0
Skin excluding Basal and Squamous	0.0	0.0	440.1	0
Melanoma of the Skin	0.0	0.0	440.1	0
Other Non-Epithelial Skin	0.0	0.0	440.1	0
Urinary System	0.0	0.0	440.1	0
Urinary Bladder	0.0	0.0	440.1	0
Kidney and Renal Pelvis	0.0	0.0	440.1	0
Ureter	0.0	0.0	440.1	0
Other Urinary Organs	0.0	0.0	440.1	0
Eye and Orbit	0.0	0.0	440.1	0
Brain and Other Nervous System	0.0	0.0	440.1	0
Brain	0.0	0.0	440.1	0
Cranial Nerves Other Nervous System	0.0	0.0	440.1	0
Endocrine System	0.0	0.0	440.1	0
Thyroid	0.0	0.0	440.1	0
Other Endocrine including Thymus	0.0	0.0	440.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	440.1	0
Hodgkin - Nodal	0.0	0.0	440.1	0
Hodgkin - Extranodal	0.0	0.0	440.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	440.1	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	440.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	440.1	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	440.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	440.1	0
Acute Myeloid Leukemia	0.0	0.0	440.1	0
Acute Monocytic Leukemia	0.0	0.0	440.1	0
Chronic Myeloid Leukemia	0.0	0.0	440.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	440.1	0
Other Leukemia	0.0	0.0	440.1	0
Other Acute Leukemia	0.0	0.0	440.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	440.1	0
Mesothelioma	0.0	0.0	440.1	0
Kaposi Sarcoma	0.0	0.0	440.1	0
Miscellaneous	0.0	0.0	440.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	493.8	389.5	624.1	96
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	42.1	0
Tongue	0.0	0.0	42.1	0
Salivary Gland	0.0	0.0	42.1	0
Floor of Mouth	0.0	0.0	42.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	42.1	0
Tonsil	0.0	0.0	42.1	0
Oropharynx	0.0	0.0	42.1	0
Hypopharynx	0.0	0.0	42.1	0
Other Oral Cavity and Pharynx	0.0	0.0	42.1	0
Digestive System	55.2	23.3	118.6	9
Esophagus	0.0	0.0	42.1	0
Stomach	0.0	0.0	42.1	0
Small Intestine	0.0	0.0	42.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	42.1	0
Ascending Colon	0.0	0.0	42.1	0
Hepatic Flexure	0.0	0.0	42.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	42.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	42.1	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	42.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	42.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	42.1	0
Other Biliary	0.0	0.0	42.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	42.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	42.1	0
Other Digestive Organs	0.0	0.0	42.1	0
Respiratory System	79.5	40.0	149.3	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	42.1	0
Larynx	^	^	^	^
Lung and Bronchus	75.3	36.7	144.5	12
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	42.1	0
Bones and Joints	0.0	0.0	42.1	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	42.1	0
Urinary System	53.2	20.1	119.5	7
Urinary Bladder	46.5	15.9	111.2	6
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	42.1	0
Other Urinary Organs	0.0	0.0	42.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	42.1	0
Endocrine System	29.8	9.3	82.8	6
Thyroid	29.8	9.3	82.8	6
Other Endocrine including Thymus	0.0	0.0	42.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	42.1	0
Non-Hodgkin Lymphoma	0.0	0.0	42.1	0
NHL - Nodal	0.0	0.0	42.1	0
NHL - Extranodal	0.0	0.0	42.1	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	42.1	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	42.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	42.1	0
Other Leukemia	0.0	0.0	42.1	0
Other Acute Leukemia	0.0	0.0	42.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	42.1	0
Mesothelioma	0.0	0.0	42.1	0
Kaposi Sarcoma	0.0	0.0	42.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	521.1	434.2	628.1	162
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	37.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	37.1	0
Floor of Mouth	0.0	0.0	37.1	0
Gum and Other Mouth	0.0	0.0	37.1	0
Nasopharynx	0.0	0.0	37.1	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	37.1	0
Hypopharynx	0.0	0.0	37.1	0
Other Oral Cavity and Pharynx	0.0	0.0	37.1	0
Digestive System	37.4	19.8	79.9	14
Esophagus	^	^	^	^
Stomach	0.0	0.0	37.1	0
Small Intestine	0.0	0.0	37.1	0
Colon and Rectum	25.4	11.0	66.3	9
Colon excluding Rectum	21.5	8.2	62.2	7
Cecum	^	^	^	^
Appendix	0.0	0.0	37.1	0
Ascending Colon	0.0	0.0	37.1	0
Hepatic Flexure	0.0	0.0	37.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	37.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	37.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	37.1	0
Liver	0.0	0.0	37.1	0
Intrahepatic Bile Duct	0.0	0.0	37.1	0
Gallbladder	0.0	0.0	37.1	0
Other Biliary	0.0	0.0	37.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	37.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	37.1	0
Other Digestive Organs	0.0	0.0	37.1	0
Respiratory System	130.6	87.6	196.4	37
Nose, Nasal Cavity and Middle Ear	0.0	0.0	37.1	0
Larynx	^	^	^	^
Lung and Bronchus	122.8	80.8	187.9	34
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	22.5	7.7	65.0	7
Melanoma of the Skin	22.5	7.7	65.0	7
Other Non-Epithelial Skin	0.0	0.0	37.1	0
Urinary System	22.9	8.7	64.4	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	37.1	0
Other Urinary Organs	0.0	0.0	37.1	0
Eye and Orbit	0.0	0.0	37.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	37.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	26.8	8.1	74.3	7
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	37.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	32.6	13.5	78.4	9
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	37.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	37.1	0
Acute Monocytic Leukemia	0.0	0.0	37.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	37.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	421.0	302.3	579.4	48
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	60.2	0
Tongue	0.0	0.0	60.2	0
Salivary Gland	0.0	0.0	60.2	0
Floor of Mouth	0.0	0.0	60.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	60.2	0
Tonsil	0.0	0.0	60.2	0
Oropharynx	0.0	0.0	60.2	0
Hypopharynx	0.0	0.0	60.2	0
Other Oral Cavity and Pharynx	0.0	0.0	60.2	0
Digestive System	79.7	35.9	167.0	10
Esophagus	0.0	0.0	60.2	0
Stomach	0.0	0.0	60.2	0
Small Intestine	0.0	0.0	60.2	0
Colon and Rectum	62.3	24.7	144.6	8
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	60.2	0
Ascending Colon	0.0	0.0	60.2	0
Hepatic Flexure	0.0	0.0	60.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	60.2	0
Descending Colon	0.0	0.0	60.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	60.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	60.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	60.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	60.2	0
Liver	0.0	0.0	60.2	0
Intrahepatic Bile Duct	0.0	0.0	60.2	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	60.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	60.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	60.2	0
Other Digestive Organs	0.0	0.0	60.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	60.2	0
Larynx	0.0	0.0	60.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	60.2	0
Bones and Joints	0.0	0.0	60.2	0
Soft Tissue including Heart	0.0	0.0	60.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	60.2	0
Urinary System	66.9	24.8	155.8	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	60.2	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	60.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	60.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	60.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	60.2	0
Hodgkin - Nodal	0.0	0.0	60.2	0
Hodgkin - Extranodal	0.0	0.0	60.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	60.2	0
Myeloma	0.0	0.0	60.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	60.2	0
Acute Lymphocytic Leukemia	0.0	0.0	60.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	60.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	60.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	60.2	0
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	60.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	60.2	0
Other Leukemia	0.0	0.0	60.2	0
Other Acute Leukemia	0.0	0.0	60.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	60.2	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	60.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	780.5	522.9	1,149.1	46
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	168.3	0
Tongue	0.0	0.0	168.3	0
Salivary Gland	0.0	0.0	168.3	0
Floor of Mouth	0.0	0.0	168.3	0
Gum and Other Mouth	0.0	0.0	168.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	168.3	0
Oropharynx	0.0	0.0	168.3	0
Hypopharynx	0.0	0.0	168.3	0
Other Oral Cavity and Pharynx	0.0	0.0	168.3	0
Digestive System	198.4	75.8	451.3	10
Esophagus	0.0	0.0	168.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	168.3	0
Colon and Rectum	133.0	34.7	371.7	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	168.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	168.3	0
Transverse Colon	0.0	0.0	168.3	0
Splenic Flexure	0.0	0.0	168.3	0
Descending Colon	0.0	0.0	168.3	0
Sigmoid Colon	0.0	0.0	168.3	0
Large Intestine, NOS	0.0	0.0	168.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	168.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	168.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	168.3	0
Gallbladder	0.0	0.0	168.3	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	168.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	168.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	168.3	0
Other Digestive Organs	0.0	0.0	168.3	0
Respiratory System	100.6	26.7	307.9	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	168.3	0
Larynx	0.0	0.0	168.3	0
Lung and Bronchus	100.6	26.7	307.9	7
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	168.3	0
Bones and Joints	0.0	0.0	168.3	0
Soft Tissue including Heart	0.0	0.0	168.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	168.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	168.3	0
Ureter	0.0	0.0	168.3	0
Other Urinary Organs	0.0	0.0	168.3	0
Eye and Orbit	0.0	0.0	168.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	168.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	168.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	168.3	0
Non-Hodgkin Lymphoma	0.0	0.0	168.3	0
NHL - Nodal	0.0	0.0	168.3	0
NHL - Extranodal	0.0	0.0	168.3	0
Myeloma	0.0	0.0	168.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	168.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	168.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	168.3	0
Acute Myeloid Leukemia	0.0	0.0	168.3	0
Acute Monocytic Leukemia	0.0	0.0	168.3	0
Chronic Myeloid Leukemia	0.0	0.0	168.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	168.3	0
Other Leukemia	0.0	0.0	168.3	0
Other Acute Leukemia	0.0	0.0	168.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	168.3	0
Mesothelioma	0.0	0.0	168.3	0
Kaposi Sarcoma	0.0	0.0	168.3	0
Miscellaneous	0.0	0.0	168.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,144.2	0
Lip	0.0	0.0	1,144.2	0
Tongue	0.0	0.0	1,144.2	0
Salivary Gland	0.0	0.0	1,144.2	0
Floor of Mouth	0.0	0.0	1,144.2	0
Gum and Other Mouth	0.0	0.0	1,144.2	0
Nasopharynx	0.0	0.0	1,144.2	0
Tonsil	0.0	0.0	1,144.2	0
Oropharynx	0.0	0.0	1,144.2	0
Hypopharynx	0.0	0.0	1,144.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,144.2	0
Digestive System	0.0	0.0	1,144.2	0
Esophagus	0.0	0.0	1,144.2	0
Stomach	0.0	0.0	1,144.2	0
Small Intestine	0.0	0.0	1,144.2	0
Colon and Rectum	0.0	0.0	1,144.2	0
Colon excluding Rectum	0.0	0.0	1,144.2	0
Cecum	0.0	0.0	1,144.2	0
Appendix	0.0	0.0	1,144.2	0
Ascending Colon	0.0	0.0	1,144.2	0
Hepatic Flexure	0.0	0.0	1,144.2	0
Transverse Colon	0.0	0.0	1,144.2	0
Splenic Flexure	0.0	0.0	1,144.2	0
Descending Colon	0.0	0.0	1,144.2	0
Sigmoid Colon	0.0	0.0	1,144.2	0
Large Intestine, NOS	0.0	0.0	1,144.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,144.2	0
Rectosigmoid Junction	0.0	0.0	1,144.2	0
Rectum	0.0	0.0	1,144.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,144.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Liver	0.0	0.0	1,144.2	0
Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Gallbladder	0.0	0.0	1,144.2	0
Other Biliary	0.0	0.0	1,144.2	0
Pancreas	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,144.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,144.2	0
Other Digestive Organs	0.0	0.0	1,144.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,144.2	0
Larynx	0.0	0.0	1,144.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,144.2	0
Bones and Joints	0.0	0.0	1,144.2	0
Soft Tissue including Heart	0.0	0.0	1,144.2	0
Skin excluding Basal and Squamous	0.0	0.0	1,144.2	0
Melanoma of the Skin	0.0	0.0	1,144.2	0
Other Non-Epithelial Skin	0.0	0.0	1,144.2	0
Urinary System	0.0	0.0	1,144.2	0
Urinary Bladder	0.0	0.0	1,144.2	0
Kidney and Renal Pelvis	0.0	0.0	1,144.2	0
Ureter	0.0	0.0	1,144.2	0
Other Urinary Organs	0.0	0.0	1,144.2	0
Eye and Orbit	0.0	0.0	1,144.2	0
Brain and Other Nervous System	0.0	0.0	1,144.2	0
Brain	0.0	0.0	1,144.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,144.2	0
Endocrine System	0.0	0.0	1,144.2	0
Thyroid	0.0	0.0	1,144.2	0
Other Endocrine including Thymus	0.0	0.0	1,144.2	0
Lymphoma	0.0	0.0	1,144.2	0
Hodgkin Lymphoma	0.0	0.0	1,144.2	0
Hodgkin - Nodal	0.0	0.0	1,144.2	0
Hodgkin - Extranodal	0.0	0.0	1,144.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,144.2	0
NHL - Nodal	0.0	0.0	1,144.2	0
NHL - Extranodal	0.0	0.0	1,144.2	0
Myeloma	0.0	0.0	1,144.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,144.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,144.2	0
Other Leukemia	0.0	0.0	1,144.2	0
Other Acute Leukemia	0.0	0.0	1,144.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,144.2	0
Mesothelioma	0.0	0.0	1,144.2	0
Kaposi Sarcoma	0.0	0.0	1,144.2	0
Miscellaneous	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	453.0	374.6	551.4	157
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	37.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	37.4	0
Floor of Mouth	0.0	0.0	37.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	37.4	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	37.4	0
Hypopharynx	0.0	0.0	37.4	0
Other Oral Cavity and Pharynx	0.0	0.0	37.4	0
Digestive System	101.1	61.1	165.7	29
Esophagus	^	^	^	^
Stomach	0.0	0.0	37.4	0
Small Intestine	0.0	0.0	37.4	0
Colon and Rectum	59.6	31.8	112.4	18
Colon excluding Rectum	37.8	15.0	88.4	10
Cecum	^	^	^	^
Appendix	0.0	0.0	37.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	37.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	37.4	0
Descending Colon	0.0	0.0	37.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	37.4	0
Rectum and Rectosigmoid Junction	21.7	9.2	61.4	8
Rectosigmoid Junction	0.0	0.0	37.4	0
Rectum	21.7	9.2	61.4	8
Anus, Anal Canal and Anorectum	0.0	0.0	37.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	37.4	0
Gallbladder	0.0	0.0	37.4	0
Other Biliary	0.0	0.0	37.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	37.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	37.4	0
Other Digestive Organs	0.0	0.0	37.4	0
Respiratory System	47.5	27.7	91.4	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	37.4	0
Larynx	^	^	^	^
Lung and Bronchus	44.5	25.5	87.9	18
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	37.4	0
Bones and Joints	0.0	0.0	37.4	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	17.5	5.7	57.8	6
Melanoma of the Skin	17.5	5.7	57.8	6
Other Non-Epithelial Skin	0.0	0.0	37.4	0
Urinary System	31.3	15.8	72.4	12
Urinary Bladder	17.6	6.3	57.1	6
Kidney and Renal Pelvis	13.7	4.8	51.5	6
Ureter	0.0	0.0	37.4	0
Other Urinary Organs	0.0	0.0	37.4	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	37.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	37.4	0
Lymphoma	30.6	13.8	73.6	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	37.4	0
Non-Hodgkin Lymphoma	19.8	6.2	61.9	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	37.4	0
Leukemia	46.9	20.5	100.4	12
Lymphocytic Leukemia	22.6	5.9	69.2	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	24.3	7.2	70.3	6
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	37.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	37.4	0
Other Leukemia	0.0	0.0	37.4	0
Other Acute Leukemia	0.0	0.0	37.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	37.4	0
Mesothelioma	0.0	0.0	37.4	0
Kaposi Sarcoma	0.0	0.0	37.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	384.5	219.8	642.9	18
Oral Cavity and Pharynx	0.0	0.0	130.0	0
Lip	0.0	0.0	130.0	0
Tongue	0.0	0.0	130.0	0
Salivary Gland	0.0	0.0	130.0	0
Floor of Mouth	0.0	0.0	130.0	0
Gum and Other Mouth	0.0	0.0	130.0	0
Nasopharynx	0.0	0.0	130.0	0
Tonsil	0.0	0.0	130.0	0
Oropharynx	0.0	0.0	130.0	0
Hypopharynx	0.0	0.0	130.0	0
Other Oral Cavity and Pharynx	0.0	0.0	130.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	130.0	0
Stomach	0.0	0.0	130.0	0
Small Intestine	0.0	0.0	130.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	130.0	0
Appendix	0.0	0.0	130.0	0
Ascending Colon	0.0	0.0	130.0	0
Hepatic Flexure	0.0	0.0	130.0	0
Transverse Colon	0.0	0.0	130.0	0
Splenic Flexure	0.0	0.0	130.0	0
Descending Colon	0.0	0.0	130.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	130.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	130.0	0
Rectosigmoid Junction	0.0	0.0	130.0	0
Rectum	0.0	0.0	130.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	130.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	130.0	0
Liver	0.0	0.0	130.0	0
Intrahepatic Bile Duct	0.0	0.0	130.0	0
Gallbladder	0.0	0.0	130.0	0
Other Biliary	0.0	0.0	130.0	0
Pancreas	0.0	0.0	130.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	130.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.0	0
Other Digestive Organs	0.0	0.0	130.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	130.0	0
Larynx	0.0	0.0	130.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.0	0
Bones and Joints	0.0	0.0	130.0	0
Soft Tissue including Heart	0.0	0.0	130.0	0
Skin excluding Basal and Squamous	0.0	0.0	130.0	0
Melanoma of the Skin	0.0	0.0	130.0	0
Other Non-Epithelial Skin	0.0	0.0	130.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	130.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	130.0	0
Eye and Orbit	0.0	0.0	130.0	0
Brain and Other Nervous System	0.0	0.0	130.0	0
Brain	0.0	0.0	130.0	0
Cranial Nerves Other Nervous System	0.0	0.0	130.0	0
Endocrine System	0.0	0.0	130.0	0
Thyroid	0.0	0.0	130.0	0
Other Endocrine including Thymus	0.0	0.0	130.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	130.0	0
Hodgkin - Nodal	0.0	0.0	130.0	0
Hodgkin - Extranodal	0.0	0.0	130.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	130.0	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	130.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	130.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	130.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	130.0	0
Acute Myeloid Leukemia	0.0	0.0	130.0	0
Acute Monocytic Leukemia	0.0	0.0	130.0	0
Chronic Myeloid Leukemia	0.0	0.0	130.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.0	0
Other Leukemia	0.0	0.0	130.0	0
Other Acute Leukemia	0.0	0.0	130.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.0	0
Mesothelioma	0.0	0.0	130.0	0
Kaposi Sarcoma	0.0	0.0	130.0	0
Miscellaneous	0.0	0.0	130.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	266.8	143.0	705.1	14
Oral Cavity and Pharynx	0.0	0.0	440.1	0
Lip	0.0	0.0	440.1	0
Tongue	0.0	0.0	440.1	0
Salivary Gland	0.0	0.0	440.1	0
Floor of Mouth	0.0	0.0	440.1	0
Gum and Other Mouth	0.0	0.0	440.1	0
Nasopharynx	0.0	0.0	440.1	0
Tonsil	0.0	0.0	440.1	0
Oropharynx	0.0	0.0	440.1	0
Hypopharynx	0.0	0.0	440.1	0
Other Oral Cavity and Pharynx	0.0	0.0	440.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	440.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	440.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	440.1	0
Cecum	0.0	0.0	440.1	0
Appendix	0.0	0.0	440.1	0
Ascending Colon	0.0	0.0	440.1	0
Hepatic Flexure	0.0	0.0	440.1	0
Transverse Colon	0.0	0.0	440.1	0
Splenic Flexure	0.0	0.0	440.1	0
Descending Colon	0.0	0.0	440.1	0
Sigmoid Colon	0.0	0.0	440.1	0
Large Intestine, NOS	0.0	0.0	440.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	440.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	440.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	440.1	0
Liver	0.0	0.0	440.1	0
Intrahepatic Bile Duct	0.0	0.0	440.1	0
Gallbladder	0.0	0.0	440.1	0
Other Biliary	0.0	0.0	440.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	440.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	440.1	0
Other Digestive Organs	0.0	0.0	440.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	440.1	0
Larynx	0.0	0.0	440.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	440.1	0
Bones and Joints	0.0	0.0	440.1	0
Soft Tissue including Heart	0.0	0.0	440.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	440.1	0
Urinary System	0.0	0.0	440.1	0
Urinary Bladder	0.0	0.0	440.1	0
Kidney and Renal Pelvis	0.0	0.0	440.1	0
Ureter	0.0	0.0	440.1	0
Other Urinary Organs	0.0	0.0	440.1	0
Eye and Orbit	0.0	0.0	440.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	440.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	440.1	0
Lymphoma	0.0	0.0	440.1	0
Hodgkin Lymphoma	0.0	0.0	440.1	0
Hodgkin - Nodal	0.0	0.0	440.1	0
Hodgkin - Extranodal	0.0	0.0	440.1	0
Non-Hodgkin Lymphoma	0.0	0.0	440.1	0
NHL - Nodal	0.0	0.0	440.1	0
NHL - Extranodal	0.0	0.0	440.1	0
Myeloma	0.0	0.0	440.1	0
Leukemia	0.0	0.0	440.1	0
Lymphocytic Leukemia	0.0	0.0	440.1	0
Acute Lymphocytic Leukemia	0.0	0.0	440.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	440.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	440.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	440.1	0
Acute Myeloid Leukemia	0.0	0.0	440.1	0
Acute Monocytic Leukemia	0.0	0.0	440.1	0
Chronic Myeloid Leukemia	0.0	0.0	440.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	440.1	0
Other Leukemia	0.0	0.0	440.1	0
Other Acute Leukemia	0.0	0.0	440.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	440.1	0
Mesothelioma	0.0	0.0	440.1	0
Kaposi Sarcoma	0.0	0.0	440.1	0
Miscellaneous	0.0	0.0	440.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	511.5	266.6	922.7	15
Oral Cavity and Pharynx	0.0	0.0	227.0	0
Lip	0.0	0.0	227.0	0
Tongue	0.0	0.0	227.0	0
Salivary Gland	0.0	0.0	227.0	0
Floor of Mouth	0.0	0.0	227.0	0
Gum and Other Mouth	0.0	0.0	227.0	0
Nasopharynx	0.0	0.0	227.0	0
Tonsil	0.0	0.0	227.0	0
Oropharynx	0.0	0.0	227.0	0
Hypopharynx	0.0	0.0	227.0	0
Other Oral Cavity and Pharynx	0.0	0.0	227.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	227.0	0
Stomach	0.0	0.0	227.0	0
Small Intestine	0.0	0.0	227.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	227.0	0
Ascending Colon	0.0	0.0	227.0	0
Hepatic Flexure	0.0	0.0	227.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	227.0	0
Descending Colon	0.0	0.0	227.0	0
Sigmoid Colon	0.0	0.0	227.0	0
Large Intestine, NOS	0.0	0.0	227.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	227.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	227.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	227.0	0
Liver	0.0	0.0	227.0	0
Intrahepatic Bile Duct	0.0	0.0	227.0	0
Gallbladder	0.0	0.0	227.0	0
Other Biliary	0.0	0.0	227.0	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	227.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	227.0	0
Other Digestive Organs	0.0	0.0	227.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	227.0	0
Larynx	0.0	0.0	227.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	227.0	0
Bones and Joints	0.0	0.0	227.0	0
Soft Tissue including Heart	0.0	0.0	227.0	0
Skin excluding Basal and Squamous	0.0	0.0	227.0	0
Melanoma of the Skin	0.0	0.0	227.0	0
Other Non-Epithelial Skin	0.0	0.0	227.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	227.0	0
Other Urinary Organs	0.0	0.0	227.0	0
Eye and Orbit	0.0	0.0	227.0	0
Brain and Other Nervous System	0.0	0.0	227.0	0
Brain	0.0	0.0	227.0	0
Cranial Nerves Other Nervous System	0.0	0.0	227.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	227.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	227.0	0
Hodgkin - Nodal	0.0	0.0	227.0	0
Hodgkin - Extranodal	0.0	0.0	227.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	227.0	0
Myeloma	0.0	0.0	227.0	0
Leukemia	0.0	0.0	227.0	0
Lymphocytic Leukemia	0.0	0.0	227.0	0
Acute Lymphocytic Leukemia	0.0	0.0	227.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	227.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	227.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	227.0	0
Acute Myeloid Leukemia	0.0	0.0	227.0	0
Acute Monocytic Leukemia	0.0	0.0	227.0	0
Chronic Myeloid Leukemia	0.0	0.0	227.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	227.0	0
Other Leukemia	0.0	0.0	227.0	0
Other Acute Leukemia	0.0	0.0	227.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	227.0	0
Mesothelioma	0.0	0.0	227.0	0
Kaposi Sarcoma	0.0	0.0	227.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	300.1	129.2	725.0	12
Oral Cavity and Pharynx	0.0	0.0	357.6	0
Lip	0.0	0.0	357.6	0
Tongue	0.0	0.0	357.6	0
Salivary Gland	0.0	0.0	357.6	0
Floor of Mouth	0.0	0.0	357.6	0
Gum and Other Mouth	0.0	0.0	357.6	0
Nasopharynx	0.0	0.0	357.6	0
Tonsil	0.0	0.0	357.6	0
Oropharynx	0.0	0.0	357.6	0
Hypopharynx	0.0	0.0	357.6	0
Other Oral Cavity and Pharynx	0.0	0.0	357.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	357.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	357.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	357.6	0
Appendix	0.0	0.0	357.6	0
Ascending Colon	0.0	0.0	357.6	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	357.6	0
Splenic Flexure	0.0	0.0	357.6	0
Descending Colon	0.0	0.0	357.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	357.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	357.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	357.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	357.6	0
Liver	0.0	0.0	357.6	0
Intrahepatic Bile Duct	0.0	0.0	357.6	0
Gallbladder	0.0	0.0	357.6	0
Other Biliary	0.0	0.0	357.6	0
Pancreas	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	357.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	357.6	0
Other Digestive Organs	0.0	0.0	357.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	357.6	0
Larynx	0.0	0.0	357.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	357.6	0
Bones and Joints	0.0	0.0	357.6	0
Soft Tissue including Heart	0.0	0.0	357.6	0
Skin excluding Basal and Squamous	0.0	0.0	357.6	0
Melanoma of the Skin	0.0	0.0	357.6	0
Other Non-Epithelial Skin	0.0	0.0	357.6	0
Urinary System	0.0	0.0	357.6	0
Urinary Bladder	0.0	0.0	357.6	0
Kidney and Renal Pelvis	0.0	0.0	357.6	0
Ureter	0.0	0.0	357.6	0
Other Urinary Organs	0.0	0.0	357.6	0
Eye and Orbit	0.0	0.0	357.6	0
Brain and Other Nervous System	0.0	0.0	357.6	0
Brain	0.0	0.0	357.6	0
Cranial Nerves Other Nervous System	0.0	0.0	357.6	0
Endocrine System	0.0	0.0	357.6	0
Thyroid	0.0	0.0	357.6	0
Other Endocrine including Thymus	0.0	0.0	357.6	0
Lymphoma	0.0	0.0	357.6	0
Hodgkin Lymphoma	0.0	0.0	357.6	0
Hodgkin - Nodal	0.0	0.0	357.6	0
Hodgkin - Extranodal	0.0	0.0	357.6	0
Non-Hodgkin Lymphoma	0.0	0.0	357.6	0
NHL - Nodal	0.0	0.0	357.6	0
NHL - Extranodal	0.0	0.0	357.6	0
Myeloma	0.0	0.0	357.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	357.6	0
Acute Lymphocytic Leukemia	0.0	0.0	357.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	357.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	357.6	0
Chronic Myeloid Leukemia	0.0	0.0	357.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	357.6	0
Other Leukemia	0.0	0.0	357.6	0
Other Acute Leukemia	0.0	0.0	357.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	357.6	0
Mesothelioma	0.0	0.0	357.6	0
Kaposi Sarcoma	0.0	0.0	357.6	0
Miscellaneous	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	480.7	318.3	712.0	31
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	101.3	0
Tongue	0.0	0.0	101.3	0
Salivary Gland	0.0	0.0	101.3	0
Floor of Mouth	0.0	0.0	101.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	101.3	0
Tonsil	0.0	0.0	101.3	0
Oropharynx	0.0	0.0	101.3	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	101.3	0
Digestive System	108.6	41.0	253.4	7
Esophagus	0.0	0.0	101.3	0
Stomach	0.0	0.0	101.3	0
Small Intestine	0.0	0.0	101.3	0
Colon and Rectum	108.6	41.0	253.4	7
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	101.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	101.3	0
Transverse Colon	0.0	0.0	101.3	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	101.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	101.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	101.3	0
Liver	0.0	0.0	101.3	0
Intrahepatic Bile Duct	0.0	0.0	101.3	0
Gallbladder	0.0	0.0	101.3	0
Other Biliary	0.0	0.0	101.3	0
Pancreas	0.0	0.0	101.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	101.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	101.3	0
Other Digestive Organs	0.0	0.0	101.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	101.3	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	101.3	0
Bones and Joints	0.0	0.0	101.3	0
Soft Tissue including Heart	0.0	0.0	101.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	101.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	101.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	101.3	0
Other Urinary Organs	0.0	0.0	101.3	0
Eye and Orbit	0.0	0.0	101.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	101.3	0
Endocrine System	0.0	0.0	101.3	0
Thyroid	0.0	0.0	101.3	0
Other Endocrine including Thymus	0.0	0.0	101.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	101.3	0
Hodgkin - Nodal	0.0	0.0	101.3	0
Hodgkin - Extranodal	0.0	0.0	101.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	101.3	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	101.3	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	101.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	101.3	0
Chronic Myeloid Leukemia	0.0	0.0	101.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	101.3	0
Other Leukemia	0.0	0.0	101.3	0
Other Acute Leukemia	0.0	0.0	101.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	101.3	0
Mesothelioma	0.0	0.0	101.3	0
Kaposi Sarcoma	0.0	0.0	101.3	0
Miscellaneous	0.0	0.0	101.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	650.8	345.5	1,215.0	16
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	381.4	0
Tongue	0.0	0.0	381.4	0
Salivary Gland	0.0	0.0	381.4	0
Floor of Mouth	0.0	0.0	381.4	0
Gum and Other Mouth	0.0	0.0	381.4	0
Nasopharynx	0.0	0.0	381.4	0
Tonsil	0.0	0.0	381.4	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	381.4	0
Other Oral Cavity and Pharynx	0.0	0.0	381.4	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	381.4	0
Small Intestine	0.0	0.0	381.4	0
Colon and Rectum	0.0	0.0	381.4	0
Colon excluding Rectum	0.0	0.0	381.4	0
Cecum	0.0	0.0	381.4	0
Appendix	0.0	0.0	381.4	0
Ascending Colon	0.0	0.0	381.4	0
Hepatic Flexure	0.0	0.0	381.4	0
Transverse Colon	0.0	0.0	381.4	0
Splenic Flexure	0.0	0.0	381.4	0
Descending Colon	0.0	0.0	381.4	0
Sigmoid Colon	0.0	0.0	381.4	0
Large Intestine, NOS	0.0	0.0	381.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	381.4	0
Rectosigmoid Junction	0.0	0.0	381.4	0
Rectum	0.0	0.0	381.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	381.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	381.4	0
Liver	0.0	0.0	381.4	0
Intrahepatic Bile Duct	0.0	0.0	381.4	0
Gallbladder	0.0	0.0	381.4	0
Other Biliary	0.0	0.0	381.4	0
Pancreas	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	381.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	381.4	0
Other Digestive Organs	0.0	0.0	381.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	381.4	0
Larynx	0.0	0.0	381.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	381.4	0
Bones and Joints	0.0	0.0	381.4	0
Soft Tissue including Heart	0.0	0.0	381.4	0
Skin excluding Basal and Squamous	0.0	0.0	381.4	0
Melanoma of the Skin	0.0	0.0	381.4	0
Other Non-Epithelial Skin	0.0	0.0	381.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	381.4	0
Ureter	0.0	0.0	381.4	0
Other Urinary Organs	0.0	0.0	381.4	0
Eye and Orbit	0.0	0.0	381.4	0
Brain and Other Nervous System	0.0	0.0	381.4	0
Brain	0.0	0.0	381.4	0
Cranial Nerves Other Nervous System	0.0	0.0	381.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	381.4	0
Lymphoma	0.0	0.0	381.4	0
Hodgkin Lymphoma	0.0	0.0	381.4	0
Hodgkin - Nodal	0.0	0.0	381.4	0
Hodgkin - Extranodal	0.0	0.0	381.4	0
Non-Hodgkin Lymphoma	0.0	0.0	381.4	0
NHL - Nodal	0.0	0.0	381.4	0
NHL - Extranodal	0.0	0.0	381.4	0
Myeloma	0.0	0.0	381.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	381.4	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	381.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	381.4	0
Chronic Myeloid Leukemia	0.0	0.0	381.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	381.4	0
Other Leukemia	0.0	0.0	381.4	0
Other Acute Leukemia	0.0	0.0	381.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	381.4	0
Mesothelioma	0.0	0.0	381.4	0
Kaposi Sarcoma	0.0	0.0	381.4	0
Miscellaneous	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	576.1	309.4	1,021.1	18
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	248.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	248.7	0
Floor of Mouth	0.0	0.0	248.7	0
Gum and Other Mouth	0.0	0.0	248.7	0
Nasopharynx	0.0	0.0	248.7	0
Tonsil	0.0	0.0	248.7	0
Oropharynx	0.0	0.0	248.7	0
Hypopharynx	0.0	0.0	248.7	0
Other Oral Cavity and Pharynx	0.0	0.0	248.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	248.7	0
Stomach	0.0	0.0	248.7	0
Small Intestine	0.0	0.0	248.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	248.7	0
Appendix	0.0	0.0	248.7	0
Ascending Colon	0.0	0.0	248.7	0
Hepatic Flexure	0.0	0.0	248.7	0
Transverse Colon	0.0	0.0	248.7	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	248.7	0
Sigmoid Colon	0.0	0.0	248.7	0
Large Intestine, NOS	0.0	0.0	248.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	248.7	0
Liver	0.0	0.0	248.7	0
Intrahepatic Bile Duct	0.0	0.0	248.7	0
Gallbladder	0.0	0.0	248.7	0
Other Biliary	0.0	0.0	248.7	0
Pancreas	0.0	0.0	248.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	248.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	248.7	0
Other Digestive Organs	0.0	0.0	248.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	248.7	0
Larynx	0.0	0.0	248.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	248.7	0
Bones and Joints	0.0	0.0	248.7	0
Soft Tissue including Heart	0.0	0.0	248.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	248.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	248.7	0
Other Urinary Organs	0.0	0.0	248.7	0
Eye and Orbit	0.0	0.0	248.7	0
Brain and Other Nervous System	0.0	0.0	248.7	0
Brain	0.0	0.0	248.7	0
Cranial Nerves Other Nervous System	0.0	0.0	248.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	248.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	248.7	0
Hodgkin - Nodal	0.0	0.0	248.7	0
Hodgkin - Extranodal	0.0	0.0	248.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	248.7	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	248.7	0
Leukemia	0.0	0.0	248.7	0
Lymphocytic Leukemia	0.0	0.0	248.7	0
Acute Lymphocytic Leukemia	0.0	0.0	248.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	248.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	248.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	248.7	0
Acute Myeloid Leukemia	0.0	0.0	248.7	0
Acute Monocytic Leukemia	0.0	0.0	248.7	0
Chronic Myeloid Leukemia	0.0	0.0	248.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	248.7	0
Other Leukemia	0.0	0.0	248.7	0
Other Acute Leukemia	0.0	0.0	248.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	248.7	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	248.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	566.6	374.5	855.6	36
Oral Cavity and Pharynx	0.0	0.0	153.1	0
Lip	0.0	0.0	153.1	0
Tongue	0.0	0.0	153.1	0
Salivary Gland	0.0	0.0	153.1	0
Floor of Mouth	0.0	0.0	153.1	0
Gum and Other Mouth	0.0	0.0	153.1	0
Nasopharynx	0.0	0.0	153.1	0
Tonsil	0.0	0.0	153.1	0
Oropharynx	0.0	0.0	153.1	0
Hypopharynx	0.0	0.0	153.1	0
Other Oral Cavity and Pharynx	0.0	0.0	153.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	153.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	153.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	153.1	0
Appendix	0.0	0.0	153.1	0
Ascending Colon	0.0	0.0	153.1	0
Hepatic Flexure	0.0	0.0	153.1	0
Transverse Colon	0.0	0.0	153.1	0
Splenic Flexure	0.0	0.0	153.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	153.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	153.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	153.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	153.1	0
Liver	0.0	0.0	153.1	0
Intrahepatic Bile Duct	0.0	0.0	153.1	0
Gallbladder	0.0	0.0	153.1	0
Other Biliary	0.0	0.0	153.1	0
Pancreas	0.0	0.0	153.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	153.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	153.1	0
Other Digestive Organs	0.0	0.0	153.1	0
Respiratory System	102.1	34.9	284.2	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	153.1	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	153.1	0
Bones and Joints	0.0	0.0	153.1	0
Soft Tissue including Heart	0.0	0.0	153.1	0
Skin excluding Basal and Squamous	0.0	0.0	153.1	0
Melanoma of the Skin	0.0	0.0	153.1	0
Other Non-Epithelial Skin	0.0	0.0	153.1	0
Urinary System	0.0	0.0	153.1	0
Urinary Bladder	0.0	0.0	153.1	0
Kidney and Renal Pelvis	0.0	0.0	153.1	0
Ureter	0.0	0.0	153.1	0
Other Urinary Organs	0.0	0.0	153.1	0
Eye and Orbit	0.0	0.0	153.1	0
Brain and Other Nervous System	0.0	0.0	153.1	0
Brain	0.0	0.0	153.1	0
Cranial Nerves Other Nervous System	0.0	0.0	153.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	153.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	153.1	0
Hodgkin - Nodal	0.0	0.0	153.1	0
Hodgkin - Extranodal	0.0	0.0	153.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	153.1	0
Myeloma	0.0	0.0	153.1	0
Leukemia	0.0	0.0	153.1	0
Lymphocytic Leukemia	0.0	0.0	153.1	0
Acute Lymphocytic Leukemia	0.0	0.0	153.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	153.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	153.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	153.1	0
Acute Myeloid Leukemia	0.0	0.0	153.1	0
Acute Monocytic Leukemia	0.0	0.0	153.1	0
Chronic Myeloid Leukemia	0.0	0.0	153.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	153.1	0
Other Leukemia	0.0	0.0	153.1	0
Other Acute Leukemia	0.0	0.0	153.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	153.1	0
Mesothelioma	0.0	0.0	153.1	0
Kaposi Sarcoma	0.0	0.0	153.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	419.3	212.0	868.2	13
Oral Cavity and Pharynx	0.0	0.0	357.6	0
Lip	0.0	0.0	357.6	0
Tongue	0.0	0.0	357.6	0
Salivary Gland	0.0	0.0	357.6	0
Floor of Mouth	0.0	0.0	357.6	0
Gum and Other Mouth	0.0	0.0	357.6	0
Nasopharynx	0.0	0.0	357.6	0
Tonsil	0.0	0.0	357.6	0
Oropharynx	0.0	0.0	357.6	0
Hypopharynx	0.0	0.0	357.6	0
Other Oral Cavity and Pharynx	0.0	0.0	357.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	357.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	357.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	357.6	0
Appendix	0.0	0.0	357.6	0
Ascending Colon	0.0	0.0	357.6	0
Hepatic Flexure	0.0	0.0	357.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	357.6	0
Descending Colon	0.0	0.0	357.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	357.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	357.6	0
Rectosigmoid Junction	0.0	0.0	357.6	0
Rectum	0.0	0.0	357.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	357.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	357.6	0
Liver	0.0	0.0	357.6	0
Intrahepatic Bile Duct	0.0	0.0	357.6	0
Gallbladder	0.0	0.0	357.6	0
Other Biliary	0.0	0.0	357.6	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	357.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	357.6	0
Other Digestive Organs	0.0	0.0	357.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	357.6	0
Larynx	0.0	0.0	357.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	357.6	0
Bones and Joints	0.0	0.0	357.6	0
Soft Tissue including Heart	0.0	0.0	357.6	0
Skin excluding Basal and Squamous	0.0	0.0	357.6	0
Melanoma of the Skin	0.0	0.0	357.6	0
Other Non-Epithelial Skin	0.0	0.0	357.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	357.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	357.6	0
Eye and Orbit	0.0	0.0	357.6	0
Brain and Other Nervous System	0.0	0.0	357.6	0
Brain	0.0	0.0	357.6	0
Cranial Nerves Other Nervous System	0.0	0.0	357.6	0
Endocrine System	0.0	0.0	357.6	0
Thyroid	0.0	0.0	357.6	0
Other Endocrine including Thymus	0.0	0.0	357.6	0
Lymphoma	0.0	0.0	357.6	0
Hodgkin Lymphoma	0.0	0.0	357.6	0
Hodgkin - Nodal	0.0	0.0	357.6	0
Hodgkin - Extranodal	0.0	0.0	357.6	0
Non-Hodgkin Lymphoma	0.0	0.0	357.6	0
NHL - Nodal	0.0	0.0	357.6	0
NHL - Extranodal	0.0	0.0	357.6	0
Myeloma	0.0	0.0	357.6	0
Leukemia	0.0	0.0	357.6	0
Lymphocytic Leukemia	0.0	0.0	357.6	0
Acute Lymphocytic Leukemia	0.0	0.0	357.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	357.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	357.6	0
Acute Myeloid Leukemia	0.0	0.0	357.6	0
Acute Monocytic Leukemia	0.0	0.0	357.6	0
Chronic Myeloid Leukemia	0.0	0.0	357.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	357.6	0
Other Leukemia	0.0	0.0	357.6	0
Other Acute Leukemia	0.0	0.0	357.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	357.6	0
Mesothelioma	0.0	0.0	357.6	0
Kaposi Sarcoma	0.0	0.0	357.6	0
Miscellaneous	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	482.0	312.7	726.5	27
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	110.0	0
Salivary Gland	0.0	0.0	110.0	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	110.0	0
Nasopharynx	0.0	0.0	110.0	0
Tonsil	0.0	0.0	110.0	0
Oropharynx	0.0	0.0	110.0	0
Hypopharynx	0.0	0.0	110.0	0
Other Oral Cavity and Pharynx	0.0	0.0	110.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	110.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	110.0	0
Colon and Rectum	0.0	0.0	110.0	0
Colon excluding Rectum	0.0	0.0	110.0	0
Cecum	0.0	0.0	110.0	0
Appendix	0.0	0.0	110.0	0
Ascending Colon	0.0	0.0	110.0	0
Hepatic Flexure	0.0	0.0	110.0	0
Transverse Colon	0.0	0.0	110.0	0
Splenic Flexure	0.0	0.0	110.0	0
Descending Colon	0.0	0.0	110.0	0
Sigmoid Colon	0.0	0.0	110.0	0
Large Intestine, NOS	0.0	0.0	110.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	110.0	0
Rectosigmoid Junction	0.0	0.0	110.0	0
Rectum	0.0	0.0	110.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	110.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	110.0	0
Liver	0.0	0.0	110.0	0
Intrahepatic Bile Duct	0.0	0.0	110.0	0
Gallbladder	0.0	0.0	110.0	0
Other Biliary	0.0	0.0	110.0	0
Pancreas	0.0	0.0	110.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	110.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	110.0	0
Other Digestive Organs	0.0	0.0	110.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	110.0	0
Larynx	0.0	0.0	110.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	110.0	0
Bones and Joints	0.0	0.0	110.0	0
Soft Tissue including Heart	0.0	0.0	110.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	110.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	110.0	0
Ureter	0.0	0.0	110.0	0
Other Urinary Organs	0.0	0.0	110.0	0
Eye and Orbit	0.0	0.0	110.0	0
Brain and Other Nervous System	0.0	0.0	110.0	0
Brain	0.0	0.0	110.0	0
Cranial Nerves Other Nervous System	0.0	0.0	110.0	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	110.0	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	0.0	0.0	110.0	0
Hodgkin Lymphoma	0.0	0.0	110.0	0
Hodgkin - Nodal	0.0	0.0	110.0	0
Hodgkin - Extranodal	0.0	0.0	110.0	0
Non-Hodgkin Lymphoma	0.0	0.0	110.0	0
NHL - Nodal	0.0	0.0	110.0	0
NHL - Extranodal	0.0	0.0	110.0	0
Myeloma	0.0	0.0	110.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	110.0	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	110.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	110.0	0
Acute Myeloid Leukemia	0.0	0.0	110.0	0
Acute Monocytic Leukemia	0.0	0.0	110.0	0
Chronic Myeloid Leukemia	0.0	0.0	110.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	110.0	0
Other Leukemia	0.0	0.0	110.0	0
Other Acute Leukemia	0.0	0.0	110.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	110.0	0
Mesothelioma	0.0	0.0	110.0	0
Kaposi Sarcoma	0.0	0.0	110.0	0
Miscellaneous	0.0	0.0	110.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	1,699.1	0
Tongue	0.0	0.0	1,699.1	0
Salivary Gland	0.0	0.0	1,699.1	0
Floor of Mouth	0.0	0.0	1,699.1	0
Gum and Other Mouth	0.0	0.0	1,699.1	0
Nasopharynx	0.0	0.0	1,699.1	0
Tonsil	0.0	0.0	1,699.1	0
Oropharynx	0.0	0.0	1,699.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1,699.1	0
Digestive System	0.0	0.0	1,699.1	0
Esophagus	0.0	0.0	1,699.1	0
Stomach	0.0	0.0	1,699.1	0
Small Intestine	0.0	0.0	1,699.1	0
Colon and Rectum	0.0	0.0	1,699.1	0
Colon excluding Rectum	0.0	0.0	1,699.1	0
Cecum	0.0	0.0	1,699.1	0
Appendix	0.0	0.0	1,699.1	0
Ascending Colon	0.0	0.0	1,699.1	0
Hepatic Flexure	0.0	0.0	1,699.1	0
Transverse Colon	0.0	0.0	1,699.1	0
Splenic Flexure	0.0	0.0	1,699.1	0
Descending Colon	0.0	0.0	1,699.1	0
Sigmoid Colon	0.0	0.0	1,699.1	0
Large Intestine, NOS	0.0	0.0	1,699.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,699.1	0
Rectosigmoid Junction	0.0	0.0	1,699.1	0
Rectum	0.0	0.0	1,699.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,699.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,699.1	0
Liver	0.0	0.0	1,699.1	0
Intrahepatic Bile Duct	0.0	0.0	1,699.1	0
Gallbladder	0.0	0.0	1,699.1	0
Other Biliary	0.0	0.0	1,699.1	0
Pancreas	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,699.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,699.1	0
Other Digestive Organs	0.0	0.0	1,699.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,699.1	0
Larynx	0.0	0.0	1,699.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,699.1	0
Bones and Joints	0.0	0.0	1,699.1	0
Soft Tissue including Heart	0.0	0.0	1,699.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,699.1	0
Melanoma of the Skin	0.0	0.0	1,699.1	0
Other Non-Epithelial Skin	0.0	0.0	1,699.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	1,699.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	1,699.1	0
Other Urinary Organs	0.0	0.0	1,699.1	0
Eye and Orbit	0.0	0.0	1,699.1	0
Brain and Other Nervous System	0.0	0.0	1,699.1	0
Brain	0.0	0.0	1,699.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1,699.1	0
Endocrine System	0.0	0.0	1,699.1	0
Thyroid	0.0	0.0	1,699.1	0
Other Endocrine including Thymus	0.0	0.0	1,699.1	0
Lymphoma	0.0	0.0	1,699.1	0
Hodgkin Lymphoma	0.0	0.0	1,699.1	0
Hodgkin - Nodal	0.0	0.0	1,699.1	0
Hodgkin - Extranodal	0.0	0.0	1,699.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,699.1	0
NHL - Nodal	0.0	0.0	1,699.1	0
NHL - Extranodal	0.0	0.0	1,699.1	0
Myeloma	0.0	0.0	1,699.1	0
Leukemia	0.0	0.0	1,699.1	0
Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,699.1	0
Acute Myeloid Leukemia	0.0	0.0	1,699.1	0
Acute Monocytic Leukemia	0.0	0.0	1,699.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,699.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,699.1	0
Other Leukemia	0.0	0.0	1,699.1	0
Other Acute Leukemia	0.0	0.0	1,699.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,699.1	0
Mesothelioma	0.0	0.0	1,699.1	0
Kaposi Sarcoma	0.0	0.0	1,699.1	0
Miscellaneous	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	418.4	239.8	701.1	18
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	146.5	0
Tongue	0.0	0.0	146.5	0
Salivary Gland	0.0	0.0	146.5	0
Floor of Mouth	0.0	0.0	146.5	0
Gum and Other Mouth	0.0	0.0	146.5	0
Nasopharynx	0.0	0.0	146.5	0
Tonsil	0.0	0.0	146.5	0
Oropharynx	0.0	0.0	146.5	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	146.5	0
Digestive System	171.5	71.4	379.8	8
Esophagus	^	^	^	^
Stomach	0.0	0.0	146.5	0
Small Intestine	0.0	0.0	146.5	0
Colon and Rectum	133.6	46.6	333.1	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	146.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	146.5	0
Transverse Colon	0.0	0.0	146.5	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	146.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	146.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	146.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	146.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	146.5	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	146.5	0
Other Biliary	0.0	0.0	146.5	0
Pancreas	0.0	0.0	146.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	146.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	146.5	0
Other Digestive Organs	0.0	0.0	146.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	146.5	0
Larynx	0.0	0.0	146.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	146.5	0
Bones and Joints	0.0	0.0	146.5	0
Soft Tissue including Heart	0.0	0.0	146.5	0
Skin excluding Basal and Squamous	0.0	0.0	146.5	0
Melanoma of the Skin	0.0	0.0	146.5	0
Other Non-Epithelial Skin	0.0	0.0	146.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	146.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	146.5	0
Other Urinary Organs	0.0	0.0	146.5	0
Eye and Orbit	0.0	0.0	146.5	0
Brain and Other Nervous System	0.0	0.0	146.5	0
Brain	0.0	0.0	146.5	0
Cranial Nerves Other Nervous System	0.0	0.0	146.5	0
Endocrine System	0.0	0.0	146.5	0
Thyroid	0.0	0.0	146.5	0
Other Endocrine including Thymus	0.0	0.0	146.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	146.5	0
Non-Hodgkin Lymphoma	0.0	0.0	146.5	0
NHL - Nodal	0.0	0.0	146.5	0
NHL - Extranodal	0.0	0.0	146.5	0
Myeloma	0.0	0.0	146.5	0
Leukemia	0.0	0.0	146.5	0
Lymphocytic Leukemia	0.0	0.0	146.5	0
Acute Lymphocytic Leukemia	0.0	0.0	146.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	146.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1996/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	146.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	146.5	0
Acute Myeloid Leukemia	0.0	0.0	146.5	0
Acute Monocytic Leukemia	0.0	0.0	146.5	0
Chronic Myeloid Leukemia	0.0	0.0	146.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	146.5	0
Other Leukemia	0.0	0.0	146.5	0
Other Acute Leukemia	0.0	0.0	146.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	146.5	0
Mesothelioma	0.0	0.0	146.5	0
Kaposi Sarcoma	0.0	0.0	146.5	0
Miscellaneous	0.0	0.0	146.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,659.9	0
Lip	0.0	0.0	1,659.9	0
Tongue	0.0	0.0	1,659.9	0
Salivary Gland	0.0	0.0	1,659.9	0
Floor of Mouth	0.0	0.0	1,659.9	0
Gum and Other Mouth	0.0	0.0	1,659.9	0
Nasopharynx	0.0	0.0	1,659.9	0
Tonsil	0.0	0.0	1,659.9	0
Oropharynx	0.0	0.0	1,659.9	0
Hypopharynx	0.0	0.0	1,659.9	0
Other Oral Cavity and Pharynx	0.0	0.0	1,659.9	0
Digestive System	0.0	0.0	1,659.9	0
Esophagus	0.0	0.0	1,659.9	0
Stomach	0.0	0.0	1,659.9	0
Small Intestine	0.0	0.0	1,659.9	0
Colon and Rectum	0.0	0.0	1,659.9	0
Colon excluding Rectum	0.0	0.0	1,659.9	0
Cecum	0.0	0.0	1,659.9	0
Appendix	0.0	0.0	1,659.9	0
Ascending Colon	0.0	0.0	1,659.9	0
Hepatic Flexure	0.0	0.0	1,659.9	0
Transverse Colon	0.0	0.0	1,659.9	0
Splenic Flexure	0.0	0.0	1,659.9	0
Descending Colon	0.0	0.0	1,659.9	0
Sigmoid Colon	0.0	0.0	1,659.9	0
Large Intestine, NOS	0.0	0.0	1,659.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,659.9	0
Rectosigmoid Junction	0.0	0.0	1,659.9	0
Rectum	0.0	0.0	1,659.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,659.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,659.9	0
Liver	0.0	0.0	1,659.9	0
Intrahepatic Bile Duct	0.0	0.0	1,659.9	0
Gallbladder	0.0	0.0	1,659.9	0
Other Biliary	0.0	0.0	1,659.9	0
Pancreas	0.0	0.0	1,659.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,659.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,659.9	0
Other Digestive Organs	0.0	0.0	1,659.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,659.9	0
Larynx	0.0	0.0	1,659.9	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,659.9	0
Bones and Joints	0.0	0.0	1,659.9	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	1,659.9	0
Melanoma of the Skin	0.0	0.0	1,659.9	0
Other Non-Epithelial Skin	0.0	0.0	1,659.9	0
Urinary System	0.0	0.0	1,659.9	0
Urinary Bladder	0.0	0.0	1,659.9	0
Kidney and Renal Pelvis	0.0	0.0	1,659.9	0
Ureter	0.0	0.0	1,659.9	0
Other Urinary Organs	0.0	0.0	1,659.9	0
Eye and Orbit	0.0	0.0	1,659.9	0
Brain and Other Nervous System	0.0	0.0	1,659.9	0
Brain	0.0	0.0	1,659.9	0
Cranial Nerves Other Nervous System	0.0	0.0	1,659.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,659.9	0
Lymphoma	0.0	0.0	1,659.9	0
Hodgkin Lymphoma	0.0	0.0	1,659.9	0
Hodgkin - Nodal	0.0	0.0	1,659.9	0
Hodgkin - Extranodal	0.0	0.0	1,659.9	0
Non-Hodgkin Lymphoma	0.0	0.0	1,659.9	0
NHL - Nodal	0.0	0.0	1,659.9	0
NHL - Extranodal	0.0	0.0	1,659.9	0
Myeloma	0.0	0.0	1,659.9	0
Leukemia	0.0	0.0	1,659.9	0
Lymphocytic Leukemia	0.0	0.0	1,659.9	0
Acute Lymphocytic Leukemia	0.0	0.0	1,659.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,659.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,659.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,659.9	0
Acute Myeloid Leukemia	0.0	0.0	1,659.9	0
Acute Monocytic Leukemia	0.0	0.0	1,659.9	0
Chronic Myeloid Leukemia	0.0	0.0	1,659.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,659.9	0
Other Leukemia	0.0	0.0	1,659.9	0
Other Acute Leukemia	0.0	0.0	1,659.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,659.9	0
Mesothelioma	0.0	0.0	1,659.9	0
Kaposi Sarcoma	0.0	0.0	1,659.9	0
Miscellaneous	0.0	0.0	1,659.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	443.3	76.9	3,280.3	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2,860.5	0
Tongue	0.0	0.0	2,860.5	0
Salivary Gland	0.0	0.0	2,860.5	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	2,860.5	0
Nasopharynx	0.0	0.0	2,860.5	0
Tonsil	0.0	0.0	2,860.5	0
Oropharynx	0.0	0.0	2,860.5	0
Hypopharynx	0.0	0.0	2,860.5	0
Other Oral Cavity and Pharynx	0.0	0.0	2,860.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	2,860.5	0
Stomach	0.0	0.0	2,860.5	0
Small Intestine	0.0	0.0	2,860.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	2,860.5	0
Cecum	0.0	0.0	2,860.5	0
Appendix	0.0	0.0	2,860.5	0
Ascending Colon	0.0	0.0	2,860.5	0
Hepatic Flexure	0.0	0.0	2,860.5	0
Transverse Colon	0.0	0.0	2,860.5	0
Splenic Flexure	0.0	0.0	2,860.5	0
Descending Colon	0.0	0.0	2,860.5	0
Sigmoid Colon	0.0	0.0	2,860.5	0
Large Intestine, NOS	0.0	0.0	2,860.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	2,860.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,860.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Liver	0.0	0.0	2,860.5	0
Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Gallbladder	0.0	0.0	2,860.5	0
Other Biliary	0.0	0.0	2,860.5	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,860.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,860.5	0
Other Digestive Organs	0.0	0.0	2,860.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,860.5	0
Larynx	0.0	0.0	2,860.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,860.5	0
Bones and Joints	0.0	0.0	2,860.5	0
Soft Tissue including Heart	0.0	0.0	2,860.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2,860.5	0
Urinary System	0.0	0.0	2,860.5	0
Urinary Bladder	0.0	0.0	2,860.5	0
Kidney and Renal Pelvis	0.0	0.0	2,860.5	0
Ureter	0.0	0.0	2,860.5	0
Other Urinary Organs	0.0	0.0	2,860.5	0
Eye and Orbit	0.0	0.0	2,860.5	0
Brain and Other Nervous System	0.0	0.0	2,860.5	0
Brain	0.0	0.0	2,860.5	0
Cranial Nerves Other Nervous System	0.0	0.0	2,860.5	0
Endocrine System	0.0	0.0	2,860.5	0
Thyroid	0.0	0.0	2,860.5	0
Other Endocrine including Thymus	0.0	0.0	2,860.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	2,860.5	0
Hodgkin - Nodal	0.0	0.0	2,860.5	0
Hodgkin - Extranodal	0.0	0.0	2,860.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	2,860.5	0
Leukemia	0.0	0.0	2,860.5	0
Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Acute Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,860.5	0
Acute Myeloid Leukemia	0.0	0.0	2,860.5	0
Acute Monocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Myeloid Leukemia	0.0	0.0	2,860.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,860.5	0
Other Leukemia	0.0	0.0	2,860.5	0
Other Acute Leukemia	0.0	0.0	2,860.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,860.5	0
Mesothelioma	0.0	0.0	2,860.5	0
Kaposi Sarcoma	0.0	0.0	2,860.5	0
Miscellaneous	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	520.3	479.1	565.3	767
Oral Cavity and Pharynx	12.1	6.7	22.0	18
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	7.0	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	75.2	59.7	94.9	106
Esophagus	8.2	3.8	17.5	11
Stomach	7.4	3.0	17.1	9
Small Intestine	^	^	^	^
Colon and Rectum	39.2	28.3	54.3	56
Colon excluding Rectum	26.7	17.6	40.3	37
Cecum	5.8	1.9	15.1	7
Appendix	^	^	^	^
Ascending Colon	6.2	2.2	15.6	8
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	12.5	7.2	22.3	19
Rectosigmoid Junction	5.6	2.2	14.1	7
Rectum	6.9	3.3	15.3	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	5.7	2.0	14.7	8
Liver	3.4	1.1	10.9	6
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	6.3	2.6	15.1	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	78.6	63.3	97.8	109
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	74.7	59.7	93.6	103
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	7.0	0
Bones and Joints	0.0	0.0	7.0	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	17.0	11.0	27.1	34
Melanoma of the Skin	15.6	9.9	25.6	31
Other Non-Epithelial Skin	^	^	^	^
Urinary System	47.9	35.3	64.8	62
Urinary Bladder	32.4	21.7	47.8	37
Kidney and Renal Pelvis	14.5	8.8	24.6	24
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	7.0	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	3.6	15.7	15
Brain	7.2	3.6	15.7	15
Cranial Nerves Other Nervous System	0.0	0.0	7.0	0
Endocrine System	8.6	5.1	16.6	21
Thyroid	8.2	4.8	16.1	20
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.3	16.9	35.9	46
Hodgkin Lymphoma	3.2	1.3	10.3	8
Hodgkin - Nodal	3.2	1.3	10.3	8
Hodgkin - Extranodal	0.0	0.0	7.0	0
Non-Hodgkin Lymphoma	21.1	14.1	32.4	38
NHL - Nodal	15.7	9.6	26.2	28
NHL - Extranodal	5.5	2.4	13.4	10
Myeloma	4.5	1.3	13.1	6
Leukemia	13.1	7.1	23.8	20
Lymphocytic Leukemia	8.1	3.2	18.4	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	6.9	2.3	17.1	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	7.0	0
Myeloid and Monocytic Leukemia	3.4	1.3	10.8	7
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	7.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.0	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	8.5	3.7	18.3	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	389.9	251.3	593.7	29
Oral Cavity and Pharynx	0.0	0.0	97.0	0
Lip	0.0	0.0	97.0	0
Tongue	0.0	0.0	97.0	0
Salivary Gland	0.0	0.0	97.0	0
Floor of Mouth	0.0	0.0	97.0	0
Gum and Other Mouth	0.0	0.0	97.0	0
Nasopharynx	0.0	0.0	97.0	0
Tonsil	0.0	0.0	97.0	0
Oropharynx	0.0	0.0	97.0	0
Hypopharynx	0.0	0.0	97.0	0
Other Oral Cavity and Pharynx	0.0	0.0	97.0	0
Digestive System	170.9	78.7	336.8	11
Esophagus	0.0	0.0	97.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	97.0	0
Colon and Rectum	128.3	51.0	281.1	8
Colon excluding Rectum	111.0	38.4	262.2	6
Cecum	0.0	0.0	97.0	0
Appendix	0.0	0.0	97.0	0
Ascending Colon	0.0	0.0	97.0	0
Hepatic Flexure	0.0	0.0	97.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	97.0	0
Descending Colon	0.0	0.0	97.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	97.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	97.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	97.0	0
Gallbladder	0.0	0.0	97.0	0
Other Biliary	0.0	0.0	97.0	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	97.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	97.0	0
Other Digestive Organs	0.0	0.0	97.0	0
Respiratory System	99.5	40.3	229.8	8
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	82.3	28.4	210.2	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	97.0	0
Bones and Joints	0.0	0.0	97.0	0
Soft Tissue including Heart	0.0	0.0	97.0	0
Skin excluding Basal and Squamous	0.0	0.0	97.0	0
Melanoma of the Skin	0.0	0.0	97.0	0
Other Non-Epithelial Skin	0.0	0.0	97.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	97.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	97.0	0
Other Urinary Organs	0.0	0.0	97.0	0
Eye and Orbit	0.0	0.0	97.0	0
Brain and Other Nervous System	0.0	0.0	97.0	0
Brain	0.0	0.0	97.0	0
Cranial Nerves Other Nervous System	0.0	0.0	97.0	0
Endocrine System	0.0	0.0	97.0	0
Thyroid	0.0	0.0	97.0	0
Other Endocrine including Thymus	0.0	0.0	97.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	97.0	0
Hodgkin - Nodal	0.0	0.0	97.0	0
Hodgkin - Extranodal	0.0	0.0	97.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	97.0	0
Myeloma	0.0	0.0	97.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	97.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	97.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	97.0	0
Acute Myeloid Leukemia	0.0	0.0	97.0	0
Acute Monocytic Leukemia	0.0	0.0	97.0	0
Chronic Myeloid Leukemia	0.0	0.0	97.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	97.0	0
Other Leukemia	0.0	0.0	97.0	0
Other Acute Leukemia	0.0	0.0	97.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	97.0	0
Mesothelioma	0.0	0.0	97.0	0
Kaposi Sarcoma	0.0	0.0	97.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Lip	0.0	0.0	3,291.0	0
Tongue	0.0	0.0	3,291.0	0
Salivary Gland	0.0	0.0	3,291.0	0
Floor of Mouth	0.0	0.0	3,291.0	0
Gum and Other Mouth	0.0	0.0	3,291.0	0
Nasopharynx	0.0	0.0	3,291.0	0
Tonsil	0.0	0.0	3,291.0	0
Oropharynx	0.0	0.0	3,291.0	0
Hypopharynx	0.0	0.0	3,291.0	0
Other Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	3,291.0	0
Stomach	0.0	0.0	3,291.0	0
Small Intestine	0.0	0.0	3,291.0	0
Colon and Rectum	0.0	0.0	3,291.0	0
Colon excluding Rectum	0.0	0.0	3,291.0	0
Cecum	0.0	0.0	3,291.0	0
Appendix	0.0	0.0	3,291.0	0
Ascending Colon	0.0	0.0	3,291.0	0
Hepatic Flexure	0.0	0.0	3,291.0	0
Transverse Colon	0.0	0.0	3,291.0	0
Splenic Flexure	0.0	0.0	3,291.0	0
Descending Colon	0.0	0.0	3,291.0	0
Sigmoid Colon	0.0	0.0	3,291.0	0
Large Intestine, NOS	0.0	0.0	3,291.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	3,291.0	0
Rectosigmoid Junction	0.0	0.0	3,291.0	0
Rectum	0.0	0.0	3,291.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	3,291.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Liver	0.0	0.0	3,291.0	0
Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Gallbladder	0.0	0.0	3,291.0	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	3,291.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	3,291.0	0
Other Digestive Organs	0.0	0.0	3,291.0	0
Respiratory System	0.0	0.0	3,291.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	3,291.0	0
Larynx	0.0	0.0	3,291.0	0
Lung and Bronchus	0.0	0.0	3,291.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3,291.0	0
Bones and Joints	0.0	0.0	3,291.0	0
Soft Tissue including Heart	0.0	0.0	3,291.0	0
Skin excluding Basal and Squamous	0.0	0.0	3,291.0	0
Melanoma of the Skin	0.0	0.0	3,291.0	0
Other Non-Epithelial Skin	0.0	0.0	3,291.0	0
Urinary System	0.0	0.0	3,291.0	0
Urinary Bladder	0.0	0.0	3,291.0	0
Kidney and Renal Pelvis	0.0	0.0	3,291.0	0
Ureter	0.0	0.0	3,291.0	0
Other Urinary Organs	0.0	0.0	3,291.0	0
Eye and Orbit	0.0	0.0	3,291.0	0
Brain and Other Nervous System	0.0	0.0	3,291.0	0
Brain	0.0	0.0	3,291.0	0
Cranial Nerves Other Nervous System	0.0	0.0	3,291.0	0
Endocrine System	0.0	0.0	3,291.0	0
Thyroid	0.0	0.0	3,291.0	0
Other Endocrine including Thymus	0.0	0.0	3,291.0	0
Lymphoma	0.0	0.0	3,291.0	0
Hodgkin Lymphoma	0.0	0.0	3,291.0	0
Hodgkin - Nodal	0.0	0.0	3,291.0	0
Hodgkin - Extranodal	0.0	0.0	3,291.0	0
Non-Hodgkin Lymphoma	0.0	0.0	3,291.0	0
NHL - Nodal	0.0	0.0	3,291.0	0
NHL - Extranodal	0.0	0.0	3,291.0	0
Myeloma	0.0	0.0	3,291.0	0
Leukemia	0.0	0.0	3,291.0	0
Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Acute Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	3,291.0	0
Acute Myeloid Leukemia	0.0	0.0	3,291.0	0
Acute Monocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Myeloid Leukemia	0.0	0.0	3,291.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	3,291.0	0
Other Leukemia	0.0	0.0	3,291.0	0
Other Acute Leukemia	0.0	0.0	3,291.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	3,291.0	0
Mesothelioma	0.0	0.0	3,291.0	0
Kaposi Sarcoma	0.0	0.0	3,291.0	0
Miscellaneous	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	517.8	184.1	2,652.8	7
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2,194.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	2,194.0	0
Floor of Mouth	0.0	0.0	2,194.0	0
Gum and Other Mouth	0.0	0.0	2,194.0	0
Nasopharynx	0.0	0.0	2,194.0	0
Tonsil	0.0	0.0	2,194.0	0
Oropharynx	0.0	0.0	2,194.0	0
Hypopharynx	0.0	0.0	2,194.0	0
Other Oral Cavity and Pharynx	0.0	0.0	2,194.0	0
Digestive System	0.0	0.0	2,194.0	0
Esophagus	0.0	0.0	2,194.0	0
Stomach	0.0	0.0	2,194.0	0
Small Intestine	0.0	0.0	2,194.0	0
Colon and Rectum	0.0	0.0	2,194.0	0
Colon excluding Rectum	0.0	0.0	2,194.0	0
Cecum	0.0	0.0	2,194.0	0
Appendix	0.0	0.0	2,194.0	0
Ascending Colon	0.0	0.0	2,194.0	0
Hepatic Flexure	0.0	0.0	2,194.0	0
Transverse Colon	0.0	0.0	2,194.0	0
Splenic Flexure	0.0	0.0	2,194.0	0
Descending Colon	0.0	0.0	2,194.0	0
Sigmoid Colon	0.0	0.0	2,194.0	0
Large Intestine, NOS	0.0	0.0	2,194.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,194.0	0
Rectosigmoid Junction	0.0	0.0	2,194.0	0
Rectum	0.0	0.0	2,194.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,194.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,194.0	0
Liver	0.0	0.0	2,194.0	0
Intrahepatic Bile Duct	0.0	0.0	2,194.0	0
Gallbladder	0.0	0.0	2,194.0	0
Other Biliary	0.0	0.0	2,194.0	0
Pancreas	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,194.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,194.0	0
Other Digestive Organs	0.0	0.0	2,194.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,194.0	0
Larynx	0.0	0.0	2,194.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,194.0	0
Bones and Joints	0.0	0.0	2,194.0	0
Soft Tissue including Heart	0.0	0.0	2,194.0	0
Skin excluding Basal and Squamous	0.0	0.0	2,194.0	0
Melanoma of the Skin	0.0	0.0	2,194.0	0
Other Non-Epithelial Skin	0.0	0.0	2,194.0	0
Urinary System	0.0	0.0	2,194.0	0
Urinary Bladder	0.0	0.0	2,194.0	0
Kidney and Renal Pelvis	0.0	0.0	2,194.0	0
Ureter	0.0	0.0	2,194.0	0
Other Urinary Organs	0.0	0.0	2,194.0	0
Eye and Orbit	0.0	0.0	2,194.0	0
Brain and Other Nervous System	0.0	0.0	2,194.0	0
Brain	0.0	0.0	2,194.0	0
Cranial Nerves Other Nervous System	0.0	0.0	2,194.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	2,194.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	2,194.0	0
Hodgkin - Nodal	0.0	0.0	2,194.0	0
Hodgkin - Extranodal	0.0	0.0	2,194.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	2,194.0	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	2,194.0	0
Leukemia	0.0	0.0	2,194.0	0
Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Acute Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,194.0	0
Acute Myeloid Leukemia	0.0	0.0	2,194.0	0
Acute Monocytic Leukemia	0.0	0.0	2,194.0	0
Chronic Myeloid Leukemia	0.0	0.0	2,194.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,194.0	0
Other Leukemia	0.0	0.0	2,194.0	0
Other Acute Leukemia	0.0	0.0	2,194.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,194.0	0
Mesothelioma	0.0	0.0	2,194.0	0
Kaposi Sarcoma	0.0	0.0	2,194.0	0
Miscellaneous	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	504.8	260.4	956.8	14
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	301.1	0
Tongue	0.0	0.0	301.1	0
Salivary Gland	0.0	0.0	301.1	0
Floor of Mouth	0.0	0.0	301.1	0
Gum and Other Mouth	0.0	0.0	301.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	301.1	0
Oropharynx	0.0	0.0	301.1	0
Hypopharynx	0.0	0.0	301.1	0
Other Oral Cavity and Pharynx	0.0	0.0	301.1	0
Digestive System	190.2	68.5	535.1	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	301.1	0
Small Intestine	0.0	0.0	301.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	301.1	0
Ascending Colon	0.0	0.0	301.1	0
Hepatic Flexure	0.0	0.0	301.1	0
Transverse Colon	0.0	0.0	301.1	0
Splenic Flexure	0.0	0.0	301.1	0
Descending Colon	0.0	0.0	301.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	301.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	301.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	301.1	0
Gallbladder	0.0	0.0	301.1	0
Other Biliary	0.0	0.0	301.1	0
Pancreas	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	301.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	301.1	0
Other Digestive Organs	0.0	0.0	301.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	301.1	0
Larynx	0.0	0.0	301.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	301.1	0
Bones and Joints	0.0	0.0	301.1	0
Soft Tissue including Heart	0.0	0.0	301.1	0
Skin excluding Basal and Squamous	0.0	0.0	301.1	0
Melanoma of the Skin	0.0	0.0	301.1	0
Other Non-Epithelial Skin	0.0	0.0	301.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	301.1	0
Ureter	0.0	0.0	301.1	0
Other Urinary Organs	0.0	0.0	301.1	0
Eye and Orbit	0.0	0.0	301.1	0
Brain and Other Nervous System	0.0	0.0	301.1	0
Brain	0.0	0.0	301.1	0
Cranial Nerves Other Nervous System	0.0	0.0	301.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	301.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	301.1	0
Hodgkin - Nodal	0.0	0.0	301.1	0
Hodgkin - Extranodal	0.0	0.0	301.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	301.1	0
Myeloma	0.0	0.0	301.1	0
Leukemia	0.0	0.0	301.1	0
Lymphocytic Leukemia	0.0	0.0	301.1	0
Acute Lymphocytic Leukemia	0.0	0.0	301.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	301.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	301.1	0
Acute Myeloid Leukemia	0.0	0.0	301.1	0
Acute Monocytic Leukemia	0.0	0.0	301.1	0
Chronic Myeloid Leukemia	0.0	0.0	301.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	301.1	0
Other Leukemia	0.0	0.0	301.1	0
Other Acute Leukemia	0.0	0.0	301.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	301.1	0
Mesothelioma	0.0	0.0	301.1	0
Kaposi Sarcoma	0.0	0.0	301.1	0
Miscellaneous	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	554.8	476.7	646.3	231
Oral Cavity and Pharynx	13.3	4.7	39.9	7
Lip	0.0	0.0	24.0	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	24.0	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	24.0	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	114.6	79.8	164.3	43
Esophagus	^	^	^	^
Stomach	19.2	7.0	49.3	7
Small Intestine	0.0	0.0	24.0	0
Colon and Rectum	56.9	34.0	95.5	22
Colon excluding Rectum	35.4	17.7	69.7	13
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	0.0	0.0	24.0	0
Hepatic Flexure	0.0	0.0	24.0	0
Transverse Colon	0.0	0.0	24.0	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	24.0	0
Rectum and Rectosigmoid Junction	21.5	9.0	51.3	9
Rectosigmoid Junction	^	^	^	^
Rectum	18.6	6.9	48.1	7
Anus, Anal Canal and Anorectum	0.0	0.0	24.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	24.0	0
Other Biliary	0.0	0.0	24.0	0
Pancreas	17.3	5.8	47.0	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	24.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	24.0	0
Other Digestive Organs	0.0	0.0	24.0	0
Respiratory System	109.0	73.5	160.2	36
Nose, Nasal Cavity and Middle Ear	0.0	0.0	24.0	0
Larynx	^	^	^	^
Lung and Bronchus	104.6	69.6	155.3	34
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	24.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	25.2	10.7	57.0	11
Melanoma of the Skin	25.2	10.7	57.0	11
Other Non-Epithelial Skin	0.0	0.0	24.0	0
Urinary System	50.4	28.4	88.6	18
Urinary Bladder	29.5	13.2	63.0	10
Kidney and Renal Pelvis	16.8	6.0	45.5	7
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	24.0	0
Eye and Orbit	0.0	0.0	24.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	24.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	24.0	0
Lymphoma	16.0	7.1	42.2	10
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	24.0	0
Non-Hodgkin Lymphoma	11.0	3.9	36.2	7
NHL - Nodal	10.0	3.3	35.2	6
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	17.6	6.1	47.4	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	24.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	24.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	24.0	0
Other Leukemia	0.0	0.0	24.0	0
Other Acute Leukemia	0.0	0.0	24.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	24.0	0
Mesothelioma	0.0	0.0	24.0	0
Kaposi Sarcoma	0.0	0.0	24.0	0
Miscellaneous	0.0	0.0	24.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	844.7	408.7	1,594.0	12
Oral Cavity and Pharynx	0.0	0.0	408.6	0
Lip	0.0	0.0	408.6	0
Tongue	0.0	0.0	408.6	0
Salivary Gland	0.0	0.0	408.6	0
Floor of Mouth	0.0	0.0	408.6	0
Gum and Other Mouth	0.0	0.0	408.6	0
Nasopharynx	0.0	0.0	408.6	0
Tonsil	0.0	0.0	408.6	0
Oropharynx	0.0	0.0	408.6	0
Hypopharynx	0.0	0.0	408.6	0
Other Oral Cavity and Pharynx	0.0	0.0	408.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	408.6	0
Stomach	0.0	0.0	408.6	0
Small Intestine	0.0	0.0	408.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	408.6	0
Ascending Colon	0.0	0.0	408.6	0
Hepatic Flexure	0.0	0.0	408.6	0
Transverse Colon	0.0	0.0	408.6	0
Splenic Flexure	0.0	0.0	408.6	0
Descending Colon	0.0	0.0	408.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	408.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	408.6	0
Rectosigmoid Junction	0.0	0.0	408.6	0
Rectum	0.0	0.0	408.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	408.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	408.6	0
Liver	0.0	0.0	408.6	0
Intrahepatic Bile Duct	0.0	0.0	408.6	0
Gallbladder	0.0	0.0	408.6	0
Other Biliary	0.0	0.0	408.6	0
Pancreas	0.0	0.0	408.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	408.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	408.6	0
Other Digestive Organs	0.0	0.0	408.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	408.6	0
Larynx	0.0	0.0	408.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	408.6	0
Bones and Joints	0.0	0.0	408.6	0
Soft Tissue including Heart	0.0	0.0	408.6	0
Skin excluding Basal and Squamous	0.0	0.0	408.6	0
Melanoma of the Skin	0.0	0.0	408.6	0
Other Non-Epithelial Skin	0.0	0.0	408.6	0
Urinary System	0.0	0.0	408.6	0
Urinary Bladder	0.0	0.0	408.6	0
Kidney and Renal Pelvis	0.0	0.0	408.6	0
Ureter	0.0	0.0	408.6	0
Other Urinary Organs	0.0	0.0	408.6	0
Eye and Orbit	0.0	0.0	408.6	0
Brain and Other Nervous System	0.0	0.0	408.6	0
Brain	0.0	0.0	408.6	0
Cranial Nerves Other Nervous System	0.0	0.0	408.6	0
Endocrine System	0.0	0.0	408.6	0
Thyroid	0.0	0.0	408.6	0
Other Endocrine including Thymus	0.0	0.0	408.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	408.6	0
Hodgkin - Nodal	0.0	0.0	408.6	0
Hodgkin - Extranodal	0.0	0.0	408.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	408.6	0
Myeloma	0.0	0.0	408.6	0
Leukemia	0.0	0.0	408.6	0
Lymphocytic Leukemia	0.0	0.0	408.6	0
Acute Lymphocytic Leukemia	0.0	0.0	408.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	408.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	408.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	408.6	0
Acute Myeloid Leukemia	0.0	0.0	408.6	0
Acute Monocytic Leukemia	0.0	0.0	408.6	0
Chronic Myeloid Leukemia	0.0	0.0	408.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	408.6	0
Other Leukemia	0.0	0.0	408.6	0
Other Acute Leukemia	0.0	0.0	408.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	408.6	0
Mesothelioma	0.0	0.0	408.6	0
Kaposi Sarcoma	0.0	0.0	408.6	0
Miscellaneous	0.0	0.0	408.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	478.2	379.2	601.5	96
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	39.5	0
Tongue	0.0	0.0	39.5	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	39.5	0
Gum and Other Mouth	0.0	0.0	39.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	39.5	0
Oropharynx	0.0	0.0	39.5	0
Hypopharynx	0.0	0.0	39.5	0
Other Oral Cavity and Pharynx	0.0	0.0	39.5	0
Digestive System	64.4	32.5	123.7	13
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	39.5	0
Colon and Rectum	35.7	13.2	88.0	7
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	39.5	0
Appendix	0.0	0.0	39.5	0
Ascending Colon	0.0	0.0	39.5	0
Hepatic Flexure	0.0	0.0	39.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	39.5	0
Descending Colon	0.0	0.0	39.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	39.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	39.5	0
Gallbladder	0.0	0.0	39.5	0
Other Biliary	0.0	0.0	39.5	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	39.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	39.5	0
Other Digestive Organs	0.0	0.0	39.5	0
Respiratory System	107.0	59.7	182.7	17
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	82.7	42.6	151.4	13
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	39.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	39.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	39.5	0
Urinary System	32.5	12.3	81.9	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	39.5	0
Other Urinary Organs	0.0	0.0	39.5	0
Eye and Orbit	0.0	0.0	39.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	39.5	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	39.5	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	32.9	10.6	86.0	6
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	39.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	39.5	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	39.5	0
Chronic Myeloid Leukemia	0.0	0.0	39.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	39.5	0
Other Leukemia	0.0	0.0	39.5	0
Other Acute Leukemia	0.0	0.0	39.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	39.5	0
Mesothelioma	0.0	0.0	39.5	0
Kaposi Sarcoma	^	^	^	^
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	458.6	382.3	552.7	157
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	33.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	33.1	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	33.1	0
Nasopharynx	0.0	0.0	33.1	0
Tonsil	0.0	0.0	33.1	0
Oropharynx	0.0	0.0	33.1	0
Hypopharynx	0.0	0.0	33.1	0
Other Oral Cavity and Pharynx	0.0	0.0	33.1	0
Digestive System	100.8	63.8	159.1	28
Esophagus	^	^	^	^
Stomach	0.0	0.0	33.1	0
Small Intestine	0.0	0.0	33.1	0
Colon and Rectum	49.2	25.3	95.6	14
Colon excluding Rectum	43.7	21.1	89.3	12
Cecum	^	^	^	^
Appendix	0.0	0.0	33.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	33.1	0
Transverse Colon	0.0	0.0	33.1	0
Splenic Flexure	0.0	0.0	33.1	0
Descending Colon	0.0	0.0	33.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	33.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	33.1	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	33.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	33.1	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	80.1	51.7	128.7	28
Nose, Nasal Cavity and Middle Ear	0.0	0.0	33.1	0
Larynx	^	^	^	^
Lung and Bronchus	73.4	46.5	120.6	26
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	33.1	0
Bones and Joints	0.0	0.0	33.1	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	33.1	0
Urinary System	41.3	19.1	86.8	12
Urinary Bladder	34.1	13.8	78.9	9
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	33.1	0
Other Urinary Organs	0.0	0.0	33.1	0
Eye and Orbit	0.0	0.0	33.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	33.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	33.1	0
Lymphoma	17.2	5.9	53.5	6
Hodgkin Lymphoma	0.0	0.0	33.1	0
Hodgkin - Nodal	0.0	0.0	33.1	0
Hodgkin - Extranodal	0.0	0.0	33.1	0
Non-Hodgkin Lymphoma	17.2	5.9	53.5	6
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	15.2	5.1	50.4	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	33.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	33.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	33.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	33.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	33.1	0
Kaposi Sarcoma	0.0	0.0	33.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	574.8	433.7	754.4	62
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	58.4	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	58.4	0
Gum and Other Mouth	0.0	0.0	58.4	0
Nasopharynx	0.0	0.0	58.4	0
Tonsil	0.0	0.0	58.4	0
Oropharynx	0.0	0.0	58.4	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	58.4	0
Digestive System	55.0	18.6	137.1	6
Esophagus	0.0	0.0	58.4	0
Stomach	0.0	0.0	58.4	0
Small Intestine	0.0	0.0	58.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	58.4	0
Appendix	0.0	0.0	58.4	0
Ascending Colon	0.0	0.0	58.4	0
Hepatic Flexure	0.0	0.0	58.4	0
Transverse Colon	0.0	0.0	58.4	0
Splenic Flexure	0.0	0.0	58.4	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	58.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	58.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	58.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	58.4	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	58.4	0
Pancreas	0.0	0.0	58.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	58.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	58.4	0
Other Digestive Organs	0.0	0.0	58.4	0
Respiratory System	96.2	47.1	186.9	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	58.4	0
Larynx	^	^	^	^
Lung and Bronchus	78.3	35.0	164.1	9
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	58.4	0
Bones and Joints	0.0	0.0	58.4	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	58.4	0
Urinary System	65.3	23.4	153.2	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	58.4	0
Other Urinary Organs	0.0	0.0	58.4	0
Eye and Orbit	0.0	0.0	58.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	58.4	0
Endocrine System	0.0	0.0	58.4	0
Thyroid	0.0	0.0	58.4	0
Other Endocrine including Thymus	0.0	0.0	58.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	58.4	0
Hodgkin - Nodal	0.0	0.0	58.4	0
Hodgkin - Extranodal	0.0	0.0	58.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	58.4	0
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	58.4	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	58.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	58.4	0
Chronic Myeloid Leukemia	0.0	0.0	58.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	58.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	58.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	58.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	679.4	443.1	1,022.7	36
Oral Cavity and Pharynx	0.0	0.0	158.9	0
Lip	0.0	0.0	158.9	0
Tongue	0.0	0.0	158.9	0
Salivary Gland	0.0	0.0	158.9	0
Floor of Mouth	0.0	0.0	158.9	0
Gum and Other Mouth	0.0	0.0	158.9	0
Nasopharynx	0.0	0.0	158.9	0
Tonsil	0.0	0.0	158.9	0
Oropharynx	0.0	0.0	158.9	0
Hypopharynx	0.0	0.0	158.9	0
Other Oral Cavity and Pharynx	0.0	0.0	158.9	0
Digestive System	176.7	66.3	409.6	8
Esophagus	0.0	0.0	158.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	158.9	0
Colon and Rectum	111.9	34.4	312.3	6
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	158.9	0
Appendix	0.0	0.0	158.9	0
Ascending Colon	0.0	0.0	158.9	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	158.9	0
Splenic Flexure	0.0	0.0	158.9	0
Descending Colon	0.0	0.0	158.9	0
Sigmoid Colon	0.0	0.0	158.9	0
Large Intestine, NOS	0.0	0.0	158.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	158.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	158.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	158.9	0
Liver	0.0	0.0	158.9	0
Intrahepatic Bile Duct	0.0	0.0	158.9	0
Gallbladder	0.0	0.0	158.9	0
Other Biliary	0.0	0.0	158.9	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	158.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	158.9	0
Other Digestive Organs	0.0	0.0	158.9	0
Respiratory System	175.8	58.0	424.3	7
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	158.9	0
Lung and Bronchus	169.1	53.1	417.9	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	158.9	0
Bones and Joints	0.0	0.0	158.9	0
Soft Tissue including Heart	0.0	0.0	158.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	158.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	158.9	0
Ureter	0.0	0.0	158.9	0
Other Urinary Organs	0.0	0.0	158.9	0
Eye and Orbit	0.0	0.0	158.9	0
Brain and Other Nervous System	0.0	0.0	158.9	0
Brain	0.0	0.0	158.9	0
Cranial Nerves Other Nervous System	0.0	0.0	158.9	0
Endocrine System	0.0	0.0	158.9	0
Thyroid	0.0	0.0	158.9	0
Other Endocrine including Thymus	0.0	0.0	158.9	0
Lymphoma	0.0	0.0	158.9	0
Hodgkin Lymphoma	0.0	0.0	158.9	0
Hodgkin - Nodal	0.0	0.0	158.9	0
Hodgkin - Extranodal	0.0	0.0	158.9	0
Non-Hodgkin Lymphoma	0.0	0.0	158.9	0
NHL - Nodal	0.0	0.0	158.9	0
NHL - Extranodal	0.0	0.0	158.9	0
Myeloma	0.0	0.0	158.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	158.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	158.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	158.9	0
Acute Myeloid Leukemia	0.0	0.0	158.9	0
Acute Monocytic Leukemia	0.0	0.0	158.9	0
Chronic Myeloid Leukemia	0.0	0.0	158.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	158.9	0
Other Leukemia	0.0	0.0	158.9	0
Other Acute Leukemia	0.0	0.0	158.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	158.9	0
Mesothelioma	0.0	0.0	158.9	0
Kaposi Sarcoma	0.0	0.0	158.9	0
Miscellaneous	0.0	0.0	158.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	916.5	384.9	2,265.9	9
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	1,144.2	0
Tongue	0.0	0.0	1,144.2	0
Salivary Gland	0.0	0.0	1,144.2	0
Floor of Mouth	0.0	0.0	1,144.2	0
Gum and Other Mouth	0.0	0.0	1,144.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	1,144.2	0
Oropharynx	0.0	0.0	1,144.2	0
Hypopharynx	0.0	0.0	1,144.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,144.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,144.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	1,144.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	1,144.2	0
Appendix	0.0	0.0	1,144.2	0
Ascending Colon	0.0	0.0	1,144.2	0
Hepatic Flexure	0.0	0.0	1,144.2	0
Transverse Colon	0.0	0.0	1,144.2	0
Splenic Flexure	0.0	0.0	1,144.2	0
Descending Colon	0.0	0.0	1,144.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	1,144.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,144.2	0
Rectosigmoid Junction	0.0	0.0	1,144.2	0
Rectum	0.0	0.0	1,144.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,144.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Liver	0.0	0.0	1,144.2	0
Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Gallbladder	0.0	0.0	1,144.2	0
Other Biliary	0.0	0.0	1,144.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,144.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,144.2	0
Other Digestive Organs	0.0	0.0	1,144.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,144.2	0
Larynx	^	^	^	^
Lung and Bronchus	0.0	0.0	1,144.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,144.2	0
Bones and Joints	0.0	0.0	1,144.2	0
Soft Tissue including Heart	0.0	0.0	1,144.2	0
Skin excluding Basal and Squamous	0.0	0.0	1,144.2	0
Melanoma of the Skin	0.0	0.0	1,144.2	0
Other Non-Epithelial Skin	0.0	0.0	1,144.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	1,144.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	1,144.2	0
Other Urinary Organs	0.0	0.0	1,144.2	0
Eye and Orbit	0.0	0.0	1,144.2	0
Brain and Other Nervous System	0.0	0.0	1,144.2	0
Brain	0.0	0.0	1,144.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,144.2	0
Endocrine System	0.0	0.0	1,144.2	0
Thyroid	0.0	0.0	1,144.2	0
Other Endocrine including Thymus	0.0	0.0	1,144.2	0
Lymphoma	0.0	0.0	1,144.2	0
Hodgkin Lymphoma	0.0	0.0	1,144.2	0
Hodgkin - Nodal	0.0	0.0	1,144.2	0
Hodgkin - Extranodal	0.0	0.0	1,144.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,144.2	0
NHL - Nodal	0.0	0.0	1,144.2	0
NHL - Extranodal	0.0	0.0	1,144.2	0
Myeloma	0.0	0.0	1,144.2	0
Leukemia	0.0	0.0	1,144.2	0
Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,144.2	0
Acute Myeloid Leukemia	0.0	0.0	1,144.2	0
Acute Monocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,144.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,144.2	0
Other Leukemia	0.0	0.0	1,144.2	0
Other Acute Leukemia	0.0	0.0	1,144.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,144.2	0
Mesothelioma	0.0	0.0	1,144.2	0
Kaposi Sarcoma	0.0	0.0	1,144.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	467.5	387.0	567.0	152
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	34.9	0
Floor of Mouth	0.0	0.0	34.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	34.9	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	34.9	0
Hypopharynx	0.0	0.0	34.9	0
Other Oral Cavity and Pharynx	0.0	0.0	34.9	0
Digestive System	82.8	50.4	137.5	26
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	40.5	18.4	87.3	12
Colon excluding Rectum	31.4	12.0	76.6	9
Cecum	^	^	^	^
Appendix	0.0	0.0	34.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	34.9	0
Transverse Colon	0.0	0.0	34.9	0
Splenic Flexure	0.0	0.0	34.9	0
Descending Colon	0.0	0.0	34.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	34.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	34.9	0
Other Biliary	0.0	0.0	34.9	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	34.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	34.9	0
Other Digestive Organs	0.0	0.0	34.9	0
Respiratory System	62.2	37.6	108.7	21
Nose, Nasal Cavity and Middle Ear	0.0	0.0	34.9	0
Larynx	^	^	^	^
Lung and Bronchus	60.1	35.9	106.4	20
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	34.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	34.9	0
Urinary System	63.1	35.0	114.4	18
Urinary Bladder	40.7	17.8	88.6	10
Kidney and Renal Pelvis	22.4	8.9	61.3	8
Ureter	0.0	0.0	34.9	0
Other Urinary Organs	0.0	0.0	34.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	0.0	0.0	34.9	0
Brain	0.0	0.0	34.9	0
Cranial Nerves Other Nervous System	0.0	0.0	34.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	34.9	0
Lymphoma	53.8	25.7	106.9	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	34.9	0
Non-Hodgkin Lymphoma	50.9	23.5	103.6	14
NHL - Nodal	40.1	15.1	92.2	9
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	34.9	0
Leukemia	17.1	5.1	56.0	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	34.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	34.9	0
Chronic Myeloid Leukemia	0.0	0.0	34.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	34.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	34.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	34.9	0
Kaposi Sarcoma	0.0	0.0	34.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	504.7	320.2	779.8	27
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	134.3	0
Tongue	0.0	0.0	134.3	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	134.3	0
Gum and Other Mouth	0.0	0.0	134.3	0
Nasopharynx	0.0	0.0	134.3	0
Tonsil	0.0	0.0	134.3	0
Oropharynx	0.0	0.0	134.3	0
Hypopharynx	0.0	0.0	134.3	0
Other Oral Cavity and Pharynx	0.0	0.0	134.3	0
Digestive System	238.7	120.6	451.9	13
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	134.3	0
Colon and Rectum	137.3	56.7	315.8	8
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	134.3	0
Ascending Colon	0.0	0.0	134.3	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	134.3	0
Splenic Flexure	0.0	0.0	134.3	0
Descending Colon	0.0	0.0	134.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	134.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	134.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	134.3	0
Liver	0.0	0.0	134.3	0
Intrahepatic Bile Duct	0.0	0.0	134.3	0
Gallbladder	0.0	0.0	134.3	0
Other Biliary	0.0	0.0	134.3	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	134.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	134.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	134.3	0
Larynx	0.0	0.0	134.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	134.3	0
Bones and Joints	0.0	0.0	134.3	0
Soft Tissue including Heart	0.0	0.0	134.3	0
Skin excluding Basal and Squamous	0.0	0.0	134.3	0
Melanoma of the Skin	0.0	0.0	134.3	0
Other Non-Epithelial Skin	0.0	0.0	134.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	134.3	0
Other Urinary Organs	0.0	0.0	134.3	0
Eye and Orbit	0.0	0.0	134.3	0
Brain and Other Nervous System	0.0	0.0	134.3	0
Brain	0.0	0.0	134.3	0
Cranial Nerves Other Nervous System	0.0	0.0	134.3	0
Endocrine System	0.0	0.0	134.3	0
Thyroid	0.0	0.0	134.3	0
Other Endocrine including Thymus	0.0	0.0	134.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	134.3	0
Hodgkin - Nodal	0.0	0.0	134.3	0
Hodgkin - Extranodal	0.0	0.0	134.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	134.3	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	134.3	0
Leukemia	0.0	0.0	134.3	0
Lymphocytic Leukemia	0.0	0.0	134.3	0
Acute Lymphocytic Leukemia	0.0	0.0	134.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	134.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	134.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	134.3	0
Acute Myeloid Leukemia	0.0	0.0	134.3	0
Acute Monocytic Leukemia	0.0	0.0	134.3	0
Chronic Myeloid Leukemia	0.0	0.0	134.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	134.3	0
Other Leukemia	0.0	0.0	134.3	0
Other Acute Leukemia	0.0	0.0	134.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	134.3	0
Mesothelioma	0.0	0.0	134.3	0
Kaposi Sarcoma	0.0	0.0	134.3	0
Miscellaneous	0.0	0.0	134.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	496.5	260.2	1,005.2	17
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	408.6	0
Tongue	0.0	0.0	408.6	0
Salivary Gland	0.0	0.0	408.6	0
Floor of Mouth	0.0	0.0	408.6	0
Gum and Other Mouth	0.0	0.0	408.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	408.6	0
Oropharynx	0.0	0.0	408.6	0
Hypopharynx	0.0	0.0	408.6	0
Other Oral Cavity and Pharynx	0.0	0.0	408.6	0
Digestive System	316.6	123.2	807.9	8
Esophagus	0.0	0.0	408.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	408.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	408.6	0
Ascending Colon	0.0	0.0	408.6	0
Hepatic Flexure	0.0	0.0	408.6	0
Transverse Colon	0.0	0.0	408.6	0
Splenic Flexure	0.0	0.0	408.6	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	408.6	0
Large Intestine, NOS	0.0	0.0	408.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	408.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	408.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	408.6	0
Liver	0.0	0.0	408.6	0
Intrahepatic Bile Duct	0.0	0.0	408.6	0
Gallbladder	0.0	0.0	408.6	0
Other Biliary	0.0	0.0	408.6	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	408.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	408.6	0
Other Digestive Organs	0.0	0.0	408.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	408.6	0
Larynx	0.0	0.0	408.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	408.6	0
Bones and Joints	0.0	0.0	408.6	0
Soft Tissue including Heart	0.0	0.0	408.6	0
Skin excluding Basal and Squamous	0.0	0.0	408.6	0
Melanoma of the Skin	0.0	0.0	408.6	0
Other Non-Epithelial Skin	0.0	0.0	408.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	408.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	408.6	0
Other Urinary Organs	0.0	0.0	408.6	0
Eye and Orbit	0.0	0.0	408.6	0
Brain and Other Nervous System	0.0	0.0	408.6	0
Brain	0.0	0.0	408.6	0
Cranial Nerves Other Nervous System	0.0	0.0	408.6	0
Endocrine System	0.0	0.0	408.6	0
Thyroid	0.0	0.0	408.6	0
Other Endocrine including Thymus	0.0	0.0	408.6	0
Lymphoma	0.0	0.0	408.6	0
Hodgkin Lymphoma	0.0	0.0	408.6	0
Hodgkin - Nodal	0.0	0.0	408.6	0
Hodgkin - Extranodal	0.0	0.0	408.6	0
Non-Hodgkin Lymphoma	0.0	0.0	408.6	0
NHL - Nodal	0.0	0.0	408.6	0
NHL - Extranodal	0.0	0.0	408.6	0
Myeloma	0.0	0.0	408.6	0
Leukemia	0.0	0.0	408.6	0
Lymphocytic Leukemia	0.0	0.0	408.6	0
Acute Lymphocytic Leukemia	0.0	0.0	408.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	408.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	408.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	408.6	0
Acute Myeloid Leukemia	0.0	0.0	408.6	0
Acute Monocytic Leukemia	0.0	0.0	408.6	0
Chronic Myeloid Leukemia	0.0	0.0	408.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	408.6	0
Other Leukemia	0.0	0.0	408.6	0
Other Acute Leukemia	0.0	0.0	408.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	408.6	0
Mesothelioma	0.0	0.0	408.6	0
Kaposi Sarcoma	0.0	0.0	408.6	0
Miscellaneous	0.0	0.0	408.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	465.5	224.5	884.6	12
Oral Cavity and Pharynx	0.0	0.0	235.1	0
Lip	0.0	0.0	235.1	0
Tongue	0.0	0.0	235.1	0
Salivary Gland	0.0	0.0	235.1	0
Floor of Mouth	0.0	0.0	235.1	0
Gum and Other Mouth	0.0	0.0	235.1	0
Nasopharynx	0.0	0.0	235.1	0
Tonsil	0.0	0.0	235.1	0
Oropharynx	0.0	0.0	235.1	0
Hypopharynx	0.0	0.0	235.1	0
Other Oral Cavity and Pharynx	0.0	0.0	235.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	235.1	0
Stomach	0.0	0.0	235.1	0
Small Intestine	0.0	0.0	235.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	235.1	0
Appendix	0.0	0.0	235.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	235.1	0
Splenic Flexure	0.0	0.0	235.1	0
Descending Colon	0.0	0.0	235.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	235.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	235.1	0
Rectosigmoid Junction	0.0	0.0	235.1	0
Rectum	0.0	0.0	235.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	235.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	235.1	0
Liver	0.0	0.0	235.1	0
Intrahepatic Bile Duct	0.0	0.0	235.1	0
Gallbladder	0.0	0.0	235.1	0
Other Biliary	0.0	0.0	235.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	235.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	235.1	0
Other Digestive Organs	0.0	0.0	235.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	235.1	0
Larynx	0.0	0.0	235.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	235.1	0
Bones and Joints	0.0	0.0	235.1	0
Soft Tissue including Heart	0.0	0.0	235.1	0
Skin excluding Basal and Squamous	0.0	0.0	235.1	0
Melanoma of the Skin	0.0	0.0	235.1	0
Other Non-Epithelial Skin	0.0	0.0	235.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	235.1	0
Ureter	0.0	0.0	235.1	0
Other Urinary Organs	0.0	0.0	235.1	0
Eye and Orbit	0.0	0.0	235.1	0
Brain and Other Nervous System	0.0	0.0	235.1	0
Brain	0.0	0.0	235.1	0
Cranial Nerves Other Nervous System	0.0	0.0	235.1	0
Endocrine System	0.0	0.0	235.1	0
Thyroid	0.0	0.0	235.1	0
Other Endocrine including Thymus	0.0	0.0	235.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	235.1	0
Hodgkin - Nodal	0.0	0.0	235.1	0
Hodgkin - Extranodal	0.0	0.0	235.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	235.1	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	235.1	0
Leukemia	0.0	0.0	235.1	0
Lymphocytic Leukemia	0.0	0.0	235.1	0
Acute Lymphocytic Leukemia	0.0	0.0	235.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	235.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	235.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	235.1	0
Acute Myeloid Leukemia	0.0	0.0	235.1	0
Acute Monocytic Leukemia	0.0	0.0	235.1	0
Chronic Myeloid Leukemia	0.0	0.0	235.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	235.1	0
Other Leukemia	0.0	0.0	235.1	0
Other Acute Leukemia	0.0	0.0	235.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	235.1	0
Mesothelioma	0.0	0.0	235.1	0
Kaposi Sarcoma	0.0	0.0	235.1	0
Miscellaneous	0.0	0.0	235.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	528.2	290.2	1,016.0	23
Oral Cavity and Pharynx	0.0	0.0	381.4	0
Lip	0.0	0.0	381.4	0
Tongue	0.0	0.0	381.4	0
Salivary Gland	0.0	0.0	381.4	0
Floor of Mouth	0.0	0.0	381.4	0
Gum and Other Mouth	0.0	0.0	381.4	0
Nasopharynx	0.0	0.0	381.4	0
Tonsil	0.0	0.0	381.4	0
Oropharynx	0.0	0.0	381.4	0
Hypopharynx	0.0	0.0	381.4	0
Other Oral Cavity and Pharynx	0.0	0.0	381.4	0
Digestive System	244.7	71.0	715.9	6
Esophagus	0.0	0.0	381.4	0
Stomach	0.0	0.0	381.4	0
Small Intestine	0.0	0.0	381.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	381.4	0
Appendix	0.0	0.0	381.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	381.4	0
Transverse Colon	0.0	0.0	381.4	0
Splenic Flexure	0.0	0.0	381.4	0
Descending Colon	0.0	0.0	381.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	381.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	381.4	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	381.4	0
Liver	0.0	0.0	381.4	0
Intrahepatic Bile Duct	0.0	0.0	381.4	0
Gallbladder	0.0	0.0	381.4	0
Other Biliary	0.0	0.0	381.4	0
Pancreas	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	381.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	381.4	0
Other Digestive Organs	0.0	0.0	381.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	381.4	0
Larynx	0.0	0.0	381.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	381.4	0
Bones and Joints	0.0	0.0	381.4	0
Soft Tissue including Heart	0.0	0.0	381.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	381.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	381.4	0
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	381.4	0
Eye and Orbit	0.0	0.0	381.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	381.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	381.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	381.4	0
Hodgkin - Nodal	0.0	0.0	381.4	0
Hodgkin - Extranodal	0.0	0.0	381.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	381.4	0
Myeloma	0.0	0.0	381.4	0
Leukemia	0.0	0.0	381.4	0
Lymphocytic Leukemia	0.0	0.0	381.4	0
Acute Lymphocytic Leukemia	0.0	0.0	381.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	381.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	381.4	0
Acute Myeloid Leukemia	0.0	0.0	381.4	0
Acute Monocytic Leukemia	0.0	0.0	381.4	0
Chronic Myeloid Leukemia	0.0	0.0	381.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	381.4	0
Other Leukemia	0.0	0.0	381.4	0
Other Acute Leukemia	0.0	0.0	381.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	381.4	0
Mesothelioma	0.0	0.0	381.4	0
Kaposi Sarcoma	0.0	0.0	381.4	0
Miscellaneous	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	360.6	227.6	562.2	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	102.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	102.8	0
Floor of Mouth	0.0	0.0	102.8	0
Gum and Other Mouth	0.0	0.0	102.8	0
Nasopharynx	0.0	0.0	102.8	0
Tonsil	0.0	0.0	102.8	0
Oropharynx	0.0	0.0	102.8	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	102.8	0
Digestive System	81.0	27.2	213.1	6
Esophagus	0.0	0.0	102.8	0
Stomach	0.0	0.0	102.8	0
Small Intestine	0.0	0.0	102.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	102.8	0
Appendix	0.0	0.0	102.8	0
Ascending Colon	0.0	0.0	102.8	0
Hepatic Flexure	0.0	0.0	102.8	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	102.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	102.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	102.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	102.8	0
Gallbladder	0.0	0.0	102.8	0
Other Biliary	0.0	0.0	102.8	0
Pancreas	0.0	0.0	102.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	102.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	102.8	0
Other Digestive Organs	0.0	0.0	102.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	102.8	0
Larynx	0.0	0.0	102.8	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	102.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	102.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	102.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	102.8	0
Other Urinary Organs	0.0	0.0	102.8	0
Eye and Orbit	0.0	0.0	102.8	0
Brain and Other Nervous System	0.0	0.0	102.8	0
Brain	0.0	0.0	102.8	0
Cranial Nerves Other Nervous System	0.0	0.0	102.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	102.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	102.8	0
Non-Hodgkin Lymphoma	0.0	0.0	102.8	0
NHL - Nodal	0.0	0.0	102.8	0
NHL - Extranodal	0.0	0.0	102.8	0
Myeloma	0.0	0.0	102.8	0
Leukemia	0.0	0.0	102.8	0
Lymphocytic Leukemia	0.0	0.0	102.8	0
Acute Lymphocytic Leukemia	0.0	0.0	102.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	102.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	102.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	102.8	0
Acute Myeloid Leukemia	0.0	0.0	102.8	0
Acute Monocytic Leukemia	0.0	0.0	102.8	0
Chronic Myeloid Leukemia	0.0	0.0	102.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	102.8	0
Other Leukemia	0.0	0.0	102.8	0
Other Acute Leukemia	0.0	0.0	102.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	102.8	0
Mesothelioma	0.0	0.0	102.8	0
Kaposi Sarcoma	^	^	^	^
Miscellaneous	0.0	0.0	102.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	396.1	188.5	814.7	12
Oral Cavity and Pharynx	0.0	0.0	301.1	0
Lip	0.0	0.0	301.1	0
Tongue	0.0	0.0	301.1	0
Salivary Gland	0.0	0.0	301.1	0
Floor of Mouth	0.0	0.0	301.1	0
Gum and Other Mouth	0.0	0.0	301.1	0
Nasopharynx	0.0	0.0	301.1	0
Tonsil	0.0	0.0	301.1	0
Oropharynx	0.0	0.0	301.1	0
Hypopharynx	0.0	0.0	301.1	0
Other Oral Cavity and Pharynx	0.0	0.0	301.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	301.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	301.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	301.1	0
Ascending Colon	0.0	0.0	301.1	0
Hepatic Flexure	0.0	0.0	301.1	0
Transverse Colon	0.0	0.0	301.1	0
Splenic Flexure	0.0	0.0	301.1	0
Descending Colon	0.0	0.0	301.1	0
Sigmoid Colon	0.0	0.0	301.1	0
Large Intestine, NOS	0.0	0.0	301.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	301.1	0
Rectosigmoid Junction	0.0	0.0	301.1	0
Rectum	0.0	0.0	301.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	301.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	301.1	0
Gallbladder	0.0	0.0	301.1	0
Other Biliary	0.0	0.0	301.1	0
Pancreas	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	301.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	301.1	0
Other Digestive Organs	0.0	0.0	301.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	301.1	0
Larynx	0.0	0.0	301.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	301.1	0
Bones and Joints	0.0	0.0	301.1	0
Soft Tissue including Heart	0.0	0.0	301.1	0
Skin excluding Basal and Squamous	0.0	0.0	301.1	0
Melanoma of the Skin	0.0	0.0	301.1	0
Other Non-Epithelial Skin	0.0	0.0	301.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	301.1	0
Ureter	0.0	0.0	301.1	0
Other Urinary Organs	0.0	0.0	301.1	0
Eye and Orbit	0.0	0.0	301.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	301.1	0
Endocrine System	0.0	0.0	301.1	0
Thyroid	0.0	0.0	301.1	0
Other Endocrine including Thymus	0.0	0.0	301.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	301.1	0
Hodgkin - Nodal	0.0	0.0	301.1	0
Hodgkin - Extranodal	0.0	0.0	301.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	301.1	0
Myeloma	0.0	0.0	301.1	0
Leukemia	0.0	0.0	301.1	0
Lymphocytic Leukemia	0.0	0.0	301.1	0
Acute Lymphocytic Leukemia	0.0	0.0	301.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	301.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	301.1	0
Acute Myeloid Leukemia	0.0	0.0	301.1	0
Acute Monocytic Leukemia	0.0	0.0	301.1	0
Chronic Myeloid Leukemia	0.0	0.0	301.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	301.1	0
Other Leukemia	0.0	0.0	301.1	0
Other Acute Leukemia	0.0	0.0	301.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	301.1	0
Mesothelioma	0.0	0.0	301.1	0
Kaposi Sarcoma	0.0	0.0	301.1	0
Miscellaneous	0.0	0.0	301.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	415.7	223.4	774.8	18
Oral Cavity and Pharynx	0.0	0.0	248.7	0
Lip	0.0	0.0	248.7	0
Tongue	0.0	0.0	248.7	0
Salivary Gland	0.0	0.0	248.7	0
Floor of Mouth	0.0	0.0	248.7	0
Gum and Other Mouth	0.0	0.0	248.7	0
Nasopharynx	0.0	0.0	248.7	0
Tonsil	0.0	0.0	248.7	0
Oropharynx	0.0	0.0	248.7	0
Hypopharynx	0.0	0.0	248.7	0
Other Oral Cavity and Pharynx	0.0	0.0	248.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	248.7	0
Stomach	0.0	0.0	248.7	0
Small Intestine	0.0	0.0	248.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	248.7	0
Appendix	0.0	0.0	248.7	0
Ascending Colon	0.0	0.0	248.7	0
Hepatic Flexure	0.0	0.0	248.7	0
Transverse Colon	0.0	0.0	248.7	0
Splenic Flexure	0.0	0.0	248.7	0
Descending Colon	0.0	0.0	248.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	248.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	248.7	0
Rectosigmoid Junction	0.0	0.0	248.7	0
Rectum	0.0	0.0	248.7	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	248.7	0
Liver	0.0	0.0	248.7	0
Intrahepatic Bile Duct	0.0	0.0	248.7	0
Gallbladder	0.0	0.0	248.7	0
Other Biliary	0.0	0.0	248.7	0
Pancreas	0.0	0.0	248.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	248.7	0
Other Digestive Organs	0.0	0.0	248.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	248.7	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	248.7	0
Bones and Joints	0.0	0.0	248.7	0
Soft Tissue including Heart	0.0	0.0	248.7	0
Skin excluding Basal and Squamous	0.0	0.0	248.7	0
Melanoma of the Skin	0.0	0.0	248.7	0
Other Non-Epithelial Skin	0.0	0.0	248.7	0
Urinary System	0.0	0.0	248.7	0
Urinary Bladder	0.0	0.0	248.7	0
Kidney and Renal Pelvis	0.0	0.0	248.7	0
Ureter	0.0	0.0	248.7	0
Other Urinary Organs	0.0	0.0	248.7	0
Eye and Orbit	0.0	0.0	248.7	0
Brain and Other Nervous System	^	^	^	^
Brain	0.0	0.0	248.7	0
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	248.7	0
Thyroid	0.0	0.0	248.7	0
Other Endocrine including Thymus	0.0	0.0	248.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	248.7	0
Hodgkin - Nodal	0.0	0.0	248.7	0
Hodgkin - Extranodal	0.0	0.0	248.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	248.7	0
Myeloma	0.0	0.0	248.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	248.7	0
Acute Lymphocytic Leukemia	0.0	0.0	248.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	248.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	248.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	248.7	0
Chronic Myeloid Leukemia	0.0	0.0	248.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	248.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	248.7	0
Mesothelioma	0.0	0.0	248.7	0
Kaposi Sarcoma	0.0	0.0	248.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	501.0	321.0	772.9	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	140.0	0
Tongue	0.0	0.0	140.0	0
Salivary Gland	0.0	0.0	140.0	0
Floor of Mouth	0.0	0.0	140.0	0
Gum and Other Mouth	0.0	0.0	140.0	0
Nasopharynx	0.0	0.0	140.0	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	140.0	0
Hypopharynx	0.0	0.0	140.0	0
Other Oral Cavity and Pharynx	0.0	0.0	140.0	0
Digestive System	120.1	39.6	309.6	7
Esophagus	0.0	0.0	140.0	0
Stomach	0.0	0.0	140.0	0
Small Intestine	^	^	^	^
Colon and Rectum	112.2	34.0	301.5	6
Colon excluding Rectum	112.2	34.0	301.5	6
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	140.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	140.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	140.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	140.0	0
Rectosigmoid Junction	0.0	0.0	140.0	0
Rectum	0.0	0.0	140.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	140.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	140.0	0
Liver	0.0	0.0	140.0	0
Intrahepatic Bile Duct	0.0	0.0	140.0	0
Gallbladder	0.0	0.0	140.0	0
Other Biliary	0.0	0.0	140.0	0
Pancreas	0.0	0.0	140.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	140.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	140.0	0
Other Digestive Organs	0.0	0.0	140.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	140.0	0
Larynx	0.0	0.0	140.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	140.0	0
Bones and Joints	0.0	0.0	140.0	0
Soft Tissue including Heart	0.0	0.0	140.0	0
Skin excluding Basal and Squamous	0.0	0.0	140.0	0
Melanoma of the Skin	0.0	0.0	140.0	0
Other Non-Epithelial Skin	0.0	0.0	140.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	140.0	0
Ureter	0.0	0.0	140.0	0
Other Urinary Organs	0.0	0.0	140.0	0
Eye and Orbit	0.0	0.0	140.0	0
Brain and Other Nervous System	0.0	0.0	140.0	0
Brain	0.0	0.0	140.0	0
Cranial Nerves Other Nervous System	0.0	0.0	140.0	0
Endocrine System	0.0	0.0	140.0	0
Thyroid	0.0	0.0	140.0	0
Other Endocrine including Thymus	0.0	0.0	140.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	140.0	0
Hodgkin - Nodal	0.0	0.0	140.0	0
Hodgkin - Extranodal	0.0	0.0	140.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	140.0	0
Myeloma	0.0	0.0	140.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	140.0	0
Acute Lymphocytic Leukemia	0.0	0.0	140.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	140.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	140.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	140.0	0
Chronic Myeloid Leukemia	0.0	0.0	140.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	140.0	0
Other Leukemia	0.0	0.0	140.0	0
Other Acute Leukemia	0.0	0.0	140.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	140.0	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	140.0	0
Miscellaneous	0.0	0.0	140.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	610.2	322.6	1,140.9	16
Oral Cavity and Pharynx	0.0	0.0	357.6	0
Lip	0.0	0.0	357.6	0
Tongue	0.0	0.0	357.6	0
Salivary Gland	0.0	0.0	357.6	0
Floor of Mouth	0.0	0.0	357.6	0
Gum and Other Mouth	0.0	0.0	357.6	0
Nasopharynx	0.0	0.0	357.6	0
Tonsil	0.0	0.0	357.6	0
Oropharynx	0.0	0.0	357.6	0
Hypopharynx	0.0	0.0	357.6	0
Other Oral Cavity and Pharynx	0.0	0.0	357.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	357.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	357.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	357.6	0
Ascending Colon	0.0	0.0	357.6	0
Hepatic Flexure	0.0	0.0	357.6	0
Transverse Colon	0.0	0.0	357.6	0
Splenic Flexure	0.0	0.0	357.6	0
Descending Colon	0.0	0.0	357.6	0
Sigmoid Colon	0.0	0.0	357.6	0
Large Intestine, NOS	0.0	0.0	357.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	357.6	0
Rectosigmoid Junction	0.0	0.0	357.6	0
Rectum	0.0	0.0	357.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	357.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	357.6	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	357.6	0
Pancreas	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	357.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	357.6	0
Other Digestive Organs	0.0	0.0	357.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	357.6	0
Larynx	0.0	0.0	357.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	357.6	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	357.6	0
Skin excluding Basal and Squamous	0.0	0.0	357.6	0
Melanoma of the Skin	0.0	0.0	357.6	0
Other Non-Epithelial Skin	0.0	0.0	357.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	357.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	357.6	0
Other Urinary Organs	0.0	0.0	357.6	0
Eye and Orbit	0.0	0.0	357.6	0
Brain and Other Nervous System	0.0	0.0	357.6	0
Brain	0.0	0.0	357.6	0
Cranial Nerves Other Nervous System	0.0	0.0	357.6	0
Endocrine System	0.0	0.0	357.6	0
Thyroid	0.0	0.0	357.6	0
Other Endocrine including Thymus	0.0	0.0	357.6	0
Lymphoma	0.0	0.0	357.6	0
Hodgkin Lymphoma	0.0	0.0	357.6	0
Hodgkin - Nodal	0.0	0.0	357.6	0
Hodgkin - Extranodal	0.0	0.0	357.6	0
Non-Hodgkin Lymphoma	0.0	0.0	357.6	0
NHL - Nodal	0.0	0.0	357.6	0
NHL - Extranodal	0.0	0.0	357.6	0
Myeloma	0.0	0.0	357.6	0
Leukemia	0.0	0.0	357.6	0
Lymphocytic Leukemia	0.0	0.0	357.6	0
Acute Lymphocytic Leukemia	0.0	0.0	357.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	357.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	357.6	0
Acute Myeloid Leukemia	0.0	0.0	357.6	0
Acute Monocytic Leukemia	0.0	0.0	357.6	0
Chronic Myeloid Leukemia	0.0	0.0	357.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	357.6	0
Other Leukemia	0.0	0.0	357.6	0
Other Acute Leukemia	0.0	0.0	357.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	357.6	0
Mesothelioma	0.0	0.0	357.6	0
Kaposi Sarcoma	0.0	0.0	357.6	0
Miscellaneous	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	377.2	226.7	602.2	20
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	102.2	0
Tongue	0.0	0.0	102.2	0
Salivary Gland	0.0	0.0	102.2	0
Floor of Mouth	0.0	0.0	102.2	0
Gum and Other Mouth	0.0	0.0	102.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	102.2	0
Oropharynx	0.0	0.0	102.2	0
Hypopharynx	0.0	0.0	102.2	0
Other Oral Cavity and Pharynx	0.0	0.0	102.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	102.2	0
Stomach	0.0	0.0	102.2	0
Small Intestine	0.0	0.0	102.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	102.2	0
Appendix	0.0	0.0	102.2	0
Ascending Colon	0.0	0.0	102.2	0
Hepatic Flexure	0.0	0.0	102.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	102.2	0
Descending Colon	0.0	0.0	102.2	0
Sigmoid Colon	0.0	0.0	102.2	0
Large Intestine, NOS	0.0	0.0	102.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	102.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	102.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	102.2	0
Liver	0.0	0.0	102.2	0
Intrahepatic Bile Duct	0.0	0.0	102.2	0
Gallbladder	0.0	0.0	102.2	0
Other Biliary	0.0	0.0	102.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	102.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	102.2	0
Other Digestive Organs	0.0	0.0	102.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	102.2	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	102.2	0
Bones and Joints	0.0	0.0	102.2	0
Soft Tissue including Heart	0.0	0.0	102.2	0
Skin excluding Basal and Squamous	0.0	0.0	102.2	0
Melanoma of the Skin	0.0	0.0	102.2	0
Other Non-Epithelial Skin	0.0	0.0	102.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	102.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	102.2	0
Other Urinary Organs	0.0	0.0	102.2	0
Eye and Orbit	0.0	0.0	102.2	0
Brain and Other Nervous System	0.0	0.0	102.2	0
Brain	0.0	0.0	102.2	0
Cranial Nerves Other Nervous System	0.0	0.0	102.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	102.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	102.2	0
Hodgkin - Nodal	0.0	0.0	102.2	0
Hodgkin - Extranodal	0.0	0.0	102.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	102.2	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	102.2	0
Leukemia	0.0	0.0	102.2	0
Lymphocytic Leukemia	0.0	0.0	102.2	0
Acute Lymphocytic Leukemia	0.0	0.0	102.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	102.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	102.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	102.2	0
Acute Myeloid Leukemia	0.0	0.0	102.2	0
Acute Monocytic Leukemia	0.0	0.0	102.2	0
Chronic Myeloid Leukemia	0.0	0.0	102.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	102.2	0
Other Leukemia	0.0	0.0	102.2	0
Other Acute Leukemia	0.0	0.0	102.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	102.2	0
Mesothelioma	0.0	0.0	102.2	0
Kaposi Sarcoma	0.0	0.0	102.2	0
Miscellaneous	0.0	0.0	102.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	~	~	~	6
Oral Cavity and Pharynx	0.0	0.0	1,699.1	0
Lip	0.0	0.0	1,699.1	0
Tongue	0.0	0.0	1,699.1	0
Salivary Gland	0.0	0.0	1,699.1	0
Floor of Mouth	0.0	0.0	1,699.1	0
Gum and Other Mouth	0.0	0.0	1,699.1	0
Nasopharynx	0.0	0.0	1,699.1	0
Tonsil	0.0	0.0	1,699.1	0
Oropharynx	0.0	0.0	1,699.1	0
Hypopharynx	0.0	0.0	1,699.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,699.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,699.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	1,699.1	0
Colon and Rectum	0.0	0.0	1,699.1	0
Colon excluding Rectum	0.0	0.0	1,699.1	0
Cecum	0.0	0.0	1,699.1	0
Appendix	0.0	0.0	1,699.1	0
Ascending Colon	0.0	0.0	1,699.1	0
Hepatic Flexure	0.0	0.0	1,699.1	0
Transverse Colon	0.0	0.0	1,699.1	0
Splenic Flexure	0.0	0.0	1,699.1	0
Descending Colon	0.0	0.0	1,699.1	0
Sigmoid Colon	0.0	0.0	1,699.1	0
Large Intestine, NOS	0.0	0.0	1,699.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,699.1	0
Rectosigmoid Junction	0.0	0.0	1,699.1	0
Rectum	0.0	0.0	1,699.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,699.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,699.1	0
Liver	0.0	0.0	1,699.1	0
Intrahepatic Bile Duct	0.0	0.0	1,699.1	0
Gallbladder	0.0	0.0	1,699.1	0
Other Biliary	0.0	0.0	1,699.1	0
Pancreas	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,699.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,699.1	0
Other Digestive Organs	0.0	0.0	1,699.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,699.1	0
Larynx	0.0	0.0	1,699.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,699.1	0
Bones and Joints	0.0	0.0	1,699.1	0
Soft Tissue including Heart	0.0	0.0	1,699.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,699.1	0
Melanoma of the Skin	0.0	0.0	1,699.1	0
Other Non-Epithelial Skin	0.0	0.0	1,699.1	0
Urinary System	0.0	0.0	1,699.1	0
Urinary Bladder	0.0	0.0	1,699.1	0
Kidney and Renal Pelvis	0.0	0.0	1,699.1	0
Ureter	0.0	0.0	1,699.1	0
Other Urinary Organs	0.0	0.0	1,699.1	0
Eye and Orbit	0.0	0.0	1,699.1	0
Brain and Other Nervous System	0.0	0.0	1,699.1	0
Brain	0.0	0.0	1,699.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1,699.1	0
Endocrine System	0.0	0.0	1,699.1	0
Thyroid	0.0	0.0	1,699.1	0
Other Endocrine including Thymus	0.0	0.0	1,699.1	0
Lymphoma	0.0	0.0	1,699.1	0
Hodgkin Lymphoma	0.0	0.0	1,699.1	0
Hodgkin - Nodal	0.0	0.0	1,699.1	0
Hodgkin - Extranodal	0.0	0.0	1,699.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,699.1	0
NHL - Nodal	0.0	0.0	1,699.1	0
NHL - Extranodal	0.0	0.0	1,699.1	0
Myeloma	0.0	0.0	1,699.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	1,699.1	0
Acute Monocytic Leukemia	0.0	0.0	1,699.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,699.1	0
Other Leukemia	0.0	0.0	1,699.1	0
Other Acute Leukemia	0.0	0.0	1,699.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,699.1	0
Mesothelioma	0.0	0.0	1,699.1	0
Kaposi Sarcoma	0.0	0.0	1,699.1	0
Miscellaneous	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	312.1	161.5	569.1	14
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	146.5	0
Tongue	0.0	0.0	146.5	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	146.5	0
Gum and Other Mouth	0.0	0.0	146.5	0
Nasopharynx	0.0	0.0	146.5	0
Tonsil	0.0	0.0	146.5	0
Oropharynx	0.0	0.0	146.5	0
Hypopharynx	0.0	0.0	146.5	0
Other Oral Cavity and Pharynx	0.0	0.0	146.5	0
Digestive System	181.6	71.8	403.9	8
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	146.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	146.5	0
Appendix	0.0	0.0	146.5	0
Ascending Colon	0.0	0.0	146.5	0
Hepatic Flexure	0.0	0.0	146.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	146.5	0
Descending Colon	0.0	0.0	146.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	146.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	146.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	146.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	146.5	0
Liver	0.0	0.0	146.5	0
Intrahepatic Bile Duct	0.0	0.0	146.5	0
Gallbladder	0.0	0.0	146.5	0
Other Biliary	0.0	0.0	146.5	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	146.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	146.5	0
Other Digestive Organs	0.0	0.0	146.5	0
Respiratory System	0.0	0.0	146.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	146.5	0
Larynx	0.0	0.0	146.5	0
Lung and Bronchus	0.0	0.0	146.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	146.5	0
Bones and Joints	0.0	0.0	146.5	0
Soft Tissue including Heart	0.0	0.0	146.5	0
Skin excluding Basal and Squamous	0.0	0.0	146.5	0
Melanoma of the Skin	0.0	0.0	146.5	0
Other Non-Epithelial Skin	0.0	0.0	146.5	0
Urinary System	0.0	0.0	146.5	0
Urinary Bladder	0.0	0.0	146.5	0
Kidney and Renal Pelvis	0.0	0.0	146.5	0
Ureter	0.0	0.0	146.5	0
Other Urinary Organs	0.0	0.0	146.5	0
Eye and Orbit	0.0	0.0	146.5	0
Brain and Other Nervous System	0.0	0.0	146.5	0
Brain	0.0	0.0	146.5	0
Cranial Nerves Other Nervous System	0.0	0.0	146.5	0
Endocrine System	0.0	0.0	146.5	0
Thyroid	0.0	0.0	146.5	0
Other Endocrine including Thymus	0.0	0.0	146.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	146.5	0
Hodgkin - Nodal	0.0	0.0	146.5	0
Hodgkin - Extranodal	0.0	0.0	146.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	146.5	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	146.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	146.5	0
Acute Lymphocytic Leukemia	0.0	0.0	146.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	146.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1997/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	146.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	146.5	0
Acute Monocytic Leukemia	0.0	0.0	146.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	146.5	0
Other Leukemia	0.0	0.0	146.5	0
Other Acute Leukemia	0.0	0.0	146.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	146.5	0
Mesothelioma	0.0	0.0	146.5	0
Kaposi Sarcoma	0.0	0.0	146.5	0
Miscellaneous	0.0	0.0	146.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2,489.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	2,489.8	0
Floor of Mouth	0.0	0.0	2,489.8	0
Gum and Other Mouth	0.0	0.0	2,489.8	0
Nasopharynx	0.0	0.0	2,489.8	0
Tonsil	0.0	0.0	2,489.8	0
Oropharynx	0.0	0.0	2,489.8	0
Hypopharynx	0.0	0.0	2,489.8	0
Other Oral Cavity and Pharynx	0.0	0.0	2,489.8	0
Digestive System	0.0	0.0	2,489.8	0
Esophagus	0.0	0.0	2,489.8	0
Stomach	0.0	0.0	2,489.8	0
Small Intestine	0.0	0.0	2,489.8	0
Colon and Rectum	0.0	0.0	2,489.8	0
Colon excluding Rectum	0.0	0.0	2,489.8	0
Cecum	0.0	0.0	2,489.8	0
Appendix	0.0	0.0	2,489.8	0
Ascending Colon	0.0	0.0	2,489.8	0
Hepatic Flexure	0.0	0.0	2,489.8	0
Transverse Colon	0.0	0.0	2,489.8	0
Splenic Flexure	0.0	0.0	2,489.8	0
Descending Colon	0.0	0.0	2,489.8	0
Sigmoid Colon	0.0	0.0	2,489.8	0
Large Intestine, NOS	0.0	0.0	2,489.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,489.8	0
Rectosigmoid Junction	0.0	0.0	2,489.8	0
Rectum	0.0	0.0	2,489.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,489.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,489.8	0
Liver	0.0	0.0	2,489.8	0
Intrahepatic Bile Duct	0.0	0.0	2,489.8	0
Gallbladder	0.0	0.0	2,489.8	0
Other Biliary	0.0	0.0	2,489.8	0
Pancreas	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,489.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,489.8	0
Other Digestive Organs	0.0	0.0	2,489.8	0
Respiratory System	0.0	0.0	2,489.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,489.8	0
Larynx	0.0	0.0	2,489.8	0
Lung and Bronchus	0.0	0.0	2,489.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,489.8	0
Bones and Joints	0.0	0.0	2,489.8	0
Soft Tissue including Heart	0.0	0.0	2,489.8	0
Skin excluding Basal and Squamous	0.0	0.0	2,489.8	0
Melanoma of the Skin	0.0	0.0	2,489.8	0
Other Non-Epithelial Skin	0.0	0.0	2,489.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	2,489.8	0
Ureter	0.0	0.0	2,489.8	0
Other Urinary Organs	0.0	0.0	2,489.8	0
Eye and Orbit	0.0	0.0	2,489.8	0
Brain and Other Nervous System	0.0	0.0	2,489.8	0
Brain	0.0	0.0	2,489.8	0
Cranial Nerves Other Nervous System	0.0	0.0	2,489.8	0
Endocrine System	0.0	0.0	2,489.8	0
Thyroid	0.0	0.0	2,489.8	0
Other Endocrine including Thymus	0.0	0.0	2,489.8	0
Lymphoma	0.0	0.0	2,489.8	0
Hodgkin Lymphoma	0.0	0.0	2,489.8	0
Hodgkin - Nodal	0.0	0.0	2,489.8	0
Hodgkin - Extranodal	0.0	0.0	2,489.8	0
Non-Hodgkin Lymphoma	0.0	0.0	2,489.8	0
NHL - Nodal	0.0	0.0	2,489.8	0
NHL - Extranodal	0.0	0.0	2,489.8	0
Myeloma	0.0	0.0	2,489.8	0
Leukemia	0.0	0.0	2,489.8	0
Lymphocytic Leukemia	0.0	0.0	2,489.8	0
Acute Lymphocytic Leukemia	0.0	0.0	2,489.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,489.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,489.8	0
Acute Myeloid Leukemia	0.0	0.0	2,489.8	0
Acute Monocytic Leukemia	0.0	0.0	2,489.8	0
Chronic Myeloid Leukemia	0.0	0.0	2,489.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,489.8	0
Other Leukemia	0.0	0.0	2,489.8	0
Other Acute Leukemia	0.0	0.0	2,489.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,489.8	0
Mesothelioma	0.0	0.0	2,489.8	0
Kaposi Sarcoma	0.0	0.0	2,489.8	0
Miscellaneous	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	768.1	215.5	3,635.8	16
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2,860.5	0
Tongue	0.0	0.0	2,860.5	0
Salivary Gland	0.0	0.0	2,860.5	0
Floor of Mouth	0.0	0.0	2,860.5	0
Gum and Other Mouth	0.0	0.0	2,860.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	2,860.5	0
Oropharynx	0.0	0.0	2,860.5	0
Hypopharynx	0.0	0.0	2,860.5	0
Other Oral Cavity and Pharynx	0.0	0.0	2,860.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	2,860.5	0
Stomach	0.0	0.0	2,860.5	0
Small Intestine	0.0	0.0	2,860.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	2,860.5	0
Appendix	0.0	0.0	2,860.5	0
Ascending Colon	0.0	0.0	2,860.5	0
Hepatic Flexure	0.0	0.0	2,860.5	0
Transverse Colon	0.0	0.0	2,860.5	0
Splenic Flexure	0.0	0.0	2,860.5	0
Descending Colon	0.0	0.0	2,860.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	2,860.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	2,860.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	2,860.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Liver	0.0	0.0	2,860.5	0
Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Gallbladder	0.0	0.0	2,860.5	0
Other Biliary	0.0	0.0	2,860.5	0
Pancreas	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,860.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,860.5	0
Other Digestive Organs	0.0	0.0	2,860.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,860.5	0
Larynx	0.0	0.0	2,860.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,860.5	0
Bones and Joints	0.0	0.0	2,860.5	0
Soft Tissue including Heart	0.0	0.0	2,860.5	0
Skin excluding Basal and Squamous	0.0	0.0	2,860.5	0
Melanoma of the Skin	0.0	0.0	2,860.5	0
Other Non-Epithelial Skin	0.0	0.0	2,860.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	2,860.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	2,860.5	0
Other Urinary Organs	0.0	0.0	2,860.5	0
Eye and Orbit	0.0	0.0	2,860.5	0
Brain and Other Nervous System	0.0	0.0	2,860.5	0
Brain	0.0	0.0	2,860.5	0
Cranial Nerves Other Nervous System	0.0	0.0	2,860.5	0
Endocrine System	0.0	0.0	2,860.5	0
Thyroid	0.0	0.0	2,860.5	0
Other Endocrine including Thymus	0.0	0.0	2,860.5	0
Lymphoma	0.0	0.0	2,860.5	0
Hodgkin Lymphoma	0.0	0.0	2,860.5	0
Hodgkin - Nodal	0.0	0.0	2,860.5	0
Hodgkin - Extranodal	0.0	0.0	2,860.5	0
Non-Hodgkin Lymphoma	0.0	0.0	2,860.5	0
NHL - Nodal	0.0	0.0	2,860.5	0
NHL - Extranodal	0.0	0.0	2,860.5	0
Myeloma	0.0	0.0	2,860.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Myeloid Leukemia	0.0	0.0	2,860.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,860.5	0
Other Leukemia	0.0	0.0	2,860.5	0
Other Acute Leukemia	0.0	0.0	2,860.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,860.5	0
Mesothelioma	0.0	0.0	2,860.5	0
Kaposi Sarcoma	0.0	0.0	2,860.5	0
Miscellaneous	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	489.7	451.2	531.7	763
Oral Cavity and Pharynx	8.5	4.7	16.5	17
Lip	^	^	^	^
Tongue	4.1	1.5	11.4	7
Salivary Gland	0.0	0.0	6.4	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	6.4	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	6.4	0
Other Oral Cavity and Pharynx	0.0	0.0	6.4	0
Digestive System	100.4	82.7	121.9	140
Esophagus	4.1	1.4	11.5	6
Stomach	13.7	7.1	25.0	15
Small Intestine	0.0	0.0	6.4	0
Colon and Rectum	55.1	42.5	71.4	79
Colon excluding Rectum	40.5	29.5	55.5	54
Cecum	10.0	4.8	19.9	13
Appendix	^	^	^	^
Ascending Colon	5.1	1.5	13.8	6
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.7	7.8	24.0	17
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	14.5	9.0	24.0	25
Rectosigmoid Junction	^	^	^	^
Rectum	11.7	6.9	20.6	21
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	10.7	5.5	20.3	16
Liver	10.3	5.2	19.8	15
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	6.4	0
Pancreas	11.1	5.8	20.7	16

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	74.7	59.6	93.6	99
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.3	1.4	12.0	6
Lung and Bronchus	68.9	54.3	87.2	90
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	4.1	1.5	11.3	8
Skin excluding Basal and Squamous	9.7	6.0	17.4	23
Melanoma of the Skin	7.6	4.5	14.8	19
Other Non-Epithelial Skin	^	^	^	^
Urinary System	38.1	27.3	52.8	52
Urinary Bladder	28.2	18.7	41.9	34
Kidney and Renal Pelvis	9.9	5.5	18.5	18
Ureter	0.0	0.0	6.4	0
Other Urinary Organs	0.0	0.0	6.4	0
Eye and Orbit	0.0	0.0	6.4	0
Brain and Other Nervous System	7.2	3.8	14.9	15
Brain	7.2	3.8	14.9	15
Cranial Nerves Other Nervous System	0.0	0.0	6.4	0
Endocrine System	8.8	5.4	16.1	23
Thyroid	8.4	5.1	15.6	22
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.2	16.8	35.4	43
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.4	0
Non-Hodgkin Lymphoma	23.1	15.9	34.2	41
NHL - Nodal	16.3	10.2	26.4	27
NHL - Extranodal	6.9	3.5	14.5	14
Myeloma	7.1	3.5	15.1	12
Leukemia	5.6	2.8	12.8	12
Lymphocytic Leukemia	3.3	1.1	10.3	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	2.3	0.8	8.7	6
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	6.4	0
Other Acute Leukemia	0.0	0.0	6.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.4	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	5.4	2.3	13.0	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	366.2	227.8	570.7	25
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	93.8	0
Tongue	0.0	0.0	93.8	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	93.8	0
Gum and Other Mouth	0.0	0.0	93.8	0
Nasopharynx	0.0	0.0	93.8	0
Tonsil	0.0	0.0	93.8	0
Oropharynx	0.0	0.0	93.8	0
Hypopharynx	0.0	0.0	93.8	0
Other Oral Cavity and Pharynx	0.0	0.0	93.8	0
Digestive System	192.1	88.8	370.3	10
Esophagus	^	^	^	^
Stomach	0.0	0.0	93.8	0
Small Intestine	0.0	0.0	93.8	0
Colon and Rectum	152.4	62.5	318.5	8
Colon excluding Rectum	152.4	62.5	318.5	8
Cecum	^	^	^	^
Appendix	0.0	0.0	93.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	93.8	0
Splenic Flexure	0.0	0.0	93.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	93.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	93.8	0
Rectosigmoid Junction	0.0	0.0	93.8	0
Rectum	0.0	0.0	93.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	93.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	93.8	0
Liver	0.0	0.0	93.8	0
Intrahepatic Bile Duct	0.0	0.0	93.8	0
Gallbladder	0.0	0.0	93.8	0
Other Biliary	0.0	0.0	93.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	93.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	93.8	0
Other Digestive Organs	0.0	0.0	93.8	0
Respiratory System	97.8	37.3	229.0	7
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	93.8	0
Lung and Bronchus	83.6	28.7	210.7	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	93.8	0
Bones and Joints	0.0	0.0	93.8	0
Soft Tissue including Heart	0.0	0.0	93.8	0
Skin excluding Basal and Squamous	0.0	0.0	93.8	0
Melanoma of the Skin	0.0	0.0	93.8	0
Other Non-Epithelial Skin	0.0	0.0	93.8	0
Urinary System	0.0	0.0	93.8	0
Urinary Bladder	0.0	0.0	93.8	0
Kidney and Renal Pelvis	0.0	0.0	93.8	0
Ureter	0.0	0.0	93.8	0
Other Urinary Organs	0.0	0.0	93.8	0
Eye and Orbit	0.0	0.0	93.8	0
Brain and Other Nervous System	0.0	0.0	93.8	0
Brain	0.0	0.0	93.8	0
Cranial Nerves Other Nervous System	0.0	0.0	93.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	93.8	0
Lymphoma	0.0	0.0	93.8	0
Hodgkin Lymphoma	0.0	0.0	93.8	0
Hodgkin - Nodal	0.0	0.0	93.8	0
Hodgkin - Extranodal	0.0	0.0	93.8	0
Non-Hodgkin Lymphoma	0.0	0.0	93.8	0
NHL - Nodal	0.0	0.0	93.8	0
NHL - Extranodal	0.0	0.0	93.8	0
Myeloma	0.0	0.0	93.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	93.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	93.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	93.8	0
Acute Myeloid Leukemia	0.0	0.0	93.8	0
Acute Monocytic Leukemia	0.0	0.0	93.8	0
Chronic Myeloid Leukemia	0.0	0.0	93.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	93.8	0
Other Leukemia	0.0	0.0	93.8	0
Other Acute Leukemia	0.0	0.0	93.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	93.8	0
Mesothelioma	0.0	0.0	93.8	0
Kaposi Sarcoma	0.0	0.0	93.8	0
Miscellaneous	0.0	0.0	93.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	0.0	0.0	5,720.9	0
Oral Cavity and Pharynx	0.0	0.0	5,720.9	0
Lip	0.0	0.0	5,720.9	0
Tongue	0.0	0.0	5,720.9	0
Salivary Gland	0.0	0.0	5,720.9	0
Floor of Mouth	0.0	0.0	5,720.9	0
Gum and Other Mouth	0.0	0.0	5,720.9	0
Nasopharynx	0.0	0.0	5,720.9	0
Tonsil	0.0	0.0	5,720.9	0
Oropharynx	0.0	0.0	5,720.9	0
Hypopharynx	0.0	0.0	5,720.9	0
Other Oral Cavity and Pharynx	0.0	0.0	5,720.9	0
Digestive System	0.0	0.0	5,720.9	0
Esophagus	0.0	0.0	5,720.9	0
Stomach	0.0	0.0	5,720.9	0
Small Intestine	0.0	0.0	5,720.9	0
Colon and Rectum	0.0	0.0	5,720.9	0
Colon excluding Rectum	0.0	0.0	5,720.9	0
Cecum	0.0	0.0	5,720.9	0
Appendix	0.0	0.0	5,720.9	0
Ascending Colon	0.0	0.0	5,720.9	0
Hepatic Flexure	0.0	0.0	5,720.9	0
Transverse Colon	0.0	0.0	5,720.9	0
Splenic Flexure	0.0	0.0	5,720.9	0
Descending Colon	0.0	0.0	5,720.9	0
Sigmoid Colon	0.0	0.0	5,720.9	0
Large Intestine, NOS	0.0	0.0	5,720.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	5,720.9	0
Rectosigmoid Junction	0.0	0.0	5,720.9	0
Rectum	0.0	0.0	5,720.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	5,720.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	5,720.9	0
Liver	0.0	0.0	5,720.9	0
Intrahepatic Bile Duct	0.0	0.0	5,720.9	0
Gallbladder	0.0	0.0	5,720.9	0
Other Biliary	0.0	0.0	5,720.9	0
Pancreas	0.0	0.0	5,720.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	5,720.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5,720.9	0
Other Digestive Organs	0.0	0.0	5,720.9	0
Respiratory System	0.0	0.0	5,720.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5,720.9	0
Larynx	0.0	0.0	5,720.9	0
Lung and Bronchus	0.0	0.0	5,720.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5,720.9	0
Bones and Joints	0.0	0.0	5,720.9	0
Soft Tissue including Heart	0.0	0.0	5,720.9	0
Skin excluding Basal and Squamous	0.0	0.0	5,720.9	0
Melanoma of the Skin	0.0	0.0	5,720.9	0
Other Non-Epithelial Skin	0.0	0.0	5,720.9	0
Urinary System	0.0	0.0	5,720.9	0
Urinary Bladder	0.0	0.0	5,720.9	0
Kidney and Renal Pelvis	0.0	0.0	5,720.9	0
Ureter	0.0	0.0	5,720.9	0
Other Urinary Organs	0.0	0.0	5,720.9	0
Eye and Orbit	0.0	0.0	5,720.9	0
Brain and Other Nervous System	0.0	0.0	5,720.9	0
Brain	0.0	0.0	5,720.9	0
Cranial Nerves Other Nervous System	0.0	0.0	5,720.9	0
Endocrine System	0.0	0.0	5,720.9	0
Thyroid	0.0	0.0	5,720.9	0
Other Endocrine including Thymus	0.0	0.0	5,720.9	0
Lymphoma	0.0	0.0	5,720.9	0
Hodgkin Lymphoma	0.0	0.0	5,720.9	0
Hodgkin - Nodal	0.0	0.0	5,720.9	0
Hodgkin - Extranodal	0.0	0.0	5,720.9	0
Non-Hodgkin Lymphoma	0.0	0.0	5,720.9	0
NHL - Nodal	0.0	0.0	5,720.9	0
NHL - Extranodal	0.0	0.0	5,720.9	0
Myeloma	0.0	0.0	5,720.9	0
Leukemia	0.0	0.0	5,720.9	0
Lymphocytic Leukemia	0.0	0.0	5,720.9	0
Acute Lymphocytic Leukemia	0.0	0.0	5,720.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	5,720.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	5,720.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	5,720.9	0
Acute Myeloid Leukemia	0.0	0.0	5,720.9	0
Acute Monocytic Leukemia	0.0	0.0	5,720.9	0
Chronic Myeloid Leukemia	0.0	0.0	5,720.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5,720.9	0
Other Leukemia	0.0	0.0	5,720.9	0
Other Acute Leukemia	0.0	0.0	5,720.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5,720.9	0
Mesothelioma	0.0	0.0	5,720.9	0
Kaposi Sarcoma	0.0	0.0	5,720.9	0
Miscellaneous	0.0	0.0	5,720.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	2,194.0	0
Lip	0.0	0.0	2,194.0	0
Tongue	0.0	0.0	2,194.0	0
Salivary Gland	0.0	0.0	2,194.0	0
Floor of Mouth	0.0	0.0	2,194.0	0
Gum and Other Mouth	0.0	0.0	2,194.0	0
Nasopharynx	0.0	0.0	2,194.0	0
Tonsil	0.0	0.0	2,194.0	0
Oropharynx	0.0	0.0	2,194.0	0
Hypopharynx	0.0	0.0	2,194.0	0
Other Oral Cavity and Pharynx	0.0	0.0	2,194.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	2,194.0	0
Stomach	0.0	0.0	2,194.0	0
Small Intestine	0.0	0.0	2,194.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	2,194.0	0
Cecum	0.0	0.0	2,194.0	0
Appendix	0.0	0.0	2,194.0	0
Ascending Colon	0.0	0.0	2,194.0	0
Hepatic Flexure	0.0	0.0	2,194.0	0
Transverse Colon	0.0	0.0	2,194.0	0
Splenic Flexure	0.0	0.0	2,194.0	0
Descending Colon	0.0	0.0	2,194.0	0
Sigmoid Colon	0.0	0.0	2,194.0	0
Large Intestine, NOS	0.0	0.0	2,194.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	2,194.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,194.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,194.0	0
Liver	0.0	0.0	2,194.0	0
Intrahepatic Bile Duct	0.0	0.0	2,194.0	0
Gallbladder	0.0	0.0	2,194.0	0
Other Biliary	0.0	0.0	2,194.0	0
Pancreas	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,194.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,194.0	0
Other Digestive Organs	0.0	0.0	2,194.0	0
Respiratory System	0.0	0.0	2,194.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,194.0	0
Larynx	0.0	0.0	2,194.0	0
Lung and Bronchus	0.0	0.0	2,194.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,194.0	0
Bones and Joints	0.0	0.0	2,194.0	0
Soft Tissue including Heart	0.0	0.0	2,194.0	0
Skin excluding Basal and Squamous	0.0	0.0	2,194.0	0
Melanoma of the Skin	0.0	0.0	2,194.0	0
Other Non-Epithelial Skin	0.0	0.0	2,194.0	0
Urinary System	0.0	0.0	2,194.0	0
Urinary Bladder	0.0	0.0	2,194.0	0
Kidney and Renal Pelvis	0.0	0.0	2,194.0	0
Ureter	0.0	0.0	2,194.0	0
Other Urinary Organs	0.0	0.0	2,194.0	0
Eye and Orbit	0.0	0.0	2,194.0	0
Brain and Other Nervous System	0.0	0.0	2,194.0	0
Brain	0.0	0.0	2,194.0	0
Cranial Nerves Other Nervous System	0.0	0.0	2,194.0	0
Endocrine System	0.0	0.0	2,194.0	0
Thyroid	0.0	0.0	2,194.0	0
Other Endocrine including Thymus	0.0	0.0	2,194.0	0
Lymphoma	0.0	0.0	2,194.0	0
Hodgkin Lymphoma	0.0	0.0	2,194.0	0
Hodgkin - Nodal	0.0	0.0	2,194.0	0
Hodgkin - Extranodal	0.0	0.0	2,194.0	0
Non-Hodgkin Lymphoma	0.0	0.0	2,194.0	0
NHL - Nodal	0.0	0.0	2,194.0	0
NHL - Extranodal	0.0	0.0	2,194.0	0
Myeloma	0.0	0.0	2,194.0	0
Leukemia	0.0	0.0	2,194.0	0
Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Acute Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,194.0	0
Acute Myeloid Leukemia	0.0	0.0	2,194.0	0
Acute Monocytic Leukemia	0.0	0.0	2,194.0	0
Chronic Myeloid Leukemia	0.0	0.0	2,194.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,194.0	0
Other Leukemia	0.0	0.0	2,194.0	0
Other Acute Leukemia	0.0	0.0	2,194.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,194.0	0
Mesothelioma	0.0	0.0	2,194.0	0
Kaposi Sarcoma	0.0	0.0	2,194.0	0
Miscellaneous	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	500.7	278.3	903.9	17
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	272.4	0
Tongue	0.0	0.0	272.4	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	272.4	0
Gum and Other Mouth	0.0	0.0	272.4	0
Nasopharynx	0.0	0.0	272.4	0
Tonsil	0.0	0.0	272.4	0
Oropharynx	0.0	0.0	272.4	0
Hypopharynx	0.0	0.0	272.4	0
Other Oral Cavity and Pharynx	0.0	0.0	272.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	272.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	272.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	272.4	0
Appendix	0.0	0.0	272.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	272.4	0
Transverse Colon	0.0	0.0	272.4	0
Splenic Flexure	0.0	0.0	272.4	0
Descending Colon	0.0	0.0	272.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	272.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	272.4	0
Rectosigmoid Junction	0.0	0.0	272.4	0
Rectum	0.0	0.0	272.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	272.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	272.4	0
Liver	0.0	0.0	272.4	0
Intrahepatic Bile Duct	0.0	0.0	272.4	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	272.4	0
Pancreas	0.0	0.0	272.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	272.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	272.4	0
Other Digestive Organs	0.0	0.0	272.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	272.4	0
Larynx	0.0	0.0	272.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	272.4	0
Bones and Joints	0.0	0.0	272.4	0
Soft Tissue including Heart	0.0	0.0	272.4	0
Skin excluding Basal and Squamous	0.0	0.0	272.4	0
Melanoma of the Skin	0.0	0.0	272.4	0
Other Non-Epithelial Skin	0.0	0.0	272.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	272.4	0
Ureter	0.0	0.0	272.4	0
Other Urinary Organs	0.0	0.0	272.4	0
Eye and Orbit	0.0	0.0	272.4	0
Brain and Other Nervous System	0.0	0.0	272.4	0
Brain	0.0	0.0	272.4	0
Cranial Nerves Other Nervous System	0.0	0.0	272.4	0
Endocrine System	0.0	0.0	272.4	0
Thyroid	0.0	0.0	272.4	0
Other Endocrine including Thymus	0.0	0.0	272.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	272.4	0
Hodgkin - Nodal	0.0	0.0	272.4	0
Hodgkin - Extranodal	0.0	0.0	272.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	272.4	0
Leukemia	0.0	0.0	272.4	0
Lymphocytic Leukemia	0.0	0.0	272.4	0
Acute Lymphocytic Leukemia	0.0	0.0	272.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	272.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	272.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	272.4	0
Acute Myeloid Leukemia	0.0	0.0	272.4	0
Acute Monocytic Leukemia	0.0	0.0	272.4	0
Chronic Myeloid Leukemia	0.0	0.0	272.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	272.4	0
Other Leukemia	0.0	0.0	272.4	0
Other Acute Leukemia	0.0	0.0	272.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	272.4	0
Mesothelioma	0.0	0.0	272.4	0
Kaposi Sarcoma	0.0	0.0	272.4	0
Miscellaneous	0.0	0.0	272.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	435.6	370.0	513.7	197
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	22.4	0
Salivary Gland	0.0	0.0	22.4	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	22.4	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	22.4	0
Hypopharynx	0.0	0.0	22.4	0
Other Oral Cavity and Pharynx	0.0	0.0	22.4	0
Digestive System	81.6	52.5	125.4	32
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	22.4	0
Colon and Rectum	42.0	20.4	80.3	15
Colon excluding Rectum	35.8	15.3	73.9	10
Cecum	^	^	^	^
Appendix	0.0	0.0	22.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	22.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	22.4	0
Descending Colon	0.0	0.0	22.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	22.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	22.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	22.4	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	18.0	7.2	45.0	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	22.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	22.4	0
Other Digestive Organs	0.0	0.0	22.4	0
Respiratory System	65.8	42.3	103.2	29
Nose, Nasal Cavity and Middle Ear	0.0	0.0	22.4	0
Larynx	^	^	^	^
Lung and Bronchus	63.6	40.4	100.9	27
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	22.4	0
Bones and Joints	0.0	0.0	22.4	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	13.4	4.6	38.8	7
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	40.5	22.6	73.4	17
Urinary Bladder	23.8	10.2	53.4	9
Kidney and Renal Pelvis	13.7	5.0	38.9	7
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	22.4	0
Eye and Orbit	0.0	0.0	22.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	22.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	22.4	0
Lymphoma	21.2	10.3	47.6	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	22.4	0
Non-Hodgkin Lymphoma	18.1	8.6	43.3	11
NHL - Nodal	11.0	4.2	34.5	7
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	19.6	6.8	49.5	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	22.4	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	22.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	22.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	22.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	22.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	444.3	196.1	923.0	9
Oral Cavity and Pharynx	0.0	0.0	310.4	0
Lip	0.0	0.0	310.4	0
Tongue	0.0	0.0	310.4	0
Salivary Gland	0.0	0.0	310.4	0
Floor of Mouth	0.0	0.0	310.4	0
Gum and Other Mouth	0.0	0.0	310.4	0
Nasopharynx	0.0	0.0	310.4	0
Tonsil	0.0	0.0	310.4	0
Oropharynx	0.0	0.0	310.4	0
Hypopharynx	0.0	0.0	310.4	0
Other Oral Cavity and Pharynx	0.0	0.0	310.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	310.4	0
Stomach	0.0	0.0	310.4	0
Small Intestine	0.0	0.0	310.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	310.4	0
Cecum	0.0	0.0	310.4	0
Appendix	0.0	0.0	310.4	0
Ascending Colon	0.0	0.0	310.4	0
Hepatic Flexure	0.0	0.0	310.4	0
Transverse Colon	0.0	0.0	310.4	0
Splenic Flexure	0.0	0.0	310.4	0
Descending Colon	0.0	0.0	310.4	0
Sigmoid Colon	0.0	0.0	310.4	0
Large Intestine, NOS	0.0	0.0	310.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	310.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	310.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	310.4	0
Liver	0.0	0.0	310.4	0
Intrahepatic Bile Duct	0.0	0.0	310.4	0
Gallbladder	0.0	0.0	310.4	0
Other Biliary	0.0	0.0	310.4	0
Pancreas	0.0	0.0	310.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	310.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	310.4	0
Other Digestive Organs	0.0	0.0	310.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	310.4	0
Larynx	0.0	0.0	310.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	310.4	0
Bones and Joints	0.0	0.0	310.4	0
Soft Tissue including Heart	0.0	0.0	310.4	0
Skin excluding Basal and Squamous	0.0	0.0	310.4	0
Melanoma of the Skin	0.0	0.0	310.4	0
Other Non-Epithelial Skin	0.0	0.0	310.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	310.4	0
Ureter	0.0	0.0	310.4	0
Other Urinary Organs	0.0	0.0	310.4	0
Eye and Orbit	0.0	0.0	310.4	0
Brain and Other Nervous System	0.0	0.0	310.4	0
Brain	0.0	0.0	310.4	0
Cranial Nerves Other Nervous System	0.0	0.0	310.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	310.4	0
Lymphoma	0.0	0.0	310.4	0
Hodgkin Lymphoma	0.0	0.0	310.4	0
Hodgkin - Nodal	0.0	0.0	310.4	0
Hodgkin - Extranodal	0.0	0.0	310.4	0
Non-Hodgkin Lymphoma	0.0	0.0	310.4	0
NHL - Nodal	0.0	0.0	310.4	0
NHL - Extranodal	0.0	0.0	310.4	0
Myeloma	0.0	0.0	310.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	310.4	0
Acute Lymphocytic Leukemia	0.0	0.0	310.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	310.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	310.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	310.4	0
Chronic Myeloid Leukemia	0.0	0.0	310.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	310.4	0
Other Leukemia	0.0	0.0	310.4	0
Other Acute Leukemia	0.0	0.0	310.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	310.4	0
Mesothelioma	0.0	0.0	310.4	0
Kaposi Sarcoma	0.0	0.0	310.4	0
Miscellaneous	0.0	0.0	310.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	489.0	384.6	617.9	87
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	38.1	0
Tongue	0.0	0.0	38.1	0
Salivary Gland	0.0	0.0	38.1	0
Floor of Mouth	0.0	0.0	38.1	0
Gum and Other Mouth	0.0	0.0	38.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	38.1	0
Oropharynx	0.0	0.0	38.1	0
Hypopharynx	0.0	0.0	38.1	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	84.4	44.3	152.1	14
Esophagus	^	^	^	^
Stomach	0.0	0.0	38.1	0
Small Intestine	0.0	0.0	38.1	0
Colon and Rectum	47.5	18.2	106.5	7
Colon excluding Rectum	37.1	13.2	90.4	6
Cecum	^	^	^	^
Appendix	0.0	0.0	38.1	0
Ascending Colon	0.0	0.0	38.1	0
Hepatic Flexure	0.0	0.0	38.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	38.1	0
Descending Colon	0.0	0.0	38.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	38.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	38.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	38.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	38.1	0
Liver	0.0	0.0	38.1	0
Intrahepatic Bile Duct	0.0	0.0	38.1	0
Gallbladder	0.0	0.0	38.1	0
Other Biliary	0.0	0.0	38.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	38.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	38.1	0
Other Digestive Organs	0.0	0.0	38.1	0
Respiratory System	68.1	33.6	130.3	12
Nose, Nasal Cavity and Middle Ear	0.0	0.0	38.1	0
Larynx	0.0	0.0	38.1	0
Lung and Bronchus	68.1	33.6	130.3	12
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	38.1	0
Bones and Joints	0.0	0.0	38.1	0
Soft Tissue including Heart	0.0	0.0	38.1	0
Skin excluding Basal and Squamous	0.0	0.0	38.1	0
Melanoma of the Skin	0.0	0.0	38.1	0
Other Non-Epithelial Skin	0.0	0.0	38.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	38.1	0
Ureter	0.0	0.0	38.1	0
Other Urinary Organs	0.0	0.0	38.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	38.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	38.1	0
Lymphoma	39.9	14.4	94.9	7
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	38.1	0
Non-Hodgkin Lymphoma	32.1	10.3	83.8	6
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	38.1	0
Acute Lymphocytic Leukemia	0.0	0.0	38.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	38.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	38.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	38.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	38.1	0
Other Leukemia	0.0	0.0	38.1	0
Other Acute Leukemia	0.0	0.0	38.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	38.1	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	38.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	520.0	441.0	615.0	184
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	30.0	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	30.0	0
Gum and Other Mouth	0.0	0.0	30.0	0
Nasopharynx	0.0	0.0	30.0	0
Tonsil	0.0	0.0	30.0	0
Oropharynx	0.0	0.0	30.0	0
Hypopharynx	0.0	0.0	30.0	0
Other Oral Cavity and Pharynx	0.0	0.0	30.0	0
Digestive System	70.9	43.8	117.0	25
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	30.0	0
Colon and Rectum	38.5	18.0	79.9	12
Colon excluding Rectum	24.7	8.4	63.7	7
Cecum	^	^	^	^
Appendix	0.0	0.0	30.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	30.0	0
Transverse Colon	0.0	0.0	30.0	0
Splenic Flexure	0.0	0.0	30.0	0
Descending Colon	0.0	0.0	30.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	30.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	30.0	0
Gallbladder	0.0	0.0	30.0	0
Other Biliary	0.0	0.0	30.0	0
Pancreas	13.6	4.9	45.0	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	30.0	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	30.0	0
Respiratory System	133.0	94.7	189.1	45
Nose, Nasal Cavity and Middle Ear	0.0	0.0	30.0	0
Larynx	^	^	^	^
Lung and Bronchus	128.9	91.0	184.7	43
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	30.0	0
Bones and Joints	0.0	0.0	30.0	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	30.0	0
Urinary System	20.6	9.2	53.2	9
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	15.6	6.1	47.3	7
Ureter	0.0	0.0	30.0	0
Other Urinary Organs	0.0	0.0	30.0	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	12.0	4.2	42.8	6
Brain	12.0	4.2	42.8	6
Cranial Nerves Other Nervous System	0.0	0.0	30.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	30.0	0
Lymphoma	29.1	12.1	67.7	11
Hodgkin Lymphoma	0.0	0.0	30.0	0
Hodgkin - Nodal	0.0	0.0	30.0	0
Hodgkin - Extranodal	0.0	0.0	30.0	0
Non-Hodgkin Lymphoma	29.1	12.1	67.7	11
NHL - Nodal	^	^	^	^
NHL - Extranodal	18.5	4.9	56.0	6
Myeloma	^	^	^	^
Leukemia	30.3	11.4	71.8	8
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	30.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	30.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	30.0	0
Other Leukemia	0.0	0.0	30.0	0
Other Acute Leukemia	0.0	0.0	30.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	30.0	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	30.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	506.1	379.0	671.0	58
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	59.0	0
Tongue	0.0	0.0	59.0	0
Salivary Gland	0.0	0.0	59.0	0
Floor of Mouth	0.0	0.0	59.0	0
Gum and Other Mouth	0.0	0.0	59.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	59.0	0
Oropharynx	0.0	0.0	59.0	0
Hypopharynx	0.0	0.0	59.0	0
Other Oral Cavity and Pharynx	0.0	0.0	59.0	0
Digestive System	69.7	27.4	157.0	7
Esophagus	0.0	0.0	59.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	59.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	59.0	0
Appendix	0.0	0.0	59.0	0
Ascending Colon	0.0	0.0	59.0	0
Hepatic Flexure	0.0	0.0	59.0	0
Transverse Colon	0.0	0.0	59.0	0
Splenic Flexure	0.0	0.0	59.0	0
Descending Colon	0.0	0.0	59.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	59.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	59.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	59.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	59.0	0
Liver	0.0	0.0	59.0	0
Intrahepatic Bile Duct	0.0	0.0	59.0	0
Gallbladder	0.0	0.0	59.0	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	59.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	59.0	0
Other Digestive Organs	0.0	0.0	59.0	0
Respiratory System	127.7	66.9	230.9	14
Nose, Nasal Cavity and Middle Ear	0.0	0.0	59.0	0
Larynx	0.0	0.0	59.0	0
Lung and Bronchus	127.7	66.9	230.9	14
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	59.0	0
Bones and Joints	0.0	0.0	59.0	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	59.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	59.0	0
Ureter	0.0	0.0	59.0	0
Other Urinary Organs	0.0	0.0	59.0	0
Eye and Orbit	0.0	0.0	59.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	59.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	59.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	59.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	59.0	0
Myeloma	0.0	0.0	59.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	59.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	59.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	59.0	0
Acute Myeloid Leukemia	0.0	0.0	59.0	0
Acute Monocytic Leukemia	0.0	0.0	59.0	0
Chronic Myeloid Leukemia	0.0	0.0	59.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	59.0	0
Other Leukemia	0.0	0.0	59.0	0
Other Acute Leukemia	0.0	0.0	59.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	59.0	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	59.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	635.6	454.1	906.9	51
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	154.6	0
Tongue	0.0	0.0	154.6	0
Salivary Gland	0.0	0.0	154.6	0
Floor of Mouth	0.0	0.0	154.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	154.6	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	154.6	0
Hypopharynx	0.0	0.0	154.6	0
Other Oral Cavity and Pharynx	0.0	0.0	154.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	154.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	154.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	154.6	0
Appendix	0.0	0.0	154.6	0
Ascending Colon	0.0	0.0	154.6	0
Hepatic Flexure	0.0	0.0	154.6	0
Transverse Colon	0.0	0.0	154.6	0
Splenic Flexure	0.0	0.0	154.6	0
Descending Colon	0.0	0.0	154.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	154.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	154.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	154.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	154.6	0
Liver	0.0	0.0	154.6	0
Intrahepatic Bile Duct	0.0	0.0	154.6	0
Gallbladder	0.0	0.0	154.6	0
Other Biliary	0.0	0.0	154.6	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	154.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	154.6	0
Other Digestive Organs	0.0	0.0	154.6	0
Respiratory System	132.9	54.2	323.1	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	154.6	0
Larynx	^	^	^	^
Lung and Bronchus	122.5	46.7	311.8	7
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	154.6	0
Bones and Joints	0.0	0.0	154.6	0
Soft Tissue including Heart	0.0	0.0	154.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	154.6	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	154.6	0
Other Urinary Organs	0.0	0.0	154.6	0
Eye and Orbit	0.0	0.0	154.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	154.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	154.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	154.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	154.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	154.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	154.6	0
Acute Myeloid Leukemia	0.0	0.0	154.6	0
Acute Monocytic Leukemia	0.0	0.0	154.6	0
Chronic Myeloid Leukemia	0.0	0.0	154.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	154.6	0
Other Leukemia	0.0	0.0	154.6	0
Other Acute Leukemia	0.0	0.0	154.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	154.6	0
Mesothelioma	0.0	0.0	154.6	0
Kaposi Sarcoma	0.0	0.0	154.6	0
Miscellaneous	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	953.5	0
Lip	0.0	0.0	953.5	0
Tongue	0.0	0.0	953.5	0
Salivary Gland	0.0	0.0	953.5	0
Floor of Mouth	0.0	0.0	953.5	0
Gum and Other Mouth	0.0	0.0	953.5	0
Nasopharynx	0.0	0.0	953.5	0
Tonsil	0.0	0.0	953.5	0
Oropharynx	0.0	0.0	953.5	0
Hypopharynx	0.0	0.0	953.5	0
Other Oral Cavity and Pharynx	0.0	0.0	953.5	0
Digestive System	0.0	0.0	953.5	0
Esophagus	0.0	0.0	953.5	0
Stomach	0.0	0.0	953.5	0
Small Intestine	0.0	0.0	953.5	0
Colon and Rectum	0.0	0.0	953.5	0
Colon excluding Rectum	0.0	0.0	953.5	0
Cecum	0.0	0.0	953.5	0
Appendix	0.0	0.0	953.5	0
Ascending Colon	0.0	0.0	953.5	0
Hepatic Flexure	0.0	0.0	953.5	0
Transverse Colon	0.0	0.0	953.5	0
Splenic Flexure	0.0	0.0	953.5	0
Descending Colon	0.0	0.0	953.5	0
Sigmoid Colon	0.0	0.0	953.5	0
Large Intestine, NOS	0.0	0.0	953.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	953.5	0
Rectosigmoid Junction	0.0	0.0	953.5	0
Rectum	0.0	0.0	953.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	953.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	953.5	0
Liver	0.0	0.0	953.5	0
Intrahepatic Bile Duct	0.0	0.0	953.5	0
Gallbladder	0.0	0.0	953.5	0
Other Biliary	0.0	0.0	953.5	0
Pancreas	0.0	0.0	953.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	953.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	953.5	0
Other Digestive Organs	0.0	0.0	953.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	953.5	0
Larynx	0.0	0.0	953.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	953.5	0
Bones and Joints	0.0	0.0	953.5	0
Soft Tissue including Heart	0.0	0.0	953.5	0
Skin excluding Basal and Squamous	0.0	0.0	953.5	0
Melanoma of the Skin	0.0	0.0	953.5	0
Other Non-Epithelial Skin	0.0	0.0	953.5	0
Urinary System	0.0	0.0	953.5	0
Urinary Bladder	0.0	0.0	953.5	0
Kidney and Renal Pelvis	0.0	0.0	953.5	0
Ureter	0.0	0.0	953.5	0
Other Urinary Organs	0.0	0.0	953.5	0
Eye and Orbit	0.0	0.0	953.5	0
Brain and Other Nervous System	0.0	0.0	953.5	0
Brain	0.0	0.0	953.5	0
Cranial Nerves Other Nervous System	0.0	0.0	953.5	0
Endocrine System	0.0	0.0	953.5	0
Thyroid	0.0	0.0	953.5	0
Other Endocrine including Thymus	0.0	0.0	953.5	0
Lymphoma	0.0	0.0	953.5	0
Hodgkin Lymphoma	0.0	0.0	953.5	0
Hodgkin - Nodal	0.0	0.0	953.5	0
Hodgkin - Extranodal	0.0	0.0	953.5	0
Non-Hodgkin Lymphoma	0.0	0.0	953.5	0
NHL - Nodal	0.0	0.0	953.5	0
NHL - Extranodal	0.0	0.0	953.5	0
Myeloma	0.0	0.0	953.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	953.5	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	953.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	953.5	0
Acute Myeloid Leukemia	0.0	0.0	953.5	0
Acute Monocytic Leukemia	0.0	0.0	953.5	0
Chronic Myeloid Leukemia	0.0	0.0	953.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	953.5	0
Other Leukemia	0.0	0.0	953.5	0
Other Acute Leukemia	0.0	0.0	953.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	953.5	0
Mesothelioma	0.0	0.0	953.5	0
Kaposi Sarcoma	0.0	0.0	953.5	0
Miscellaneous	0.0	0.0	953.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	652.0	560.2	760.9	220
Oral Cavity and Pharynx	20.4	8.3	55.8	8
Lip	0.0	0.0	32.1	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	32.1	0
Oropharynx	0.0	0.0	32.1	0
Hypopharynx	0.0	0.0	32.1	0
Other Oral Cavity and Pharynx	0.0	0.0	32.1	0
Digestive System	142.4	98.7	206.0	41
Esophagus	0.0	0.0	32.1	0
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	96.8	60.3	154.2	26
Colon excluding Rectum	69.1	38.3	121.7	18
Cecum	21.8	6.2	62.6	6
Appendix	0.0	0.0	32.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	32.1	0
Splenic Flexure	0.0	0.0	32.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	27.7	11.2	67.6	8
Rectosigmoid Junction	^	^	^	^
Rectum	22.2	7.5	61.3	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	32.1	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	32.1	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	32.1	0
Respiratory System	91.2	59.8	142.1	30
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.1	0
Larynx	^	^	^	^
Lung and Bronchus	86.5	55.9	137.0	28
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.1	0
Bones and Joints	0.0	0.0	32.1	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	20.8	9.2	55.4	9
Melanoma of the Skin	14.8	5.8	47.9	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	64.0	37.1	111.8	19
Urinary Bladder	43.9	21.5	88.6	12
Kidney and Renal Pelvis	16.5	5.7	51.5	6
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	32.1	0
Eye and Orbit	0.0	0.0	32.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	32.1	0
Endocrine System	13.5	5.2	46.2	7
Thyroid	13.5	5.2	46.2	7
Other Endocrine including Thymus	0.0	0.0	32.1	0
Lymphoma	21.0	7.9	57.6	7
Hodgkin Lymphoma	0.0	0.0	32.1	0
Hodgkin - Nodal	0.0	0.0	32.1	0
Hodgkin - Extranodal	0.0	0.0	32.1	0
Non-Hodgkin Lymphoma	21.0	7.9	57.6	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	18.3	6.1	54.8	7
Lymphocytic Leukemia	16.4	4.8	52.8	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	32.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	32.1	0
Acute Myeloid Leukemia	0.0	0.0	32.1	0
Acute Monocytic Leukemia	0.0	0.0	32.1	0
Chronic Myeloid Leukemia	0.0	0.0	32.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	32.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	32.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	505.9	327.9	773.0	30
Oral Cavity and Pharynx	0.0	0.0	137.1	0
Lip	0.0	0.0	137.1	0
Tongue	0.0	0.0	137.1	0
Salivary Gland	0.0	0.0	137.1	0
Floor of Mouth	0.0	0.0	137.1	0
Gum and Other Mouth	0.0	0.0	137.1	0
Nasopharynx	0.0	0.0	137.1	0
Tonsil	0.0	0.0	137.1	0
Oropharynx	0.0	0.0	137.1	0
Hypopharynx	0.0	0.0	137.1	0
Other Oral Cavity and Pharynx	0.0	0.0	137.1	0
Digestive System	227.8	114.5	437.3	13
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	137.1	0
Ascending Colon	0.0	0.0	137.1	0
Hepatic Flexure	0.0	0.0	137.1	0
Transverse Colon	0.0	0.0	137.1	0
Splenic Flexure	0.0	0.0	137.1	0
Descending Colon	0.0	0.0	137.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	137.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	137.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	137.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	137.1	0
Gallbladder	0.0	0.0	137.1	0
Other Biliary	0.0	0.0	137.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	137.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	137.1	0
Other Digestive Organs	0.0	0.0	137.1	0
Respiratory System	130.9	44.2	325.2	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	137.1	0
Larynx	0.0	0.0	137.1	0
Lung and Bronchus	130.9	44.2	325.2	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	137.1	0
Bones and Joints	0.0	0.0	137.1	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	137.1	0
Melanoma of the Skin	0.0	0.0	137.1	0
Other Non-Epithelial Skin	0.0	0.0	137.1	0
Urinary System	0.0	0.0	137.1	0
Urinary Bladder	0.0	0.0	137.1	0
Kidney and Renal Pelvis	0.0	0.0	137.1	0
Ureter	0.0	0.0	137.1	0
Other Urinary Organs	0.0	0.0	137.1	0
Eye and Orbit	0.0	0.0	137.1	0
Brain and Other Nervous System	0.0	0.0	137.1	0
Brain	0.0	0.0	137.1	0
Cranial Nerves Other Nervous System	0.0	0.0	137.1	0
Endocrine System	0.0	0.0	137.1	0
Thyroid	0.0	0.0	137.1	0
Other Endocrine including Thymus	0.0	0.0	137.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	137.1	0
Hodgkin - Nodal	0.0	0.0	137.1	0
Hodgkin - Extranodal	0.0	0.0	137.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	137.1	0
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	137.1	0
Acute Lymphocytic Leukemia	0.0	0.0	137.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	137.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	137.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	137.1	0
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	137.1	0
Other Leukemia	0.0	0.0	137.1	0
Other Acute Leukemia	0.0	0.0	137.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	137.1	0
Mesothelioma	0.0	0.0	137.1	0
Kaposi Sarcoma	0.0	0.0	137.1	0
Miscellaneous	0.0	0.0	137.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	356.9	170.9	805.6	13
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	381.4	0
Tongue	0.0	0.0	381.4	0
Salivary Gland	0.0	0.0	381.4	0
Floor of Mouth	0.0	0.0	381.4	0
Gum and Other Mouth	0.0	0.0	381.4	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	381.4	0
Oropharynx	0.0	0.0	381.4	0
Hypopharynx	0.0	0.0	381.4	0
Other Oral Cavity and Pharynx	0.0	0.0	381.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	381.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	381.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	381.4	0
Appendix	0.0	0.0	381.4	0
Ascending Colon	0.0	0.0	381.4	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	381.4	0
Splenic Flexure	0.0	0.0	381.4	0
Descending Colon	0.0	0.0	381.4	0
Sigmoid Colon	0.0	0.0	381.4	0
Large Intestine, NOS	0.0	0.0	381.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	381.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	381.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	381.4	0
Liver	0.0	0.0	381.4	0
Intrahepatic Bile Duct	0.0	0.0	381.4	0
Gallbladder	0.0	0.0	381.4	0
Other Biliary	0.0	0.0	381.4	0
Pancreas	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	381.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	381.4	0
Other Digestive Organs	0.0	0.0	381.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	381.4	0
Larynx	0.0	0.0	381.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	381.4	0
Bones and Joints	0.0	0.0	381.4	0
Soft Tissue including Heart	0.0	0.0	381.4	0
Skin excluding Basal and Squamous	0.0	0.0	381.4	0
Melanoma of the Skin	0.0	0.0	381.4	0
Other Non-Epithelial Skin	0.0	0.0	381.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	381.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	381.4	0
Other Urinary Organs	0.0	0.0	381.4	0
Eye and Orbit	0.0	0.0	381.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	381.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	381.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	381.4	0
Non-Hodgkin Lymphoma	0.0	0.0	381.4	0
NHL - Nodal	0.0	0.0	381.4	0
NHL - Extranodal	0.0	0.0	381.4	0
Myeloma	0.0	0.0	381.4	0
Leukemia	0.0	0.0	381.4	0
Lymphocytic Leukemia	0.0	0.0	381.4	0
Acute Lymphocytic Leukemia	0.0	0.0	381.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	381.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	381.4	0
Acute Myeloid Leukemia	0.0	0.0	381.4	0
Acute Monocytic Leukemia	0.0	0.0	381.4	0
Chronic Myeloid Leukemia	0.0	0.0	381.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	381.4	0
Other Leukemia	0.0	0.0	381.4	0
Other Acute Leukemia	0.0	0.0	381.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	381.4	0
Mesothelioma	0.0	0.0	381.4	0
Kaposi Sarcoma	0.0	0.0	381.4	0
Miscellaneous	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	438.7	247.1	785.1	17
Oral Cavity and Pharynx	0.0	0.0	235.1	0
Lip	0.0	0.0	235.1	0
Tongue	0.0	0.0	235.1	0
Salivary Gland	0.0	0.0	235.1	0
Floor of Mouth	0.0	0.0	235.1	0
Gum and Other Mouth	0.0	0.0	235.1	0
Nasopharynx	0.0	0.0	235.1	0
Tonsil	0.0	0.0	235.1	0
Oropharynx	0.0	0.0	235.1	0
Hypopharynx	0.0	0.0	235.1	0
Other Oral Cavity and Pharynx	0.0	0.0	235.1	0
Digestive System	240.9	112.0	533.2	10
Esophagus	0.0	0.0	235.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	235.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	235.1	0
Ascending Colon	0.0	0.0	235.1	0
Hepatic Flexure	0.0	0.0	235.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	235.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	235.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	235.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	235.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	235.1	0
Liver	0.0	0.0	235.1	0
Intrahepatic Bile Duct	0.0	0.0	235.1	0
Gallbladder	0.0	0.0	235.1	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	235.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	235.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	235.1	0
Other Digestive Organs	0.0	0.0	235.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	235.1	0
Larynx	0.0	0.0	235.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	235.1	0
Bones and Joints	0.0	0.0	235.1	0
Soft Tissue including Heart	0.0	0.0	235.1	0
Skin excluding Basal and Squamous	0.0	0.0	235.1	0
Melanoma of the Skin	0.0	0.0	235.1	0
Other Non-Epithelial Skin	0.0	0.0	235.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	235.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	235.1	0
Other Urinary Organs	0.0	0.0	235.1	0
Eye and Orbit	0.0	0.0	235.1	0
Brain and Other Nervous System	0.0	0.0	235.1	0
Brain	0.0	0.0	235.1	0
Cranial Nerves Other Nervous System	0.0	0.0	235.1	0
Endocrine System	0.0	0.0	235.1	0
Thyroid	0.0	0.0	235.1	0
Other Endocrine including Thymus	0.0	0.0	235.1	0
Lymphoma	0.0	0.0	235.1	0
Hodgkin Lymphoma	0.0	0.0	235.1	0
Hodgkin - Nodal	0.0	0.0	235.1	0
Hodgkin - Extranodal	0.0	0.0	235.1	0
Non-Hodgkin Lymphoma	0.0	0.0	235.1	0
NHL - Nodal	0.0	0.0	235.1	0
NHL - Extranodal	0.0	0.0	235.1	0
Myeloma	0.0	0.0	235.1	0
Leukemia	0.0	0.0	235.1	0
Lymphocytic Leukemia	0.0	0.0	235.1	0
Acute Lymphocytic Leukemia	0.0	0.0	235.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	235.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	235.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	235.1	0
Acute Myeloid Leukemia	0.0	0.0	235.1	0
Acute Monocytic Leukemia	0.0	0.0	235.1	0
Chronic Myeloid Leukemia	0.0	0.0	235.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	235.1	0
Other Leukemia	0.0	0.0	235.1	0
Other Acute Leukemia	0.0	0.0	235.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	235.1	0
Mesothelioma	0.0	0.0	235.1	0
Kaposi Sarcoma	0.0	0.0	235.1	0
Miscellaneous	0.0	0.0	235.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	794.7	437.0	1,389.3	22
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	336.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	336.5	0
Floor of Mouth	0.0	0.0	336.5	0
Gum and Other Mouth	0.0	0.0	336.5	0
Nasopharynx	0.0	0.0	336.5	0
Tonsil	0.0	0.0	336.5	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	336.5	0
Other Oral Cavity and Pharynx	0.0	0.0	336.5	0
Digestive System	320.1	105.2	802.0	7
Esophagus	0.0	0.0	336.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	336.5	0
Colon and Rectum	280.4	80.1	755.2	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	336.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	336.5	0
Transverse Colon	0.0	0.0	336.5	0
Splenic Flexure	0.0	0.0	336.5	0
Descending Colon	0.0	0.0	336.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	336.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	336.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	336.5	0
Liver	0.0	0.0	336.5	0
Intrahepatic Bile Duct	0.0	0.0	336.5	0
Gallbladder	0.0	0.0	336.5	0
Other Biliary	0.0	0.0	336.5	0
Pancreas	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	336.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	336.5	0
Other Digestive Organs	0.0	0.0	336.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	336.5	0
Larynx	0.0	0.0	336.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	336.5	0
Bones and Joints	0.0	0.0	336.5	0
Soft Tissue including Heart	0.0	0.0	336.5	0
Skin excluding Basal and Squamous	0.0	0.0	336.5	0
Melanoma of the Skin	0.0	0.0	336.5	0
Other Non-Epithelial Skin	0.0	0.0	336.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	336.5	0
Ureter	0.0	0.0	336.5	0
Other Urinary Organs	0.0	0.0	336.5	0
Eye and Orbit	0.0	0.0	336.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	336.5	0
Endocrine System	0.0	0.0	336.5	0
Thyroid	0.0	0.0	336.5	0
Other Endocrine including Thymus	0.0	0.0	336.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	336.5	0
Hodgkin - Nodal	0.0	0.0	336.5	0
Hodgkin - Extranodal	0.0	0.0	336.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	336.5	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	336.5	0
Leukemia	0.0	0.0	336.5	0
Lymphocytic Leukemia	0.0	0.0	336.5	0
Acute Lymphocytic Leukemia	0.0	0.0	336.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	336.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	336.5	0
Acute Myeloid Leukemia	0.0	0.0	336.5	0
Acute Monocytic Leukemia	0.0	0.0	336.5	0
Chronic Myeloid Leukemia	0.0	0.0	336.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	336.5	0
Other Leukemia	0.0	0.0	336.5	0
Other Acute Leukemia	0.0	0.0	336.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	336.5	0
Mesothelioma	0.0	0.0	336.5	0
Kaposi Sarcoma	0.0	0.0	336.5	0
Miscellaneous	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	565.8	389.9	811.2	37
Oral Cavity and Pharynx	0.0	0.0	106.2	0
Lip	0.0	0.0	106.2	0
Tongue	0.0	0.0	106.2	0
Salivary Gland	0.0	0.0	106.2	0
Floor of Mouth	0.0	0.0	106.2	0
Gum and Other Mouth	0.0	0.0	106.2	0
Nasopharynx	0.0	0.0	106.2	0
Tonsil	0.0	0.0	106.2	0
Oropharynx	0.0	0.0	106.2	0
Hypopharynx	0.0	0.0	106.2	0
Other Oral Cavity and Pharynx	0.0	0.0	106.2	0
Digestive System	167.5	77.0	336.6	10
Esophagus	0.0	0.0	106.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	106.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	106.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	106.2	0
Splenic Flexure	0.0	0.0	106.2	0
Descending Colon	0.0	0.0	106.2	0
Sigmoid Colon	0.0	0.0	106.2	0
Large Intestine, NOS	0.0	0.0	106.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	106.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	106.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	106.2	0
Liver	0.0	0.0	106.2	0
Intrahepatic Bile Duct	0.0	0.0	106.2	0
Gallbladder	0.0	0.0	106.2	0
Other Biliary	0.0	0.0	106.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	106.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	106.2	0
Other Digestive Organs	0.0	0.0	106.2	0
Respiratory System	128.0	56.6	275.8	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	106.2	0
Larynx	0.0	0.0	106.2	0
Lung and Bronchus	128.0	56.6	275.8	9
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	106.2	0
Bones and Joints	0.0	0.0	106.2	0
Soft Tissue including Heart	0.0	0.0	106.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	106.2	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	106.2	0
Other Urinary Organs	0.0	0.0	106.2	0
Eye and Orbit	0.0	0.0	106.2	0
Brain and Other Nervous System	0.0	0.0	106.2	0
Brain	0.0	0.0	106.2	0
Cranial Nerves Other Nervous System	0.0	0.0	106.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	106.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	106.2	0
Hodgkin - Nodal	0.0	0.0	106.2	0
Hodgkin - Extranodal	0.0	0.0	106.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	106.2	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	106.2	0
Lymphocytic Leukemia	0.0	0.0	106.2	0
Acute Lymphocytic Leukemia	0.0	0.0	106.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	106.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	106.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	106.2	0
Acute Myeloid Leukemia	0.0	0.0	106.2	0
Acute Monocytic Leukemia	0.0	0.0	106.2	0
Chronic Myeloid Leukemia	0.0	0.0	106.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	106.2	0
Other Leukemia	0.0	0.0	106.2	0
Other Acute Leukemia	0.0	0.0	106.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	106.2	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	106.2	0
Miscellaneous	0.0	0.0	106.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	255.7	103.0	666.9	8
Oral Cavity and Pharynx	0.0	0.0	357.6	0
Lip	0.0	0.0	357.6	0
Tongue	0.0	0.0	357.6	0
Salivary Gland	0.0	0.0	357.6	0
Floor of Mouth	0.0	0.0	357.6	0
Gum and Other Mouth	0.0	0.0	357.6	0
Nasopharynx	0.0	0.0	357.6	0
Tonsil	0.0	0.0	357.6	0
Oropharynx	0.0	0.0	357.6	0
Hypopharynx	0.0	0.0	357.6	0
Other Oral Cavity and Pharynx	0.0	0.0	357.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	357.6	0
Stomach	0.0	0.0	357.6	0
Small Intestine	0.0	0.0	357.6	0
Colon and Rectum	0.0	0.0	357.6	0
Colon excluding Rectum	0.0	0.0	357.6	0
Cecum	0.0	0.0	357.6	0
Appendix	0.0	0.0	357.6	0
Ascending Colon	0.0	0.0	357.6	0
Hepatic Flexure	0.0	0.0	357.6	0
Transverse Colon	0.0	0.0	357.6	0
Splenic Flexure	0.0	0.0	357.6	0
Descending Colon	0.0	0.0	357.6	0
Sigmoid Colon	0.0	0.0	357.6	0
Large Intestine, NOS	0.0	0.0	357.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	357.6	0
Rectosigmoid Junction	0.0	0.0	357.6	0
Rectum	0.0	0.0	357.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	357.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	357.6	0
Liver	0.0	0.0	357.6	0
Intrahepatic Bile Duct	0.0	0.0	357.6	0
Gallbladder	0.0	0.0	357.6	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	357.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	357.6	0
Other Digestive Organs	0.0	0.0	357.6	0
Respiratory System	0.0	0.0	357.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	357.6	0
Larynx	0.0	0.0	357.6	0
Lung and Bronchus	0.0	0.0	357.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	357.6	0
Bones and Joints	0.0	0.0	357.6	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	357.6	0
Melanoma of the Skin	0.0	0.0	357.6	0
Other Non-Epithelial Skin	0.0	0.0	357.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	357.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	357.6	0
Other Urinary Organs	0.0	0.0	357.6	0
Eye and Orbit	0.0	0.0	357.6	0
Brain and Other Nervous System	0.0	0.0	357.6	0
Brain	0.0	0.0	357.6	0
Cranial Nerves Other Nervous System	0.0	0.0	357.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	357.6	0
Lymphoma	0.0	0.0	357.6	0
Hodgkin Lymphoma	0.0	0.0	357.6	0
Hodgkin - Nodal	0.0	0.0	357.6	0
Hodgkin - Extranodal	0.0	0.0	357.6	0
Non-Hodgkin Lymphoma	0.0	0.0	357.6	0
NHL - Nodal	0.0	0.0	357.6	0
NHL - Extranodal	0.0	0.0	357.6	0
Myeloma	0.0	0.0	357.6	0
Leukemia	0.0	0.0	357.6	0
Lymphocytic Leukemia	0.0	0.0	357.6	0
Acute Lymphocytic Leukemia	0.0	0.0	357.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	357.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	357.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	357.6	0
Acute Myeloid Leukemia	0.0	0.0	357.6	0
Acute Monocytic Leukemia	0.0	0.0	357.6	0
Chronic Myeloid Leukemia	0.0	0.0	357.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	357.6	0
Other Leukemia	0.0	0.0	357.6	0
Other Acute Leukemia	0.0	0.0	357.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	357.6	0
Mesothelioma	0.0	0.0	357.6	0
Kaposi Sarcoma	0.0	0.0	357.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	647.0	390.5	1,072.3	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	260.0	0
Tongue	0.0	0.0	260.0	0
Salivary Gland	0.0	0.0	260.0	0
Floor of Mouth	0.0	0.0	260.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	260.0	0
Tonsil	0.0	0.0	260.0	0
Oropharynx	0.0	0.0	260.0	0
Hypopharynx	0.0	0.0	260.0	0
Other Oral Cavity and Pharynx	0.0	0.0	260.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	260.0	0
Stomach	0.0	0.0	260.0	0
Small Intestine	0.0	0.0	260.0	0
Colon and Rectum	0.0	0.0	260.0	0
Colon excluding Rectum	0.0	0.0	260.0	0
Cecum	0.0	0.0	260.0	0
Appendix	0.0	0.0	260.0	0
Ascending Colon	0.0	0.0	260.0	0
Hepatic Flexure	0.0	0.0	260.0	0
Transverse Colon	0.0	0.0	260.0	0
Splenic Flexure	0.0	0.0	260.0	0
Descending Colon	0.0	0.0	260.0	0
Sigmoid Colon	0.0	0.0	260.0	0
Large Intestine, NOS	0.0	0.0	260.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	260.0	0
Rectosigmoid Junction	0.0	0.0	260.0	0
Rectum	0.0	0.0	260.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	260.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	260.0	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	260.0	0
Other Biliary	0.0	0.0	260.0	0
Pancreas	0.0	0.0	260.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	260.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	260.0	0
Other Digestive Organs	0.0	0.0	260.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	260.0	0
Larynx	0.0	0.0	260.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	260.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	260.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	260.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	260.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	260.0	0
Other Urinary Organs	0.0	0.0	260.0	0
Eye and Orbit	0.0	0.0	260.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	260.0	0
Endocrine System	0.0	0.0	260.0	0
Thyroid	0.0	0.0	260.0	0
Other Endocrine including Thymus	0.0	0.0	260.0	0
Lymphoma	0.0	0.0	260.0	0
Hodgkin Lymphoma	0.0	0.0	260.0	0
Hodgkin - Nodal	0.0	0.0	260.0	0
Hodgkin - Extranodal	0.0	0.0	260.0	0
Non-Hodgkin Lymphoma	0.0	0.0	260.0	0
NHL - Nodal	0.0	0.0	260.0	0
NHL - Extranodal	0.0	0.0	260.0	0
Myeloma	0.0	0.0	260.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	260.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	260.0	0
Acute Myeloid Leukemia	0.0	0.0	260.0	0
Acute Monocytic Leukemia	0.0	0.0	260.0	0
Chronic Myeloid Leukemia	0.0	0.0	260.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	260.0	0
Other Leukemia	0.0	0.0	260.0	0
Other Acute Leukemia	0.0	0.0	260.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	260.0	0
Mesothelioma	0.0	0.0	260.0	0
Kaposi Sarcoma	0.0	0.0	260.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	572.6	374.4	860.7	36
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	134.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	134.3	0
Floor of Mouth	0.0	0.0	134.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	134.3	0
Oropharynx	0.0	0.0	134.3	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	134.3	0
Digestive System	139.1	42.6	348.1	7
Esophagus	^	^	^	^
Stomach	0.0	0.0	134.3	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	134.3	0
Appendix	0.0	0.0	134.3	0
Ascending Colon	0.0	0.0	134.3	0
Hepatic Flexure	0.0	0.0	134.3	0
Transverse Colon	0.0	0.0	134.3	0
Splenic Flexure	0.0	0.0	134.3	0
Descending Colon	0.0	0.0	134.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	134.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	134.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	134.3	0
Gallbladder	0.0	0.0	134.3	0
Other Biliary	0.0	0.0	134.3	0
Pancreas	0.0	0.0	134.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	134.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	134.3	0
Other Digestive Organs	0.0	0.0	134.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	134.3	0
Larynx	0.0	0.0	134.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	134.3	0
Bones and Joints	0.0	0.0	134.3	0
Soft Tissue including Heart	0.0	0.0	134.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	134.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	134.3	0
Other Urinary Organs	0.0	0.0	134.3	0
Eye and Orbit	0.0	0.0	134.3	0
Brain and Other Nervous System	0.0	0.0	134.3	0
Brain	0.0	0.0	134.3	0
Cranial Nerves Other Nervous System	0.0	0.0	134.3	0
Endocrine System	0.0	0.0	134.3	0
Thyroid	0.0	0.0	134.3	0
Other Endocrine including Thymus	0.0	0.0	134.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	134.3	0
Hodgkin - Nodal	0.0	0.0	134.3	0
Hodgkin - Extranodal	0.0	0.0	134.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	134.3	0
Leukemia	0.0	0.0	134.3	0
Lymphocytic Leukemia	0.0	0.0	134.3	0
Acute Lymphocytic Leukemia	0.0	0.0	134.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	134.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	134.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	134.3	0
Acute Myeloid Leukemia	0.0	0.0	134.3	0
Acute Monocytic Leukemia	0.0	0.0	134.3	0
Chronic Myeloid Leukemia	0.0	0.0	134.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	134.3	0
Other Leukemia	0.0	0.0	134.3	0
Other Acute Leukemia	0.0	0.0	134.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	134.3	0
Mesothelioma	0.0	0.0	134.3	0
Kaposi Sarcoma	0.0	0.0	134.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	457.9	227.6	919.4	14
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	336.5	0
Tongue	0.0	0.0	336.5	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	336.5	0
Gum and Other Mouth	0.0	0.0	336.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	336.5	0
Oropharynx	0.0	0.0	336.5	0
Hypopharynx	0.0	0.0	336.5	0
Other Oral Cavity and Pharynx	0.0	0.0	336.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	336.5	0
Stomach	0.0	0.0	336.5	0
Small Intestine	0.0	0.0	336.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	336.5	0
Appendix	0.0	0.0	336.5	0
Ascending Colon	0.0	0.0	336.5	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	336.5	0
Splenic Flexure	0.0	0.0	336.5	0
Descending Colon	0.0	0.0	336.5	0
Sigmoid Colon	0.0	0.0	336.5	0
Large Intestine, NOS	0.0	0.0	336.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	336.5	0
Rectosigmoid Junction	0.0	0.0	336.5	0
Rectum	0.0	0.0	336.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	336.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	336.5	0
Other Biliary	0.0	0.0	336.5	0
Pancreas	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	336.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	336.5	0
Other Digestive Organs	0.0	0.0	336.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	336.5	0
Larynx	0.0	0.0	336.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	336.5	0
Bones and Joints	0.0	0.0	336.5	0
Soft Tissue including Heart	0.0	0.0	336.5	0
Skin excluding Basal and Squamous	0.0	0.0	336.5	0
Melanoma of the Skin	0.0	0.0	336.5	0
Other Non-Epithelial Skin	0.0	0.0	336.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	336.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	336.5	0
Other Urinary Organs	0.0	0.0	336.5	0
Eye and Orbit	0.0	0.0	336.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	336.5	0
Endocrine System	0.0	0.0	336.5	0
Thyroid	0.0	0.0	336.5	0
Other Endocrine including Thymus	0.0	0.0	336.5	0
Lymphoma	0.0	0.0	336.5	0
Hodgkin Lymphoma	0.0	0.0	336.5	0
Hodgkin - Nodal	0.0	0.0	336.5	0
Hodgkin - Extranodal	0.0	0.0	336.5	0
Non-Hodgkin Lymphoma	0.0	0.0	336.5	0
NHL - Nodal	0.0	0.0	336.5	0
NHL - Extranodal	0.0	0.0	336.5	0
Myeloma	0.0	0.0	336.5	0
Leukemia	0.0	0.0	336.5	0
Lymphocytic Leukemia	0.0	0.0	336.5	0
Acute Lymphocytic Leukemia	0.0	0.0	336.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	336.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	336.5	0
Acute Myeloid Leukemia	0.0	0.0	336.5	0
Acute Monocytic Leukemia	0.0	0.0	336.5	0
Chronic Myeloid Leukemia	0.0	0.0	336.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	336.5	0
Other Leukemia	0.0	0.0	336.5	0
Other Acute Leukemia	0.0	0.0	336.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	336.5	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	336.5	0
Miscellaneous	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	532.0	351.2	781.7	28
Oral Cavity and Pharynx	0.0	0.0	93.8	0
Lip	0.0	0.0	93.8	0
Tongue	0.0	0.0	93.8	0
Salivary Gland	0.0	0.0	93.8	0
Floor of Mouth	0.0	0.0	93.8	0
Gum and Other Mouth	0.0	0.0	93.8	0
Nasopharynx	0.0	0.0	93.8	0
Tonsil	0.0	0.0	93.8	0
Oropharynx	0.0	0.0	93.8	0
Hypopharynx	0.0	0.0	93.8	0
Other Oral Cavity and Pharynx	0.0	0.0	93.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	93.8	0
Small Intestine	0.0	0.0	93.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	93.8	0
Appendix	0.0	0.0	93.8	0
Ascending Colon	0.0	0.0	93.8	0
Hepatic Flexure	0.0	0.0	93.8	0
Transverse Colon	0.0	0.0	93.8	0
Splenic Flexure	0.0	0.0	93.8	0
Descending Colon	0.0	0.0	93.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	93.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	93.8	0
Rectosigmoid Junction	0.0	0.0	93.8	0
Rectum	0.0	0.0	93.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	93.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	93.8	0
Liver	0.0	0.0	93.8	0
Intrahepatic Bile Duct	0.0	0.0	93.8	0
Gallbladder	0.0	0.0	93.8	0
Other Biliary	0.0	0.0	93.8	0
Pancreas	0.0	0.0	93.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	93.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	93.8	0
Other Digestive Organs	0.0	0.0	93.8	0
Respiratory System	116.5	42.1	266.8	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	93.8	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	93.8	0
Bones and Joints	0.0	0.0	93.8	0
Soft Tissue including Heart	0.0	0.0	93.8	0
Skin excluding Basal and Squamous	0.0	0.0	93.8	0
Melanoma of the Skin	0.0	0.0	93.8	0
Other Non-Epithelial Skin	0.0	0.0	93.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	93.8	0
Ureter	0.0	0.0	93.8	0
Other Urinary Organs	0.0	0.0	93.8	0
Eye and Orbit	0.0	0.0	93.8	0
Brain and Other Nervous System	0.0	0.0	93.8	0
Brain	0.0	0.0	93.8	0
Cranial Nerves Other Nervous System	0.0	0.0	93.8	0
Endocrine System	0.0	0.0	93.8	0
Thyroid	0.0	0.0	93.8	0
Other Endocrine including Thymus	0.0	0.0	93.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	93.8	0
Hodgkin - Nodal	0.0	0.0	93.8	0
Hodgkin - Extranodal	0.0	0.0	93.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	93.8	0
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	93.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	93.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	93.8	0
Chronic Myeloid Leukemia	0.0	0.0	93.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	93.8	0
Other Leukemia	0.0	0.0	93.8	0
Other Acute Leukemia	0.0	0.0	93.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	93.8	0
Mesothelioma	0.0	0.0	93.8	0
Kaposi Sarcoma	0.0	0.0	93.8	0
Miscellaneous	0.0	0.0	93.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	~	~	~	^
Oral Cavity and Pharynx	0.0	0.0	1,699.1	0
Lip	0.0	0.0	1,699.1	0
Tongue	0.0	0.0	1,699.1	0
Salivary Gland	0.0	0.0	1,699.1	0
Floor of Mouth	0.0	0.0	1,699.1	0
Gum and Other Mouth	0.0	0.0	1,699.1	0
Nasopharynx	0.0	0.0	1,699.1	0
Tonsil	0.0	0.0	1,699.1	0
Oropharynx	0.0	0.0	1,699.1	0
Hypopharynx	0.0	0.0	1,699.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,699.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,699.1	0
Stomach	0.0	0.0	1,699.1	0
Small Intestine	0.0	0.0	1,699.1	0
Colon and Rectum	0.0	0.0	1,699.1	0
Colon excluding Rectum	0.0	0.0	1,699.1	0
Cecum	0.0	0.0	1,699.1	0
Appendix	0.0	0.0	1,699.1	0
Ascending Colon	0.0	0.0	1,699.1	0
Hepatic Flexure	0.0	0.0	1,699.1	0
Transverse Colon	0.0	0.0	1,699.1	0
Splenic Flexure	0.0	0.0	1,699.1	0
Descending Colon	0.0	0.0	1,699.1	0
Sigmoid Colon	0.0	0.0	1,699.1	0
Large Intestine, NOS	0.0	0.0	1,699.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,699.1	0
Rectosigmoid Junction	0.0	0.0	1,699.1	0
Rectum	0.0	0.0	1,699.1	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	1,699.1	0
Liver	0.0	0.0	1,699.1	0
Intrahepatic Bile Duct	0.0	0.0	1,699.1	0
Gallbladder	0.0	0.0	1,699.1	0
Other Biliary	0.0	0.0	1,699.1	0
Pancreas	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,699.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,699.1	0
Other Digestive Organs	0.0	0.0	1,699.1	0
Respiratory System	~	~	~	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,699.1	0
Larynx	0.0	0.0	1,699.1	0
Lung and Bronchus	~	~	~	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,699.1	0
Bones and Joints	0.0	0.0	1,699.1	0
Soft Tissue including Heart	0.0	0.0	1,699.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,699.1	0
Melanoma of the Skin	0.0	0.0	1,699.1	0
Other Non-Epithelial Skin	0.0	0.0	1,699.1	0
Urinary System	0.0	0.0	1,699.1	0
Urinary Bladder	0.0	0.0	1,699.1	0
Kidney and Renal Pelvis	0.0	0.0	1,699.1	0
Ureter	0.0	0.0	1,699.1	0
Other Urinary Organs	0.0	0.0	1,699.1	0
Eye and Orbit	0.0	0.0	1,699.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	1,699.1	0
Endocrine System	0.0	0.0	1,699.1	0
Thyroid	0.0	0.0	1,699.1	0
Other Endocrine including Thymus	0.0	0.0	1,699.1	0
Lymphoma	0.0	0.0	1,699.1	0
Hodgkin Lymphoma	0.0	0.0	1,699.1	0
Hodgkin - Nodal	0.0	0.0	1,699.1	0
Hodgkin - Extranodal	0.0	0.0	1,699.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,699.1	0
NHL - Nodal	0.0	0.0	1,699.1	0
NHL - Extranodal	0.0	0.0	1,699.1	0
Myeloma	0.0	0.0	1,699.1	0
Leukemia	0.0	0.0	1,699.1	0
Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,699.1	0
Acute Myeloid Leukemia	0.0	0.0	1,699.1	0
Acute Monocytic Leukemia	0.0	0.0	1,699.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,699.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,699.1	0
Other Leukemia	0.0	0.0	1,699.1	0
Other Acute Leukemia	0.0	0.0	1,699.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,699.1	0
Mesothelioma	0.0	0.0	1,699.1	0
Kaposi Sarcoma	0.0	0.0	1,699.1	0
Miscellaneous	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	629.3	396.3	970.0	26
Oral Cavity and Pharynx	0.0	0.0	153.1	0
Lip	0.0	0.0	153.1	0
Tongue	0.0	0.0	153.1	0
Salivary Gland	0.0	0.0	153.1	0
Floor of Mouth	0.0	0.0	153.1	0
Gum and Other Mouth	0.0	0.0	153.1	0
Nasopharynx	0.0	0.0	153.1	0
Tonsil	0.0	0.0	153.1	0
Oropharynx	0.0	0.0	153.1	0
Hypopharynx	0.0	0.0	153.1	0
Other Oral Cavity and Pharynx	0.0	0.0	153.1	0
Digestive System	266.1	124.6	522.2	11
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	153.1	0
Colon and Rectum	182.4	63.5	426.6	6
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	153.1	0
Appendix	0.0	0.0	153.1	0
Ascending Colon	0.0	0.0	153.1	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	153.1	0
Sigmoid Colon	0.0	0.0	153.1	0
Large Intestine, NOS	0.0	0.0	153.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	153.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	153.1	0
Liver	0.0	0.0	153.1	0
Intrahepatic Bile Duct	0.0	0.0	153.1	0
Gallbladder	0.0	0.0	153.1	0
Other Biliary	0.0	0.0	153.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	153.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	153.1	0
Other Digestive Organs	0.0	0.0	153.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	153.1	0
Larynx	0.0	0.0	153.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	153.1	0
Bones and Joints	0.0	0.0	153.1	0
Soft Tissue including Heart	0.0	0.0	153.1	0
Skin excluding Basal and Squamous	0.0	0.0	153.1	0
Melanoma of the Skin	0.0	0.0	153.1	0
Other Non-Epithelial Skin	0.0	0.0	153.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	153.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	153.1	0
Other Urinary Organs	0.0	0.0	153.1	0
Eye and Orbit	0.0	0.0	153.1	0
Brain and Other Nervous System	0.0	0.0	153.1	0
Brain	0.0	0.0	153.1	0
Cranial Nerves Other Nervous System	0.0	0.0	153.1	0
Endocrine System	0.0	0.0	153.1	0
Thyroid	0.0	0.0	153.1	0
Other Endocrine including Thymus	0.0	0.0	153.1	0
Lymphoma	0.0	0.0	153.1	0
Hodgkin Lymphoma	0.0	0.0	153.1	0
Hodgkin - Nodal	0.0	0.0	153.1	0
Hodgkin - Extranodal	0.0	0.0	153.1	0
Non-Hodgkin Lymphoma	0.0	0.0	153.1	0
NHL - Nodal	0.0	0.0	153.1	0
NHL - Extranodal	0.0	0.0	153.1	0
Myeloma	0.0	0.0	153.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	153.1	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1998/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	153.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	153.1	0
Acute Myeloid Leukemia	0.0	0.0	153.1	0
Acute Monocytic Leukemia	0.0	0.0	153.1	0
Chronic Myeloid Leukemia	0.0	0.0	153.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	153.1	0
Other Leukemia	0.0	0.0	153.1	0
Other Acute Leukemia	0.0	0.0	153.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	153.1	0
Mesothelioma	0.0	0.0	153.1	0
Kaposi Sarcoma	0.0	0.0	153.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2,489.8	0
Tongue	0.0	0.0	2,489.8	0
Salivary Gland	0.0	0.0	2,489.8	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	2,489.8	0
Nasopharynx	0.0	0.0	2,489.8	0
Tonsil	0.0	0.0	2,489.8	0
Oropharynx	0.0	0.0	2,489.8	0
Hypopharynx	0.0	0.0	2,489.8	0
Other Oral Cavity and Pharynx	0.0	0.0	2,489.8	0
Digestive System	0.0	0.0	2,489.8	0
Esophagus	0.0	0.0	2,489.8	0
Stomach	0.0	0.0	2,489.8	0
Small Intestine	0.0	0.0	2,489.8	0
Colon and Rectum	0.0	0.0	2,489.8	0
Colon excluding Rectum	0.0	0.0	2,489.8	0
Cecum	0.0	0.0	2,489.8	0
Appendix	0.0	0.0	2,489.8	0
Ascending Colon	0.0	0.0	2,489.8	0
Hepatic Flexure	0.0	0.0	2,489.8	0
Transverse Colon	0.0	0.0	2,489.8	0
Splenic Flexure	0.0	0.0	2,489.8	0
Descending Colon	0.0	0.0	2,489.8	0
Sigmoid Colon	0.0	0.0	2,489.8	0
Large Intestine, NOS	0.0	0.0	2,489.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,489.8	0
Rectosigmoid Junction	0.0	0.0	2,489.8	0
Rectum	0.0	0.0	2,489.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,489.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,489.8	0
Liver	0.0	0.0	2,489.8	0
Intrahepatic Bile Duct	0.0	0.0	2,489.8	0
Gallbladder	0.0	0.0	2,489.8	0
Other Biliary	0.0	0.0	2,489.8	0
Pancreas	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,489.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,489.8	0
Other Digestive Organs	0.0	0.0	2,489.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,489.8	0
Larynx	0.0	0.0	2,489.8	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,489.8	0
Bones and Joints	0.0	0.0	2,489.8	0
Soft Tissue including Heart	0.0	0.0	2,489.8	0
Skin excluding Basal and Squamous	0.0	0.0	2,489.8	0
Melanoma of the Skin	0.0	0.0	2,489.8	0
Other Non-Epithelial Skin	0.0	0.0	2,489.8	0
Urinary System	0.0	0.0	2,489.8	0
Urinary Bladder	0.0	0.0	2,489.8	0
Kidney and Renal Pelvis	0.0	0.0	2,489.8	0
Ureter	0.0	0.0	2,489.8	0
Other Urinary Organs	0.0	0.0	2,489.8	0
Eye and Orbit	0.0	0.0	2,489.8	0
Brain and Other Nervous System	0.0	0.0	2,489.8	0
Brain	0.0	0.0	2,489.8	0
Cranial Nerves Other Nervous System	0.0	0.0	2,489.8	0
Endocrine System	0.0	0.0	2,489.8	0
Thyroid	0.0	0.0	2,489.8	0
Other Endocrine including Thymus	0.0	0.0	2,489.8	0
Lymphoma	0.0	0.0	2,489.8	0
Hodgkin Lymphoma	0.0	0.0	2,489.8	0
Hodgkin - Nodal	0.0	0.0	2,489.8	0
Hodgkin - Extranodal	0.0	0.0	2,489.8	0
Non-Hodgkin Lymphoma	0.0	0.0	2,489.8	0
NHL - Nodal	0.0	0.0	2,489.8	0
NHL - Extranodal	0.0	0.0	2,489.8	0
Myeloma	0.0	0.0	2,489.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,489.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,489.8	0
Acute Myeloid Leukemia	0.0	0.0	2,489.8	0
Acute Monocytic Leukemia	0.0	0.0	2,489.8	0
Chronic Myeloid Leukemia	0.0	0.0	2,489.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,489.8	0
Other Leukemia	0.0	0.0	2,489.8	0
Other Acute Leukemia	0.0	0.0	2,489.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,489.8	0
Mesothelioma	0.0	0.0	2,489.8	0
Kaposi Sarcoma	0.0	0.0	2,489.8	0
Miscellaneous	0.0	0.0	2,489.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2,860.5	0
Tongue	0.0	0.0	2,860.5	0
Salivary Gland	0.0	0.0	2,860.5	0
Floor of Mouth	0.0	0.0	2,860.5	0
Gum and Other Mouth	0.0	0.0	2,860.5	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	2,860.5	0
Hypopharynx	0.0	0.0	2,860.5	0
Other Oral Cavity and Pharynx	0.0	0.0	2,860.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	2,860.5	0
Stomach	0.0	0.0	2,860.5	0
Small Intestine	0.0	0.0	2,860.5	0
Colon and Rectum	0.0	0.0	2,860.5	0
Colon excluding Rectum	0.0	0.0	2,860.5	0
Cecum	0.0	0.0	2,860.5	0
Appendix	0.0	0.0	2,860.5	0
Ascending Colon	0.0	0.0	2,860.5	0
Hepatic Flexure	0.0	0.0	2,860.5	0
Transverse Colon	0.0	0.0	2,860.5	0
Splenic Flexure	0.0	0.0	2,860.5	0
Descending Colon	0.0	0.0	2,860.5	0
Sigmoid Colon	0.0	0.0	2,860.5	0
Large Intestine, NOS	0.0	0.0	2,860.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,860.5	0
Rectosigmoid Junction	0.0	0.0	2,860.5	0
Rectum	0.0	0.0	2,860.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,860.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Liver	0.0	0.0	2,860.5	0
Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Gallbladder	0.0	0.0	2,860.5	0
Other Biliary	0.0	0.0	2,860.5	0
Pancreas	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,860.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,860.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	0.0	0.0	2,860.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,860.5	0
Larynx	0.0	0.0	2,860.5	0
Lung and Bronchus	0.0	0.0	2,860.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,860.5	0
Bones and Joints	0.0	0.0	2,860.5	0
Soft Tissue including Heart	0.0	0.0	2,860.5	0
Skin excluding Basal and Squamous	0.0	0.0	2,860.5	0
Melanoma of the Skin	0.0	0.0	2,860.5	0
Other Non-Epithelial Skin	0.0	0.0	2,860.5	0
Urinary System	0.0	0.0	2,860.5	0
Urinary Bladder	0.0	0.0	2,860.5	0
Kidney and Renal Pelvis	0.0	0.0	2,860.5	0
Ureter	0.0	0.0	2,860.5	0
Other Urinary Organs	0.0	0.0	2,860.5	0
Eye and Orbit	0.0	0.0	2,860.5	0
Brain and Other Nervous System	0.0	0.0	2,860.5	0
Brain	0.0	0.0	2,860.5	0
Cranial Nerves Other Nervous System	0.0	0.0	2,860.5	0
Endocrine System	0.0	0.0	2,860.5	0
Thyroid	0.0	0.0	2,860.5	0
Other Endocrine including Thymus	0.0	0.0	2,860.5	0
Lymphoma	0.0	0.0	2,860.5	0
Hodgkin Lymphoma	0.0	0.0	2,860.5	0
Hodgkin - Nodal	0.0	0.0	2,860.5	0
Hodgkin - Extranodal	0.0	0.0	2,860.5	0
Non-Hodgkin Lymphoma	0.0	0.0	2,860.5	0
NHL - Nodal	0.0	0.0	2,860.5	0
NHL - Extranodal	0.0	0.0	2,860.5	0
Myeloma	0.0	0.0	2,860.5	0
Leukemia	0.0	0.0	2,860.5	0
Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Acute Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,860.5	0
Acute Myeloid Leukemia	0.0	0.0	2,860.5	0
Acute Monocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Myeloid Leukemia	0.0	0.0	2,860.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,860.5	0
Other Leukemia	0.0	0.0	2,860.5	0
Other Acute Leukemia	0.0	0.0	2,860.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,860.5	0
Mesothelioma	0.0	0.0	2,860.5	0
Kaposi Sarcoma	0.0	0.0	2,860.5	0
Miscellaneous	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	481.6	444.3	522.0	764
Oral Cavity and Pharynx	10.2	5.5	18.8	17
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	5.7	0
Gum and Other Mouth	0.0	0.0	5.7	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	5.7	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	91.6	74.6	112.0	126
Esophagus	4.9	2.0	12.0	8
Stomach	8.1	3.9	16.3	13
Small Intestine	^	^	^	^
Colon and Rectum	53.1	40.0	69.8	68
Colon excluding Rectum	45.1	32.9	61.1	54
Cecum	8.4	3.8	17.3	11
Appendix	0.0	0.0	5.7	0
Ascending Colon	7.6	3.2	16.3	8
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	14.2	7.7	24.9	16
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	7.9	4.0	15.8	14
Rectosigmoid Junction	^	^	^	^
Rectum	7.0	3.3	14.8	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.5	3.7	15.3	12
Liver	7.5	3.7	15.3	12
Intrahepatic Bile Duct	0.0	0.0	5.7	0
Gallbladder	0.0	0.0	5.7	0
Other Biliary	^	^	^	^
Pancreas	14.6	8.1	25.3	19

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	5.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.7	0
Other Digestive Organs	0.0	0.0	5.7	0
Respiratory System	75.8	61.7	93.3	113
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.6	1.3	10.2	6
Lung and Bronchus	71.6	57.8	88.7	105
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	13.9	8.9	22.5	28
Melanoma of the Skin	10.4	6.2	18.1	22
Other Non-Epithelial Skin	3.6	1.2	10.3	6
Urinary System	38.6	28.2	52.6	57
Urinary Bladder	26.7	17.6	39.6	32
Kidney and Renal Pelvis	11.9	7.5	20.0	25
Ureter	0.0	0.0	5.7	0
Other Urinary Organs	0.0	0.0	5.7	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	9.1	5.0	17.1	17
Brain	8.8	4.7	16.7	16
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	8.9	5.4	16.1	22
Thyroid	8.6	5.1	15.7	21
Other Endocrine including Thymus	^	^	^	^
Lymphoma	19.6	13.3	29.3	39
Hodgkin Lymphoma	2.0	0.8	7.8	6
Hodgkin - Nodal	2.0	0.8	7.8	6
Hodgkin - Extranodal	0.0	0.0	5.7	0
Non-Hodgkin Lymphoma	17.5	11.5	27.1	33
NHL - Nodal	13.6	8.6	22.2	26
NHL - Extranodal	3.9	1.2	11.1	7
Myeloma	7.0	3.1	15.0	10
Leukemia	16.2	9.5	26.9	24
Lymphocytic Leukemia	8.6	3.8	17.6	11
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	6.6	2.6	15.1	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	5.7	0
Myeloid and Monocytic Leukemia	6.8	2.9	14.9	12
Acute Myeloid Leukemia	4.6	1.4	12.4	7
Acute Monocytic Leukemia	0.0	0.0	5.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	5.7	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	5.8	2.3	13.7	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	403.3	260.7	612.4	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	98.6	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	98.6	0
Floor of Mouth	0.0	0.0	98.6	0
Gum and Other Mouth	0.0	0.0	98.6	0
Nasopharynx	0.0	0.0	98.6	0
Tonsil	0.0	0.0	98.6	0
Oropharynx	0.0	0.0	98.6	0
Hypopharynx	0.0	0.0	98.6	0
Other Oral Cavity and Pharynx	0.0	0.0	98.6	0
Digestive System	155.1	75.2	305.4	13
Esophagus	0.0	0.0	98.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	98.6	0
Colon and Rectum	102.6	44.2	231.7	9
Colon excluding Rectum	102.6	44.2	231.7	9
Cecum	^	^	^	^
Appendix	0.0	0.0	98.6	0
Ascending Colon	0.0	0.0	98.6	0
Hepatic Flexure	0.0	0.0	98.6	0
Transverse Colon	0.0	0.0	98.6	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	98.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	98.6	0
Rectosigmoid Junction	0.0	0.0	98.6	0
Rectum	0.0	0.0	98.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	98.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	98.6	0
Gallbladder	0.0	0.0	98.6	0
Other Biliary	0.0	0.0	98.6	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	98.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	98.6	0
Other Digestive Organs	0.0	0.0	98.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	98.6	0
Larynx	0.0	0.0	98.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	98.6	0
Bones and Joints	0.0	0.0	98.6	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	98.6	0
Melanoma of the Skin	0.0	0.0	98.6	0
Other Non-Epithelial Skin	0.0	0.0	98.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	98.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	98.6	0
Other Urinary Organs	0.0	0.0	98.6	0
Eye and Orbit	0.0	0.0	98.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	98.6	0
Endocrine System	0.0	0.0	98.6	0
Thyroid	0.0	0.0	98.6	0
Other Endocrine including Thymus	0.0	0.0	98.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	98.6	0
Hodgkin - Nodal	0.0	0.0	98.6	0
Hodgkin - Extranodal	0.0	0.0	98.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	98.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	98.6	0
Acute Lymphocytic Leukemia	0.0	0.0	98.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	98.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	98.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	98.6	0
Acute Monocytic Leukemia	0.0	0.0	98.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	98.6	0
Other Leukemia	0.0	0.0	98.6	0
Other Acute Leukemia	0.0	0.0	98.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	98.6	0
Mesothelioma	0.0	0.0	98.6	0
Kaposi Sarcoma	0.0	0.0	98.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	6,582.0	0
Lip	0.0	0.0	6,582.0	0
Tongue	0.0	0.0	6,582.0	0
Salivary Gland	0.0	0.0	6,582.0	0
Floor of Mouth	0.0	0.0	6,582.0	0
Gum and Other Mouth	0.0	0.0	6,582.0	0
Nasopharynx	0.0	0.0	6,582.0	0
Tonsil	0.0	0.0	6,582.0	0
Oropharynx	0.0	0.0	6,582.0	0
Hypopharynx	0.0	0.0	6,582.0	0
Other Oral Cavity and Pharynx	0.0	0.0	6,582.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	6,582.0	0
Stomach	0.0	0.0	6,582.0	0
Small Intestine	0.0	0.0	6,582.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	6,582.0	0
Ascending Colon	0.0	0.0	6,582.0	0
Hepatic Flexure	0.0	0.0	6,582.0	0
Transverse Colon	0.0	0.0	6,582.0	0
Splenic Flexure	0.0	0.0	6,582.0	0
Descending Colon	0.0	0.0	6,582.0	0
Sigmoid Colon	0.0	0.0	6,582.0	0
Large Intestine, NOS	0.0	0.0	6,582.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	6,582.0	0
Rectosigmoid Junction	0.0	0.0	6,582.0	0
Rectum	0.0	0.0	6,582.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	6,582.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	6,582.0	0
Liver	0.0	0.0	6,582.0	0
Intrahepatic Bile Duct	0.0	0.0	6,582.0	0
Gallbladder	0.0	0.0	6,582.0	0
Other Biliary	0.0	0.0	6,582.0	0
Pancreas	0.0	0.0	6,582.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	6,582.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6,582.0	0
Other Digestive Organs	0.0	0.0	6,582.0	0
Respiratory System	0.0	0.0	6,582.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6,582.0	0
Larynx	0.0	0.0	6,582.0	0
Lung and Bronchus	0.0	0.0	6,582.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6,582.0	0
Bones and Joints	0.0	0.0	6,582.0	0
Soft Tissue including Heart	0.0	0.0	6,582.0	0
Skin excluding Basal and Squamous	0.0	0.0	6,582.0	0
Melanoma of the Skin	0.0	0.0	6,582.0	0
Other Non-Epithelial Skin	0.0	0.0	6,582.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	6,582.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	6,582.0	0
Other Urinary Organs	0.0	0.0	6,582.0	0
Eye and Orbit	0.0	0.0	6,582.0	0
Brain and Other Nervous System	0.0	0.0	6,582.0	0
Brain	0.0	0.0	6,582.0	0
Cranial Nerves Other Nervous System	0.0	0.0	6,582.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	6,582.0	0
Lymphoma	0.0	0.0	6,582.0	0
Hodgkin Lymphoma	0.0	0.0	6,582.0	0
Hodgkin - Nodal	0.0	0.0	6,582.0	0
Hodgkin - Extranodal	0.0	0.0	6,582.0	0
Non-Hodgkin Lymphoma	0.0	0.0	6,582.0	0
NHL - Nodal	0.0	0.0	6,582.0	0
NHL - Extranodal	0.0	0.0	6,582.0	0
Myeloma	0.0	0.0	6,582.0	0
Leukemia	0.0	0.0	6,582.0	0
Lymphocytic Leukemia	0.0	0.0	6,582.0	0
Acute Lymphocytic Leukemia	0.0	0.0	6,582.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	6,582.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	6,582.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	6,582.0	0
Acute Myeloid Leukemia	0.0	0.0	6,582.0	0
Acute Monocytic Leukemia	0.0	0.0	6,582.0	0
Chronic Myeloid Leukemia	0.0	0.0	6,582.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6,582.0	0
Other Leukemia	0.0	0.0	6,582.0	0
Other Acute Leukemia	0.0	0.0	6,582.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6,582.0	0
Mesothelioma	0.0	0.0	6,582.0	0
Kaposi Sarcoma	0.0	0.0	6,582.0	0
Miscellaneous	0.0	0.0	6,582.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	278.3	92.0	3,479.5	6
Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Lip	0.0	0.0	3,291.0	0
Tongue	0.0	0.0	3,291.0	0
Salivary Gland	0.0	0.0	3,291.0	0
Floor of Mouth	0.0	0.0	3,291.0	0
Gum and Other Mouth	0.0	0.0	3,291.0	0
Nasopharynx	0.0	0.0	3,291.0	0
Tonsil	0.0	0.0	3,291.0	0
Oropharynx	0.0	0.0	3,291.0	0
Hypopharynx	0.0	0.0	3,291.0	0
Other Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	3,291.0	0
Stomach	0.0	0.0	3,291.0	0
Small Intestine	0.0	0.0	3,291.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	3,291.0	0
Cecum	0.0	0.0	3,291.0	0
Appendix	0.0	0.0	3,291.0	0
Ascending Colon	0.0	0.0	3,291.0	0
Hepatic Flexure	0.0	0.0	3,291.0	0
Transverse Colon	0.0	0.0	3,291.0	0
Splenic Flexure	0.0	0.0	3,291.0	0
Descending Colon	0.0	0.0	3,291.0	0
Sigmoid Colon	0.0	0.0	3,291.0	0
Large Intestine, NOS	0.0	0.0	3,291.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	3,291.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	3,291.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Liver	0.0	0.0	3,291.0	0
Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Gallbladder	0.0	0.0	3,291.0	0
Other Biliary	0.0	0.0	3,291.0	0
Pancreas	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	3,291.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	3,291.0	0
Other Digestive Organs	0.0	0.0	3,291.0	0
Respiratory System	0.0	0.0	3,291.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	3,291.0	0
Larynx	0.0	0.0	3,291.0	0
Lung and Bronchus	0.0	0.0	3,291.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3,291.0	0
Bones and Joints	0.0	0.0	3,291.0	0
Soft Tissue including Heart	0.0	0.0	3,291.0	0
Skin excluding Basal and Squamous	0.0	0.0	3,291.0	0
Melanoma of the Skin	0.0	0.0	3,291.0	0
Other Non-Epithelial Skin	0.0	0.0	3,291.0	0
Urinary System	0.0	0.0	3,291.0	0
Urinary Bladder	0.0	0.0	3,291.0	0
Kidney and Renal Pelvis	0.0	0.0	3,291.0	0
Ureter	0.0	0.0	3,291.0	0
Other Urinary Organs	0.0	0.0	3,291.0	0
Eye and Orbit	0.0	0.0	3,291.0	0
Brain and Other Nervous System	0.0	0.0	3,291.0	0
Brain	0.0	0.0	3,291.0	0
Cranial Nerves Other Nervous System	0.0	0.0	3,291.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	3,291.0	0
Lymphoma	0.0	0.0	3,291.0	0
Hodgkin Lymphoma	0.0	0.0	3,291.0	0
Hodgkin - Nodal	0.0	0.0	3,291.0	0
Hodgkin - Extranodal	0.0	0.0	3,291.0	0
Non-Hodgkin Lymphoma	0.0	0.0	3,291.0	0
NHL - Nodal	0.0	0.0	3,291.0	0
NHL - Extranodal	0.0	0.0	3,291.0	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	3,291.0	0
Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Acute Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	3,291.0	0
Acute Myeloid Leukemia	0.0	0.0	3,291.0	0
Acute Monocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Myeloid Leukemia	0.0	0.0	3,291.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	3,291.0	0
Other Leukemia	0.0	0.0	3,291.0	0
Other Acute Leukemia	0.0	0.0	3,291.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	3,291.0	0
Mesothelioma	0.0	0.0	3,291.0	0
Kaposi Sarcoma	0.0	0.0	3,291.0	0
Miscellaneous	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	483.2	252.6	909.7	14
Oral Cavity and Pharynx	0.0	0.0	286.0	0
Lip	0.0	0.0	286.0	0
Tongue	0.0	0.0	286.0	0
Salivary Gland	0.0	0.0	286.0	0
Floor of Mouth	0.0	0.0	286.0	0
Gum and Other Mouth	0.0	0.0	286.0	0
Nasopharynx	0.0	0.0	286.0	0
Tonsil	0.0	0.0	286.0	0
Oropharynx	0.0	0.0	286.0	0
Hypopharynx	0.0	0.0	286.0	0
Other Oral Cavity and Pharynx	0.0	0.0	286.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	286.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	286.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	286.0	0
Appendix	0.0	0.0	286.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	286.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	286.0	0
Descending Colon	0.0	0.0	286.0	0
Sigmoid Colon	0.0	0.0	286.0	0
Large Intestine, NOS	0.0	0.0	286.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	286.0	0
Rectosigmoid Junction	0.0	0.0	286.0	0
Rectum	0.0	0.0	286.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	286.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	286.0	0
Liver	0.0	0.0	286.0	0
Intrahepatic Bile Duct	0.0	0.0	286.0	0
Gallbladder	0.0	0.0	286.0	0
Other Biliary	0.0	0.0	286.0	0
Pancreas	0.0	0.0	286.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	286.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	286.0	0
Other Digestive Organs	0.0	0.0	286.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	286.0	0
Larynx	0.0	0.0	286.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	286.0	0
Bones and Joints	0.0	0.0	286.0	0
Soft Tissue including Heart	0.0	0.0	286.0	0
Skin excluding Basal and Squamous	0.0	0.0	286.0	0
Melanoma of the Skin	0.0	0.0	286.0	0
Other Non-Epithelial Skin	0.0	0.0	286.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	286.0	0
Ureter	0.0	0.0	286.0	0
Other Urinary Organs	0.0	0.0	286.0	0
Eye and Orbit	0.0	0.0	286.0	0
Brain and Other Nervous System	0.0	0.0	286.0	0
Brain	0.0	0.0	286.0	0
Cranial Nerves Other Nervous System	0.0	0.0	286.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	286.0	0
Lymphoma	0.0	0.0	286.0	0
Hodgkin Lymphoma	0.0	0.0	286.0	0
Hodgkin - Nodal	0.0	0.0	286.0	0
Hodgkin - Extranodal	0.0	0.0	286.0	0
Non-Hodgkin Lymphoma	0.0	0.0	286.0	0
NHL - Nodal	0.0	0.0	286.0	0
NHL - Extranodal	0.0	0.0	286.0	0
Myeloma	0.0	0.0	286.0	0
Leukemia	0.0	0.0	286.0	0
Lymphocytic Leukemia	0.0	0.0	286.0	0
Acute Lymphocytic Leukemia	0.0	0.0	286.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	286.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	286.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	286.0	0
Acute Myeloid Leukemia	0.0	0.0	286.0	0
Acute Monocytic Leukemia	0.0	0.0	286.0	0
Chronic Myeloid Leukemia	0.0	0.0	286.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	286.0	0
Other Leukemia	0.0	0.0	286.0	0
Other Acute Leukemia	0.0	0.0	286.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	286.0	0
Mesothelioma	0.0	0.0	286.0	0
Kaposi Sarcoma	0.0	0.0	286.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	493.3	424.1	574.6	227
Oral Cavity and Pharynx	15.2	5.8	40.4	8
Lip	0.0	0.0	21.6	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	21.6	0
Gum and Other Mouth	0.0	0.0	21.6	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	21.6	0
Hypopharynx	0.0	0.0	21.6	0
Other Oral Cavity and Pharynx	0.0	0.0	21.6	0
Digestive System	93.5	63.6	137.1	37
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	60.2	36.7	98.0	24
Colon excluding Rectum	40.3	20.8	75.0	15
Cecum	^	^	^	^
Appendix	0.0	0.0	21.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	19.9	8.7	46.3	9
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	21.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	21.6	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	21.6	0
Pancreas	15.3	5.3	41.4	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	21.6	0
Other Digestive Organs	0.0	0.0	21.6	0
Respiratory System	64.3	40.3	102.2	26
Nose, Nasal Cavity and Middle Ear	0.0	0.0	21.6	0
Larynx	^	^	^	^
Lung and Bronchus	60.6	37.3	98.0	24
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	21.6	0
Bones and Joints	0.0	0.0	21.6	0
Soft Tissue including Heart	0.0	0.0	21.6	0
Skin excluding Basal and Squamous	21.0	9.8	47.3	12
Melanoma of the Skin	20.0	8.9	46.2	11
Other Non-Epithelial Skin	^	^	^	^
Urinary System	35.3	18.4	66.8	16
Urinary Bladder	23.0	9.5	52.3	9
Kidney and Renal Pelvis	12.2	4.1	36.6	7
Ureter	0.0	0.0	21.6	0
Other Urinary Organs	0.0	0.0	21.6	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	21.6	0
Endocrine System	6.4	2.4	27.7	6
Thyroid	6.4	2.4	27.7	6
Other Endocrine including Thymus	0.0	0.0	21.6	0
Lymphoma	26.8	13.9	54.0	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	21.6	0
Non-Hodgkin Lymphoma	24.7	12.2	51.9	13
NHL - Nodal	21.3	9.8	48.0	11
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	21.6	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	21.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	21.6	0
Acute Myeloid Leukemia	0.0	0.0	21.6	0
Acute Monocytic Leukemia	0.0	0.0	21.6	0
Chronic Myeloid Leukemia	0.0	0.0	21.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	21.6	0
Other Leukemia	0.0	0.0	21.6	0
Other Acute Leukemia	0.0	0.0	21.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	21.6	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	21.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	703.9	386.7	1,239.6	16
Oral Cavity and Pharynx	0.0	0.0	314.4	0
Lip	0.0	0.0	314.4	0
Tongue	0.0	0.0	314.4	0
Salivary Gland	0.0	0.0	314.4	0
Floor of Mouth	0.0	0.0	314.4	0
Gum and Other Mouth	0.0	0.0	314.4	0
Nasopharynx	0.0	0.0	314.4	0
Tonsil	0.0	0.0	314.4	0
Oropharynx	0.0	0.0	314.4	0
Hypopharynx	0.0	0.0	314.4	0
Other Oral Cavity and Pharynx	0.0	0.0	314.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	314.4	0
Stomach	0.0	0.0	314.4	0
Small Intestine	0.0	0.0	314.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	314.4	0
Appendix	0.0	0.0	314.4	0
Ascending Colon	0.0	0.0	314.4	0
Hepatic Flexure	0.0	0.0	314.4	0
Transverse Colon	0.0	0.0	314.4	0
Splenic Flexure	0.0	0.0	314.4	0
Descending Colon	0.0	0.0	314.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	314.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	314.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	314.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	314.4	0
Liver	0.0	0.0	314.4	0
Intrahepatic Bile Duct	0.0	0.0	314.4	0
Gallbladder	0.0	0.0	314.4	0
Other Biliary	0.0	0.0	314.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	314.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	314.4	0
Other Digestive Organs	0.0	0.0	314.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	314.4	0
Larynx	0.0	0.0	314.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	314.4	0
Bones and Joints	0.0	0.0	314.4	0
Soft Tissue including Heart	0.0	0.0	314.4	0
Skin excluding Basal and Squamous	0.0	0.0	314.4	0
Melanoma of the Skin	0.0	0.0	314.4	0
Other Non-Epithelial Skin	0.0	0.0	314.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	314.4	0
Ureter	0.0	0.0	314.4	0
Other Urinary Organs	0.0	0.0	314.4	0
Eye and Orbit	0.0	0.0	314.4	0
Brain and Other Nervous System	0.0	0.0	314.4	0
Brain	0.0	0.0	314.4	0
Cranial Nerves Other Nervous System	0.0	0.0	314.4	0
Endocrine System	0.0	0.0	314.4	0
Thyroid	0.0	0.0	314.4	0
Other Endocrine including Thymus	0.0	0.0	314.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	314.4	0
Hodgkin - Nodal	0.0	0.0	314.4	0
Hodgkin - Extranodal	0.0	0.0	314.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	314.4	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	314.4	0
Lymphocytic Leukemia	0.0	0.0	314.4	0
Acute Lymphocytic Leukemia	0.0	0.0	314.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	314.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	314.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	314.4	0
Acute Myeloid Leukemia	0.0	0.0	314.4	0
Acute Monocytic Leukemia	0.0	0.0	314.4	0
Chronic Myeloid Leukemia	0.0	0.0	314.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	314.4	0
Other Leukemia	0.0	0.0	314.4	0
Other Acute Leukemia	0.0	0.0	314.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	314.4	0
Mesothelioma	0.0	0.0	314.4	0
Kaposi Sarcoma	0.0	0.0	314.4	0
Miscellaneous	0.0	0.0	314.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	585.5	476.9	716.5	120
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	35.8	0
Floor of Mouth	0.0	0.0	35.8	0
Gum and Other Mouth	0.0	0.0	35.8	0
Nasopharynx	0.0	0.0	35.8	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	35.8	0
Other Oral Cavity and Pharynx	0.0	0.0	35.8	0
Digestive System	111.9	65.0	184.5	20
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	57.6	25.3	117.4	10
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	35.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	35.8	0
Splenic Flexure	0.0	0.0	35.8	0
Descending Colon	0.0	0.0	35.8	0
Sigmoid Colon	0.0	0.0	35.8	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	35.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	35.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.8	0
Gallbladder	0.0	0.0	35.8	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	35.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	115.8	68.2	188.8	20
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.8	0
Larynx	^	^	^	^
Lung and Bronchus	112.3	65.3	185.0	19
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.8	0
Bones and Joints	0.0	0.0	35.8	0
Soft Tissue including Heart	0.0	0.0	35.8	0
Skin excluding Basal and Squamous	0.0	0.0	35.8	0
Melanoma of the Skin	0.0	0.0	35.8	0
Other Non-Epithelial Skin	0.0	0.0	35.8	0
Urinary System	24.2	9.2	65.4	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	35.8	0
Other Urinary Organs	0.0	0.0	35.8	0
Eye and Orbit	0.0	0.0	35.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	35.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	35.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	35.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	35.8	0
Myeloma	0.0	0.0	35.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	35.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	35.8	0
Chronic Myeloid Leukemia	0.0	0.0	35.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.8	0
Other Leukemia	0.0	0.0	35.8	0
Other Acute Leukemia	0.0	0.0	35.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.8	0
Mesothelioma	0.0	0.0	35.8	0
Kaposi Sarcoma	0.0	0.0	35.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	460.5	391.1	544.9	183
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	28.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	28.3	0
Floor of Mouth	0.0	0.0	28.3	0
Gum and Other Mouth	0.0	0.0	28.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	28.3	0
Oropharynx	0.0	0.0	28.3	0
Hypopharynx	0.0	0.0	28.3	0
Other Oral Cavity and Pharynx	0.0	0.0	28.3	0
Digestive System	87.8	55.6	138.2	29
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	28.3	0
Colon and Rectum	41.0	22.4	78.2	15
Colon excluding Rectum	27.5	12.8	61.9	10
Cecum	^	^	^	^
Appendix	0.0	0.0	28.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	28.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	28.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	28.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	28.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	28.3	0
Pancreas	20.2	5.9	56.9	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	28.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	28.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	106.6	74.2	155.8	39
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	28.3	0
Lung and Bronchus	101.8	70.1	150.4	37
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	28.3	0
Urinary System	27.5	13.5	60.9	11
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	19.7	8.3	51.4	8
Ureter	0.0	0.0	28.3	0
Other Urinary Organs	0.0	0.0	28.3	0
Eye and Orbit	0.0	0.0	28.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	28.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	28.3	0
Lymphoma	29.3	16.0	61.3	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	28.3	0
Non-Hodgkin Lymphoma	26.0	13.5	57.6	13
NHL - Nodal	21.9	10.6	52.8	11
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	28.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	28.3	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	28.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	28.3	0
Acute Monocytic Leukemia	0.0	0.0	28.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	28.3	0
Other Leukemia	0.0	0.0	28.3	0
Other Acute Leukemia	0.0	0.0	28.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	28.3	0
Mesothelioma	0.0	0.0	28.3	0
Kaposi Sarcoma	0.0	0.0	28.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	661.4	508.5	852.0	70
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	56.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	56.1	0
Floor of Mouth	0.0	0.0	56.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	56.1	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	56.1	0
Hypopharynx	0.0	0.0	56.1	0
Other Oral Cavity and Pharynx	0.0	0.0	56.1	0
Digestive System	123.5	61.2	228.6	12
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	56.1	0
Colon and Rectum	83.3	35.9	173.2	9
Colon excluding Rectum	71.5	27.3	160.0	7
Cecum	0.0	0.0	56.1	0
Appendix	0.0	0.0	56.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	56.1	0
Splenic Flexure	0.0	0.0	56.1	0
Descending Colon	0.0	0.0	56.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	56.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	56.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	56.1	0
Liver	0.0	0.0	56.1	0
Intrahepatic Bile Duct	0.0	0.0	56.1	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	56.1	0
Pancreas	0.0	0.0	56.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	56.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	56.1	0
Other Digestive Organs	0.0	0.0	56.1	0
Respiratory System	96.4	42.7	193.8	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	56.1	0
Larynx	^	^	^	^
Lung and Bronchus	85.7	35.6	180.1	8
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	56.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	56.1	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	56.1	0
Ureter	0.0	0.0	56.1	0
Other Urinary Organs	0.0	0.0	56.1	0
Eye and Orbit	0.0	0.0	56.1	0
Brain and Other Nervous System	0.0	0.0	56.1	0
Brain	0.0	0.0	56.1	0
Cranial Nerves Other Nervous System	0.0	0.0	56.1	0
Endocrine System	0.0	0.0	56.1	0
Thyroid	0.0	0.0	56.1	0
Other Endocrine including Thymus	0.0	0.0	56.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	56.1	0
Hodgkin - Nodal	0.0	0.0	56.1	0
Hodgkin - Extranodal	0.0	0.0	56.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	56.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	56.1	0
Acute Lymphocytic Leukemia	0.0	0.0	56.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	56.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	56.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	56.1	0
Chronic Myeloid Leukemia	0.0	0.0	56.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	56.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	56.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	457.5	284.4	731.1	29
Oral Cavity and Pharynx	0.0	0.0	154.6	0
Lip	0.0	0.0	154.6	0
Tongue	0.0	0.0	154.6	0
Salivary Gland	0.0	0.0	154.6	0
Floor of Mouth	0.0	0.0	154.6	0
Gum and Other Mouth	0.0	0.0	154.6	0
Nasopharynx	0.0	0.0	154.6	0
Tonsil	0.0	0.0	154.6	0
Oropharynx	0.0	0.0	154.6	0
Hypopharynx	0.0	0.0	154.6	0
Other Oral Cavity and Pharynx	0.0	0.0	154.6	0
Digestive System	133.8	44.9	342.2	7
Esophagus	0.0	0.0	154.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	154.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	154.6	0
Ascending Colon	0.0	0.0	154.6	0
Hepatic Flexure	0.0	0.0	154.6	0
Transverse Colon	0.0	0.0	154.6	0
Splenic Flexure	0.0	0.0	154.6	0
Descending Colon	0.0	0.0	154.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	154.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	154.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	154.6	0
Gallbladder	0.0	0.0	154.6	0
Other Biliary	0.0	0.0	154.6	0
Pancreas	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	154.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	154.6	0
Other Digestive Organs	0.0	0.0	154.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	154.6	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	154.6	0
Bones and Joints	0.0	0.0	154.6	0
Soft Tissue including Heart	0.0	0.0	154.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	154.6	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	154.6	0
Ureter	0.0	0.0	154.6	0
Other Urinary Organs	0.0	0.0	154.6	0
Eye and Orbit	0.0	0.0	154.6	0
Brain and Other Nervous System	0.0	0.0	154.6	0
Brain	0.0	0.0	154.6	0
Cranial Nerves Other Nervous System	0.0	0.0	154.6	0
Endocrine System	0.0	0.0	154.6	0
Thyroid	0.0	0.0	154.6	0
Other Endocrine including Thymus	0.0	0.0	154.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	154.6	0
Hodgkin - Nodal	0.0	0.0	154.6	0
Hodgkin - Extranodal	0.0	0.0	154.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	154.6	0
Acute Lymphocytic Leukemia	0.0	0.0	154.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	154.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	154.6	0
Acute Myeloid Leukemia	0.0	0.0	154.6	0
Acute Monocytic Leukemia	0.0	0.0	154.6	0
Chronic Myeloid Leukemia	0.0	0.0	154.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	154.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	154.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	154.6	0
Kaposi Sarcoma	0.0	0.0	154.6	0
Miscellaneous	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	822.7	0
Lip	0.0	0.0	822.7	0
Tongue	0.0	0.0	822.7	0
Salivary Gland	0.0	0.0	822.7	0
Floor of Mouth	0.0	0.0	822.7	0
Gum and Other Mouth	0.0	0.0	822.7	0
Nasopharynx	0.0	0.0	822.7	0
Tonsil	0.0	0.0	822.7	0
Oropharynx	0.0	0.0	822.7	0
Hypopharynx	0.0	0.0	822.7	0
Other Oral Cavity and Pharynx	0.0	0.0	822.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	822.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	822.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	822.7	0
Cecum	0.0	0.0	822.7	0
Appendix	0.0	0.0	822.7	0
Ascending Colon	0.0	0.0	822.7	0
Hepatic Flexure	0.0	0.0	822.7	0
Transverse Colon	0.0	0.0	822.7	0
Splenic Flexure	0.0	0.0	822.7	0
Descending Colon	0.0	0.0	822.7	0
Sigmoid Colon	0.0	0.0	822.7	0
Large Intestine, NOS	0.0	0.0	822.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	822.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	822.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	822.7	0
Liver	0.0	0.0	822.7	0
Intrahepatic Bile Duct	0.0	0.0	822.7	0
Gallbladder	0.0	0.0	822.7	0
Other Biliary	0.0	0.0	822.7	0
Pancreas	0.0	0.0	822.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	822.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	822.7	0
Other Digestive Organs	0.0	0.0	822.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	822.7	0
Larynx	0.0	0.0	822.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	822.7	0
Bones and Joints	0.0	0.0	822.7	0
Soft Tissue including Heart	0.0	0.0	822.7	0
Skin excluding Basal and Squamous	0.0	0.0	822.7	0
Melanoma of the Skin	0.0	0.0	822.7	0
Other Non-Epithelial Skin	0.0	0.0	822.7	0
Urinary System	0.0	0.0	822.7	0
Urinary Bladder	0.0	0.0	822.7	0
Kidney and Renal Pelvis	0.0	0.0	822.7	0
Ureter	0.0	0.0	822.7	0
Other Urinary Organs	0.0	0.0	822.7	0
Eye and Orbit	0.0	0.0	822.7	0
Brain and Other Nervous System	0.0	0.0	822.7	0
Brain	0.0	0.0	822.7	0
Cranial Nerves Other Nervous System	0.0	0.0	822.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	822.7	0
Lymphoma	0.0	0.0	822.7	0
Hodgkin Lymphoma	0.0	0.0	822.7	0
Hodgkin - Nodal	0.0	0.0	822.7	0
Hodgkin - Extranodal	0.0	0.0	822.7	0
Non-Hodgkin Lymphoma	0.0	0.0	822.7	0
NHL - Nodal	0.0	0.0	822.7	0
NHL - Extranodal	0.0	0.0	822.7	0
Myeloma	0.0	0.0	822.7	0
Leukemia	0.0	0.0	822.7	0
Lymphocytic Leukemia	0.0	0.0	822.7	0
Acute Lymphocytic Leukemia	0.0	0.0	822.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	822.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	822.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	822.7	0
Acute Myeloid Leukemia	0.0	0.0	822.7	0
Acute Monocytic Leukemia	0.0	0.0	822.7	0
Chronic Myeloid Leukemia	0.0	0.0	822.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	822.7	0
Other Leukemia	0.0	0.0	822.7	0
Other Acute Leukemia	0.0	0.0	822.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	822.7	0
Mesothelioma	0.0	0.0	822.7	0
Kaposi Sarcoma	0.0	0.0	822.7	0
Miscellaneous	0.0	0.0	822.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	555.0	470.9	655.6	201
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	29.8	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	29.8	0
Nasopharynx	0.0	0.0	29.8	0
Tonsil	0.0	0.0	29.8	0
Oropharynx	0.0	0.0	29.8	0
Hypopharynx	0.0	0.0	29.8	0
Other Oral Cavity and Pharynx	0.0	0.0	29.8	0
Digestive System	101.3	65.6	155.9	34
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	58.1	32.4	103.8	18
Colon excluding Rectum	53.2	28.4	98.2	16
Cecum	25.5	8.7	65.3	6
Appendix	0.0	0.0	29.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	29.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	29.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	29.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	29.8	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	29.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	29.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	29.8	0
Respiratory System	95.0	62.6	145.7	32
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	83.8	53.5	132.7	28
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	29.8	0
Bones and Joints	0.0	0.0	29.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	34.5	15.3	75.0	13
Melanoma of the Skin	34.5	15.3	75.0	13
Other Non-Epithelial Skin	0.0	0.0	29.8	0
Urinary System	66.9	38.1	115.8	19
Urinary Bladder	41.1	19.3	84.0	11
Kidney and Renal Pelvis	22.5	7.6	60.0	7
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	29.8	0
Eye and Orbit	0.0	0.0	29.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	29.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	29.8	0
Lymphoma	19.7	8.6	52.2	9
Hodgkin Lymphoma	0.0	0.0	29.8	0
Hodgkin - Nodal	0.0	0.0	29.8	0
Hodgkin - Extranodal	0.0	0.0	29.8	0
Non-Hodgkin Lymphoma	19.7	8.6	52.2	9
NHL - Nodal	19.7	8.6	52.2	9
NHL - Extranodal	0.0	0.0	29.8	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	29.8	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	29.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	29.8	0
Acute Myeloid Leukemia	0.0	0.0	29.8	0
Acute Monocytic Leukemia	0.0	0.0	29.8	0
Chronic Myeloid Leukemia	0.0	0.0	29.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	29.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	29.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	29.8	0
Kaposi Sarcoma	0.0	0.0	29.8	0
Miscellaneous	0.0	0.0	29.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	604.1	406.1	885.9	33
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	126.6	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	126.6	0
Floor of Mouth	0.0	0.0	126.6	0
Gum and Other Mouth	0.0	0.0	126.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	126.6	0
Oropharynx	0.0	0.0	126.6	0
Hypopharynx	0.0	0.0	126.6	0
Other Oral Cavity and Pharynx	0.0	0.0	126.6	0
Digestive System	372.9	218.4	615.7	19
Esophagus	0.0	0.0	126.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	126.6	0
Colon and Rectum	181.4	85.2	368.1	10
Colon excluding Rectum	153.1	64.9	334.3	8
Cecum	^	^	^	^
Appendix	0.0	0.0	126.6	0
Ascending Colon	0.0	0.0	126.6	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	126.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	126.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	126.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	126.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	126.6	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	126.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	126.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	126.6	0
Other Digestive Organs	0.0	0.0	126.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	126.6	0
Larynx	0.0	0.0	126.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	126.6	0
Bones and Joints	0.0	0.0	126.6	0
Soft Tissue including Heart	0.0	0.0	126.6	0
Skin excluding Basal and Squamous	0.0	0.0	126.6	0
Melanoma of the Skin	0.0	0.0	126.6	0
Other Non-Epithelial Skin	0.0	0.0	126.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	126.6	0
Other Urinary Organs	0.0	0.0	126.6	0
Eye and Orbit	0.0	0.0	126.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	126.6	0
Endocrine System	0.0	0.0	126.6	0
Thyroid	0.0	0.0	126.6	0
Other Endocrine including Thymus	0.0	0.0	126.6	0
Lymphoma	0.0	0.0	126.6	0
Hodgkin Lymphoma	0.0	0.0	126.6	0
Hodgkin - Nodal	0.0	0.0	126.6	0
Hodgkin - Extranodal	0.0	0.0	126.6	0
Non-Hodgkin Lymphoma	0.0	0.0	126.6	0
NHL - Nodal	0.0	0.0	126.6	0
NHL - Extranodal	0.0	0.0	126.6	0
Myeloma	0.0	0.0	126.6	0
Leukemia	0.0	0.0	126.6	0
Lymphocytic Leukemia	0.0	0.0	126.6	0
Acute Lymphocytic Leukemia	0.0	0.0	126.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	126.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	126.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	126.6	0
Acute Myeloid Leukemia	0.0	0.0	126.6	0
Acute Monocytic Leukemia	0.0	0.0	126.6	0
Chronic Myeloid Leukemia	0.0	0.0	126.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	126.6	0
Other Leukemia	0.0	0.0	126.6	0
Other Acute Leukemia	0.0	0.0	126.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	126.6	0
Mesothelioma	0.0	0.0	126.6	0
Kaposi Sarcoma	0.0	0.0	126.6	0
Miscellaneous	0.0	0.0	126.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	590.4	320.1	1,113.3	22
Oral Cavity and Pharynx	0.0	0.0	381.4	0
Lip	0.0	0.0	381.4	0
Tongue	0.0	0.0	381.4	0
Salivary Gland	0.0	0.0	381.4	0
Floor of Mouth	0.0	0.0	381.4	0
Gum and Other Mouth	0.0	0.0	381.4	0
Nasopharynx	0.0	0.0	381.4	0
Tonsil	0.0	0.0	381.4	0
Oropharynx	0.0	0.0	381.4	0
Hypopharynx	0.0	0.0	381.4	0
Other Oral Cavity and Pharynx	0.0	0.0	381.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	381.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	381.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	381.4	0
Appendix	0.0	0.0	381.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	381.4	0
Transverse Colon	0.0	0.0	381.4	0
Splenic Flexure	0.0	0.0	381.4	0
Descending Colon	0.0	0.0	381.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	381.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	381.4	0
Rectosigmoid Junction	0.0	0.0	381.4	0
Rectum	0.0	0.0	381.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	381.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	381.4	0
Liver	0.0	0.0	381.4	0
Intrahepatic Bile Duct	0.0	0.0	381.4	0
Gallbladder	0.0	0.0	381.4	0
Other Biliary	0.0	0.0	381.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	381.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	381.4	0
Other Digestive Organs	0.0	0.0	381.4	0
Respiratory System	174.1	55.2	584.9	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	381.4	0
Larynx	0.0	0.0	381.4	0
Lung and Bronchus	174.1	55.2	584.9	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	381.4	0
Bones and Joints	0.0	0.0	381.4	0
Soft Tissue including Heart	0.0	0.0	381.4	0
Skin excluding Basal and Squamous	0.0	0.0	381.4	0
Melanoma of the Skin	0.0	0.0	381.4	0
Other Non-Epithelial Skin	0.0	0.0	381.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	381.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	381.4	0
Other Urinary Organs	0.0	0.0	381.4	0
Eye and Orbit	0.0	0.0	381.4	0
Brain and Other Nervous System	0.0	0.0	381.4	0
Brain	0.0	0.0	381.4	0
Cranial Nerves Other Nervous System	0.0	0.0	381.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	381.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	381.4	0
Hodgkin - Nodal	0.0	0.0	381.4	0
Hodgkin - Extranodal	0.0	0.0	381.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	381.4	0
Myeloma	0.0	0.0	381.4	0
Leukemia	0.0	0.0	381.4	0
Lymphocytic Leukemia	0.0	0.0	381.4	0
Acute Lymphocytic Leukemia	0.0	0.0	381.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	381.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	381.4	0
Acute Myeloid Leukemia	0.0	0.0	381.4	0
Acute Monocytic Leukemia	0.0	0.0	381.4	0
Chronic Myeloid Leukemia	0.0	0.0	381.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	381.4	0
Other Leukemia	0.0	0.0	381.4	0
Other Acute Leukemia	0.0	0.0	381.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	381.4	0
Mesothelioma	0.0	0.0	381.4	0
Kaposi Sarcoma	0.0	0.0	381.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	269.2	114.6	606.4	10
Oral Cavity and Pharynx	0.0	0.0	253.2	0
Lip	0.0	0.0	253.2	0
Tongue	0.0	0.0	253.2	0
Salivary Gland	0.0	0.0	253.2	0
Floor of Mouth	0.0	0.0	253.2	0
Gum and Other Mouth	0.0	0.0	253.2	0
Nasopharynx	0.0	0.0	253.2	0
Tonsil	0.0	0.0	253.2	0
Oropharynx	0.0	0.0	253.2	0
Hypopharynx	0.0	0.0	253.2	0
Other Oral Cavity and Pharynx	0.0	0.0	253.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	253.2	0
Stomach	0.0	0.0	253.2	0
Small Intestine	0.0	0.0	253.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	253.2	0
Appendix	0.0	0.0	253.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	253.2	0
Transverse Colon	0.0	0.0	253.2	0
Splenic Flexure	0.0	0.0	253.2	0
Descending Colon	0.0	0.0	253.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	253.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	253.2	0
Rectosigmoid Junction	0.0	0.0	253.2	0
Rectum	0.0	0.0	253.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	253.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	253.2	0
Liver	0.0	0.0	253.2	0
Intrahepatic Bile Duct	0.0	0.0	253.2	0
Gallbladder	0.0	0.0	253.2	0
Other Biliary	0.0	0.0	253.2	0
Pancreas	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	253.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	253.2	0
Other Digestive Organs	0.0	0.0	253.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	253.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	253.2	0
Bones and Joints	0.0	0.0	253.2	0
Soft Tissue including Heart	0.0	0.0	253.2	0
Skin excluding Basal and Squamous	0.0	0.0	253.2	0
Melanoma of the Skin	0.0	0.0	253.2	0
Other Non-Epithelial Skin	0.0	0.0	253.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	253.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	253.2	0
Other Urinary Organs	0.0	0.0	253.2	0
Eye and Orbit	0.0	0.0	253.2	0
Brain and Other Nervous System	0.0	0.0	253.2	0
Brain	0.0	0.0	253.2	0
Cranial Nerves Other Nervous System	0.0	0.0	253.2	0
Endocrine System	0.0	0.0	253.2	0
Thyroid	0.0	0.0	253.2	0
Other Endocrine including Thymus	0.0	0.0	253.2	0
Lymphoma	0.0	0.0	253.2	0
Hodgkin Lymphoma	0.0	0.0	253.2	0
Hodgkin - Nodal	0.0	0.0	253.2	0
Hodgkin - Extranodal	0.0	0.0	253.2	0
Non-Hodgkin Lymphoma	0.0	0.0	253.2	0
NHL - Nodal	0.0	0.0	253.2	0
NHL - Extranodal	0.0	0.0	253.2	0
Myeloma	0.0	0.0	253.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	253.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	253.2	0
Chronic Myeloid Leukemia	0.0	0.0	253.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	253.2	0
Other Leukemia	0.0	0.0	253.2	0
Other Acute Leukemia	0.0	0.0	253.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	253.2	0
Mesothelioma	0.0	0.0	253.2	0
Kaposi Sarcoma	0.0	0.0	253.2	0
Miscellaneous	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	501.5	256.0	1,005.0	18
Oral Cavity and Pharynx	0.0	0.0	381.4	0
Lip	0.0	0.0	381.4	0
Tongue	0.0	0.0	381.4	0
Salivary Gland	0.0	0.0	381.4	0
Floor of Mouth	0.0	0.0	381.4	0
Gum and Other Mouth	0.0	0.0	381.4	0
Nasopharynx	0.0	0.0	381.4	0
Tonsil	0.0	0.0	381.4	0
Oropharynx	0.0	0.0	381.4	0
Hypopharynx	0.0	0.0	381.4	0
Other Oral Cavity and Pharynx	0.0	0.0	381.4	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	381.4	0
Small Intestine	0.0	0.0	381.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	381.4	0
Appendix	0.0	0.0	381.4	0
Ascending Colon	0.0	0.0	381.4	0
Hepatic Flexure	0.0	0.0	381.4	0
Transverse Colon	0.0	0.0	381.4	0
Splenic Flexure	0.0	0.0	381.4	0
Descending Colon	0.0	0.0	381.4	0
Sigmoid Colon	0.0	0.0	381.4	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	381.4	0
Rectosigmoid Junction	0.0	0.0	381.4	0
Rectum	0.0	0.0	381.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	381.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	381.4	0
Liver	0.0	0.0	381.4	0
Intrahepatic Bile Duct	0.0	0.0	381.4	0
Gallbladder	0.0	0.0	381.4	0
Other Biliary	0.0	0.0	381.4	0
Pancreas	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	381.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	381.4	0
Other Digestive Organs	0.0	0.0	381.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	381.4	0
Larynx	0.0	0.0	381.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	381.4	0
Bones and Joints	0.0	0.0	381.4	0
Soft Tissue including Heart	0.0	0.0	381.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	381.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	381.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	381.4	0
Other Urinary Organs	0.0	0.0	381.4	0
Eye and Orbit	0.0	0.0	381.4	0
Brain and Other Nervous System	0.0	0.0	381.4	0
Brain	0.0	0.0	381.4	0
Cranial Nerves Other Nervous System	0.0	0.0	381.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	381.4	0
Lymphoma	0.0	0.0	381.4	0
Hodgkin Lymphoma	0.0	0.0	381.4	0
Hodgkin - Nodal	0.0	0.0	381.4	0
Hodgkin - Extranodal	0.0	0.0	381.4	0
Non-Hodgkin Lymphoma	0.0	0.0	381.4	0
NHL - Nodal	0.0	0.0	381.4	0
NHL - Extranodal	0.0	0.0	381.4	0
Myeloma	0.0	0.0	381.4	0
Leukemia	0.0	0.0	381.4	0
Lymphocytic Leukemia	0.0	0.0	381.4	0
Acute Lymphocytic Leukemia	0.0	0.0	381.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	381.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	381.4	0
Acute Myeloid Leukemia	0.0	0.0	381.4	0
Acute Monocytic Leukemia	0.0	0.0	381.4	0
Chronic Myeloid Leukemia	0.0	0.0	381.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	381.4	0
Other Leukemia	0.0	0.0	381.4	0
Other Acute Leukemia	0.0	0.0	381.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	381.4	0
Mesothelioma	0.0	0.0	381.4	0
Kaposi Sarcoma	0.0	0.0	381.4	0
Miscellaneous	0.0	0.0	381.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	487.5	325.1	717.4	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	99.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	99.7	0
Floor of Mouth	0.0	0.0	99.7	0
Gum and Other Mouth	0.0	0.0	99.7	0
Nasopharynx	0.0	0.0	99.7	0
Tonsil	0.0	0.0	99.7	0
Oropharynx	0.0	0.0	99.7	0
Hypopharynx	0.0	0.0	99.7	0
Other Oral Cavity and Pharynx	0.0	0.0	99.7	0
Digestive System	136.0	63.0	280.2	10
Esophagus	0.0	0.0	99.7	0
Stomach	0.0	0.0	99.7	0
Small Intestine	0.0	0.0	99.7	0
Colon and Rectum	106.5	44.0	241.8	8
Colon excluding Rectum	73.4	26.1	195.0	6
Cecum	0.0	0.0	99.7	0
Appendix	0.0	0.0	99.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	99.7	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	99.7	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	99.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	99.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	99.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	99.7	0
Gallbladder	0.0	0.0	99.7	0
Other Biliary	0.0	0.0	99.7	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	99.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	99.7	0
Other Digestive Organs	0.0	0.0	99.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	99.7	0
Larynx	0.0	0.0	99.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	99.7	0
Bones and Joints	0.0	0.0	99.7	0
Soft Tissue including Heart	0.0	0.0	99.7	0
Skin excluding Basal and Squamous	0.0	0.0	99.7	0
Melanoma of the Skin	0.0	0.0	99.7	0
Other Non-Epithelial Skin	0.0	0.0	99.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	99.7	0
Other Urinary Organs	0.0	0.0	99.7	0
Eye and Orbit	0.0	0.0	99.7	0
Brain and Other Nervous System	0.0	0.0	99.7	0
Brain	0.0	0.0	99.7	0
Cranial Nerves Other Nervous System	0.0	0.0	99.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	99.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	99.7	0
Hodgkin - Nodal	0.0	0.0	99.7	0
Hodgkin - Extranodal	0.0	0.0	99.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	99.7	0
Myeloma	0.0	0.0	99.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	99.7	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	99.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	99.7	0
Acute Myeloid Leukemia	0.0	0.0	99.7	0
Acute Monocytic Leukemia	0.0	0.0	99.7	0
Chronic Myeloid Leukemia	0.0	0.0	99.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	99.7	0
Other Leukemia	0.0	0.0	99.7	0
Other Acute Leukemia	0.0	0.0	99.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	99.7	0
Mesothelioma	0.0	0.0	99.7	0
Kaposi Sarcoma	0.0	0.0	99.7	0
Miscellaneous	0.0	0.0	99.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	305.8	156.1	657.4	12
Oral Cavity and Pharynx	0.0	0.0	299.2	0
Lip	0.0	0.0	299.2	0
Tongue	0.0	0.0	299.2	0
Salivary Gland	0.0	0.0	299.2	0
Floor of Mouth	0.0	0.0	299.2	0
Gum and Other Mouth	0.0	0.0	299.2	0
Nasopharynx	0.0	0.0	299.2	0
Tonsil	0.0	0.0	299.2	0
Oropharynx	0.0	0.0	299.2	0
Hypopharynx	0.0	0.0	299.2	0
Other Oral Cavity and Pharynx	0.0	0.0	299.2	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	299.2	0
Colon and Rectum	0.0	0.0	299.2	0
Colon excluding Rectum	0.0	0.0	299.2	0
Cecum	0.0	0.0	299.2	0
Appendix	0.0	0.0	299.2	0
Ascending Colon	0.0	0.0	299.2	0
Hepatic Flexure	0.0	0.0	299.2	0
Transverse Colon	0.0	0.0	299.2	0
Splenic Flexure	0.0	0.0	299.2	0
Descending Colon	0.0	0.0	299.2	0
Sigmoid Colon	0.0	0.0	299.2	0
Large Intestine, NOS	0.0	0.0	299.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	299.2	0
Rectosigmoid Junction	0.0	0.0	299.2	0
Rectum	0.0	0.0	299.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	299.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	299.2	0
Liver	0.0	0.0	299.2	0
Intrahepatic Bile Duct	0.0	0.0	299.2	0
Gallbladder	0.0	0.0	299.2	0
Other Biliary	0.0	0.0	299.2	0
Pancreas	0.0	0.0	299.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	299.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	299.2	0
Other Digestive Organs	0.0	0.0	299.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	299.2	0
Larynx	0.0	0.0	299.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	299.2	0
Bones and Joints	0.0	0.0	299.2	0
Soft Tissue including Heart	0.0	0.0	299.2	0
Skin excluding Basal and Squamous	0.0	0.0	299.2	0
Melanoma of the Skin	0.0	0.0	299.2	0
Other Non-Epithelial Skin	0.0	0.0	299.2	0
Urinary System	0.0	0.0	299.2	0
Urinary Bladder	0.0	0.0	299.2	0
Kidney and Renal Pelvis	0.0	0.0	299.2	0
Ureter	0.0	0.0	299.2	0
Other Urinary Organs	0.0	0.0	299.2	0
Eye and Orbit	0.0	0.0	299.2	0
Brain and Other Nervous System	0.0	0.0	299.2	0
Brain	0.0	0.0	299.2	0
Cranial Nerves Other Nervous System	0.0	0.0	299.2	0
Endocrine System	0.0	0.0	299.2	0
Thyroid	0.0	0.0	299.2	0
Other Endocrine including Thymus	0.0	0.0	299.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	299.2	0
Hodgkin - Nodal	0.0	0.0	299.2	0
Hodgkin - Extranodal	0.0	0.0	299.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	299.2	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	299.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	299.2	0
Acute Lymphocytic Leukemia	0.0	0.0	299.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	299.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	299.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	299.2	0
Chronic Myeloid Leukemia	0.0	0.0	299.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	299.2	0
Other Leukemia	0.0	0.0	299.2	0
Other Acute Leukemia	0.0	0.0	299.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	299.2	0
Mesothelioma	0.0	0.0	299.2	0
Kaposi Sarcoma	0.0	0.0	299.2	0
Miscellaneous	0.0	0.0	299.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	687.4	401.8	1,163.3	25
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	286.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	286.0	0
Floor of Mouth	0.0	0.0	286.0	0
Gum and Other Mouth	0.0	0.0	286.0	0
Nasopharynx	0.0	0.0	286.0	0
Tonsil	0.0	0.0	286.0	0
Oropharynx	0.0	0.0	286.0	0
Hypopharynx	0.0	0.0	286.0	0
Other Oral Cavity and Pharynx	0.0	0.0	286.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	286.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	286.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	286.0	0
Ascending Colon	0.0	0.0	286.0	0
Hepatic Flexure	0.0	0.0	286.0	0
Transverse Colon	0.0	0.0	286.0	0
Splenic Flexure	0.0	0.0	286.0	0
Descending Colon	0.0	0.0	286.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	286.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	286.0	0
Rectosigmoid Junction	0.0	0.0	286.0	0
Rectum	0.0	0.0	286.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	286.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	286.0	0
Liver	0.0	0.0	286.0	0
Intrahepatic Bile Duct	0.0	0.0	286.0	0
Gallbladder	0.0	0.0	286.0	0
Other Biliary	0.0	0.0	286.0	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	286.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	286.0	0
Other Digestive Organs	0.0	0.0	286.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	286.0	0
Larynx	0.0	0.0	286.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	286.0	0
Bones and Joints	0.0	0.0	286.0	0
Soft Tissue including Heart	0.0	0.0	286.0	0
Skin excluding Basal and Squamous	0.0	0.0	286.0	0
Melanoma of the Skin	0.0	0.0	286.0	0
Other Non-Epithelial Skin	0.0	0.0	286.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	286.0	0
Other Urinary Organs	0.0	0.0	286.0	0
Eye and Orbit	0.0	0.0	286.0	0
Brain and Other Nervous System	0.0	0.0	286.0	0
Brain	0.0	0.0	286.0	0
Cranial Nerves Other Nervous System	0.0	0.0	286.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	286.0	0
Lymphoma	0.0	0.0	286.0	0
Hodgkin Lymphoma	0.0	0.0	286.0	0
Hodgkin - Nodal	0.0	0.0	286.0	0
Hodgkin - Extranodal	0.0	0.0	286.0	0
Non-Hodgkin Lymphoma	0.0	0.0	286.0	0
NHL - Nodal	0.0	0.0	286.0	0
NHL - Extranodal	0.0	0.0	286.0	0
Myeloma	0.0	0.0	286.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	286.0	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	286.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	286.0	0
Acute Myeloid Leukemia	0.0	0.0	286.0	0
Acute Monocytic Leukemia	0.0	0.0	286.0	0
Chronic Myeloid Leukemia	0.0	0.0	286.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	286.0	0
Other Leukemia	0.0	0.0	286.0	0
Other Acute Leukemia	0.0	0.0	286.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	286.0	0
Mesothelioma	0.0	0.0	286.0	0
Kaposi Sarcoma	0.0	0.0	286.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	516.5	346.0	767.8	38
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	127.1	0
Floor of Mouth	0.0	0.0	127.1	0
Gum and Other Mouth	0.0	0.0	127.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	127.1	0
Oropharynx	0.0	0.0	127.1	0
Hypopharynx	0.0	0.0	127.1	0
Other Oral Cavity and Pharynx	0.0	0.0	127.1	0
Digestive System	72.8	23.5	218.5	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	127.1	0
Small Intestine	0.0	0.0	127.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	127.1	0
Appendix	0.0	0.0	127.1	0
Ascending Colon	0.0	0.0	127.1	0
Hepatic Flexure	0.0	0.0	127.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	127.1	0
Descending Colon	0.0	0.0	127.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	127.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	127.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	127.1	0
Liver	0.0	0.0	127.1	0
Intrahepatic Bile Duct	0.0	0.0	127.1	0
Gallbladder	0.0	0.0	127.1	0
Other Biliary	0.0	0.0	127.1	0
Pancreas	0.0	0.0	127.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	127.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.1	0
Other Digestive Organs	0.0	0.0	127.1	0
Respiratory System	158.5	71.6	336.3	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.1	0
Larynx	^	^	^	^
Lung and Bronchus	131.4	52.7	303.8	9
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.1	0
Bones and Joints	0.0	0.0	127.1	0
Soft Tissue including Heart	0.0	0.0	127.1	0
Skin excluding Basal and Squamous	0.0	0.0	127.1	0
Melanoma of the Skin	0.0	0.0	127.1	0
Other Non-Epithelial Skin	0.0	0.0	127.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	127.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	127.1	0
Other Urinary Organs	0.0	0.0	127.1	0
Eye and Orbit	0.0	0.0	127.1	0
Brain and Other Nervous System	0.0	0.0	127.1	0
Brain	0.0	0.0	127.1	0
Cranial Nerves Other Nervous System	0.0	0.0	127.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	127.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	127.1	0
Hodgkin - Nodal	0.0	0.0	127.1	0
Hodgkin - Extranodal	0.0	0.0	127.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	127.1	0
Leukemia	0.0	0.0	127.1	0
Lymphocytic Leukemia	0.0	0.0	127.1	0
Acute Lymphocytic Leukemia	0.0	0.0	127.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	127.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.1	0
Acute Myeloid Leukemia	0.0	0.0	127.1	0
Acute Monocytic Leukemia	0.0	0.0	127.1	0
Chronic Myeloid Leukemia	0.0	0.0	127.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.1	0
Other Leukemia	0.0	0.0	127.1	0
Other Acute Leukemia	0.0	0.0	127.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.1	0
Mesothelioma	0.0	0.0	127.1	0
Kaposi Sarcoma	0.0	0.0	127.1	0
Miscellaneous	0.0	0.0	127.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	535.8	271.5	1,033.3	15
Oral Cavity and Pharynx	0.0	0.0	336.5	0
Lip	0.0	0.0	336.5	0
Tongue	0.0	0.0	336.5	0
Salivary Gland	0.0	0.0	336.5	0
Floor of Mouth	0.0	0.0	336.5	0
Gum and Other Mouth	0.0	0.0	336.5	0
Nasopharynx	0.0	0.0	336.5	0
Tonsil	0.0	0.0	336.5	0
Oropharynx	0.0	0.0	336.5	0
Hypopharynx	0.0	0.0	336.5	0
Other Oral Cavity and Pharynx	0.0	0.0	336.5	0
Digestive System	284.6	113.0	700.9	8
Esophagus	0.0	0.0	336.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	336.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	336.5	0
Appendix	0.0	0.0	336.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	336.5	0
Splenic Flexure	0.0	0.0	336.5	0
Descending Colon	0.0	0.0	336.5	0
Sigmoid Colon	0.0	0.0	336.5	0
Large Intestine, NOS	0.0	0.0	336.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	336.5	0
Rectosigmoid Junction	0.0	0.0	336.5	0
Rectum	0.0	0.0	336.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	336.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	336.5	0
Liver	0.0	0.0	336.5	0
Intrahepatic Bile Duct	0.0	0.0	336.5	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	336.5	0
Pancreas	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	336.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	336.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	336.5	0
Larynx	0.0	0.0	336.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	336.5	0
Bones and Joints	0.0	0.0	336.5	0
Soft Tissue including Heart	0.0	0.0	336.5	0
Skin excluding Basal and Squamous	0.0	0.0	336.5	0
Melanoma of the Skin	0.0	0.0	336.5	0
Other Non-Epithelial Skin	0.0	0.0	336.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	336.5	0
Ureter	0.0	0.0	336.5	0
Other Urinary Organs	0.0	0.0	336.5	0
Eye and Orbit	0.0	0.0	336.5	0
Brain and Other Nervous System	0.0	0.0	336.5	0
Brain	0.0	0.0	336.5	0
Cranial Nerves Other Nervous System	0.0	0.0	336.5	0
Endocrine System	0.0	0.0	336.5	0
Thyroid	0.0	0.0	336.5	0
Other Endocrine including Thymus	0.0	0.0	336.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	336.5	0
Hodgkin - Nodal	0.0	0.0	336.5	0
Hodgkin - Extranodal	0.0	0.0	336.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	336.5	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	336.5	0
Leukemia	0.0	0.0	336.5	0
Lymphocytic Leukemia	0.0	0.0	336.5	0
Acute Lymphocytic Leukemia	0.0	0.0	336.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	336.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	336.5	0
Acute Myeloid Leukemia	0.0	0.0	336.5	0
Acute Monocytic Leukemia	0.0	0.0	336.5	0
Chronic Myeloid Leukemia	0.0	0.0	336.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	336.5	0
Other Leukemia	0.0	0.0	336.5	0
Other Acute Leukemia	0.0	0.0	336.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	336.5	0
Mesothelioma	0.0	0.0	336.5	0
Kaposi Sarcoma	0.0	0.0	336.5	0
Miscellaneous	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	412.5	261.8	630.3	24
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	94.7	0
Tongue	0.0	0.0	94.7	0
Salivary Gland	0.0	0.0	94.7	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	94.7	0
Nasopharynx	0.0	0.0	94.7	0
Tonsil	0.0	0.0	94.7	0
Oropharynx	0.0	0.0	94.7	0
Hypopharynx	0.0	0.0	94.7	0
Other Oral Cavity and Pharynx	0.0	0.0	94.7	0
Digestive System	116.1	42.1	266.4	6
Esophagus	0.0	0.0	94.7	0
Stomach	0.0	0.0	94.7	0
Small Intestine	0.0	0.0	94.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	94.7	0
Ascending Colon	0.0	0.0	94.7	0
Hepatic Flexure	0.0	0.0	94.7	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	94.7	0
Descending Colon	0.0	0.0	94.7	0
Sigmoid Colon	0.0	0.0	94.7	0
Large Intestine, NOS	0.0	0.0	94.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	94.7	0
Rectosigmoid Junction	0.0	0.0	94.7	0
Rectum	0.0	0.0	94.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	94.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	94.7	0
Liver	0.0	0.0	94.7	0
Intrahepatic Bile Duct	0.0	0.0	94.7	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	94.7	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	94.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.7	0
Other Digestive Organs	0.0	0.0	94.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.7	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.7	0
Bones and Joints	0.0	0.0	94.7	0
Soft Tissue including Heart	0.0	0.0	94.7	0
Skin excluding Basal and Squamous	0.0	0.0	94.7	0
Melanoma of the Skin	0.0	0.0	94.7	0
Other Non-Epithelial Skin	0.0	0.0	94.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	94.7	0
Other Urinary Organs	0.0	0.0	94.7	0
Eye and Orbit	0.0	0.0	94.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	94.7	0
Endocrine System	0.0	0.0	94.7	0
Thyroid	0.0	0.0	94.7	0
Other Endocrine including Thymus	0.0	0.0	94.7	0
Lymphoma	0.0	0.0	94.7	0
Hodgkin Lymphoma	0.0	0.0	94.7	0
Hodgkin - Nodal	0.0	0.0	94.7	0
Hodgkin - Extranodal	0.0	0.0	94.7	0
Non-Hodgkin Lymphoma	0.0	0.0	94.7	0
NHL - Nodal	0.0	0.0	94.7	0
NHL - Extranodal	0.0	0.0	94.7	0
Myeloma	0.0	0.0	94.7	0
Leukemia	0.0	0.0	94.7	0
Lymphocytic Leukemia	0.0	0.0	94.7	0
Acute Lymphocytic Leukemia	0.0	0.0	94.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	94.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	94.7	0
Acute Myeloid Leukemia	0.0	0.0	94.7	0
Acute Monocytic Leukemia	0.0	0.0	94.7	0
Chronic Myeloid Leukemia	0.0	0.0	94.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.7	0
Other Leukemia	0.0	0.0	94.7	0
Other Acute Leukemia	0.0	0.0	94.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.7	0
Mesothelioma	0.0	0.0	94.7	0
Kaposi Sarcoma	0.0	0.0	94.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,699.1	0
Lip	0.0	0.0	1,699.1	0
Tongue	0.0	0.0	1,699.1	0
Salivary Gland	0.0	0.0	1,699.1	0
Floor of Mouth	0.0	0.0	1,699.1	0
Gum and Other Mouth	0.0	0.0	1,699.1	0
Nasopharynx	0.0	0.0	1,699.1	0
Tonsil	0.0	0.0	1,699.1	0
Oropharynx	0.0	0.0	1,699.1	0
Hypopharynx	0.0	0.0	1,699.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,699.1	0
Digestive System	0.0	0.0	1,699.1	0
Esophagus	0.0	0.0	1,699.1	0
Stomach	0.0	0.0	1,699.1	0
Small Intestine	0.0	0.0	1,699.1	0
Colon and Rectum	0.0	0.0	1,699.1	0
Colon excluding Rectum	0.0	0.0	1,699.1	0
Cecum	0.0	0.0	1,699.1	0
Appendix	0.0	0.0	1,699.1	0
Ascending Colon	0.0	0.0	1,699.1	0
Hepatic Flexure	0.0	0.0	1,699.1	0
Transverse Colon	0.0	0.0	1,699.1	0
Splenic Flexure	0.0	0.0	1,699.1	0
Descending Colon	0.0	0.0	1,699.1	0
Sigmoid Colon	0.0	0.0	1,699.1	0
Large Intestine, NOS	0.0	0.0	1,699.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,699.1	0
Rectosigmoid Junction	0.0	0.0	1,699.1	0
Rectum	0.0	0.0	1,699.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,699.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,699.1	0
Liver	0.0	0.0	1,699.1	0
Intrahepatic Bile Duct	0.0	0.0	1,699.1	0
Gallbladder	0.0	0.0	1,699.1	0
Other Biliary	0.0	0.0	1,699.1	0
Pancreas	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,699.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,699.1	0
Other Digestive Organs	0.0	0.0	1,699.1	0
Respiratory System	0.0	0.0	1,699.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,699.1	0
Larynx	0.0	0.0	1,699.1	0
Lung and Bronchus	0.0	0.0	1,699.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,699.1	0
Bones and Joints	0.0	0.0	1,699.1	0
Soft Tissue including Heart	0.0	0.0	1,699.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,699.1	0
Melanoma of the Skin	0.0	0.0	1,699.1	0
Other Non-Epithelial Skin	0.0	0.0	1,699.1	0
Urinary System	0.0	0.0	1,699.1	0
Urinary Bladder	0.0	0.0	1,699.1	0
Kidney and Renal Pelvis	0.0	0.0	1,699.1	0
Ureter	0.0	0.0	1,699.1	0
Other Urinary Organs	0.0	0.0	1,699.1	0
Eye and Orbit	0.0	0.0	1,699.1	0
Brain and Other Nervous System	0.0	0.0	1,699.1	0
Brain	0.0	0.0	1,699.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1,699.1	0
Endocrine System	0.0	0.0	1,699.1	0
Thyroid	0.0	0.0	1,699.1	0
Other Endocrine including Thymus	0.0	0.0	1,699.1	0
Lymphoma	0.0	0.0	1,699.1	0
Hodgkin Lymphoma	0.0	0.0	1,699.1	0
Hodgkin - Nodal	0.0	0.0	1,699.1	0
Hodgkin - Extranodal	0.0	0.0	1,699.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,699.1	0
NHL - Nodal	0.0	0.0	1,699.1	0
NHL - Extranodal	0.0	0.0	1,699.1	0
Myeloma	0.0	0.0	1,699.1	0
Leukemia	0.0	0.0	1,699.1	0
Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,699.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,699.1	0
Acute Myeloid Leukemia	0.0	0.0	1,699.1	0
Acute Monocytic Leukemia	0.0	0.0	1,699.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,699.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,699.1	0
Other Leukemia	0.0	0.0	1,699.1	0
Other Acute Leukemia	0.0	0.0	1,699.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,699.1	0
Mesothelioma	0.0	0.0	1,699.1	0
Kaposi Sarcoma	0.0	0.0	1,699.1	0
Miscellaneous	0.0	0.0	1,699.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	565.2	353.6	875.7	25
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	139.5	0
Salivary Gland	0.0	0.0	139.5	0
Floor of Mouth	0.0	0.0	139.5	0
Gum and Other Mouth	0.0	0.0	139.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	139.5	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	139.5	0
Other Oral Cavity and Pharynx	0.0	0.0	139.5	0
Digestive System	127.6	43.2	320.5	6
Esophagus	0.0	0.0	139.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	139.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	139.5	0
Ascending Colon	0.0	0.0	139.5	0
Hepatic Flexure	0.0	0.0	139.5	0
Transverse Colon	0.0	0.0	139.5	0
Splenic Flexure	0.0	0.0	139.5	0
Descending Colon	0.0	0.0	139.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	139.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	139.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	139.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	139.5	0
Liver	0.0	0.0	139.5	0
Intrahepatic Bile Duct	0.0	0.0	139.5	0
Gallbladder	0.0	0.0	139.5	0
Other Biliary	0.0	0.0	139.5	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	139.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	139.5	0
Other Digestive Organs	0.0	0.0	139.5	0
Respiratory System	167.1	57.2	392.3	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	139.5	0
Larynx	0.0	0.0	139.5	0
Lung and Bronchus	167.1	57.2	392.3	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	139.5	0
Bones and Joints	0.0	0.0	139.5	0
Soft Tissue including Heart	0.0	0.0	139.5	0
Skin excluding Basal and Squamous	0.0	0.0	139.5	0
Melanoma of the Skin	0.0	0.0	139.5	0
Other Non-Epithelial Skin	0.0	0.0	139.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	139.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	139.5	0
Other Urinary Organs	0.0	0.0	139.5	0
Eye and Orbit	0.0	0.0	139.5	0
Brain and Other Nervous System	0.0	0.0	139.5	0
Brain	0.0	0.0	139.5	0
Cranial Nerves Other Nervous System	0.0	0.0	139.5	0
Endocrine System	0.0	0.0	139.5	0
Thyroid	0.0	0.0	139.5	0
Other Endocrine including Thymus	0.0	0.0	139.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	139.5	0
Hodgkin - Nodal	0.0	0.0	139.5	0
Hodgkin - Extranodal	0.0	0.0	139.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	139.5	0
Myeloma	0.0	0.0	139.5	0
Leukemia	0.0	0.0	139.5	0
Lymphocytic Leukemia	0.0	0.0	139.5	0
Acute Lymphocytic Leukemia	0.0	0.0	139.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	139.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

1999/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	139.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	139.5	0
Acute Myeloid Leukemia	0.0	0.0	139.5	0
Acute Monocytic Leukemia	0.0	0.0	139.5	0
Chronic Myeloid Leukemia	0.0	0.0	139.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	139.5	0
Other Leukemia	0.0	0.0	139.5	0
Other Acute Leukemia	0.0	0.0	139.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	139.5	0
Mesothelioma	0.0	0.0	139.5	0
Kaposi Sarcoma	0.0	0.0	139.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	213.6	74.8	1,019.2	6
Oral Cavity and Pharynx	0.0	0.0	822.7	0
Lip	0.0	0.0	822.7	0
Tongue	0.0	0.0	822.7	0
Salivary Gland	0.0	0.0	822.7	0
Floor of Mouth	0.0	0.0	822.7	0
Gum and Other Mouth	0.0	0.0	822.7	0
Nasopharynx	0.0	0.0	822.7	0
Tonsil	0.0	0.0	822.7	0
Oropharynx	0.0	0.0	822.7	0
Hypopharynx	0.0	0.0	822.7	0
Other Oral Cavity and Pharynx	0.0	0.0	822.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	822.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	822.7	0
Colon and Rectum	0.0	0.0	822.7	0
Colon excluding Rectum	0.0	0.0	822.7	0
Cecum	0.0	0.0	822.7	0
Appendix	0.0	0.0	822.7	0
Ascending Colon	0.0	0.0	822.7	0
Hepatic Flexure	0.0	0.0	822.7	0
Transverse Colon	0.0	0.0	822.7	0
Splenic Flexure	0.0	0.0	822.7	0
Descending Colon	0.0	0.0	822.7	0
Sigmoid Colon	0.0	0.0	822.7	0
Large Intestine, NOS	0.0	0.0	822.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	822.7	0
Rectosigmoid Junction	0.0	0.0	822.7	0
Rectum	0.0	0.0	822.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	822.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	822.7	0
Liver	0.0	0.0	822.7	0
Intrahepatic Bile Duct	0.0	0.0	822.7	0
Gallbladder	0.0	0.0	822.7	0
Other Biliary	0.0	0.0	822.7	0
Pancreas	0.0	0.0	822.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	822.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	822.7	0
Other Digestive Organs	0.0	0.0	822.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	822.7	0
Larynx	0.0	0.0	822.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	822.7	0
Bones and Joints	0.0	0.0	822.7	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	822.7	0
Urinary System	0.0	0.0	822.7	0
Urinary Bladder	0.0	0.0	822.7	0
Kidney and Renal Pelvis	0.0	0.0	822.7	0
Ureter	0.0	0.0	822.7	0
Other Urinary Organs	0.0	0.0	822.7	0
Eye and Orbit	0.0	0.0	822.7	0
Brain and Other Nervous System	0.0	0.0	822.7	0
Brain	0.0	0.0	822.7	0
Cranial Nerves Other Nervous System	0.0	0.0	822.7	0
Endocrine System	0.0	0.0	822.7	0
Thyroid	0.0	0.0	822.7	0
Other Endocrine including Thymus	0.0	0.0	822.7	0
Lymphoma	0.0	0.0	822.7	0
Hodgkin Lymphoma	0.0	0.0	822.7	0
Hodgkin - Nodal	0.0	0.0	822.7	0
Hodgkin - Extranodal	0.0	0.0	822.7	0
Non-Hodgkin Lymphoma	0.0	0.0	822.7	0
NHL - Nodal	0.0	0.0	822.7	0
NHL - Extranodal	0.0	0.0	822.7	0
Myeloma	0.0	0.0	822.7	0
Leukemia	0.0	0.0	822.7	0
Lymphocytic Leukemia	0.0	0.0	822.7	0
Acute Lymphocytic Leukemia	0.0	0.0	822.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	822.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	822.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	822.7	0
Acute Myeloid Leukemia	0.0	0.0	822.7	0
Acute Monocytic Leukemia	0.0	0.0	822.7	0
Chronic Myeloid Leukemia	0.0	0.0	822.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	822.7	0
Other Leukemia	0.0	0.0	822.7	0
Other Acute Leukemia	0.0	0.0	822.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	822.7	0
Mesothelioma	0.0	0.0	822.7	0
Kaposi Sarcoma	0.0	0.0	822.7	0
Miscellaneous	0.0	0.0	822.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	307.0	118.4	1,376.2	10
Oral Cavity and Pharynx	0.0	0.0	1,097.0	0
Lip	0.0	0.0	1,097.0	0
Tongue	0.0	0.0	1,097.0	0
Salivary Gland	0.0	0.0	1,097.0	0
Floor of Mouth	0.0	0.0	1,097.0	0
Gum and Other Mouth	0.0	0.0	1,097.0	0
Nasopharynx	0.0	0.0	1,097.0	0
Tonsil	0.0	0.0	1,097.0	0
Oropharynx	0.0	0.0	1,097.0	0
Hypopharynx	0.0	0.0	1,097.0	0
Other Oral Cavity and Pharynx	0.0	0.0	1,097.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,097.0	0
Stomach	0.0	0.0	1,097.0	0
Small Intestine	0.0	0.0	1,097.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	1,097.0	0
Ascending Colon	0.0	0.0	1,097.0	0
Hepatic Flexure	0.0	0.0	1,097.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	1,097.0	0
Descending Colon	0.0	0.0	1,097.0	0
Sigmoid Colon	0.0	0.0	1,097.0	0
Large Intestine, NOS	0.0	0.0	1,097.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	1,097.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1,097.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,097.0	0
Liver	0.0	0.0	1,097.0	0
Intrahepatic Bile Duct	0.0	0.0	1,097.0	0
Gallbladder	0.0	0.0	1,097.0	0
Other Biliary	0.0	0.0	1,097.0	0
Pancreas	0.0	0.0	1,097.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,097.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,097.0	0
Other Digestive Organs	0.0	0.0	1,097.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,097.0	0
Larynx	0.0	0.0	1,097.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,097.0	0
Bones and Joints	0.0	0.0	1,097.0	0
Soft Tissue including Heart	0.0	0.0	1,097.0	0
Skin excluding Basal and Squamous	0.0	0.0	1,097.0	0
Melanoma of the Skin	0.0	0.0	1,097.0	0
Other Non-Epithelial Skin	0.0	0.0	1,097.0	0
Urinary System	0.0	0.0	1,097.0	0
Urinary Bladder	0.0	0.0	1,097.0	0
Kidney and Renal Pelvis	0.0	0.0	1,097.0	0
Ureter	0.0	0.0	1,097.0	0
Other Urinary Organs	0.0	0.0	1,097.0	0
Eye and Orbit	0.0	0.0	1,097.0	0
Brain and Other Nervous System	0.0	0.0	1,097.0	0
Brain	0.0	0.0	1,097.0	0
Cranial Nerves Other Nervous System	0.0	0.0	1,097.0	0
Endocrine System	0.0	0.0	1,097.0	0
Thyroid	0.0	0.0	1,097.0	0
Other Endocrine including Thymus	0.0	0.0	1,097.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	1,097.0	0
Hodgkin - Nodal	0.0	0.0	1,097.0	0
Hodgkin - Extranodal	0.0	0.0	1,097.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	1,097.0	0
Myeloma	0.0	0.0	1,097.0	0
Leukemia	0.0	0.0	1,097.0	0
Lymphocytic Leukemia	0.0	0.0	1,097.0	0
Acute Lymphocytic Leukemia	0.0	0.0	1,097.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,097.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,097.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,097.0	0
Acute Myeloid Leukemia	0.0	0.0	1,097.0	0
Acute Monocytic Leukemia	0.0	0.0	1,097.0	0
Chronic Myeloid Leukemia	0.0	0.0	1,097.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,097.0	0
Other Leukemia	0.0	0.0	1,097.0	0
Other Acute Leukemia	0.0	0.0	1,097.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,097.0	0
Mesothelioma	0.0	0.0	1,097.0	0
Kaposi Sarcoma	0.0	0.0	1,097.0	0
Miscellaneous	0.0	0.0	1,097.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	537.8	499.5	579.0	884
Oral Cavity and Pharynx	12.1	7.0	20.6	19
Lip	^	^	^	^
Tongue	4.3	1.6	11.0	7
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	5.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	5.2	0
Digestive System	109.7	92.2	130.3	165
Esophagus	4.4	1.5	11.1	6
Stomach	13.3	7.8	22.3	20
Small Intestine	^	^	^	^
Colon and Rectum	65.1	51.5	81.9	96
Colon excluding Rectum	43.5	32.2	58.3	59
Cecum	10.6	5.5	19.5	14
Appendix	^	^	^	^
Ascending Colon	4.5	1.7	11.2	7
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	5.2	0
Descending Colon	4.6	1.4	12.0	6
Sigmoid Colon	18.2	11.0	29.1	24
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	21.5	14.6	31.7	37
Rectosigmoid Junction	5.6	2.3	12.9	8
Rectum	15.9	10.2	24.9	29
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	12.5	7.4	21.0	20
Liver	10.8	6.0	19.1	17
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	7.2	3.5	14.5	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	5.2	0
Other Digestive Organs	^	^	^	^
Respiratory System	74.4	60.0	92.0	108
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.2	0
Larynx	3.7	1.2	10.3	6
Lung and Bronchus	70.2	56.2	87.5	101
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	5.2	2.2	12.0	10
Skin excluding Basal and Squamous	13.8	8.5	22.4	27
Melanoma of the Skin	13.4	8.2	22.0	26
Other Non-Epithelial Skin	^	^	^	^
Urinary System	40.6	29.9	54.7	58
Urinary Bladder	24.5	16.2	36.4	33
Kidney and Renal Pelvis	15.1	9.1	24.6	24
Ureter	0.0	0.0	5.2	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	8.1	4.6	14.8	18
Brain	8.1	4.6	14.8	18
Cranial Nerves Other Nervous System	0.0	0.0	5.2	0
Endocrine System	9.8	6.0	16.9	23
Thyroid	9.5	5.7	16.5	22
Other Endocrine including Thymus	^	^	^	^
Lymphoma	19.8	13.5	29.3	37
Hodgkin Lymphoma	3.0	1.0	9.0	6
Hodgkin - Nodal	3.0	1.0	9.0	6
Hodgkin - Extranodal	0.0	0.0	5.2	0
Non-Hodgkin Lymphoma	16.8	11.0	25.8	31
NHL - Nodal	10.4	6.0	18.3	19
NHL - Extranodal	6.3	3.1	13.2	12
Myeloma	5.7	2.4	12.7	9
Leukemia	20.9	14.0	31.0	37
Lymphocytic Leukemia	10.3	5.8	18.4	18
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	8.4	4.3	16.0	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	9.8	5.2	18.1	17
Acute Myeloid Leukemia	5.4	2.2	12.5	10
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	5.2	0
Miscellaneous	11.7	6.4	20.5	18

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	423.0	283.4	620.1	34
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	85.4	0
Tongue	0.0	0.0	85.4	0
Salivary Gland	0.0	0.0	85.4	0
Floor of Mouth	0.0	0.0	85.4	0
Gum and Other Mouth	0.0	0.0	85.4	0
Nasopharynx	0.0	0.0	85.4	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	85.4	0
Hypopharynx	0.0	0.0	85.4	0
Other Oral Cavity and Pharynx	0.0	0.0	85.4	0
Digestive System	138.2	64.9	274.1	11
Esophagus	0.0	0.0	85.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	85.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	85.4	0
Ascending Colon	0.0	0.0	85.4	0
Hepatic Flexure	0.0	0.0	85.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	85.4	0
Descending Colon	0.0	0.0	85.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	85.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	85.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	85.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	85.4	0
Gallbladder	0.0	0.0	85.4	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	85.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	85.4	0
Other Digestive Organs	0.0	0.0	85.4	0
Respiratory System	212.8	114.4	373.7	15
Nose, Nasal Cavity and Middle Ear	0.0	0.0	85.4	0
Larynx	0.0	0.0	85.4	0
Lung and Bronchus	212.8	114.4	373.7	15
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	85.4	0
Bones and Joints	0.0	0.0	85.4	0
Soft Tissue including Heart	0.0	0.0	85.4	0
Skin excluding Basal and Squamous	0.0	0.0	85.4	0
Melanoma of the Skin	0.0	0.0	85.4	0
Other Non-Epithelial Skin	0.0	0.0	85.4	0
Urinary System	0.0	0.0	85.4	0
Urinary Bladder	0.0	0.0	85.4	0
Kidney and Renal Pelvis	0.0	0.0	85.4	0
Ureter	0.0	0.0	85.4	0
Other Urinary Organs	0.0	0.0	85.4	0
Eye and Orbit	0.0	0.0	85.4	0
Brain and Other Nervous System	0.0	0.0	85.4	0
Brain	0.0	0.0	85.4	0
Cranial Nerves Other Nervous System	0.0	0.0	85.4	0
Endocrine System	0.0	0.0	85.4	0
Thyroid	0.0	0.0	85.4	0
Other Endocrine including Thymus	0.0	0.0	85.4	0
Lymphoma	0.0	0.0	85.4	0
Hodgkin Lymphoma	0.0	0.0	85.4	0
Hodgkin - Nodal	0.0	0.0	85.4	0
Hodgkin - Extranodal	0.0	0.0	85.4	0
Non-Hodgkin Lymphoma	0.0	0.0	85.4	0
NHL - Nodal	0.0	0.0	85.4	0
NHL - Extranodal	0.0	0.0	85.4	0
Myeloma	0.0	0.0	85.4	0
Leukemia	0.0	0.0	85.4	0
Lymphocytic Leukemia	0.0	0.0	85.4	0
Acute Lymphocytic Leukemia	0.0	0.0	85.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	85.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	85.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	85.4	0
Acute Myeloid Leukemia	0.0	0.0	85.4	0
Acute Monocytic Leukemia	0.0	0.0	85.4	0
Chronic Myeloid Leukemia	0.0	0.0	85.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	85.4	0
Other Leukemia	0.0	0.0	85.4	0
Other Acute Leukemia	0.0	0.0	85.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	85.4	0
Mesothelioma	0.0	0.0	85.4	0
Kaposi Sarcoma	0.0	0.0	85.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	2,860.5	0
Salivary Gland	0.0	0.0	2,860.5	0
Floor of Mouth	0.0	0.0	2,860.5	0
Gum and Other Mouth	0.0	0.0	2,860.5	0
Nasopharynx	0.0	0.0	2,860.5	0
Tonsil	0.0	0.0	2,860.5	0
Oropharynx	0.0	0.0	2,860.5	0
Hypopharynx	0.0	0.0	2,860.5	0
Other Oral Cavity and Pharynx	0.0	0.0	2,860.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	2,860.5	0
Stomach	0.0	0.0	2,860.5	0
Small Intestine	0.0	0.0	2,860.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	2,860.5	0
Appendix	0.0	0.0	2,860.5	0
Ascending Colon	0.0	0.0	2,860.5	0
Hepatic Flexure	0.0	0.0	2,860.5	0
Transverse Colon	0.0	0.0	2,860.5	0
Splenic Flexure	0.0	0.0	2,860.5	0
Descending Colon	0.0	0.0	2,860.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	2,860.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,860.5	0
Rectosigmoid Junction	0.0	0.0	2,860.5	0
Rectum	0.0	0.0	2,860.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,860.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Liver	0.0	0.0	2,860.5	0
Intrahepatic Bile Duct	0.0	0.0	2,860.5	0
Gallbladder	0.0	0.0	2,860.5	0
Other Biliary	0.0	0.0	2,860.5	0
Pancreas	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,860.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,860.5	0
Other Digestive Organs	0.0	0.0	2,860.5	0
Respiratory System	0.0	0.0	2,860.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,860.5	0
Larynx	0.0	0.0	2,860.5	0
Lung and Bronchus	0.0	0.0	2,860.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,860.5	0
Bones and Joints	0.0	0.0	2,860.5	0
Soft Tissue including Heart	0.0	0.0	2,860.5	0
Skin excluding Basal and Squamous	0.0	0.0	2,860.5	0
Melanoma of the Skin	0.0	0.0	2,860.5	0
Other Non-Epithelial Skin	0.0	0.0	2,860.5	0
Urinary System	0.0	0.0	2,860.5	0
Urinary Bladder	0.0	0.0	2,860.5	0
Kidney and Renal Pelvis	0.0	0.0	2,860.5	0
Ureter	0.0	0.0	2,860.5	0
Other Urinary Organs	0.0	0.0	2,860.5	0
Eye and Orbit	0.0	0.0	2,860.5	0
Brain and Other Nervous System	0.0	0.0	2,860.5	0
Brain	0.0	0.0	2,860.5	0
Cranial Nerves Other Nervous System	0.0	0.0	2,860.5	0
Endocrine System	0.0	0.0	2,860.5	0
Thyroid	0.0	0.0	2,860.5	0
Other Endocrine including Thymus	0.0	0.0	2,860.5	0
Lymphoma	0.0	0.0	2,860.5	0
Hodgkin Lymphoma	0.0	0.0	2,860.5	0
Hodgkin - Nodal	0.0	0.0	2,860.5	0
Hodgkin - Extranodal	0.0	0.0	2,860.5	0
Non-Hodgkin Lymphoma	0.0	0.0	2,860.5	0
NHL - Nodal	0.0	0.0	2,860.5	0
NHL - Extranodal	0.0	0.0	2,860.5	0
Myeloma	0.0	0.0	2,860.5	0
Leukemia	0.0	0.0	2,860.5	0
Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Acute Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,860.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,860.5	0
Acute Myeloid Leukemia	0.0	0.0	2,860.5	0
Acute Monocytic Leukemia	0.0	0.0	2,860.5	0
Chronic Myeloid Leukemia	0.0	0.0	2,860.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,860.5	0
Other Leukemia	0.0	0.0	2,860.5	0
Other Acute Leukemia	0.0	0.0	2,860.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,860.5	0
Mesothelioma	0.0	0.0	2,860.5	0
Kaposi Sarcoma	0.0	0.0	2,860.5	0
Miscellaneous	0.0	0.0	2,860.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	2,194.0	0
Lip	0.0	0.0	2,194.0	0
Tongue	0.0	0.0	2,194.0	0
Salivary Gland	0.0	0.0	2,194.0	0
Floor of Mouth	0.0	0.0	2,194.0	0
Gum and Other Mouth	0.0	0.0	2,194.0	0
Nasopharynx	0.0	0.0	2,194.0	0
Tonsil	0.0	0.0	2,194.0	0
Oropharynx	0.0	0.0	2,194.0	0
Hypopharynx	0.0	0.0	2,194.0	0
Other Oral Cavity and Pharynx	0.0	0.0	2,194.0	0
Digestive System	0.0	0.0	2,194.0	0
Esophagus	0.0	0.0	2,194.0	0
Stomach	0.0	0.0	2,194.0	0
Small Intestine	0.0	0.0	2,194.0	0
Colon and Rectum	0.0	0.0	2,194.0	0
Colon excluding Rectum	0.0	0.0	2,194.0	0
Cecum	0.0	0.0	2,194.0	0
Appendix	0.0	0.0	2,194.0	0
Ascending Colon	0.0	0.0	2,194.0	0
Hepatic Flexure	0.0	0.0	2,194.0	0
Transverse Colon	0.0	0.0	2,194.0	0
Splenic Flexure	0.0	0.0	2,194.0	0
Descending Colon	0.0	0.0	2,194.0	0
Sigmoid Colon	0.0	0.0	2,194.0	0
Large Intestine, NOS	0.0	0.0	2,194.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,194.0	0
Rectosigmoid Junction	0.0	0.0	2,194.0	0
Rectum	0.0	0.0	2,194.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,194.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,194.0	0
Liver	0.0	0.0	2,194.0	0
Intrahepatic Bile Duct	0.0	0.0	2,194.0	0
Gallbladder	0.0	0.0	2,194.0	0
Other Biliary	0.0	0.0	2,194.0	0
Pancreas	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,194.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,194.0	0
Other Digestive Organs	0.0	0.0	2,194.0	0
Respiratory System	0.0	0.0	2,194.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,194.0	0
Larynx	0.0	0.0	2,194.0	0
Lung and Bronchus	0.0	0.0	2,194.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,194.0	0
Bones and Joints	0.0	0.0	2,194.0	0
Soft Tissue including Heart	0.0	0.0	2,194.0	0
Skin excluding Basal and Squamous	0.0	0.0	2,194.0	0
Melanoma of the Skin	0.0	0.0	2,194.0	0
Other Non-Epithelial Skin	0.0	0.0	2,194.0	0
Urinary System	0.0	0.0	2,194.0	0
Urinary Bladder	0.0	0.0	2,194.0	0
Kidney and Renal Pelvis	0.0	0.0	2,194.0	0
Ureter	0.0	0.0	2,194.0	0
Other Urinary Organs	0.0	0.0	2,194.0	0
Eye and Orbit	0.0	0.0	2,194.0	0
Brain and Other Nervous System	0.0	0.0	2,194.0	0
Brain	0.0	0.0	2,194.0	0
Cranial Nerves Other Nervous System	0.0	0.0	2,194.0	0
Endocrine System	0.0	0.0	2,194.0	0
Thyroid	0.0	0.0	2,194.0	0
Other Endocrine including Thymus	0.0	0.0	2,194.0	0
Lymphoma	0.0	0.0	2,194.0	0
Hodgkin Lymphoma	0.0	0.0	2,194.0	0
Hodgkin - Nodal	0.0	0.0	2,194.0	0
Hodgkin - Extranodal	0.0	0.0	2,194.0	0
Non-Hodgkin Lymphoma	0.0	0.0	2,194.0	0
NHL - Nodal	0.0	0.0	2,194.0	0
NHL - Extranodal	0.0	0.0	2,194.0	0
Myeloma	0.0	0.0	2,194.0	0
Leukemia	0.0	0.0	2,194.0	0
Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Acute Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,194.0	0
Acute Myeloid Leukemia	0.0	0.0	2,194.0	0
Acute Monocytic Leukemia	0.0	0.0	2,194.0	0
Chronic Myeloid Leukemia	0.0	0.0	2,194.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,194.0	0
Other Leukemia	0.0	0.0	2,194.0	0
Other Acute Leukemia	0.0	0.0	2,194.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,194.0	0
Mesothelioma	0.0	0.0	2,194.0	0
Kaposi Sarcoma	0.0	0.0	2,194.0	0
Miscellaneous	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	573.3	297.1	1,036.2	14
Oral Cavity and Pharynx	0.0	0.0	253.2	0
Lip	0.0	0.0	253.2	0
Tongue	0.0	0.0	253.2	0
Salivary Gland	0.0	0.0	253.2	0
Floor of Mouth	0.0	0.0	253.2	0
Gum and Other Mouth	0.0	0.0	253.2	0
Nasopharynx	0.0	0.0	253.2	0
Tonsil	0.0	0.0	253.2	0
Oropharynx	0.0	0.0	253.2	0
Hypopharynx	0.0	0.0	253.2	0
Other Oral Cavity and Pharynx	0.0	0.0	253.2	0
Digestive System	284.1	95.4	680.0	6
Esophagus	0.0	0.0	253.2	0
Stomach	0.0	0.0	253.2	0
Small Intestine	0.0	0.0	253.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	253.2	0
Appendix	0.0	0.0	253.2	0
Ascending Colon	0.0	0.0	253.2	0
Hepatic Flexure	0.0	0.0	253.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	253.2	0
Descending Colon	0.0	0.0	253.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	253.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	253.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	253.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	253.2	0
Liver	0.0	0.0	253.2	0
Intrahepatic Bile Duct	0.0	0.0	253.2	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	253.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	253.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	253.2	0
Other Digestive Organs	0.0	0.0	253.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	253.2	0
Larynx	0.0	0.0	253.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	253.2	0
Bones and Joints	0.0	0.0	253.2	0
Soft Tissue including Heart	0.0	0.0	253.2	0
Skin excluding Basal and Squamous	0.0	0.0	253.2	0
Melanoma of the Skin	0.0	0.0	253.2	0
Other Non-Epithelial Skin	0.0	0.0	253.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	253.2	0
Ureter	0.0	0.0	253.2	0
Other Urinary Organs	0.0	0.0	253.2	0
Eye and Orbit	0.0	0.0	253.2	0
Brain and Other Nervous System	0.0	0.0	253.2	0
Brain	0.0	0.0	253.2	0
Cranial Nerves Other Nervous System	0.0	0.0	253.2	0
Endocrine System	0.0	0.0	253.2	0
Thyroid	0.0	0.0	253.2	0
Other Endocrine including Thymus	0.0	0.0	253.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	253.2	0
Hodgkin - Nodal	0.0	0.0	253.2	0
Hodgkin - Extranodal	0.0	0.0	253.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	253.2	0
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	253.2	0
Lymphocytic Leukemia	0.0	0.0	253.2	0
Acute Lymphocytic Leukemia	0.0	0.0	253.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	253.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	253.2	0
Acute Myeloid Leukemia	0.0	0.0	253.2	0
Acute Monocytic Leukemia	0.0	0.0	253.2	0
Chronic Myeloid Leukemia	0.0	0.0	253.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	253.2	0
Other Leukemia	0.0	0.0	253.2	0
Other Acute Leukemia	0.0	0.0	253.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	253.2	0
Mesothelioma	0.0	0.0	253.2	0
Kaposi Sarcoma	0.0	0.0	253.2	0
Miscellaneous	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	497.0	427.0	578.5	227
Oral Cavity and Pharynx	23.6	8.9	54.1	7
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	20.2	0
Gum and Other Mouth	0.0	0.0	20.2	0
Nasopharynx	0.0	0.0	20.2	0
Tonsil	0.0	0.0	20.2	0
Oropharynx	0.0	0.0	20.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	20.2	0
Digestive System	86.0	57.5	127.5	35
Esophagus	12.4	3.8	36.5	6
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	54.0	31.3	90.5	20
Colon excluding Rectum	45.5	24.5	80.7	16
Cecum	^	^	^	^
Appendix	0.0	0.0	20.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	20.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	19.2	6.4	47.8	7
Large Intestine, NOS	0.0	0.0	20.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	20.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	20.2	0
Gallbladder	0.0	0.0	20.2	0
Other Biliary	0.0	0.0	20.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	20.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	20.2	0
Other Digestive Organs	0.0	0.0	20.2	0
Respiratory System	76.9	50.9	115.9	31
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	66.3	42.5	103.1	27
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	20.2	0
Urinary System	29.3	13.7	59.4	12
Urinary Bladder	22.4	9.0	50.9	9
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	20.2	0
Other Urinary Organs	0.0	0.0	20.2	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	20.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	20.2	0
Lymphoma	30.5	13.6	62.5	12
Hodgkin Lymphoma	0.0	0.0	20.2	0
Hodgkin - Nodal	0.0	0.0	20.2	0
Hodgkin - Extranodal	0.0	0.0	20.2	0
Non-Hodgkin Lymphoma	30.5	13.6	62.5	12
NHL - Nodal	21.1	7.8	50.0	8
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	12.3	3.4	37.1	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	20.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	20.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	20.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	20.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	20.2	0
Kaposi Sarcoma	0.0	0.0	20.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	507.8	245.0	982.1	11
Oral Cavity and Pharynx	0.0	0.0	288.5	0
Lip	0.0	0.0	288.5	0
Tongue	0.0	0.0	288.5	0
Salivary Gland	0.0	0.0	288.5	0
Floor of Mouth	0.0	0.0	288.5	0
Gum and Other Mouth	0.0	0.0	288.5	0
Nasopharynx	0.0	0.0	288.5	0
Tonsil	0.0	0.0	288.5	0
Oropharynx	0.0	0.0	288.5	0
Hypopharynx	0.0	0.0	288.5	0
Other Oral Cavity and Pharynx	0.0	0.0	288.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	288.5	0
Small Intestine	0.0	0.0	288.5	0
Colon and Rectum	0.0	0.0	288.5	0
Colon excluding Rectum	0.0	0.0	288.5	0
Cecum	0.0	0.0	288.5	0
Appendix	0.0	0.0	288.5	0
Ascending Colon	0.0	0.0	288.5	0
Hepatic Flexure	0.0	0.0	288.5	0
Transverse Colon	0.0	0.0	288.5	0
Splenic Flexure	0.0	0.0	288.5	0
Descending Colon	0.0	0.0	288.5	0
Sigmoid Colon	0.0	0.0	288.5	0
Large Intestine, NOS	0.0	0.0	288.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	288.5	0
Rectosigmoid Junction	0.0	0.0	288.5	0
Rectum	0.0	0.0	288.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	288.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	288.5	0
Liver	0.0	0.0	288.5	0
Intrahepatic Bile Duct	0.0	0.0	288.5	0
Gallbladder	0.0	0.0	288.5	0
Other Biliary	0.0	0.0	288.5	0
Pancreas	0.0	0.0	288.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	288.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	288.5	0
Other Digestive Organs	0.0	0.0	288.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	288.5	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	288.5	0
Bones and Joints	0.0	0.0	288.5	0
Soft Tissue including Heart	0.0	0.0	288.5	0
Skin excluding Basal and Squamous	0.0	0.0	288.5	0
Melanoma of the Skin	0.0	0.0	288.5	0
Other Non-Epithelial Skin	0.0	0.0	288.5	0
Urinary System	0.0	0.0	288.5	0
Urinary Bladder	0.0	0.0	288.5	0
Kidney and Renal Pelvis	0.0	0.0	288.5	0
Ureter	0.0	0.0	288.5	0
Other Urinary Organs	0.0	0.0	288.5	0
Eye and Orbit	0.0	0.0	288.5	0
Brain and Other Nervous System	0.0	0.0	288.5	0
Brain	0.0	0.0	288.5	0
Cranial Nerves Other Nervous System	0.0	0.0	288.5	0
Endocrine System	0.0	0.0	288.5	0
Thyroid	0.0	0.0	288.5	0
Other Endocrine including Thymus	0.0	0.0	288.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	288.5	0
Hodgkin - Nodal	0.0	0.0	288.5	0
Hodgkin - Extranodal	0.0	0.0	288.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	288.5	0
Myeloma	0.0	0.0	288.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	288.5	0
Acute Lymphocytic Leukemia	0.0	0.0	288.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	288.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	288.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	288.5	0
Chronic Myeloid Leukemia	0.0	0.0	288.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	288.5	0
Other Leukemia	0.0	0.0	288.5	0
Other Acute Leukemia	0.0	0.0	288.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	288.5	0
Mesothelioma	0.0	0.0	288.5	0
Kaposi Sarcoma	0.0	0.0	288.5	0
Miscellaneous	0.0	0.0	288.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	546.2	444.4	668.9	118
Oral Cavity and Pharynx	0.0	0.0	33.5	0
Lip	0.0	0.0	33.5	0
Tongue	0.0	0.0	33.5	0
Salivary Gland	0.0	0.0	33.5	0
Floor of Mouth	0.0	0.0	33.5	0
Gum and Other Mouth	0.0	0.0	33.5	0
Nasopharynx	0.0	0.0	33.5	0
Tonsil	0.0	0.0	33.5	0
Oropharynx	0.0	0.0	33.5	0
Hypopharynx	0.0	0.0	33.5	0
Other Oral Cavity and Pharynx	0.0	0.0	33.5	0
Digestive System	159.3	103.1	239.1	30
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	84.1	44.5	148.6	16
Colon excluding Rectum	67.3	32.5	127.4	13
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	33.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	33.5	0
Descending Colon	0.0	0.0	33.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	33.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	33.5	0
Liver	0.0	0.0	33.5	0
Intrahepatic Bile Duct	0.0	0.0	33.5	0
Gallbladder	0.0	0.0	33.5	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	33.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	33.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	43.0	17.7	93.7	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	33.5	0
Larynx	^	^	^	^
Lung and Bronchus	40.5	15.8	90.9	7
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	33.5	0
Bones and Joints	0.0	0.0	33.5	0
Soft Tissue including Heart	0.0	0.0	33.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	33.5	0
Urinary System	31.6	12.1	76.0	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	33.5	0
Other Urinary Organs	0.0	0.0	33.5	0
Eye and Orbit	0.0	0.0	33.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	33.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	33.5	0
Hodgkin - Nodal	0.0	0.0	33.5	0
Hodgkin - Extranodal	0.0	0.0	33.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	33.5	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	33.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	33.5	0
Chronic Myeloid Leukemia	0.0	0.0	33.5	0
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	33.5	0
Other Acute Leukemia	0.0	0.0	33.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	33.5	0
Mesothelioma	0.0	0.0	33.5	0
Kaposi Sarcoma	0.0	0.0	33.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	528.3	448.5	622.9	193
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	26.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	26.4	0
Floor of Mouth	0.0	0.0	26.4	0
Gum and Other Mouth	0.0	0.0	26.4	0
Nasopharynx	0.0	0.0	26.4	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	26.4	0
Hypopharynx	0.0	0.0	26.4	0
Other Oral Cavity and Pharynx	0.0	0.0	26.4	0
Digestive System	112.4	75.9	165.7	37
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	26.4	0
Colon and Rectum	56.5	30.9	100.3	17
Colon excluding Rectum	41.8	20.0	82.7	12
Cecum	26.0	9.9	61.8	7
Appendix	0.0	0.0	26.4	0
Ascending Colon	0.0	0.0	26.4	0
Hepatic Flexure	0.0	0.0	26.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	26.4	0
Descending Colon	0.0	0.0	26.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	26.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	26.4	0
Pancreas	16.6	6.4	46.1	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	26.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	26.4	0
Other Digestive Organs	0.0	0.0	26.4	0
Respiratory System	74.6	48.3	117.3	31
Nose, Nasal Cavity and Middle Ear	0.0	0.0	26.4	0
Larynx	0.0	0.0	26.4	0
Lung and Bronchus	74.6	48.3	117.3	31
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	26.4	0
Bones and Joints	0.0	0.0	26.4	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	26.4	0
Urinary System	47.3	24.6	88.2	15
Urinary Bladder	26.8	9.4	64.7	7
Kidney and Renal Pelvis	20.5	8.6	51.2	8
Ureter	0.0	0.0	26.4	0
Other Urinary Organs	0.0	0.0	26.4	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	26.4	0
Lymphoma	16.3	6.3	45.6	7
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	26.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	26.4	0
Myeloma	^	^	^	^
Leukemia	19.7	6.0	54.0	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	26.4	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	26.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	26.4	0
Chronic Myeloid Leukemia	0.0	0.0	26.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	26.4	0
Other Leukemia	0.0	0.0	26.4	0
Other Acute Leukemia	0.0	0.0	26.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	26.4	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	26.4	0
Miscellaneous	29.8	12.0	67.3	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	436.2	315.5	593.5	47
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	52.5	0
Tongue	0.0	0.0	52.5	0
Salivary Gland	0.0	0.0	52.5	0
Floor of Mouth	0.0	0.0	52.5	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	52.5	0
Tonsil	0.0	0.0	52.5	0
Oropharynx	0.0	0.0	52.5	0
Hypopharynx	0.0	0.0	52.5	0
Other Oral Cavity and Pharynx	0.0	0.0	52.5	0
Digestive System	74.9	30.9	159.6	8
Esophagus	0.0	0.0	52.5	0
Stomach	0.0	0.0	52.5	0
Small Intestine	^	^	^	^
Colon and Rectum	61.9	23.7	140.8	7
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	52.5	0
Ascending Colon	0.0	0.0	52.5	0
Hepatic Flexure	0.0	0.0	52.5	0
Transverse Colon	0.0	0.0	52.5	0
Splenic Flexure	0.0	0.0	52.5	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	52.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	52.5	0
Liver	0.0	0.0	52.5	0
Intrahepatic Bile Duct	0.0	0.0	52.5	0
Gallbladder	0.0	0.0	52.5	0
Other Biliary	0.0	0.0	52.5	0
Pancreas	0.0	0.0	52.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	52.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	52.5	0
Other Digestive Organs	0.0	0.0	52.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	52.5	0
Larynx	0.0	0.0	52.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	52.5	0
Bones and Joints	0.0	0.0	52.5	0
Soft Tissue including Heart	0.0	0.0	52.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	52.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	52.5	0
Other Urinary Organs	0.0	0.0	52.5	0
Eye and Orbit	0.0	0.0	52.5	0
Brain and Other Nervous System	0.0	0.0	52.5	0
Brain	0.0	0.0	52.5	0
Cranial Nerves Other Nervous System	0.0	0.0	52.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	52.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	52.5	0
Hodgkin - Nodal	0.0	0.0	52.5	0
Hodgkin - Extranodal	0.0	0.0	52.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	52.5	0
Acute Lymphocytic Leukemia	0.0	0.0	52.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	52.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	52.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	52.5	0
Chronic Myeloid Leukemia	0.0	0.0	52.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	52.5	0
Other Leukemia	0.0	0.0	52.5	0
Other Acute Leukemia	0.0	0.0	52.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	52.5	0
Mesothelioma	0.0	0.0	52.5	0
Kaposi Sarcoma	0.0	0.0	52.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	347.4	220.1	553.1	31
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	124.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	124.4	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	124.4	0
Nasopharynx	0.0	0.0	124.4	0
Tonsil	0.0	0.0	124.4	0
Oropharynx	0.0	0.0	124.4	0
Hypopharynx	0.0	0.0	124.4	0
Other Oral Cavity and Pharynx	0.0	0.0	124.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	124.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	124.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	124.4	0
Appendix	0.0	0.0	124.4	0
Ascending Colon	0.0	0.0	124.4	0
Hepatic Flexure	0.0	0.0	124.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	124.4	0
Descending Colon	0.0	0.0	124.4	0
Sigmoid Colon	0.0	0.0	124.4	0
Large Intestine, NOS	0.0	0.0	124.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	124.4	0
Rectosigmoid Junction	0.0	0.0	124.4	0
Rectum	0.0	0.0	124.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	124.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	124.4	0
Liver	0.0	0.0	124.4	0
Intrahepatic Bile Duct	0.0	0.0	124.4	0
Gallbladder	0.0	0.0	124.4	0
Other Biliary	0.0	0.0	124.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	124.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	124.4	0
Other Digestive Organs	0.0	0.0	124.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	124.4	0
Larynx	0.0	0.0	124.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	124.4	0
Bones and Joints	0.0	0.0	124.4	0
Soft Tissue including Heart	0.0	0.0	124.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	124.4	0
Urinary System	0.0	0.0	124.4	0
Urinary Bladder	0.0	0.0	124.4	0
Kidney and Renal Pelvis	0.0	0.0	124.4	0
Ureter	0.0	0.0	124.4	0
Other Urinary Organs	0.0	0.0	124.4	0
Eye and Orbit	0.0	0.0	124.4	0
Brain and Other Nervous System	0.0	0.0	124.4	0
Brain	0.0	0.0	124.4	0
Cranial Nerves Other Nervous System	0.0	0.0	124.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	124.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	124.4	0
Hodgkin - Nodal	0.0	0.0	124.4	0
Hodgkin - Extranodal	0.0	0.0	124.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	124.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	124.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	124.4	0
Acute Myeloid Leukemia	0.0	0.0	124.4	0
Acute Monocytic Leukemia	0.0	0.0	124.4	0
Chronic Myeloid Leukemia	0.0	0.0	124.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	124.4	0
Other Leukemia	0.0	0.0	124.4	0
Other Acute Leukemia	0.0	0.0	124.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	124.4	0
Mesothelioma	0.0	0.0	124.4	0
Kaposi Sarcoma	0.0	0.0	124.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	918.4	395.6	2,120.5	10
Oral Cavity and Pharynx	0.0	0.0	953.5	0
Lip	0.0	0.0	953.5	0
Tongue	0.0	0.0	953.5	0
Salivary Gland	0.0	0.0	953.5	0
Floor of Mouth	0.0	0.0	953.5	0
Gum and Other Mouth	0.0	0.0	953.5	0
Nasopharynx	0.0	0.0	953.5	0
Tonsil	0.0	0.0	953.5	0
Oropharynx	0.0	0.0	953.5	0
Hypopharynx	0.0	0.0	953.5	0
Other Oral Cavity and Pharynx	0.0	0.0	953.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	953.5	0
Small Intestine	0.0	0.0	953.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	953.5	0
Appendix	0.0	0.0	953.5	0
Ascending Colon	0.0	0.0	953.5	0
Hepatic Flexure	0.0	0.0	953.5	0
Transverse Colon	0.0	0.0	953.5	0
Splenic Flexure	0.0	0.0	953.5	0
Descending Colon	0.0	0.0	953.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	953.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	953.5	0
Rectosigmoid Junction	0.0	0.0	953.5	0
Rectum	0.0	0.0	953.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	953.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	953.5	0
Liver	0.0	0.0	953.5	0
Intrahepatic Bile Duct	0.0	0.0	953.5	0
Gallbladder	0.0	0.0	953.5	0
Other Biliary	0.0	0.0	953.5	0
Pancreas	0.0	0.0	953.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	953.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	953.5	0
Other Digestive Organs	0.0	0.0	953.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	953.5	0
Lung and Bronchus	0.0	0.0	953.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	953.5	0
Bones and Joints	0.0	0.0	953.5	0
Soft Tissue including Heart	0.0	0.0	953.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	953.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	953.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	953.5	0
Other Urinary Organs	0.0	0.0	953.5	0
Eye and Orbit	0.0	0.0	953.5	0
Brain and Other Nervous System	0.0	0.0	953.5	0
Brain	0.0	0.0	953.5	0
Cranial Nerves Other Nervous System	0.0	0.0	953.5	0
Endocrine System	0.0	0.0	953.5	0
Thyroid	0.0	0.0	953.5	0
Other Endocrine including Thymus	0.0	0.0	953.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	953.5	0
Hodgkin - Nodal	0.0	0.0	953.5	0
Hodgkin - Extranodal	0.0	0.0	953.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	953.5	0
Myeloma	0.0	0.0	953.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	953.5	0
Acute Lymphocytic Leukemia	0.0	0.0	953.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	953.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	953.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	953.5	0
Chronic Myeloid Leukemia	0.0	0.0	953.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	953.5	0
Other Leukemia	0.0	0.0	953.5	0
Other Acute Leukemia	0.0	0.0	953.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	953.5	0
Mesothelioma	0.0	0.0	953.5	0
Kaposi Sarcoma	0.0	0.0	953.5	0
Miscellaneous	0.0	0.0	953.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	509.8	432.1	602.8	197
Oral Cavity and Pharynx	13.9	3.9	45.5	6
Lip	0.0	0.0	27.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	27.8	0
Floor of Mouth	0.0	0.0	27.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	27.8	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	27.8	0
Other Oral Cavity and Pharynx	0.0	0.0	27.8	0
Digestive System	71.1	45.0	114.5	27
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	50.3	28.5	90.4	18
Colon excluding Rectum	41.0	21.1	79.7	14
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	27.8	0
Transverse Colon	0.0	0.0	27.8	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	27.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	27.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	27.8	0
Gallbladder	0.0	0.0	27.8	0
Other Biliary	0.0	0.0	27.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	27.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	27.8	0
Other Digestive Organs	0.0	0.0	27.8	0
Respiratory System	90.3	58.2	140.0	30
Nose, Nasal Cavity and Middle Ear	0.0	0.0	27.8	0
Larynx	0.0	0.0	27.8	0
Lung and Bronchus	90.3	58.2	140.0	30
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	27.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	27.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	27.2	11.2	63.3	11
Urinary Bladder	24.7	9.3	60.7	9
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	27.8	0
Other Urinary Organs	0.0	0.0	27.8	0
Eye and Orbit	0.0	0.0	27.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	27.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	27.8	0
Lymphoma	20.6	8.2	53.1	9
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	27.8	0
Non-Hodgkin Lymphoma	17.8	6.2	50.2	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	27.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	27.8	0
Chronic Myeloid Leukemia	0.0	0.0	27.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	27.8	0
Other Leukemia	0.0	0.0	27.8	0
Other Acute Leukemia	0.0	0.0	27.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	27.8	0
Mesothelioma	0.0	0.0	27.8	0
Kaposi Sarcoma	0.0	0.0	27.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	505.0	323.3	768.5	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	117.5	0
Tongue	0.0	0.0	117.5	0
Salivary Gland	0.0	0.0	117.5	0
Floor of Mouth	0.0	0.0	117.5	0
Gum and Other Mouth	0.0	0.0	117.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	117.5	0
Oropharynx	0.0	0.0	117.5	0
Hypopharynx	0.0	0.0	117.5	0
Other Oral Cavity and Pharynx	0.0	0.0	117.5	0
Digestive System	240.6	117.4	452.9	11
Esophagus	^	^	^	^
Stomach	0.0	0.0	117.5	0
Small Intestine	0.0	0.0	117.5	0
Colon and Rectum	172.2	71.8	363.9	8
Colon excluding Rectum	161.2	63.5	351.8	7
Cecum	^	^	^	^
Appendix	0.0	0.0	117.5	0
Ascending Colon	0.0	0.0	117.5	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	117.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	117.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	117.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	117.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	117.5	0
Liver	0.0	0.0	117.5	0
Intrahepatic Bile Duct	0.0	0.0	117.5	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	117.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	117.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	117.5	0
Other Digestive Organs	0.0	0.0	117.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	117.5	0
Larynx	0.0	0.0	117.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	117.5	0
Bones and Joints	0.0	0.0	117.5	0
Soft Tissue including Heart	0.0	0.0	117.5	0
Skin excluding Basal and Squamous	0.0	0.0	117.5	0
Melanoma of the Skin	0.0	0.0	117.5	0
Other Non-Epithelial Skin	0.0	0.0	117.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	117.5	0
Other Urinary Organs	0.0	0.0	117.5	0
Eye and Orbit	0.0	0.0	117.5	0
Brain and Other Nervous System	0.0	0.0	117.5	0
Brain	0.0	0.0	117.5	0
Cranial Nerves Other Nervous System	0.0	0.0	117.5	0
Endocrine System	0.0	0.0	117.5	0
Thyroid	0.0	0.0	117.5	0
Other Endocrine including Thymus	0.0	0.0	117.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	117.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	117.5	0
Myeloma	0.0	0.0	117.5	0
Leukemia	0.0	0.0	117.5	0
Lymphocytic Leukemia	0.0	0.0	117.5	0
Acute Lymphocytic Leukemia	0.0	0.0	117.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	117.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	117.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	117.5	0
Acute Myeloid Leukemia	0.0	0.0	117.5	0
Acute Monocytic Leukemia	0.0	0.0	117.5	0
Chronic Myeloid Leukemia	0.0	0.0	117.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	117.5	0
Other Leukemia	0.0	0.0	117.5	0
Other Acute Leukemia	0.0	0.0	117.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	117.5	0
Mesothelioma	0.0	0.0	117.5	0
Kaposi Sarcoma	0.0	0.0	117.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	398.7	220.7	784.5	18
Oral Cavity and Pharynx	0.0	0.0	317.8	0
Lip	0.0	0.0	317.8	0
Tongue	0.0	0.0	317.8	0
Salivary Gland	0.0	0.0	317.8	0
Floor of Mouth	0.0	0.0	317.8	0
Gum and Other Mouth	0.0	0.0	317.8	0
Nasopharynx	0.0	0.0	317.8	0
Tonsil	0.0	0.0	317.8	0
Oropharynx	0.0	0.0	317.8	0
Hypopharynx	0.0	0.0	317.8	0
Other Oral Cavity and Pharynx	0.0	0.0	317.8	0
Digestive System	156.3	51.6	502.0	6
Esophagus	0.0	0.0	317.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	317.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	317.8	0
Appendix	0.0	0.0	317.8	0
Ascending Colon	0.0	0.0	317.8	0
Hepatic Flexure	0.0	0.0	317.8	0
Transverse Colon	0.0	0.0	317.8	0
Splenic Flexure	0.0	0.0	317.8	0
Descending Colon	0.0	0.0	317.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	317.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	317.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	317.8	0
Liver	0.0	0.0	317.8	0
Intrahepatic Bile Duct	0.0	0.0	317.8	0
Gallbladder	0.0	0.0	317.8	0
Other Biliary	0.0	0.0	317.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	317.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	317.8	0
Other Digestive Organs	0.0	0.0	317.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	317.8	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	317.8	0
Bones and Joints	0.0	0.0	317.8	0
Soft Tissue including Heart	0.0	0.0	317.8	0
Skin excluding Basal and Squamous	0.0	0.0	317.8	0
Melanoma of the Skin	0.0	0.0	317.8	0
Other Non-Epithelial Skin	0.0	0.0	317.8	0
Urinary System	0.0	0.0	317.8	0
Urinary Bladder	0.0	0.0	317.8	0
Kidney and Renal Pelvis	0.0	0.0	317.8	0
Ureter	0.0	0.0	317.8	0
Other Urinary Organs	0.0	0.0	317.8	0
Eye and Orbit	0.0	0.0	317.8	0
Brain and Other Nervous System	0.0	0.0	317.8	0
Brain	0.0	0.0	317.8	0
Cranial Nerves Other Nervous System	0.0	0.0	317.8	0
Endocrine System	0.0	0.0	317.8	0
Thyroid	0.0	0.0	317.8	0
Other Endocrine including Thymus	0.0	0.0	317.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	317.8	0
Hodgkin - Nodal	0.0	0.0	317.8	0
Hodgkin - Extranodal	0.0	0.0	317.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	317.8	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	317.8	0
Lymphocytic Leukemia	0.0	0.0	317.8	0
Acute Lymphocytic Leukemia	0.0	0.0	317.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	317.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	317.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	317.8	0
Acute Myeloid Leukemia	0.0	0.0	317.8	0
Acute Monocytic Leukemia	0.0	0.0	317.8	0
Chronic Myeloid Leukemia	0.0	0.0	317.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	317.8	0
Other Leukemia	0.0	0.0	317.8	0
Other Acute Leukemia	0.0	0.0	317.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	317.8	0
Mesothelioma	0.0	0.0	317.8	0
Kaposi Sarcoma	0.0	0.0	317.8	0
Miscellaneous	0.0	0.0	317.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	570.4	334.7	957.8	21
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	227.0	0
Tongue	0.0	0.0	227.0	0
Salivary Gland	0.0	0.0	227.0	0
Floor of Mouth	0.0	0.0	227.0	0
Gum and Other Mouth	0.0	0.0	227.0	0
Nasopharynx	0.0	0.0	227.0	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	227.0	0
Hypopharynx	0.0	0.0	227.0	0
Other Oral Cavity and Pharynx	0.0	0.0	227.0	0
Digestive System	141.6	50.7	400.9	6
Esophagus	0.0	0.0	227.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	227.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	227.0	0
Ascending Colon	0.0	0.0	227.0	0
Hepatic Flexure	0.0	0.0	227.0	0
Transverse Colon	0.0	0.0	227.0	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	227.0	0
Sigmoid Colon	0.0	0.0	227.0	0
Large Intestine, NOS	0.0	0.0	227.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	227.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	227.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	227.0	0
Liver	0.0	0.0	227.0	0
Intrahepatic Bile Duct	0.0	0.0	227.0	0
Gallbladder	0.0	0.0	227.0	0
Other Biliary	0.0	0.0	227.0	0
Pancreas	0.0	0.0	227.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	227.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	227.0	0
Other Digestive Organs	0.0	0.0	227.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	227.0	0
Larynx	0.0	0.0	227.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	227.0	0
Bones and Joints	0.0	0.0	227.0	0
Soft Tissue including Heart	0.0	0.0	227.0	0
Skin excluding Basal and Squamous	0.0	0.0	227.0	0
Melanoma of the Skin	0.0	0.0	227.0	0
Other Non-Epithelial Skin	0.0	0.0	227.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	227.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	227.0	0
Other Urinary Organs	0.0	0.0	227.0	0
Eye and Orbit	0.0	0.0	227.0	0
Brain and Other Nervous System	0.0	0.0	227.0	0
Brain	0.0	0.0	227.0	0
Cranial Nerves Other Nervous System	0.0	0.0	227.0	0
Endocrine System	0.0	0.0	227.0	0
Thyroid	0.0	0.0	227.0	0
Other Endocrine including Thymus	0.0	0.0	227.0	0
Lymphoma	0.0	0.0	227.0	0
Hodgkin Lymphoma	0.0	0.0	227.0	0
Hodgkin - Nodal	0.0	0.0	227.0	0
Hodgkin - Extranodal	0.0	0.0	227.0	0
Non-Hodgkin Lymphoma	0.0	0.0	227.0	0
NHL - Nodal	0.0	0.0	227.0	0
NHL - Extranodal	0.0	0.0	227.0	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	227.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	227.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	227.0	0
Acute Myeloid Leukemia	0.0	0.0	227.0	0
Acute Monocytic Leukemia	0.0	0.0	227.0	0
Chronic Myeloid Leukemia	0.0	0.0	227.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	227.0	0
Other Leukemia	0.0	0.0	227.0	0
Other Acute Leukemia	0.0	0.0	227.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	227.0	0
Mesothelioma	0.0	0.0	227.0	0
Kaposi Sarcoma	0.0	0.0	227.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	633.5	316.5	1,194.3	19
Oral Cavity and Pharynx	0.0	0.0	336.5	0
Lip	0.0	0.0	336.5	0
Tongue	0.0	0.0	336.5	0
Salivary Gland	0.0	0.0	336.5	0
Floor of Mouth	0.0	0.0	336.5	0
Gum and Other Mouth	0.0	0.0	336.5	0
Nasopharynx	0.0	0.0	336.5	0
Tonsil	0.0	0.0	336.5	0
Oropharynx	0.0	0.0	336.5	0
Hypopharynx	0.0	0.0	336.5	0
Other Oral Cavity and Pharynx	0.0	0.0	336.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	336.5	0
Stomach	0.0	0.0	336.5	0
Small Intestine	0.0	0.0	336.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	336.5	0
Appendix	0.0	0.0	336.5	0
Ascending Colon	0.0	0.0	336.5	0
Hepatic Flexure	0.0	0.0	336.5	0
Transverse Colon	0.0	0.0	336.5	0
Splenic Flexure	0.0	0.0	336.5	0
Descending Colon	0.0	0.0	336.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	336.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	336.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	336.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	336.5	0
Liver	0.0	0.0	336.5	0
Intrahepatic Bile Duct	0.0	0.0	336.5	0
Gallbladder	0.0	0.0	336.5	0
Other Biliary	0.0	0.0	336.5	0
Pancreas	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	336.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	336.5	0
Other Digestive Organs	0.0	0.0	336.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	336.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	336.5	0
Bones and Joints	0.0	0.0	336.5	0
Soft Tissue including Heart	0.0	0.0	336.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	336.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	336.5	0
Ureter	0.0	0.0	336.5	0
Other Urinary Organs	0.0	0.0	336.5	0
Eye and Orbit	0.0	0.0	336.5	0
Brain and Other Nervous System	0.0	0.0	336.5	0
Brain	0.0	0.0	336.5	0
Cranial Nerves Other Nervous System	0.0	0.0	336.5	0
Endocrine System	0.0	0.0	336.5	0
Thyroid	0.0	0.0	336.5	0
Other Endocrine including Thymus	0.0	0.0	336.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	336.5	0
Hodgkin - Nodal	0.0	0.0	336.5	0
Hodgkin - Extranodal	0.0	0.0	336.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	336.5	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	336.5	0
Leukemia	0.0	0.0	336.5	0
Lymphocytic Leukemia	0.0	0.0	336.5	0
Acute Lymphocytic Leukemia	0.0	0.0	336.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	336.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	336.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	336.5	0
Acute Myeloid Leukemia	0.0	0.0	336.5	0
Acute Monocytic Leukemia	0.0	0.0	336.5	0
Chronic Myeloid Leukemia	0.0	0.0	336.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	336.5	0
Other Leukemia	0.0	0.0	336.5	0
Other Acute Leukemia	0.0	0.0	336.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	336.5	0
Mesothelioma	0.0	0.0	336.5	0
Kaposi Sarcoma	0.0	0.0	336.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	318.4	197.4	503.0	23
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	94.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	94.0	0
Floor of Mouth	0.0	0.0	94.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	94.0	0
Tonsil	0.0	0.0	94.0	0
Oropharynx	0.0	0.0	94.0	0
Hypopharynx	0.0	0.0	94.0	0
Other Oral Cavity and Pharynx	0.0	0.0	94.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	94.0	0
Stomach	0.0	0.0	94.0	0
Small Intestine	0.0	0.0	94.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	94.0	0
Appendix	0.0	0.0	94.0	0
Ascending Colon	0.0	0.0	94.0	0
Hepatic Flexure	0.0	0.0	94.0	0
Transverse Colon	0.0	0.0	94.0	0
Splenic Flexure	0.0	0.0	94.0	0
Descending Colon	0.0	0.0	94.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	94.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	94.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	94.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	94.0	0
Liver	0.0	0.0	94.0	0
Intrahepatic Bile Duct	0.0	0.0	94.0	0
Gallbladder	0.0	0.0	94.0	0
Other Biliary	0.0	0.0	94.0	0
Pancreas	0.0	0.0	94.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	94.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.0	0
Other Digestive Organs	0.0	0.0	94.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.0	0
Larynx	^	^	^	^
Lung and Bronchus	0.0	0.0	94.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.0	0
Bones and Joints	0.0	0.0	94.0	0
Soft Tissue including Heart	0.0	0.0	94.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	94.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	94.0	0
Other Urinary Organs	0.0	0.0	94.0	0
Eye and Orbit	0.0	0.0	94.0	0
Brain and Other Nervous System	0.0	0.0	94.0	0
Brain	0.0	0.0	94.0	0
Cranial Nerves Other Nervous System	0.0	0.0	94.0	0
Endocrine System	0.0	0.0	94.0	0
Thyroid	0.0	0.0	94.0	0
Other Endocrine including Thymus	0.0	0.0	94.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	94.0	0
Hodgkin - Nodal	0.0	0.0	94.0	0
Hodgkin - Extranodal	0.0	0.0	94.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	94.0	0
Lymphocytic Leukemia	0.0	0.0	94.0	0
Acute Lymphocytic Leukemia	0.0	0.0	94.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	94.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	94.0	0
Acute Myeloid Leukemia	0.0	0.0	94.0	0
Acute Monocytic Leukemia	0.0	0.0	94.0	0
Chronic Myeloid Leukemia	0.0	0.0	94.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.0	0
Other Leukemia	0.0	0.0	94.0	0
Other Acute Leukemia	0.0	0.0	94.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.0	0
Mesothelioma	0.0	0.0	94.0	0
Kaposi Sarcoma	0.0	0.0	94.0	0
Miscellaneous	0.0	0.0	94.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	433.1	198.2	871.4	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	274.2	0
Tongue	0.0	0.0	274.2	0
Salivary Gland	0.0	0.0	274.2	0
Floor of Mouth	0.0	0.0	274.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	274.2	0
Tonsil	0.0	0.0	274.2	0
Oropharynx	0.0	0.0	274.2	0
Hypopharynx	0.0	0.0	274.2	0
Other Oral Cavity and Pharynx	0.0	0.0	274.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	274.2	0
Stomach	0.0	0.0	274.2	0
Small Intestine	0.0	0.0	274.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	274.2	0
Appendix	0.0	0.0	274.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	274.2	0
Transverse Colon	0.0	0.0	274.2	0
Splenic Flexure	0.0	0.0	274.2	0
Descending Colon	0.0	0.0	274.2	0
Sigmoid Colon	0.0	0.0	274.2	0
Large Intestine, NOS	0.0	0.0	274.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	274.2	0
Rectosigmoid Junction	0.0	0.0	274.2	0
Rectum	0.0	0.0	274.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	274.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	274.2	0
Liver	0.0	0.0	274.2	0
Intrahepatic Bile Duct	0.0	0.0	274.2	0
Gallbladder	0.0	0.0	274.2	0
Other Biliary	0.0	0.0	274.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	274.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	274.2	0
Other Digestive Organs	0.0	0.0	274.2	0
Respiratory System	0.0	0.0	274.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	274.2	0
Larynx	0.0	0.0	274.2	0
Lung and Bronchus	0.0	0.0	274.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	274.2	0
Bones and Joints	0.0	0.0	274.2	0
Soft Tissue including Heart	0.0	0.0	274.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	274.2	0
Urinary System	0.0	0.0	274.2	0
Urinary Bladder	0.0	0.0	274.2	0
Kidney and Renal Pelvis	0.0	0.0	274.2	0
Ureter	0.0	0.0	274.2	0
Other Urinary Organs	0.0	0.0	274.2	0
Eye and Orbit	0.0	0.0	274.2	0
Brain and Other Nervous System	0.0	0.0	274.2	0
Brain	0.0	0.0	274.2	0
Cranial Nerves Other Nervous System	0.0	0.0	274.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	274.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	274.2	0
Hodgkin - Nodal	0.0	0.0	274.2	0
Hodgkin - Extranodal	0.0	0.0	274.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	274.2	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	274.2	0
Leukemia	0.0	0.0	274.2	0
Lymphocytic Leukemia	0.0	0.0	274.2	0
Acute Lymphocytic Leukemia	0.0	0.0	274.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	274.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	274.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	274.2	0
Acute Myeloid Leukemia	0.0	0.0	274.2	0
Acute Monocytic Leukemia	0.0	0.0	274.2	0
Chronic Myeloid Leukemia	0.0	0.0	274.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	274.2	0
Other Leukemia	0.0	0.0	274.2	0
Other Acute Leukemia	0.0	0.0	274.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	274.2	0
Mesothelioma	0.0	0.0	274.2	0
Kaposi Sarcoma	0.0	0.0	274.2	0
Miscellaneous	0.0	0.0	274.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	591.5	336.0	1,036.7	22
Oral Cavity and Pharynx	0.0	0.0	286.0	0
Lip	0.0	0.0	286.0	0
Tongue	0.0	0.0	286.0	0
Salivary Gland	0.0	0.0	286.0	0
Floor of Mouth	0.0	0.0	286.0	0
Gum and Other Mouth	0.0	0.0	286.0	0
Nasopharynx	0.0	0.0	286.0	0
Tonsil	0.0	0.0	286.0	0
Oropharynx	0.0	0.0	286.0	0
Hypopharynx	0.0	0.0	286.0	0
Other Oral Cavity and Pharynx	0.0	0.0	286.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	286.0	0
Stomach	0.0	0.0	286.0	0
Small Intestine	0.0	0.0	286.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	286.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	286.0	0
Transverse Colon	0.0	0.0	286.0	0
Splenic Flexure	0.0	0.0	286.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	286.0	0
Large Intestine, NOS	0.0	0.0	286.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	286.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	286.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	286.0	0
Liver	0.0	0.0	286.0	0
Intrahepatic Bile Duct	0.0	0.0	286.0	0
Gallbladder	0.0	0.0	286.0	0
Other Biliary	0.0	0.0	286.0	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	286.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	286.0	0
Other Digestive Organs	0.0	0.0	286.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	286.0	0
Larynx	0.0	0.0	286.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	286.0	0
Bones and Joints	0.0	0.0	286.0	0
Soft Tissue including Heart	0.0	0.0	286.0	0
Skin excluding Basal and Squamous	0.0	0.0	286.0	0
Melanoma of the Skin	0.0	0.0	286.0	0
Other Non-Epithelial Skin	0.0	0.0	286.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	286.0	0
Ureter	0.0	0.0	286.0	0
Other Urinary Organs	0.0	0.0	286.0	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	0.0	0.0	286.0	0
Brain	0.0	0.0	286.0	0
Cranial Nerves Other Nervous System	0.0	0.0	286.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	286.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	286.0	0
Hodgkin - Nodal	0.0	0.0	286.0	0
Hodgkin - Extranodal	0.0	0.0	286.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	286.0	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	286.0	0
Leukemia	0.0	0.0	286.0	0
Lymphocytic Leukemia	0.0	0.0	286.0	0
Acute Lymphocytic Leukemia	0.0	0.0	286.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	286.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	286.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	286.0	0
Acute Myeloid Leukemia	0.0	0.0	286.0	0
Acute Monocytic Leukemia	0.0	0.0	286.0	0
Chronic Myeloid Leukemia	0.0	0.0	286.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	286.0	0
Other Leukemia	0.0	0.0	286.0	0
Other Acute Leukemia	0.0	0.0	286.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	286.0	0
Mesothelioma	0.0	0.0	286.0	0
Kaposi Sarcoma	0.0	0.0	286.0	0
Miscellaneous	0.0	0.0	286.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	517.6	334.9	783.3	32
Oral Cavity and Pharynx	0.0	0.0	121.9	0
Lip	0.0	0.0	121.9	0
Tongue	0.0	0.0	121.9	0
Salivary Gland	0.0	0.0	121.9	0
Floor of Mouth	0.0	0.0	121.9	0
Gum and Other Mouth	0.0	0.0	121.9	0
Nasopharynx	0.0	0.0	121.9	0
Tonsil	0.0	0.0	121.9	0
Oropharynx	0.0	0.0	121.9	0
Hypopharynx	0.0	0.0	121.9	0
Other Oral Cavity and Pharynx	0.0	0.0	121.9	0
Digestive System	125.7	40.5	310.5	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	121.9	0
Small Intestine	0.0	0.0	121.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	121.9	0
Appendix	0.0	0.0	121.9	0
Ascending Colon	0.0	0.0	121.9	0
Hepatic Flexure	0.0	0.0	121.9	0
Transverse Colon	0.0	0.0	121.9	0
Splenic Flexure	0.0	0.0	121.9	0
Descending Colon	0.0	0.0	121.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	121.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	121.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	121.9	0
Liver	0.0	0.0	121.9	0
Intrahepatic Bile Duct	0.0	0.0	121.9	0
Gallbladder	0.0	0.0	121.9	0
Other Biliary	0.0	0.0	121.9	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	121.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	121.9	0
Other Digestive Organs	0.0	0.0	121.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	121.9	0
Larynx	0.0	0.0	121.9	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	121.9	0
Bones and Joints	0.0	0.0	121.9	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	121.9	0
Melanoma of the Skin	0.0	0.0	121.9	0
Other Non-Epithelial Skin	0.0	0.0	121.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	121.9	0
Ureter	0.0	0.0	121.9	0
Other Urinary Organs	0.0	0.0	121.9	0
Eye and Orbit	0.0	0.0	121.9	0
Brain and Other Nervous System	0.0	0.0	121.9	0
Brain	0.0	0.0	121.9	0
Cranial Nerves Other Nervous System	0.0	0.0	121.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	121.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	121.9	0
Hodgkin - Nodal	0.0	0.0	121.9	0
Hodgkin - Extranodal	0.0	0.0	121.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	121.9	0
Myeloma	0.0	0.0	121.9	0
Leukemia	0.0	0.0	121.9	0
Lymphocytic Leukemia	0.0	0.0	121.9	0
Acute Lymphocytic Leukemia	0.0	0.0	121.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	121.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	121.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	121.9	0
Acute Myeloid Leukemia	0.0	0.0	121.9	0
Acute Monocytic Leukemia	0.0	0.0	121.9	0
Chronic Myeloid Leukemia	0.0	0.0	121.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	121.9	0
Other Leukemia	0.0	0.0	121.9	0
Other Acute Leukemia	0.0	0.0	121.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	121.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	121.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	425.2	218.2	813.5	14
Oral Cavity and Pharynx	0.0	0.0	263.3	0
Lip	0.0	0.0	263.3	0
Tongue	0.0	0.0	263.3	0
Salivary Gland	0.0	0.0	263.3	0
Floor of Mouth	0.0	0.0	263.3	0
Gum and Other Mouth	0.0	0.0	263.3	0
Nasopharynx	0.0	0.0	263.3	0
Tonsil	0.0	0.0	263.3	0
Oropharynx	0.0	0.0	263.3	0
Hypopharynx	0.0	0.0	263.3	0
Other Oral Cavity and Pharynx	0.0	0.0	263.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	263.3	0
Stomach	0.0	0.0	263.3	0
Small Intestine	0.0	0.0	263.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	263.3	0
Appendix	0.0	0.0	263.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	263.3	0
Transverse Colon	0.0	0.0	263.3	0
Splenic Flexure	0.0	0.0	263.3	0
Descending Colon	0.0	0.0	263.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	263.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	263.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	263.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	263.3	0
Liver	0.0	0.0	263.3	0
Intrahepatic Bile Duct	0.0	0.0	263.3	0
Gallbladder	0.0	0.0	263.3	0
Other Biliary	0.0	0.0	263.3	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	263.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	263.3	0
Other Digestive Organs	0.0	0.0	263.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	263.3	0
Larynx	0.0	0.0	263.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	263.3	0
Bones and Joints	0.0	0.0	263.3	0
Soft Tissue including Heart	0.0	0.0	263.3	0
Skin excluding Basal and Squamous	0.0	0.0	263.3	0
Melanoma of the Skin	0.0	0.0	263.3	0
Other Non-Epithelial Skin	0.0	0.0	263.3	0
Urinary System	0.0	0.0	263.3	0
Urinary Bladder	0.0	0.0	263.3	0
Kidney and Renal Pelvis	0.0	0.0	263.3	0
Ureter	0.0	0.0	263.3	0
Other Urinary Organs	0.0	0.0	263.3	0
Eye and Orbit	0.0	0.0	263.3	0
Brain and Other Nervous System	0.0	0.0	263.3	0
Brain	0.0	0.0	263.3	0
Cranial Nerves Other Nervous System	0.0	0.0	263.3	0
Endocrine System	0.0	0.0	263.3	0
Thyroid	0.0	0.0	263.3	0
Other Endocrine including Thymus	0.0	0.0	263.3	0
Lymphoma	0.0	0.0	263.3	0
Hodgkin Lymphoma	0.0	0.0	263.3	0
Hodgkin - Nodal	0.0	0.0	263.3	0
Hodgkin - Extranodal	0.0	0.0	263.3	0
Non-Hodgkin Lymphoma	0.0	0.0	263.3	0
NHL - Nodal	0.0	0.0	263.3	0
NHL - Extranodal	0.0	0.0	263.3	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	263.3	0
Lymphocytic Leukemia	0.0	0.0	263.3	0
Acute Lymphocytic Leukemia	0.0	0.0	263.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	263.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	263.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	263.3	0
Acute Myeloid Leukemia	0.0	0.0	263.3	0
Acute Monocytic Leukemia	0.0	0.0	263.3	0
Chronic Myeloid Leukemia	0.0	0.0	263.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	263.3	0
Other Leukemia	0.0	0.0	263.3	0
Other Acute Leukemia	0.0	0.0	263.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	263.3	0
Mesothelioma	0.0	0.0	263.3	0
Kaposi Sarcoma	0.0	0.0	263.3	0
Miscellaneous	0.0	0.0	263.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	374.7	232.3	584.2	22
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	94.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	94.0	0
Floor of Mouth	0.0	0.0	94.0	0
Gum and Other Mouth	0.0	0.0	94.0	0
Nasopharynx	0.0	0.0	94.0	0
Tonsil	0.0	0.0	94.0	0
Oropharynx	0.0	0.0	94.0	0
Hypopharynx	0.0	0.0	94.0	0
Other Oral Cavity and Pharynx	0.0	0.0	94.0	0
Digestive System	115.4	45.3	257.9	7
Esophagus	0.0	0.0	94.0	0
Stomach	0.0	0.0	94.0	0
Small Intestine	0.0	0.0	94.0	0
Colon and Rectum	103.3	37.1	243.3	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	94.0	0
Ascending Colon	0.0	0.0	94.0	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	94.0	0
Descending Colon	0.0	0.0	94.0	0
Sigmoid Colon	0.0	0.0	94.0	0
Large Intestine, NOS	0.0	0.0	94.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	94.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	94.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	94.0	0
Gallbladder	0.0	0.0	94.0	0
Other Biliary	0.0	0.0	94.0	0
Pancreas	0.0	0.0	94.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	94.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.0	0
Other Digestive Organs	0.0	0.0	94.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.0	0
Larynx	0.0	0.0	94.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.0	0
Bones and Joints	0.0	0.0	94.0	0
Soft Tissue including Heart	0.0	0.0	94.0	0
Skin excluding Basal and Squamous	0.0	0.0	94.0	0
Melanoma of the Skin	0.0	0.0	94.0	0
Other Non-Epithelial Skin	0.0	0.0	94.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	94.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	94.0	0
Other Urinary Organs	0.0	0.0	94.0	0
Eye and Orbit	0.0	0.0	94.0	0
Brain and Other Nervous System	0.0	0.0	94.0	0
Brain	0.0	0.0	94.0	0
Cranial Nerves Other Nervous System	0.0	0.0	94.0	0
Endocrine System	0.0	0.0	94.0	0
Thyroid	0.0	0.0	94.0	0
Other Endocrine including Thymus	0.0	0.0	94.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	94.0	0
Hodgkin - Nodal	0.0	0.0	94.0	0
Hodgkin - Extranodal	0.0	0.0	94.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	94.0	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	94.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	94.0	0
Acute Lymphocytic Leukemia	0.0	0.0	94.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	94.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	94.0	0
Chronic Myeloid Leukemia	0.0	0.0	94.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.0	0
Other Leukemia	0.0	0.0	94.0	0
Other Acute Leukemia	0.0	0.0	94.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.0	0
Mesothelioma	0.0	0.0	94.0	0
Kaposi Sarcoma	0.0	0.0	94.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	5,720.9	0
Tongue	0.0	0.0	5,720.9	0
Salivary Gland	0.0	0.0	5,720.9	0
Floor of Mouth	0.0	0.0	5,720.9	0
Gum and Other Mouth	0.0	0.0	5,720.9	0
Nasopharynx	0.0	0.0	5,720.9	0
Tonsil	0.0	0.0	5,720.9	0
Oropharynx	0.0	0.0	5,720.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	5,720.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	5,720.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	5,720.9	0
Colon and Rectum	0.0	0.0	5,720.9	0
Colon excluding Rectum	0.0	0.0	5,720.9	0
Cecum	0.0	0.0	5,720.9	0
Appendix	0.0	0.0	5,720.9	0
Ascending Colon	0.0	0.0	5,720.9	0
Hepatic Flexure	0.0	0.0	5,720.9	0
Transverse Colon	0.0	0.0	5,720.9	0
Splenic Flexure	0.0	0.0	5,720.9	0
Descending Colon	0.0	0.0	5,720.9	0
Sigmoid Colon	0.0	0.0	5,720.9	0
Large Intestine, NOS	0.0	0.0	5,720.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	5,720.9	0
Rectosigmoid Junction	0.0	0.0	5,720.9	0
Rectum	0.0	0.0	5,720.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	5,720.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	5,720.9	0
Liver	0.0	0.0	5,720.9	0
Intrahepatic Bile Duct	0.0	0.0	5,720.9	0
Gallbladder	0.0	0.0	5,720.9	0
Other Biliary	0.0	0.0	5,720.9	0
Pancreas	0.0	0.0	5,720.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	5,720.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5,720.9	0
Other Digestive Organs	0.0	0.0	5,720.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5,720.9	0
Larynx	0.0	0.0	5,720.9	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5,720.9	0
Bones and Joints	0.0	0.0	5,720.9	0
Soft Tissue including Heart	0.0	0.0	5,720.9	0
Skin excluding Basal and Squamous	0.0	0.0	5,720.9	0
Melanoma of the Skin	0.0	0.0	5,720.9	0
Other Non-Epithelial Skin	0.0	0.0	5,720.9	0
Urinary System	0.0	0.0	5,720.9	0
Urinary Bladder	0.0	0.0	5,720.9	0
Kidney and Renal Pelvis	0.0	0.0	5,720.9	0
Ureter	0.0	0.0	5,720.9	0
Other Urinary Organs	0.0	0.0	5,720.9	0
Eye and Orbit	0.0	0.0	5,720.9	0
Brain and Other Nervous System	0.0	0.0	5,720.9	0
Brain	0.0	0.0	5,720.9	0
Cranial Nerves Other Nervous System	0.0	0.0	5,720.9	0
Endocrine System	0.0	0.0	5,720.9	0
Thyroid	0.0	0.0	5,720.9	0
Other Endocrine including Thymus	0.0	0.0	5,720.9	0
Lymphoma	0.0	0.0	5,720.9	0
Hodgkin Lymphoma	0.0	0.0	5,720.9	0
Hodgkin - Nodal	0.0	0.0	5,720.9	0
Hodgkin - Extranodal	0.0	0.0	5,720.9	0
Non-Hodgkin Lymphoma	0.0	0.0	5,720.9	0
NHL - Nodal	0.0	0.0	5,720.9	0
NHL - Extranodal	0.0	0.0	5,720.9	0
Myeloma	0.0	0.0	5,720.9	0
Leukemia	0.0	0.0	5,720.9	0
Lymphocytic Leukemia	0.0	0.0	5,720.9	0
Acute Lymphocytic Leukemia	0.0	0.0	5,720.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	5,720.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	5,720.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	5,720.9	0
Acute Myeloid Leukemia	0.0	0.0	5,720.9	0
Acute Monocytic Leukemia	0.0	0.0	5,720.9	0
Chronic Myeloid Leukemia	0.0	0.0	5,720.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5,720.9	0
Other Leukemia	0.0	0.0	5,720.9	0
Other Acute Leukemia	0.0	0.0	5,720.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5,720.9	0
Mesothelioma	0.0	0.0	5,720.9	0
Kaposi Sarcoma	0.0	0.0	5,720.9	0
Miscellaneous	0.0	0.0	5,720.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	306.7	167.3	543.3	16
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	139.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	139.5	0
Floor of Mouth	0.0	0.0	139.5	0
Gum and Other Mouth	0.0	0.0	139.5	0
Nasopharynx	0.0	0.0	139.5	0
Tonsil	0.0	0.0	139.5	0
Oropharynx	0.0	0.0	139.5	0
Hypopharynx	0.0	0.0	139.5	0
Other Oral Cavity and Pharynx	0.0	0.0	139.5	0
Digestive System	109.6	39.5	283.8	6
Esophagus	0.0	0.0	139.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	139.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	139.5	0
Appendix	0.0	0.0	139.5	0
Ascending Colon	0.0	0.0	139.5	0
Hepatic Flexure	0.0	0.0	139.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	139.5	0
Descending Colon	0.0	0.0	139.5	0
Sigmoid Colon	0.0	0.0	139.5	0
Large Intestine, NOS	0.0	0.0	139.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	139.5	0
Rectosigmoid Junction	0.0	0.0	139.5	0
Rectum	0.0	0.0	139.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	139.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	139.5	0
Gallbladder	0.0	0.0	139.5	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	139.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	139.5	0
Other Digestive Organs	0.0	0.0	139.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	139.5	0
Larynx	0.0	0.0	139.5	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	139.5	0
Bones and Joints	0.0	0.0	139.5	0
Soft Tissue including Heart	0.0	0.0	139.5	0
Skin excluding Basal and Squamous	0.0	0.0	139.5	0
Melanoma of the Skin	0.0	0.0	139.5	0
Other Non-Epithelial Skin	0.0	0.0	139.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	139.5	0
Other Urinary Organs	0.0	0.0	139.5	0
Eye and Orbit	0.0	0.0	139.5	0
Brain and Other Nervous System	0.0	0.0	139.5	0
Brain	0.0	0.0	139.5	0
Cranial Nerves Other Nervous System	0.0	0.0	139.5	0
Endocrine System	0.0	0.0	139.5	0
Thyroid	0.0	0.0	139.5	0
Other Endocrine including Thymus	0.0	0.0	139.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	139.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	139.5	0
Myeloma	0.0	0.0	139.5	0
Leukemia	0.0	0.0	139.5	0
Lymphocytic Leukemia	0.0	0.0	139.5	0
Acute Lymphocytic Leukemia	0.0	0.0	139.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	139.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2000/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	139.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	139.5	0
Acute Myeloid Leukemia	0.0	0.0	139.5	0
Acute Monocytic Leukemia	0.0	0.0	139.5	0
Chronic Myeloid Leukemia	0.0	0.0	139.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	139.5	0
Other Leukemia	0.0	0.0	139.5	0
Other Acute Leukemia	0.0	0.0	139.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	139.5	0
Mesothelioma	0.0	0.0	139.5	0
Kaposi Sarcoma	0.0	0.0	139.5	0
Miscellaneous	0.0	0.0	139.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	442.9	110.2	1,682.1	7
Oral Cavity and Pharynx	0.0	0.0	1,144.2	0
Lip	0.0	0.0	1,144.2	0
Tongue	0.0	0.0	1,144.2	0
Salivary Gland	0.0	0.0	1,144.2	0
Floor of Mouth	0.0	0.0	1,144.2	0
Gum and Other Mouth	0.0	0.0	1,144.2	0
Nasopharynx	0.0	0.0	1,144.2	0
Tonsil	0.0	0.0	1,144.2	0
Oropharynx	0.0	0.0	1,144.2	0
Hypopharynx	0.0	0.0	1,144.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,144.2	0
Digestive System	0.0	0.0	1,144.2	0
Esophagus	0.0	0.0	1,144.2	0
Stomach	0.0	0.0	1,144.2	0
Small Intestine	0.0	0.0	1,144.2	0
Colon and Rectum	0.0	0.0	1,144.2	0
Colon excluding Rectum	0.0	0.0	1,144.2	0
Cecum	0.0	0.0	1,144.2	0
Appendix	0.0	0.0	1,144.2	0
Ascending Colon	0.0	0.0	1,144.2	0
Hepatic Flexure	0.0	0.0	1,144.2	0
Transverse Colon	0.0	0.0	1,144.2	0
Splenic Flexure	0.0	0.0	1,144.2	0
Descending Colon	0.0	0.0	1,144.2	0
Sigmoid Colon	0.0	0.0	1,144.2	0
Large Intestine, NOS	0.0	0.0	1,144.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,144.2	0
Rectosigmoid Junction	0.0	0.0	1,144.2	0
Rectum	0.0	0.0	1,144.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,144.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Liver	0.0	0.0	1,144.2	0
Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Gallbladder	0.0	0.0	1,144.2	0
Other Biliary	0.0	0.0	1,144.2	0
Pancreas	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,144.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,144.2	0
Other Digestive Organs	0.0	0.0	1,144.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	1,144.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,144.2	0
Bones and Joints	0.0	0.0	1,144.2	0
Soft Tissue including Heart	0.0	0.0	1,144.2	0
Skin excluding Basal and Squamous	0.0	0.0	1,144.2	0
Melanoma of the Skin	0.0	0.0	1,144.2	0
Other Non-Epithelial Skin	0.0	0.0	1,144.2	0
Urinary System	0.0	0.0	1,144.2	0
Urinary Bladder	0.0	0.0	1,144.2	0
Kidney and Renal Pelvis	0.0	0.0	1,144.2	0
Ureter	0.0	0.0	1,144.2	0
Other Urinary Organs	0.0	0.0	1,144.2	0
Eye and Orbit	0.0	0.0	1,144.2	0
Brain and Other Nervous System	0.0	0.0	1,144.2	0
Brain	0.0	0.0	1,144.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,144.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,144.2	0
Lymphoma	0.0	0.0	1,144.2	0
Hodgkin Lymphoma	0.0	0.0	1,144.2	0
Hodgkin - Nodal	0.0	0.0	1,144.2	0
Hodgkin - Extranodal	0.0	0.0	1,144.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,144.2	0
NHL - Nodal	0.0	0.0	1,144.2	0
NHL - Extranodal	0.0	0.0	1,144.2	0
Myeloma	0.0	0.0	1,144.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,144.2	0
Acute Myeloid Leukemia	0.0	0.0	1,144.2	0
Acute Monocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,144.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,144.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	1,144.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	1,144.2	0
Kaposi Sarcoma	0.0	0.0	1,144.2	0
Miscellaneous	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	348.6	114.3	2,199.0	8
Oral Cavity and Pharynx	0.0	0.0	1,907.0	0
Lip	0.0	0.0	1,907.0	0
Tongue	0.0	0.0	1,907.0	0
Salivary Gland	0.0	0.0	1,907.0	0
Floor of Mouth	0.0	0.0	1,907.0	0
Gum and Other Mouth	0.0	0.0	1,907.0	0
Nasopharynx	0.0	0.0	1,907.0	0
Tonsil	0.0	0.0	1,907.0	0
Oropharynx	0.0	0.0	1,907.0	0
Hypopharynx	0.0	0.0	1,907.0	0
Other Oral Cavity and Pharynx	0.0	0.0	1,907.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,907.0	0
Stomach	0.0	0.0	1,907.0	0
Small Intestine	0.0	0.0	1,907.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	1,907.0	0
Appendix	0.0	0.0	1,907.0	0
Ascending Colon	0.0	0.0	1,907.0	0
Hepatic Flexure	0.0	0.0	1,907.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	1,907.0	0
Descending Colon	0.0	0.0	1,907.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	1,907.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	1,907.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1,907.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,907.0	0
Liver	0.0	0.0	1,907.0	0
Intrahepatic Bile Duct	0.0	0.0	1,907.0	0
Gallbladder	0.0	0.0	1,907.0	0
Other Biliary	0.0	0.0	1,907.0	0
Pancreas	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,907.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,907.0	0
Other Digestive Organs	0.0	0.0	1,907.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,907.0	0
Larynx	0.0	0.0	1,907.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,907.0	0
Bones and Joints	0.0	0.0	1,907.0	0
Soft Tissue including Heart	0.0	0.0	1,907.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	1,907.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	1,907.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	1,907.0	0
Other Urinary Organs	0.0	0.0	1,907.0	0
Eye and Orbit	0.0	0.0	1,907.0	0
Brain and Other Nervous System	0.0	0.0	1,907.0	0
Brain	0.0	0.0	1,907.0	0
Cranial Nerves Other Nervous System	0.0	0.0	1,907.0	0
Endocrine System	0.0	0.0	1,907.0	0
Thyroid	0.0	0.0	1,907.0	0
Other Endocrine including Thymus	0.0	0.0	1,907.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	1,907.0	0
Hodgkin - Nodal	0.0	0.0	1,907.0	0
Hodgkin - Extranodal	0.0	0.0	1,907.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	1,907.0	0
Myeloma	0.0	0.0	1,907.0	0
Leukemia	0.0	0.0	1,907.0	0
Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Acute Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,907.0	0
Acute Myeloid Leukemia	0.0	0.0	1,907.0	0
Acute Monocytic Leukemia	0.0	0.0	1,907.0	0
Chronic Myeloid Leukemia	0.0	0.0	1,907.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,907.0	0
Other Leukemia	0.0	0.0	1,907.0	0
Other Acute Leukemia	0.0	0.0	1,907.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,907.0	0
Mesothelioma	0.0	0.0	1,907.0	0
Kaposi Sarcoma	0.0	0.0	1,907.0	0
Miscellaneous	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	515.5	479.0	554.7	891
Oral Cavity and Pharynx	9.9	5.7	17.3	19
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	4.8	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	4.8	0
Hypopharynx	0.0	0.0	4.8	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	94.4	78.8	112.9	156
Esophagus	3.3	1.0	9.3	6
Stomach	12.7	7.2	21.7	19
Small Intestine	^	^	^	^
Colon and Rectum	50.8	39.2	65.4	78
Colon excluding Rectum	35.5	25.7	48.5	50
Cecum	13.0	7.4	22.1	17
Appendix	^	^	^	^
Ascending Colon	6.7	2.7	14.5	8
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	4.8	0
Sigmoid Colon	8.4	4.2	16.0	13
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	15.3	9.7	24.0	28
Rectosigmoid Junction	^	^	^	^
Rectum	13.8	8.4	22.4	24
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	10.7	6.2	18.2	21
Liver	9.5	5.3	16.9	18
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	9.3	5.2	16.6	17

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	72.7	59.1	89.2	116
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.4	1.8	10.5	8
Lung and Bronchus	66.8	53.7	82.8	105
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.8	0
Bones and Joints	2.0	0.7	7.0	6
Soft Tissue including Heart	2.1	0.8	7.1	6
Skin excluding Basal and Squamous	14.2	8.7	22.9	26
Melanoma of the Skin	14.2	8.7	22.9	26
Other Non-Epithelial Skin	0.0	0.0	4.8	0
Urinary System	45.8	35.0	59.5	71
Urinary Bladder	26.6	18.5	37.9	40
Kidney and Renal Pelvis	16.7	10.7	25.7	28
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.7	2.7	12.0	12
Brain	4.9	2.3	11.0	11
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	10.1	6.1	17.2	23
Thyroid	8.0	4.7	14.3	20
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.3	14.7	30.9	40
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.8	0
Non-Hodgkin Lymphoma	19.5	13.2	28.8	36
NHL - Nodal	12.4	7.5	20.3	24
NHL - Extranodal	7.1	3.5	14.1	12
Myeloma	5.5	2.3	12.4	8
Leukemia	10.3	6.1	17.7	21
Lymphocytic Leukemia	5.9	2.7	12.6	11
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	4.5	1.6	11.0	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.6	1.6	9.0	9
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	4.8	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	18.6	11.4	29.3	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	410.7	279.6	592.7	37
Oral Cavity and Pharynx	0.0	0.0	75.3	0
Lip	0.0	0.0	75.3	0
Tongue	0.0	0.0	75.3	0
Salivary Gland	0.0	0.0	75.3	0
Floor of Mouth	0.0	0.0	75.3	0
Gum and Other Mouth	0.0	0.0	75.3	0
Nasopharynx	0.0	0.0	75.3	0
Tonsil	0.0	0.0	75.3	0
Oropharynx	0.0	0.0	75.3	0
Hypopharynx	0.0	0.0	75.3	0
Other Oral Cavity and Pharynx	0.0	0.0	75.3	0
Digestive System	242.9	143.4	395.9	20
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	122.0	54.8	246.2	10
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	75.3	0
Ascending Colon	0.0	0.0	75.3	0
Hepatic Flexure	0.0	0.0	75.3	0
Transverse Colon	0.0	0.0	75.3	0
Splenic Flexure	0.0	0.0	75.3	0
Descending Colon	0.0	0.0	75.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	75.3	0
Rectum and Rectosigmoid Junction	69.4	22.1	176.8	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	75.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	75.3	0
Liver	0.0	0.0	75.3	0
Intrahepatic Bile Duct	0.0	0.0	75.3	0
Gallbladder	0.0	0.0	75.3	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	75.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	75.3	0
Other Digestive Organs	0.0	0.0	75.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	75.3	0
Larynx	0.0	0.0	75.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	75.3	0
Bones and Joints	0.0	0.0	75.3	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	75.3	0
Melanoma of the Skin	0.0	0.0	75.3	0
Other Non-Epithelial Skin	0.0	0.0	75.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	75.3	0
Other Urinary Organs	0.0	0.0	75.3	0
Eye and Orbit	0.0	0.0	75.3	0
Brain and Other Nervous System	0.0	0.0	75.3	0
Brain	0.0	0.0	75.3	0
Cranial Nerves Other Nervous System	0.0	0.0	75.3	0
Endocrine System	0.0	0.0	75.3	0
Thyroid	0.0	0.0	75.3	0
Other Endocrine including Thymus	0.0	0.0	75.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	75.3	0
Hodgkin - Nodal	0.0	0.0	75.3	0
Hodgkin - Extranodal	0.0	0.0	75.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	75.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	75.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	75.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	75.3	0
Acute Myeloid Leukemia	0.0	0.0	75.3	0
Acute Monocytic Leukemia	0.0	0.0	75.3	0
Chronic Myeloid Leukemia	0.0	0.0	75.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	75.3	0
Other Leukemia	0.0	0.0	75.3	0
Other Acute Leukemia	0.0	0.0	75.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	75.3	0
Mesothelioma	0.0	0.0	75.3	0
Kaposi Sarcoma	0.0	0.0	75.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,907.0	0
Lip	0.0	0.0	1,907.0	0
Tongue	0.0	0.0	1,907.0	0
Salivary Gland	0.0	0.0	1,907.0	0
Floor of Mouth	0.0	0.0	1,907.0	0
Gum and Other Mouth	0.0	0.0	1,907.0	0
Nasopharynx	0.0	0.0	1,907.0	0
Tonsil	0.0	0.0	1,907.0	0
Oropharynx	0.0	0.0	1,907.0	0
Hypopharynx	0.0	0.0	1,907.0	0
Other Oral Cavity and Pharynx	0.0	0.0	1,907.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,907.0	0
Stomach	0.0	0.0	1,907.0	0
Small Intestine	0.0	0.0	1,907.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	1,907.0	0
Cecum	0.0	0.0	1,907.0	0
Appendix	0.0	0.0	1,907.0	0
Ascending Colon	0.0	0.0	1,907.0	0
Hepatic Flexure	0.0	0.0	1,907.0	0
Transverse Colon	0.0	0.0	1,907.0	0
Splenic Flexure	0.0	0.0	1,907.0	0
Descending Colon	0.0	0.0	1,907.0	0
Sigmoid Colon	0.0	0.0	1,907.0	0
Large Intestine, NOS	0.0	0.0	1,907.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	1,907.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1,907.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	1,907.0	0
Gallbladder	0.0	0.0	1,907.0	0
Other Biliary	0.0	0.0	1,907.0	0
Pancreas	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,907.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,907.0	0
Other Digestive Organs	0.0	0.0	1,907.0	0
Respiratory System	0.0	0.0	1,907.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,907.0	0
Larynx	0.0	0.0	1,907.0	0
Lung and Bronchus	0.0	0.0	1,907.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,907.0	0
Bones and Joints	0.0	0.0	1,907.0	0
Soft Tissue including Heart	0.0	0.0	1,907.0	0
Skin excluding Basal and Squamous	0.0	0.0	1,907.0	0
Melanoma of the Skin	0.0	0.0	1,907.0	0
Other Non-Epithelial Skin	0.0	0.0	1,907.0	0
Urinary System	0.0	0.0	1,907.0	0
Urinary Bladder	0.0	0.0	1,907.0	0
Kidney and Renal Pelvis	0.0	0.0	1,907.0	0
Ureter	0.0	0.0	1,907.0	0
Other Urinary Organs	0.0	0.0	1,907.0	0
Eye and Orbit	0.0	0.0	1,907.0	0
Brain and Other Nervous System	0.0	0.0	1,907.0	0
Brain	0.0	0.0	1,907.0	0
Cranial Nerves Other Nervous System	0.0	0.0	1,907.0	0
Endocrine System	0.0	0.0	1,907.0	0
Thyroid	0.0	0.0	1,907.0	0
Other Endocrine including Thymus	0.0	0.0	1,907.0	0
Lymphoma	0.0	0.0	1,907.0	0
Hodgkin Lymphoma	0.0	0.0	1,907.0	0
Hodgkin - Nodal	0.0	0.0	1,907.0	0
Hodgkin - Extranodal	0.0	0.0	1,907.0	0
Non-Hodgkin Lymphoma	0.0	0.0	1,907.0	0
NHL - Nodal	0.0	0.0	1,907.0	0
NHL - Extranodal	0.0	0.0	1,907.0	0
Myeloma	0.0	0.0	1,907.0	0
Leukemia	0.0	0.0	1,907.0	0
Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Acute Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,907.0	0
Acute Myeloid Leukemia	0.0	0.0	1,907.0	0
Acute Monocytic Leukemia	0.0	0.0	1,907.0	0
Chronic Myeloid Leukemia	0.0	0.0	1,907.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,907.0	0
Other Leukemia	0.0	0.0	1,907.0	0
Other Acute Leukemia	0.0	0.0	1,907.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,907.0	0
Mesothelioma	0.0	0.0	1,907.0	0
Kaposi Sarcoma	0.0	0.0	1,907.0	0
Miscellaneous	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,659.9	0
Lip	0.0	0.0	1,659.9	0
Tongue	0.0	0.0	1,659.9	0
Salivary Gland	0.0	0.0	1,659.9	0
Floor of Mouth	0.0	0.0	1,659.9	0
Gum and Other Mouth	0.0	0.0	1,659.9	0
Nasopharynx	0.0	0.0	1,659.9	0
Tonsil	0.0	0.0	1,659.9	0
Oropharynx	0.0	0.0	1,659.9	0
Hypopharynx	0.0	0.0	1,659.9	0
Other Oral Cavity and Pharynx	0.0	0.0	1,659.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,659.9	0
Stomach	0.0	0.0	1,659.9	0
Small Intestine	0.0	0.0	1,659.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	1,659.9	0
Appendix	0.0	0.0	1,659.9	0
Ascending Colon	0.0	0.0	1,659.9	0
Hepatic Flexure	0.0	0.0	1,659.9	0
Transverse Colon	0.0	0.0	1,659.9	0
Splenic Flexure	0.0	0.0	1,659.9	0
Descending Colon	0.0	0.0	1,659.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	1,659.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,659.9	0
Rectosigmoid Junction	0.0	0.0	1,659.9	0
Rectum	0.0	0.0	1,659.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,659.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,659.9	0
Liver	0.0	0.0	1,659.9	0
Intrahepatic Bile Duct	0.0	0.0	1,659.9	0
Gallbladder	0.0	0.0	1,659.9	0
Other Biliary	0.0	0.0	1,659.9	0
Pancreas	0.0	0.0	1,659.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,659.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,659.9	0
Other Digestive Organs	0.0	0.0	1,659.9	0
Respiratory System	0.0	0.0	1,659.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,659.9	0
Larynx	0.0	0.0	1,659.9	0
Lung and Bronchus	0.0	0.0	1,659.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,659.9	0
Bones and Joints	0.0	0.0	1,659.9	0
Soft Tissue including Heart	0.0	0.0	1,659.9	0
Skin excluding Basal and Squamous	0.0	0.0	1,659.9	0
Melanoma of the Skin	0.0	0.0	1,659.9	0
Other Non-Epithelial Skin	0.0	0.0	1,659.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	1,659.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	1,659.9	0
Other Urinary Organs	0.0	0.0	1,659.9	0
Eye and Orbit	0.0	0.0	1,659.9	0
Brain and Other Nervous System	0.0	0.0	1,659.9	0
Brain	0.0	0.0	1,659.9	0
Cranial Nerves Other Nervous System	0.0	0.0	1,659.9	0
Endocrine System	0.0	0.0	1,659.9	0
Thyroid	0.0	0.0	1,659.9	0
Other Endocrine including Thymus	0.0	0.0	1,659.9	0
Lymphoma	0.0	0.0	1,659.9	0
Hodgkin Lymphoma	0.0	0.0	1,659.9	0
Hodgkin - Nodal	0.0	0.0	1,659.9	0
Hodgkin - Extranodal	0.0	0.0	1,659.9	0
Non-Hodgkin Lymphoma	0.0	0.0	1,659.9	0
NHL - Nodal	0.0	0.0	1,659.9	0
NHL - Extranodal	0.0	0.0	1,659.9	0
Myeloma	0.0	0.0	1,659.9	0
Leukemia	0.0	0.0	1,659.9	0
Lymphocytic Leukemia	0.0	0.0	1,659.9	0
Acute Lymphocytic Leukemia	0.0	0.0	1,659.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,659.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,659.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,659.9	0
Acute Myeloid Leukemia	0.0	0.0	1,659.9	0
Acute Monocytic Leukemia	0.0	0.0	1,659.9	0
Chronic Myeloid Leukemia	0.0	0.0	1,659.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,659.9	0
Other Leukemia	0.0	0.0	1,659.9	0
Other Acute Leukemia	0.0	0.0	1,659.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,659.9	0
Mesothelioma	0.0	0.0	1,659.9	0
Kaposi Sarcoma	0.0	0.0	1,659.9	0
Miscellaneous	0.0	0.0	1,659.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	313.4	0
Lip	0.0	0.0	313.4	0
Tongue	0.0	0.0	313.4	0
Salivary Gland	0.0	0.0	313.4	0
Floor of Mouth	0.0	0.0	313.4	0
Gum and Other Mouth	0.0	0.0	313.4	0
Nasopharynx	0.0	0.0	313.4	0
Tonsil	0.0	0.0	313.4	0
Oropharynx	0.0	0.0	313.4	0
Hypopharynx	0.0	0.0	313.4	0
Other Oral Cavity and Pharynx	0.0	0.0	313.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	313.4	0
Stomach	0.0	0.0	313.4	0
Small Intestine	0.0	0.0	313.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	313.4	0
Appendix	0.0	0.0	313.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	313.4	0
Transverse Colon	0.0	0.0	313.4	0
Splenic Flexure	0.0	0.0	313.4	0
Descending Colon	0.0	0.0	313.4	0
Sigmoid Colon	0.0	0.0	313.4	0
Large Intestine, NOS	0.0	0.0	313.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	313.4	0
Rectosigmoid Junction	0.0	0.0	313.4	0
Rectum	0.0	0.0	313.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	313.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	313.4	0
Gallbladder	0.0	0.0	313.4	0
Other Biliary	0.0	0.0	313.4	0
Pancreas	0.0	0.0	313.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	313.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	313.4	0
Other Digestive Organs	0.0	0.0	313.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	313.4	0
Larynx	0.0	0.0	313.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	313.4	0
Bones and Joints	0.0	0.0	313.4	0
Soft Tissue including Heart	0.0	0.0	313.4	0
Skin excluding Basal and Squamous	0.0	0.0	313.4	0
Melanoma of the Skin	0.0	0.0	313.4	0
Other Non-Epithelial Skin	0.0	0.0	313.4	0
Urinary System	0.0	0.0	313.4	0
Urinary Bladder	0.0	0.0	313.4	0
Kidney and Renal Pelvis	0.0	0.0	313.4	0
Ureter	0.0	0.0	313.4	0
Other Urinary Organs	0.0	0.0	313.4	0
Eye and Orbit	0.0	0.0	313.4	0
Brain and Other Nervous System	0.0	0.0	313.4	0
Brain	0.0	0.0	313.4	0
Cranial Nerves Other Nervous System	0.0	0.0	313.4	0
Endocrine System	0.0	0.0	313.4	0
Thyroid	0.0	0.0	313.4	0
Other Endocrine including Thymus	0.0	0.0	313.4	0
Lymphoma	0.0	0.0	313.4	0
Hodgkin Lymphoma	0.0	0.0	313.4	0
Hodgkin - Nodal	0.0	0.0	313.4	0
Hodgkin - Extranodal	0.0	0.0	313.4	0
Non-Hodgkin Lymphoma	0.0	0.0	313.4	0
NHL - Nodal	0.0	0.0	313.4	0
NHL - Extranodal	0.0	0.0	313.4	0
Myeloma	0.0	0.0	313.4	0
Leukemia	0.0	0.0	313.4	0
Lymphocytic Leukemia	0.0	0.0	313.4	0
Acute Lymphocytic Leukemia	0.0	0.0	313.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	313.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	313.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	313.4	0
Acute Myeloid Leukemia	0.0	0.0	313.4	0
Acute Monocytic Leukemia	0.0	0.0	313.4	0
Chronic Myeloid Leukemia	0.0	0.0	313.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	313.4	0
Other Leukemia	0.0	0.0	313.4	0
Other Acute Leukemia	0.0	0.0	313.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	313.4	0
Mesothelioma	0.0	0.0	313.4	0
Kaposi Sarcoma	0.0	0.0	313.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	575.1	502.0	658.6	283
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	18.0	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	18.0	0
Nasopharynx	0.0	0.0	18.0	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	18.0	0
Hypopharynx	0.0	0.0	18.0	0
Other Oral Cavity and Pharynx	0.0	0.0	18.0	0
Digestive System	114.9	81.2	160.5	45
Esophagus	19.2	6.5	46.4	6
Stomach	^	^	^	^
Small Intestine	0.0	0.0	18.0	0
Colon and Rectum	63.4	39.9	98.9	26
Colon excluding Rectum	44.3	25.2	75.8	18
Cecum	^	^	^	^
Appendix	0.0	0.0	18.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	18.0	0
Descending Colon	0.0	0.0	18.0	0
Sigmoid Colon	18.9	7.8	43.3	8
Large Intestine, NOS	0.0	0.0	18.0	0
Rectum and Rectosigmoid Junction	19.1	7.4	44.3	8
Rectosigmoid Junction	^	^	^	^
Rectum	15.6	5.5	39.5	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	18.0	0
Gallbladder	0.0	0.0	18.0	0
Other Biliary	0.0	0.0	18.0	0
Pancreas	18.2	6.8	43.3	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	18.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	18.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	77.3	51.9	114.3	36
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	74.3	49.2	111.1	33
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	13.3	5.9	33.4	9
Melanoma of the Skin	12.1	5.1	32.1	8
Other Non-Epithelial Skin	^	^	^	^
Urinary System	48.2	27.2	81.9	20
Urinary Bladder	31.4	15.7	59.9	14
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	18.0	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	18.0	0
Endocrine System	11.5	4.7	31.3	8
Thyroid	9.6	3.6	29.0	7
Other Endocrine including Thymus	^	^	^	^
Lymphoma	22.6	12.1	45.1	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	18.0	0
Non-Hodgkin Lymphoma	20.8	10.6	43.1	13
NHL - Nodal	12.0	4.9	32.2	8
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	18.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	18.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	18.0	0
Other Leukemia	0.0	0.0	18.0	0
Other Acute Leukemia	0.0	0.0	18.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	18.0	0
Mesothelioma	0.0	0.0	18.0	0
Kaposi Sarcoma	0.0	0.0	18.0	0
Miscellaneous	21.0	8.4	47.1	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	368.6	143.1	850.7	7
Oral Cavity and Pharynx	0.0	0.0	340.1	0
Lip	0.0	0.0	340.1	0
Tongue	0.0	0.0	340.1	0
Salivary Gland	0.0	0.0	340.1	0
Floor of Mouth	0.0	0.0	340.1	0
Gum and Other Mouth	0.0	0.0	340.1	0
Nasopharynx	0.0	0.0	340.1	0
Tonsil	0.0	0.0	340.1	0
Oropharynx	0.0	0.0	340.1	0
Hypopharynx	0.0	0.0	340.1	0
Other Oral Cavity and Pharynx	0.0	0.0	340.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	340.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	340.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	340.1	0
Appendix	0.0	0.0	340.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	340.1	0
Transverse Colon	0.0	0.0	340.1	0
Splenic Flexure	0.0	0.0	340.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	340.1	0
Large Intestine, NOS	0.0	0.0	340.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	340.1	0
Rectosigmoid Junction	0.0	0.0	340.1	0
Rectum	0.0	0.0	340.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	340.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	340.1	0
Liver	0.0	0.0	340.1	0
Intrahepatic Bile Duct	0.0	0.0	340.1	0
Gallbladder	0.0	0.0	340.1	0
Other Biliary	0.0	0.0	340.1	0
Pancreas	0.0	0.0	340.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	340.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	340.1	0
Other Digestive Organs	0.0	0.0	340.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	340.1	0
Larynx	0.0	0.0	340.1	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	340.1	0
Bones and Joints	0.0	0.0	340.1	0
Soft Tissue including Heart	0.0	0.0	340.1	0
Skin excluding Basal and Squamous	0.0	0.0	340.1	0
Melanoma of the Skin	0.0	0.0	340.1	0
Other Non-Epithelial Skin	0.0	0.0	340.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	340.1	0
Ureter	0.0	0.0	340.1	0
Other Urinary Organs	0.0	0.0	340.1	0
Eye and Orbit	0.0	0.0	340.1	0
Brain and Other Nervous System	0.0	0.0	340.1	0
Brain	0.0	0.0	340.1	0
Cranial Nerves Other Nervous System	0.0	0.0	340.1	0
Endocrine System	0.0	0.0	340.1	0
Thyroid	0.0	0.0	340.1	0
Other Endocrine including Thymus	0.0	0.0	340.1	0
Lymphoma	0.0	0.0	340.1	0
Hodgkin Lymphoma	0.0	0.0	340.1	0
Hodgkin - Nodal	0.0	0.0	340.1	0
Hodgkin - Extranodal	0.0	0.0	340.1	0
Non-Hodgkin Lymphoma	0.0	0.0	340.1	0
NHL - Nodal	0.0	0.0	340.1	0
NHL - Extranodal	0.0	0.0	340.1	0
Myeloma	0.0	0.0	340.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	340.1	0
Acute Lymphocytic Leukemia	0.0	0.0	340.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	340.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	340.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	340.1	0
Chronic Myeloid Leukemia	0.0	0.0	340.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	340.1	0
Other Leukemia	0.0	0.0	340.1	0
Other Acute Leukemia	0.0	0.0	340.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	340.1	0
Mesothelioma	0.0	0.0	340.1	0
Kaposi Sarcoma	0.0	0.0	340.1	0
Miscellaneous	0.0	0.0	340.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	554.1	451.5	677.4	119
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.9	0
Tongue	0.0	0.0	32.9	0
Salivary Gland	0.0	0.0	32.9	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	32.9	0
Nasopharynx	0.0	0.0	32.9	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	32.9	0
Hypopharynx	0.0	0.0	32.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	103.6	63.3	166.2	23
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	32.9	0
Colon and Rectum	52.3	25.4	102.7	12
Colon excluding Rectum	48.3	22.5	97.9	11
Cecum	^	^	^	^
Appendix	0.0	0.0	32.9	0
Ascending Colon	0.0	0.0	32.9	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	32.9	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	32.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	32.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	32.9	0
Gallbladder	0.0	0.0	32.9	0
Other Biliary	0.0	0.0	32.9	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	32.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.9	0
Other Digestive Organs	0.0	0.0	32.9	0
Respiratory System	72.3	36.9	132.2	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.9	0
Larynx	^	^	^	^
Lung and Bronchus	65.7	32.3	123.6	12
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.9	0
Bones and Joints	0.0	0.0	32.9	0
Soft Tissue including Heart	0.0	0.0	32.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	32.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	32.9	0
Other Urinary Organs	0.0	0.0	32.9	0
Eye and Orbit	0.0	0.0	32.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	32.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	32.9	0
Lymphoma	51.2	22.0	105.9	9
Hodgkin Lymphoma	0.0	0.0	32.9	0
Hodgkin - Nodal	0.0	0.0	32.9	0
Hodgkin - Extranodal	0.0	0.0	32.9	0
Non-Hodgkin Lymphoma	51.2	22.0	105.9	9
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	32.9	0
Acute Lymphocytic Leukemia	0.0	0.0	32.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	32.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	32.9	0
Acute Monocytic Leukemia	0.0	0.0	32.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.9	0
Other Leukemia	0.0	0.0	32.9	0
Other Acute Leukemia	0.0	0.0	32.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.9	0
Mesothelioma	0.0	0.0	32.9	0
Kaposi Sarcoma	0.0	0.0	32.9	0
Miscellaneous	25.5	8.6	67.2	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	562.1	485.4	651.8	224
Oral Cavity and Pharynx	16.7	6.0	45.0	7
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	23.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	23.7	0
Tonsil	0.0	0.0	23.7	0
Oropharynx	0.0	0.0	23.7	0
Hypopharynx	0.0	0.0	23.7	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	98.0	65.6	145.6	34
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	23.7	0
Colon and Rectum	66.2	40.7	107.0	24
Colon excluding Rectum	40.9	20.9	77.5	14
Cecum	^	^	^	^
Appendix	0.0	0.0	23.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	23.7	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	23.7	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	25.2	11.7	55.4	10
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	23.7	0
Liver	0.0	0.0	23.7	0
Intrahepatic Bile Duct	0.0	0.0	23.7	0
Gallbladder	0.0	0.0	23.7	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	23.7	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	23.7	0
Respiratory System	108.0	75.1	155.6	40
Nose, Nasal Cavity and Middle Ear	0.0	0.0	23.7	0
Larynx	^	^	^	^
Lung and Bronchus	104.3	71.8	151.6	38
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	23.7	0
Bones and Joints	0.0	0.0	23.7	0
Soft Tissue including Heart	0.0	0.0	23.7	0
Skin excluding Basal and Squamous	13.7	5.3	39.6	7
Melanoma of the Skin	11.6	4.1	37.0	6
Other Non-Epithelial Skin	^	^	^	^
Urinary System	50.6	30.5	85.9	21
Urinary Bladder	32.8	16.7	65.0	13
Kidney and Renal Pelvis	17.8	7.4	45.3	8
Ureter	0.0	0.0	23.7	0
Other Urinary Organs	0.0	0.0	23.7	0
Eye and Orbit	0.0	0.0	23.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	14.1	5.6	39.9	7
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	32.0	15.5	65.1	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	23.7	0
Non-Hodgkin Lymphoma	30.6	14.3	63.6	11
NHL - Nodal	27.6	12.3	59.9	10
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	23.7	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	23.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	23.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	23.7	0
Other Leukemia	0.0	0.0	23.7	0
Other Acute Leukemia	0.0	0.0	23.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	23.7	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	23.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	662.6	515.0	844.6	75
Oral Cavity and Pharynx	51.4	18.3	124.1	6
Lip	0.0	0.0	51.0	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	51.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	51.0	0
Tonsil	0.0	0.0	51.0	0
Oropharynx	0.0	0.0	51.0	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	51.0	0
Digestive System	147.2	77.0	258.2	13
Esophagus	0.0	0.0	51.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	51.0	0
Colon and Rectum	123.3	60.3	227.4	11
Colon excluding Rectum	96.5	41.4	193.9	8
Cecum	^	^	^	^
Appendix	0.0	0.0	51.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	51.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	51.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	51.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	51.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	51.0	0
Liver	0.0	0.0	51.0	0
Intrahepatic Bile Duct	0.0	0.0	51.0	0
Gallbladder	0.0	0.0	51.0	0
Other Biliary	0.0	0.0	51.0	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	51.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	51.0	0
Other Digestive Organs	0.0	0.0	51.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	51.0	0
Larynx	0.0	0.0	51.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	51.0	0
Bones and Joints	0.0	0.0	51.0	0
Soft Tissue including Heart	0.0	0.0	51.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	51.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	51.0	0
Other Urinary Organs	0.0	0.0	51.0	0
Eye and Orbit	0.0	0.0	51.0	0
Brain and Other Nervous System	0.0	0.0	51.0	0
Brain	0.0	0.0	51.0	0
Cranial Nerves Other Nervous System	0.0	0.0	51.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	51.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	51.0	0
Hodgkin - Nodal	0.0	0.0	51.0	0
Hodgkin - Extranodal	0.0	0.0	51.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	51.0	0
Myeloma	0.0	0.0	51.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	51.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	51.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	51.0	0
Chronic Myeloid Leukemia	0.0	0.0	51.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	51.0	0
Other Leukemia	0.0	0.0	51.0	0
Other Acute Leukemia	0.0	0.0	51.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	51.0	0
Mesothelioma	0.0	0.0	51.0	0
Kaposi Sarcoma	0.0	0.0	51.0	0
Miscellaneous	0.0	0.0	51.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	450.2	312.6	647.9	44
Oral Cavity and Pharynx	0.0	0.0	96.7	0
Lip	0.0	0.0	96.7	0
Tongue	0.0	0.0	96.7	0
Salivary Gland	0.0	0.0	96.7	0
Floor of Mouth	0.0	0.0	96.7	0
Gum and Other Mouth	0.0	0.0	96.7	0
Nasopharynx	0.0	0.0	96.7	0
Tonsil	0.0	0.0	96.7	0
Oropharynx	0.0	0.0	96.7	0
Hypopharynx	0.0	0.0	96.7	0
Other Oral Cavity and Pharynx	0.0	0.0	96.7	0
Digestive System	104.5	43.0	236.9	8
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	96.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	96.7	0
Ascending Colon	0.0	0.0	96.7	0
Hepatic Flexure	0.0	0.0	96.7	0
Transverse Colon	0.0	0.0	96.7	0
Splenic Flexure	0.0	0.0	96.7	0
Descending Colon	0.0	0.0	96.7	0
Sigmoid Colon	0.0	0.0	96.7	0
Large Intestine, NOS	0.0	0.0	96.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	96.7	0
Liver	0.0	0.0	96.7	0
Intrahepatic Bile Duct	0.0	0.0	96.7	0
Gallbladder	0.0	0.0	96.7	0
Other Biliary	0.0	0.0	96.7	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	96.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.7	0
Other Digestive Organs	0.0	0.0	96.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.7	0
Larynx	0.0	0.0	96.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	96.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	96.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	96.7	0
Other Urinary Organs	0.0	0.0	96.7	0
Eye and Orbit	0.0	0.0	96.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	96.7	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	96.7	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	96.7	0
Hodgkin - Nodal	0.0	0.0	96.7	0
Hodgkin - Extranodal	0.0	0.0	96.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	96.7	0
Myeloma	0.0	0.0	96.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	96.7	0
Acute Lymphocytic Leukemia	0.0	0.0	96.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	96.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	96.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	96.7	0
Acute Monocytic Leukemia	0.0	0.0	96.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.7	0
Other Leukemia	0.0	0.0	96.7	0
Other Acute Leukemia	0.0	0.0	96.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.7	0
Mesothelioma	0.0	0.0	96.7	0
Kaposi Sarcoma	0.0	0.0	96.7	0
Miscellaneous	0.0	0.0	96.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	817.3	0
Lip	0.0	0.0	817.3	0
Tongue	0.0	0.0	817.3	0
Salivary Gland	0.0	0.0	817.3	0
Floor of Mouth	0.0	0.0	817.3	0
Gum and Other Mouth	0.0	0.0	817.3	0
Nasopharynx	0.0	0.0	817.3	0
Tonsil	0.0	0.0	817.3	0
Oropharynx	0.0	0.0	817.3	0
Hypopharynx	0.0	0.0	817.3	0
Other Oral Cavity and Pharynx	0.0	0.0	817.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	817.3	0
Stomach	0.0	0.0	817.3	0
Small Intestine	0.0	0.0	817.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	817.3	0
Appendix	0.0	0.0	817.3	0
Ascending Colon	0.0	0.0	817.3	0
Hepatic Flexure	0.0	0.0	817.3	0
Transverse Colon	0.0	0.0	817.3	0
Splenic Flexure	0.0	0.0	817.3	0
Descending Colon	0.0	0.0	817.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	817.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	817.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	817.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	817.3	0
Liver	0.0	0.0	817.3	0
Intrahepatic Bile Duct	0.0	0.0	817.3	0
Gallbladder	0.0	0.0	817.3	0
Other Biliary	0.0	0.0	817.3	0
Pancreas	0.0	0.0	817.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	817.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	817.3	0
Other Digestive Organs	0.0	0.0	817.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	817.3	0
Larynx	0.0	0.0	817.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	817.3	0
Bones and Joints	0.0	0.0	817.3	0
Soft Tissue including Heart	0.0	0.0	817.3	0
Skin excluding Basal and Squamous	0.0	0.0	817.3	0
Melanoma of the Skin	0.0	0.0	817.3	0
Other Non-Epithelial Skin	0.0	0.0	817.3	0
Urinary System	0.0	0.0	817.3	0
Urinary Bladder	0.0	0.0	817.3	0
Kidney and Renal Pelvis	0.0	0.0	817.3	0
Ureter	0.0	0.0	817.3	0
Other Urinary Organs	0.0	0.0	817.3	0
Eye and Orbit	0.0	0.0	817.3	0
Brain and Other Nervous System	0.0	0.0	817.3	0
Brain	0.0	0.0	817.3	0
Cranial Nerves Other Nervous System	0.0	0.0	817.3	0
Endocrine System	0.0	0.0	817.3	0
Thyroid	0.0	0.0	817.3	0
Other Endocrine including Thymus	0.0	0.0	817.3	0
Lymphoma	0.0	0.0	817.3	0
Hodgkin Lymphoma	0.0	0.0	817.3	0
Hodgkin - Nodal	0.0	0.0	817.3	0
Hodgkin - Extranodal	0.0	0.0	817.3	0
Non-Hodgkin Lymphoma	0.0	0.0	817.3	0
NHL - Nodal	0.0	0.0	817.3	0
NHL - Extranodal	0.0	0.0	817.3	0
Myeloma	0.0	0.0	817.3	0
Leukemia	0.0	0.0	817.3	0
Lymphocytic Leukemia	0.0	0.0	817.3	0
Acute Lymphocytic Leukemia	0.0	0.0	817.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	817.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	817.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	817.3	0
Acute Myeloid Leukemia	0.0	0.0	817.3	0
Acute Monocytic Leukemia	0.0	0.0	817.3	0
Chronic Myeloid Leukemia	0.0	0.0	817.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	817.3	0
Other Leukemia	0.0	0.0	817.3	0
Other Acute Leukemia	0.0	0.0	817.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	817.3	0
Mesothelioma	0.0	0.0	817.3	0
Kaposi Sarcoma	0.0	0.0	817.3	0
Miscellaneous	0.0	0.0	817.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	430.3	365.1	509.0	190
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	25.3	0
Tongue	0.0	0.0	25.3	0
Salivary Gland	0.0	0.0	25.3	0
Floor of Mouth	0.0	0.0	25.3	0
Gum and Other Mouth	0.0	0.0	25.3	0
Nasopharynx	0.0	0.0	25.3	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	25.3	0
Hypopharynx	0.0	0.0	25.3	0
Other Oral Cavity and Pharynx	0.0	0.0	25.3	0
Digestive System	84.9	57.3	127.8	36
Esophagus	^	^	^	^
Stomach	0.0	0.0	25.3	0
Small Intestine	0.0	0.0	25.3	0
Colon and Rectum	49.4	29.7	85.2	21
Colon excluding Rectum	34.9	18.9	67.5	15
Cecum	^	^	^	^
Appendix	0.0	0.0	25.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	14.6	4.9	43.3	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	25.3	0
Liver and Intrahepatic Bile Duct	14.3	4.2	44.0	6
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	25.3	0
Other Digestive Organs	0.0	0.0	25.3	0
Respiratory System	64.6	40.4	104.8	27
Nose, Nasal Cavity and Middle Ear	0.0	0.0	25.3	0
Larynx	^	^	^	^
Lung and Bronchus	61.0	37.3	100.8	25
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	25.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	25.3	0
Skin excluding Basal and Squamous	15.4	5.8	43.8	7
Melanoma of the Skin	15.4	5.8	43.8	7
Other Non-Epithelial Skin	0.0	0.0	25.3	0
Urinary System	37.0	19.8	71.0	16
Urinary Bladder	29.1	13.8	61.9	12
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	25.3	0
Eye and Orbit	0.0	0.0	25.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	25.3	0
Endocrine System	9.5	3.5	35.1	6
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	25.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	25.3	0
Myeloma	^	^	^	^
Leukemia	26.0	9.0	63.1	8
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	25.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	25.3	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	25.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	25.3	0
Kaposi Sarcoma	0.0	0.0	25.3	0
Miscellaneous	15.5	6.2	43.2	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	393.4	234.7	634.7	20
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	115.5	0
Tongue	0.0	0.0	115.5	0
Salivary Gland	0.0	0.0	115.5	0
Floor of Mouth	0.0	0.0	115.5	0
Gum and Other Mouth	0.0	0.0	115.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	115.5	0
Oropharynx	0.0	0.0	115.5	0
Hypopharynx	0.0	0.0	115.5	0
Other Oral Cavity and Pharynx	0.0	0.0	115.5	0
Digestive System	179.7	79.5	367.4	9
Esophagus	0.0	0.0	115.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	115.5	0
Colon and Rectum	139.9	53.8	315.6	7
Colon excluding Rectum	139.9	53.8	315.6	7
Cecum	0.0	0.0	115.5	0
Appendix	^	^	^	^
Ascending Colon	0.0	0.0	115.5	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	115.5	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	115.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	115.5	0
Rectosigmoid Junction	0.0	0.0	115.5	0
Rectum	0.0	0.0	115.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	115.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	115.5	0
Liver	0.0	0.0	115.5	0
Intrahepatic Bile Duct	0.0	0.0	115.5	0
Gallbladder	0.0	0.0	115.5	0
Other Biliary	0.0	0.0	115.5	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	115.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	115.5	0
Other Digestive Organs	0.0	0.0	115.5	0
Respiratory System	175.2	73.4	367.3	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	115.5	0
Larynx	0.0	0.0	115.5	0
Lung and Bronchus	175.2	73.4	367.3	8
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	115.5	0
Bones and Joints	0.0	0.0	115.5	0
Soft Tissue including Heart	0.0	0.0	115.5	0
Skin excluding Basal and Squamous	0.0	0.0	115.5	0
Melanoma of the Skin	0.0	0.0	115.5	0
Other Non-Epithelial Skin	0.0	0.0	115.5	0
Urinary System	0.0	0.0	115.5	0
Urinary Bladder	0.0	0.0	115.5	0
Kidney and Renal Pelvis	0.0	0.0	115.5	0
Ureter	0.0	0.0	115.5	0
Other Urinary Organs	0.0	0.0	115.5	0
Eye and Orbit	0.0	0.0	115.5	0
Brain and Other Nervous System	0.0	0.0	115.5	0
Brain	0.0	0.0	115.5	0
Cranial Nerves Other Nervous System	0.0	0.0	115.5	0
Endocrine System	0.0	0.0	115.5	0
Thyroid	0.0	0.0	115.5	0
Other Endocrine including Thymus	0.0	0.0	115.5	0
Lymphoma	0.0	0.0	115.5	0
Hodgkin Lymphoma	0.0	0.0	115.5	0
Hodgkin - Nodal	0.0	0.0	115.5	0
Hodgkin - Extranodal	0.0	0.0	115.5	0
Non-Hodgkin Lymphoma	0.0	0.0	115.5	0
NHL - Nodal	0.0	0.0	115.5	0
NHL - Extranodal	0.0	0.0	115.5	0
Myeloma	0.0	0.0	115.5	0
Leukemia	0.0	0.0	115.5	0
Lymphocytic Leukemia	0.0	0.0	115.5	0
Acute Lymphocytic Leukemia	0.0	0.0	115.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	115.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	115.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	115.5	0
Acute Myeloid Leukemia	0.0	0.0	115.5	0
Acute Monocytic Leukemia	0.0	0.0	115.5	0
Chronic Myeloid Leukemia	0.0	0.0	115.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	115.5	0
Other Leukemia	0.0	0.0	115.5	0
Other Acute Leukemia	0.0	0.0	115.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	115.5	0
Mesothelioma	0.0	0.0	115.5	0
Kaposi Sarcoma	0.0	0.0	115.5	0
Miscellaneous	0.0	0.0	115.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	545.0	307.4	939.9	19
Oral Cavity and Pharynx	0.0	0.0	228.8	0
Lip	0.0	0.0	228.8	0
Tongue	0.0	0.0	228.8	0
Salivary Gland	0.0	0.0	228.8	0
Floor of Mouth	0.0	0.0	228.8	0
Gum and Other Mouth	0.0	0.0	228.8	0
Nasopharynx	0.0	0.0	228.8	0
Tonsil	0.0	0.0	228.8	0
Oropharynx	0.0	0.0	228.8	0
Hypopharynx	0.0	0.0	228.8	0
Other Oral Cavity and Pharynx	0.0	0.0	228.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	228.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	228.8	0
Appendix	0.0	0.0	228.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	228.8	0
Splenic Flexure	0.0	0.0	228.8	0
Descending Colon	0.0	0.0	228.8	0
Sigmoid Colon	0.0	0.0	228.8	0
Large Intestine, NOS	0.0	0.0	228.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	228.8	0
Rectosigmoid Junction	0.0	0.0	228.8	0
Rectum	0.0	0.0	228.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	228.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	228.8	0
Liver	0.0	0.0	228.8	0
Intrahepatic Bile Duct	0.0	0.0	228.8	0
Gallbladder	0.0	0.0	228.8	0
Other Biliary	0.0	0.0	228.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	228.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	228.8	0
Other Digestive Organs	0.0	0.0	228.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	228.8	0
Larynx	0.0	0.0	228.8	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	228.8	0
Bones and Joints	0.0	0.0	228.8	0
Soft Tissue including Heart	0.0	0.0	228.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	228.8	0
Urinary System	0.0	0.0	228.8	0
Urinary Bladder	0.0	0.0	228.8	0
Kidney and Renal Pelvis	0.0	0.0	228.8	0
Ureter	0.0	0.0	228.8	0
Other Urinary Organs	0.0	0.0	228.8	0
Eye and Orbit	0.0	0.0	228.8	0
Brain and Other Nervous System	0.0	0.0	228.8	0
Brain	0.0	0.0	228.8	0
Cranial Nerves Other Nervous System	0.0	0.0	228.8	0
Endocrine System	0.0	0.0	228.8	0
Thyroid	0.0	0.0	228.8	0
Other Endocrine including Thymus	0.0	0.0	228.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	228.8	0
Non-Hodgkin Lymphoma	0.0	0.0	228.8	0
NHL - Nodal	0.0	0.0	228.8	0
NHL - Extranodal	0.0	0.0	228.8	0
Myeloma	0.0	0.0	228.8	0
Leukemia	0.0	0.0	228.8	0
Lymphocytic Leukemia	0.0	0.0	228.8	0
Acute Lymphocytic Leukemia	0.0	0.0	228.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	228.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	228.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	228.8	0
Acute Myeloid Leukemia	0.0	0.0	228.8	0
Acute Monocytic Leukemia	0.0	0.0	228.8	0
Chronic Myeloid Leukemia	0.0	0.0	228.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	228.8	0
Other Leukemia	0.0	0.0	228.8	0
Other Acute Leukemia	0.0	0.0	228.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	228.8	0
Mesothelioma	0.0	0.0	228.8	0
Kaposi Sarcoma	0.0	0.0	228.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	369.1	200.6	695.3	15
Oral Cavity and Pharynx	0.0	0.0	238.4	0
Lip	0.0	0.0	238.4	0
Tongue	0.0	0.0	238.4	0
Salivary Gland	0.0	0.0	238.4	0
Floor of Mouth	0.0	0.0	238.4	0
Gum and Other Mouth	0.0	0.0	238.4	0
Nasopharynx	0.0	0.0	238.4	0
Tonsil	0.0	0.0	238.4	0
Oropharynx	0.0	0.0	238.4	0
Hypopharynx	0.0	0.0	238.4	0
Other Oral Cavity and Pharynx	0.0	0.0	238.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	238.4	0
Stomach	0.0	0.0	238.4	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	238.4	0
Cecum	0.0	0.0	238.4	0
Appendix	0.0	0.0	238.4	0
Ascending Colon	0.0	0.0	238.4	0
Hepatic Flexure	0.0	0.0	238.4	0
Transverse Colon	0.0	0.0	238.4	0
Splenic Flexure	0.0	0.0	238.4	0
Descending Colon	0.0	0.0	238.4	0
Sigmoid Colon	0.0	0.0	238.4	0
Large Intestine, NOS	0.0	0.0	238.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	238.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	238.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	238.4	0
Liver	0.0	0.0	238.4	0
Intrahepatic Bile Duct	0.0	0.0	238.4	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	238.4	0
Pancreas	0.0	0.0	238.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	238.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	238.4	0
Other Digestive Organs	0.0	0.0	238.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	238.4	0
Larynx	0.0	0.0	238.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	238.4	0
Bones and Joints	0.0	0.0	238.4	0
Soft Tissue including Heart	0.0	0.0	238.4	0
Skin excluding Basal and Squamous	0.0	0.0	238.4	0
Melanoma of the Skin	0.0	0.0	238.4	0
Other Non-Epithelial Skin	0.0	0.0	238.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	238.4	0
Other Urinary Organs	0.0	0.0	238.4	0
Eye and Orbit	0.0	0.0	238.4	0
Brain and Other Nervous System	0.0	0.0	238.4	0
Brain	0.0	0.0	238.4	0
Cranial Nerves Other Nervous System	0.0	0.0	238.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	238.4	0
Lymphoma	0.0	0.0	238.4	0
Hodgkin Lymphoma	0.0	0.0	238.4	0
Hodgkin - Nodal	0.0	0.0	238.4	0
Hodgkin - Extranodal	0.0	0.0	238.4	0
Non-Hodgkin Lymphoma	0.0	0.0	238.4	0
NHL - Nodal	0.0	0.0	238.4	0
NHL - Extranodal	0.0	0.0	238.4	0
Myeloma	0.0	0.0	238.4	0
Leukemia	0.0	0.0	238.4	0
Lymphocytic Leukemia	0.0	0.0	238.4	0
Acute Lymphocytic Leukemia	0.0	0.0	238.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	238.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	238.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	238.4	0
Acute Myeloid Leukemia	0.0	0.0	238.4	0
Acute Monocytic Leukemia	0.0	0.0	238.4	0
Chronic Myeloid Leukemia	0.0	0.0	238.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	238.4	0
Other Leukemia	0.0	0.0	238.4	0
Other Acute Leukemia	0.0	0.0	238.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	238.4	0
Mesothelioma	0.0	0.0	238.4	0
Kaposi Sarcoma	0.0	0.0	238.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	446.5	220.8	891.9	16
Oral Cavity and Pharynx	0.0	0.0	317.8	0
Lip	0.0	0.0	317.8	0
Tongue	0.0	0.0	317.8	0
Salivary Gland	0.0	0.0	317.8	0
Floor of Mouth	0.0	0.0	317.8	0
Gum and Other Mouth	0.0	0.0	317.8	0
Nasopharynx	0.0	0.0	317.8	0
Tonsil	0.0	0.0	317.8	0
Oropharynx	0.0	0.0	317.8	0
Hypopharynx	0.0	0.0	317.8	0
Other Oral Cavity and Pharynx	0.0	0.0	317.8	0
Digestive System	200.5	64.4	578.3	6
Esophagus	0.0	0.0	317.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	317.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	317.8	0
Ascending Colon	0.0	0.0	317.8	0
Hepatic Flexure	0.0	0.0	317.8	0
Transverse Colon	0.0	0.0	317.8	0
Splenic Flexure	0.0	0.0	317.8	0
Descending Colon	0.0	0.0	317.8	0
Sigmoid Colon	0.0	0.0	317.8	0
Large Intestine, NOS	0.0	0.0	317.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	317.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	317.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	317.8	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	317.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	317.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	317.8	0
Other Digestive Organs	0.0	0.0	317.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	317.8	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	317.8	0
Bones and Joints	0.0	0.0	317.8	0
Soft Tissue including Heart	0.0	0.0	317.8	0
Skin excluding Basal and Squamous	0.0	0.0	317.8	0
Melanoma of the Skin	0.0	0.0	317.8	0
Other Non-Epithelial Skin	0.0	0.0	317.8	0
Urinary System	0.0	0.0	317.8	0
Urinary Bladder	0.0	0.0	317.8	0
Kidney and Renal Pelvis	0.0	0.0	317.8	0
Ureter	0.0	0.0	317.8	0
Other Urinary Organs	0.0	0.0	317.8	0
Eye and Orbit	0.0	0.0	317.8	0
Brain and Other Nervous System	0.0	0.0	317.8	0
Brain	0.0	0.0	317.8	0
Cranial Nerves Other Nervous System	0.0	0.0	317.8	0
Endocrine System	0.0	0.0	317.8	0
Thyroid	0.0	0.0	317.8	0
Other Endocrine including Thymus	0.0	0.0	317.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	317.8	0
Hodgkin - Nodal	0.0	0.0	317.8	0
Hodgkin - Extranodal	0.0	0.0	317.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	317.8	0
Leukemia	0.0	0.0	317.8	0
Lymphocytic Leukemia	0.0	0.0	317.8	0
Acute Lymphocytic Leukemia	0.0	0.0	317.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	317.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	317.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	317.8	0
Acute Myeloid Leukemia	0.0	0.0	317.8	0
Acute Monocytic Leukemia	0.0	0.0	317.8	0
Chronic Myeloid Leukemia	0.0	0.0	317.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	317.8	0
Other Leukemia	0.0	0.0	317.8	0
Other Acute Leukemia	0.0	0.0	317.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	317.8	0
Mesothelioma	0.0	0.0	317.8	0
Kaposi Sarcoma	0.0	0.0	317.8	0
Miscellaneous	0.0	0.0	317.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	359.2	223.7	564.5	25
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	102.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	102.8	0
Floor of Mouth	0.0	0.0	102.8	0
Gum and Other Mouth	0.0	0.0	102.8	0
Nasopharynx	0.0	0.0	102.8	0
Tonsil	0.0	0.0	102.8	0
Oropharynx	0.0	0.0	102.8	0
Hypopharynx	0.0	0.0	102.8	0
Other Oral Cavity and Pharynx	0.0	0.0	102.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	102.8	0
Stomach	0.0	0.0	102.8	0
Small Intestine	0.0	0.0	102.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	102.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	102.8	0
Transverse Colon	0.0	0.0	102.8	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	102.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	102.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	102.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	102.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	102.8	0
Liver	0.0	0.0	102.8	0
Intrahepatic Bile Duct	0.0	0.0	102.8	0
Gallbladder	0.0	0.0	102.8	0
Other Biliary	0.0	0.0	102.8	0
Pancreas	0.0	0.0	102.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	102.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	102.8	0
Other Digestive Organs	0.0	0.0	102.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	102.8	0
Larynx	0.0	0.0	102.8	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	102.8	0
Bones and Joints	0.0	0.0	102.8	0
Soft Tissue including Heart	0.0	0.0	102.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	102.8	0
Urinary System	0.0	0.0	102.8	0
Urinary Bladder	0.0	0.0	102.8	0
Kidney and Renal Pelvis	0.0	0.0	102.8	0
Ureter	0.0	0.0	102.8	0
Other Urinary Organs	0.0	0.0	102.8	0
Eye and Orbit	0.0	0.0	102.8	0
Brain and Other Nervous System	0.0	0.0	102.8	0
Brain	0.0	0.0	102.8	0
Cranial Nerves Other Nervous System	0.0	0.0	102.8	0
Endocrine System	0.0	0.0	102.8	0
Thyroid	0.0	0.0	102.8	0
Other Endocrine including Thymus	0.0	0.0	102.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	102.8	0
Non-Hodgkin Lymphoma	0.0	0.0	102.8	0
NHL - Nodal	0.0	0.0	102.8	0
NHL - Extranodal	0.0	0.0	102.8	0
Myeloma	0.0	0.0	102.8	0
Leukemia	0.0	0.0	102.8	0
Lymphocytic Leukemia	0.0	0.0	102.8	0
Acute Lymphocytic Leukemia	0.0	0.0	102.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	102.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	102.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	102.8	0
Acute Myeloid Leukemia	0.0	0.0	102.8	0
Acute Monocytic Leukemia	0.0	0.0	102.8	0
Chronic Myeloid Leukemia	0.0	0.0	102.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	102.8	0
Other Leukemia	0.0	0.0	102.8	0
Other Acute Leukemia	0.0	0.0	102.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	102.8	0
Mesothelioma	0.0	0.0	102.8	0
Kaposi Sarcoma	0.0	0.0	102.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	339.7	151.1	712.9	10
Oral Cavity and Pharynx	0.0	0.0	253.2	0
Lip	0.0	0.0	253.2	0
Tongue	0.0	0.0	253.2	0
Salivary Gland	0.0	0.0	253.2	0
Floor of Mouth	0.0	0.0	253.2	0
Gum and Other Mouth	0.0	0.0	253.2	0
Nasopharynx	0.0	0.0	253.2	0
Tonsil	0.0	0.0	253.2	0
Oropharynx	0.0	0.0	253.2	0
Hypopharynx	0.0	0.0	253.2	0
Other Oral Cavity and Pharynx	0.0	0.0	253.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	253.2	0
Stomach	0.0	0.0	253.2	0
Small Intestine	0.0	0.0	253.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	253.2	0
Cecum	0.0	0.0	253.2	0
Appendix	0.0	0.0	253.2	0
Ascending Colon	0.0	0.0	253.2	0
Hepatic Flexure	0.0	0.0	253.2	0
Transverse Colon	0.0	0.0	253.2	0
Splenic Flexure	0.0	0.0	253.2	0
Descending Colon	0.0	0.0	253.2	0
Sigmoid Colon	0.0	0.0	253.2	0
Large Intestine, NOS	0.0	0.0	253.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	253.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	253.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	253.2	0
Liver	0.0	0.0	253.2	0
Intrahepatic Bile Duct	0.0	0.0	253.2	0
Gallbladder	0.0	0.0	253.2	0
Other Biliary	0.0	0.0	253.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	253.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	253.2	0
Other Digestive Organs	0.0	0.0	253.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	253.2	0
Larynx	0.0	0.0	253.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	253.2	0
Bones and Joints	0.0	0.0	253.2	0
Soft Tissue including Heart	0.0	0.0	253.2	0
Skin excluding Basal and Squamous	0.0	0.0	253.2	0
Melanoma of the Skin	0.0	0.0	253.2	0
Other Non-Epithelial Skin	0.0	0.0	253.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	253.2	0
Ureter	0.0	0.0	253.2	0
Other Urinary Organs	0.0	0.0	253.2	0
Eye and Orbit	0.0	0.0	253.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	253.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	253.2	0
Lymphoma	0.0	0.0	253.2	0
Hodgkin Lymphoma	0.0	0.0	253.2	0
Hodgkin - Nodal	0.0	0.0	253.2	0
Hodgkin - Extranodal	0.0	0.0	253.2	0
Non-Hodgkin Lymphoma	0.0	0.0	253.2	0
NHL - Nodal	0.0	0.0	253.2	0
NHL - Extranodal	0.0	0.0	253.2	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	253.2	0
Lymphocytic Leukemia	0.0	0.0	253.2	0
Acute Lymphocytic Leukemia	0.0	0.0	253.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	253.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	253.2	0
Acute Myeloid Leukemia	0.0	0.0	253.2	0
Acute Monocytic Leukemia	0.0	0.0	253.2	0
Chronic Myeloid Leukemia	0.0	0.0	253.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	253.2	0
Other Leukemia	0.0	0.0	253.2	0
Other Acute Leukemia	0.0	0.0	253.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	253.2	0
Mesothelioma	0.0	0.0	253.2	0
Kaposi Sarcoma	0.0	0.0	253.2	0
Miscellaneous	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	525.3	305.6	895.6	20
Oral Cavity and Pharynx	0.0	0.0	227.0	0
Lip	0.0	0.0	227.0	0
Tongue	0.0	0.0	227.0	0
Salivary Gland	0.0	0.0	227.0	0
Floor of Mouth	0.0	0.0	227.0	0
Gum and Other Mouth	0.0	0.0	227.0	0
Nasopharynx	0.0	0.0	227.0	0
Tonsil	0.0	0.0	227.0	0
Oropharynx	0.0	0.0	227.0	0
Hypopharynx	0.0	0.0	227.0	0
Other Oral Cavity and Pharynx	0.0	0.0	227.0	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	227.0	0
Small Intestine	0.0	0.0	227.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	227.0	0
Cecum	0.0	0.0	227.0	0
Appendix	0.0	0.0	227.0	0
Ascending Colon	0.0	0.0	227.0	0
Hepatic Flexure	0.0	0.0	227.0	0
Transverse Colon	0.0	0.0	227.0	0
Splenic Flexure	0.0	0.0	227.0	0
Descending Colon	0.0	0.0	227.0	0
Sigmoid Colon	0.0	0.0	227.0	0
Large Intestine, NOS	0.0	0.0	227.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	227.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	227.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	227.0	0
Liver	0.0	0.0	227.0	0
Intrahepatic Bile Duct	0.0	0.0	227.0	0
Gallbladder	0.0	0.0	227.0	0
Other Biliary	0.0	0.0	227.0	0
Pancreas	0.0	0.0	227.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	227.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	227.0	0
Other Digestive Organs	0.0	0.0	227.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	227.0	0
Larynx	0.0	0.0	227.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	227.0	0
Bones and Joints	0.0	0.0	227.0	0
Soft Tissue including Heart	0.0	0.0	227.0	0
Skin excluding Basal and Squamous	0.0	0.0	227.0	0
Melanoma of the Skin	0.0	0.0	227.0	0
Other Non-Epithelial Skin	0.0	0.0	227.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	227.0	0
Other Urinary Organs	0.0	0.0	227.0	0
Eye and Orbit	0.0	0.0	227.0	0
Brain and Other Nervous System	0.0	0.0	227.0	0
Brain	0.0	0.0	227.0	0
Cranial Nerves Other Nervous System	0.0	0.0	227.0	0
Endocrine System	0.0	0.0	227.0	0
Thyroid	0.0	0.0	227.0	0
Other Endocrine including Thymus	0.0	0.0	227.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	227.0	0
Hodgkin - Nodal	0.0	0.0	227.0	0
Hodgkin - Extranodal	0.0	0.0	227.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	227.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	227.0	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	227.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	227.0	0
Acute Myeloid Leukemia	0.0	0.0	227.0	0
Acute Monocytic Leukemia	0.0	0.0	227.0	0
Chronic Myeloid Leukemia	0.0	0.0	227.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	227.0	0
Other Leukemia	0.0	0.0	227.0	0
Other Acute Leukemia	0.0	0.0	227.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	227.0	0
Mesothelioma	0.0	0.0	227.0	0
Kaposi Sarcoma	0.0	0.0	227.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	455.1	301.9	685.3	35
Oral Cavity and Pharynx	0.0	0.0	121.7	0
Lip	0.0	0.0	121.7	0
Tongue	0.0	0.0	121.7	0
Salivary Gland	0.0	0.0	121.7	0
Floor of Mouth	0.0	0.0	121.7	0
Gum and Other Mouth	0.0	0.0	121.7	0
Nasopharynx	0.0	0.0	121.7	0
Tonsil	0.0	0.0	121.7	0
Oropharynx	0.0	0.0	121.7	0
Hypopharynx	0.0	0.0	121.7	0
Other Oral Cavity and Pharynx	0.0	0.0	121.7	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	121.7	0
Small Intestine	0.0	0.0	121.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	121.7	0
Appendix	0.0	0.0	121.7	0
Ascending Colon	0.0	0.0	121.7	0
Hepatic Flexure	0.0	0.0	121.7	0
Transverse Colon	0.0	0.0	121.7	0
Splenic Flexure	0.0	0.0	121.7	0
Descending Colon	0.0	0.0	121.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	121.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	121.7	0
Rectosigmoid Junction	0.0	0.0	121.7	0
Rectum	0.0	0.0	121.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	121.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	121.7	0
Liver	0.0	0.0	121.7	0
Intrahepatic Bile Duct	0.0	0.0	121.7	0
Gallbladder	0.0	0.0	121.7	0
Other Biliary	0.0	0.0	121.7	0
Pancreas	0.0	0.0	121.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	121.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	121.7	0
Other Digestive Organs	0.0	0.0	121.7	0
Respiratory System	142.6	58.4	317.6	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	121.7	0
Larynx	0.0	0.0	121.7	0
Lung and Bronchus	142.6	58.4	317.6	9
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	121.7	0
Bones and Joints	0.0	0.0	121.7	0
Soft Tissue including Heart	0.0	0.0	121.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	121.7	0
Ureter	0.0	0.0	121.7	0
Other Urinary Organs	0.0	0.0	121.7	0
Eye and Orbit	0.0	0.0	121.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	121.7	0
Endocrine System	0.0	0.0	121.7	0
Thyroid	0.0	0.0	121.7	0
Other Endocrine including Thymus	0.0	0.0	121.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	121.7	0
Hodgkin - Nodal	0.0	0.0	121.7	0
Hodgkin - Extranodal	0.0	0.0	121.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	121.7	0
Myeloma	0.0	0.0	121.7	0
Leukemia	0.0	0.0	121.7	0
Lymphocytic Leukemia	0.0	0.0	121.7	0
Acute Lymphocytic Leukemia	0.0	0.0	121.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	121.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	121.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	121.7	0
Acute Myeloid Leukemia	0.0	0.0	121.7	0
Acute Monocytic Leukemia	0.0	0.0	121.7	0
Chronic Myeloid Leukemia	0.0	0.0	121.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	121.7	0
Other Leukemia	0.0	0.0	121.7	0
Other Acute Leukemia	0.0	0.0	121.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	121.7	0
Mesothelioma	0.0	0.0	121.7	0
Kaposi Sarcoma	0.0	0.0	121.7	0
Miscellaneous	0.0	0.0	121.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	379.4	182.7	736.7	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	220.0	0
Tongue	0.0	0.0	220.0	0
Salivary Gland	0.0	0.0	220.0	0
Floor of Mouth	0.0	0.0	220.0	0
Gum and Other Mouth	0.0	0.0	220.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	220.0	0
Oropharynx	0.0	0.0	220.0	0
Hypopharynx	0.0	0.0	220.0	0
Other Oral Cavity and Pharynx	0.0	0.0	220.0	0
Digestive System	204.3	69.4	510.5	6
Esophagus	0.0	0.0	220.0	0
Stomach	0.0	0.0	220.0	0
Small Intestine	0.0	0.0	220.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	220.0	0
Appendix	0.0	0.0	220.0	0
Ascending Colon	0.0	0.0	220.0	0
Hepatic Flexure	0.0	0.0	220.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	220.0	0
Descending Colon	0.0	0.0	220.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	220.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	220.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	220.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	220.0	0
Liver	0.0	0.0	220.0	0
Intrahepatic Bile Duct	0.0	0.0	220.0	0
Gallbladder	0.0	0.0	220.0	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	220.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	220.0	0
Other Digestive Organs	0.0	0.0	220.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	220.0	0
Larynx	0.0	0.0	220.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	220.0	0
Bones and Joints	0.0	0.0	220.0	0
Soft Tissue including Heart	0.0	0.0	220.0	0
Skin excluding Basal and Squamous	0.0	0.0	220.0	0
Melanoma of the Skin	0.0	0.0	220.0	0
Other Non-Epithelial Skin	0.0	0.0	220.0	0
Urinary System	0.0	0.0	220.0	0
Urinary Bladder	0.0	0.0	220.0	0
Kidney and Renal Pelvis	0.0	0.0	220.0	0
Ureter	0.0	0.0	220.0	0
Other Urinary Organs	0.0	0.0	220.0	0
Eye and Orbit	0.0	0.0	220.0	0
Brain and Other Nervous System	0.0	0.0	220.0	0
Brain	0.0	0.0	220.0	0
Cranial Nerves Other Nervous System	0.0	0.0	220.0	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	220.0	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	0.0	0.0	220.0	0
Hodgkin Lymphoma	0.0	0.0	220.0	0
Hodgkin - Nodal	0.0	0.0	220.0	0
Hodgkin - Extranodal	0.0	0.0	220.0	0
Non-Hodgkin Lymphoma	0.0	0.0	220.0	0
NHL - Nodal	0.0	0.0	220.0	0
NHL - Extranodal	0.0	0.0	220.0	0
Myeloma	0.0	0.0	220.0	0
Leukemia	0.0	0.0	220.0	0
Lymphocytic Leukemia	0.0	0.0	220.0	0
Acute Lymphocytic Leukemia	0.0	0.0	220.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	220.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	220.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	220.0	0
Acute Myeloid Leukemia	0.0	0.0	220.0	0
Acute Monocytic Leukemia	0.0	0.0	220.0	0
Chronic Myeloid Leukemia	0.0	0.0	220.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	220.0	0
Other Leukemia	0.0	0.0	220.0	0
Other Acute Leukemia	0.0	0.0	220.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	220.0	0
Mesothelioma	0.0	0.0	220.0	0
Kaposi Sarcoma	0.0	0.0	220.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	563.3	390.9	801.1	36
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	98.5	0
Salivary Gland	0.0	0.0	98.5	0
Floor of Mouth	0.0	0.0	98.5	0
Gum and Other Mouth	0.0	0.0	98.5	0
Nasopharynx	0.0	0.0	98.5	0
Tonsil	0.0	0.0	98.5	0
Oropharynx	0.0	0.0	98.5	0
Hypopharynx	0.0	0.0	98.5	0
Other Oral Cavity and Pharynx	0.0	0.0	98.5	0
Digestive System	132.1	59.0	276.9	9
Esophagus	^	^	^	^
Stomach	0.0	0.0	98.5	0
Small Intestine	0.0	0.0	98.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	98.5	0
Appendix	0.0	0.0	98.5	0
Ascending Colon	0.0	0.0	98.5	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	98.5	0
Splenic Flexure	0.0	0.0	98.5	0
Descending Colon	0.0	0.0	98.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	98.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	98.5	0
Rectosigmoid Junction	0.0	0.0	98.5	0
Rectum	0.0	0.0	98.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	98.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	98.5	0
Pancreas	0.0	0.0	98.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	98.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	98.5	0
Other Digestive Organs	0.0	0.0	98.5	0
Respiratory System	97.2	34.9	235.1	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	98.5	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	98.5	0
Bones and Joints	0.0	0.0	98.5	0
Soft Tissue including Heart	0.0	0.0	98.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	98.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	98.5	0
Other Urinary Organs	0.0	0.0	98.5	0
Eye and Orbit	0.0	0.0	98.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	98.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	98.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	98.5	0
Hodgkin - Nodal	0.0	0.0	98.5	0
Hodgkin - Extranodal	0.0	0.0	98.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	98.5	0
Myeloma	0.0	0.0	98.5	0
Leukemia	0.0	0.0	98.5	0
Lymphocytic Leukemia	0.0	0.0	98.5	0
Acute Lymphocytic Leukemia	0.0	0.0	98.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	98.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	98.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	98.5	0
Acute Myeloid Leukemia	0.0	0.0	98.5	0
Acute Monocytic Leukemia	0.0	0.0	98.5	0
Chronic Myeloid Leukemia	0.0	0.0	98.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	98.5	0
Other Leukemia	0.0	0.0	98.5	0
Other Acute Leukemia	0.0	0.0	98.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	98.5	0
Mesothelioma	0.0	0.0	98.5	0
Kaposi Sarcoma	0.0	0.0	98.5	0
Miscellaneous	0.0	0.0	98.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Lip	0.0	0.0	3,291.0	0
Tongue	0.0	0.0	3,291.0	0
Salivary Gland	0.0	0.0	3,291.0	0
Floor of Mouth	0.0	0.0	3,291.0	0
Gum and Other Mouth	0.0	0.0	3,291.0	0
Nasopharynx	0.0	0.0	3,291.0	0
Tonsil	0.0	0.0	3,291.0	0
Oropharynx	0.0	0.0	3,291.0	0
Hypopharynx	0.0	0.0	3,291.0	0
Other Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Digestive System	0.0	0.0	3,291.0	0
Esophagus	0.0	0.0	3,291.0	0
Stomach	0.0	0.0	3,291.0	0
Small Intestine	0.0	0.0	3,291.0	0
Colon and Rectum	0.0	0.0	3,291.0	0
Colon excluding Rectum	0.0	0.0	3,291.0	0
Cecum	0.0	0.0	3,291.0	0
Appendix	0.0	0.0	3,291.0	0
Ascending Colon	0.0	0.0	3,291.0	0
Hepatic Flexure	0.0	0.0	3,291.0	0
Transverse Colon	0.0	0.0	3,291.0	0
Splenic Flexure	0.0	0.0	3,291.0	0
Descending Colon	0.0	0.0	3,291.0	0
Sigmoid Colon	0.0	0.0	3,291.0	0
Large Intestine, NOS	0.0	0.0	3,291.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	3,291.0	0
Rectosigmoid Junction	0.0	0.0	3,291.0	0
Rectum	0.0	0.0	3,291.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	3,291.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Liver	0.0	0.0	3,291.0	0
Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Gallbladder	0.0	0.0	3,291.0	0
Other Biliary	0.0	0.0	3,291.0	0
Pancreas	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	3,291.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	3,291.0	0
Other Digestive Organs	0.0	0.0	3,291.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	3,291.0	0
Larynx	0.0	0.0	3,291.0	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3,291.0	0
Bones and Joints	0.0	0.0	3,291.0	0
Soft Tissue including Heart	0.0	0.0	3,291.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	3,291.0	0
Urinary System	0.0	0.0	3,291.0	0
Urinary Bladder	0.0	0.0	3,291.0	0
Kidney and Renal Pelvis	0.0	0.0	3,291.0	0
Ureter	0.0	0.0	3,291.0	0
Other Urinary Organs	0.0	0.0	3,291.0	0
Eye and Orbit	0.0	0.0	3,291.0	0
Brain and Other Nervous System	0.0	0.0	3,291.0	0
Brain	0.0	0.0	3,291.0	0
Cranial Nerves Other Nervous System	0.0	0.0	3,291.0	0
Endocrine System	0.0	0.0	3,291.0	0
Thyroid	0.0	0.0	3,291.0	0
Other Endocrine including Thymus	0.0	0.0	3,291.0	0
Lymphoma	0.0	0.0	3,291.0	0
Hodgkin Lymphoma	0.0	0.0	3,291.0	0
Hodgkin - Nodal	0.0	0.0	3,291.0	0
Hodgkin - Extranodal	0.0	0.0	3,291.0	0
Non-Hodgkin Lymphoma	0.0	0.0	3,291.0	0
NHL - Nodal	0.0	0.0	3,291.0	0
NHL - Extranodal	0.0	0.0	3,291.0	0
Myeloma	0.0	0.0	3,291.0	0
Leukemia	0.0	0.0	3,291.0	0
Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Acute Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	3,291.0	0
Acute Myeloid Leukemia	0.0	0.0	3,291.0	0
Acute Monocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Myeloid Leukemia	0.0	0.0	3,291.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	3,291.0	0
Other Leukemia	0.0	0.0	3,291.0	0
Other Acute Leukemia	0.0	0.0	3,291.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	3,291.0	0
Mesothelioma	0.0	0.0	3,291.0	0
Kaposi Sarcoma	0.0	0.0	3,291.0	0
Miscellaneous	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	447.1	262.6	734.6	20
Oral Cavity and Pharynx	0.0	0.0	146.3	0
Lip	0.0	0.0	146.3	0
Tongue	0.0	0.0	146.3	0
Salivary Gland	0.0	0.0	146.3	0
Floor of Mouth	0.0	0.0	146.3	0
Gum and Other Mouth	0.0	0.0	146.3	0
Nasopharynx	0.0	0.0	146.3	0
Tonsil	0.0	0.0	146.3	0
Oropharynx	0.0	0.0	146.3	0
Hypopharynx	0.0	0.0	146.3	0
Other Oral Cavity and Pharynx	0.0	0.0	146.3	0
Digestive System	118.5	39.7	309.3	6
Esophagus	0.0	0.0	146.3	0
Stomach	0.0	0.0	146.3	0
Small Intestine	0.0	0.0	146.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	146.3	0
Appendix	0.0	0.0	146.3	0
Ascending Colon	0.0	0.0	146.3	0
Hepatic Flexure	0.0	0.0	146.3	0
Transverse Colon	0.0	0.0	146.3	0
Splenic Flexure	0.0	0.0	146.3	0
Descending Colon	0.0	0.0	146.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	146.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	146.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	146.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	146.3	0
Gallbladder	0.0	0.0	146.3	0
Other Biliary	0.0	0.0	146.3	0
Pancreas	0.0	0.0	146.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	146.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	146.3	0
Other Digestive Organs	0.0	0.0	146.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	146.3	0
Larynx	0.0	0.0	146.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	146.3	0
Bones and Joints	0.0	0.0	146.3	0
Soft Tissue including Heart	0.0	0.0	146.3	0
Skin excluding Basal and Squamous	0.0	0.0	146.3	0
Melanoma of the Skin	0.0	0.0	146.3	0
Other Non-Epithelial Skin	0.0	0.0	146.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	146.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	146.3	0
Other Urinary Organs	0.0	0.0	146.3	0
Eye and Orbit	0.0	0.0	146.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	146.3	0
Endocrine System	0.0	0.0	146.3	0
Thyroid	0.0	0.0	146.3	0
Other Endocrine including Thymus	0.0	0.0	146.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	146.3	0
Non-Hodgkin Lymphoma	0.0	0.0	146.3	0
NHL - Nodal	0.0	0.0	146.3	0
NHL - Extranodal	0.0	0.0	146.3	0
Myeloma	0.0	0.0	146.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	146.3	0
Acute Lymphocytic Leukemia	0.0	0.0	146.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	146.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2001/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	146.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	146.3	0
Chronic Myeloid Leukemia	0.0	0.0	146.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	146.3	0
Other Leukemia	0.0	0.0	146.3	0
Other Acute Leukemia	0.0	0.0	146.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	146.3	0
Mesothelioma	0.0	0.0	146.3	0
Kaposi Sarcoma	0.0	0.0	146.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	817.3	0
Tongue	0.0	0.0	817.3	0
Salivary Gland	0.0	0.0	817.3	0
Floor of Mouth	0.0	0.0	817.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	817.3	0
Tonsil	0.0	0.0	817.3	0
Oropharynx	0.0	0.0	817.3	0
Hypopharynx	0.0	0.0	817.3	0
Other Oral Cavity and Pharynx	0.0	0.0	817.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	817.3	0
Stomach	0.0	0.0	817.3	0
Small Intestine	0.0	0.0	817.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	817.3	0
Appendix	0.0	0.0	817.3	0
Ascending Colon	0.0	0.0	817.3	0
Hepatic Flexure	0.0	0.0	817.3	0
Transverse Colon	0.0	0.0	817.3	0
Splenic Flexure	0.0	0.0	817.3	0
Descending Colon	0.0	0.0	817.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	817.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	817.3	0
Rectosigmoid Junction	0.0	0.0	817.3	0
Rectum	0.0	0.0	817.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	817.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	817.3	0
Liver	0.0	0.0	817.3	0
Intrahepatic Bile Duct	0.0	0.0	817.3	0
Gallbladder	0.0	0.0	817.3	0
Other Biliary	0.0	0.0	817.3	0
Pancreas	0.0	0.0	817.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	817.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	817.3	0
Other Digestive Organs	0.0	0.0	817.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	817.3	0
Larynx	0.0	0.0	817.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	817.3	0
Bones and Joints	0.0	0.0	817.3	0
Soft Tissue including Heart	0.0	0.0	817.3	0
Skin excluding Basal and Squamous	0.0	0.0	817.3	0
Melanoma of the Skin	0.0	0.0	817.3	0
Other Non-Epithelial Skin	0.0	0.0	817.3	0
Urinary System	0.0	0.0	817.3	0
Urinary Bladder	0.0	0.0	817.3	0
Kidney and Renal Pelvis	0.0	0.0	817.3	0
Ureter	0.0	0.0	817.3	0
Other Urinary Organs	0.0	0.0	817.3	0
Eye and Orbit	0.0	0.0	817.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	817.3	0
Endocrine System	0.0	0.0	817.3	0
Thyroid	0.0	0.0	817.3	0
Other Endocrine including Thymus	0.0	0.0	817.3	0
Lymphoma	0.0	0.0	817.3	0
Hodgkin Lymphoma	0.0	0.0	817.3	0
Hodgkin - Nodal	0.0	0.0	817.3	0
Hodgkin - Extranodal	0.0	0.0	817.3	0
Non-Hodgkin Lymphoma	0.0	0.0	817.3	0
NHL - Nodal	0.0	0.0	817.3	0
NHL - Extranodal	0.0	0.0	817.3	0
Myeloma	0.0	0.0	817.3	0
Leukemia	0.0	0.0	817.3	0
Lymphocytic Leukemia	0.0	0.0	817.3	0
Acute Lymphocytic Leukemia	0.0	0.0	817.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	817.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	817.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	817.3	0
Acute Myeloid Leukemia	0.0	0.0	817.3	0
Acute Monocytic Leukemia	0.0	0.0	817.3	0
Chronic Myeloid Leukemia	0.0	0.0	817.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	817.3	0
Other Leukemia	0.0	0.0	817.3	0
Other Acute Leukemia	0.0	0.0	817.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	817.3	0
Mesothelioma	0.0	0.0	817.3	0
Kaposi Sarcoma	0.0	0.0	817.3	0
Miscellaneous	0.0	0.0	817.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	518.7	174.2	1,733.8	12
Oral Cavity and Pharynx	0.0	0.0	1,144.2	0
Lip	0.0	0.0	1,144.2	0
Tongue	0.0	0.0	1,144.2	0
Salivary Gland	0.0	0.0	1,144.2	0
Floor of Mouth	0.0	0.0	1,144.2	0
Gum and Other Mouth	0.0	0.0	1,144.2	0
Nasopharynx	0.0	0.0	1,144.2	0
Tonsil	0.0	0.0	1,144.2	0
Oropharynx	0.0	0.0	1,144.2	0
Hypopharynx	0.0	0.0	1,144.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,144.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,144.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	1,144.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	1,144.2	0
Appendix	0.0	0.0	1,144.2	0
Ascending Colon	0.0	0.0	1,144.2	0
Hepatic Flexure	0.0	0.0	1,144.2	0
Transverse Colon	0.0	0.0	1,144.2	0
Splenic Flexure	0.0	0.0	1,144.2	0
Descending Colon	0.0	0.0	1,144.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	1,144.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	1,144.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1,144.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Gallbladder	0.0	0.0	1,144.2	0
Other Biliary	0.0	0.0	1,144.2	0
Pancreas	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,144.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,144.2	0
Other Digestive Organs	0.0	0.0	1,144.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,144.2	0
Larynx	^	^	^	^
Lung and Bronchus	0.0	0.0	1,144.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,144.2	0
Bones and Joints	0.0	0.0	1,144.2	0
Soft Tissue including Heart	0.0	0.0	1,144.2	0
Skin excluding Basal and Squamous	0.0	0.0	1,144.2	0
Melanoma of the Skin	0.0	0.0	1,144.2	0
Other Non-Epithelial Skin	0.0	0.0	1,144.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	1,144.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	1,144.2	0
Other Urinary Organs	0.0	0.0	1,144.2	0
Eye and Orbit	0.0	0.0	1,144.2	0
Brain and Other Nervous System	0.0	0.0	1,144.2	0
Brain	0.0	0.0	1,144.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,144.2	0
Endocrine System	0.0	0.0	1,144.2	0
Thyroid	0.0	0.0	1,144.2	0
Other Endocrine including Thymus	0.0	0.0	1,144.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	1,144.2	0
Hodgkin - Nodal	0.0	0.0	1,144.2	0
Hodgkin - Extranodal	0.0	0.0	1,144.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	1,144.2	0
Myeloma	0.0	0.0	1,144.2	0
Leukemia	0.0	0.0	1,144.2	0
Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,144.2	0
Acute Myeloid Leukemia	0.0	0.0	1,144.2	0
Acute Monocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,144.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,144.2	0
Other Leukemia	0.0	0.0	1,144.2	0
Other Acute Leukemia	0.0	0.0	1,144.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,144.2	0
Mesothelioma	0.0	0.0	1,144.2	0
Kaposi Sarcoma	0.0	0.0	1,144.2	0
Miscellaneous	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	494.8	460.1	532.0	912
Oral Cavity and Pharynx	11.5	6.9	19.1	22
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	4.5	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	3.3	1.1	9.0	6
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	4.5	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	84.5	70.1	101.6	146
Esophagus	3.9	1.3	9.9	6
Stomach	9.6	5.0	17.5	14
Small Intestine	^	^	^	^
Colon and Rectum	40.4	30.8	52.8	71
Colon excluding Rectum	24.7	17.3	35.1	42
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	5.6	2.4	12.1	9
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	4.5	0
Sigmoid Colon	8.4	4.4	15.6	15
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	15.6	10.0	24.2	29
Rectosigmoid Junction	3.3	1.1	9.0	6
Rectum	12.4	7.4	20.3	23
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.3	3.5	14.2	13
Liver	6.6	3.0	13.4	11
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	4.5	0
Other Biliary	^	^	^	^
Pancreas	14.1	8.7	22.5	25

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	4.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	77.9	63.7	94.9	121
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	73.8	60.0	90.5	114
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.1	1.3	8.1	8
Skin excluding Basal and Squamous	16.2	10.9	24.3	38
Melanoma of the Skin	15.2	10.0	23.2	35
Other Non-Epithelial Skin	^	^	^	^
Urinary System	47.5	36.5	61.5	74
Urinary Bladder	29.7	20.9	41.7	41
Kidney and Renal Pelvis	16.9	11.0	25.8	32
Ureter	0.0	0.0	4.5	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	4.0	13.3	17
Brain	6.9	3.8	12.9	16
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	12.0	8.0	18.7	32
Thyroid	11.3	7.4	17.9	30
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.9	17.5	35.3	47
Hodgkin Lymphoma	3.4	1.6	8.3	10
Hodgkin - Nodal	3.4	1.6	8.3	10
Hodgkin - Extranodal	0.0	0.0	4.5	0
Non-Hodgkin Lymphoma	21.5	14.4	31.7	37
NHL - Nodal	16.2	10.1	25.4	27
NHL - Extranodal	5.3	2.2	11.8	10
Myeloma	^	^	^	^
Leukemia	14.3	9.0	22.6	27
Lymphocytic Leukemia	7.7	3.8	14.8	13
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	6.5	2.9	13.5	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.3	3.1	12.6	13
Acute Myeloid Leukemia	3.3	1.4	8.5	8
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	4.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	11.1	6.3	19.1	19

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	334.1	220.8	495.9	34
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	71.6	0
Tongue	0.0	0.0	71.6	0
Salivary Gland	0.0	0.0	71.6	0
Floor of Mouth	0.0	0.0	71.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	71.6	0
Tonsil	0.0	0.0	71.6	0
Oropharynx	0.0	0.0	71.6	0
Hypopharynx	0.0	0.0	71.6	0
Other Oral Cavity and Pharynx	0.0	0.0	71.6	0
Digestive System	163.7	79.9	303.9	12
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	71.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	71.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	71.6	0
Transverse Colon	0.0	0.0	71.6	0
Splenic Flexure	0.0	0.0	71.6	0
Descending Colon	0.0	0.0	71.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	71.6	0
Rectosigmoid Junction	0.0	0.0	71.6	0
Rectum	0.0	0.0	71.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	71.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	71.6	0
Gallbladder	0.0	0.0	71.6	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	71.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	71.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	71.6	0
Other Digestive Organs	0.0	0.0	71.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	71.6	0
Larynx	0.0	0.0	71.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	71.6	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	71.6	0
Melanoma of the Skin	0.0	0.0	71.6	0
Other Non-Epithelial Skin	0.0	0.0	71.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	71.6	0
Other Urinary Organs	0.0	0.0	71.6	0
Eye and Orbit	0.0	0.0	71.6	0
Brain and Other Nervous System	0.0	0.0	71.6	0
Brain	0.0	0.0	71.6	0
Cranial Nerves Other Nervous System	0.0	0.0	71.6	0
Endocrine System	0.0	0.0	71.6	0
Thyroid	0.0	0.0	71.6	0
Other Endocrine including Thymus	0.0	0.0	71.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	71.6	0
Hodgkin - Nodal	0.0	0.0	71.6	0
Hodgkin - Extranodal	0.0	0.0	71.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	71.6	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	71.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	71.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	71.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	71.6	0
Acute Myeloid Leukemia	0.0	0.0	71.6	0
Acute Monocytic Leukemia	0.0	0.0	71.6	0
Chronic Myeloid Leukemia	0.0	0.0	71.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	71.6	0
Other Leukemia	0.0	0.0	71.6	0
Other Acute Leukemia	0.0	0.0	71.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	71.6	0
Mesothelioma	0.0	0.0	71.6	0
Kaposi Sarcoma	0.0	0.0	71.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Lip	0.0	0.0	3,291.0	0
Tongue	0.0	0.0	3,291.0	0
Salivary Gland	0.0	0.0	3,291.0	0
Floor of Mouth	0.0	0.0	3,291.0	0
Gum and Other Mouth	0.0	0.0	3,291.0	0
Nasopharynx	0.0	0.0	3,291.0	0
Tonsil	0.0	0.0	3,291.0	0
Oropharynx	0.0	0.0	3,291.0	0
Hypopharynx	0.0	0.0	3,291.0	0
Other Oral Cavity and Pharynx	0.0	0.0	3,291.0	0
Digestive System	0.0	0.0	3,291.0	0
Esophagus	0.0	0.0	3,291.0	0
Stomach	0.0	0.0	3,291.0	0
Small Intestine	0.0	0.0	3,291.0	0
Colon and Rectum	0.0	0.0	3,291.0	0
Colon excluding Rectum	0.0	0.0	3,291.0	0
Cecum	0.0	0.0	3,291.0	0
Appendix	0.0	0.0	3,291.0	0
Ascending Colon	0.0	0.0	3,291.0	0
Hepatic Flexure	0.0	0.0	3,291.0	0
Transverse Colon	0.0	0.0	3,291.0	0
Splenic Flexure	0.0	0.0	3,291.0	0
Descending Colon	0.0	0.0	3,291.0	0
Sigmoid Colon	0.0	0.0	3,291.0	0
Large Intestine, NOS	0.0	0.0	3,291.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	3,291.0	0
Rectosigmoid Junction	0.0	0.0	3,291.0	0
Rectum	0.0	0.0	3,291.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	3,291.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Liver	0.0	0.0	3,291.0	0
Intrahepatic Bile Duct	0.0	0.0	3,291.0	0
Gallbladder	0.0	0.0	3,291.0	0
Other Biliary	0.0	0.0	3,291.0	0
Pancreas	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	3,291.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	3,291.0	0
Other Digestive Organs	0.0	0.0	3,291.0	0
Respiratory System	0.0	0.0	3,291.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	3,291.0	0
Larynx	0.0	0.0	3,291.0	0
Lung and Bronchus	0.0	0.0	3,291.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3,291.0	0
Bones and Joints	0.0	0.0	3,291.0	0
Soft Tissue including Heart	0.0	0.0	3,291.0	0
Skin excluding Basal and Squamous	0.0	0.0	3,291.0	0
Melanoma of the Skin	0.0	0.0	3,291.0	0
Other Non-Epithelial Skin	0.0	0.0	3,291.0	0
Urinary System	0.0	0.0	3,291.0	0
Urinary Bladder	0.0	0.0	3,291.0	0
Kidney and Renal Pelvis	0.0	0.0	3,291.0	0
Ureter	0.0	0.0	3,291.0	0
Other Urinary Organs	0.0	0.0	3,291.0	0
Eye and Orbit	0.0	0.0	3,291.0	0
Brain and Other Nervous System	0.0	0.0	3,291.0	0
Brain	0.0	0.0	3,291.0	0
Cranial Nerves Other Nervous System	0.0	0.0	3,291.0	0
Endocrine System	0.0	0.0	3,291.0	0
Thyroid	0.0	0.0	3,291.0	0
Other Endocrine including Thymus	0.0	0.0	3,291.0	0
Lymphoma	0.0	0.0	3,291.0	0
Hodgkin Lymphoma	0.0	0.0	3,291.0	0
Hodgkin - Nodal	0.0	0.0	3,291.0	0
Hodgkin - Extranodal	0.0	0.0	3,291.0	0
Non-Hodgkin Lymphoma	0.0	0.0	3,291.0	0
NHL - Nodal	0.0	0.0	3,291.0	0
NHL - Extranodal	0.0	0.0	3,291.0	0
Myeloma	0.0	0.0	3,291.0	0
Leukemia	0.0	0.0	3,291.0	0
Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Acute Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	3,291.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	3,291.0	0
Acute Myeloid Leukemia	0.0	0.0	3,291.0	0
Acute Monocytic Leukemia	0.0	0.0	3,291.0	0
Chronic Myeloid Leukemia	0.0	0.0	3,291.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	3,291.0	0
Other Leukemia	0.0	0.0	3,291.0	0
Other Acute Leukemia	0.0	0.0	3,291.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	3,291.0	0
Mesothelioma	0.0	0.0	3,291.0	0
Kaposi Sarcoma	0.0	0.0	3,291.0	0
Miscellaneous	0.0	0.0	3,291.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	940.2	247.3	2,657.6	8
Oral Cavity and Pharynx	0.0	0.0	1,244.9	0
Lip	0.0	0.0	1,244.9	0
Tongue	0.0	0.0	1,244.9	0
Salivary Gland	0.0	0.0	1,244.9	0
Floor of Mouth	0.0	0.0	1,244.9	0
Gum and Other Mouth	0.0	0.0	1,244.9	0
Nasopharynx	0.0	0.0	1,244.9	0
Tonsil	0.0	0.0	1,244.9	0
Oropharynx	0.0	0.0	1,244.9	0
Hypopharynx	0.0	0.0	1,244.9	0
Other Oral Cavity and Pharynx	0.0	0.0	1,244.9	0
Digestive System	0.0	0.0	1,244.9	0
Esophagus	0.0	0.0	1,244.9	0
Stomach	0.0	0.0	1,244.9	0
Small Intestine	0.0	0.0	1,244.9	0
Colon and Rectum	0.0	0.0	1,244.9	0
Colon excluding Rectum	0.0	0.0	1,244.9	0
Cecum	0.0	0.0	1,244.9	0
Appendix	0.0	0.0	1,244.9	0
Ascending Colon	0.0	0.0	1,244.9	0
Hepatic Flexure	0.0	0.0	1,244.9	0
Transverse Colon	0.0	0.0	1,244.9	0
Splenic Flexure	0.0	0.0	1,244.9	0
Descending Colon	0.0	0.0	1,244.9	0
Sigmoid Colon	0.0	0.0	1,244.9	0
Large Intestine, NOS	0.0	0.0	1,244.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,244.9	0
Rectosigmoid Junction	0.0	0.0	1,244.9	0
Rectum	0.0	0.0	1,244.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,244.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,244.9	0
Liver	0.0	0.0	1,244.9	0
Intrahepatic Bile Duct	0.0	0.0	1,244.9	0
Gallbladder	0.0	0.0	1,244.9	0
Other Biliary	0.0	0.0	1,244.9	0
Pancreas	0.0	0.0	1,244.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,244.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,244.9	0
Other Digestive Organs	0.0	0.0	1,244.9	0
Respiratory System	0.0	0.0	1,244.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,244.9	0
Larynx	0.0	0.0	1,244.9	0
Lung and Bronchus	0.0	0.0	1,244.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,244.9	0
Bones and Joints	0.0	0.0	1,244.9	0
Soft Tissue including Heart	0.0	0.0	1,244.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	1,244.9	0
Urinary System	0.0	0.0	1,244.9	0
Urinary Bladder	0.0	0.0	1,244.9	0
Kidney and Renal Pelvis	0.0	0.0	1,244.9	0
Ureter	0.0	0.0	1,244.9	0
Other Urinary Organs	0.0	0.0	1,244.9	0
Eye and Orbit	0.0	0.0	1,244.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	1,244.9	0
Endocrine System	0.0	0.0	1,244.9	0
Thyroid	0.0	0.0	1,244.9	0
Other Endocrine including Thymus	0.0	0.0	1,244.9	0
Lymphoma	0.0	0.0	1,244.9	0
Hodgkin Lymphoma	0.0	0.0	1,244.9	0
Hodgkin - Nodal	0.0	0.0	1,244.9	0
Hodgkin - Extranodal	0.0	0.0	1,244.9	0
Non-Hodgkin Lymphoma	0.0	0.0	1,244.9	0
NHL - Nodal	0.0	0.0	1,244.9	0
NHL - Extranodal	0.0	0.0	1,244.9	0
Myeloma	0.0	0.0	1,244.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	1,244.9	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,244.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,244.9	0
Acute Myeloid Leukemia	0.0	0.0	1,244.9	0
Acute Monocytic Leukemia	0.0	0.0	1,244.9	0
Chronic Myeloid Leukemia	0.0	0.0	1,244.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,244.9	0
Other Leukemia	0.0	0.0	1,244.9	0
Other Acute Leukemia	0.0	0.0	1,244.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,244.9	0
Mesothelioma	0.0	0.0	1,244.9	0
Kaposi Sarcoma	0.0	0.0	1,244.9	0
Miscellaneous	0.0	0.0	1,244.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	528.7	299.3	926.9	18
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	253.2	0
Tongue	0.0	0.0	253.2	0
Salivary Gland	0.0	0.0	253.2	0
Floor of Mouth	0.0	0.0	253.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	253.2	0
Tonsil	0.0	0.0	253.2	0
Oropharynx	0.0	0.0	253.2	0
Hypopharynx	0.0	0.0	253.2	0
Other Oral Cavity and Pharynx	0.0	0.0	253.2	0
Digestive System	273.9	117.6	612.4	9
Esophagus	0.0	0.0	253.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	253.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	253.2	0
Appendix	0.0	0.0	253.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	253.2	0
Transverse Colon	0.0	0.0	253.2	0
Splenic Flexure	0.0	0.0	253.2	0
Descending Colon	0.0	0.0	253.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	253.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	253.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	253.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	253.2	0
Gallbladder	0.0	0.0	253.2	0
Other Biliary	0.0	0.0	253.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	253.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	253.2	0
Other Digestive Organs	0.0	0.0	253.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	253.2	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	253.2	0
Bones and Joints	0.0	0.0	253.2	0
Soft Tissue including Heart	0.0	0.0	253.2	0
Skin excluding Basal and Squamous	0.0	0.0	253.2	0
Melanoma of the Skin	0.0	0.0	253.2	0
Other Non-Epithelial Skin	0.0	0.0	253.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	253.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	253.2	0
Other Urinary Organs	0.0	0.0	253.2	0
Eye and Orbit	0.0	0.0	253.2	0
Brain and Other Nervous System	0.0	0.0	253.2	0
Brain	0.0	0.0	253.2	0
Cranial Nerves Other Nervous System	0.0	0.0	253.2	0
Endocrine System	0.0	0.0	253.2	0
Thyroid	0.0	0.0	253.2	0
Other Endocrine including Thymus	0.0	0.0	253.2	0
Lymphoma	0.0	0.0	253.2	0
Hodgkin Lymphoma	0.0	0.0	253.2	0
Hodgkin - Nodal	0.0	0.0	253.2	0
Hodgkin - Extranodal	0.0	0.0	253.2	0
Non-Hodgkin Lymphoma	0.0	0.0	253.2	0
NHL - Nodal	0.0	0.0	253.2	0
NHL - Extranodal	0.0	0.0	253.2	0
Myeloma	0.0	0.0	253.2	0
Leukemia	0.0	0.0	253.2	0
Lymphocytic Leukemia	0.0	0.0	253.2	0
Acute Lymphocytic Leukemia	0.0	0.0	253.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	253.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	253.2	0
Acute Myeloid Leukemia	0.0	0.0	253.2	0
Acute Monocytic Leukemia	0.0	0.0	253.2	0
Chronic Myeloid Leukemia	0.0	0.0	253.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	253.2	0
Other Leukemia	0.0	0.0	253.2	0
Other Acute Leukemia	0.0	0.0	253.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	253.2	0
Mesothelioma	0.0	0.0	253.2	0
Kaposi Sarcoma	0.0	0.0	253.2	0
Miscellaneous	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	557.8	488.3	637.1	281
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	17.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	17.4	0
Floor of Mouth	0.0	0.0	17.4	0
Gum and Other Mouth	0.0	0.0	17.4	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	17.4	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	17.4	0
Digestive System	95.0	67.6	133.2	47
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	17.4	0
Colon and Rectum	63.9	41.5	97.5	30
Colon excluding Rectum	46.6	27.3	77.7	20
Cecum	^	^	^	^
Appendix	0.0	0.0	17.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.7	4.5	36.5	6
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	17.3	7.7	39.2	10
Rectosigmoid Junction	^	^	^	^
Rectum	12.1	4.4	32.7	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	17.4	0
Gallbladder	0.0	0.0	17.4	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	17.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.4	0
Other Digestive Organs	^	^	^	^
Respiratory System	81.0	55.6	117.5	38
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	77.6	52.5	113.8	35
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	14.4	6.3	34.8	9
Melanoma of the Skin	10.7	4.1	30.0	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	31.5	17.2	57.7	16
Urinary Bladder	18.2	7.5	41.5	8
Kidney and Renal Pelvis	12.1	4.3	32.9	7
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	17.4	0
Eye and Orbit	0.0	0.0	17.4	0
Brain and Other Nervous System	8.8	2.9	27.9	6
Brain	8.8	2.9	27.9	6
Cranial Nerves Other Nervous System	0.0	0.0	17.4	0
Endocrine System	7.8	2.6	26.2	6
Thyroid	7.8	2.6	26.2	6
Other Endocrine including Thymus	0.0	0.0	17.4	0
Lymphoma	35.3	19.7	62.6	19
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	17.4	0
Non-Hodgkin Lymphoma	32.2	17.1	59.4	16
NHL - Nodal	21.7	9.4	46.8	10
NHL - Extranodal	10.5	3.4	30.9	6
Myeloma	11.3	3.6	32.2	6
Leukemia	15.0	4.8	39.0	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	17.4	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	17.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	17.4	0
Chronic Myeloid Leukemia	0.0	0.0	17.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.4	0
Other Leukemia	0.0	0.0	17.4	0
Other Acute Leukemia	0.0	0.0	17.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.4	0
Mesothelioma	0.0	0.0	17.4	0
Kaposi Sarcoma	0.0	0.0	17.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	633.5	335.5	1,174.7	14
Oral Cavity and Pharynx	0.0	0.0	355.3	0
Lip	0.0	0.0	355.3	0
Tongue	0.0	0.0	355.3	0
Salivary Gland	0.0	0.0	355.3	0
Floor of Mouth	0.0	0.0	355.3	0
Gum and Other Mouth	0.0	0.0	355.3	0
Nasopharynx	0.0	0.0	355.3	0
Tonsil	0.0	0.0	355.3	0
Oropharynx	0.0	0.0	355.3	0
Hypopharynx	0.0	0.0	355.3	0
Other Oral Cavity and Pharynx	0.0	0.0	355.3	0
Digestive System	290.2	100.9	748.6	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	355.3	0
Small Intestine	0.0	0.0	355.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	355.3	0
Appendix	0.0	0.0	355.3	0
Ascending Colon	0.0	0.0	355.3	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	355.3	0
Splenic Flexure	0.0	0.0	355.3	0
Descending Colon	0.0	0.0	355.3	0
Sigmoid Colon	0.0	0.0	355.3	0
Large Intestine, NOS	0.0	0.0	355.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	355.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	355.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	355.3	0
Liver	0.0	0.0	355.3	0
Intrahepatic Bile Duct	0.0	0.0	355.3	0
Gallbladder	0.0	0.0	355.3	0
Other Biliary	0.0	0.0	355.3	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	355.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	355.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	355.3	0
Larynx	0.0	0.0	355.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	355.3	0
Bones and Joints	0.0	0.0	355.3	0
Soft Tissue including Heart	0.0	0.0	355.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	355.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	355.3	0
Ureter	0.0	0.0	355.3	0
Other Urinary Organs	0.0	0.0	355.3	0
Eye and Orbit	0.0	0.0	355.3	0
Brain and Other Nervous System	0.0	0.0	355.3	0
Brain	0.0	0.0	355.3	0
Cranial Nerves Other Nervous System	0.0	0.0	355.3	0
Endocrine System	0.0	0.0	355.3	0
Thyroid	0.0	0.0	355.3	0
Other Endocrine including Thymus	0.0	0.0	355.3	0
Lymphoma	0.0	0.0	355.3	0
Hodgkin Lymphoma	0.0	0.0	355.3	0
Hodgkin - Nodal	0.0	0.0	355.3	0
Hodgkin - Extranodal	0.0	0.0	355.3	0
Non-Hodgkin Lymphoma	0.0	0.0	355.3	0
NHL - Nodal	0.0	0.0	355.3	0
NHL - Extranodal	0.0	0.0	355.3	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	355.3	0
Lymphocytic Leukemia	0.0	0.0	355.3	0
Acute Lymphocytic Leukemia	0.0	0.0	355.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	355.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	355.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	355.3	0
Acute Myeloid Leukemia	0.0	0.0	355.3	0
Acute Monocytic Leukemia	0.0	0.0	355.3	0
Chronic Myeloid Leukemia	0.0	0.0	355.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	355.3	0
Other Leukemia	0.0	0.0	355.3	0
Other Acute Leukemia	0.0	0.0	355.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	355.3	0
Mesothelioma	0.0	0.0	355.3	0
Kaposi Sarcoma	0.0	0.0	355.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	373.2	294.4	470.7	91
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	29.3	0
Tongue	0.0	0.0	29.3	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	29.3	0
Gum and Other Mouth	0.0	0.0	29.3	0
Nasopharynx	0.0	0.0	29.3	0
Tonsil	0.0	0.0	29.3	0
Oropharynx	0.0	0.0	29.3	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	29.3	0
Digestive System	70.0	36.2	125.7	14
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	29.3	0
Colon and Rectum	44.5	18.9	92.9	9
Colon excluding Rectum	32.9	11.3	78.3	6
Cecum	^	^	^	^
Appendix	0.0	0.0	29.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	29.3	0
Transverse Colon	0.0	0.0	29.3	0
Splenic Flexure	0.0	0.0	29.3	0
Descending Colon	0.0	0.0	29.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	29.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	29.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	29.3	0
Liver	0.0	0.0	29.3	0
Intrahepatic Bile Duct	0.0	0.0	29.3	0
Gallbladder	0.0	0.0	29.3	0
Other Biliary	0.0	0.0	29.3	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	29.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	29.3	0
Other Digestive Organs	0.0	0.0	29.3	0
Respiratory System	40.8	19.0	83.5	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	29.3	0
Larynx	^	^	^	^
Lung and Bronchus	38.1	17.0	80.4	10
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	29.3	0
Bones and Joints	0.0	0.0	29.3	0
Soft Tissue including Heart	0.0	0.0	29.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	29.3	0
Urinary System	30.2	10.2	73.6	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	29.3	0
Other Urinary Organs	0.0	0.0	29.3	0
Eye and Orbit	0.0	0.0	29.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	29.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	29.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	29.3	0
Hodgkin - Nodal	0.0	0.0	29.3	0
Hodgkin - Extranodal	0.0	0.0	29.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	29.3	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	29.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	29.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	29.3	0
Acute Myeloid Leukemia	0.0	0.0	29.3	0
Acute Monocytic Leukemia	0.0	0.0	29.3	0
Chronic Myeloid Leukemia	0.0	0.0	29.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	29.3	0
Other Leukemia	0.0	0.0	29.3	0
Other Acute Leukemia	0.0	0.0	29.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	29.3	0
Mesothelioma	0.0	0.0	29.3	0
Kaposi Sarcoma	0.0	0.0	29.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	454.6	388.1	533.6	191
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	23.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	23.0	0
Floor of Mouth	0.0	0.0	23.0	0
Gum and Other Mouth	0.0	0.0	23.0	0
Nasopharynx	0.0	0.0	23.0	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	23.0	0
Hypopharynx	0.0	0.0	23.0	0
Other Oral Cavity and Pharynx	0.0	0.0	23.0	0
Digestive System	77.4	51.9	116.8	32
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	53.9	32.6	89.9	21
Colon excluding Rectum	37.5	20.2	70.1	15
Cecum	^	^	^	^
Appendix	0.0	0.0	23.0	0
Ascending Colon	0.0	0.0	23.0	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	23.0	0
Descending Colon	0.0	0.0	23.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	16.5	6.0	44.0	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	23.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	23.0	0
Gallbladder	0.0	0.0	23.0	0
Other Biliary	0.0	0.0	23.0	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	23.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	23.0	0
Other Digestive Organs	0.0	0.0	23.0	0
Respiratory System	101.5	69.7	147.6	39
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	95.9	65.1	141.2	37
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	23.0	0
Bones and Joints	0.0	0.0	23.0	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	14.6	5.5	40.5	7
Melanoma of the Skin	14.6	5.5	40.5	7
Other Non-Epithelial Skin	0.0	0.0	23.0	0
Urinary System	31.1	14.8	63.7	12
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	12.4	4.4	37.7	6
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	23.0	0
Eye and Orbit	0.0	0.0	23.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	23.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	23.0	0
Lymphoma	27.0	12.9	57.0	11
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	23.0	0
Non-Hodgkin Lymphoma	24.3	11.1	53.7	10
NHL - Nodal	20.8	8.5	49.8	8
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	12.8	4.6	38.1	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	23.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	23.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	23.0	0
Other Leukemia	0.0	0.0	23.0	0
Other Acute Leukemia	0.0	0.0	23.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	23.0	0
Mesothelioma	0.0	0.0	23.0	0
Kaposi Sarcoma	0.0	0.0	23.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	422.6	315.1	561.8	56
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	48.4	0
Tongue	0.0	0.0	48.4	0
Salivary Gland	0.0	0.0	48.4	0
Floor of Mouth	0.0	0.0	48.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	48.4	0
Tonsil	0.0	0.0	48.4	0
Oropharynx	0.0	0.0	48.4	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	48.4	0
Digestive System	114.2	58.8	206.1	13
Esophagus	^	^	^	^
Stomach	0.0	0.0	48.4	0
Small Intestine	0.0	0.0	48.4	0
Colon and Rectum	84.5	37.3	169.7	9
Colon excluding Rectum	62.5	23.9	139.6	7
Cecum	^	^	^	^
Appendix	0.0	0.0	48.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	48.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	48.4	0
Descending Colon	0.0	0.0	48.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	48.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	48.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	48.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	48.4	0
Gallbladder	0.0	0.0	48.4	0
Other Biliary	0.0	0.0	48.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	48.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	48.4	0
Other Digestive Organs	0.0	0.0	48.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	48.4	0
Larynx	0.0	0.0	48.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	48.4	0
Bones and Joints	0.0	0.0	48.4	0
Soft Tissue including Heart	0.0	0.0	48.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	48.4	0
Urinary System	48.8	17.1	118.3	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	48.4	0
Other Urinary Organs	0.0	0.0	48.4	0
Eye and Orbit	0.0	0.0	48.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	48.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	48.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	48.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	48.4	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	48.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	48.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	48.4	0
Acute Myeloid Leukemia	0.0	0.0	48.4	0
Acute Monocytic Leukemia	0.0	0.0	48.4	0
Chronic Myeloid Leukemia	0.0	0.0	48.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	48.4	0
Other Leukemia	0.0	0.0	48.4	0
Other Acute Leukemia	0.0	0.0	48.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	48.4	0
Mesothelioma	0.0	0.0	48.4	0
Kaposi Sarcoma	0.0	0.0	48.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	540.7	376.8	764.9	47
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	90.2	0
Tongue	0.0	0.0	90.2	0
Salivary Gland	0.0	0.0	90.2	0
Floor of Mouth	0.0	0.0	90.2	0
Gum and Other Mouth	0.0	0.0	90.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	90.2	0
Oropharynx	0.0	0.0	90.2	0
Hypopharynx	0.0	0.0	90.2	0
Other Oral Cavity and Pharynx	0.0	0.0	90.2	0
Digestive System	130.0	47.8	288.1	7
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	90.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	90.2	0
Ascending Colon	0.0	0.0	90.2	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	90.2	0
Splenic Flexure	0.0	0.0	90.2	0
Descending Colon	0.0	0.0	90.2	0
Sigmoid Colon	0.0	0.0	90.2	0
Large Intestine, NOS	0.0	0.0	90.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	90.2	0
Rectosigmoid Junction	0.0	0.0	90.2	0
Rectum	0.0	0.0	90.2	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	90.2	0
Liver	0.0	0.0	90.2	0
Intrahepatic Bile Duct	0.0	0.0	90.2	0
Gallbladder	0.0	0.0	90.2	0
Other Biliary	0.0	0.0	90.2	0
Pancreas	0.0	0.0	90.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	90.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	90.2	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	90.2	0
Larynx	0.0	0.0	90.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	90.2	0
Bones and Joints	0.0	0.0	90.2	0
Soft Tissue including Heart	0.0	0.0	90.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	90.2	0
Other Urinary Organs	0.0	0.0	90.2	0
Eye and Orbit	0.0	0.0	90.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	90.2	0
Endocrine System	0.0	0.0	90.2	0
Thyroid	0.0	0.0	90.2	0
Other Endocrine including Thymus	0.0	0.0	90.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	90.2	0
Hodgkin - Nodal	0.0	0.0	90.2	0
Hodgkin - Extranodal	0.0	0.0	90.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	90.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	90.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	90.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	90.2	0
Acute Monocytic Leukemia	0.0	0.0	90.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	90.2	0
Other Leukemia	0.0	0.0	90.2	0
Other Acute Leukemia	0.0	0.0	90.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	90.2	0
Mesothelioma	0.0	0.0	90.2	0
Kaposi Sarcoma	0.0	0.0	90.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	817.3	0
Lip	0.0	0.0	817.3	0
Tongue	0.0	0.0	817.3	0
Salivary Gland	0.0	0.0	817.3	0
Floor of Mouth	0.0	0.0	817.3	0
Gum and Other Mouth	0.0	0.0	817.3	0
Nasopharynx	0.0	0.0	817.3	0
Tonsil	0.0	0.0	817.3	0
Oropharynx	0.0	0.0	817.3	0
Hypopharynx	0.0	0.0	817.3	0
Other Oral Cavity and Pharynx	0.0	0.0	817.3	0
Digestive System	0.0	0.0	817.3	0
Esophagus	0.0	0.0	817.3	0
Stomach	0.0	0.0	817.3	0
Small Intestine	0.0	0.0	817.3	0
Colon and Rectum	0.0	0.0	817.3	0
Colon excluding Rectum	0.0	0.0	817.3	0
Cecum	0.0	0.0	817.3	0
Appendix	0.0	0.0	817.3	0
Ascending Colon	0.0	0.0	817.3	0
Hepatic Flexure	0.0	0.0	817.3	0
Transverse Colon	0.0	0.0	817.3	0
Splenic Flexure	0.0	0.0	817.3	0
Descending Colon	0.0	0.0	817.3	0
Sigmoid Colon	0.0	0.0	817.3	0
Large Intestine, NOS	0.0	0.0	817.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	817.3	0
Rectosigmoid Junction	0.0	0.0	817.3	0
Rectum	0.0	0.0	817.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	817.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	817.3	0
Liver	0.0	0.0	817.3	0
Intrahepatic Bile Duct	0.0	0.0	817.3	0
Gallbladder	0.0	0.0	817.3	0
Other Biliary	0.0	0.0	817.3	0
Pancreas	0.0	0.0	817.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	817.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	817.3	0
Other Digestive Organs	0.0	0.0	817.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	817.3	0
Larynx	0.0	0.0	817.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	817.3	0
Bones and Joints	0.0	0.0	817.3	0
Soft Tissue including Heart	0.0	0.0	817.3	0
Skin excluding Basal and Squamous	0.0	0.0	817.3	0
Melanoma of the Skin	0.0	0.0	817.3	0
Other Non-Epithelial Skin	0.0	0.0	817.3	0
Urinary System	0.0	0.0	817.3	0
Urinary Bladder	0.0	0.0	817.3	0
Kidney and Renal Pelvis	0.0	0.0	817.3	0
Ureter	0.0	0.0	817.3	0
Other Urinary Organs	0.0	0.0	817.3	0
Eye and Orbit	0.0	0.0	817.3	0
Brain and Other Nervous System	0.0	0.0	817.3	0
Brain	0.0	0.0	817.3	0
Cranial Nerves Other Nervous System	0.0	0.0	817.3	0
Endocrine System	0.0	0.0	817.3	0
Thyroid	0.0	0.0	817.3	0
Other Endocrine including Thymus	0.0	0.0	817.3	0
Lymphoma	0.0	0.0	817.3	0
Hodgkin Lymphoma	0.0	0.0	817.3	0
Hodgkin - Nodal	0.0	0.0	817.3	0
Hodgkin - Extranodal	0.0	0.0	817.3	0
Non-Hodgkin Lymphoma	0.0	0.0	817.3	0
NHL - Nodal	0.0	0.0	817.3	0
NHL - Extranodal	0.0	0.0	817.3	0
Myeloma	0.0	0.0	817.3	0
Leukemia	0.0	0.0	817.3	0
Lymphocytic Leukemia	0.0	0.0	817.3	0
Acute Lymphocytic Leukemia	0.0	0.0	817.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	817.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	817.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	817.3	0
Acute Myeloid Leukemia	0.0	0.0	817.3	0
Acute Monocytic Leukemia	0.0	0.0	817.3	0
Chronic Myeloid Leukemia	0.0	0.0	817.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	817.3	0
Other Leukemia	0.0	0.0	817.3	0
Other Acute Leukemia	0.0	0.0	817.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	817.3	0
Mesothelioma	0.0	0.0	817.3	0
Kaposi Sarcoma	0.0	0.0	817.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	457.0	391.6	534.6	214
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	22.3	0
Tongue	0.0	0.0	22.3	0
Salivary Gland	0.0	0.0	22.3	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	22.3	0
Nasopharynx	0.0	0.0	22.3	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	85.0	56.8	127.2	36
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	54.4	32.2	91.4	22
Colon excluding Rectum	41.7	22.7	75.9	17
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	22.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	22.3	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	22.3	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	22.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	22.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	22.3	0
Other Digestive Organs	0.0	0.0	22.3	0
Respiratory System	70.9	46.6	108.9	33
Nose, Nasal Cavity and Middle Ear	0.0	0.0	22.3	0
Larynx	0.0	0.0	22.3	0
Lung and Bronchus	70.9	46.6	108.9	33
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	22.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	12.4	4.6	36.9	7
Melanoma of the Skin	12.4	4.6	36.9	7
Other Non-Epithelial Skin	0.0	0.0	22.3	0
Urinary System	44.9	26.1	78.1	20
Urinary Bladder	25.3	11.9	54.2	11
Kidney and Renal Pelvis	16.1	6.2	42.4	8
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	22.3	0
Eye and Orbit	0.0	0.0	22.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	22.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	20.0	9.4	46.1	11
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	22.3	0
Non-Hodgkin Lymphoma	18.8	8.5	44.8	10
NHL - Nodal	14.4	5.8	39.4	8
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	22.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	22.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	22.3	0
Chronic Myeloid Leukemia	0.0	0.0	22.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	22.3	0
Other Leukemia	0.0	0.0	22.3	0
Other Acute Leukemia	0.0	0.0	22.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	22.3	0
Mesothelioma	0.0	0.0	22.3	0
Kaposi Sarcoma	0.0	0.0	22.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	504.8	332.7	761.3	31
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	131.6	0
Tongue	0.0	0.0	131.6	0
Salivary Gland	0.0	0.0	131.6	0
Floor of Mouth	0.0	0.0	131.6	0
Gum and Other Mouth	0.0	0.0	131.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	131.6	0
Oropharynx	0.0	0.0	131.6	0
Hypopharynx	0.0	0.0	131.6	0
Other Oral Cavity and Pharynx	0.0	0.0	131.6	0
Digestive System	138.7	50.9	327.9	7
Esophagus	0.0	0.0	131.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	131.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	131.6	0
Appendix	0.0	0.0	131.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	131.6	0
Transverse Colon	0.0	0.0	131.6	0
Splenic Flexure	0.0	0.0	131.6	0
Descending Colon	0.0	0.0	131.6	0
Sigmoid Colon	0.0	0.0	131.6	0
Large Intestine, NOS	0.0	0.0	131.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	131.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	131.6	0
Liver	0.0	0.0	131.6	0
Intrahepatic Bile Duct	0.0	0.0	131.6	0
Gallbladder	0.0	0.0	131.6	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	131.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	131.6	0
Other Digestive Organs	0.0	0.0	131.6	0
Respiratory System	117.1	45.5	285.5	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	131.6	0
Larynx	^	^	^	^
Lung and Bronchus	98.7	34.6	261.4	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	131.6	0
Bones and Joints	0.0	0.0	131.6	0
Soft Tissue including Heart	0.0	0.0	131.6	0
Skin excluding Basal and Squamous	0.0	0.0	131.6	0
Melanoma of the Skin	0.0	0.0	131.6	0
Other Non-Epithelial Skin	0.0	0.0	131.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	131.6	0
Other Urinary Organs	0.0	0.0	131.6	0
Eye and Orbit	0.0	0.0	131.6	0
Brain and Other Nervous System	0.0	0.0	131.6	0
Brain	0.0	0.0	131.6	0
Cranial Nerves Other Nervous System	0.0	0.0	131.6	0
Endocrine System	0.0	0.0	131.6	0
Thyroid	0.0	0.0	131.6	0
Other Endocrine including Thymus	0.0	0.0	131.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	131.6	0
Hodgkin - Nodal	0.0	0.0	131.6	0
Hodgkin - Extranodal	0.0	0.0	131.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	131.6	0
Myeloma	0.0	0.0	131.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	131.6	0
Acute Lymphocytic Leukemia	0.0	0.0	131.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	131.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	131.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	131.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	131.6	0
Other Leukemia	0.0	0.0	131.6	0
Other Acute Leukemia	0.0	0.0	131.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	131.6	0
Mesothelioma	0.0	0.0	131.6	0
Kaposi Sarcoma	0.0	0.0	131.6	0
Miscellaneous	0.0	0.0	131.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	434.0	247.6	760.2	20
Oral Cavity and Pharynx	0.0	0.0	211.9	0
Lip	0.0	0.0	211.9	0
Tongue	0.0	0.0	211.9	0
Salivary Gland	0.0	0.0	211.9	0
Floor of Mouth	0.0	0.0	211.9	0
Gum and Other Mouth	0.0	0.0	211.9	0
Nasopharynx	0.0	0.0	211.9	0
Tonsil	0.0	0.0	211.9	0
Oropharynx	0.0	0.0	211.9	0
Hypopharynx	0.0	0.0	211.9	0
Other Oral Cavity and Pharynx	0.0	0.0	211.9	0
Digestive System	133.2	42.1	386.0	6
Esophagus	0.0	0.0	211.9	0
Stomach	0.0	0.0	211.9	0
Small Intestine	0.0	0.0	211.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	211.9	0
Appendix	0.0	0.0	211.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	211.9	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	211.9	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	211.9	0
Large Intestine, NOS	0.0	0.0	211.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	211.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	211.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	211.9	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	211.9	0
Pancreas	0.0	0.0	211.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	211.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	211.9	0
Other Digestive Organs	0.0	0.0	211.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	211.9	0
Larynx	0.0	0.0	211.9	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	211.9	0
Bones and Joints	0.0	0.0	211.9	0
Soft Tissue including Heart	0.0	0.0	211.9	0
Skin excluding Basal and Squamous	0.0	0.0	211.9	0
Melanoma of the Skin	0.0	0.0	211.9	0
Other Non-Epithelial Skin	0.0	0.0	211.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	211.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	211.9	0
Other Urinary Organs	0.0	0.0	211.9	0
Eye and Orbit	0.0	0.0	211.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	211.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	211.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	211.9	0
Hodgkin - Nodal	0.0	0.0	211.9	0
Hodgkin - Extranodal	0.0	0.0	211.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	211.9	0
Myeloma	0.0	0.0	211.9	0
Leukemia	0.0	0.0	211.9	0
Lymphocytic Leukemia	0.0	0.0	211.9	0
Acute Lymphocytic Leukemia	0.0	0.0	211.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	211.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	211.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	211.9	0
Acute Myeloid Leukemia	0.0	0.0	211.9	0
Acute Monocytic Leukemia	0.0	0.0	211.9	0
Chronic Myeloid Leukemia	0.0	0.0	211.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	211.9	0
Other Leukemia	0.0	0.0	211.9	0
Other Acute Leukemia	0.0	0.0	211.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	211.9	0
Mesothelioma	0.0	0.0	211.9	0
Kaposi Sarcoma	0.0	0.0	211.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	377.0	162.2	776.9	10
Oral Cavity and Pharynx	0.0	0.0	238.4	0
Lip	0.0	0.0	238.4	0
Tongue	0.0	0.0	238.4	0
Salivary Gland	0.0	0.0	238.4	0
Floor of Mouth	0.0	0.0	238.4	0
Gum and Other Mouth	0.0	0.0	238.4	0
Nasopharynx	0.0	0.0	238.4	0
Tonsil	0.0	0.0	238.4	0
Oropharynx	0.0	0.0	238.4	0
Hypopharynx	0.0	0.0	238.4	0
Other Oral Cavity and Pharynx	0.0	0.0	238.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	238.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	238.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	238.4	0
Ascending Colon	0.0	0.0	238.4	0
Hepatic Flexure	0.0	0.0	238.4	0
Transverse Colon	0.0	0.0	238.4	0
Splenic Flexure	0.0	0.0	238.4	0
Descending Colon	0.0	0.0	238.4	0
Sigmoid Colon	0.0	0.0	238.4	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	238.4	0
Rectosigmoid Junction	0.0	0.0	238.4	0
Rectum	0.0	0.0	238.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	238.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	238.4	0
Liver	0.0	0.0	238.4	0
Intrahepatic Bile Duct	0.0	0.0	238.4	0
Gallbladder	0.0	0.0	238.4	0
Other Biliary	0.0	0.0	238.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	238.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	238.4	0
Other Digestive Organs	0.0	0.0	238.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	238.4	0
Larynx	0.0	0.0	238.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	238.4	0
Bones and Joints	0.0	0.0	238.4	0
Soft Tissue including Heart	0.0	0.0	238.4	0
Skin excluding Basal and Squamous	0.0	0.0	238.4	0
Melanoma of the Skin	0.0	0.0	238.4	0
Other Non-Epithelial Skin	0.0	0.0	238.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	238.4	0
Ureter	0.0	0.0	238.4	0
Other Urinary Organs	0.0	0.0	238.4	0
Eye and Orbit	0.0	0.0	238.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	238.4	0
Endocrine System	0.0	0.0	238.4	0
Thyroid	0.0	0.0	238.4	0
Other Endocrine including Thymus	0.0	0.0	238.4	0
Lymphoma	0.0	0.0	238.4	0
Hodgkin Lymphoma	0.0	0.0	238.4	0
Hodgkin - Nodal	0.0	0.0	238.4	0
Hodgkin - Extranodal	0.0	0.0	238.4	0
Non-Hodgkin Lymphoma	0.0	0.0	238.4	0
NHL - Nodal	0.0	0.0	238.4	0
NHL - Extranodal	0.0	0.0	238.4	0
Myeloma	0.0	0.0	238.4	0
Leukemia	0.0	0.0	238.4	0
Lymphocytic Leukemia	0.0	0.0	238.4	0
Acute Lymphocytic Leukemia	0.0	0.0	238.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	238.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	238.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	238.4	0
Acute Myeloid Leukemia	0.0	0.0	238.4	0
Acute Monocytic Leukemia	0.0	0.0	238.4	0
Chronic Myeloid Leukemia	0.0	0.0	238.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	238.4	0
Other Leukemia	0.0	0.0	238.4	0
Other Acute Leukemia	0.0	0.0	238.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	238.4	0
Mesothelioma	0.0	0.0	238.4	0
Kaposi Sarcoma	0.0	0.0	238.4	0
Miscellaneous	0.0	0.0	238.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	582.8	345.9	1,079.3	23
Oral Cavity and Pharynx	0.0	0.0	408.6	0
Lip	0.0	0.0	408.6	0
Tongue	0.0	0.0	408.6	0
Salivary Gland	0.0	0.0	408.6	0
Floor of Mouth	0.0	0.0	408.6	0
Gum and Other Mouth	0.0	0.0	408.6	0
Nasopharynx	0.0	0.0	408.6	0
Tonsil	0.0	0.0	408.6	0
Oropharynx	0.0	0.0	408.6	0
Hypopharynx	0.0	0.0	408.6	0
Other Oral Cavity and Pharynx	0.0	0.0	408.6	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	408.6	0
Small Intestine	0.0	0.0	408.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	408.6	0
Appendix	0.0	0.0	408.6	0
Ascending Colon	0.0	0.0	408.6	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	408.6	0
Splenic Flexure	0.0	0.0	408.6	0
Descending Colon	0.0	0.0	408.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	408.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	408.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	408.6	0
Liver	0.0	0.0	408.6	0
Intrahepatic Bile Duct	0.0	0.0	408.6	0
Gallbladder	0.0	0.0	408.6	0
Other Biliary	0.0	0.0	408.6	0
Pancreas	0.0	0.0	408.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	408.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	408.6	0
Other Digestive Organs	0.0	0.0	408.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	408.6	0
Larynx	0.0	0.0	408.6	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	408.6	0
Bones and Joints	0.0	0.0	408.6	0
Soft Tissue including Heart	0.0	0.0	408.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	408.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	408.6	0
Other Urinary Organs	0.0	0.0	408.6	0
Eye and Orbit	0.0	0.0	408.6	0
Brain and Other Nervous System	0.0	0.0	408.6	0
Brain	0.0	0.0	408.6	0
Cranial Nerves Other Nervous System	0.0	0.0	408.6	0
Endocrine System	0.0	0.0	408.6	0
Thyroid	0.0	0.0	408.6	0
Other Endocrine including Thymus	0.0	0.0	408.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	408.6	0
Hodgkin - Nodal	0.0	0.0	408.6	0
Hodgkin - Extranodal	0.0	0.0	408.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	408.6	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	408.6	0
Leukemia	0.0	0.0	408.6	0
Lymphocytic Leukemia	0.0	0.0	408.6	0
Acute Lymphocytic Leukemia	0.0	0.0	408.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	408.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	408.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	408.6	0
Acute Myeloid Leukemia	0.0	0.0	408.6	0
Acute Monocytic Leukemia	0.0	0.0	408.6	0
Chronic Myeloid Leukemia	0.0	0.0	408.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	408.6	0
Other Leukemia	0.0	0.0	408.6	0
Other Acute Leukemia	0.0	0.0	408.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	408.6	0
Mesothelioma	0.0	0.0	408.6	0
Kaposi Sarcoma	0.0	0.0	408.6	0
Miscellaneous	0.0	0.0	408.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	370.2	238.2	571.1	28
Oral Cavity and Pharynx	0.0	0.0	106.2	0
Lip	0.0	0.0	106.2	0
Tongue	0.0	0.0	106.2	0
Salivary Gland	0.0	0.0	106.2	0
Floor of Mouth	0.0	0.0	106.2	0
Gum and Other Mouth	0.0	0.0	106.2	0
Nasopharynx	0.0	0.0	106.2	0
Tonsil	0.0	0.0	106.2	0
Oropharynx	0.0	0.0	106.2	0
Hypopharynx	0.0	0.0	106.2	0
Other Oral Cavity and Pharynx	0.0	0.0	106.2	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	106.2	0
Small Intestine	0.0	0.0	106.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	106.2	0
Cecum	0.0	0.0	106.2	0
Appendix	0.0	0.0	106.2	0
Ascending Colon	0.0	0.0	106.2	0
Hepatic Flexure	0.0	0.0	106.2	0
Transverse Colon	0.0	0.0	106.2	0
Splenic Flexure	0.0	0.0	106.2	0
Descending Colon	0.0	0.0	106.2	0
Sigmoid Colon	0.0	0.0	106.2	0
Large Intestine, NOS	0.0	0.0	106.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	106.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	106.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	106.2	0
Liver	0.0	0.0	106.2	0
Intrahepatic Bile Duct	0.0	0.0	106.2	0
Gallbladder	0.0	0.0	106.2	0
Other Biliary	0.0	0.0	106.2	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	106.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	106.2	0
Other Digestive Organs	0.0	0.0	106.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	106.2	0
Larynx	0.0	0.0	106.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	106.2	0
Bones and Joints	0.0	0.0	106.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	106.2	0
Melanoma of the Skin	0.0	0.0	106.2	0
Other Non-Epithelial Skin	0.0	0.0	106.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	106.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	106.2	0
Other Urinary Organs	0.0	0.0	106.2	0
Eye and Orbit	0.0	0.0	106.2	0
Brain and Other Nervous System	0.0	0.0	106.2	0
Brain	0.0	0.0	106.2	0
Cranial Nerves Other Nervous System	0.0	0.0	106.2	0
Endocrine System	0.0	0.0	106.2	0
Thyroid	0.0	0.0	106.2	0
Other Endocrine including Thymus	0.0	0.0	106.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	106.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	106.2	0
Leukemia	0.0	0.0	106.2	0
Lymphocytic Leukemia	0.0	0.0	106.2	0
Acute Lymphocytic Leukemia	0.0	0.0	106.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	106.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	106.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	106.2	0
Acute Myeloid Leukemia	0.0	0.0	106.2	0
Acute Monocytic Leukemia	0.0	0.0	106.2	0
Chronic Myeloid Leukemia	0.0	0.0	106.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	106.2	0
Other Leukemia	0.0	0.0	106.2	0
Other Acute Leukemia	0.0	0.0	106.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	106.2	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	106.2	0
Miscellaneous	0.0	0.0	106.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	243.8	0
Lip	0.0	0.0	243.8	0
Tongue	0.0	0.0	243.8	0
Salivary Gland	0.0	0.0	243.8	0
Floor of Mouth	0.0	0.0	243.8	0
Gum and Other Mouth	0.0	0.0	243.8	0
Nasopharynx	0.0	0.0	243.8	0
Tonsil	0.0	0.0	243.8	0
Oropharynx	0.0	0.0	243.8	0
Hypopharynx	0.0	0.0	243.8	0
Other Oral Cavity and Pharynx	0.0	0.0	243.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	243.8	0
Stomach	0.0	0.0	243.8	0
Small Intestine	0.0	0.0	243.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	243.8	0
Cecum	0.0	0.0	243.8	0
Appendix	0.0	0.0	243.8	0
Ascending Colon	0.0	0.0	243.8	0
Hepatic Flexure	0.0	0.0	243.8	0
Transverse Colon	0.0	0.0	243.8	0
Splenic Flexure	0.0	0.0	243.8	0
Descending Colon	0.0	0.0	243.8	0
Sigmoid Colon	0.0	0.0	243.8	0
Large Intestine, NOS	0.0	0.0	243.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	243.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	243.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	243.8	0
Liver	0.0	0.0	243.8	0
Intrahepatic Bile Duct	0.0	0.0	243.8	0
Gallbladder	0.0	0.0	243.8	0
Other Biliary	0.0	0.0	243.8	0
Pancreas	0.0	0.0	243.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	243.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	243.8	0
Other Digestive Organs	0.0	0.0	243.8	0
Respiratory System	0.0	0.0	243.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	243.8	0
Larynx	0.0	0.0	243.8	0
Lung and Bronchus	0.0	0.0	243.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	243.8	0
Bones and Joints	0.0	0.0	243.8	0
Soft Tissue including Heart	0.0	0.0	243.8	0
Skin excluding Basal and Squamous	0.0	0.0	243.8	0
Melanoma of the Skin	0.0	0.0	243.8	0
Other Non-Epithelial Skin	0.0	0.0	243.8	0
Urinary System	0.0	0.0	243.8	0
Urinary Bladder	0.0	0.0	243.8	0
Kidney and Renal Pelvis	0.0	0.0	243.8	0
Ureter	0.0	0.0	243.8	0
Other Urinary Organs	0.0	0.0	243.8	0
Eye and Orbit	0.0	0.0	243.8	0
Brain and Other Nervous System	0.0	0.0	243.8	0
Brain	0.0	0.0	243.8	0
Cranial Nerves Other Nervous System	0.0	0.0	243.8	0
Endocrine System	0.0	0.0	243.8	0
Thyroid	0.0	0.0	243.8	0
Other Endocrine including Thymus	0.0	0.0	243.8	0
Lymphoma	0.0	0.0	243.8	0
Hodgkin Lymphoma	0.0	0.0	243.8	0
Hodgkin - Nodal	0.0	0.0	243.8	0
Hodgkin - Extranodal	0.0	0.0	243.8	0
Non-Hodgkin Lymphoma	0.0	0.0	243.8	0
NHL - Nodal	0.0	0.0	243.8	0
NHL - Extranodal	0.0	0.0	243.8	0
Myeloma	0.0	0.0	243.8	0
Leukemia	0.0	0.0	243.8	0
Lymphocytic Leukemia	0.0	0.0	243.8	0
Acute Lymphocytic Leukemia	0.0	0.0	243.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	243.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	243.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	243.8	0
Acute Myeloid Leukemia	0.0	0.0	243.8	0
Acute Monocytic Leukemia	0.0	0.0	243.8	0
Chronic Myeloid Leukemia	0.0	0.0	243.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	243.8	0
Other Leukemia	0.0	0.0	243.8	0
Other Acute Leukemia	0.0	0.0	243.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	243.8	0
Mesothelioma	0.0	0.0	243.8	0
Kaposi Sarcoma	0.0	0.0	243.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	550.5	331.9	896.9	25
Oral Cavity and Pharynx	0.0	0.0	190.7	0
Lip	0.0	0.0	190.7	0
Tongue	0.0	0.0	190.7	0
Salivary Gland	0.0	0.0	190.7	0
Floor of Mouth	0.0	0.0	190.7	0
Gum and Other Mouth	0.0	0.0	190.7	0
Nasopharynx	0.0	0.0	190.7	0
Tonsil	0.0	0.0	190.7	0
Oropharynx	0.0	0.0	190.7	0
Hypopharynx	0.0	0.0	190.7	0
Other Oral Cavity and Pharynx	0.0	0.0	190.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	190.7	0
Stomach	0.0	0.0	190.7	0
Small Intestine	0.0	0.0	190.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	190.7	0
Cecum	0.0	0.0	190.7	0
Appendix	0.0	0.0	190.7	0
Ascending Colon	0.0	0.0	190.7	0
Hepatic Flexure	0.0	0.0	190.7	0
Transverse Colon	0.0	0.0	190.7	0
Splenic Flexure	0.0	0.0	190.7	0
Descending Colon	0.0	0.0	190.7	0
Sigmoid Colon	0.0	0.0	190.7	0
Large Intestine, NOS	0.0	0.0	190.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	190.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	190.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	190.7	0
Liver	0.0	0.0	190.7	0
Intrahepatic Bile Duct	0.0	0.0	190.7	0
Gallbladder	0.0	0.0	190.7	0
Other Biliary	0.0	0.0	190.7	0
Pancreas	0.0	0.0	190.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	190.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	190.7	0
Other Digestive Organs	0.0	0.0	190.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	190.7	0
Larynx	0.0	0.0	190.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	190.7	0
Bones and Joints	0.0	0.0	190.7	0
Soft Tissue including Heart	0.0	0.0	190.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	190.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	190.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	190.7	0
Other Urinary Organs	0.0	0.0	190.7	0
Eye and Orbit	0.0	0.0	190.7	0
Brain and Other Nervous System	0.0	0.0	190.7	0
Brain	0.0	0.0	190.7	0
Cranial Nerves Other Nervous System	0.0	0.0	190.7	0
Endocrine System	0.0	0.0	190.7	0
Thyroid	0.0	0.0	190.7	0
Other Endocrine including Thymus	0.0	0.0	190.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	190.7	0
Hodgkin - Nodal	0.0	0.0	190.7	0
Hodgkin - Extranodal	0.0	0.0	190.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	190.7	0
Leukemia	0.0	0.0	190.7	0
Lymphocytic Leukemia	0.0	0.0	190.7	0
Acute Lymphocytic Leukemia	0.0	0.0	190.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	190.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	190.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	190.7	0
Acute Myeloid Leukemia	0.0	0.0	190.7	0
Acute Monocytic Leukemia	0.0	0.0	190.7	0
Chronic Myeloid Leukemia	0.0	0.0	190.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	190.7	0
Other Leukemia	0.0	0.0	190.7	0
Other Acute Leukemia	0.0	0.0	190.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	190.7	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	190.7	0
Miscellaneous	0.0	0.0	190.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	459.5	305.0	687.6	35
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	114.4	0
Tongue	0.0	0.0	114.4	0
Salivary Gland	0.0	0.0	114.4	0
Floor of Mouth	0.0	0.0	114.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	114.4	0
Tonsil	0.0	0.0	114.4	0
Oropharynx	0.0	0.0	114.4	0
Hypopharynx	0.0	0.0	114.4	0
Other Oral Cavity and Pharynx	0.0	0.0	114.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	114.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	114.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	114.4	0
Appendix	0.0	0.0	114.4	0
Ascending Colon	0.0	0.0	114.4	0
Hepatic Flexure	0.0	0.0	114.4	0
Transverse Colon	0.0	0.0	114.4	0
Splenic Flexure	0.0	0.0	114.4	0
Descending Colon	0.0	0.0	114.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	114.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	114.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	114.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	114.4	0
Gallbladder	0.0	0.0	114.4	0
Other Biliary	0.0	0.0	114.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	114.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	114.4	0
Other Digestive Organs	0.0	0.0	114.4	0
Respiratory System	124.5	45.4	292.6	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	114.4	0
Larynx	^	^	^	^
Lung and Bronchus	105.1	33.9	267.2	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	114.4	0
Bones and Joints	0.0	0.0	114.4	0
Soft Tissue including Heart	0.0	0.0	114.4	0
Skin excluding Basal and Squamous	0.0	0.0	114.4	0
Melanoma of the Skin	0.0	0.0	114.4	0
Other Non-Epithelial Skin	0.0	0.0	114.4	0
Urinary System	0.0	0.0	114.4	0
Urinary Bladder	0.0	0.0	114.4	0
Kidney and Renal Pelvis	0.0	0.0	114.4	0
Ureter	0.0	0.0	114.4	0
Other Urinary Organs	0.0	0.0	114.4	0
Eye and Orbit	0.0	0.0	114.4	0
Brain and Other Nervous System	0.0	0.0	114.4	0
Brain	0.0	0.0	114.4	0
Cranial Nerves Other Nervous System	0.0	0.0	114.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	114.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	114.4	0
Hodgkin - Nodal	0.0	0.0	114.4	0
Hodgkin - Extranodal	0.0	0.0	114.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	114.4	0
Lymphocytic Leukemia	0.0	0.0	114.4	0
Acute Lymphocytic Leukemia	0.0	0.0	114.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	114.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	114.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	114.4	0
Acute Myeloid Leukemia	0.0	0.0	114.4	0
Acute Monocytic Leukemia	0.0	0.0	114.4	0
Chronic Myeloid Leukemia	0.0	0.0	114.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	114.4	0
Other Leukemia	0.0	0.0	114.4	0
Other Acute Leukemia	0.0	0.0	114.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	114.4	0
Mesothelioma	0.0	0.0	114.4	0
Kaposi Sarcoma	0.0	0.0	114.4	0
Miscellaneous	0.0	0.0	114.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	556.5	294.8	987.1	15
Oral Cavity and Pharynx	0.0	0.0	228.8	0
Lip	0.0	0.0	228.8	0
Tongue	0.0	0.0	228.8	0
Salivary Gland	0.0	0.0	228.8	0
Floor of Mouth	0.0	0.0	228.8	0
Gum and Other Mouth	0.0	0.0	228.8	0
Nasopharynx	0.0	0.0	228.8	0
Tonsil	0.0	0.0	228.8	0
Oropharynx	0.0	0.0	228.8	0
Hypopharynx	0.0	0.0	228.8	0
Other Oral Cavity and Pharynx	0.0	0.0	228.8	0
Digestive System	371.1	162.9	755.7	9
Esophagus	0.0	0.0	228.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	228.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	228.8	0
Appendix	0.0	0.0	228.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	228.8	0
Splenic Flexure	0.0	0.0	228.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	228.8	0
Large Intestine, NOS	0.0	0.0	228.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	228.8	0
Rectosigmoid Junction	0.0	0.0	228.8	0
Rectum	0.0	0.0	228.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	228.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	228.8	0
Gallbladder	0.0	0.0	228.8	0
Other Biliary	0.0	0.0	228.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	228.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	228.8	0
Other Digestive Organs	0.0	0.0	228.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	228.8	0
Larynx	0.0	0.0	228.8	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	228.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	228.8	0
Skin excluding Basal and Squamous	0.0	0.0	228.8	0
Melanoma of the Skin	0.0	0.0	228.8	0
Other Non-Epithelial Skin	0.0	0.0	228.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	228.8	0
Ureter	0.0	0.0	228.8	0
Other Urinary Organs	0.0	0.0	228.8	0
Eye and Orbit	0.0	0.0	228.8	0
Brain and Other Nervous System	0.0	0.0	228.8	0
Brain	0.0	0.0	228.8	0
Cranial Nerves Other Nervous System	0.0	0.0	228.8	0
Endocrine System	0.0	0.0	228.8	0
Thyroid	0.0	0.0	228.8	0
Other Endocrine including Thymus	0.0	0.0	228.8	0
Lymphoma	0.0	0.0	228.8	0
Hodgkin Lymphoma	0.0	0.0	228.8	0
Hodgkin - Nodal	0.0	0.0	228.8	0
Hodgkin - Extranodal	0.0	0.0	228.8	0
Non-Hodgkin Lymphoma	0.0	0.0	228.8	0
NHL - Nodal	0.0	0.0	228.8	0
NHL - Extranodal	0.0	0.0	228.8	0
Myeloma	0.0	0.0	228.8	0
Leukemia	0.0	0.0	228.8	0
Lymphocytic Leukemia	0.0	0.0	228.8	0
Acute Lymphocytic Leukemia	0.0	0.0	228.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	228.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	228.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	228.8	0
Acute Myeloid Leukemia	0.0	0.0	228.8	0
Acute Monocytic Leukemia	0.0	0.0	228.8	0
Chronic Myeloid Leukemia	0.0	0.0	228.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	228.8	0
Other Leukemia	0.0	0.0	228.8	0
Other Acute Leukemia	0.0	0.0	228.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	228.8	0
Mesothelioma	0.0	0.0	228.8	0
Kaposi Sarcoma	0.0	0.0	228.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	508.0	342.2	739.8	31
Oral Cavity and Pharynx	0.0	0.0	96.8	0
Lip	0.0	0.0	96.8	0
Tongue	0.0	0.0	96.8	0
Salivary Gland	0.0	0.0	96.8	0
Floor of Mouth	0.0	0.0	96.8	0
Gum and Other Mouth	0.0	0.0	96.8	0
Nasopharynx	0.0	0.0	96.8	0
Tonsil	0.0	0.0	96.8	0
Oropharynx	0.0	0.0	96.8	0
Hypopharynx	0.0	0.0	96.8	0
Other Oral Cavity and Pharynx	0.0	0.0	96.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	96.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	96.8	0
Cecum	0.0	0.0	96.8	0
Appendix	0.0	0.0	96.8	0
Ascending Colon	0.0	0.0	96.8	0
Hepatic Flexure	0.0	0.0	96.8	0
Transverse Colon	0.0	0.0	96.8	0
Splenic Flexure	0.0	0.0	96.8	0
Descending Colon	0.0	0.0	96.8	0
Sigmoid Colon	0.0	0.0	96.8	0
Large Intestine, NOS	0.0	0.0	96.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	96.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	96.8	0
Liver	0.0	0.0	96.8	0
Intrahepatic Bile Duct	0.0	0.0	96.8	0
Gallbladder	0.0	0.0	96.8	0
Other Biliary	0.0	0.0	96.8	0
Pancreas	0.0	0.0	96.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	96.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.8	0
Other Digestive Organs	0.0	0.0	96.8	0
Respiratory System	107.4	38.8	252.0	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.8	0
Larynx	0.0	0.0	96.8	0
Lung and Bronchus	107.4	38.8	252.0	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.8	0
Bones and Joints	0.0	0.0	96.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	96.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	96.8	0
Other Urinary Organs	0.0	0.0	96.8	0
Eye and Orbit	0.0	0.0	96.8	0
Brain and Other Nervous System	0.0	0.0	96.8	0
Brain	0.0	0.0	96.8	0
Cranial Nerves Other Nervous System	0.0	0.0	96.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	96.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	96.8	0
Hodgkin - Nodal	0.0	0.0	96.8	0
Hodgkin - Extranodal	0.0	0.0	96.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	96.8	0
Leukemia	0.0	0.0	96.8	0
Lymphocytic Leukemia	0.0	0.0	96.8	0
Acute Lymphocytic Leukemia	0.0	0.0	96.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	96.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	96.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.8	0
Acute Myeloid Leukemia	0.0	0.0	96.8	0
Acute Monocytic Leukemia	0.0	0.0	96.8	0
Chronic Myeloid Leukemia	0.0	0.0	96.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.8	0
Other Leukemia	0.0	0.0	96.8	0
Other Acute Leukemia	0.0	0.0	96.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.8	0
Mesothelioma	0.0	0.0	96.8	0
Kaposi Sarcoma	0.0	0.0	96.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	2,194.0	0
Lip	0.0	0.0	2,194.0	0
Tongue	0.0	0.0	2,194.0	0
Salivary Gland	0.0	0.0	2,194.0	0
Floor of Mouth	0.0	0.0	2,194.0	0
Gum and Other Mouth	0.0	0.0	2,194.0	0
Nasopharynx	0.0	0.0	2,194.0	0
Tonsil	0.0	0.0	2,194.0	0
Oropharynx	0.0	0.0	2,194.0	0
Hypopharynx	0.0	0.0	2,194.0	0
Other Oral Cavity and Pharynx	0.0	0.0	2,194.0	0
Digestive System	0.0	0.0	2,194.0	0
Esophagus	0.0	0.0	2,194.0	0
Stomach	0.0	0.0	2,194.0	0
Small Intestine	0.0	0.0	2,194.0	0
Colon and Rectum	0.0	0.0	2,194.0	0
Colon excluding Rectum	0.0	0.0	2,194.0	0
Cecum	0.0	0.0	2,194.0	0
Appendix	0.0	0.0	2,194.0	0
Ascending Colon	0.0	0.0	2,194.0	0
Hepatic Flexure	0.0	0.0	2,194.0	0
Transverse Colon	0.0	0.0	2,194.0	0
Splenic Flexure	0.0	0.0	2,194.0	0
Descending Colon	0.0	0.0	2,194.0	0
Sigmoid Colon	0.0	0.0	2,194.0	0
Large Intestine, NOS	0.0	0.0	2,194.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,194.0	0
Rectosigmoid Junction	0.0	0.0	2,194.0	0
Rectum	0.0	0.0	2,194.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,194.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,194.0	0
Liver	0.0	0.0	2,194.0	0
Intrahepatic Bile Duct	0.0	0.0	2,194.0	0
Gallbladder	0.0	0.0	2,194.0	0
Other Biliary	0.0	0.0	2,194.0	0
Pancreas	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	2,194.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,194.0	0
Other Digestive Organs	0.0	0.0	2,194.0	0
Respiratory System	0.0	0.0	2,194.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,194.0	0
Larynx	0.0	0.0	2,194.0	0
Lung and Bronchus	0.0	0.0	2,194.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,194.0	0
Bones and Joints	0.0	0.0	2,194.0	0
Soft Tissue including Heart	0.0	0.0	2,194.0	0
Skin excluding Basal and Squamous	0.0	0.0	2,194.0	0
Melanoma of the Skin	0.0	0.0	2,194.0	0
Other Non-Epithelial Skin	0.0	0.0	2,194.0	0
Urinary System	0.0	0.0	2,194.0	0
Urinary Bladder	0.0	0.0	2,194.0	0
Kidney and Renal Pelvis	0.0	0.0	2,194.0	0
Ureter	0.0	0.0	2,194.0	0
Other Urinary Organs	0.0	0.0	2,194.0	0
Eye and Orbit	0.0	0.0	2,194.0	0
Brain and Other Nervous System	0.0	0.0	2,194.0	0
Brain	0.0	0.0	2,194.0	0
Cranial Nerves Other Nervous System	0.0	0.0	2,194.0	0
Endocrine System	0.0	0.0	2,194.0	0
Thyroid	0.0	0.0	2,194.0	0
Other Endocrine including Thymus	0.0	0.0	2,194.0	0
Lymphoma	0.0	0.0	2,194.0	0
Hodgkin Lymphoma	0.0	0.0	2,194.0	0
Hodgkin - Nodal	0.0	0.0	2,194.0	0
Hodgkin - Extranodal	0.0	0.0	2,194.0	0
Non-Hodgkin Lymphoma	0.0	0.0	2,194.0	0
NHL - Nodal	0.0	0.0	2,194.0	0
NHL - Extranodal	0.0	0.0	2,194.0	0
Myeloma	0.0	0.0	2,194.0	0
Leukemia	0.0	0.0	2,194.0	0
Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Acute Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	2,194.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,194.0	0
Acute Myeloid Leukemia	0.0	0.0	2,194.0	0
Acute Monocytic Leukemia	0.0	0.0	2,194.0	0
Chronic Myeloid Leukemia	0.0	0.0	2,194.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,194.0	0
Other Leukemia	0.0	0.0	2,194.0	0
Other Acute Leukemia	0.0	0.0	2,194.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,194.0	0
Mesothelioma	0.0	0.0	2,194.0	0
Kaposi Sarcoma	0.0	0.0	2,194.0	0
Miscellaneous	0.0	0.0	2,194.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	486.6	306.5	760.0	25
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	140.0	0
Tongue	0.0	0.0	140.0	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	140.0	0
Gum and Other Mouth	0.0	0.0	140.0	0
Nasopharynx	0.0	0.0	140.0	0
Tonsil	0.0	0.0	140.0	0
Oropharynx	0.0	0.0	140.0	0
Hypopharynx	0.0	0.0	140.0	0
Other Oral Cavity and Pharynx	0.0	0.0	140.0	0
Digestive System	194.3	85.3	407.1	9
Esophagus	0.0	0.0	140.0	0
Stomach	0.0	0.0	140.0	0
Small Intestine	^	^	^	^
Colon and Rectum	145.7	55.9	340.9	7
Colon excluding Rectum	128.4	44.6	320.0	6
Cecum	^	^	^	^
Appendix	0.0	0.0	140.0	0
Ascending Colon	0.0	0.0	140.0	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	140.0	0
Splenic Flexure	0.0	0.0	140.0	0
Descending Colon	0.0	0.0	140.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	140.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	140.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	140.0	0
Liver	0.0	0.0	140.0	0
Intrahepatic Bile Duct	0.0	0.0	140.0	0
Gallbladder	0.0	0.0	140.0	0
Other Biliary	0.0	0.0	140.0	0
Pancreas	0.0	0.0	140.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	140.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	140.0	0
Other Digestive Organs	0.0	0.0	140.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	140.0	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	140.0	0
Bones and Joints	0.0	0.0	140.0	0
Soft Tissue including Heart	0.0	0.0	140.0	0
Skin excluding Basal and Squamous	0.0	0.0	140.0	0
Melanoma of the Skin	0.0	0.0	140.0	0
Other Non-Epithelial Skin	0.0	0.0	140.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	140.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	140.0	0
Other Urinary Organs	0.0	0.0	140.0	0
Eye and Orbit	0.0	0.0	140.0	0
Brain and Other Nervous System	0.0	0.0	140.0	0
Brain	0.0	0.0	140.0	0
Cranial Nerves Other Nervous System	0.0	0.0	140.0	0
Endocrine System	0.0	0.0	140.0	0
Thyroid	0.0	0.0	140.0	0
Other Endocrine including Thymus	0.0	0.0	140.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	140.0	0
Hodgkin - Nodal	0.0	0.0	140.0	0
Hodgkin - Extranodal	0.0	0.0	140.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	140.0	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	140.0	0
Leukemia	0.0	0.0	140.0	0
Lymphocytic Leukemia	0.0	0.0	140.0	0
Acute Lymphocytic Leukemia	0.0	0.0	140.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	140.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2002/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	140.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	140.0	0
Acute Myeloid Leukemia	0.0	0.0	140.0	0
Acute Monocytic Leukemia	0.0	0.0	140.0	0
Chronic Myeloid Leukemia	0.0	0.0	140.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	140.0	0
Other Leukemia	0.0	0.0	140.0	0
Other Acute Leukemia	0.0	0.0	140.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	140.0	0
Mesothelioma	0.0	0.0	140.0	0
Kaposi Sarcoma	0.0	0.0	140.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	901.6	0
Lip	0.0	0.0	901.6	0
Tongue	0.0	0.0	901.6	0
Salivary Gland	0.0	0.0	901.6	0
Floor of Mouth	0.0	0.0	901.6	0
Gum and Other Mouth	0.0	0.0	901.6	0
Nasopharynx	0.0	0.0	901.6	0
Tonsil	0.0	0.0	901.6	0
Oropharynx	0.0	0.0	901.6	0
Hypopharynx	0.0	0.0	901.6	0
Other Oral Cavity and Pharynx	0.0	0.0	901.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	901.6	0
Stomach	0.0	0.0	901.6	0
Small Intestine	0.0	0.0	901.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	901.6	0
Cecum	0.0	0.0	901.6	0
Appendix	0.0	0.0	901.6	0
Ascending Colon	0.0	0.0	901.6	0
Hepatic Flexure	0.0	0.0	901.6	0
Transverse Colon	0.0	0.0	901.6	0
Splenic Flexure	0.0	0.0	901.6	0
Descending Colon	0.0	0.0	901.6	0
Sigmoid Colon	0.0	0.0	901.6	0
Large Intestine, NOS	0.0	0.0	901.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	901.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	901.6	0
Liver	0.0	0.0	901.6	0
Intrahepatic Bile Duct	0.0	0.0	901.6	0
Gallbladder	0.0	0.0	901.6	0
Other Biliary	0.0	0.0	901.6	0
Pancreas	0.0	0.0	901.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	901.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	901.6	0
Other Digestive Organs	0.0	0.0	901.6	0
Respiratory System	0.0	0.0	901.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	901.6	0
Larynx	0.0	0.0	901.6	0
Lung and Bronchus	0.0	0.0	901.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	901.6	0
Bones and Joints	0.0	0.0	901.6	0
Soft Tissue including Heart	0.0	0.0	901.6	0
Skin excluding Basal and Squamous	0.0	0.0	901.6	0
Melanoma of the Skin	0.0	0.0	901.6	0
Other Non-Epithelial Skin	0.0	0.0	901.6	0
Urinary System	0.0	0.0	901.6	0
Urinary Bladder	0.0	0.0	901.6	0
Kidney and Renal Pelvis	0.0	0.0	901.6	0
Ureter	0.0	0.0	901.6	0
Other Urinary Organs	0.0	0.0	901.6	0
Eye and Orbit	0.0	0.0	901.6	0
Brain and Other Nervous System	0.0	0.0	901.6	0
Brain	0.0	0.0	901.6	0
Cranial Nerves Other Nervous System	0.0	0.0	901.6	0
Endocrine System	0.0	0.0	901.6	0
Thyroid	0.0	0.0	901.6	0
Other Endocrine including Thymus	0.0	0.0	901.6	0
Lymphoma	0.0	0.0	901.6	0
Hodgkin Lymphoma	0.0	0.0	901.6	0
Hodgkin - Nodal	0.0	0.0	901.6	0
Hodgkin - Extranodal	0.0	0.0	901.6	0
Non-Hodgkin Lymphoma	0.0	0.0	901.6	0
NHL - Nodal	0.0	0.0	901.6	0
NHL - Extranodal	0.0	0.0	901.6	0
Myeloma	0.0	0.0	901.6	0
Leukemia	0.0	0.0	901.6	0
Lymphocytic Leukemia	0.0	0.0	901.6	0
Acute Lymphocytic Leukemia	0.0	0.0	901.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	901.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	901.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	901.6	0
Acute Myeloid Leukemia	0.0	0.0	901.6	0
Acute Monocytic Leukemia	0.0	0.0	901.6	0
Chronic Myeloid Leukemia	0.0	0.0	901.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	901.6	0
Other Leukemia	0.0	0.0	901.6	0
Other Acute Leukemia	0.0	0.0	901.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	901.6	0
Mesothelioma	0.0	0.0	901.6	0
Kaposi Sarcoma	0.0	0.0	901.6	0
Miscellaneous	0.0	0.0	901.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	444.5	172.5	1,593.7	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	1,144.2	0
Tongue	0.0	0.0	1,144.2	0
Salivary Gland	0.0	0.0	1,144.2	0
Floor of Mouth	0.0	0.0	1,144.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	1,144.2	0
Tonsil	0.0	0.0	1,144.2	0
Oropharynx	0.0	0.0	1,144.2	0
Hypopharynx	0.0	0.0	1,144.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,144.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,144.2	0
Stomach	0.0	0.0	1,144.2	0
Small Intestine	0.0	0.0	1,144.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	1,144.2	0
Cecum	0.0	0.0	1,144.2	0
Appendix	0.0	0.0	1,144.2	0
Ascending Colon	0.0	0.0	1,144.2	0
Hepatic Flexure	0.0	0.0	1,144.2	0
Transverse Colon	0.0	0.0	1,144.2	0
Splenic Flexure	0.0	0.0	1,144.2	0
Descending Colon	0.0	0.0	1,144.2	0
Sigmoid Colon	0.0	0.0	1,144.2	0
Large Intestine, NOS	0.0	0.0	1,144.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	1,144.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,144.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Liver	0.0	0.0	1,144.2	0
Intrahepatic Bile Duct	0.0	0.0	1,144.2	0
Gallbladder	0.0	0.0	1,144.2	0
Other Biliary	0.0	0.0	1,144.2	0
Pancreas	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,144.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,144.2	0
Other Digestive Organs	0.0	0.0	1,144.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,144.2	0
Larynx	0.0	0.0	1,144.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,144.2	0
Bones and Joints	0.0	0.0	1,144.2	0
Soft Tissue including Heart	0.0	0.0	1,144.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	1,144.2	0
Urinary System	0.0	0.0	1,144.2	0
Urinary Bladder	0.0	0.0	1,144.2	0
Kidney and Renal Pelvis	0.0	0.0	1,144.2	0
Ureter	0.0	0.0	1,144.2	0
Other Urinary Organs	0.0	0.0	1,144.2	0
Eye and Orbit	0.0	0.0	1,144.2	0
Brain and Other Nervous System	0.0	0.0	1,144.2	0
Brain	0.0	0.0	1,144.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,144.2	0
Endocrine System	0.0	0.0	1,144.2	0
Thyroid	0.0	0.0	1,144.2	0
Other Endocrine including Thymus	0.0	0.0	1,144.2	0
Lymphoma	0.0	0.0	1,144.2	0
Hodgkin Lymphoma	0.0	0.0	1,144.2	0
Hodgkin - Nodal	0.0	0.0	1,144.2	0
Hodgkin - Extranodal	0.0	0.0	1,144.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,144.2	0
NHL - Nodal	0.0	0.0	1,144.2	0
NHL - Extranodal	0.0	0.0	1,144.2	0
Myeloma	0.0	0.0	1,144.2	0
Leukemia	0.0	0.0	1,144.2	0
Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,144.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,144.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,144.2	0
Acute Myeloid Leukemia	0.0	0.0	1,144.2	0
Acute Monocytic Leukemia	0.0	0.0	1,144.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,144.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,144.2	0
Other Leukemia	0.0	0.0	1,144.2	0
Other Acute Leukemia	0.0	0.0	1,144.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,144.2	0
Mesothelioma	0.0	0.0	1,144.2	0
Kaposi Sarcoma	0.0	0.0	1,144.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	446.2	413.6	481.2	842
Oral Cavity and Pharynx	12.2	7.1	20.3	21
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	4.4	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	71.0	58.2	86.5	130
Esophagus	3.5	1.3	8.8	7
Stomach	4.7	2.0	10.6	9
Small Intestine	^	^	^	^
Colon and Rectum	36.5	27.6	48.1	67
Colon excluding Rectum	27.1	19.1	38.0	43
Cecum	5.3	2.2	11.5	9
Appendix	^	^	^	^
Ascending Colon	7.5	3.7	14.4	11
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	4.4	0
Descending Colon	^	^	^	^
Sigmoid Colon	8.6	4.4	16.0	14
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	9.3	5.8	15.6	24
Rectosigmoid Junction	2.7	0.9	7.8	6
Rectum	6.6	3.9	12.2	18
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	8.6	4.7	15.3	18
Liver	8.6	4.7	15.3	18
Intrahepatic Bile Duct	0.0	0.0	4.4	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	7.6	4.0	14.3	15

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	4.4	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	75.3	61.4	92.0	117
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.6	1.8	10.8	7
Lung and Bronchus	70.4	57.0	86.6	109
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	2.5	1.0	7.2	7
Skin excluding Basal and Squamous	12.8	8.4	19.9	31
Melanoma of the Skin	11.4	7.4	18.0	29
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.3	27.1	48.4	62
Urinary Bladder	25.6	17.7	36.5	38
Kidney and Renal Pelvis	10.2	6.1	17.1	23
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	4.4	0
Eye and Orbit	0.0	0.0	4.4	0
Brain and Other Nervous System	6.1	3.0	12.3	13
Brain	5.4	2.5	11.5	11
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.0	7.3	17.4	29
Thyroid	9.7	6.2	15.8	26
Other Endocrine including Thymus	^	^	^	^
Lymphoma	19.3	13.2	28.1	41
Hodgkin Lymphoma	4.8	2.3	10.3	12
Hodgkin - Nodal	4.8	2.3	10.3	12
Hodgkin - Extranodal	0.0	0.0	4.4	0
Non-Hodgkin Lymphoma	14.5	9.2	22.6	29
NHL - Nodal	6.7	3.8	12.5	17
NHL - Extranodal	7.8	3.7	15.1	12
Myeloma	5.1	2.0	11.6	8
Leukemia	8.4	4.4	15.4	16
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	4.4	0
Myeloid and Monocytic Leukemia	5.4	2.3	11.7	10
Acute Myeloid Leukemia	4.4	1.6	10.6	8
Acute Monocytic Leukemia	0.0	0.0	4.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	4.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	4.4	0
Miscellaneous	11.3	6.5	19.1	20

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	421.3	284.8	608.1	36
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	70.6	0
Tongue	0.0	0.0	70.6	0
Salivary Gland	0.0	0.0	70.6	0
Floor of Mouth	0.0	0.0	70.6	0
Gum and Other Mouth	0.0	0.0	70.6	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	70.6	0
Hypopharynx	0.0	0.0	70.6	0
Other Oral Cavity and Pharynx	0.0	0.0	70.6	0
Digestive System	184.3	97.6	324.3	15
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	70.6	0
Colon and Rectum	102.3	40.9	220.0	8
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	70.6	0
Ascending Colon	0.0	0.0	70.6	0
Hepatic Flexure	0.0	0.0	70.6	0
Transverse Colon	0.0	0.0	70.6	0
Splenic Flexure	0.0	0.0	70.6	0
Descending Colon	0.0	0.0	70.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	70.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	70.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	70.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	70.6	0
Gallbladder	0.0	0.0	70.6	0
Other Biliary	0.0	0.0	70.6	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	70.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	70.6	0
Other Digestive Organs	^	^	^	^
Respiratory System	86.0	29.6	201.1	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	70.6	0
Larynx	0.0	0.0	70.6	0
Lung and Bronchus	86.0	29.6	201.1	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	70.6	0
Bones and Joints	0.0	0.0	70.6	0
Soft Tissue including Heart	0.0	0.0	70.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	70.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	70.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	70.6	0
Other Urinary Organs	0.0	0.0	70.6	0
Eye and Orbit	0.0	0.0	70.6	0
Brain and Other Nervous System	0.0	0.0	70.6	0
Brain	0.0	0.0	70.6	0
Cranial Nerves Other Nervous System	0.0	0.0	70.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	70.6	0
Lymphoma	0.0	0.0	70.6	0
Hodgkin Lymphoma	0.0	0.0	70.6	0
Hodgkin - Nodal	0.0	0.0	70.6	0
Hodgkin - Extranodal	0.0	0.0	70.6	0
Non-Hodgkin Lymphoma	0.0	0.0	70.6	0
NHL - Nodal	0.0	0.0	70.6	0
NHL - Extranodal	0.0	0.0	70.6	0
Myeloma	0.0	0.0	70.6	0
Leukemia	0.0	0.0	70.6	0
Lymphocytic Leukemia	0.0	0.0	70.6	0
Acute Lymphocytic Leukemia	0.0	0.0	70.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	70.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	70.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	70.6	0
Acute Myeloid Leukemia	0.0	0.0	70.6	0
Acute Monocytic Leukemia	0.0	0.0	70.6	0
Chronic Myeloid Leukemia	0.0	0.0	70.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	70.6	0
Other Leukemia	0.0	0.0	70.6	0
Other Acute Leukemia	0.0	0.0	70.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	70.6	0
Mesothelioma	0.0	0.0	70.6	0
Kaposi Sarcoma	0.0	0.0	70.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,430.2	0
Lip	0.0	0.0	1,430.2	0
Tongue	0.0	0.0	1,430.2	0
Salivary Gland	0.0	0.0	1,430.2	0
Floor of Mouth	0.0	0.0	1,430.2	0
Gum and Other Mouth	0.0	0.0	1,430.2	0
Nasopharynx	0.0	0.0	1,430.2	0
Tonsil	0.0	0.0	1,430.2	0
Oropharynx	0.0	0.0	1,430.2	0
Hypopharynx	0.0	0.0	1,430.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,430.2	0
Digestive System	0.0	0.0	1,430.2	0
Esophagus	0.0	0.0	1,430.2	0
Stomach	0.0	0.0	1,430.2	0
Small Intestine	0.0	0.0	1,430.2	0
Colon and Rectum	0.0	0.0	1,430.2	0
Colon excluding Rectum	0.0	0.0	1,430.2	0
Cecum	0.0	0.0	1,430.2	0
Appendix	0.0	0.0	1,430.2	0
Ascending Colon	0.0	0.0	1,430.2	0
Hepatic Flexure	0.0	0.0	1,430.2	0
Transverse Colon	0.0	0.0	1,430.2	0
Splenic Flexure	0.0	0.0	1,430.2	0
Descending Colon	0.0	0.0	1,430.2	0
Sigmoid Colon	0.0	0.0	1,430.2	0
Large Intestine, NOS	0.0	0.0	1,430.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,430.2	0
Rectosigmoid Junction	0.0	0.0	1,430.2	0
Rectum	0.0	0.0	1,430.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,430.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,430.2	0
Liver	0.0	0.0	1,430.2	0
Intrahepatic Bile Duct	0.0	0.0	1,430.2	0
Gallbladder	0.0	0.0	1,430.2	0
Other Biliary	0.0	0.0	1,430.2	0
Pancreas	0.0	0.0	1,430.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,430.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,430.2	0
Other Digestive Organs	0.0	0.0	1,430.2	0
Respiratory System	0.0	0.0	1,430.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,430.2	0
Larynx	0.0	0.0	1,430.2	0
Lung and Bronchus	0.0	0.0	1,430.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,430.2	0
Bones and Joints	0.0	0.0	1,430.2	0
Soft Tissue including Heart	0.0	0.0	1,430.2	0
Skin excluding Basal and Squamous	0.0	0.0	1,430.2	0
Melanoma of the Skin	0.0	0.0	1,430.2	0
Other Non-Epithelial Skin	0.0	0.0	1,430.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	1,430.2	0
Ureter	0.0	0.0	1,430.2	0
Other Urinary Organs	0.0	0.0	1,430.2	0
Eye and Orbit	0.0	0.0	1,430.2	0
Brain and Other Nervous System	0.0	0.0	1,430.2	0
Brain	0.0	0.0	1,430.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,430.2	0
Endocrine System	0.0	0.0	1,430.2	0
Thyroid	0.0	0.0	1,430.2	0
Other Endocrine including Thymus	0.0	0.0	1,430.2	0
Lymphoma	0.0	0.0	1,430.2	0
Hodgkin Lymphoma	0.0	0.0	1,430.2	0
Hodgkin - Nodal	0.0	0.0	1,430.2	0
Hodgkin - Extranodal	0.0	0.0	1,430.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,430.2	0
NHL - Nodal	0.0	0.0	1,430.2	0
NHL - Extranodal	0.0	0.0	1,430.2	0
Myeloma	0.0	0.0	1,430.2	0
Leukemia	0.0	0.0	1,430.2	0
Lymphocytic Leukemia	0.0	0.0	1,430.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,430.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,430.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,430.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,430.2	0
Acute Myeloid Leukemia	0.0	0.0	1,430.2	0
Acute Monocytic Leukemia	0.0	0.0	1,430.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,430.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,430.2	0
Other Leukemia	0.0	0.0	1,430.2	0
Other Acute Leukemia	0.0	0.0	1,430.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,430.2	0
Mesothelioma	0.0	0.0	1,430.2	0
Kaposi Sarcoma	0.0	0.0	1,430.2	0
Miscellaneous	0.0	0.0	1,430.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,316.4	0
Lip	0.0	0.0	1,316.4	0
Tongue	0.0	0.0	1,316.4	0
Salivary Gland	0.0	0.0	1,316.4	0
Floor of Mouth	0.0	0.0	1,316.4	0
Gum and Other Mouth	0.0	0.0	1,316.4	0
Nasopharynx	0.0	0.0	1,316.4	0
Tonsil	0.0	0.0	1,316.4	0
Oropharynx	0.0	0.0	1,316.4	0
Hypopharynx	0.0	0.0	1,316.4	0
Other Oral Cavity and Pharynx	0.0	0.0	1,316.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,316.4	0
Stomach	0.0	0.0	1,316.4	0
Small Intestine	0.0	0.0	1,316.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	1,316.4	0
Appendix	0.0	0.0	1,316.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	1,316.4	0
Transverse Colon	0.0	0.0	1,316.4	0
Splenic Flexure	0.0	0.0	1,316.4	0
Descending Colon	0.0	0.0	1,316.4	0
Sigmoid Colon	0.0	0.0	1,316.4	0
Large Intestine, NOS	0.0	0.0	1,316.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,316.4	0
Rectosigmoid Junction	0.0	0.0	1,316.4	0
Rectum	0.0	0.0	1,316.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,316.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,316.4	0
Liver	0.0	0.0	1,316.4	0
Intrahepatic Bile Duct	0.0	0.0	1,316.4	0
Gallbladder	0.0	0.0	1,316.4	0
Other Biliary	0.0	0.0	1,316.4	0
Pancreas	0.0	0.0	1,316.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Denali Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,316.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,316.4	0
Other Digestive Organs	0.0	0.0	1,316.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,316.4	0
Larynx	0.0	0.0	1,316.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,316.4	0
Bones and Joints	0.0	0.0	1,316.4	0
Soft Tissue including Heart	0.0	0.0	1,316.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	1,316.4	0
Urinary System	0.0	0.0	1,316.4	0
Urinary Bladder	0.0	0.0	1,316.4	0
Kidney and Renal Pelvis	0.0	0.0	1,316.4	0
Ureter	0.0	0.0	1,316.4	0
Other Urinary Organs	0.0	0.0	1,316.4	0
Eye and Orbit	0.0	0.0	1,316.4	0
Brain and Other Nervous System	0.0	0.0	1,316.4	0
Brain	0.0	0.0	1,316.4	0
Cranial Nerves Other Nervous System	0.0	0.0	1,316.4	0
Endocrine System	0.0	0.0	1,316.4	0
Thyroid	0.0	0.0	1,316.4	0
Other Endocrine including Thymus	0.0	0.0	1,316.4	0
Lymphoma	0.0	0.0	1,316.4	0
Hodgkin Lymphoma	0.0	0.0	1,316.4	0
Hodgkin - Nodal	0.0	0.0	1,316.4	0
Hodgkin - Extranodal	0.0	0.0	1,316.4	0
Non-Hodgkin Lymphoma	0.0	0.0	1,316.4	0
NHL - Nodal	0.0	0.0	1,316.4	0
NHL - Extranodal	0.0	0.0	1,316.4	0
Myeloma	0.0	0.0	1,316.4	0
Leukemia	0.0	0.0	1,316.4	0
Lymphocytic Leukemia	0.0	0.0	1,316.4	0
Acute Lymphocytic Leukemia	0.0	0.0	1,316.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,316.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,316.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,316.4	0
Acute Myeloid Leukemia	0.0	0.0	1,316.4	0
Acute Monocytic Leukemia	0.0	0.0	1,316.4	0
Chronic Myeloid Leukemia	0.0	0.0	1,316.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,316.4	0
Other Leukemia	0.0	0.0	1,316.4	0
Other Acute Leukemia	0.0	0.0	1,316.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,316.4	0
Mesothelioma	0.0	0.0	1,316.4	0
Kaposi Sarcoma	0.0	0.0	1,316.4	0
Miscellaneous	0.0	0.0	1,316.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	461.0	253.8	828.5	16
Oral Cavity and Pharynx	0.0	0.0	238.4	0
Lip	0.0	0.0	238.4	0
Tongue	0.0	0.0	238.4	0
Salivary Gland	0.0	0.0	238.4	0
Floor of Mouth	0.0	0.0	238.4	0
Gum and Other Mouth	0.0	0.0	238.4	0
Nasopharynx	0.0	0.0	238.4	0
Tonsil	0.0	0.0	238.4	0
Oropharynx	0.0	0.0	238.4	0
Hypopharynx	0.0	0.0	238.4	0
Other Oral Cavity and Pharynx	0.0	0.0	238.4	0
Digestive System	213.6	80.9	523.2	7
Esophagus	^	^	^	^
Stomach	0.0	0.0	238.4	0
Small Intestine	0.0	0.0	238.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	238.4	0
Appendix	0.0	0.0	238.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	238.4	0
Splenic Flexure	0.0	0.0	238.4	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	238.4	0
Large Intestine, NOS	0.0	0.0	238.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	238.4	0
Rectosigmoid Junction	0.0	0.0	238.4	0
Rectum	0.0	0.0	238.4	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	238.4	0
Liver	0.0	0.0	238.4	0
Intrahepatic Bile Duct	0.0	0.0	238.4	0
Gallbladder	0.0	0.0	238.4	0
Other Biliary	0.0	0.0	238.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	238.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	238.4	0
Other Digestive Organs	0.0	0.0	238.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	238.4	0
Larynx	0.0	0.0	238.4	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	238.4	0
Bones and Joints	0.0	0.0	238.4	0
Soft Tissue including Heart	0.0	0.0	238.4	0
Skin excluding Basal and Squamous	0.0	0.0	238.4	0
Melanoma of the Skin	0.0	0.0	238.4	0
Other Non-Epithelial Skin	0.0	0.0	238.4	0
Urinary System	0.0	0.0	238.4	0
Urinary Bladder	0.0	0.0	238.4	0
Kidney and Renal Pelvis	0.0	0.0	238.4	0
Ureter	0.0	0.0	238.4	0
Other Urinary Organs	0.0	0.0	238.4	0
Eye and Orbit	0.0	0.0	238.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	238.4	0
Endocrine System	0.0	0.0	238.4	0
Thyroid	0.0	0.0	238.4	0
Other Endocrine including Thymus	0.0	0.0	238.4	0
Lymphoma	0.0	0.0	238.4	0
Hodgkin Lymphoma	0.0	0.0	238.4	0
Hodgkin - Nodal	0.0	0.0	238.4	0
Hodgkin - Extranodal	0.0	0.0	238.4	0
Non-Hodgkin Lymphoma	0.0	0.0	238.4	0
NHL - Nodal	0.0	0.0	238.4	0
NHL - Extranodal	0.0	0.0	238.4	0
Myeloma	0.0	0.0	238.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	238.4	0
Acute Lymphocytic Leukemia	0.0	0.0	238.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	238.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	238.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	238.4	0
Chronic Myeloid Leukemia	0.0	0.0	238.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	238.4	0
Other Leukemia	0.0	0.0	238.4	0
Other Acute Leukemia	0.0	0.0	238.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	238.4	0
Mesothelioma	0.0	0.0	238.4	0
Kaposi Sarcoma	0.0	0.0	238.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	482.6	419.4	555.1	258
Oral Cavity and Pharynx	19.1	7.8	42.5	9
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	16.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	16.1	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	16.1	0
Other Oral Cavity and Pharynx	0.0	0.0	16.1	0
Digestive System	73.7	49.9	107.9	38
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	33.1	18.1	59.0	17
Colon excluding Rectum	15.5	5.7	37.4	8
Cecum	^	^	^	^
Appendix	0.0	0.0	16.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	16.1	0
Transverse Colon	0.0	0.0	16.1	0
Splenic Flexure	0.0	0.0	16.1	0
Descending Colon	0.0	0.0	16.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	17.6	7.7	39.0	9
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	16.1	0
Other Biliary	0.0	0.0	16.1	0
Pancreas	18.1	6.2	42.9	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	16.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	16.1	0
Other Digestive Organs	0.0	0.0	16.1	0
Respiratory System	85.9	58.1	124.6	36
Nose, Nasal Cavity and Middle Ear	0.0	0.0	16.1	0
Larynx	0.0	0.0	16.1	0
Lung and Bronchus	84.8	57.1	123.5	35
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.0	0.0	16.1	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	10.5	3.7	29.4	7
Melanoma of the Skin	10.5	3.7	29.4	7
Other Non-Epithelial Skin	0.0	0.0	16.1	0
Urinary System	35.9	20.6	61.9	19
Urinary Bladder	25.0	11.9	49.7	11
Kidney and Renal Pelvis	10.9	4.5	28.9	8
Ureter	0.0	0.0	16.1	0
Other Urinary Organs	0.0	0.0	16.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	11.2	3.6	31.1	6
Brain	11.2	3.6	31.1	6
Cranial Nerves Other Nervous System	0.0	0.0	16.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	16.1	0
Lymphoma	20.9	9.8	43.5	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	16.1	0
Non-Hodgkin Lymphoma	19.7	8.8	42.1	11
NHL - Nodal	15.6	6.4	36.6	9
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	16.1	0
Leukemia	8.6	3.0	26.4	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	16.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	16.1	0
Acute Monocytic Leukemia	0.0	0.0	16.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	16.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	16.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	16.1	0
Kaposi Sarcoma	0.0	0.0	16.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	404.4	185.1	870.1	10
Oral Cavity and Pharynx	0.0	0.0	350.1	0
Lip	0.0	0.0	350.1	0
Tongue	0.0	0.0	350.1	0
Salivary Gland	0.0	0.0	350.1	0
Floor of Mouth	0.0	0.0	350.1	0
Gum and Other Mouth	0.0	0.0	350.1	0
Nasopharynx	0.0	0.0	350.1	0
Tonsil	0.0	0.0	350.1	0
Oropharynx	0.0	0.0	350.1	0
Hypopharynx	0.0	0.0	350.1	0
Other Oral Cavity and Pharynx	0.0	0.0	350.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	350.1	0
Stomach	0.0	0.0	350.1	0
Small Intestine	0.0	0.0	350.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	350.1	0
Appendix	0.0	0.0	350.1	0
Ascending Colon	0.0	0.0	350.1	0
Hepatic Flexure	0.0	0.0	350.1	0
Transverse Colon	0.0	0.0	350.1	0
Splenic Flexure	0.0	0.0	350.1	0
Descending Colon	0.0	0.0	350.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	350.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	350.1	0
Rectosigmoid Junction	0.0	0.0	350.1	0
Rectum	0.0	0.0	350.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	350.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	350.1	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	350.1	0
Other Biliary	0.0	0.0	350.1	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Haines Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	350.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	350.1	0
Other Digestive Organs	0.0	0.0	350.1	0
Respiratory System	0.0	0.0	350.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	350.1	0
Larynx	0.0	0.0	350.1	0
Lung and Bronchus	0.0	0.0	350.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	350.1	0
Bones and Joints	0.0	0.0	350.1	0
Soft Tissue including Heart	0.0	0.0	350.1	0
Skin excluding Basal and Squamous	0.0	0.0	350.1	0
Melanoma of the Skin	0.0	0.0	350.1	0
Other Non-Epithelial Skin	0.0	0.0	350.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	350.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	350.1	0
Other Urinary Organs	0.0	0.0	350.1	0
Eye and Orbit	0.0	0.0	350.1	0
Brain and Other Nervous System	0.0	0.0	350.1	0
Brain	0.0	0.0	350.1	0
Cranial Nerves Other Nervous System	0.0	0.0	350.1	0
Endocrine System	0.0	0.0	350.1	0
Thyroid	0.0	0.0	350.1	0
Other Endocrine including Thymus	0.0	0.0	350.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	350.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	350.1	0
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	350.1	0
Leukemia	0.0	0.0	350.1	0
Lymphocytic Leukemia	0.0	0.0	350.1	0
Acute Lymphocytic Leukemia	0.0	0.0	350.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	350.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	350.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	350.1	0
Acute Myeloid Leukemia	0.0	0.0	350.1	0
Acute Monocytic Leukemia	0.0	0.0	350.1	0
Chronic Myeloid Leukemia	0.0	0.0	350.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	350.1	0
Other Leukemia	0.0	0.0	350.1	0
Other Acute Leukemia	0.0	0.0	350.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	350.1	0
Mesothelioma	0.0	0.0	350.1	0
Kaposi Sarcoma	0.0	0.0	350.1	0
Miscellaneous	0.0	0.0	350.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	344.2	269.2	436.5	84
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	25.9	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	25.9	0
Floor of Mouth	0.0	0.0	25.9	0
Gum and Other Mouth	0.0	0.0	25.9	0
Nasopharynx	0.0	0.0	25.9	0
Tonsil	0.0	0.0	25.9	0
Oropharynx	0.0	0.0	25.9	0
Hypopharynx	0.0	0.0	25.9	0
Other Oral Cavity and Pharynx	0.0	0.0	25.9	0
Digestive System	106.7	65.6	166.7	24
Esophagus	^	^	^	^
Stomach	0.0	0.0	25.9	0
Small Intestine	^	^	^	^
Colon and Rectum	72.4	39.0	125.6	15
Colon excluding Rectum	67.6	35.0	120.4	13
Cecum	^	^	^	^
Appendix	0.0	0.0	25.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	25.9	0
Splenic Flexure	0.0	0.0	25.9	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	25.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	25.9	0
Gallbladder	0.0	0.0	25.9	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	25.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	25.9	0
Other Digestive Organs	0.0	0.0	25.9	0
Respiratory System	59.2	29.8	108.4	12
Nose, Nasal Cavity and Middle Ear	0.0	0.0	25.9	0
Larynx	^	^	^	^
Lung and Bronchus	56.0	27.3	104.7	11
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	25.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	25.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	25.9	0
Other Urinary Organs	0.0	0.0	25.9	0
Eye and Orbit	0.0	0.0	25.9	0
Brain and Other Nervous System	0.0	0.0	25.9	0
Brain	0.0	0.0	25.9	0
Cranial Nerves Other Nervous System	0.0	0.0	25.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	25.9	0
Lymphoma	23.6	7.4	60.5	6
Hodgkin Lymphoma	0.0	0.0	25.9	0
Hodgkin - Nodal	0.0	0.0	25.9	0
Hodgkin - Extranodal	0.0	0.0	25.9	0
Non-Hodgkin Lymphoma	23.6	7.4	60.5	6
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	25.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	25.9	0
Acute Lymphocytic Leukemia	0.0	0.0	25.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	25.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	25.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	25.9	0
Chronic Myeloid Leukemia	0.0	0.0	25.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	25.9	0
Other Leukemia	0.0	0.0	25.9	0
Other Acute Leukemia	0.0	0.0	25.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	25.9	0
Mesothelioma	0.0	0.0	25.9	0
Kaposi Sarcoma	^	^	^	^
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	421.5	357.4	497.7	182
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	21.8	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	21.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	21.8	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	21.8	0
Hypopharynx	0.0	0.0	21.8	0
Other Oral Cavity and Pharynx	0.0	0.0	21.8	0
Digestive System	80.3	53.9	120.3	34
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	37.2	19.7	69.4	16
Colon excluding Rectum	24.9	10.7	54.9	10
Cecum	0.0	0.0	21.8	0
Appendix	0.0	0.0	21.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	21.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	12.3	4.2	36.8	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	21.8	0
Gallbladder	0.0	0.0	21.8	0
Other Biliary	0.0	0.0	21.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	21.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	21.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	105.0	71.6	152.4	39
Nose, Nasal Cavity and Middle Ear	0.0	0.0	21.8	0
Larynx	^	^	^	^
Lung and Bronchus	100.3	67.4	147.5	36
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.0	0.0	21.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	18.0	6.1	46.7	7
Melanoma of the Skin	15.6	4.6	43.8	6
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.1	20.5	65.9	17
Urinary Bladder	16.2	6.8	41.1	8
Kidney and Renal Pelvis	20.0	8.7	46.7	9
Ureter	0.0	0.0	21.8	0
Other Urinary Organs	0.0	0.0	21.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	21.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	21.8	0
Lymphoma	23.0	10.5	50.8	10
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	21.8	0
Non-Hodgkin Lymphoma	21.5	9.4	49.2	9
NHL - Nodal	14.2	4.8	39.9	6
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	21.8	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	21.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	21.8	0
Acute Monocytic Leukemia	0.0	0.0	21.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	21.8	0
Other Leukemia	0.0	0.0	21.8	0
Other Acute Leukemia	0.0	0.0	21.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	21.8	0
Mesothelioma	0.0	0.0	21.8	0
Kaposi Sarcoma	0.0	0.0	21.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	574.8	441.3	740.3	68
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	46.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	46.4	0
Floor of Mouth	0.0	0.0	46.4	0
Gum and Other Mouth	0.0	0.0	46.4	0
Nasopharynx	0.0	0.0	46.4	0
Tonsil	0.0	0.0	46.4	0
Oropharynx	0.0	0.0	46.4	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	46.4	0
Digestive System	152.2	86.9	252.4	17
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	46.4	0
Colon and Rectum	83.1	37.0	165.7	9
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	46.4	0
Appendix	0.0	0.0	46.4	0
Ascending Colon	0.0	0.0	46.4	0
Hepatic Flexure	0.0	0.0	46.4	0
Transverse Colon	0.0	0.0	46.4	0
Splenic Flexure	0.0	0.0	46.4	0
Descending Colon	0.0	0.0	46.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	46.4	0
Liver	0.0	0.0	46.4	0
Intrahepatic Bile Duct	0.0	0.0	46.4	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	46.4	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	46.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	46.4	0
Other Digestive Organs	0.0	0.0	46.4	0
Respiratory System	100.7	49.0	188.3	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	46.4	0
Larynx	0.0	0.0	46.4	0
Lung and Bronchus	100.7	49.0	188.3	11
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	46.4	0
Bones and Joints	0.0	0.0	46.4	0
Soft Tissue including Heart	0.0	0.0	46.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	52.0	18.4	122.5	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	46.4	0
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	46.4	0
Eye and Orbit	0.0	0.0	46.4	0
Brain and Other Nervous System	0.0	0.0	46.4	0
Brain	0.0	0.0	46.4	0
Cranial Nerves Other Nervous System	0.0	0.0	46.4	0
Endocrine System	0.0	0.0	46.4	0
Thyroid	0.0	0.0	46.4	0
Other Endocrine including Thymus	0.0	0.0	46.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	46.4	0
Hodgkin - Nodal	0.0	0.0	46.4	0
Hodgkin - Extranodal	0.0	0.0	46.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	46.4	0
Acute Lymphocytic Leukemia	0.0	0.0	46.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	46.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	46.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	46.4	0
Acute Myeloid Leukemia	0.0	0.0	46.4	0
Acute Monocytic Leukemia	0.0	0.0	46.4	0
Chronic Myeloid Leukemia	0.0	0.0	46.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	46.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	46.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	46.4	0
Kaposi Sarcoma	0.0	0.0	46.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	378.3	243.3	574.0	30
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	87.8	0
Tongue	0.0	0.0	87.8	0
Salivary Gland	0.0	0.0	87.8	0
Floor of Mouth	0.0	0.0	87.8	0
Gum and Other Mouth	0.0	0.0	87.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	87.8	0
Oropharynx	0.0	0.0	87.8	0
Hypopharynx	0.0	0.0	87.8	0
Other Oral Cavity and Pharynx	0.0	0.0	87.8	0
Digestive System	132.7	51.1	286.9	7
Esophagus	0.0	0.0	87.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	87.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	87.8	0
Ascending Colon	0.0	0.0	87.8	0
Hepatic Flexure	0.0	0.0	87.8	0
Transverse Colon	0.0	0.0	87.8	0
Splenic Flexure	0.0	0.0	87.8	0
Descending Colon	0.0	0.0	87.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	87.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	87.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	87.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	87.8	0
Liver	0.0	0.0	87.8	0
Intrahepatic Bile Duct	0.0	0.0	87.8	0
Gallbladder	0.0	0.0	87.8	0
Other Biliary	0.0	0.0	87.8	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	87.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	87.8	0
Other Digestive Organs	0.0	0.0	87.8	0
Respiratory System	57.7	18.7	163.4	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	87.8	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.0	0.0	87.8	0
Soft Tissue including Heart	0.0	0.0	87.8	0
Skin excluding Basal and Squamous	0.0	0.0	87.8	0
Melanoma of the Skin	0.0	0.0	87.8	0
Other Non-Epithelial Skin	0.0	0.0	87.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	87.8	0
Other Urinary Organs	0.0	0.0	87.8	0
Eye and Orbit	0.0	0.0	87.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	87.8	0
Endocrine System	0.0	0.0	87.8	0
Thyroid	0.0	0.0	87.8	0
Other Endocrine including Thymus	0.0	0.0	87.8	0
Lymphoma	0.0	0.0	87.8	0
Hodgkin Lymphoma	0.0	0.0	87.8	0
Hodgkin - Nodal	0.0	0.0	87.8	0
Hodgkin - Extranodal	0.0	0.0	87.8	0
Non-Hodgkin Lymphoma	0.0	0.0	87.8	0
NHL - Nodal	0.0	0.0	87.8	0
NHL - Extranodal	0.0	0.0	87.8	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	87.8	0
Lymphocytic Leukemia	0.0	0.0	87.8	0
Acute Lymphocytic Leukemia	0.0	0.0	87.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	87.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	87.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	87.8	0
Acute Myeloid Leukemia	0.0	0.0	87.8	0
Acute Monocytic Leukemia	0.0	0.0	87.8	0
Chronic Myeloid Leukemia	0.0	0.0	87.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	87.8	0
Other Leukemia	0.0	0.0	87.8	0
Other Acute Leukemia	0.0	0.0	87.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	87.8	0
Mesothelioma	0.0	0.0	87.8	0
Kaposi Sarcoma	0.0	0.0	87.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	635.7	0
Tongue	0.0	0.0	635.7	0
Salivary Gland	0.0	0.0	635.7	0
Floor of Mouth	0.0	0.0	635.7	0
Gum and Other Mouth	0.0	0.0	635.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	635.7	0
Oropharynx	0.0	0.0	635.7	0
Hypopharynx	0.0	0.0	635.7	0
Other Oral Cavity and Pharynx	0.0	0.0	635.7	0
Digestive System	0.0	0.0	635.7	0
Esophagus	0.0	0.0	635.7	0
Stomach	0.0	0.0	635.7	0
Small Intestine	0.0	0.0	635.7	0
Colon and Rectum	0.0	0.0	635.7	0
Colon excluding Rectum	0.0	0.0	635.7	0
Cecum	0.0	0.0	635.7	0
Appendix	0.0	0.0	635.7	0
Ascending Colon	0.0	0.0	635.7	0
Hepatic Flexure	0.0	0.0	635.7	0
Transverse Colon	0.0	0.0	635.7	0
Splenic Flexure	0.0	0.0	635.7	0
Descending Colon	0.0	0.0	635.7	0
Sigmoid Colon	0.0	0.0	635.7	0
Large Intestine, NOS	0.0	0.0	635.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	635.7	0
Rectosigmoid Junction	0.0	0.0	635.7	0
Rectum	0.0	0.0	635.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	635.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	635.7	0
Liver	0.0	0.0	635.7	0
Intrahepatic Bile Duct	0.0	0.0	635.7	0
Gallbladder	0.0	0.0	635.7	0
Other Biliary	0.0	0.0	635.7	0
Pancreas	0.0	0.0	635.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	635.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	635.7	0
Other Digestive Organs	0.0	0.0	635.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	635.7	0
Larynx	0.0	0.0	635.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	635.7	0
Bones and Joints	0.0	0.0	635.7	0
Soft Tissue including Heart	0.0	0.0	635.7	0
Skin excluding Basal and Squamous	0.0	0.0	635.7	0
Melanoma of the Skin	0.0	0.0	635.7	0
Other Non-Epithelial Skin	0.0	0.0	635.7	0
Urinary System	0.0	0.0	635.7	0
Urinary Bladder	0.0	0.0	635.7	0
Kidney and Renal Pelvis	0.0	0.0	635.7	0
Ureter	0.0	0.0	635.7	0
Other Urinary Organs	0.0	0.0	635.7	0
Eye and Orbit	0.0	0.0	635.7	0
Brain and Other Nervous System	0.0	0.0	635.7	0
Brain	0.0	0.0	635.7	0
Cranial Nerves Other Nervous System	0.0	0.0	635.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	635.7	0
Lymphoma	0.0	0.0	635.7	0
Hodgkin Lymphoma	0.0	0.0	635.7	0
Hodgkin - Nodal	0.0	0.0	635.7	0
Hodgkin - Extranodal	0.0	0.0	635.7	0
Non-Hodgkin Lymphoma	0.0	0.0	635.7	0
NHL - Nodal	0.0	0.0	635.7	0
NHL - Extranodal	0.0	0.0	635.7	0
Myeloma	0.0	0.0	635.7	0
Leukemia	0.0	0.0	635.7	0
Lymphocytic Leukemia	0.0	0.0	635.7	0
Acute Lymphocytic Leukemia	0.0	0.0	635.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	635.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	635.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	635.7	0
Acute Myeloid Leukemia	0.0	0.0	635.7	0
Acute Monocytic Leukemia	0.0	0.0	635.7	0
Chronic Myeloid Leukemia	0.0	0.0	635.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	635.7	0
Other Leukemia	0.0	0.0	635.7	0
Other Acute Leukemia	0.0	0.0	635.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	635.7	0
Mesothelioma	0.0	0.0	635.7	0
Kaposi Sarcoma	0.0	0.0	635.7	0
Miscellaneous	0.0	0.0	635.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	450.1	389.1	521.6	238
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	19.0	0
Tongue	0.0	0.0	19.0	0
Salivary Gland	0.0	0.0	19.0	0
Floor of Mouth	0.0	0.0	19.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	19.0	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	19.0	0
Hypopharynx	0.0	0.0	19.0	0
Other Oral Cavity and Pharynx	0.0	0.0	19.0	0
Digestive System	85.1	58.5	123.7	40
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	52.3	31.3	86.0	22
Colon excluding Rectum	35.9	18.8	66.4	15
Cecum	^	^	^	^
Appendix	0.0	0.0	19.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	19.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	16.3	6.2	40.6	7
Rectosigmoid Junction	^	^	^	^
Rectum	14.2	4.8	38.0	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	19.0	0
Gallbladder	0.0	0.0	19.0	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	19.0	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	68.6	46.0	103.0	35
Nose, Nasal Cavity and Middle Ear	0.0	0.0	19.0	0
Larynx	^	^	^	^
Lung and Bronchus	66.5	44.2	100.5	34
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	19.0	0
Bones and Joints	0.0	0.0	19.0	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	16.9	8.7	38.1	12
Melanoma of the Skin	15.3	7.6	36.2	11
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.0	19.5	65.3	17
Urinary Bladder	22.8	9.9	49.6	10
Kidney and Renal Pelvis	13.1	4.7	35.7	7
Ureter	0.0	0.0	19.0	0
Other Urinary Organs	0.0	0.0	19.0	0
Eye and Orbit	0.0	0.0	19.0	0
Brain and Other Nervous System	12.6	4.2	35.4	7
Brain	12.6	4.2	35.4	7
Cranial Nerves Other Nervous System	0.0	0.0	19.0	0
Endocrine System	14.1	6.6	35.0	10
Thyroid	14.1	6.6	35.0	10
Other Endocrine including Thymus	0.0	0.0	19.0	0
Lymphoma	19.6	8.7	44.0	10
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	19.0	0
Non-Hodgkin Lymphoma	16.4	6.5	40.2	8
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	19.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	19.0	0
Acute Myeloid Leukemia	0.0	0.0	19.0	0
Acute Monocytic Leukemia	0.0	0.0	19.0	0
Chronic Myeloid Leukemia	0.0	0.0	19.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	19.0	0
Other Leukemia	0.0	0.0	19.0	0
Other Acute Leukemia	0.0	0.0	19.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	19.0	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	19.0	0
Miscellaneous	18.6	6.8	44.9	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	471.2	303.1	721.7	28
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	124.2	0
Tongue	0.0	0.0	124.2	0
Salivary Gland	0.0	0.0	124.2	0
Floor of Mouth	0.0	0.0	124.2	0
Gum and Other Mouth	0.0	0.0	124.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	124.2	0
Oropharynx	0.0	0.0	124.2	0
Hypopharynx	0.0	0.0	124.2	0
Other Oral Cavity and Pharynx	0.0	0.0	124.2	0
Digestive System	140.3	55.8	318.1	8
Esophagus	0.0	0.0	124.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	124.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	124.2	0
Appendix	0.0	0.0	124.2	0
Ascending Colon	0.0	0.0	124.2	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	124.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	124.2	0
Rectosigmoid Junction	0.0	0.0	124.2	0
Rectum	0.0	0.0	124.2	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	124.2	0
Liver	0.0	0.0	124.2	0
Intrahepatic Bile Duct	0.0	0.0	124.2	0
Gallbladder	0.0	0.0	124.2	0
Other Biliary	0.0	0.0	124.2	0
Pancreas	0.0	0.0	124.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	124.2	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	124.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	124.2	0
Larynx	0.0	0.0	124.2	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	124.2	0
Bones and Joints	0.0	0.0	124.2	0
Soft Tissue including Heart	0.0	0.0	124.2	0
Skin excluding Basal and Squamous	0.0	0.0	124.2	0
Melanoma of the Skin	0.0	0.0	124.2	0
Other Non-Epithelial Skin	0.0	0.0	124.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	124.2	0
Ureter	0.0	0.0	124.2	0
Other Urinary Organs	0.0	0.0	124.2	0
Eye and Orbit	0.0	0.0	124.2	0
Brain and Other Nervous System	0.0	0.0	124.2	0
Brain	0.0	0.0	124.2	0
Cranial Nerves Other Nervous System	0.0	0.0	124.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	124.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	124.2	0
Hodgkin - Nodal	0.0	0.0	124.2	0
Hodgkin - Extranodal	0.0	0.0	124.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	124.2	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	124.2	0
Lymphocytic Leukemia	0.0	0.0	124.2	0
Acute Lymphocytic Leukemia	0.0	0.0	124.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	124.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	124.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	124.2	0
Acute Myeloid Leukemia	0.0	0.0	124.2	0
Acute Monocytic Leukemia	0.0	0.0	124.2	0
Chronic Myeloid Leukemia	0.0	0.0	124.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	124.2	0
Other Leukemia	0.0	0.0	124.2	0
Other Acute Leukemia	0.0	0.0	124.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	124.2	0
Mesothelioma	0.0	0.0	124.2	0
Kaposi Sarcoma	0.0	0.0	124.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	719.9	441.5	1,128.1	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	177.9	0
Tongue	0.0	0.0	177.9	0
Salivary Gland	0.0	0.0	177.9	0
Floor of Mouth	0.0	0.0	177.9	0
Gum and Other Mouth	0.0	0.0	177.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	177.9	0
Oropharynx	0.0	0.0	177.9	0
Hypopharynx	0.0	0.0	177.9	0
Other Oral Cavity and Pharynx	0.0	0.0	177.9	0
Digestive System	204.1	70.6	481.7	7
Esophagus	0.0	0.0	177.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	177.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	177.9	0
Ascending Colon	0.0	0.0	177.9	0
Hepatic Flexure	0.0	0.0	177.9	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	177.9	0
Descending Colon	0.0	0.0	177.9	0
Sigmoid Colon	0.0	0.0	177.9	0
Large Intestine, NOS	0.0	0.0	177.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	177.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	177.9	0
Liver	0.0	0.0	177.9	0
Intrahepatic Bile Duct	0.0	0.0	177.9	0
Gallbladder	0.0	0.0	177.9	0
Other Biliary	0.0	0.0	177.9	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	177.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	177.9	0
Other Digestive Organs	0.0	0.0	177.9	0
Respiratory System	171.5	55.0	431.2	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	177.9	0
Larynx	0.0	0.0	177.9	0
Lung and Bronchus	171.5	55.0	431.2	6
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	177.9	0
Bones and Joints	0.0	0.0	177.9	0
Soft Tissue including Heart	0.0	0.0	177.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	177.9	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	177.9	0
Other Urinary Organs	0.0	0.0	177.9	0
Eye and Orbit	0.0	0.0	177.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	177.9	0
Endocrine System	0.0	0.0	177.9	0
Thyroid	0.0	0.0	177.9	0
Other Endocrine including Thymus	0.0	0.0	177.9	0
Lymphoma	0.0	0.0	177.9	0
Hodgkin Lymphoma	0.0	0.0	177.9	0
Hodgkin - Nodal	0.0	0.0	177.9	0
Hodgkin - Extranodal	0.0	0.0	177.9	0
Non-Hodgkin Lymphoma	0.0	0.0	177.9	0
NHL - Nodal	0.0	0.0	177.9	0
NHL - Extranodal	0.0	0.0	177.9	0
Myeloma	0.0	0.0	177.9	0
Leukemia	0.0	0.0	177.9	0
Lymphocytic Leukemia	0.0	0.0	177.9	0
Acute Lymphocytic Leukemia	0.0	0.0	177.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	177.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	177.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	177.9	0
Acute Myeloid Leukemia	0.0	0.0	177.9	0
Acute Monocytic Leukemia	0.0	0.0	177.9	0
Chronic Myeloid Leukemia	0.0	0.0	177.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	177.9	0
Other Leukemia	0.0	0.0	177.9	0
Other Acute Leukemia	0.0	0.0	177.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	177.9	0
Mesothelioma	0.0	0.0	177.9	0
Kaposi Sarcoma	0.0	0.0	177.9	0
Miscellaneous	0.0	0.0	177.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	417.6	239.9	758.3	18
Oral Cavity and Pharynx	0.0	0.0	253.2	0
Lip	0.0	0.0	253.2	0
Tongue	0.0	0.0	253.2	0
Salivary Gland	0.0	0.0	253.2	0
Floor of Mouth	0.0	0.0	253.2	0
Gum and Other Mouth	0.0	0.0	253.2	0
Nasopharynx	0.0	0.0	253.2	0
Tonsil	0.0	0.0	253.2	0
Oropharynx	0.0	0.0	253.2	0
Hypopharynx	0.0	0.0	253.2	0
Other Oral Cavity and Pharynx	0.0	0.0	253.2	0
Digestive System	185.0	75.9	476.3	8
Esophagus	0.0	0.0	253.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	253.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	253.2	0
Ascending Colon	0.0	0.0	253.2	0
Hepatic Flexure	0.0	0.0	253.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	253.2	0
Descending Colon	0.0	0.0	253.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	253.2	0
Rectosigmoid Junction	0.0	0.0	253.2	0
Rectum	0.0	0.0	253.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	253.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	253.2	0
Liver	0.0	0.0	253.2	0
Intrahepatic Bile Duct	0.0	0.0	253.2	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	253.2	0
Pancreas	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	253.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	253.2	0
Other Digestive Organs	0.0	0.0	253.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	253.2	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	253.2	0
Bones and Joints	0.0	0.0	253.2	0
Soft Tissue including Heart	0.0	0.0	253.2	0
Skin excluding Basal and Squamous	0.0	0.0	253.2	0
Melanoma of the Skin	0.0	0.0	253.2	0
Other Non-Epithelial Skin	0.0	0.0	253.2	0
Urinary System	0.0	0.0	253.2	0
Urinary Bladder	0.0	0.0	253.2	0
Kidney and Renal Pelvis	0.0	0.0	253.2	0
Ureter	0.0	0.0	253.2	0
Other Urinary Organs	0.0	0.0	253.2	0
Eye and Orbit	0.0	0.0	253.2	0
Brain and Other Nervous System	0.0	0.0	253.2	0
Brain	0.0	0.0	253.2	0
Cranial Nerves Other Nervous System	0.0	0.0	253.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	253.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	253.2	0
Hodgkin - Nodal	0.0	0.0	253.2	0
Hodgkin - Extranodal	0.0	0.0	253.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	253.2	0
Myeloma	0.0	0.0	253.2	0
Leukemia	0.0	0.0	253.2	0
Lymphocytic Leukemia	0.0	0.0	253.2	0
Acute Lymphocytic Leukemia	0.0	0.0	253.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	253.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	253.2	0
Acute Myeloid Leukemia	0.0	0.0	253.2	0
Acute Monocytic Leukemia	0.0	0.0	253.2	0
Chronic Myeloid Leukemia	0.0	0.0	253.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	253.2	0
Other Leukemia	0.0	0.0	253.2	0
Other Acute Leukemia	0.0	0.0	253.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	253.2	0
Mesothelioma	0.0	0.0	253.2	0
Kaposi Sarcoma	0.0	0.0	253.2	0
Miscellaneous	0.0	0.0	253.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	251.6	122.8	698.0	13
Oral Cavity and Pharynx	0.0	0.0	440.1	0
Lip	0.0	0.0	440.1	0
Tongue	0.0	0.0	440.1	0
Salivary Gland	0.0	0.0	440.1	0
Floor of Mouth	0.0	0.0	440.1	0
Gum and Other Mouth	0.0	0.0	440.1	0
Nasopharynx	0.0	0.0	440.1	0
Tonsil	0.0	0.0	440.1	0
Oropharynx	0.0	0.0	440.1	0
Hypopharynx	0.0	0.0	440.1	0
Other Oral Cavity and Pharynx	0.0	0.0	440.1	0
Digestive System	0.0	0.0	440.1	0
Esophagus	0.0	0.0	440.1	0
Stomach	0.0	0.0	440.1	0
Small Intestine	0.0	0.0	440.1	0
Colon and Rectum	0.0	0.0	440.1	0
Colon excluding Rectum	0.0	0.0	440.1	0
Cecum	0.0	0.0	440.1	0
Appendix	0.0	0.0	440.1	0
Ascending Colon	0.0	0.0	440.1	0
Hepatic Flexure	0.0	0.0	440.1	0
Transverse Colon	0.0	0.0	440.1	0
Splenic Flexure	0.0	0.0	440.1	0
Descending Colon	0.0	0.0	440.1	0
Sigmoid Colon	0.0	0.0	440.1	0
Large Intestine, NOS	0.0	0.0	440.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	440.1	0
Rectosigmoid Junction	0.0	0.0	440.1	0
Rectum	0.0	0.0	440.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	440.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	440.1	0
Liver	0.0	0.0	440.1	0
Intrahepatic Bile Duct	0.0	0.0	440.1	0
Gallbladder	0.0	0.0	440.1	0
Other Biliary	0.0	0.0	440.1	0
Pancreas	0.0	0.0	440.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	440.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	440.1	0
Other Digestive Organs	0.0	0.0	440.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	440.1	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	440.1	0
Bones and Joints	0.0	0.0	440.1	0
Soft Tissue including Heart	0.0	0.0	440.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	440.1	0
Urinary System	0.0	0.0	440.1	0
Urinary Bladder	0.0	0.0	440.1	0
Kidney and Renal Pelvis	0.0	0.0	440.1	0
Ureter	0.0	0.0	440.1	0
Other Urinary Organs	0.0	0.0	440.1	0
Eye and Orbit	0.0	0.0	440.1	0
Brain and Other Nervous System	0.0	0.0	440.1	0
Brain	0.0	0.0	440.1	0
Cranial Nerves Other Nervous System	0.0	0.0	440.1	0
Endocrine System	0.0	0.0	440.1	0
Thyroid	0.0	0.0	440.1	0
Other Endocrine including Thymus	0.0	0.0	440.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	440.1	0
Hodgkin - Nodal	0.0	0.0	440.1	0
Hodgkin - Extranodal	0.0	0.0	440.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	440.1	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	440.1	0
Lymphocytic Leukemia	0.0	0.0	440.1	0
Acute Lymphocytic Leukemia	0.0	0.0	440.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	440.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	440.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	440.1	0
Acute Myeloid Leukemia	0.0	0.0	440.1	0
Acute Monocytic Leukemia	0.0	0.0	440.1	0
Chronic Myeloid Leukemia	0.0	0.0	440.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	440.1	0
Other Leukemia	0.0	0.0	440.1	0
Other Acute Leukemia	0.0	0.0	440.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	440.1	0
Mesothelioma	0.0	0.0	440.1	0
Kaposi Sarcoma	0.0	0.0	440.1	0
Miscellaneous	0.0	0.0	440.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	314.9	201.3	490.0	25
Oral Cavity and Pharynx	0.0	0.0	95.4	0
Lip	0.0	0.0	95.4	0
Tongue	0.0	0.0	95.4	0
Salivary Gland	0.0	0.0	95.4	0
Floor of Mouth	0.0	0.0	95.4	0
Gum and Other Mouth	0.0	0.0	95.4	0
Nasopharynx	0.0	0.0	95.4	0
Tonsil	0.0	0.0	95.4	0
Oropharynx	0.0	0.0	95.4	0
Hypopharynx	0.0	0.0	95.4	0
Other Oral Cavity and Pharynx	0.0	0.0	95.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	95.4	0
Stomach	0.0	0.0	95.4	0
Small Intestine	0.0	0.0	95.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	95.4	0
Appendix	0.0	0.0	95.4	0
Ascending Colon	0.0	0.0	95.4	0
Hepatic Flexure	0.0	0.0	95.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	95.4	0
Descending Colon	0.0	0.0	95.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	95.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	95.4	0
Rectosigmoid Junction	0.0	0.0	95.4	0
Rectum	0.0	0.0	95.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	95.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	95.4	0
Liver	0.0	0.0	95.4	0
Intrahepatic Bile Duct	0.0	0.0	95.4	0
Gallbladder	0.0	0.0	95.4	0
Other Biliary	0.0	0.0	95.4	0
Pancreas	0.0	0.0	95.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	95.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	95.4	0
Other Digestive Organs	0.0	0.0	95.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	95.4	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	95.4	0
Bones and Joints	0.0	0.0	95.4	0
Soft Tissue including Heart	0.0	0.0	95.4	0
Skin excluding Basal and Squamous	0.0	0.0	95.4	0
Melanoma of the Skin	0.0	0.0	95.4	0
Other Non-Epithelial Skin	0.0	0.0	95.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	95.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	95.4	0
Other Urinary Organs	0.0	0.0	95.4	0
Eye and Orbit	0.0	0.0	95.4	0
Brain and Other Nervous System	0.0	0.0	95.4	0
Brain	0.0	0.0	95.4	0
Cranial Nerves Other Nervous System	0.0	0.0	95.4	0
Endocrine System	0.0	0.0	95.4	0
Thyroid	0.0	0.0	95.4	0
Other Endocrine including Thymus	0.0	0.0	95.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	95.4	0
Hodgkin - Nodal	0.0	0.0	95.4	0
Hodgkin - Extranodal	0.0	0.0	95.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	95.4	0
Myeloma	0.0	0.0	95.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	95.4	0
Chronic Lymphocytic Leukemia	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	95.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	95.4	0
Acute Monocytic Leukemia	0.0	0.0	95.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	95.4	0
Other Leukemia	0.0	0.0	95.4	0
Other Acute Leukemia	0.0	0.0	95.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	95.4	0
Mesothelioma	0.0	0.0	95.4	0
Kaposi Sarcoma	0.0	0.0	95.4	0
Miscellaneous	0.0	0.0	95.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	360.6	178.0	697.5	13
Oral Cavity and Pharynx	0.0	0.0	217.1	0
Lip	0.0	0.0	217.1	0
Tongue	0.0	0.0	217.1	0
Salivary Gland	0.0	0.0	217.1	0
Floor of Mouth	0.0	0.0	217.1	0
Gum and Other Mouth	0.0	0.0	217.1	0
Nasopharynx	0.0	0.0	217.1	0
Tonsil	0.0	0.0	217.1	0
Oropharynx	0.0	0.0	217.1	0
Hypopharynx	0.0	0.0	217.1	0
Other Oral Cavity and Pharynx	0.0	0.0	217.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	217.1	0
Stomach	0.0	0.0	217.1	0
Small Intestine	0.0	0.0	217.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	217.1	0
Cecum	0.0	0.0	217.1	0
Appendix	0.0	0.0	217.1	0
Ascending Colon	0.0	0.0	217.1	0
Hepatic Flexure	0.0	0.0	217.1	0
Transverse Colon	0.0	0.0	217.1	0
Splenic Flexure	0.0	0.0	217.1	0
Descending Colon	0.0	0.0	217.1	0
Sigmoid Colon	0.0	0.0	217.1	0
Large Intestine, NOS	0.0	0.0	217.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	217.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	217.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	217.1	0
Liver	0.0	0.0	217.1	0
Intrahepatic Bile Duct	0.0	0.0	217.1	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	217.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	217.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	217.1	0
Other Digestive Organs	0.0	0.0	217.1	0
Respiratory System	0.0	0.0	217.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	217.1	0
Larynx	0.0	0.0	217.1	0
Lung and Bronchus	0.0	0.0	217.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	217.1	0
Bones and Joints	0.0	0.0	217.1	0
Soft Tissue including Heart	0.0	0.0	217.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	217.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	217.1	0
Ureter	0.0	0.0	217.1	0
Other Urinary Organs	0.0	0.0	217.1	0
Eye and Orbit	0.0	0.0	217.1	0
Brain and Other Nervous System	0.0	0.0	217.1	0
Brain	0.0	0.0	217.1	0
Cranial Nerves Other Nervous System	0.0	0.0	217.1	0
Endocrine System	0.0	0.0	217.1	0
Thyroid	0.0	0.0	217.1	0
Other Endocrine including Thymus	0.0	0.0	217.1	0
Lymphoma	0.0	0.0	217.1	0
Hodgkin Lymphoma	0.0	0.0	217.1	0
Hodgkin - Nodal	0.0	0.0	217.1	0
Hodgkin - Extranodal	0.0	0.0	217.1	0
Non-Hodgkin Lymphoma	0.0	0.0	217.1	0
NHL - Nodal	0.0	0.0	217.1	0
NHL - Extranodal	0.0	0.0	217.1	0
Myeloma	0.0	0.0	217.1	0
Leukemia	0.0	0.0	217.1	0
Lymphocytic Leukemia	0.0	0.0	217.1	0
Acute Lymphocytic Leukemia	0.0	0.0	217.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	217.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	217.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	217.1	0
Acute Myeloid Leukemia	0.0	0.0	217.1	0
Acute Monocytic Leukemia	0.0	0.0	217.1	0
Chronic Myeloid Leukemia	0.0	0.0	217.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	217.1	0
Other Leukemia	0.0	0.0	217.1	0
Other Acute Leukemia	0.0	0.0	217.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	217.1	0
Mesothelioma	0.0	0.0	217.1	0
Kaposi Sarcoma	0.0	0.0	217.1	0
Miscellaneous	0.0	0.0	217.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	484.5	287.6	819.3	21
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	212.3	0
Tongue	0.0	0.0	212.3	0
Salivary Gland	0.0	0.0	212.3	0
Floor of Mouth	0.0	0.0	212.3	0
Gum and Other Mouth	0.0	0.0	212.3	0
Nasopharynx	0.0	0.0	212.3	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	212.3	0
Hypopharynx	0.0	0.0	212.3	0
Other Oral Cavity and Pharynx	0.0	0.0	212.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	212.3	0
Stomach	0.0	0.0	212.3	0
Small Intestine	0.0	0.0	212.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	212.3	0
Appendix	0.0	0.0	212.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	212.3	0
Transverse Colon	0.0	0.0	212.3	0
Splenic Flexure	0.0	0.0	212.3	0
Descending Colon	0.0	0.0	212.3	0
Sigmoid Colon	0.0	0.0	212.3	0
Large Intestine, NOS	0.0	0.0	212.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	212.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	212.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	212.3	0
Liver	0.0	0.0	212.3	0
Intrahepatic Bile Duct	0.0	0.0	212.3	0
Gallbladder	0.0	0.0	212.3	0
Other Biliary	0.0	0.0	212.3	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	212.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	212.3	0
Other Digestive Organs	0.0	0.0	212.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	212.3	0
Larynx	0.0	0.0	212.3	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	212.3	0
Bones and Joints	0.0	0.0	212.3	0
Soft Tissue including Heart	0.0	0.0	212.3	0
Skin excluding Basal and Squamous	0.0	0.0	212.3	0
Melanoma of the Skin	0.0	0.0	212.3	0
Other Non-Epithelial Skin	0.0	0.0	212.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	212.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	212.3	0
Other Urinary Organs	0.0	0.0	212.3	0
Eye and Orbit	0.0	0.0	212.3	0
Brain and Other Nervous System	0.0	0.0	212.3	0
Brain	0.0	0.0	212.3	0
Cranial Nerves Other Nervous System	0.0	0.0	212.3	0
Endocrine System	0.0	0.0	212.3	0
Thyroid	0.0	0.0	212.3	0
Other Endocrine including Thymus	0.0	0.0	212.3	0
Lymphoma	0.0	0.0	212.3	0
Hodgkin Lymphoma	0.0	0.0	212.3	0
Hodgkin - Nodal	0.0	0.0	212.3	0
Hodgkin - Extranodal	0.0	0.0	212.3	0
Non-Hodgkin Lymphoma	0.0	0.0	212.3	0
NHL - Nodal	0.0	0.0	212.3	0
NHL - Extranodal	0.0	0.0	212.3	0
Myeloma	0.0	0.0	212.3	0
Leukemia	0.0	0.0	212.3	0
Lymphocytic Leukemia	0.0	0.0	212.3	0
Acute Lymphocytic Leukemia	0.0	0.0	212.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	212.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	212.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	212.3	0
Acute Myeloid Leukemia	0.0	0.0	212.3	0
Acute Monocytic Leukemia	0.0	0.0	212.3	0
Chronic Myeloid Leukemia	0.0	0.0	212.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	212.3	0
Other Leukemia	0.0	0.0	212.3	0
Other Acute Leukemia	0.0	0.0	212.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	212.3	0
Mesothelioma	0.0	0.0	212.3	0
Kaposi Sarcoma	0.0	0.0	212.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	462.3	292.6	708.5	29
Oral Cavity and Pharynx	0.0	0.0	107.9	0
Lip	0.0	0.0	107.9	0
Tongue	0.0	0.0	107.9	0
Salivary Gland	0.0	0.0	107.9	0
Floor of Mouth	0.0	0.0	107.9	0
Gum and Other Mouth	0.0	0.0	107.9	0
Nasopharynx	0.0	0.0	107.9	0
Tonsil	0.0	0.0	107.9	0
Oropharynx	0.0	0.0	107.9	0
Hypopharynx	0.0	0.0	107.9	0
Other Oral Cavity and Pharynx	0.0	0.0	107.9	0
Digestive System	105.1	33.3	264.5	6
Esophagus	0.0	0.0	107.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	107.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	107.9	0
Appendix	0.0	0.0	107.9	0
Ascending Colon	0.0	0.0	107.9	0
Hepatic Flexure	0.0	0.0	107.9	0
Transverse Colon	0.0	0.0	107.9	0
Splenic Flexure	0.0	0.0	107.9	0
Descending Colon	0.0	0.0	107.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	107.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	107.9	0
Rectosigmoid Junction	0.0	0.0	107.9	0
Rectum	0.0	0.0	107.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	107.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	107.9	0
Gallbladder	0.0	0.0	107.9	0
Other Biliary	0.0	0.0	107.9	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	107.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	107.9	0
Other Digestive Organs	0.0	0.0	107.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	107.9	0
Larynx	0.0	0.0	107.9	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	107.9	0
Bones and Joints	0.0	0.0	107.9	0
Soft Tissue including Heart	0.0	0.0	107.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	107.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	107.9	0
Other Urinary Organs	0.0	0.0	107.9	0
Eye and Orbit	0.0	0.0	107.9	0
Brain and Other Nervous System	0.0	0.0	107.9	0
Brain	0.0	0.0	107.9	0
Cranial Nerves Other Nervous System	0.0	0.0	107.9	0
Endocrine System	0.0	0.0	107.9	0
Thyroid	0.0	0.0	107.9	0
Other Endocrine including Thymus	0.0	0.0	107.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	107.9	0
Hodgkin - Nodal	0.0	0.0	107.9	0
Hodgkin - Extranodal	0.0	0.0	107.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^
Myeloma	0.0	0.0	107.9	0
Leukemia	0.0	0.0	107.9	0
Lymphocytic Leukemia	0.0	0.0	107.9	0
Acute Lymphocytic Leukemia	0.0	0.0	107.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	107.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	107.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	107.9	0
Acute Myeloid Leukemia	0.0	0.0	107.9	0
Acute Monocytic Leukemia	0.0	0.0	107.9	0
Chronic Myeloid Leukemia	0.0	0.0	107.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	107.9	0
Other Leukemia	0.0	0.0	107.9	0
Other Acute Leukemia	0.0	0.0	107.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	107.9	0
Mesothelioma	0.0	0.0	107.9	0
Kaposi Sarcoma	0.0	0.0	107.9	0
Miscellaneous	0.0	0.0	107.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	192.2	79.4	469.3	8
Oral Cavity and Pharynx	0.0	0.0	228.8	0
Lip	0.0	0.0	228.8	0
Tongue	0.0	0.0	228.8	0
Salivary Gland	0.0	0.0	228.8	0
Floor of Mouth	0.0	0.0	228.8	0
Gum and Other Mouth	0.0	0.0	228.8	0
Nasopharynx	0.0	0.0	228.8	0
Tonsil	0.0	0.0	228.8	0
Oropharynx	0.0	0.0	228.8	0
Hypopharynx	0.0	0.0	228.8	0
Other Oral Cavity and Pharynx	0.0	0.0	228.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	228.8	0
Stomach	0.0	0.0	228.8	0
Small Intestine	0.0	0.0	228.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	228.8	0
Cecum	0.0	0.0	228.8	0
Appendix	0.0	0.0	228.8	0
Ascending Colon	0.0	0.0	228.8	0
Hepatic Flexure	0.0	0.0	228.8	0
Transverse Colon	0.0	0.0	228.8	0
Splenic Flexure	0.0	0.0	228.8	0
Descending Colon	0.0	0.0	228.8	0
Sigmoid Colon	0.0	0.0	228.8	0
Large Intestine, NOS	0.0	0.0	228.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	228.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	228.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	228.8	0
Liver	0.0	0.0	228.8	0
Intrahepatic Bile Duct	0.0	0.0	228.8	0
Gallbladder	0.0	0.0	228.8	0
Other Biliary	0.0	0.0	228.8	0
Pancreas	0.0	0.0	228.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	228.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	228.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	228.8	0
Larynx	0.0	0.0	228.8	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	228.8	0
Bones and Joints	0.0	0.0	228.8	0
Soft Tissue including Heart	0.0	0.0	228.8	0
Skin excluding Basal and Squamous	0.0	0.0	228.8	0
Melanoma of the Skin	0.0	0.0	228.8	0
Other Non-Epithelial Skin	0.0	0.0	228.8	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	228.8	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	228.8	0
Other Urinary Organs	0.0	0.0	228.8	0
Eye and Orbit	0.0	0.0	228.8	0
Brain and Other Nervous System	0.0	0.0	228.8	0
Brain	0.0	0.0	228.8	0
Cranial Nerves Other Nervous System	0.0	0.0	228.8	0
Endocrine System	0.0	0.0	228.8	0
Thyroid	0.0	0.0	228.8	0
Other Endocrine including Thymus	0.0	0.0	228.8	0
Lymphoma	0.0	0.0	228.8	0
Hodgkin Lymphoma	0.0	0.0	228.8	0
Hodgkin - Nodal	0.0	0.0	228.8	0
Hodgkin - Extranodal	0.0	0.0	228.8	0
Non-Hodgkin Lymphoma	0.0	0.0	228.8	0
NHL - Nodal	0.0	0.0	228.8	0
NHL - Extranodal	0.0	0.0	228.8	0
Myeloma	0.0	0.0	228.8	0
Leukemia	0.0	0.0	228.8	0
Lymphocytic Leukemia	0.0	0.0	228.8	0
Acute Lymphocytic Leukemia	0.0	0.0	228.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	228.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	228.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	228.8	0
Acute Myeloid Leukemia	0.0	0.0	228.8	0
Acute Monocytic Leukemia	0.0	0.0	228.8	0
Chronic Myeloid Leukemia	0.0	0.0	228.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	228.8	0
Other Leukemia	0.0	0.0	228.8	0
Other Acute Leukemia	0.0	0.0	228.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	228.8	0
Mesothelioma	0.0	0.0	228.8	0
Kaposi Sarcoma	0.0	0.0	228.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	358.6	223.7	569.8	23
Oral Cavity and Pharynx	0.0	0.0	116.7	0
Lip	0.0	0.0	116.7	0
Tongue	0.0	0.0	116.7	0
Salivary Gland	0.0	0.0	116.7	0
Floor of Mouth	0.0	0.0	116.7	0
Gum and Other Mouth	0.0	0.0	116.7	0
Nasopharynx	0.0	0.0	116.7	0
Tonsil	0.0	0.0	116.7	0
Oropharynx	0.0	0.0	116.7	0
Hypopharynx	0.0	0.0	116.7	0
Other Oral Cavity and Pharynx	0.0	0.0	116.7	0
Digestive System	92.2	32.5	239.6	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	116.7	0
Small Intestine	0.0	0.0	116.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	116.7	0
Ascending Colon	0.0	0.0	116.7	0
Hepatic Flexure	0.0	0.0	116.7	0
Transverse Colon	0.0	0.0	116.7	0
Splenic Flexure	0.0	0.0	116.7	0
Descending Colon	0.0	0.0	116.7	0
Sigmoid Colon	0.0	0.0	116.7	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	116.7	0
Rectosigmoid Junction	0.0	0.0	116.7	0
Rectum	0.0	0.0	116.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	116.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	116.7	0
Gallbladder	0.0	0.0	116.7	0
Other Biliary	0.0	0.0	116.7	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	116.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	116.7	0
Other Digestive Organs	0.0	0.0	116.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	116.7	0
Larynx	0.0	0.0	116.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	116.7	0
Bones and Joints	0.0	0.0	116.7	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	116.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	116.7	0
Ureter	0.0	0.0	116.7	0
Other Urinary Organs	0.0	0.0	116.7	0
Eye and Orbit	0.0	0.0	116.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	116.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	116.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	116.7	0
Non-Hodgkin Lymphoma	0.0	0.0	116.7	0
NHL - Nodal	0.0	0.0	116.7	0
NHL - Extranodal	0.0	0.0	116.7	0
Myeloma	0.0	0.0	116.7	0
Leukemia	0.0	0.0	116.7	0
Lymphocytic Leukemia	0.0	0.0	116.7	0
Acute Lymphocytic Leukemia	0.0	0.0	116.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	116.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	116.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	116.7	0
Acute Myeloid Leukemia	0.0	0.0	116.7	0
Acute Monocytic Leukemia	0.0	0.0	116.7	0
Chronic Myeloid Leukemia	0.0	0.0	116.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	116.7	0
Other Leukemia	0.0	0.0	116.7	0
Other Acute Leukemia	0.0	0.0	116.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	116.7	0
Mesothelioma	0.0	0.0	116.7	0
Kaposi Sarcoma	0.0	0.0	116.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,907.0	0
Lip	0.0	0.0	1,907.0	0
Tongue	0.0	0.0	1,907.0	0
Salivary Gland	0.0	0.0	1,907.0	0
Floor of Mouth	0.0	0.0	1,907.0	0
Gum and Other Mouth	0.0	0.0	1,907.0	0
Nasopharynx	0.0	0.0	1,907.0	0
Tonsil	0.0	0.0	1,907.0	0
Oropharynx	0.0	0.0	1,907.0	0
Hypopharynx	0.0	0.0	1,907.0	0
Other Oral Cavity and Pharynx	0.0	0.0	1,907.0	0
Digestive System	0.0	0.0	1,907.0	0
Esophagus	0.0	0.0	1,907.0	0
Stomach	0.0	0.0	1,907.0	0
Small Intestine	0.0	0.0	1,907.0	0
Colon and Rectum	0.0	0.0	1,907.0	0
Colon excluding Rectum	0.0	0.0	1,907.0	0
Cecum	0.0	0.0	1,907.0	0
Appendix	0.0	0.0	1,907.0	0
Ascending Colon	0.0	0.0	1,907.0	0
Hepatic Flexure	0.0	0.0	1,907.0	0
Transverse Colon	0.0	0.0	1,907.0	0
Splenic Flexure	0.0	0.0	1,907.0	0
Descending Colon	0.0	0.0	1,907.0	0
Sigmoid Colon	0.0	0.0	1,907.0	0
Large Intestine, NOS	0.0	0.0	1,907.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,907.0	0
Rectosigmoid Junction	0.0	0.0	1,907.0	0
Rectum	0.0	0.0	1,907.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,907.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,907.0	0
Liver	0.0	0.0	1,907.0	0
Intrahepatic Bile Duct	0.0	0.0	1,907.0	0
Gallbladder	0.0	0.0	1,907.0	0
Other Biliary	0.0	0.0	1,907.0	0
Pancreas	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	1,907.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,907.0	0
Other Digestive Organs	0.0	0.0	1,907.0	0
Respiratory System	0.0	0.0	1,907.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,907.0	0
Larynx	0.0	0.0	1,907.0	0
Lung and Bronchus	0.0	0.0	1,907.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,907.0	0
Bones and Joints	0.0	0.0	1,907.0	0
Soft Tissue including Heart	0.0	0.0	1,907.0	0
Skin excluding Basal and Squamous	0.0	0.0	1,907.0	0
Melanoma of the Skin	0.0	0.0	1,907.0	0
Other Non-Epithelial Skin	0.0	0.0	1,907.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	1,907.0	0
Ureter	0.0	0.0	1,907.0	0
Other Urinary Organs	0.0	0.0	1,907.0	0
Eye and Orbit	0.0	0.0	1,907.0	0
Brain and Other Nervous System	0.0	0.0	1,907.0	0
Brain	0.0	0.0	1,907.0	0
Cranial Nerves Other Nervous System	0.0	0.0	1,907.0	0
Endocrine System	0.0	0.0	1,907.0	0
Thyroid	0.0	0.0	1,907.0	0
Other Endocrine including Thymus	0.0	0.0	1,907.0	0
Lymphoma	0.0	0.0	1,907.0	0
Hodgkin Lymphoma	0.0	0.0	1,907.0	0
Hodgkin - Nodal	0.0	0.0	1,907.0	0
Hodgkin - Extranodal	0.0	0.0	1,907.0	0
Non-Hodgkin Lymphoma	0.0	0.0	1,907.0	0
NHL - Nodal	0.0	0.0	1,907.0	0
NHL - Extranodal	0.0	0.0	1,907.0	0
Myeloma	0.0	0.0	1,907.0	0
Leukemia	0.0	0.0	1,907.0	0
Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Acute Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	1,907.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,907.0	0
Acute Myeloid Leukemia	0.0	0.0	1,907.0	0
Acute Monocytic Leukemia	0.0	0.0	1,907.0	0
Chronic Myeloid Leukemia	0.0	0.0	1,907.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,907.0	0
Other Leukemia	0.0	0.0	1,907.0	0
Other Acute Leukemia	0.0	0.0	1,907.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,907.0	0
Mesothelioma	0.0	0.0	1,907.0	0
Kaposi Sarcoma	0.0	0.0	1,907.0	0
Miscellaneous	0.0	0.0	1,907.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	475.0	290.5	747.5	23
Oral Cavity and Pharynx	0.0	0.0	121.7	0
Lip	0.0	0.0	121.7	0
Tongue	0.0	0.0	121.7	0
Salivary Gland	0.0	0.0	121.7	0
Floor of Mouth	0.0	0.0	121.7	0
Gum and Other Mouth	0.0	0.0	121.7	0
Nasopharynx	0.0	0.0	121.7	0
Tonsil	0.0	0.0	121.7	0
Oropharynx	0.0	0.0	121.7	0
Hypopharynx	0.0	0.0	121.7	0
Other Oral Cavity and Pharynx	0.0	0.0	121.7	0
Digestive System	161.2	60.3	360.6	7
Esophagus	^	^	^	^
Stomach	0.0	0.0	121.7	0
Small Intestine	0.0	0.0	121.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	121.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	121.7	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	121.7	0
Descending Colon	0.0	0.0	121.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	121.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	121.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	121.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	121.7	0
Liver	0.0	0.0	121.7	0
Intrahepatic Bile Duct	0.0	0.0	121.7	0
Gallbladder	0.0	0.0	121.7	0
Other Biliary	0.0	0.0	121.7	0
Pancreas	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Retroperitoneum	0.0	0.0	121.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	121.7	0
Other Digestive Organs	0.0	0.0	121.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	121.7	0
Larynx	0.0	0.0	121.7	0
Lung and Bronchus	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	121.7	0
Bones and Joints	0.0	0.0	121.7	0
Soft Tissue including Heart	0.0	0.0	121.7	0
Skin excluding Basal and Squamous	0.0	0.0	121.7	0
Melanoma of the Skin	0.0	0.0	121.7	0
Other Non-Epithelial Skin	0.0	0.0	121.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	121.7	0
Other Urinary Organs	0.0	0.0	121.7	0
Eye and Orbit	0.0	0.0	121.7	0
Brain and Other Nervous System	0.0	0.0	121.7	0
Brain	0.0	0.0	121.7	0
Cranial Nerves Other Nervous System	0.0	0.0	121.7	0
Endocrine System	0.0	0.0	121.7	0
Thyroid	0.0	0.0	121.7	0
Other Endocrine including Thymus	0.0	0.0	121.7	0
Lymphoma	0.0	0.0	121.7	0
Hodgkin Lymphoma	0.0	0.0	121.7	0
Hodgkin - Nodal	0.0	0.0	121.7	0
Hodgkin - Extranodal	0.0	0.0	121.7	0
Non-Hodgkin Lymphoma	0.0	0.0	121.7	0
NHL - Nodal	0.0	0.0	121.7	0
NHL - Extranodal	0.0	0.0	121.7	0
Myeloma	0.0	0.0	121.7	0
Leukemia	0.0	0.0	121.7	0
Lymphocytic Leukemia	0.0	0.0	121.7	0
Acute Lymphocytic Leukemia	0.0	0.0	121.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	121.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, 1996 to 2003, by Borough/Census Area

2003/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Lymphocytic Leukemia	0.0	0.0	121.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	121.7	0
Acute Myeloid Leukemia	0.0	0.0	121.7	0
Acute Monocytic Leukemia	0.0	0.0	121.7	0
Chronic Myeloid Leukemia	0.0	0.0	121.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	121.7	0
Other Leukemia	0.0	0.0	121.7	0
Other Acute Leukemia	0.0	0.0	121.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	121.7	0
Mesothelioma	0.0	0.0	121.7	0
Kaposi Sarcoma	0.0	0.0	121.7	0
Miscellaneous	0.0	0.0	121.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.