Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Session Type: Rate

Suggested Citation

Software: Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.5.2.
Data: Alaska Cancer Registry SEER*Stat Database - Incidence data for diagnosis years 1996 to 2006. Released May 2009. Alaska population data for rate calculations are from the SEER program (http://www.seer.cancer.gov/popdata/) and include populations by borough/census area, expanded races, and Hispanic origin.

Data

Database: ACR w/Borough, Race, & Hispanic Pops (1996-2006), May 2009

Statistic

Statistic: Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)
P-Values: .05
Options: Display Confidence Intervals (Tiwari mod) and Standard Errors

Selection

Select Only: Malignant Behavior, Known Age, Male or Female Sex

Table

Page: Year of diagnosis
County at DX - County Names-no Total [County at DX]

Row: Site rec w/Kaposi and meso-no sex sites [Site rec with Kaposi and mesothelioma]

Output

Title: Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area
Suppress: Statistics based on fewer than 6 cases
Display Rates as: Cases per 100,000
Precision: 1 decimal place (default)

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	302.1	200.2	433.8	51
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	35.7	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	35.7	0
Tonsil	0.0	0.0	35.7	0
Oropharynx	0.0	0.0	35.7	0
Hypopharynx	0.0	0.0	35.7	0
Other Oral Cavity and Pharynx	0.0	0.0	35.7	0
Digestive System	50.3	14.1	120.4	7
Esophagus	0.0	0.0	35.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	35.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	35.7	0
Appendix	0.0	0.0	35.7	0
Ascending Colon	0.0	0.0	35.7	0
Hepatic Flexure	0.0	0.0	35.7	0
Transverse Colon	0.0	0.0	35.7	0
Splenic Flexure	0.0	0.0	35.7	0
Descending Colon	0.0	0.0	35.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	35.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	35.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.7	0
Gallbladder	0.0	0.0	35.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	35.7	0
Pancreas	0.0	0.0	35.7	0
Retroperitoneum	0.0	0.0	35.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.7	0
Other Digestive Organs	0.0	0.0	35.7	0
Respiratory System	99.1	39.9	194.7	11
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	35.7	0
Lung and Bronchus	95.0	36.7	190.5	10
Pleura	0.0	0.0	35.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.7	0
Bones and Joints	0.0	0.0	35.7	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	35.7	0
Other Urinary Organs	0.0	0.0	35.7	0
Eye and Orbit	0.0	0.0	35.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	35.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	35.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	35.7	0
Hodgkin - Nodal	0.0	0.0	35.7	0
Hodgkin - Extranodal	0.0	0.0	35.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	35.7	0
Other Lymphocytic Leukemia	0.0	0.0	35.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	35.7	0
Acute Monocytic Leukemia	0.0	0.0	35.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	35.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	35.7	0
Kaposi Sarcoma	0.0	0.0	35.7	0
Miscellaneous	0.0	0.0	35.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	385.2	288.8	501.5	115
Oral Cavity and Pharynx	23.8	2.9	75.1	6
Lip	0.0	0.0	27.9	0
Tongue	0.0	0.0	27.9	0
Salivary Gland	0.0	0.0	27.9	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	27.9	0
Hypopharynx	0.0	0.0	27.9	0
Other Oral Cavity and Pharynx	0.0	0.0	27.9	0
Digestive System	149.0	90.3	229.1	31
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	27.9	0
Colon and Rectum	97.2	51.9	164.1	21
Colon excluding Rectum	57.7	22.7	116.7	10
Cecum	^	^	^	^
Appendix	0.0	0.0	27.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	27.9	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	27.9	0
Descending Colon	0.0	0.0	27.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	27.9	0
Rectum and Rectosigmoid Junction	39.5	15.6	83.7	11
Rectosigmoid Junction	^	^	^	^
Rectum	25.5	7.8	64.2	8
Anus, Anal Canal and Anorectum	0.0	0.0	27.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	27.9	0
Gallbladder	0.0	0.0	27.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	27.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	27.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	27.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	89.7	49.6	149.3	25
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	82.0	43.4	140.7	22
Pleura	0.0	0.0	27.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	27.9	0
Bones and Joints	0.0	0.0	27.9	0
Soft Tissue including Heart	0.0	0.0	27.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	27.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	27.9	0
Other Urinary Organs	0.0	0.0	27.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	0.0	0.0	27.9	0
Brain	0.0	0.0	27.9	0
Cranial Nerves Other Nervous System	0.0	0.0	27.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	27.9	0
Lymphoma	9.1	3.6	35.5	7
Hodgkin Lymphoma	0.0	0.0	27.9	0
Hodgkin - Nodal	0.0	0.0	27.9	0
Hodgkin - Extranodal	0.0	0.0	27.9	0
Non-Hodgkin Lymphoma	9.1	3.6	35.5	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	27.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	27.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	27.9	0
Chronic Myeloid Leukemia	0.0	0.0	27.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	27.9	0
Other Leukemia	0.0	0.0	27.9	0
Other Acute Leukemia	0.0	0.0	27.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	27.9	0
Mesothelioma	0.0	0.0	27.9	0
Kaposi Sarcoma	0.0	0.0	27.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	499.1	488.1	510.3	9,508
Oral Cavity and Pharynx	10.9	9.4	12.6	221
Lip	0.9	0.4	1.5	14
Tongue	2.8	2.1	3.7	57
Salivary Gland	1.2	0.7	1.9	22
Floor of Mouth	1.0	0.6	1.6	21
Gum and Other Mouth	1.0	0.6	1.6	18
Nasopharynx	1.3	0.8	2.0	28
Tonsil	1.4	0.9	2.0	33
Oropharynx	0.6	0.3	1.1	12
Hypopharynx	0.4	0.2	0.8	9
Other Oral Cavity and Pharynx	0.3	0.1	0.6	7
Digestive System	91.7	86.8	96.8	1,597
Esophagus	4.8	3.7	5.9	89
Stomach	8.8	7.3	10.5	146
Small Intestine	2.0	1.3	2.8	38
Colon and Rectum	48.7	45.1	52.5	831
Colon excluding Rectum	35.5	32.4	38.8	569
Cecum	8.1	6.6	9.8	121
Appendix	0.5	0.2	0.9	13
Ascending Colon	6.0	4.8	7.5	89
Hepatic Flexure	1.8	1.2	2.6	30
Transverse Colon	3.0	2.1	4.1	46
Splenic Flexure	1.1	0.6	1.7	17
Descending Colon	1.4	0.9	2.1	28
Sigmoid Colon	10.8	9.1	12.7	174
Large Intestine, NOS	2.8	2.0	3.7	51
Rectum and Rectosigmoid Junction	13.2	11.5	15.1	262
Rectosigmoid Junction	3.3	2.4	4.3	61
Rectum	9.9	8.5	11.6	201
Anus, Anal Canal and Anorectum	2.1	1.5	2.9	45
Liver and Intrahepatic Bile Duct	8.9	7.4	10.5	170
Liver	8.2	6.8	9.7	154
Intrahepatic Bile Duct	0.7	0.4	1.2	16
Gallbladder	1.3	0.7	2.1	16

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	1.4	0.8	2.1	23
Pancreas	11.0	9.3	12.8	188
Retroperitoneum	0.2	0.1	0.5	7
Peritoneum, Omentum and Mesentery	0.5	0.2	1.0	10
Other Digestive Organs	2.0	1.3	2.9	34
Respiratory System	79.9	75.3	84.6	1,343
Nose, Nasal Cavity and Middle Ear	0.8	0.5	1.3	17
Larynx	3.7	2.8	4.8	68
Lung and Bronchus	75.0	70.6	79.6	1,251
Pleura	0.0	0.0	0.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.4	0.1	0.8	7
Bones and Joints	0.8	0.5	1.2	25
Soft Tissue including Heart	3.7	2.9	4.7	87
Skin excluding Basal and Squamous	13.5	11.9	15.3	314
Melanoma of the Skin	12.0	10.5	13.7	282
Other Non-Epithelial Skin	1.5	1.0	2.2	32
Urinary System	41.5	38.2	45.0	703
Urinary Bladder	26.5	23.7	29.4	404
Kidney and Renal Pelvis	14.1	12.3	16.0	285
Ureter	0.7	0.3	1.2	11
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.6	0.3	1.0	16
Brain and Other Nervous System	6.5	5.4	7.7	154
Brain	6.2	5.1	7.4	146
Cranial Nerves Other Nervous System	0.3	0.1	0.6	8
Endocrine System	11.3	9.9	12.7	307
Thyroid	10.5	9.3	11.9	291
Other Endocrine including Thymus	0.7	0.4	1.3	16
Lymphoma	23.0	20.8	25.4	482
Hodgkin Lymphoma	3.1	2.5	4.0	85
Hodgkin - Nodal	3.1	2.4	3.9	84
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	19.9	17.8	22.2	397
NHL - Nodal	14.3	12.5	16.3	285
NHL - Extranodal	5.6	4.5	6.9	112

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	5.9	4.7	7.2	107
Leukemia	14.0	12.2	16.0	274
Lymphocytic Leukemia	7.4	6.1	8.9	138
Acute Lymphocytic Leukemia	1.4	1.0	2.0	39
Chronic Lymphocytic Leukemia	5.4	4.2	6.8	87
Other Lymphocytic Leukemia	0.6	0.3	1.1	12
Myeloid and Monocytic Leukemia	6.1	4.9	7.4	124
Acute Myeloid Leukemia	3.4	2.5	4.4	64
Acute Monocytic Leukemia	0.3	0.1	0.7	8
Chronic Myeloid Leukemia	2.1	1.5	2.9	46
Other Myeloid/Monocytic Leukemia	0.3	0.1	0.6	6
Other Leukemia	0.5	0.3	1.0	12
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.2	0.1	0.5	7
Mesothelioma	2.1	1.4	3.1	28
Kaposi Sarcoma	0.3	0.2	0.6	11
Miscellaneous	11.2	9.4	13.1	184

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	407.0	363.8	453.5	389
Oral Cavity and Pharynx	8.1	3.6	15.6	10
Lip	0.0	0.0	3.5	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	3.5	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	3.5	0
Hypopharynx	0.0	0.0	3.5	0
Other Oral Cavity and Pharynx	0.0	0.0	3.5	0
Digestive System	171.3	142.8	203.2	149
Esophagus	10.1	3.9	20.2	7
Stomach	23.8	14.2	36.9	22
Small Intestine	^	^	^	^
Colon and Rectum	100.9	79.3	126.0	87
Colon excluding Rectum	83.8	63.9	107.2	69
Cecum	26.0	15.3	40.5	19
Appendix	0.0	0.0	3.5	0
Ascending Colon	9.6	3.6	19.4	7
Hepatic Flexure	^	^	^	^
Transverse Colon	10.7	4.1	21.6	7
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	26.5	17.1	39.0	28
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	17.1	9.6	27.9	18
Rectosigmoid Junction	^	^	^	^
Rectum	14.1	7.5	23.7	16
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.9	3.0	16.1	8
Liver	7.9	3.0	16.1	8
Intrahepatic Bile Duct	0.0	0.0	3.5	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	17.1	8.9	29.0	14
Retroperitoneum	0.0	0.0	3.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	3.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	76.4	57.5	99.0	61
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	73.2	54.5	95.5	57
Pleura	0.0	0.0	3.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	3.5	0
Urinary System	31.1	19.4	46.5	24
Urinary Bladder	8.9	3.4	18.2	7
Kidney and Renal Pelvis	22.2	12.5	35.6	17
Ureter	0.0	0.0	3.5	0
Other Urinary Organs	0.0	0.0	3.5	0
Eye and Orbit	0.0	0.0	3.5	0
Brain and Other Nervous System	2.9	1.0	7.3	6
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	5.2	1.9	11.3	7
Thyroid	4.6	1.6	10.6	6
Other Endocrine including Thymus	^	^	^	^
Lymphoma	9.3	4.4	17.0	12
Hodgkin Lymphoma	0.0	0.0	3.5	0
Hodgkin - Nodal	0.0	0.0	3.5	0
Hodgkin - Extranodal	0.0	0.0	3.5	0
Non-Hodgkin Lymphoma	9.3	4.4	17.0	12
NHL - Nodal	7.4	3.0	14.8	9
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	7.0	2.9	14.0	10
Lymphocytic Leukemia	2.8	1.0	7.2	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	3.5	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	3.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	3.5	0
Other Leukemia	0.0	0.0	3.5	0
Other Acute Leukemia	0.0	0.0	3.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	3.5	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	3.5	0
Miscellaneous	21.2	12.1	33.7	20

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	386.1	243.2	579.6	36
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	66.2	0
Floor of Mouth	0.0	0.0	66.2	0
Gum and Other Mouth	0.0	0.0	66.2	0
Nasopharynx	0.0	0.0	66.2	0
Tonsil	0.0	0.0	66.2	0
Oropharynx	0.0	0.0	66.2	0
Hypopharynx	0.0	0.0	66.2	0
Other Oral Cavity and Pharynx	0.0	0.0	66.2	0
Digestive System	144.2	53.7	298.2	12
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	98.3	23.3	246.0	7
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	66.2	0
Ascending Colon	0.0	0.0	66.2	0
Hepatic Flexure	0.0	0.0	66.2	0
Transverse Colon	0.0	0.0	66.2	0
Splenic Flexure	0.0	0.0	66.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	66.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	66.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	66.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	66.2	0
Gallbladder	0.0	0.0	66.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	66.2	0
Retroperitoneum	0.0	0.0	66.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.2	0
Other Digestive Organs	0.0	0.0	66.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.2	0
Larynx	0.0	0.0	66.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.2	0
Bones and Joints	0.0	0.0	66.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	66.2	0
Melanoma of the Skin	0.0	0.0	66.2	0
Other Non-Epithelial Skin	0.0	0.0	66.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	66.2	0
Other Urinary Organs	0.0	0.0	66.2	0
Eye and Orbit	0.0	0.0	66.2	0
Brain and Other Nervous System	0.0	0.0	66.2	0
Brain	0.0	0.0	66.2	0
Cranial Nerves Other Nervous System	0.0	0.0	66.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	66.2	0
Lymphoma	0.0	0.0	66.2	0
Hodgkin Lymphoma	0.0	0.0	66.2	0
Hodgkin - Nodal	0.0	0.0	66.2	0
Hodgkin - Extranodal	0.0	0.0	66.2	0
Non-Hodgkin Lymphoma	0.0	0.0	66.2	0
NHL - Nodal	0.0	0.0	66.2	0
NHL - Extranodal	0.0	0.0	66.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	66.2	0
Leukemia	0.0	0.0	66.2	0
Lymphocytic Leukemia	0.0	0.0	66.2	0
Acute Lymphocytic Leukemia	0.0	0.0	66.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.2	0
Other Lymphocytic Leukemia	0.0	0.0	66.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.2	0
Acute Myeloid Leukemia	0.0	0.0	66.2	0
Acute Monocytic Leukemia	0.0	0.0	66.2	0
Chronic Myeloid Leukemia	0.0	0.0	66.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.2	0
Other Leukemia	0.0	0.0	66.2	0
Other Acute Leukemia	0.0	0.0	66.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.2	0
Mesothelioma	0.0	0.0	66.2	0
Kaposi Sarcoma	0.0	0.0	66.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	552.0	385.1	760.3	67
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	48.8	0
Gum and Other Mouth	0.0	0.0	48.8	0
Nasopharynx	0.0	0.0	48.8	0
Tonsil	0.0	0.0	48.8	0
Oropharynx	0.0	0.0	48.8	0
Hypopharynx	0.0	0.0	48.8	0
Other Oral Cavity and Pharynx	0.0	0.0	48.8	0
Digestive System	74.4	32.7	150.5	11
Esophagus	^	^	^	^
Stomach	0.0	0.0	48.8	0
Small Intestine	0.0	0.0	48.8	0
Colon and Rectum	57.1	20.7	130.0	8
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	48.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	48.8	0
Transverse Colon	0.0	0.0	48.8	0
Splenic Flexure	0.0	0.0	48.8	0
Descending Colon	0.0	0.0	48.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	48.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	48.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	48.8	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	48.8	0
Pancreas	0.0	0.0	48.8	0
Retroperitoneum	0.0	0.0	48.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	48.8	0
Other Digestive Organs	0.0	0.0	48.8	0
Respiratory System	60.9	17.3	147.6	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	48.8	0
Larynx	0.0	0.0	48.8	0
Lung and Bronchus	60.9	17.3	147.6	6
Pleura	0.0	0.0	48.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	48.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	48.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	48.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	48.8	0
Other Urinary Organs	0.0	0.0	48.8	0
Eye and Orbit	0.0	0.0	48.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	48.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	48.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	48.8	0
Hodgkin - Nodal	0.0	0.0	48.8	0
Hodgkin - Extranodal	0.0	0.0	48.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	48.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	48.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	48.8	0
Acute Myeloid Leukemia	0.0	0.0	48.8	0
Acute Monocytic Leukemia	0.0	0.0	48.8	0
Chronic Myeloid Leukemia	0.0	0.0	48.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	48.8	0
Other Leukemia	0.0	0.0	48.8	0
Other Acute Leukemia	0.0	0.0	48.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	48.8	0
Mesothelioma	0.0	0.0	48.8	0
Kaposi Sarcoma	0.0	0.0	48.8	0
Miscellaneous	0.0	0.0	48.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	470.2	394.7	554.9	158
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	10.3	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	10.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	10.3	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	10.3	0
Other Oral Cavity and Pharynx	0.0	0.0	10.3	0
Digestive System	198.2	148.9	257.2	62
Esophagus	22.1	7.3	48.0	6
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	122.1	83.4	170.9	35
Colon excluding Rectum	96.9	63.1	140.8	28
Cecum	^	^	^	^
Appendix	0.0	0.0	10.3	0
Ascending Colon	21.1	7.5	45.0	6
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	10.3	0
Descending Colon	0.0	0.0	10.3	0
Sigmoid Colon	49.5	26.8	82.2	15
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	25.2	9.5	51.7	7
Rectosigmoid Junction	0.0	0.0	10.3	0
Rectum	25.2	9.5	51.7	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	10.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.3	0
Other Digestive Organs	0.0	0.0	10.3	0
Respiratory System	80.8	50.2	121.4	24
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	73.3	44.6	111.9	22
Pleura	0.0	0.0	10.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.3	0
Bones and Joints	0.0	0.0	10.3	0
Soft Tissue including Heart	0.0	0.0	10.3	0
Skin excluding Basal and Squamous	0.0	0.0	10.3	0
Melanoma of the Skin	0.0	0.0	10.3	0
Other Non-Epithelial Skin	0.0	0.0	10.3	0
Urinary System	27.5	12.0	52.5	9
Urinary Bladder	20.7	7.3	44.5	6
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	10.3	0
Other Urinary Organs	0.0	0.0	10.3	0
Eye and Orbit	0.0	0.0	10.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	10.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	10.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	10.3	0
Hodgkin - Nodal	0.0	0.0	10.3	0
Hodgkin - Extranodal	0.0	0.0	10.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	10.3	0
Acute Lymphocytic Leukemia	0.0	0.0	10.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	10.3	0
Other Lymphocytic Leukemia	0.0	0.0	10.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	10.3	0
Chronic Myeloid Leukemia	0.0	0.0	10.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.3	0
Other Leukemia	0.0	0.0	10.3	0
Other Acute Leukemia	0.0	0.0	10.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.3	0
Mesothelioma	0.0	0.0	10.3	0
Kaposi Sarcoma	0.0	0.0	10.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	509.1	488.3	530.4	2,798
Oral Cavity and Pharynx	13.0	9.9	16.8	72
Lip	1.9	0.7	3.9	8
Tongue	2.4	1.3	4.1	15
Salivary Gland	1.7	0.7	3.5	8
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.6	0.6	3.2	8
Nasopharynx	1.2	0.5	2.5	8
Tonsil	1.7	0.8	3.2	12
Oropharynx	^	^	^	^
Hypopharynx	1.6	0.6	3.4	7
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	92.5	83.3	102.3	451
Esophagus	6.8	4.6	9.6	38
Stomach	5.4	3.5	8.0	29
Small Intestine	1.2	0.4	2.5	7
Colon and Rectum	53.8	46.8	61.4	257
Colon excluding Rectum	39.9	33.8	46.8	175
Cecum	8.5	5.8	11.9	38
Appendix	^	^	^	^
Ascending Colon	6.8	4.3	10.0	27
Hepatic Flexure	^	^	^	^
Transverse Colon	2.4	1.1	4.5	10
Splenic Flexure	1.6	0.6	3.3	7
Descending Colon	3.3	1.7	5.5	13
Sigmoid Colon	12.3	9.0	16.2	56
Large Intestine, NOS	3.4	1.9	5.6	17
Rectum and Rectosigmoid Junction	13.9	10.8	17.5	82
Rectosigmoid Junction	3.6	2.1	5.7	21
Rectum	10.2	7.6	13.4	61
Anus, Anal Canal and Anorectum	1.5	0.6	3.0	8
Liver and Intrahepatic Bile Duct	7.4	5.0	10.4	39
Liver	7.0	4.7	9.9	37
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	13.8	10.3	17.9	61
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	79.3	70.9	88.2	388
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.7	2.2	5.7	21
Lung and Bronchus	74.8	66.6	83.5	360
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	1.3	0.7	2.4	14
Soft Tissue including Heart	3.4	2.1	5.3	25
Skin excluding Basal and Squamous	14.5	11.4	18.2	96
Melanoma of the Skin	12.8	9.9	16.3	85
Other Non-Epithelial Skin	1.7	0.7	3.2	11
Urinary System	38.7	33.0	44.9	198
Urinary Bladder	24.9	20.3	30.1	121
Kidney and Renal Pelvis	12.7	9.7	16.3	72
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	1.0	0.3	2.2	7
Brain and Other Nervous System	8.0	5.7	11.0	51
Brain	7.8	5.5	10.8	49
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	8.1	6.1	10.6	68
Thyroid	7.6	5.6	9.9	65
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.4	20.2	29.1	152
Hodgkin Lymphoma	2.2	1.3	3.5	21
Hodgkin - Nodal	2.2	1.3	3.5	21
Hodgkin - Extranodal	0.0	0.0	0.7	0
Non-Hodgkin Lymphoma	22.2	18.1	26.8	131
NHL - Nodal	15.1	11.9	18.9	92
NHL - Extranodal	7.1	4.8	10.0	39

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	6.9	4.7	9.8	35
Leukemia	12.0	9.0	15.6	69
Lymphocytic Leukemia	7.6	5.2	10.5	42
Acute Lymphocytic Leukemia	0.9	0.4	1.8	10
Chronic Lymphocytic Leukemia	6.2	4.0	9.0	30
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.8	2.2	6.0	23
Acute Myeloid Leukemia	2.6	1.3	4.6	14
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	1.1	0.4	2.3	7
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	1.5	0.6	3.1	7
Kaposi Sarcoma	0.0	0.0	0.7	0
Miscellaneous	10.9	7.9	14.6	53

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	503.3	414.8	605.2	123
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	17.1	0
Tongue	0.0	0.0	17.1	0
Salivary Gland	0.0	0.0	17.1	0
Floor of Mouth	0.0	0.0	17.1	0
Gum and Other Mouth	0.0	0.0	17.1	0
Nasopharynx	0.0	0.0	17.1	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	17.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	17.1	0
Digestive System	120.8	78.8	177.2	28
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	17.1	0
Colon and Rectum	69.1	37.8	115.3	15
Colon excluding Rectum	51.5	25.1	93.0	11
Cecum	^	^	^	^
Appendix	0.0	0.0	17.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	17.1	0
Splenic Flexure	0.0	0.0	17.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	17.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	17.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	17.1	0
Liver	0.0	0.0	17.1	0
Intrahepatic Bile Duct	0.0	0.0	17.1	0
Gallbladder	0.0	0.0	17.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	17.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	87.8	52.9	136.8	21
Nose, Nasal Cavity and Middle Ear	0.0	0.0	17.1	0
Larynx	^	^	^	^
Lung and Bronchus	77.7	44.9	124.9	18
Pleura	0.0	0.0	17.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	17.1	0
Bones and Joints	0.0	0.0	17.1	0
Soft Tissue including Heart	0.0	0.0	17.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	17.1	0
Urinary System	25.3	8.9	56.4	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	17.1	0
Other Urinary Organs	0.0	0.0	17.1	0
Eye and Orbit	0.0	0.0	17.1	0
Brain and Other Nervous System	0.0	0.0	17.1	0
Brain	0.0	0.0	17.1	0
Cranial Nerves Other Nervous System	0.0	0.0	17.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	17.1	0
Lymphoma	37.3	16.5	72.5	9
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	17.1	0
Non-Hodgkin Lymphoma	33.4	13.9	67.6	8
NHL - Nodal	30.9	12.1	64.7	7
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	17.1	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	17.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	17.1	0
Chronic Myeloid Leukemia	0.0	0.0	17.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.1	0
Other Leukemia	0.0	0.0	17.1	0
Other Acute Leukemia	0.0	0.0	17.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.1	0
Mesothelioma	0.0	0.0	17.1	0
Kaposi Sarcoma	0.0	0.0	17.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	479.9	450.5	510.5	1,190
Oral Cavity and Pharynx	8.8	5.4	13.5	24
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	98.4	84.9	113.4	223
Esophagus	8.4	4.9	13.2	20
Stomach	5.9	3.1	10.2	14
Small Intestine	^	^	^	^
Colon and Rectum	54.3	44.3	65.6	122
Colon excluding Rectum	39.9	31.5	49.7	90
Cecum	11.6	7.4	17.2	28
Appendix	^	^	^	^
Ascending Colon	6.2	3.0	11.0	11
Hepatic Flexure	2.7	0.9	6.1	6
Transverse Colon	2.5	0.9	5.4	7
Splenic Flexure	0.0	0.0	1.5	0
Descending Colon	^	^	^	^
Sigmoid Colon	8.9	5.2	14.0	21
Large Intestine, NOS	4.8	2.2	8.9	11
Rectum and Rectosigmoid Junction	14.4	9.4	20.8	32
Rectosigmoid Junction	3.4	1.4	6.8	9
Rectum	11.0	6.6	16.8	23
Anus, Anal Canal and Anorectum	1.7	0.6	3.9	6
Liver and Intrahepatic Bile Duct	6.3	3.1	10.9	13
Liver	5.6	2.7	10.0	12
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	1.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	3.8	1.4	7.8	7
Pancreas	14.8	9.9	21.1	33
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	72.2	60.5	85.4	152
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.5	1.5	6.9	10
Lung and Bronchus	67.5	56.1	80.3	139
Pleura	0.0	0.0	1.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	2.2	0.8	4.8	7
Skin excluding Basal and Squamous	11.2	7.6	15.8	37
Melanoma of the Skin	10.1	6.8	14.5	34
Other Non-Epithelial Skin	^	^	^	^
Urinary System	31.0	23.7	39.8	72
Urinary Bladder	19.5	13.7	26.9	42
Kidney and Renal Pelvis	11.5	7.4	16.9	30
Ureter	0.0	0.0	1.5	0
Other Urinary Organs	0.0	0.0	1.5	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	9.0	5.8	13.5	27
Brain	8.8	5.6	13.3	26
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	13.9	9.9	19.1	44
Thyroid	13.3	9.4	18.3	42
Other Endocrine including Thymus	^	^	^	^
Lymphoma	23.6	17.3	31.1	58
Hodgkin Lymphoma	2.7	1.1	5.6	8
Hodgkin - Nodal	2.7	1.1	5.6	8
Hodgkin - Extranodal	0.0	0.0	1.5	0
Non-Hodgkin Lymphoma	20.8	14.9	28.1	50
NHL - Nodal	15.2	10.4	21.5	39
NHL - Extranodal	5.6	2.7	10.1	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	7.3	4.0	12.0	17
Leukemia	13.3	8.8	19.0	33
Lymphocytic Leukemia	7.1	4.0	11.4	19
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	4.6	2.2	8.3	12
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.2	3.2	10.6	14
Acute Myeloid Leukemia	4.1	1.8	7.8	9
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	1.5	0
Other Acute Leukemia	0.0	0.0	1.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1.5	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	11.9	7.5	17.9	25

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	476.2	454.6	498.5	2,136
Oral Cavity and Pharynx	9.3	6.7	12.7	47
Lip	^	^	^	^
Tongue	4.3	2.7	6.6	23
Salivary Gland	1.5	0.4	3.4	6
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	1.4	0.5	3.0	7
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	83.8	74.4	93.9	347
Esophagus	5.5	3.5	8.3	25
Stomach	4.6	2.6	7.4	17
Small Intestine	2.2	0.8	4.5	8
Colon and Rectum	43.6	37.1	50.9	183
Colon excluding Rectum	31.4	25.8	37.8	128
Cecum	8.9	6.1	12.4	36
Appendix	^	^	^	^
Ascending Colon	5.9	3.6	9.1	22
Hepatic Flexure	1.3	0.4	2.9	6
Transverse Colon	2.9	1.3	5.4	10
Splenic Flexure	^	^	^	^
Descending Colon	1.9	0.6	4.1	6
Sigmoid Colon	7.2	4.8	10.4	32
Large Intestine, NOS	2.4	1.1	4.4	11
Rectum and Rectosigmoid Junction	12.2	9.1	16.1	55
Rectosigmoid Junction	4.1	2.4	6.5	19
Rectum	8.1	5.6	11.5	36
Anus, Anal Canal and Anorectum	2.2	0.8	4.7	7
Liver and Intrahepatic Bile Duct	4.9	3.0	7.5	25
Liver	4.0	2.3	6.4	21
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	13.9	10.2	18.5	58
Retroperitoneum	0.0	0.0	0.9	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	2.7	1.2	5.1	11
Respiratory System	89.9	80.5	100.0	384
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.5	2.0	5.6	18
Lung and Bronchus	85.3	76.1	95.2	361
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.1	1.6	5.3	14
Skin excluding Basal and Squamous	12.5	9.4	16.2	65
Melanoma of the Skin	11.6	8.6	15.2	60
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.7	30.9	43.2	165
Urinary Bladder	20.6	16.2	25.8	87
Kidney and Renal Pelvis	15.2	11.8	19.3	75
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	1.1	0.4	2.6	6
Brain and Other Nervous System	7.4	5.2	10.3	39
Brain	7.0	4.9	9.8	37
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	9.3	7.0	12.3	54
Thyroid	8.6	6.4	11.5	50
Other Endocrine including Thymus	^	^	^	^
Lymphoma	27.3	22.4	32.9	125
Hodgkin Lymphoma	2.6	1.4	4.5	14
Hodgkin - Nodal	2.6	1.4	4.5	14
Hodgkin - Extranodal	0.0	0.0	0.9	0
Non-Hodgkin Lymphoma	24.7	20.0	30.1	111
NHL - Nodal	17.6	13.7	22.1	80
NHL - Extranodal	7.1	4.6	10.4	31

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	4.0	2.2	6.7	16
Leukemia	16.2	12.1	21.1	65
Lymphocytic Leukemia	6.6	4.2	9.8	28
Acute Lymphocytic Leukemia	1.5	0.4	3.5	6
Chronic Lymphocytic Leukemia	4.9	2.9	7.7	21
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	7.7	5.0	11.2	31
Acute Myeloid Leukemia	4.2	2.3	6.8	17
Acute Monocytic Leukemia	0.0	0.0	0.9	0
Chronic Myeloid Leukemia	3.6	1.8	6.2	14
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.9	0
Other Leukemia	1.9	0.6	4.2	6
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	3.0	1.3	5.7	10
Kaposi Sarcoma	^	^	^	^
Miscellaneous	10.2	7.3	14.0	44

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	526.7	485.8	570.0	673
Oral Cavity and Pharynx	20.3	13.0	30.0	27
Lip	^	^	^	^
Tongue	4.8	1.8	10.2	7
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	2.9	0
Gum and Other Mouth	4.9	1.7	10.8	6
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	2.9	0
Digestive System	107.1	88.3	128.4	124
Esophagus	4.8	1.7	10.6	6
Stomach	6.0	2.1	12.8	6
Small Intestine	^	^	^	^
Colon and Rectum	69.0	54.1	86.4	80
Colon excluding Rectum	47.9	35.5	63.0	54
Cecum	9.2	4.1	17.2	9
Appendix	0.0	0.0	2.9	0
Ascending Colon	8.7	3.8	16.4	9
Hepatic Flexure	^	^	^	^
Transverse Colon	4.6	1.6	10.2	6
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.4	7.6	21.7	17
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	21.0	13.4	31.2	26
Rectosigmoid Junction	^	^	^	^
Rectum	17.8	11.0	27.1	23
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.0	2.9	13.8	8
Liver	5.3	1.8	11.6	6
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	7.6	3.3	14.6	9
Retroperitoneum	0.0	0.0	2.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	77.5	62.0	95.5	93
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.9	0
Larynx	^	^	^	^
Lung and Bronchus	74.0	58.8	91.7	88
Pleura	0.0	0.0	2.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	16.7	10.4	25.3	24
Melanoma of the Skin	14.6	9.0	22.6	22
Other Non-Epithelial Skin	^	^	^	^
Urinary System	47.7	35.9	62.0	60
Urinary Bladder	35.7	25.5	48.4	44
Kidney and Renal Pelvis	10.1	5.3	17.3	14
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	2.9	0
Brain and Other Nervous System	4.6	1.8	9.8	7
Brain	4.6	1.8	9.8	7
Cranial Nerves Other Nervous System	0.0	0.0	2.9	0
Endocrine System	8.2	4.4	14.0	14
Thyroid	8.2	4.4	14.0	14
Other Endocrine including Thymus	0.0	0.0	2.9	0
Lymphoma	22.6	14.9	32.8	29
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	2.9	0
Non-Hodgkin Lymphoma	20.4	13.1	30.2	26
NHL - Nodal	12.0	6.7	19.8	16
NHL - Extranodal	8.4	3.9	15.5	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	17.5	10.8	26.6	23
Lymphocytic Leukemia	5.0	2.1	10.3	8
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	9.0	4.4	16.3	11
Acute Myeloid Leukemia	7.9	3.7	14.8	10
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	2.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	2.9	0
Miscellaneous	19.2	11.5	29.7	20

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	485.8	434.3	541.3	429
Oral Cavity and Pharynx	9.6	4.3	18.4	10
Lip	0.0	0.0	4.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	4.3	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	4.3	0
Hypopharynx	0.0	0.0	4.3	0
Other Oral Cavity and Pharynx	0.0	0.0	4.3	0
Digestive System	106.0	80.9	135.7	76
Esophagus	^	^	^	^
Stomach	16.9	7.1	32.1	9
Small Intestine	^	^	^	^
Colon and Rectum	60.7	42.3	83.4	45
Colon excluding Rectum	36.6	22.5	55.3	25
Cecum	13.3	5.2	26.2	9
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	4.3	0
Descending Colon	0.0	0.0	4.3	0
Sigmoid Colon	8.8	3.0	19.0	6
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	24.1	13.5	38.9	20
Rectosigmoid Junction	^	^	^	^
Rectum	21.0	10.9	35.6	16
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.3	0
Gallbladder	0.0	0.0	4.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	13.1	5.9	24.6	10
Retroperitoneum	0.0	0.0	4.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	79.2	58.6	104.0	62
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	72.4	52.5	96.5	55
Pleura	0.0	0.0	4.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	12.0	6.5	20.7	17
Melanoma of the Skin	8.7	4.7	15.5	14
Other Non-Epithelial Skin	^	^	^	^
Urinary System	33.2	21.1	49.2	30
Urinary Bladder	21.2	11.9	34.3	19
Kidney and Renal Pelvis	12.0	5.1	23.1	11
Ureter	0.0	0.0	4.3	0
Other Urinary Organs	0.0	0.0	4.3	0
Eye and Orbit	0.0	0.0	4.3	0
Brain and Other Nervous System	7.3	2.7	15.7	7
Brain	7.3	2.7	15.7	7
Cranial Nerves Other Nervous System	0.0	0.0	4.3	0
Endocrine System	10.2	4.2	20.1	11
Thyroid	9.6	3.8	19.5	10
Other Endocrine including Thymus	^	^	^	^
Lymphoma	19.9	11.6	31.7	21
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.3	0
Non-Hodgkin Lymphoma	17.3	9.4	28.9	17
NHL - Nodal	7.4	3.2	14.8	9
NHL - Extranodal	9.9	3.9	20.2	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	12.5	5.2	24.3	12
Lymphocytic Leukemia	5.1	1.8	11.8	7
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	4.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.3	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	4.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	4.3	0
Kaposi Sarcoma	0.0	0.0	4.3	0
Miscellaneous	12.5	4.6	25.5	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	445.8	324.5	594.9	54
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.4	0
Tongue	0.0	0.0	32.4	0
Salivary Gland	0.0	0.0	32.4	0
Floor of Mouth	0.0	0.0	32.4	0
Gum and Other Mouth	0.0	0.0	32.4	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	32.4	0
Oropharynx	0.0	0.0	32.4	0
Hypopharynx	0.0	0.0	32.4	0
Other Oral Cavity and Pharynx	0.0	0.0	32.4	0
Digestive System	106.8	52.1	190.9	12
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	32.4	0
Colon and Rectum	49.6	16.5	111.9	6
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	32.4	0
Appendix	0.0	0.0	32.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	32.4	0
Transverse Colon	0.0	0.0	32.4	0
Splenic Flexure	0.0	0.0	32.4	0
Descending Colon	0.0	0.0	32.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	32.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	32.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	32.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	32.4	0
Gallbladder	0.0	0.0	32.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	32.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	32.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.4	0
Other Digestive Organs	0.0	0.0	32.4	0
Respiratory System	110.4	53.4	197.5	12
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.4	0
Larynx	^	^	^	^
Lung and Bronchus	99.6	46.1	183.4	11
Pleura	0.0	0.0	32.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.4	0
Bones and Joints	0.0	0.0	32.4	0
Soft Tissue including Heart	0.0	0.0	32.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	32.4	0
Other Urinary Organs	0.0	0.0	32.4	0
Eye and Orbit	0.0	0.0	32.4	0
Brain and Other Nervous System	0.0	0.0	32.4	0
Brain	0.0	0.0	32.4	0
Cranial Nerves Other Nervous System	0.0	0.0	32.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	32.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.4	0
Hodgkin - Nodal	0.0	0.0	32.4	0
Hodgkin - Extranodal	0.0	0.0	32.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	32.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	32.4	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	32.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.4	0
Chronic Myeloid Leukemia	0.0	0.0	32.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.4	0
Other Leukemia	0.0	0.0	32.4	0
Other Acute Leukemia	0.0	0.0	32.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.4	0
Mesothelioma	0.0	0.0	32.4	0
Kaposi Sarcoma	0.0	0.0	32.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	503.1	481.2	525.6	2,467
Oral Cavity and Pharynx	8.6	6.2	11.5	52
Lip	^	^	^	^
Tongue	2.0	0.9	3.8	11
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	1.3	0.5	2.7	8
Nasopharynx	^	^	^	^
Tonsil	2.0	1.1	3.5	15
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	92.6	83.0	102.9	420
Esophagus	7.5	4.8	10.9	34
Stomach	3.5	2.1	5.6	20
Small Intestine	1.8	0.8	3.6	9
Colon and Rectum	56.3	48.8	64.5	247
Colon excluding Rectum	41.3	34.8	48.6	174
Cecum	11.6	8.1	15.9	44
Appendix	^	^	^	^
Ascending Colon	7.8	5.1	11.4	31
Hepatic Flexure	1.5	0.6	3.1	8
Transverse Colon	3.0	1.5	5.2	13
Splenic Flexure	^	^	^	^
Descending Colon	3.0	1.5	5.2	13
Sigmoid Colon	8.3	5.9	11.5	41
Large Intestine, NOS	4.6	2.4	7.8	16
Rectum and Rectosigmoid Junction	15.0	11.5	19.1	73
Rectosigmoid Junction	2.9	1.5	5.1	13
Rectum	12.0	9.0	15.7	60
Anus, Anal Canal and Anorectum	1.1	0.4	2.5	7
Liver and Intrahepatic Bile Duct	6.3	4.1	9.2	33
Liver	5.7	3.6	8.4	30
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	1.7	0.5	3.8	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	3.2	1.6	5.5	14
Pancreas	7.9	5.3	11.2	36
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	2.0	0.8	4.0	7
Respiratory System	79.9	71.1	89.4	359
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.1	1.8	5.2	17
Lung and Bronchus	75.8	67.2	85.1	339
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	1.7	0.8	3.3	11
Soft Tissue including Heart	2.7	1.6	4.4	18
Skin excluding Basal and Squamous	15.4	12.0	19.3	89
Melanoma of the Skin	13.6	10.5	17.2	81
Other Non-Epithelial Skin	1.8	0.7	3.7	8
Urinary System	47.3	40.6	54.7	216
Urinary Bladder	29.7	24.3	35.8	127
Kidney and Renal Pelvis	16.1	12.5	20.3	83
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.6	3.8	7.9	35
Brain	5.4	3.7	7.7	34
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	9.7	7.3	12.7	65
Thyroid	8.9	6.6	11.7	60
Other Endocrine including Thymus	^	^	^	^
Lymphoma	22.8	18.5	27.8	122
Hodgkin Lymphoma	2.6	1.4	4.4	16
Hodgkin - Nodal	2.6	1.4	4.4	16
Hodgkin - Extranodal	0.0	0.0	0.8	0
Non-Hodgkin Lymphoma	20.2	16.1	25.0	106
NHL - Nodal	15.3	11.7	19.5	80
NHL - Extranodal	4.9	3.1	7.5	26

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	5.8	3.7	8.5	29
Leukemia	16.7	12.7	21.5	79
Lymphocytic Leukemia	9.2	6.4	12.7	47
Acute Lymphocytic Leukemia	2.5	1.5	4.1	19
Chronic Lymphocytic Leukemia	5.9	3.5	9.2	23
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.3	3.8	9.6	26
Acute Myeloid Leukemia	3.4	1.7	5.9	14
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.5	1.0	4.9	10
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	1.2	0.3	3.0	6
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	12.2	8.8	16.2	54

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	455.6	401.8	514.2	291
Oral Cavity and Pharynx	17.6	8.6	31.5	12
Lip	0.0	0.0	5.2	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	5.2	0
Gum and Other Mouth	0.0	0.0	5.2	0
Nasopharynx	12.8	5.4	25.0	9
Tonsil	0.0	0.0	5.2	0
Oropharynx	0.0	0.0	5.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	5.2	0
Digestive System	176.8	143.5	215.0	109
Esophagus	11.0	3.8	23.6	6
Stomach	26.3	14.8	42.7	17
Small Intestine	^	^	^	^
Colon and Rectum	105.6	80.3	135.7	65
Colon excluding Rectum	85.3	62.6	113.0	51
Cecum	12.7	4.8	25.9	7
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	33.8	20.4	52.1	21
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	20.3	10.6	34.7	14
Rectosigmoid Junction	^	^	^	^
Rectum	11.6	5.0	22.8	9
Anus, Anal Canal and Anorectum	0.0	0.0	5.2	0
Liver and Intrahepatic Bile Duct	8.7	3.2	18.9	7
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	5.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.2	0
Other Digestive Organs	^	^	^	^
Respiratory System	110.9	83.9	142.9	61
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.2	0
Larynx	^	^	^	^
Lung and Bronchus	105.8	79.5	137.2	58
Pleura	0.0	0.0	5.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.2	0
Bones and Joints	0.0	0.0	5.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	5.2	0
Urinary System	28.8	16.3	46.3	17
Urinary Bladder	14.0	5.7	27.7	8
Kidney and Renal Pelvis	12.5	5.2	24.6	8
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	5.2	0
Eye and Orbit	0.0	0.0	5.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	5.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	5.2	0
Lymphoma	18.1	9.2	31.6	13
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	5.2	0
Non-Hodgkin Lymphoma	17.1	8.4	30.4	12
NHL - Nodal	12.8	5.2	25.5	8
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	7.4	2.6	16.5	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	5.2	0
Other Lymphocytic Leukemia	0.0	0.0	5.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	5.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	5.2	0
Kaposi Sarcoma	0.0	0.0	5.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	487.6	413.9	569.5	204
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.2	0
Tongue	0.0	0.0	9.2	0
Salivary Gland	0.0	0.0	9.2	0
Floor of Mouth	0.0	0.0	9.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	9.2	0
Oropharynx	0.0	0.0	9.2	0
Hypopharynx	0.0	0.0	9.2	0
Other Oral Cavity and Pharynx	0.0	0.0	9.2	0
Digestive System	187.8	140.6	243.9	68
Esophagus	^	^	^	^
Stomach	30.8	14.6	55.6	13
Small Intestine	0.0	0.0	9.2	0
Colon and Rectum	110.2	74.9	154.6	39
Colon excluding Rectum	81.1	50.6	121.1	26
Cecum	^	^	^	^
Appendix	0.0	0.0	9.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	9.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	26.6	10.6	52.4	8
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	29.1	13.8	52.8	13
Rectosigmoid Junction	^	^	^	^
Rectum	26.0	11.4	49.3	11
Anus, Anal Canal and Anorectum	0.0	0.0	9.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	20.2	7.0	42.9	7
Retroperitoneum	0.0	0.0	9.2	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	108.6	75.4	150.2	42
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.2	0
Larynx	^	^	^	^
Lung and Bronchus	106.8	73.8	148.3	41
Pleura	0.0	0.0	9.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.2	0
Bones and Joints	0.0	0.0	9.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	35.2	16.8	63.1	13
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	24.8	10.5	48.1	10
Ureter	0.0	0.0	9.2	0
Other Urinary Organs	0.0	0.0	9.2	0
Eye and Orbit	0.0	0.0	9.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.2	0
Endocrine System	7.9	2.8	19.5	6
Thyroid	7.9	2.8	19.5	6
Other Endocrine including Thymus	0.0	0.0	9.2	0
Lymphoma	11.1	3.1	27.6	6
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	9.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	9.2	0
Acute Lymphocytic Leukemia	0.0	0.0	9.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	9.2	0
Other Lymphocytic Leukemia	0.0	0.0	9.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.2	0
Chronic Myeloid Leukemia	0.0	0.0	9.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	9.2	0
Mesothelioma	0.0	0.0	9.2	0
Kaposi Sarcoma	0.0	0.0	9.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	418.3	354.7	489.2	180
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	8.3	0
Floor of Mouth	0.0	0.0	8.3	0
Gum and Other Mouth	0.0	0.0	8.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	8.3	0
Oropharynx	0.0	0.0	8.3	0
Hypopharynx	0.0	0.0	8.3	0
Other Oral Cavity and Pharynx	0.0	0.0	8.3	0
Digestive System	164.4	125.6	210.5	70
Esophagus	0.0	0.0	8.3	0
Stomach	36.2	20.1	59.5	18
Small Intestine	^	^	^	^
Colon and Rectum	95.9	66.6	132.8	38
Colon excluding Rectum	78.5	51.8	112.9	30
Cecum	15.2	5.0	33.7	6
Appendix	0.0	0.0	8.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	19.6	7.6	39.6	7
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	15.4	5.4	33.2	6
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	17.4	7.2	34.9	8
Rectosigmoid Junction	^	^	^	^
Rectum	13.1	4.5	29.3	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.3	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	69.5	44.8	101.7	27
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	65.3	41.4	96.9	25
Pleura	0.0	0.0	8.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.3	0
Bones and Joints	0.0	0.0	8.3	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	8.3	0
Melanoma of the Skin	0.0	0.0	8.3	0
Other Non-Epithelial Skin	0.0	0.0	8.3	0
Urinary System	36.9	20.4	60.6	16
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	25.4	12.2	45.9	11
Ureter	0.0	0.0	8.3	0
Other Urinary Organs	0.0	0.0	8.3	0
Eye and Orbit	0.0	0.0	8.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	8.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	8.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	8.3	0
Other Lymphocytic Leukemia	0.0	0.0	8.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.3	0
Chronic Myeloid Leukemia	0.0	0.0	8.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.3	0
Other Leukemia	0.0	0.0	8.3	0
Other Acute Leukemia	0.0	0.0	8.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	8.3	0
Mesothelioma	0.0	0.0	8.3	0
Kaposi Sarcoma	0.0	0.0	8.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	469.0	396.3	550.1	210
Oral Cavity and Pharynx	12.0	4.6	26.7	7
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	9.6	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	9.6	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	9.6	0
Other Oral Cavity and Pharynx	0.0	0.0	9.6	0
Digestive System	131.5	92.9	179.3	51
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	93.5	60.3	136.4	34
Colon excluding Rectum	59.8	34.7	94.2	23
Cecum	18.7	5.3	43.4	6
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	9.6	0
Splenic Flexure	0.0	0.0	9.6	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	33.7	14.6	63.5	11
Rectosigmoid Junction	^	^	^	^
Rectum	22.8	7.4	49.7	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.6	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	9.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.6	0
Other Digestive Organs	0.0	0.0	9.6	0
Respiratory System	85.3	54.5	125.4	35
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	73.9	45.5	111.6	31
Pleura	0.0	0.0	9.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.6	0
Bones and Joints	0.0	0.0	9.6	0
Soft Tissue including Heart	0.0	0.0	9.6	0
Skin excluding Basal and Squamous	16.6	4.6	38.9	8
Melanoma of the Skin	16.6	4.6	38.9	8
Other Non-Epithelial Skin	0.0	0.0	9.6	0
Urinary System	44.0	23.0	74.3	19
Urinary Bladder	21.3	7.0	46.3	9
Kidney and Renal Pelvis	18.4	6.8	38.8	8
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	9.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	9.6	0
Lymphoma	22.9	8.8	46.5	11
Hodgkin Lymphoma	0.0	0.0	9.6	0
Hodgkin - Nodal	0.0	0.0	9.6	0
Hodgkin - Extranodal	0.0	0.0	9.6	0
Non-Hodgkin Lymphoma	22.9	8.8	46.5	11
NHL - Nodal	10.6	3.9	24.3	7
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	9.6	0
Acute Lymphocytic Leukemia	0.0	0.0	9.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	9.6	0
Other Lymphocytic Leukemia	0.0	0.0	9.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.6	0
Chronic Myeloid Leukemia	0.0	0.0	9.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.6	0
Other Leukemia	0.0	0.0	9.6	0
Other Acute Leukemia	0.0	0.0	9.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.6	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	9.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	421.4	375.9	470.6	342
Oral Cavity and Pharynx	18.0	9.3	31.0	13
Lip	0.0	0.0	4.4	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	4.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	4.4	0
Oropharynx	0.0	0.0	4.4	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	4.4	0
Digestive System	91.2	70.4	115.9	71
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	56.0	40.6	75.1	47
Colon excluding Rectum	41.1	28.2	57.7	35
Cecum	9.7	4.0	19.3	8
Appendix	0.0	0.0	4.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	14.5	7.6	25.2	13
Large Intestine, NOS	0.0	0.0	4.4	0
Rectum and Rectosigmoid Junction	14.9	7.3	26.5	12
Rectosigmoid Junction	^	^	^	^
Rectum	12.0	5.2	23.0	9
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.4	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	4.4	0
Pancreas	16.7	8.2	29.7	11
Retroperitoneum	0.0	0.0	4.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.4	0
Other Digestive Organs	0.0	0.0	4.4	0
Respiratory System	61.3	44.6	81.9	48
Nose, Nasal Cavity and Middle Ear	0.0	0.0	4.4	0
Larynx	^	^	^	^
Lung and Bronchus	58.1	41.8	78.3	45
Pleura	0.0	0.0	4.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	13.8	6.6	25.2	11
Melanoma of the Skin	8.5	3.6	17.2	8
Other Non-Epithelial Skin	^	^	^	^
Urinary System	32.2	20.0	48.5	24
Urinary Bladder	12.2	5.0	24.0	8
Kidney and Renal Pelvis	20.0	11.1	32.9	16
Ureter	0.0	0.0	4.4	0
Other Urinary Organs	0.0	0.0	4.4	0
Eye and Orbit	0.0	0.0	4.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	4.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	4.4	0
Lymphoma	24.4	15.0	37.6	22
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.4	0
Non-Hodgkin Lymphoma	19.6	11.1	32.0	17
NHL - Nodal	11.2	5.5	20.4	11
NHL - Extranodal	8.5	2.9	18.5	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	19.3	10.2	32.8	14
Lymphocytic Leukemia	12.9	5.4	25.1	8
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	11.9	4.6	23.9	7
Other Lymphocytic Leukemia	0.0	0.0	4.4	0
Myeloid and Monocytic Leukemia	6.4	2.3	14.3	6
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	4.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.4	0
Other Leukemia	0.0	0.0	4.4	0
Other Acute Leukemia	0.0	0.0	4.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.4	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	6.7	2.2	15.3	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	363.5	295.3	442.3	118
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	13.0	0
Tongue	0.0	0.0	13.0	0
Salivary Gland	0.0	0.0	13.0	0
Floor of Mouth	0.0	0.0	13.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	13.0	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	13.0	0
Other Oral Cavity and Pharynx	0.0	0.0	13.0	0
Digestive System	65.1	37.4	104.4	19
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	13.0	0
Colon and Rectum	36.1	15.6	69.4	9
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	13.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	13.0	0
Transverse Colon	0.0	0.0	13.0	0
Splenic Flexure	0.0	0.0	13.0	0
Descending Colon	0.0	0.0	13.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	13.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	13.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	13.0	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	13.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	13.0	0
Other Digestive Organs	0.0	0.0	13.0	0
Respiratory System	34.6	16.2	64.2	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.0	0
Larynx	^	^	^	^
Lung and Bronchus	32.6	14.6	62.0	10
Pleura	0.0	0.0	13.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	13.0	0
Bones and Joints	0.0	0.0	13.0	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	13.0	0
Urinary System	29.4	11.8	59.3	8
Urinary Bladder	27.0	10.1	56.4	7
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	13.0	0
Other Urinary Organs	0.0	0.0	13.0	0
Eye and Orbit	0.0	0.0	13.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	13.0	0
Endocrine System	15.2	5.2	35.7	6
Thyroid	15.2	5.2	35.7	6
Other Endocrine including Thymus	0.0	0.0	13.0	0
Lymphoma	23.8	7.8	53.0	6
Hodgkin Lymphoma	0.0	0.0	13.0	0
Hodgkin - Nodal	0.0	0.0	13.0	0
Hodgkin - Extranodal	0.0	0.0	13.0	0
Non-Hodgkin Lymphoma	23.8	7.8	53.0	6
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	13.0	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	13.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	13.0	0
Chronic Myeloid Leukemia	0.0	0.0	13.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.0	0
Other Leukemia	0.0	0.0	13.0	0
Other Acute Leukemia	0.0	0.0	13.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	13.0	0
Mesothelioma	0.0	0.0	13.0	0
Kaposi Sarcoma	0.0	0.0	13.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	589.0	510.1	675.6	263
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	8.5	0
Floor of Mouth	0.0	0.0	8.5	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	8.5	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	8.5	0
Hypopharynx	0.0	0.0	8.5	0
Other Oral Cavity and Pharynx	0.0	0.0	8.5	0
Digestive System	99.3	65.1	142.7	36
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	8.5	0
Colon and Rectum	62.3	36.3	97.7	22
Colon excluding Rectum	43.5	22.2	74.3	15
Cecum	^	^	^	^
Appendix	0.0	0.0	8.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	8.5	0
Transverse Colon	0.0	0.0	8.5	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	18.8	6.5	40.3	7
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	8.5	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	8.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	8.5	0
Pancreas	16.7	4.8	38.5	6
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	8.5	0
Other Digestive Organs	0.0	0.0	8.5	0
Respiratory System	80.1	52.8	115.3	35
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.5	0
Larynx	^	^	^	^
Lung and Bronchus	76.3	49.6	111.0	33
Pleura	0.0	0.0	8.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	8.5	0
Skin excluding Basal and Squamous	9.7	3.5	22.4	6
Melanoma of the Skin	9.7	3.5	22.4	6
Other Non-Epithelial Skin	0.0	0.0	8.5	0
Urinary System	66.8	41.3	100.6	26
Urinary Bladder	32.0	15.4	57.1	12
Kidney and Renal Pelvis	34.8	17.3	60.8	14
Ureter	0.0	0.0	8.5	0
Other Urinary Organs	0.0	0.0	8.5	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	8.5	0
Lymphoma	34.8	18.1	59.4	17
Hodgkin Lymphoma	0.0	0.0	8.5	0
Hodgkin - Nodal	0.0	0.0	8.5	0
Hodgkin - Extranodal	0.0	0.0	8.5	0
Non-Hodgkin Lymphoma	34.8	18.1	59.4	17
NHL - Nodal	14.6	4.5	33.2	7
NHL - Extranodal	20.3	8.5	39.8	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	16.5	6.1	34.9	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	8.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.5	0
Chronic Myeloid Leukemia	0.0	0.0	8.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	8.5	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	8.5	0
Miscellaneous	19.2	8.3	37.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	493.1	439.4	551.2	391
Oral Cavity and Pharynx	17.1	8.0	31.0	13
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	4.9	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	4.9	0
Digestive System	103.9	78.8	133.7	74
Esophagus	8.4	3.3	17.8	8
Stomach	8.3	2.5	19.2	6
Small Intestine	^	^	^	^
Colon and Rectum	61.0	42.1	84.6	42
Colon excluding Rectum	49.2	32.5	70.6	34
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	16.6	8.0	29.8	13
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	11.8	4.4	24.3	8
Rectosigmoid Junction	^	^	^	^
Rectum	10.1	3.2	22.4	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.9	0
Gallbladder	0.0	0.0	4.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	12.6	4.8	25.9	8
Retroperitoneum	0.0	0.0	4.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.9	0
Other Digestive Organs	0.0	0.0	4.9	0
Respiratory System	96.6	72.8	125.0	68
Nose, Nasal Cavity and Middle Ear	0.0	0.0	4.9	0
Larynx	^	^	^	^
Lung and Bronchus	89.9	66.9	117.6	63
Pleura	0.0	0.0	4.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.9	0
Bones and Joints	0.0	0.0	4.9	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	9.9	3.9	20.2	8
Melanoma of the Skin	8.7	3.2	18.7	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	31.9	19.3	48.9	25
Urinary Bladder	24.1	13.0	40.1	16
Kidney and Renal Pelvis	7.8	3.2	16.2	9
Ureter	0.0	0.0	4.9	0
Other Urinary Organs	0.0	0.0	4.9	0
Eye and Orbit	0.0	0.0	4.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	4.9	0
Endocrine System	11.7	5.7	21.5	12
Thyroid	11.0	5.2	20.8	11
Other Endocrine including Thymus	^	^	^	^
Lymphoma	25.4	15.3	39.6	23
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.9	0
Non-Hodgkin Lymphoma	24.7	14.7	38.8	22
NHL - Nodal	16.4	8.6	28.2	15
NHL - Extranodal	8.3	2.9	18.2	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	4.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	4.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.9	0
Other Leukemia	0.0	0.0	4.9	0
Other Acute Leukemia	0.0	0.0	4.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	4.9	0
Miscellaneous	11.5	4.5	23.3	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	440.9	370.0	520.2	160
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.1	0
Tongue	0.0	0.0	9.1	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	9.1	0
Gum and Other Mouth	0.0	0.0	9.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	9.1	0
Oropharynx	0.0	0.0	9.1	0
Hypopharynx	0.0	0.0	9.1	0
Other Oral Cavity and Pharynx	0.0	0.0	9.1	0
Digestive System	190.7	144.9	244.9	66
Esophagus	0.0	0.0	9.1	0
Stomach	28.3	12.7	52.7	10
Small Intestine	0.0	0.0	9.1	0
Colon and Rectum	98.3	67.3	137.6	36
Colon excluding Rectum	82.4	54.3	118.7	30
Cecum	^	^	^	^
Appendix	0.0	0.0	9.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	18.6	6.6	39.7	6
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	19.2	7.7	38.7	8
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	15.9	5.2	35.4	6
Rectosigmoid Junction	0.0	0.0	9.1	0
Rectum	15.9	5.2	35.4	6
Anus, Anal Canal and Anorectum	0.0	0.0	9.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.1	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	26.1	11.0	50.4	8
Retroperitoneum	0.0	0.0	9.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	100.3	68.1	141.2	34
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.1	0
Larynx	0.0	0.0	9.1	0
Lung and Bronchus	100.3	68.1	141.2	34
Pleura	0.0	0.0	9.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	9.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	9.1	0
Urinary System	30.5	14.1	55.7	10
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	9.1	0
Eye and Orbit	0.0	0.0	9.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.1	0
Hodgkin - Nodal	0.0	0.0	9.1	0
Hodgkin - Extranodal	0.0	0.0	9.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	9.1	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	9.1	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.1	0
Other Leukemia	0.0	0.0	9.1	0
Other Acute Leukemia	0.0	0.0	9.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.1	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	9.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	435.5	386.0	489.5	293
Oral Cavity and Pharynx	8.0	2.9	18.1	6
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	5.7	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	5.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	5.7	0
Oropharynx	0.0	0.0	5.7	0
Hypopharynx	0.0	0.0	5.7	0
Other Oral Cavity and Pharynx	0.0	0.0	5.7	0
Digestive System	86.2	65.2	111.9	59
Esophagus	9.4	3.4	20.6	6
Stomach	^	^	^	^
Small Intestine	0.0	0.0	5.7	0
Colon and Rectum	46.5	31.3	66.5	31
Colon excluding Rectum	31.3	18.9	48.7	20
Cecum	10.9	4.0	23.2	6
Appendix	0.0	0.0	5.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	5.7	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	15.2	7.5	27.7	11
Rectosigmoid Junction	^	^	^	^
Rectum	8.1	2.9	18.2	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	9.8	4.2	20.0	8
Liver	6.8	2.5	15.7	6
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	5.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.7	0
Other Digestive Organs	0.0	0.0	5.7	0
Respiratory System	86.8	65.1	113.4	55
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	77.8	57.4	103.0	50
Pleura	0.0	0.0	5.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.7	0
Bones and Joints	0.0	0.0	5.7	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	5.7	0
Urinary System	31.4	19.2	48.4	21
Urinary Bladder	17.0	8.3	30.6	11
Kidney and Renal Pelvis	13.4	6.0	25.6	9
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	5.7	0
Eye and Orbit	0.0	0.0	5.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	5.7	0
Endocrine System	8.4	3.0	18.7	6
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	18.0	9.1	31.9	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	5.7	0
Non-Hodgkin Lymphoma	16.9	8.2	30.5	11
NHL - Nodal	^	^	^	^
NHL - Extranodal	11.5	4.5	23.8	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	5.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.7	0
Chronic Myeloid Leukemia	0.0	0.0	5.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.7	0
Other Leukemia	0.0	0.0	5.7	0
Other Acute Leukemia	0.0	0.0	5.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.7	0
Mesothelioma	0.0	0.0	5.7	0
Kaposi Sarcoma	0.0	0.0	5.7	0
Miscellaneous	10.9	4.3	22.6	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	596.2	376.7	887.8	35
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	83.2	0
Tongue	0.0	0.0	83.2	0
Salivary Gland	0.0	0.0	83.2	0
Floor of Mouth	0.0	0.0	83.2	0
Gum and Other Mouth	0.0	0.0	83.2	0
Nasopharynx	0.0	0.0	83.2	0
Tonsil	0.0	0.0	83.2	0
Oropharynx	0.0	0.0	83.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	83.2	0
Digestive System	126.6	51.1	265.8	8
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	83.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	83.2	0
Ascending Colon	0.0	0.0	83.2	0
Hepatic Flexure	0.0	0.0	83.2	0
Transverse Colon	0.0	0.0	83.2	0
Splenic Flexure	0.0	0.0	83.2	0
Descending Colon	0.0	0.0	83.2	0
Sigmoid Colon	0.0	0.0	83.2	0
Large Intestine, NOS	0.0	0.0	83.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	83.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	83.2	0
Liver	0.0	0.0	83.2	0
Intrahepatic Bile Duct	0.0	0.0	83.2	0
Gallbladder	0.0	0.0	83.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	83.2	0
Pancreas	0.0	0.0	83.2	0
Retroperitoneum	0.0	0.0	83.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	83.2	0
Other Digestive Organs	0.0	0.0	83.2	0
Respiratory System	142.3	46.7	316.9	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	83.2	0
Larynx	0.0	0.0	83.2	0
Lung and Bronchus	142.3	46.7	316.9	7
Pleura	0.0	0.0	83.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	83.2	0
Bones and Joints	0.0	0.0	83.2	0
Soft Tissue including Heart	0.0	0.0	83.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	83.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	83.2	0
Other Urinary Organs	0.0	0.0	83.2	0
Eye and Orbit	0.0	0.0	83.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	83.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	83.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	83.2	0
Hodgkin - Nodal	0.0	0.0	83.2	0
Hodgkin - Extranodal	0.0	0.0	83.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	83.2	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	83.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	83.2	0
Other Lymphocytic Leukemia	0.0	0.0	83.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	83.2	0
Acute Monocytic Leukemia	0.0	0.0	83.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	83.2	0
Other Leukemia	0.0	0.0	83.2	0
Other Acute Leukemia	0.0	0.0	83.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	83.2	0
Mesothelioma	0.0	0.0	83.2	0
Kaposi Sarcoma	0.0	0.0	83.2	0
Miscellaneous	0.0	0.0	83.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	473.9	413.6	540.1	249
Oral Cavity and Pharynx	21.1	10.9	36.9	13
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	6.7	0
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	6.7	0
Digestive System	161.0	126.9	200.9	86
Esophagus	9.6	3.4	21.6	6
Stomach	16.4	7.6	30.9	10
Small Intestine	^	^	^	^
Colon and Rectum	107.8	79.6	142.1	55
Colon excluding Rectum	83.7	58.5	115.2	40
Cecum	14.3	5.0	30.5	6
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	17.7	6.9	35.7	7
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	27.4	14.6	46.2	15
Large Intestine, NOS	0.0	0.0	6.7	0
Rectum and Rectosigmoid Junction	24.1	13.0	40.8	15
Rectosigmoid Junction	^	^	^	^
Rectum	21.2	10.8	37.3	13
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	6.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	16.6	7.2	32.1	9
Retroperitoneum	0.0	0.0	6.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.7	0
Other Digestive Organs	0.0	0.0	6.7	0
Respiratory System	75.3	51.4	105.6	35
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.7	0
Larynx	^	^	^	^
Lung and Bronchus	72.6	49.1	102.7	33
Pleura	0.0	0.0	6.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.7	0
Bones and Joints	0.0	0.0	6.7	0
Soft Tissue including Heart	0.0	0.0	6.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	6.7	0
Urinary System	30.3	16.9	49.6	17
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	23.0	11.7	40.3	13
Ureter	0.0	0.0	6.7	0
Other Urinary Organs	0.0	0.0	6.7	0
Eye and Orbit	0.0	0.0	6.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	6.7	0
Lymphoma	18.8	8.4	35.6	10
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.7	0
Non-Hodgkin Lymphoma	14.5	5.3	30.5	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

Total/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	6.7	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	6.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.7	0
Other Leukemia	0.0	0.0	6.7	0
Other Acute Leukemia	0.0	0.0	6.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.7	0
Mesothelioma	0.0	0.0	6.7	0
Kaposi Sarcoma	0.0	0.0	6.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	624.3	0
Lip	0.0	0.0	624.3	0
Tongue	0.0	0.0	624.3	0
Salivary Gland	0.0	0.0	624.3	0
Floor of Mouth	0.0	0.0	624.3	0
Gum and Other Mouth	0.0	0.0	624.3	0
Nasopharynx	0.0	0.0	624.3	0
Tonsil	0.0	0.0	624.3	0
Oropharynx	0.0	0.0	624.3	0
Hypopharynx	0.0	0.0	624.3	0
Other Oral Cavity and Pharynx	0.0	0.0	624.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	624.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	624.3	0
Colon and Rectum	0.0	0.0	624.3	0
Colon excluding Rectum	0.0	0.0	624.3	0
Cecum	0.0	0.0	624.3	0
Appendix	0.0	0.0	624.3	0
Ascending Colon	0.0	0.0	624.3	0
Hepatic Flexure	0.0	0.0	624.3	0
Transverse Colon	0.0	0.0	624.3	0
Splenic Flexure	0.0	0.0	624.3	0
Descending Colon	0.0	0.0	624.3	0
Sigmoid Colon	0.0	0.0	624.3	0
Large Intestine, NOS	0.0	0.0	624.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	624.3	0
Rectosigmoid Junction	0.0	0.0	624.3	0
Rectum	0.0	0.0	624.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	624.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	624.3	0
Liver	0.0	0.0	624.3	0
Intrahepatic Bile Duct	0.0	0.0	624.3	0
Gallbladder	0.0	0.0	624.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	624.3	0
Pancreas	0.0	0.0	624.3	0
Retroperitoneum	0.0	0.0	624.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	624.3	0
Other Digestive Organs	0.0	0.0	624.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	624.3	0
Larynx	0.0	0.0	624.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	624.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	624.3	0
Bones and Joints	0.0	0.0	624.3	0
Soft Tissue including Heart	0.0	0.0	624.3	0
Skin excluding Basal and Squamous	0.0	0.0	624.3	0
Melanoma of the Skin	0.0	0.0	624.3	0
Other Non-Epithelial Skin	0.0	0.0	624.3	0
Urinary System	0.0	0.0	624.3	0
Urinary Bladder	0.0	0.0	624.3	0
Kidney and Renal Pelvis	0.0	0.0	624.3	0
Ureter	0.0	0.0	624.3	0
Other Urinary Organs	0.0	0.0	624.3	0
Eye and Orbit	0.0	0.0	624.3	0
Brain and Other Nervous System	0.0	0.0	624.3	0
Brain	0.0	0.0	624.3	0
Cranial Nerves Other Nervous System	0.0	0.0	624.3	0
Endocrine System	0.0	0.0	624.3	0
Thyroid	0.0	0.0	624.3	0
Other Endocrine including Thymus	0.0	0.0	624.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	624.3	0
Hodgkin - Nodal	0.0	0.0	624.3	0
Hodgkin - Extranodal	0.0	0.0	624.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	624.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	624.3	0
Leukemia	0.0	0.0	624.3	0
Lymphocytic Leukemia	0.0	0.0	624.3	0
Acute Lymphocytic Leukemia	0.0	0.0	624.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	624.3	0
Other Lymphocytic Leukemia	0.0	0.0	624.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	624.3	0
Acute Myeloid Leukemia	0.0	0.0	624.3	0
Acute Monocytic Leukemia	0.0	0.0	624.3	0
Chronic Myeloid Leukemia	0.0	0.0	624.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	624.3	0
Other Leukemia	0.0	0.0	624.3	0
Other Acute Leukemia	0.0	0.0	624.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	624.3	0
Mesothelioma	0.0	0.0	624.3	0
Kaposi Sarcoma	0.0	0.0	624.3	0
Miscellaneous	0.0	0.0	624.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	690.5	159.6	1,829.1	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	707.1	0
Tongue	0.0	0.0	707.1	0
Salivary Gland	0.0	0.0	707.1	0
Floor of Mouth	0.0	0.0	707.1	0
Gum and Other Mouth	0.0	0.0	707.1	0
Nasopharynx	0.0	0.0	707.1	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	707.1	0
Hypopharynx	0.0	0.0	707.1	0
Other Oral Cavity and Pharynx	0.0	0.0	707.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	707.1	0
Stomach	0.0	0.0	707.1	0
Small Intestine	0.0	0.0	707.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	707.1	0
Appendix	0.0	0.0	707.1	0
Ascending Colon	0.0	0.0	707.1	0
Hepatic Flexure	0.0	0.0	707.1	0
Transverse Colon	0.0	0.0	707.1	0
Splenic Flexure	0.0	0.0	707.1	0
Descending Colon	0.0	0.0	707.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	707.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	707.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	707.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	707.1	0
Liver	0.0	0.0	707.1	0
Intrahepatic Bile Duct	0.0	0.0	707.1	0
Gallbladder	0.0	0.0	707.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	707.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	707.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	707.1	0
Other Digestive Organs	0.0	0.0	707.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	707.1	0
Larynx	0.0	0.0	707.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	707.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	707.1	0
Bones and Joints	0.0	0.0	707.1	0
Soft Tissue including Heart	0.0	0.0	707.1	0
Skin excluding Basal and Squamous	0.0	0.0	707.1	0
Melanoma of the Skin	0.0	0.0	707.1	0
Other Non-Epithelial Skin	0.0	0.0	707.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	707.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	707.1	0
Other Urinary Organs	0.0	0.0	707.1	0
Eye and Orbit	0.0	0.0	707.1	0
Brain and Other Nervous System	0.0	0.0	707.1	0
Brain	0.0	0.0	707.1	0
Cranial Nerves Other Nervous System	0.0	0.0	707.1	0
Endocrine System	0.0	0.0	707.1	0
Thyroid	0.0	0.0	707.1	0
Other Endocrine including Thymus	0.0	0.0	707.1	0
Lymphoma	0.0	0.0	707.1	0
Hodgkin Lymphoma	0.0	0.0	707.1	0
Hodgkin - Nodal	0.0	0.0	707.1	0
Hodgkin - Extranodal	0.0	0.0	707.1	0
Non-Hodgkin Lymphoma	0.0	0.0	707.1	0
NHL - Nodal	0.0	0.0	707.1	0
NHL - Extranodal	0.0	0.0	707.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	707.1	0
Leukemia	0.0	0.0	707.1	0
Lymphocytic Leukemia	0.0	0.0	707.1	0
Acute Lymphocytic Leukemia	0.0	0.0	707.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	707.1	0
Other Lymphocytic Leukemia	0.0	0.0	707.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	707.1	0
Acute Myeloid Leukemia	0.0	0.0	707.1	0
Acute Monocytic Leukemia	0.0	0.0	707.1	0
Chronic Myeloid Leukemia	0.0	0.0	707.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	707.1	0
Other Leukemia	0.0	0.0	707.1	0
Other Acute Leukemia	0.0	0.0	707.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	707.1	0
Mesothelioma	0.0	0.0	707.1	0
Kaposi Sarcoma	0.0	0.0	707.1	0
Miscellaneous	0.0	0.0	707.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	484.9	443.4	529.0	666
Oral Cavity and Pharynx	13.9	7.9	22.4	20
Lip	0.0	0.0	2.9	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	2.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	2.9	0
Digestive System	94.5	75.0	117.0	107
Esophagus	^	^	^	^
Stomach	12.6	6.2	22.1	14
Small Intestine	4.6	1.1	11.4	6
Colon and Rectum	51.4	37.5	68.2	57
Colon excluding Rectum	36.5	24.7	51.2	39
Cecum	^	^	^	^
Appendix	0.0	0.0	2.9	0
Ascending Colon	6.7	2.1	14.7	6
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.4	6.9	22.7	15
Large Intestine, NOS	5.5	1.7	12.5	6
Rectum and Rectosigmoid Junction	14.9	8.2	24.4	18
Rectosigmoid Junction	5.4	1.9	11.8	7
Rectum	9.5	4.3	17.5	11
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.9	2.7	14.0	8
Liver	5.9	1.9	12.8	6
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	2.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	2.9	0
Pancreas	13.5	6.5	24.0	14
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	2.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	91.1	73.8	111.0	119
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.9	0
Larynx	8.7	3.9	16.3	11
Lung and Bronchus	81.9	65.6	100.7	107
Pleura	0.0	0.0	2.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	5.1	2.2	10.3	11
Skin excluding Basal and Squamous	11.3	6.3	18.6	20
Melanoma of the Skin	11.0	6.0	18.2	19
Other Non-Epithelial Skin	^	^	^	^
Urinary System	33.6	22.7	47.3	39
Urinary Bladder	18.5	10.7	29.2	21
Kidney and Renal Pelvis	14.4	7.6	24.0	17
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	2.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	2.9	1.3	6.6	8
Brain	2.9	1.3	6.6	8
Cranial Nerves Other Nervous System	0.0	0.0	2.9	0
Endocrine System	9.2	5.2	15.2	19
Thyroid	9.2	5.2	15.2	19
Other Endocrine including Thymus	0.0	0.0	2.9	0
Lymphoma	26.9	18.5	37.7	45
Hodgkin Lymphoma	4.6	2.2	9.0	12
Hodgkin - Nodal	4.2	1.9	8.5	11
Hodgkin - Extranodal	^	^	^	^
Non-Hodgkin Lymphoma	22.4	14.5	32.7	33
NHL - Nodal	18.4	11.4	27.8	27
NHL - Extranodal	4.0	1.1	9.6	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	8.1	3.5	15.3	10
Leukemia	14.9	8.2	24.3	19
Lymphocytic Leukemia	6.0	2.6	11.7	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	4.6	1.6	10.2	7
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	8.2	3.1	16.6	7
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	2.9	0
Miscellaneous	7.1	2.4	15.2	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	220.4	118.6	366.3	17
Oral Cavity and Pharynx	0.0	0.0	45.8	0
Lip	0.0	0.0	45.8	0
Tongue	0.0	0.0	45.8	0
Salivary Gland	0.0	0.0	45.8	0
Floor of Mouth	0.0	0.0	45.8	0
Gum and Other Mouth	0.0	0.0	45.8	0
Nasopharynx	0.0	0.0	45.8	0
Tonsil	0.0	0.0	45.8	0
Oropharynx	0.0	0.0	45.8	0
Hypopharynx	0.0	0.0	45.8	0
Other Oral Cavity and Pharynx	0.0	0.0	45.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	45.8	0
Small Intestine	0.0	0.0	45.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	45.8	0
Appendix	0.0	0.0	45.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	45.8	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	45.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	45.8	0
Large Intestine, NOS	0.0	0.0	45.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	45.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	45.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	45.8	0
Liver	0.0	0.0	45.8	0
Intrahepatic Bile Duct	0.0	0.0	45.8	0
Gallbladder	0.0	0.0	45.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	45.8	0
Pancreas	0.0	0.0	45.8	0
Retroperitoneum	0.0	0.0	45.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.8	0
Other Digestive Organs	0.0	0.0	45.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	45.8	0
Lung and Bronchus	0.0	0.0	45.8	0
Pleura	0.0	0.0	45.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	45.8	0
Skin excluding Basal and Squamous	0.0	0.0	45.8	0
Melanoma of the Skin	0.0	0.0	45.8	0
Other Non-Epithelial Skin	0.0	0.0	45.8	0
Urinary System	0.0	0.0	45.8	0
Urinary Bladder	0.0	0.0	45.8	0
Kidney and Renal Pelvis	0.0	0.0	45.8	0
Ureter	0.0	0.0	45.8	0
Other Urinary Organs	0.0	0.0	45.8	0
Eye and Orbit	0.0	0.0	45.8	0
Brain and Other Nervous System	0.0	0.0	45.8	0
Brain	0.0	0.0	45.8	0
Cranial Nerves Other Nervous System	0.0	0.0	45.8	0
Endocrine System	0.0	0.0	45.8	0
Thyroid	0.0	0.0	45.8	0
Other Endocrine including Thymus	0.0	0.0	45.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	45.8	0
Hodgkin - Nodal	0.0	0.0	45.8	0
Hodgkin - Extranodal	0.0	0.0	45.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	45.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	45.8	0
Lymphocytic Leukemia	0.0	0.0	45.8	0
Acute Lymphocytic Leukemia	0.0	0.0	45.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	45.8	0
Other Lymphocytic Leukemia	0.0	0.0	45.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	45.8	0
Acute Myeloid Leukemia	0.0	0.0	45.8	0
Acute Monocytic Leukemia	0.0	0.0	45.8	0
Chronic Myeloid Leukemia	0.0	0.0	45.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.8	0
Other Leukemia	0.0	0.0	45.8	0
Other Acute Leukemia	0.0	0.0	45.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.8	0
Mesothelioma	0.0	0.0	45.8	0
Kaposi Sarcoma	0.0	0.0	45.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,077.2	0
Lip	0.0	0.0	1,077.2	0
Tongue	0.0	0.0	1,077.2	0
Salivary Gland	0.0	0.0	1,077.2	0
Floor of Mouth	0.0	0.0	1,077.2	0
Gum and Other Mouth	0.0	0.0	1,077.2	0
Nasopharynx	0.0	0.0	1,077.2	0
Tonsil	0.0	0.0	1,077.2	0
Oropharynx	0.0	0.0	1,077.2	0
Hypopharynx	0.0	0.0	1,077.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,077.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,077.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	1,077.2	0
Colon and Rectum	0.0	0.0	1,077.2	0
Colon excluding Rectum	0.0	0.0	1,077.2	0
Cecum	0.0	0.0	1,077.2	0
Appendix	0.0	0.0	1,077.2	0
Ascending Colon	0.0	0.0	1,077.2	0
Hepatic Flexure	0.0	0.0	1,077.2	0
Transverse Colon	0.0	0.0	1,077.2	0
Splenic Flexure	0.0	0.0	1,077.2	0
Descending Colon	0.0	0.0	1,077.2	0
Sigmoid Colon	0.0	0.0	1,077.2	0
Large Intestine, NOS	0.0	0.0	1,077.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,077.2	0
Rectosigmoid Junction	0.0	0.0	1,077.2	0
Rectum	0.0	0.0	1,077.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,077.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,077.2	0
Liver	0.0	0.0	1,077.2	0
Intrahepatic Bile Duct	0.0	0.0	1,077.2	0
Gallbladder	0.0	0.0	1,077.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	1,077.2	0
Pancreas	0.0	0.0	1,077.2	0
Retroperitoneum	0.0	0.0	1,077.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,077.2	0
Other Digestive Organs	0.0	0.0	1,077.2	0
Respiratory System	0.0	0.0	1,077.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,077.2	0
Larynx	0.0	0.0	1,077.2	0
Lung and Bronchus	0.0	0.0	1,077.2	0
Pleura	0.0	0.0	1,077.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,077.2	0
Bones and Joints	0.0	0.0	1,077.2	0
Soft Tissue including Heart	0.0	0.0	1,077.2	0
Skin excluding Basal and Squamous	0.0	0.0	1,077.2	0
Melanoma of the Skin	0.0	0.0	1,077.2	0
Other Non-Epithelial Skin	0.0	0.0	1,077.2	0
Urinary System	0.0	0.0	1,077.2	0
Urinary Bladder	0.0	0.0	1,077.2	0
Kidney and Renal Pelvis	0.0	0.0	1,077.2	0
Ureter	0.0	0.0	1,077.2	0
Other Urinary Organs	0.0	0.0	1,077.2	0
Eye and Orbit	0.0	0.0	1,077.2	0
Brain and Other Nervous System	0.0	0.0	1,077.2	0
Brain	0.0	0.0	1,077.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,077.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,077.2	0
Lymphoma	0.0	0.0	1,077.2	0
Hodgkin Lymphoma	0.0	0.0	1,077.2	0
Hodgkin - Nodal	0.0	0.0	1,077.2	0
Hodgkin - Extranodal	0.0	0.0	1,077.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,077.2	0
NHL - Nodal	0.0	0.0	1,077.2	0
NHL - Extranodal	0.0	0.0	1,077.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	1,077.2	0
Leukemia	0.0	0.0	1,077.2	0
Lymphocytic Leukemia	0.0	0.0	1,077.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,077.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,077.2	0
Other Lymphocytic Leukemia	0.0	0.0	1,077.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,077.2	0
Acute Myeloid Leukemia	0.0	0.0	1,077.2	0
Acute Monocytic Leukemia	0.0	0.0	1,077.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,077.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,077.2	0
Other Leukemia	0.0	0.0	1,077.2	0
Other Acute Leukemia	0.0	0.0	1,077.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,077.2	0
Mesothelioma	0.0	0.0	1,077.2	0
Kaposi Sarcoma	0.0	0.0	1,077.2	0
Miscellaneous	0.0	0.0	1,077.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	632.0	130.7	1,658.9	6
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	469.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	469.7	0
Floor of Mouth	0.0	0.0	469.7	0
Gum and Other Mouth	0.0	0.0	469.7	0
Nasopharynx	0.0	0.0	469.7	0
Tonsil	0.0	0.0	469.7	0
Oropharynx	0.0	0.0	469.7	0
Hypopharynx	0.0	0.0	469.7	0
Other Oral Cavity and Pharynx	0.0	0.0	469.7	0
Digestive System	0.0	0.0	469.7	0
Esophagus	0.0	0.0	469.7	0
Stomach	0.0	0.0	469.7	0
Small Intestine	0.0	0.0	469.7	0
Colon and Rectum	0.0	0.0	469.7	0
Colon excluding Rectum	0.0	0.0	469.7	0
Cecum	0.0	0.0	469.7	0
Appendix	0.0	0.0	469.7	0
Ascending Colon	0.0	0.0	469.7	0
Hepatic Flexure	0.0	0.0	469.7	0
Transverse Colon	0.0	0.0	469.7	0
Splenic Flexure	0.0	0.0	469.7	0
Descending Colon	0.0	0.0	469.7	0
Sigmoid Colon	0.0	0.0	469.7	0
Large Intestine, NOS	0.0	0.0	469.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	469.7	0
Rectosigmoid Junction	0.0	0.0	469.7	0
Rectum	0.0	0.0	469.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	469.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	469.7	0
Liver	0.0	0.0	469.7	0
Intrahepatic Bile Duct	0.0	0.0	469.7	0
Gallbladder	0.0	0.0	469.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	469.7	0
Pancreas	0.0	0.0	469.7	0
Retroperitoneum	0.0	0.0	469.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	469.7	0
Other Digestive Organs	0.0	0.0	469.7	0
Respiratory System	0.0	0.0	469.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	469.7	0
Larynx	0.0	0.0	469.7	0
Lung and Bronchus	0.0	0.0	469.7	0
Pleura	0.0	0.0	469.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	469.7	0
Bones and Joints	0.0	0.0	469.7	0
Soft Tissue including Heart	0.0	0.0	469.7	0
Skin excluding Basal and Squamous	0.0	0.0	469.7	0
Melanoma of the Skin	0.0	0.0	469.7	0
Other Non-Epithelial Skin	0.0	0.0	469.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	469.7	0
Other Urinary Organs	0.0	0.0	469.7	0
Eye and Orbit	0.0	0.0	469.7	0
Brain and Other Nervous System	0.0	0.0	469.7	0
Brain	0.0	0.0	469.7	0
Cranial Nerves Other Nervous System	0.0	0.0	469.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	469.7	0
Lymphoma	0.0	0.0	469.7	0
Hodgkin Lymphoma	0.0	0.0	469.7	0
Hodgkin - Nodal	0.0	0.0	469.7	0
Hodgkin - Extranodal	0.0	0.0	469.7	0
Non-Hodgkin Lymphoma	0.0	0.0	469.7	0
NHL - Nodal	0.0	0.0	469.7	0
NHL - Extranodal	0.0	0.0	469.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	469.7	0
Leukemia	0.0	0.0	469.7	0
Lymphocytic Leukemia	0.0	0.0	469.7	0
Acute Lymphocytic Leukemia	0.0	0.0	469.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	469.7	0
Other Lymphocytic Leukemia	0.0	0.0	469.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	469.7	0
Acute Myeloid Leukemia	0.0	0.0	469.7	0
Acute Monocytic Leukemia	0.0	0.0	469.7	0
Chronic Myeloid Leukemia	0.0	0.0	469.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	469.7	0
Other Leukemia	0.0	0.0	469.7	0
Other Acute Leukemia	0.0	0.0	469.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	469.7	0
Mesothelioma	0.0	0.0	469.7	0
Kaposi Sarcoma	0.0	0.0	469.7	0
Miscellaneous	0.0	0.0	469.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	589.0	286.1	1,040.3	12
Oral Cavity and Pharynx	0.0	0.0	141.4	0
Lip	0.0	0.0	141.4	0
Tongue	0.0	0.0	141.4	0
Salivary Gland	0.0	0.0	141.4	0
Floor of Mouth	0.0	0.0	141.4	0
Gum and Other Mouth	0.0	0.0	141.4	0
Nasopharynx	0.0	0.0	141.4	0
Tonsil	0.0	0.0	141.4	0
Oropharynx	0.0	0.0	141.4	0
Hypopharynx	0.0	0.0	141.4	0
Other Oral Cavity and Pharynx	0.0	0.0	141.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	141.4	0
Stomach	0.0	0.0	141.4	0
Small Intestine	0.0	0.0	141.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	141.4	0
Appendix	0.0	0.0	141.4	0
Ascending Colon	0.0	0.0	141.4	0
Hepatic Flexure	0.0	0.0	141.4	0
Transverse Colon	0.0	0.0	141.4	0
Splenic Flexure	0.0	0.0	141.4	0
Descending Colon	0.0	0.0	141.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	141.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	141.4	0
Rectosigmoid Junction	0.0	0.0	141.4	0
Rectum	0.0	0.0	141.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	141.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	141.4	0
Liver	0.0	0.0	141.4	0
Intrahepatic Bile Duct	0.0	0.0	141.4	0
Gallbladder	0.0	0.0	141.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	141.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	141.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	141.4	0
Other Digestive Organs	0.0	0.0	141.4	0
Respiratory System	294.4	97.0	643.1	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	141.4	0
Larynx	0.0	0.0	141.4	0
Lung and Bronchus	294.4	97.0	643.1	6
Pleura	0.0	0.0	141.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	141.4	0
Bones and Joints	0.0	0.0	141.4	0
Soft Tissue including Heart	0.0	0.0	141.4	0
Skin excluding Basal and Squamous	0.0	0.0	141.4	0
Melanoma of the Skin	0.0	0.0	141.4	0
Other Non-Epithelial Skin	0.0	0.0	141.4	0
Urinary System	0.0	0.0	141.4	0
Urinary Bladder	0.0	0.0	141.4	0
Kidney and Renal Pelvis	0.0	0.0	141.4	0
Ureter	0.0	0.0	141.4	0
Other Urinary Organs	0.0	0.0	141.4	0
Eye and Orbit	0.0	0.0	141.4	0
Brain and Other Nervous System	0.0	0.0	141.4	0
Brain	0.0	0.0	141.4	0
Cranial Nerves Other Nervous System	0.0	0.0	141.4	0
Endocrine System	0.0	0.0	141.4	0
Thyroid	0.0	0.0	141.4	0
Other Endocrine including Thymus	0.0	0.0	141.4	0
Lymphoma	0.0	0.0	141.4	0
Hodgkin Lymphoma	0.0	0.0	141.4	0
Hodgkin - Nodal	0.0	0.0	141.4	0
Hodgkin - Extranodal	0.0	0.0	141.4	0
Non-Hodgkin Lymphoma	0.0	0.0	141.4	0
NHL - Nodal	0.0	0.0	141.4	0
NHL - Extranodal	0.0	0.0	141.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	141.4	0
Leukemia	0.0	0.0	141.4	0
Lymphocytic Leukemia	0.0	0.0	141.4	0
Acute Lymphocytic Leukemia	0.0	0.0	141.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	141.4	0
Other Lymphocytic Leukemia	0.0	0.0	141.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	141.4	0
Acute Myeloid Leukemia	0.0	0.0	141.4	0
Acute Monocytic Leukemia	0.0	0.0	141.4	0
Chronic Myeloid Leukemia	0.0	0.0	141.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	141.4	0
Other Leukemia	0.0	0.0	141.4	0
Other Acute Leukemia	0.0	0.0	141.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	141.4	0
Mesothelioma	0.0	0.0	141.4	0
Kaposi Sarcoma	0.0	0.0	141.4	0
Miscellaneous	0.0	0.0	141.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	492.0	416.7	575.7	201
Oral Cavity and Pharynx	28.3	12.7	53.0	10
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	9.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	9.7	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	9.7	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	9.7	0
Digestive System	110.8	73.4	158.0	36
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	9.7	0
Colon and Rectum	65.1	38.7	100.9	23
Colon excluding Rectum	53.7	29.1	88.1	17
Cecum	^	^	^	^
Appendix	0.0	0.0	9.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	9.7	0
Transverse Colon	0.0	0.0	9.7	0
Splenic Flexure	0.0	0.0	9.7	0
Descending Colon	^	^	^	^
Sigmoid Colon	18.9	6.1	41.8	6
Large Intestine, NOS	17.9	5.7	40.1	6
Rectum and Rectosigmoid Junction	11.5	3.9	26.6	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.7	0
Gallbladder	0.0	0.0	9.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	9.7	0
Pancreas	^	^	^	^
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	9.7	0
Other Digestive Organs	0.0	0.0	9.7	0
Respiratory System	76.5	48.9	112.6	28
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.7	0
Larynx	^	^	^	^
Lung and Bronchus	63.0	38.0	96.8	23
Pleura	0.0	0.0	9.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	9.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	9.7	0
Urinary System	45.3	26.0	72.5	19
Urinary Bladder	25.5	12.4	46.3	12
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.7	0
Endocrine System	11.9	2.1	33.1	6
Thyroid	11.9	2.1	33.1	6
Other Endocrine including Thymus	0.0	0.0	9.7	0
Lymphoma	26.0	11.6	49.0	13
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	9.7	0
Non-Hodgkin Lymphoma	20.0	7.0	42.5	8
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	9.7	0
Other Lymphocytic Leukemia	0.0	0.0	9.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.7	0
Chronic Myeloid Leukemia	0.0	0.0	9.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.7	0
Other Leukemia	0.0	0.0	9.7	0
Other Acute Leukemia	0.0	0.0	9.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.7	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	9.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	415.3	174.0	834.3	8
Oral Cavity and Pharynx	0.0	0.0	208.9	0
Lip	0.0	0.0	208.9	0
Tongue	0.0	0.0	208.9	0
Salivary Gland	0.0	0.0	208.9	0
Floor of Mouth	0.0	0.0	208.9	0
Gum and Other Mouth	0.0	0.0	208.9	0
Nasopharynx	0.0	0.0	208.9	0
Tonsil	0.0	0.0	208.9	0
Oropharynx	0.0	0.0	208.9	0
Hypopharynx	0.0	0.0	208.9	0
Other Oral Cavity and Pharynx	0.0	0.0	208.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	208.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	208.9	0
Colon and Rectum	0.0	0.0	208.9	0
Colon excluding Rectum	0.0	0.0	208.9	0
Cecum	0.0	0.0	208.9	0
Appendix	0.0	0.0	208.9	0
Ascending Colon	0.0	0.0	208.9	0
Hepatic Flexure	0.0	0.0	208.9	0
Transverse Colon	0.0	0.0	208.9	0
Splenic Flexure	0.0	0.0	208.9	0
Descending Colon	0.0	0.0	208.9	0
Sigmoid Colon	0.0	0.0	208.9	0
Large Intestine, NOS	0.0	0.0	208.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	208.9	0
Rectosigmoid Junction	0.0	0.0	208.9	0
Rectum	0.0	0.0	208.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	208.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	208.9	0
Liver	0.0	0.0	208.9	0
Intrahepatic Bile Duct	0.0	0.0	208.9	0
Gallbladder	0.0	0.0	208.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	208.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	208.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	208.9	0
Other Digestive Organs	0.0	0.0	208.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	208.9	0
Larynx	0.0	0.0	208.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	208.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	208.9	0
Bones and Joints	0.0	0.0	208.9	0
Soft Tissue including Heart	0.0	0.0	208.9	0
Skin excluding Basal and Squamous	0.0	0.0	208.9	0
Melanoma of the Skin	0.0	0.0	208.9	0
Other Non-Epithelial Skin	0.0	0.0	208.9	0
Urinary System	0.0	0.0	208.9	0
Urinary Bladder	0.0	0.0	208.9	0
Kidney and Renal Pelvis	0.0	0.0	208.9	0
Ureter	0.0	0.0	208.9	0
Other Urinary Organs	0.0	0.0	208.9	0
Eye and Orbit	0.0	0.0	208.9	0
Brain and Other Nervous System	0.0	0.0	208.9	0
Brain	0.0	0.0	208.9	0
Cranial Nerves Other Nervous System	0.0	0.0	208.9	0
Endocrine System	0.0	0.0	208.9	0
Thyroid	0.0	0.0	208.9	0
Other Endocrine including Thymus	0.0	0.0	208.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	208.9	0
Hodgkin - Nodal	0.0	0.0	208.9	0
Hodgkin - Extranodal	0.0	0.0	208.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	208.9	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	208.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	208.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	208.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	208.9	0
Acute Myeloid Leukemia	0.0	0.0	208.9	0
Acute Monocytic Leukemia	0.0	0.0	208.9	0
Chronic Myeloid Leukemia	0.0	0.0	208.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	208.9	0
Other Leukemia	0.0	0.0	208.9	0
Other Acute Leukemia	0.0	0.0	208.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	208.9	0
Mesothelioma	0.0	0.0	208.9	0
Kaposi Sarcoma	0.0	0.0	208.9	0
Miscellaneous	0.0	0.0	208.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	506.2	400.8	628.9	99
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	19.2	0
Tongue	0.0	0.0	19.2	0
Salivary Gland	0.0	0.0	19.2	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	19.2	0
Tonsil	0.0	0.0	19.2	0
Oropharynx	0.0	0.0	19.2	0
Hypopharynx	0.0	0.0	19.2	0
Other Oral Cavity and Pharynx	0.0	0.0	19.2	0
Digestive System	55.2	23.3	106.5	9
Esophagus	0.0	0.0	19.2	0
Stomach	0.0	0.0	19.2	0
Small Intestine	0.0	0.0	19.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	19.2	0
Ascending Colon	0.0	0.0	19.2	0
Hepatic Flexure	0.0	0.0	19.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	19.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	19.2	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	19.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	19.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	19.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	19.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	19.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	19.2	0
Other Digestive Organs	0.0	0.0	19.2	0
Respiratory System	79.5	40.0	138.1	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	19.2	0
Larynx	^	^	^	^
Lung and Bronchus	75.3	36.7	133.2	12
Pleura	0.0	0.0	19.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	19.2	0
Bones and Joints	0.0	0.0	19.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	19.2	0
Urinary System	53.2	20.1	107.7	7
Urinary Bladder	46.5	15.9	99.2	6
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	19.2	0
Other Urinary Organs	0.0	0.0	19.2	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	19.2	0
Endocrine System	29.8	9.3	68.6	6
Thyroid	29.8	9.3	68.6	6
Other Endocrine including Thymus	0.0	0.0	19.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	19.2	0
Non-Hodgkin Lymphoma	0.0	0.0	19.2	0
NHL - Nodal	0.0	0.0	19.2	0
NHL - Extranodal	0.0	0.0	19.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	19.2	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	19.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	19.2	0
Other Leukemia	0.0	0.0	19.2	0
Other Acute Leukemia	0.0	0.0	19.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	19.2	0
Mesothelioma	0.0	0.0	19.2	0
Kaposi Sarcoma	0.0	0.0	19.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	521.1	434.2	619.1	162
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	13.2	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	13.2	0
Floor of Mouth	0.0	0.0	13.2	0
Gum and Other Mouth	0.0	0.0	13.2	0
Nasopharynx	0.0	0.0	13.2	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	13.2	0
Hypopharynx	0.0	0.0	13.2	0
Other Oral Cavity and Pharynx	0.0	0.0	13.2	0
Digestive System	37.4	19.8	64.9	14
Esophagus	^	^	^	^
Stomach	0.0	0.0	13.2	0
Small Intestine	0.0	0.0	13.2	0
Colon and Rectum	25.4	11.0	50.2	9
Colon excluding Rectum	21.5	8.2	45.7	7
Cecum	^	^	^	^
Appendix	0.0	0.0	13.2	0
Ascending Colon	0.0	0.0	13.2	0
Hepatic Flexure	0.0	0.0	13.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	13.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	13.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	13.2	0
Liver	0.0	0.0	13.2	0
Intrahepatic Bile Duct	0.0	0.0	13.2	0
Gallbladder	0.0	0.0	13.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	13.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	13.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	13.2	0
Other Digestive Organs	0.0	0.0	13.2	0
Respiratory System	130.6	87.6	185.6	37
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.2	0
Larynx	^	^	^	^
Lung and Bronchus	122.8	80.8	177.0	34
Pleura	0.0	0.0	13.2	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	22.5	7.7	49.3	7
Melanoma of the Skin	22.5	7.7	49.3	7
Other Non-Epithelial Skin	0.0	0.0	13.2	0
Urinary System	22.9	8.7	48.4	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	13.2	0
Other Urinary Organs	0.0	0.0	13.2	0
Eye and Orbit	0.0	0.0	13.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	13.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	26.8	8.1	60.2	7
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	13.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	32.6	13.5	64.1	9
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	13.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	13.2	0
Acute Monocytic Leukemia	0.0	0.0	13.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	426.6	307.4	574.6	49
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	33.1	0
Tongue	0.0	0.0	33.1	0
Salivary Gland	0.0	0.0	33.1	0
Floor of Mouth	0.0	0.0	33.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	33.1	0
Tonsil	0.0	0.0	33.1	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	33.1	0
Other Oral Cavity and Pharynx	0.0	0.0	33.1	0
Digestive System	79.7	35.9	152.1	10
Esophagus	0.0	0.0	33.1	0
Stomach	0.0	0.0	33.1	0
Small Intestine	0.0	0.0	33.1	0
Colon and Rectum	62.3	24.7	128.8	8
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	33.1	0
Ascending Colon	0.0	0.0	33.1	0
Hepatic Flexure	0.0	0.0	33.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	33.1	0
Descending Colon	0.0	0.0	33.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	33.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	33.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	33.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	33.1	0
Liver	0.0	0.0	33.1	0
Intrahepatic Bile Duct	0.0	0.0	33.1	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	33.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	33.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	33.1	0
Other Digestive Organs	0.0	0.0	33.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	33.1	0
Larynx	0.0	0.0	33.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	33.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	33.1	0
Bones and Joints	0.0	0.0	33.1	0
Soft Tissue including Heart	0.0	0.0	33.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	33.1	0
Urinary System	66.9	24.8	140.8	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	33.1	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	33.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	33.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	33.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	33.1	0
Hodgkin - Nodal	0.0	0.0	33.1	0
Hodgkin - Extranodal	0.0	0.0	33.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	33.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	33.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	33.1	0
Acute Lymphocytic Leukemia	0.0	0.0	33.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	33.1	0
Other Lymphocytic Leukemia	0.0	0.0	33.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	33.1	0
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	33.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	33.1	0
Other Leukemia	0.0	0.0	33.1	0
Other Acute Leukemia	0.0	0.0	33.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	33.1	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	33.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	780.5	522.9	1,104.3	46
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	64.6	0
Tongue	0.0	0.0	64.6	0
Salivary Gland	0.0	0.0	64.6	0
Floor of Mouth	0.0	0.0	64.6	0
Gum and Other Mouth	0.0	0.0	64.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	64.6	0
Oropharynx	0.0	0.0	64.6	0
Hypopharynx	0.0	0.0	64.6	0
Other Oral Cavity and Pharynx	0.0	0.0	64.6	0
Digestive System	198.4	75.8	396.2	10
Esophagus	0.0	0.0	64.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	64.6	0
Colon and Rectum	133.0	34.7	313.6	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	64.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	64.6	0
Transverse Colon	0.0	0.0	64.6	0
Splenic Flexure	0.0	0.0	64.6	0
Descending Colon	0.0	0.0	64.6	0
Sigmoid Colon	0.0	0.0	64.6	0
Large Intestine, NOS	0.0	0.0	64.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	64.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	64.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	64.6	0
Gallbladder	0.0	0.0	64.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	64.6	0
Retroperitoneum	0.0	0.0	64.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.6	0
Other Digestive Organs	0.0	0.0	64.6	0
Respiratory System	100.6	26.7	242.2	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.6	0
Larynx	0.0	0.0	64.6	0
Lung and Bronchus	100.6	26.7	242.2	7
Pleura	0.0	0.0	64.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.6	0
Bones and Joints	0.0	0.0	64.6	0
Soft Tissue including Heart	0.0	0.0	64.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	64.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	64.6	0
Ureter	0.0	0.0	64.6	0
Other Urinary Organs	0.0	0.0	64.6	0
Eye and Orbit	0.0	0.0	64.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	64.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	64.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	64.6	0
Non-Hodgkin Lymphoma	0.0	0.0	64.6	0
NHL - Nodal	0.0	0.0	64.6	0
NHL - Extranodal	0.0	0.0	64.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	64.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	64.6	0
Other Lymphocytic Leukemia	0.0	0.0	64.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.6	0
Acute Myeloid Leukemia	0.0	0.0	64.6	0
Acute Monocytic Leukemia	0.0	0.0	64.6	0
Chronic Myeloid Leukemia	0.0	0.0	64.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.6	0
Other Leukemia	0.0	0.0	64.6	0
Other Acute Leukemia	0.0	0.0	64.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.6	0
Mesothelioma	0.0	0.0	64.6	0
Kaposi Sarcoma	0.0	0.0	64.6	0
Miscellaneous	0.0	0.0	64.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	384.4	0
Lip	0.0	0.0	384.4	0
Tongue	0.0	0.0	384.4	0
Salivary Gland	0.0	0.0	384.4	0
Floor of Mouth	0.0	0.0	384.4	0
Gum and Other Mouth	0.0	0.0	384.4	0
Nasopharynx	0.0	0.0	384.4	0
Tonsil	0.0	0.0	384.4	0
Oropharynx	0.0	0.0	384.4	0
Hypopharynx	0.0	0.0	384.4	0
Other Oral Cavity and Pharynx	0.0	0.0	384.4	0
Digestive System	0.0	0.0	384.4	0
Esophagus	0.0	0.0	384.4	0
Stomach	0.0	0.0	384.4	0
Small Intestine	0.0	0.0	384.4	0
Colon and Rectum	0.0	0.0	384.4	0
Colon excluding Rectum	0.0	0.0	384.4	0
Cecum	0.0	0.0	384.4	0
Appendix	0.0	0.0	384.4	0
Ascending Colon	0.0	0.0	384.4	0
Hepatic Flexure	0.0	0.0	384.4	0
Transverse Colon	0.0	0.0	384.4	0
Splenic Flexure	0.0	0.0	384.4	0
Descending Colon	0.0	0.0	384.4	0
Sigmoid Colon	0.0	0.0	384.4	0
Large Intestine, NOS	0.0	0.0	384.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	384.4	0
Rectosigmoid Junction	0.0	0.0	384.4	0
Rectum	0.0	0.0	384.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	384.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	384.4	0
Liver	0.0	0.0	384.4	0
Intrahepatic Bile Duct	0.0	0.0	384.4	0
Gallbladder	0.0	0.0	384.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	384.4	0
Pancreas	0.0	0.0	384.4	0
Retroperitoneum	0.0	0.0	384.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	384.4	0
Other Digestive Organs	0.0	0.0	384.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	384.4	0
Larynx	0.0	0.0	384.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	384.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	384.4	0
Bones and Joints	0.0	0.0	384.4	0
Soft Tissue including Heart	0.0	0.0	384.4	0
Skin excluding Basal and Squamous	0.0	0.0	384.4	0
Melanoma of the Skin	0.0	0.0	384.4	0
Other Non-Epithelial Skin	0.0	0.0	384.4	0
Urinary System	0.0	0.0	384.4	0
Urinary Bladder	0.0	0.0	384.4	0
Kidney and Renal Pelvis	0.0	0.0	384.4	0
Ureter	0.0	0.0	384.4	0
Other Urinary Organs	0.0	0.0	384.4	0
Eye and Orbit	0.0	0.0	384.4	0
Brain and Other Nervous System	0.0	0.0	384.4	0
Brain	0.0	0.0	384.4	0
Cranial Nerves Other Nervous System	0.0	0.0	384.4	0
Endocrine System	0.0	0.0	384.4	0
Thyroid	0.0	0.0	384.4	0
Other Endocrine including Thymus	0.0	0.0	384.4	0
Lymphoma	0.0	0.0	384.4	0
Hodgkin Lymphoma	0.0	0.0	384.4	0
Hodgkin - Nodal	0.0	0.0	384.4	0
Hodgkin - Extranodal	0.0	0.0	384.4	0
Non-Hodgkin Lymphoma	0.0	0.0	384.4	0
NHL - Nodal	0.0	0.0	384.4	0
NHL - Extranodal	0.0	0.0	384.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	384.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	384.4	0
Acute Lymphocytic Leukemia	0.0	0.0	384.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	384.4	0
Other Lymphocytic Leukemia	0.0	0.0	384.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	384.4	0
Chronic Myeloid Leukemia	0.0	0.0	384.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	384.4	0
Other Leukemia	0.0	0.0	384.4	0
Other Acute Leukemia	0.0	0.0	384.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	384.4	0
Mesothelioma	0.0	0.0	384.4	0
Kaposi Sarcoma	0.0	0.0	384.4	0
Miscellaneous	0.0	0.0	384.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	454.7	376.2	543.9	158
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	13.6	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	13.6	0
Floor of Mouth	0.0	0.0	13.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	13.6	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	13.6	0
Hypopharynx	0.0	0.0	13.6	0
Other Oral Cavity and Pharynx	0.0	0.0	13.6	0
Digestive System	102.7	62.5	156.3	30
Esophagus	^	^	^	^
Stomach	0.0	0.0	13.6	0
Small Intestine	0.0	0.0	13.6	0
Colon and Rectum	61.2	33.2	101.6	19
Colon excluding Rectum	39.5	16.2	76.8	11
Cecum	^	^	^	^
Appendix	0.0	0.0	13.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	13.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	13.6	0
Descending Colon	0.0	0.0	13.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	21.7	9.2	44.5	8
Rectosigmoid Junction	0.0	0.0	13.6	0
Rectum	21.7	9.2	44.5	8
Anus, Anal Canal and Anorectum	0.0	0.0	13.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	13.6	0
Gallbladder	0.0	0.0	13.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	13.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	13.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	13.6	0
Other Digestive Organs	0.0	0.0	13.6	0
Respiratory System	47.5	27.7	77.0	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.6	0
Larynx	^	^	^	^
Lung and Bronchus	44.5	25.5	73.2	18
Pleura	0.0	0.0	13.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	13.6	0
Bones and Joints	0.0	0.0	13.6	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	17.5	5.7	40.7	6
Melanoma of the Skin	17.5	5.7	40.7	6
Other Non-Epithelial Skin	0.0	0.0	13.6	0
Urinary System	31.3	15.8	56.6	12
Urinary Bladder	17.6	6.3	39.6	6
Kidney and Renal Pelvis	13.7	4.8	32.6	6
Ureter	0.0	0.0	13.6	0
Other Urinary Organs	0.0	0.0	13.6	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	13.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	13.6	0
Lymphoma	30.6	13.8	58.3	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	13.6	0
Non-Hodgkin Lymphoma	19.8	6.2	45.7	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	13.6	0
Leukemia	46.9	20.5	87.8	12
Lymphocytic Leukemia	22.6	5.9	54.6	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	24.3	7.2	55.7	6
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	13.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.6	0
Other Leukemia	0.0	0.0	13.6	0
Other Acute Leukemia	0.0	0.0	13.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	13.6	0
Mesothelioma	0.0	0.0	13.6	0
Kaposi Sarcoma	0.0	0.0	13.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	384.5	219.8	613.8	18
Oral Cavity and Pharynx	0.0	0.0	66.5	0
Lip	0.0	0.0	66.5	0
Tongue	0.0	0.0	66.5	0
Salivary Gland	0.0	0.0	66.5	0
Floor of Mouth	0.0	0.0	66.5	0
Gum and Other Mouth	0.0	0.0	66.5	0
Nasopharynx	0.0	0.0	66.5	0
Tonsil	0.0	0.0	66.5	0
Oropharynx	0.0	0.0	66.5	0
Hypopharynx	0.0	0.0	66.5	0
Other Oral Cavity and Pharynx	0.0	0.0	66.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	66.5	0
Stomach	0.0	0.0	66.5	0
Small Intestine	0.0	0.0	66.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	66.5	0
Appendix	0.0	0.0	66.5	0
Ascending Colon	0.0	0.0	66.5	0
Hepatic Flexure	0.0	0.0	66.5	0
Transverse Colon	0.0	0.0	66.5	0
Splenic Flexure	0.0	0.0	66.5	0
Descending Colon	0.0	0.0	66.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	66.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	66.5	0
Rectosigmoid Junction	0.0	0.0	66.5	0
Rectum	0.0	0.0	66.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	66.5	0
Liver	0.0	0.0	66.5	0
Intrahepatic Bile Duct	0.0	0.0	66.5	0
Gallbladder	0.0	0.0	66.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	66.5	0
Pancreas	0.0	0.0	66.5	0
Retroperitoneum	0.0	0.0	66.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.5	0
Other Digestive Organs	0.0	0.0	66.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.5	0
Larynx	0.0	0.0	66.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.5	0
Bones and Joints	0.0	0.0	66.5	0
Soft Tissue including Heart	0.0	0.0	66.5	0
Skin excluding Basal and Squamous	0.0	0.0	66.5	0
Melanoma of the Skin	0.0	0.0	66.5	0
Other Non-Epithelial Skin	0.0	0.0	66.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	66.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	66.5	0
Eye and Orbit	0.0	0.0	66.5	0
Brain and Other Nervous System	0.0	0.0	66.5	0
Brain	0.0	0.0	66.5	0
Cranial Nerves Other Nervous System	0.0	0.0	66.5	0
Endocrine System	0.0	0.0	66.5	0
Thyroid	0.0	0.0	66.5	0
Other Endocrine including Thymus	0.0	0.0	66.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	66.5	0
Hodgkin - Nodal	0.0	0.0	66.5	0
Hodgkin - Extranodal	0.0	0.0	66.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	66.5	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	66.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	66.5	0
Other Lymphocytic Leukemia	0.0	0.0	66.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.5	0
Acute Myeloid Leukemia	0.0	0.0	66.5	0
Acute Monocytic Leukemia	0.0	0.0	66.5	0
Chronic Myeloid Leukemia	0.0	0.0	66.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.5	0
Other Leukemia	0.0	0.0	66.5	0
Other Acute Leukemia	0.0	0.0	66.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.5	0
Mesothelioma	0.0	0.0	66.5	0
Kaposi Sarcoma	0.0	0.0	66.5	0
Miscellaneous	0.0	0.0	66.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	266.8	143.0	482.4	14
Oral Cavity and Pharynx	0.0	0.0	147.2	0
Lip	0.0	0.0	147.2	0
Tongue	0.0	0.0	147.2	0
Salivary Gland	0.0	0.0	147.2	0
Floor of Mouth	0.0	0.0	147.2	0
Gum and Other Mouth	0.0	0.0	147.2	0
Nasopharynx	0.0	0.0	147.2	0
Tonsil	0.0	0.0	147.2	0
Oropharynx	0.0	0.0	147.2	0
Hypopharynx	0.0	0.0	147.2	0
Other Oral Cavity and Pharynx	0.0	0.0	147.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	147.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	147.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	147.2	0
Cecum	0.0	0.0	147.2	0
Appendix	0.0	0.0	147.2	0
Ascending Colon	0.0	0.0	147.2	0
Hepatic Flexure	0.0	0.0	147.2	0
Transverse Colon	0.0	0.0	147.2	0
Splenic Flexure	0.0	0.0	147.2	0
Descending Colon	0.0	0.0	147.2	0
Sigmoid Colon	0.0	0.0	147.2	0
Large Intestine, NOS	0.0	0.0	147.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	147.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	147.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	147.2	0
Liver	0.0	0.0	147.2	0
Intrahepatic Bile Duct	0.0	0.0	147.2	0
Gallbladder	0.0	0.0	147.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	147.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	147.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	147.2	0
Other Digestive Organs	0.0	0.0	147.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	147.2	0
Larynx	0.0	0.0	147.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	147.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	147.2	0
Bones and Joints	0.0	0.0	147.2	0
Soft Tissue including Heart	0.0	0.0	147.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	147.2	0
Urinary System	0.0	0.0	147.2	0
Urinary Bladder	0.0	0.0	147.2	0
Kidney and Renal Pelvis	0.0	0.0	147.2	0
Ureter	0.0	0.0	147.2	0
Other Urinary Organs	0.0	0.0	147.2	0
Eye and Orbit	0.0	0.0	147.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	147.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	147.2	0
Lymphoma	0.0	0.0	147.2	0
Hodgkin Lymphoma	0.0	0.0	147.2	0
Hodgkin - Nodal	0.0	0.0	147.2	0
Hodgkin - Extranodal	0.0	0.0	147.2	0
Non-Hodgkin Lymphoma	0.0	0.0	147.2	0
NHL - Nodal	0.0	0.0	147.2	0
NHL - Extranodal	0.0	0.0	147.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	147.2	0
Leukemia	0.0	0.0	147.2	0
Lymphocytic Leukemia	0.0	0.0	147.2	0
Acute Lymphocytic Leukemia	0.0	0.0	147.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	147.2	0
Other Lymphocytic Leukemia	0.0	0.0	147.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	147.2	0
Acute Myeloid Leukemia	0.0	0.0	147.2	0
Acute Monocytic Leukemia	0.0	0.0	147.2	0
Chronic Myeloid Leukemia	0.0	0.0	147.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	147.2	0
Other Leukemia	0.0	0.0	147.2	0
Other Acute Leukemia	0.0	0.0	147.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	147.2	0
Mesothelioma	0.0	0.0	147.2	0
Kaposi Sarcoma	0.0	0.0	147.2	0
Miscellaneous	0.0	0.0	147.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	511.5	266.6	864.5	15
Oral Cavity and Pharynx	0.0	0.0	105.4	0
Lip	0.0	0.0	105.4	0
Tongue	0.0	0.0	105.4	0
Salivary Gland	0.0	0.0	105.4	0
Floor of Mouth	0.0	0.0	105.4	0
Gum and Other Mouth	0.0	0.0	105.4	0
Nasopharynx	0.0	0.0	105.4	0
Tonsil	0.0	0.0	105.4	0
Oropharynx	0.0	0.0	105.4	0
Hypopharynx	0.0	0.0	105.4	0
Other Oral Cavity and Pharynx	0.0	0.0	105.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	105.4	0
Stomach	0.0	0.0	105.4	0
Small Intestine	0.0	0.0	105.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	105.4	0
Ascending Colon	0.0	0.0	105.4	0
Hepatic Flexure	0.0	0.0	105.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	105.4	0
Descending Colon	0.0	0.0	105.4	0
Sigmoid Colon	0.0	0.0	105.4	0
Large Intestine, NOS	0.0	0.0	105.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	105.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	105.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	105.4	0
Liver	0.0	0.0	105.4	0
Intrahepatic Bile Duct	0.0	0.0	105.4	0
Gallbladder	0.0	0.0	105.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	105.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	105.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	105.4	0
Other Digestive Organs	0.0	0.0	105.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	105.4	0
Larynx	0.0	0.0	105.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	105.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	105.4	0
Bones and Joints	0.0	0.0	105.4	0
Soft Tissue including Heart	0.0	0.0	105.4	0
Skin excluding Basal and Squamous	0.0	0.0	105.4	0
Melanoma of the Skin	0.0	0.0	105.4	0
Other Non-Epithelial Skin	0.0	0.0	105.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	105.4	0
Other Urinary Organs	0.0	0.0	105.4	0
Eye and Orbit	0.0	0.0	105.4	0
Brain and Other Nervous System	0.0	0.0	105.4	0
Brain	0.0	0.0	105.4	0
Cranial Nerves Other Nervous System	0.0	0.0	105.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	105.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	105.4	0
Hodgkin - Nodal	0.0	0.0	105.4	0
Hodgkin - Extranodal	0.0	0.0	105.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	105.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	105.4	0
Leukemia	0.0	0.0	105.4	0
Lymphocytic Leukemia	0.0	0.0	105.4	0
Acute Lymphocytic Leukemia	0.0	0.0	105.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	105.4	0
Other Lymphocytic Leukemia	0.0	0.0	105.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	105.4	0
Acute Myeloid Leukemia	0.0	0.0	105.4	0
Acute Monocytic Leukemia	0.0	0.0	105.4	0
Chronic Myeloid Leukemia	0.0	0.0	105.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	105.4	0
Other Leukemia	0.0	0.0	105.4	0
Other Acute Leukemia	0.0	0.0	105.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	105.4	0
Mesothelioma	0.0	0.0	105.4	0
Kaposi Sarcoma	0.0	0.0	105.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	341.9	155.9	638.9	13
Oral Cavity and Pharynx	0.0	0.0	130.8	0
Lip	0.0	0.0	130.8	0
Tongue	0.0	0.0	130.8	0
Salivary Gland	0.0	0.0	130.8	0
Floor of Mouth	0.0	0.0	130.8	0
Gum and Other Mouth	0.0	0.0	130.8	0
Nasopharynx	0.0	0.0	130.8	0
Tonsil	0.0	0.0	130.8	0
Oropharynx	0.0	0.0	130.8	0
Hypopharynx	0.0	0.0	130.8	0
Other Oral Cavity and Pharynx	0.0	0.0	130.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	130.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	130.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	130.8	0
Appendix	0.0	0.0	130.8	0
Ascending Colon	0.0	0.0	130.8	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	130.8	0
Splenic Flexure	0.0	0.0	130.8	0
Descending Colon	0.0	0.0	130.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	130.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	130.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	130.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	130.8	0
Liver	0.0	0.0	130.8	0
Intrahepatic Bile Duct	0.0	0.0	130.8	0
Gallbladder	0.0	0.0	130.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	130.8	0
Pancreas	0.0	0.0	130.8	0
Retroperitoneum	0.0	0.0	130.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.8	0
Other Digestive Organs	0.0	0.0	130.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	130.8	0
Larynx	0.0	0.0	130.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	130.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.8	0
Bones and Joints	0.0	0.0	130.8	0
Soft Tissue including Heart	0.0	0.0	130.8	0
Skin excluding Basal and Squamous	0.0	0.0	130.8	0
Melanoma of the Skin	0.0	0.0	130.8	0
Other Non-Epithelial Skin	0.0	0.0	130.8	0
Urinary System	0.0	0.0	130.8	0
Urinary Bladder	0.0	0.0	130.8	0
Kidney and Renal Pelvis	0.0	0.0	130.8	0
Ureter	0.0	0.0	130.8	0
Other Urinary Organs	0.0	0.0	130.8	0
Eye and Orbit	0.0	0.0	130.8	0
Brain and Other Nervous System	0.0	0.0	130.8	0
Brain	0.0	0.0	130.8	0
Cranial Nerves Other Nervous System	0.0	0.0	130.8	0
Endocrine System	0.0	0.0	130.8	0
Thyroid	0.0	0.0	130.8	0
Other Endocrine including Thymus	0.0	0.0	130.8	0
Lymphoma	0.0	0.0	130.8	0
Hodgkin Lymphoma	0.0	0.0	130.8	0
Hodgkin - Nodal	0.0	0.0	130.8	0
Hodgkin - Extranodal	0.0	0.0	130.8	0
Non-Hodgkin Lymphoma	0.0	0.0	130.8	0
NHL - Nodal	0.0	0.0	130.8	0
NHL - Extranodal	0.0	0.0	130.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	130.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	130.8	0
Acute Lymphocytic Leukemia	0.0	0.0	130.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	130.8	0
Other Lymphocytic Leukemia	0.0	0.0	130.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	130.8	0
Chronic Myeloid Leukemia	0.0	0.0	130.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.8	0
Other Leukemia	0.0	0.0	130.8	0
Other Acute Leukemia	0.0	0.0	130.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.8	0
Mesothelioma	0.0	0.0	130.8	0
Kaposi Sarcoma	0.0	0.0	130.8	0
Miscellaneous	0.0	0.0	130.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	480.7	318.3	692.6	31
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	55.3	0
Tongue	0.0	0.0	55.3	0
Salivary Gland	0.0	0.0	55.3	0
Floor of Mouth	0.0	0.0	55.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	55.3	0
Tonsil	0.0	0.0	55.3	0
Oropharynx	0.0	0.0	55.3	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	55.3	0
Digestive System	108.6	41.0	227.6	7
Esophagus	0.0	0.0	55.3	0
Stomach	0.0	0.0	55.3	0
Small Intestine	0.0	0.0	55.3	0
Colon and Rectum	108.6	41.0	227.6	7
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	55.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	55.3	0
Transverse Colon	0.0	0.0	55.3	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	55.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	55.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.3	0
Liver	0.0	0.0	55.3	0
Intrahepatic Bile Duct	0.0	0.0	55.3	0
Gallbladder	0.0	0.0	55.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	55.3	0
Pancreas	0.0	0.0	55.3	0
Retroperitoneum	0.0	0.0	55.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.3	0
Other Digestive Organs	0.0	0.0	55.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.3	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	55.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.3	0
Bones and Joints	0.0	0.0	55.3	0
Soft Tissue including Heart	0.0	0.0	55.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	55.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	55.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	55.3	0
Other Urinary Organs	0.0	0.0	55.3	0
Eye and Orbit	0.0	0.0	55.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	55.3	0
Endocrine System	0.0	0.0	55.3	0
Thyroid	0.0	0.0	55.3	0
Other Endocrine including Thymus	0.0	0.0	55.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.3	0
Hodgkin - Nodal	0.0	0.0	55.3	0
Hodgkin - Extranodal	0.0	0.0	55.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	55.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	55.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	55.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	55.3	0
Chronic Myeloid Leukemia	0.0	0.0	55.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.3	0
Other Leukemia	0.0	0.0	55.3	0
Other Acute Leukemia	0.0	0.0	55.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	55.3	0
Mesothelioma	0.0	0.0	55.3	0
Kaposi Sarcoma	0.0	0.0	55.3	0
Miscellaneous	0.0	0.0	55.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	650.8	345.5	1,098.4	16
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	155.8	0
Tongue	0.0	0.0	155.8	0
Salivary Gland	0.0	0.0	155.8	0
Floor of Mouth	0.0	0.0	155.8	0
Gum and Other Mouth	0.0	0.0	155.8	0
Nasopharynx	0.0	0.0	155.8	0
Tonsil	0.0	0.0	155.8	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	155.8	0
Other Oral Cavity and Pharynx	0.0	0.0	155.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	155.8	0
Small Intestine	0.0	0.0	155.8	0
Colon and Rectum	0.0	0.0	155.8	0
Colon excluding Rectum	0.0	0.0	155.8	0
Cecum	0.0	0.0	155.8	0
Appendix	0.0	0.0	155.8	0
Ascending Colon	0.0	0.0	155.8	0
Hepatic Flexure	0.0	0.0	155.8	0
Transverse Colon	0.0	0.0	155.8	0
Splenic Flexure	0.0	0.0	155.8	0
Descending Colon	0.0	0.0	155.8	0
Sigmoid Colon	0.0	0.0	155.8	0
Large Intestine, NOS	0.0	0.0	155.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	155.8	0
Rectosigmoid Junction	0.0	0.0	155.8	0
Rectum	0.0	0.0	155.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	155.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	155.8	0
Liver	0.0	0.0	155.8	0
Intrahepatic Bile Duct	0.0	0.0	155.8	0
Gallbladder	0.0	0.0	155.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	155.8	0
Pancreas	0.0	0.0	155.8	0
Retroperitoneum	0.0	0.0	155.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	155.8	0
Other Digestive Organs	0.0	0.0	155.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	155.8	0
Larynx	0.0	0.0	155.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	155.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	155.8	0
Bones and Joints	0.0	0.0	155.8	0
Soft Tissue including Heart	0.0	0.0	155.8	0
Skin excluding Basal and Squamous	0.0	0.0	155.8	0
Melanoma of the Skin	0.0	0.0	155.8	0
Other Non-Epithelial Skin	0.0	0.0	155.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	155.8	0
Ureter	0.0	0.0	155.8	0
Other Urinary Organs	0.0	0.0	155.8	0
Eye and Orbit	0.0	0.0	155.8	0
Brain and Other Nervous System	0.0	0.0	155.8	0
Brain	0.0	0.0	155.8	0
Cranial Nerves Other Nervous System	0.0	0.0	155.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	155.8	0
Lymphoma	0.0	0.0	155.8	0
Hodgkin Lymphoma	0.0	0.0	155.8	0
Hodgkin - Nodal	0.0	0.0	155.8	0
Hodgkin - Extranodal	0.0	0.0	155.8	0
Non-Hodgkin Lymphoma	0.0	0.0	155.8	0
NHL - Nodal	0.0	0.0	155.8	0
NHL - Extranodal	0.0	0.0	155.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	155.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	155.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	155.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	155.8	0
Chronic Myeloid Leukemia	0.0	0.0	155.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	155.8	0
Other Leukemia	0.0	0.0	155.8	0
Other Acute Leukemia	0.0	0.0	155.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	155.8	0
Mesothelioma	0.0	0.0	155.8	0
Kaposi Sarcoma	0.0	0.0	155.8	0
Miscellaneous	0.0	0.0	155.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	595.4	325.6	975.1	19
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	107.6	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	107.6	0
Floor of Mouth	0.0	0.0	107.6	0
Gum and Other Mouth	0.0	0.0	107.6	0
Nasopharynx	0.0	0.0	107.6	0
Tonsil	0.0	0.0	107.6	0
Oropharynx	0.0	0.0	107.6	0
Hypopharynx	0.0	0.0	107.6	0
Other Oral Cavity and Pharynx	0.0	0.0	107.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	107.6	0
Stomach	0.0	0.0	107.6	0
Small Intestine	0.0	0.0	107.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	107.6	0
Appendix	0.0	0.0	107.6	0
Ascending Colon	0.0	0.0	107.6	0
Hepatic Flexure	0.0	0.0	107.6	0
Transverse Colon	0.0	0.0	107.6	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	107.6	0
Sigmoid Colon	0.0	0.0	107.6	0
Large Intestine, NOS	0.0	0.0	107.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	107.6	0
Liver	0.0	0.0	107.6	0
Intrahepatic Bile Duct	0.0	0.0	107.6	0
Gallbladder	0.0	0.0	107.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	107.6	0
Pancreas	0.0	0.0	107.6	0
Retroperitoneum	0.0	0.0	107.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	107.6	0
Other Digestive Organs	0.0	0.0	107.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	107.6	0
Larynx	0.0	0.0	107.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	107.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	107.6	0
Bones and Joints	0.0	0.0	107.6	0
Soft Tissue including Heart	0.0	0.0	107.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	107.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	107.6	0
Other Urinary Organs	0.0	0.0	107.6	0
Eye and Orbit	0.0	0.0	107.6	0
Brain and Other Nervous System	0.0	0.0	107.6	0
Brain	0.0	0.0	107.6	0
Cranial Nerves Other Nervous System	0.0	0.0	107.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	107.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	107.6	0
Hodgkin - Nodal	0.0	0.0	107.6	0
Hodgkin - Extranodal	0.0	0.0	107.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	107.6	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	107.6	0
Leukemia	0.0	0.0	107.6	0
Lymphocytic Leukemia	0.0	0.0	107.6	0
Acute Lymphocytic Leukemia	0.0	0.0	107.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	107.6	0
Other Lymphocytic Leukemia	0.0	0.0	107.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	107.6	0
Acute Myeloid Leukemia	0.0	0.0	107.6	0
Acute Monocytic Leukemia	0.0	0.0	107.6	0
Chronic Myeloid Leukemia	0.0	0.0	107.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	107.6	0
Other Leukemia	0.0	0.0	107.6	0
Other Acute Leukemia	0.0	0.0	107.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	107.6	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	107.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	580.0	386.1	830.4	37
Oral Cavity and Pharynx	0.0	0.0	64.4	0
Lip	0.0	0.0	64.4	0
Tongue	0.0	0.0	64.4	0
Salivary Gland	0.0	0.0	64.4	0
Floor of Mouth	0.0	0.0	64.4	0
Gum and Other Mouth	0.0	0.0	64.4	0
Nasopharynx	0.0	0.0	64.4	0
Tonsil	0.0	0.0	64.4	0
Oropharynx	0.0	0.0	64.4	0
Hypopharynx	0.0	0.0	64.4	0
Other Oral Cavity and Pharynx	0.0	0.0	64.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	64.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	64.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	64.4	0
Appendix	0.0	0.0	64.4	0
Ascending Colon	0.0	0.0	64.4	0
Hepatic Flexure	0.0	0.0	64.4	0
Transverse Colon	0.0	0.0	64.4	0
Splenic Flexure	0.0	0.0	64.4	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	64.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	64.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	64.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	64.4	0
Liver	0.0	0.0	64.4	0
Intrahepatic Bile Duct	0.0	0.0	64.4	0
Gallbladder	0.0	0.0	64.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	64.4	0
Pancreas	0.0	0.0	64.4	0
Retroperitoneum	0.0	0.0	64.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.4	0
Other Digestive Organs	0.0	0.0	64.4	0
Respiratory System	102.1	34.9	226.8	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.4	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.4	0
Bones and Joints	0.0	0.0	64.4	0
Soft Tissue including Heart	0.0	0.0	64.4	0
Skin excluding Basal and Squamous	0.0	0.0	64.4	0
Melanoma of the Skin	0.0	0.0	64.4	0
Other Non-Epithelial Skin	0.0	0.0	64.4	0
Urinary System	0.0	0.0	64.4	0
Urinary Bladder	0.0	0.0	64.4	0
Kidney and Renal Pelvis	0.0	0.0	64.4	0
Ureter	0.0	0.0	64.4	0
Other Urinary Organs	0.0	0.0	64.4	0
Eye and Orbit	0.0	0.0	64.4	0
Brain and Other Nervous System	0.0	0.0	64.4	0
Brain	0.0	0.0	64.4	0
Cranial Nerves Other Nervous System	0.0	0.0	64.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	64.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	64.4	0
Hodgkin - Nodal	0.0	0.0	64.4	0
Hodgkin - Extranodal	0.0	0.0	64.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	64.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	64.4	0
Leukemia	0.0	0.0	64.4	0
Lymphocytic Leukemia	0.0	0.0	64.4	0
Acute Lymphocytic Leukemia	0.0	0.0	64.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.4	0
Other Lymphocytic Leukemia	0.0	0.0	64.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.4	0
Acute Myeloid Leukemia	0.0	0.0	64.4	0
Acute Monocytic Leukemia	0.0	0.0	64.4	0
Chronic Myeloid Leukemia	0.0	0.0	64.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.4	0
Other Leukemia	0.0	0.0	64.4	0
Other Acute Leukemia	0.0	0.0	64.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.4	0
Mesothelioma	0.0	0.0	64.4	0
Kaposi Sarcoma	0.0	0.0	64.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	390.9	190.7	699.2	12
Oral Cavity and Pharynx	0.0	0.0	125.6	0
Lip	0.0	0.0	125.6	0
Tongue	0.0	0.0	125.6	0
Salivary Gland	0.0	0.0	125.6	0
Floor of Mouth	0.0	0.0	125.6	0
Gum and Other Mouth	0.0	0.0	125.6	0
Nasopharynx	0.0	0.0	125.6	0
Tonsil	0.0	0.0	125.6	0
Oropharynx	0.0	0.0	125.6	0
Hypopharynx	0.0	0.0	125.6	0
Other Oral Cavity and Pharynx	0.0	0.0	125.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	125.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	125.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	125.6	0
Appendix	0.0	0.0	125.6	0
Ascending Colon	0.0	0.0	125.6	0
Hepatic Flexure	0.0	0.0	125.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	125.6	0
Descending Colon	0.0	0.0	125.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	125.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	125.6	0
Rectosigmoid Junction	0.0	0.0	125.6	0
Rectum	0.0	0.0	125.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	125.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	125.6	0
Liver	0.0	0.0	125.6	0
Intrahepatic Bile Duct	0.0	0.0	125.6	0
Gallbladder	0.0	0.0	125.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	125.6	0
Pancreas	0.0	0.0	125.6	0
Retroperitoneum	0.0	0.0	125.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	125.6	0
Other Digestive Organs	0.0	0.0	125.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	125.6	0
Larynx	0.0	0.0	125.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	125.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	125.6	0
Bones and Joints	0.0	0.0	125.6	0
Soft Tissue including Heart	0.0	0.0	125.6	0
Skin excluding Basal and Squamous	0.0	0.0	125.6	0
Melanoma of the Skin	0.0	0.0	125.6	0
Other Non-Epithelial Skin	0.0	0.0	125.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	125.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	125.6	0
Eye and Orbit	0.0	0.0	125.6	0
Brain and Other Nervous System	0.0	0.0	125.6	0
Brain	0.0	0.0	125.6	0
Cranial Nerves Other Nervous System	0.0	0.0	125.6	0
Endocrine System	0.0	0.0	125.6	0
Thyroid	0.0	0.0	125.6	0
Other Endocrine including Thymus	0.0	0.0	125.6	0
Lymphoma	0.0	0.0	125.6	0
Hodgkin Lymphoma	0.0	0.0	125.6	0
Hodgkin - Nodal	0.0	0.0	125.6	0
Hodgkin - Extranodal	0.0	0.0	125.6	0
Non-Hodgkin Lymphoma	0.0	0.0	125.6	0
NHL - Nodal	0.0	0.0	125.6	0
NHL - Extranodal	0.0	0.0	125.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	125.6	0
Leukemia	0.0	0.0	125.6	0
Lymphocytic Leukemia	0.0	0.0	125.6	0
Acute Lymphocytic Leukemia	0.0	0.0	125.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	125.6	0
Other Lymphocytic Leukemia	0.0	0.0	125.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	125.6	0
Acute Myeloid Leukemia	0.0	0.0	125.6	0
Acute Monocytic Leukemia	0.0	0.0	125.6	0
Chronic Myeloid Leukemia	0.0	0.0	125.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	125.6	0
Other Leukemia	0.0	0.0	125.6	0
Other Acute Leukemia	0.0	0.0	125.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	125.6	0
Mesothelioma	0.0	0.0	125.6	0
Kaposi Sarcoma	0.0	0.0	125.6	0
Miscellaneous	0.0	0.0	125.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	482.0	312.7	707.7	27
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	66.1	0
Salivary Gland	0.0	0.0	66.1	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	66.1	0
Nasopharynx	0.0	0.0	66.1	0
Tonsil	0.0	0.0	66.1	0
Oropharynx	0.0	0.0	66.1	0
Hypopharynx	0.0	0.0	66.1	0
Other Oral Cavity and Pharynx	0.0	0.0	66.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	66.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	66.1	0
Colon and Rectum	0.0	0.0	66.1	0
Colon excluding Rectum	0.0	0.0	66.1	0
Cecum	0.0	0.0	66.1	0
Appendix	0.0	0.0	66.1	0
Ascending Colon	0.0	0.0	66.1	0
Hepatic Flexure	0.0	0.0	66.1	0
Transverse Colon	0.0	0.0	66.1	0
Splenic Flexure	0.0	0.0	66.1	0
Descending Colon	0.0	0.0	66.1	0
Sigmoid Colon	0.0	0.0	66.1	0
Large Intestine, NOS	0.0	0.0	66.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	66.1	0
Rectosigmoid Junction	0.0	0.0	66.1	0
Rectum	0.0	0.0	66.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	66.1	0
Liver	0.0	0.0	66.1	0
Intrahepatic Bile Duct	0.0	0.0	66.1	0
Gallbladder	0.0	0.0	66.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	66.1	0
Pancreas	0.0	0.0	66.1	0
Retroperitoneum	0.0	0.0	66.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.1	0
Other Digestive Organs	0.0	0.0	66.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.1	0
Larynx	0.0	0.0	66.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.1	0
Bones and Joints	0.0	0.0	66.1	0
Soft Tissue including Heart	0.0	0.0	66.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	66.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	66.1	0
Ureter	0.0	0.0	66.1	0
Other Urinary Organs	0.0	0.0	66.1	0
Eye and Orbit	0.0	0.0	66.1	0
Brain and Other Nervous System	0.0	0.0	66.1	0
Brain	0.0	0.0	66.1	0
Cranial Nerves Other Nervous System	0.0	0.0	66.1	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	66.1	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	0.0	0.0	66.1	0
Hodgkin Lymphoma	0.0	0.0	66.1	0
Hodgkin - Nodal	0.0	0.0	66.1	0
Hodgkin - Extranodal	0.0	0.0	66.1	0
Non-Hodgkin Lymphoma	0.0	0.0	66.1	0
NHL - Nodal	0.0	0.0	66.1	0
NHL - Extranodal	0.0	0.0	66.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	66.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	66.1	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	66.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.1	0
Acute Myeloid Leukemia	0.0	0.0	66.1	0
Acute Monocytic Leukemia	0.0	0.0	66.1	0
Chronic Myeloid Leukemia	0.0	0.0	66.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.1	0
Other Leukemia	0.0	0.0	66.1	0
Other Acute Leukemia	0.0	0.0	66.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.1	0
Mesothelioma	0.0	0.0	66.1	0
Kaposi Sarcoma	0.0	0.0	66.1	0
Miscellaneous	0.0	0.0	66.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	613.9	0
Tongue	0.0	0.0	613.9	0
Salivary Gland	0.0	0.0	613.9	0
Floor of Mouth	0.0	0.0	613.9	0
Gum and Other Mouth	0.0	0.0	613.9	0
Nasopharynx	0.0	0.0	613.9	0
Tonsil	0.0	0.0	613.9	0
Oropharynx	0.0	0.0	613.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	613.9	0
Digestive System	0.0	0.0	613.9	0
Esophagus	0.0	0.0	613.9	0
Stomach	0.0	0.0	613.9	0
Small Intestine	0.0	0.0	613.9	0
Colon and Rectum	0.0	0.0	613.9	0
Colon excluding Rectum	0.0	0.0	613.9	0
Cecum	0.0	0.0	613.9	0
Appendix	0.0	0.0	613.9	0
Ascending Colon	0.0	0.0	613.9	0
Hepatic Flexure	0.0	0.0	613.9	0
Transverse Colon	0.0	0.0	613.9	0
Splenic Flexure	0.0	0.0	613.9	0
Descending Colon	0.0	0.0	613.9	0
Sigmoid Colon	0.0	0.0	613.9	0
Large Intestine, NOS	0.0	0.0	613.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	613.9	0
Rectosigmoid Junction	0.0	0.0	613.9	0
Rectum	0.0	0.0	613.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	613.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	613.9	0
Liver	0.0	0.0	613.9	0
Intrahepatic Bile Duct	0.0	0.0	613.9	0
Gallbladder	0.0	0.0	613.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	613.9	0
Pancreas	0.0	0.0	613.9	0
Retroperitoneum	0.0	0.0	613.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	613.9	0
Other Digestive Organs	0.0	0.0	613.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	613.9	0
Larynx	0.0	0.0	613.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	613.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	613.9	0
Bones and Joints	0.0	0.0	613.9	0
Soft Tissue including Heart	0.0	0.0	613.9	0
Skin excluding Basal and Squamous	0.0	0.0	613.9	0
Melanoma of the Skin	0.0	0.0	613.9	0
Other Non-Epithelial Skin	0.0	0.0	613.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	613.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	613.9	0
Other Urinary Organs	0.0	0.0	613.9	0
Eye and Orbit	0.0	0.0	613.9	0
Brain and Other Nervous System	0.0	0.0	613.9	0
Brain	0.0	0.0	613.9	0
Cranial Nerves Other Nervous System	0.0	0.0	613.9	0
Endocrine System	0.0	0.0	613.9	0
Thyroid	0.0	0.0	613.9	0
Other Endocrine including Thymus	0.0	0.0	613.9	0
Lymphoma	0.0	0.0	613.9	0
Hodgkin Lymphoma	0.0	0.0	613.9	0
Hodgkin - Nodal	0.0	0.0	613.9	0
Hodgkin - Extranodal	0.0	0.0	613.9	0
Non-Hodgkin Lymphoma	0.0	0.0	613.9	0
NHL - Nodal	0.0	0.0	613.9	0
NHL - Extranodal	0.0	0.0	613.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	613.9	0
Leukemia	0.0	0.0	613.9	0
Lymphocytic Leukemia	0.0	0.0	613.9	0
Acute Lymphocytic Leukemia	0.0	0.0	613.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	613.9	0
Other Lymphocytic Leukemia	0.0	0.0	613.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	613.9	0
Acute Myeloid Leukemia	0.0	0.0	613.9	0
Acute Monocytic Leukemia	0.0	0.0	613.9	0
Chronic Myeloid Leukemia	0.0	0.0	613.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	613.9	0
Other Leukemia	0.0	0.0	613.9	0
Other Acute Leukemia	0.0	0.0	613.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	613.9	0
Mesothelioma	0.0	0.0	613.9	0
Kaposi Sarcoma	0.0	0.0	613.9	0
Miscellaneous	0.0	0.0	613.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	418.4	239.8	669.4	18
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	77.0	0
Tongue	0.0	0.0	77.0	0
Salivary Gland	0.0	0.0	77.0	0
Floor of Mouth	0.0	0.0	77.0	0
Gum and Other Mouth	0.0	0.0	77.0	0
Nasopharynx	0.0	0.0	77.0	0
Tonsil	0.0	0.0	77.0	0
Oropharynx	0.0	0.0	77.0	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	77.0	0
Digestive System	171.5	71.4	341.0	8
Esophagus	^	^	^	^
Stomach	0.0	0.0	77.0	0
Small Intestine	0.0	0.0	77.0	0
Colon and Rectum	133.6	46.6	292.5	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	77.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	77.0	0
Transverse Colon	0.0	0.0	77.0	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	77.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	77.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	77.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	77.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	77.0	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	77.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	77.0	0
Pancreas	0.0	0.0	77.0	0
Retroperitoneum	0.0	0.0	77.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	77.0	0
Other Digestive Organs	0.0	0.0	77.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	77.0	0
Larynx	0.0	0.0	77.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	77.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	77.0	0
Bones and Joints	0.0	0.0	77.0	0
Soft Tissue including Heart	0.0	0.0	77.0	0
Skin excluding Basal and Squamous	0.0	0.0	77.0	0
Melanoma of the Skin	0.0	0.0	77.0	0
Other Non-Epithelial Skin	0.0	0.0	77.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	77.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	77.0	0
Other Urinary Organs	0.0	0.0	77.0	0
Eye and Orbit	0.0	0.0	77.0	0
Brain and Other Nervous System	0.0	0.0	77.0	0
Brain	0.0	0.0	77.0	0
Cranial Nerves Other Nervous System	0.0	0.0	77.0	0
Endocrine System	0.0	0.0	77.0	0
Thyroid	0.0	0.0	77.0	0
Other Endocrine including Thymus	0.0	0.0	77.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	77.0	0
Non-Hodgkin Lymphoma	0.0	0.0	77.0	0
NHL - Nodal	0.0	0.0	77.0	0
NHL - Extranodal	0.0	0.0	77.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1996/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	77.0	0
Leukemia	0.0	0.0	77.0	0
Lymphocytic Leukemia	0.0	0.0	77.0	0
Acute Lymphocytic Leukemia	0.0	0.0	77.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	77.0	0
Other Lymphocytic Leukemia	0.0	0.0	77.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	77.0	0
Acute Myeloid Leukemia	0.0	0.0	77.0	0
Acute Monocytic Leukemia	0.0	0.0	77.0	0
Chronic Myeloid Leukemia	0.0	0.0	77.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	77.0	0
Other Leukemia	0.0	0.0	77.0	0
Other Acute Leukemia	0.0	0.0	77.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	77.0	0
Mesothelioma	0.0	0.0	77.0	0
Kaposi Sarcoma	0.0	0.0	77.0	0
Miscellaneous	0.0	0.0	77.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	478.3	0
Lip	0.0	0.0	478.3	0
Tongue	0.0	0.0	478.3	0
Salivary Gland	0.0	0.0	478.3	0
Floor of Mouth	0.0	0.0	478.3	0
Gum and Other Mouth	0.0	0.0	478.3	0
Nasopharynx	0.0	0.0	478.3	0
Tonsil	0.0	0.0	478.3	0
Oropharynx	0.0	0.0	478.3	0
Hypopharynx	0.0	0.0	478.3	0
Other Oral Cavity and Pharynx	0.0	0.0	478.3	0
Digestive System	0.0	0.0	478.3	0
Esophagus	0.0	0.0	478.3	0
Stomach	0.0	0.0	478.3	0
Small Intestine	0.0	0.0	478.3	0
Colon and Rectum	0.0	0.0	478.3	0
Colon excluding Rectum	0.0	0.0	478.3	0
Cecum	0.0	0.0	478.3	0
Appendix	0.0	0.0	478.3	0
Ascending Colon	0.0	0.0	478.3	0
Hepatic Flexure	0.0	0.0	478.3	0
Transverse Colon	0.0	0.0	478.3	0
Splenic Flexure	0.0	0.0	478.3	0
Descending Colon	0.0	0.0	478.3	0
Sigmoid Colon	0.0	0.0	478.3	0
Large Intestine, NOS	0.0	0.0	478.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	478.3	0
Rectosigmoid Junction	0.0	0.0	478.3	0
Rectum	0.0	0.0	478.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	478.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	478.3	0
Liver	0.0	0.0	478.3	0
Intrahepatic Bile Duct	0.0	0.0	478.3	0
Gallbladder	0.0	0.0	478.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	478.3	0
Pancreas	0.0	0.0	478.3	0
Retroperitoneum	0.0	0.0	478.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	478.3	0
Other Digestive Organs	0.0	0.0	478.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	478.3	0
Larynx	0.0	0.0	478.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	478.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	478.3	0
Bones and Joints	0.0	0.0	478.3	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	478.3	0
Melanoma of the Skin	0.0	0.0	478.3	0
Other Non-Epithelial Skin	0.0	0.0	478.3	0
Urinary System	0.0	0.0	478.3	0
Urinary Bladder	0.0	0.0	478.3	0
Kidney and Renal Pelvis	0.0	0.0	478.3	0
Ureter	0.0	0.0	478.3	0
Other Urinary Organs	0.0	0.0	478.3	0
Eye and Orbit	0.0	0.0	478.3	0
Brain and Other Nervous System	0.0	0.0	478.3	0
Brain	0.0	0.0	478.3	0
Cranial Nerves Other Nervous System	0.0	0.0	478.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	478.3	0
Lymphoma	0.0	0.0	478.3	0
Hodgkin Lymphoma	0.0	0.0	478.3	0
Hodgkin - Nodal	0.0	0.0	478.3	0
Hodgkin - Extranodal	0.0	0.0	478.3	0
Non-Hodgkin Lymphoma	0.0	0.0	478.3	0
NHL - Nodal	0.0	0.0	478.3	0
NHL - Extranodal	0.0	0.0	478.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	478.3	0
Leukemia	0.0	0.0	478.3	0
Lymphocytic Leukemia	0.0	0.0	478.3	0
Acute Lymphocytic Leukemia	0.0	0.0	478.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	478.3	0
Other Lymphocytic Leukemia	0.0	0.0	478.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	478.3	0
Acute Myeloid Leukemia	0.0	0.0	478.3	0
Acute Monocytic Leukemia	0.0	0.0	478.3	0
Chronic Myeloid Leukemia	0.0	0.0	478.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	478.3	0
Other Leukemia	0.0	0.0	478.3	0
Other Acute Leukemia	0.0	0.0	478.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	478.3	0
Mesothelioma	0.0	0.0	478.3	0
Kaposi Sarcoma	0.0	0.0	478.3	0
Miscellaneous	0.0	0.0	478.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	443.3	76.9	1,416.8	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	738.9	0
Tongue	0.0	0.0	738.9	0
Salivary Gland	0.0	0.0	738.9	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	738.9	0
Nasopharynx	0.0	0.0	738.9	0
Tonsil	0.0	0.0	738.9	0
Oropharynx	0.0	0.0	738.9	0
Hypopharynx	0.0	0.0	738.9	0
Other Oral Cavity and Pharynx	0.0	0.0	738.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	738.9	0
Stomach	0.0	0.0	738.9	0
Small Intestine	0.0	0.0	738.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	738.9	0
Cecum	0.0	0.0	738.9	0
Appendix	0.0	0.0	738.9	0
Ascending Colon	0.0	0.0	738.9	0
Hepatic Flexure	0.0	0.0	738.9	0
Transverse Colon	0.0	0.0	738.9	0
Splenic Flexure	0.0	0.0	738.9	0
Descending Colon	0.0	0.0	738.9	0
Sigmoid Colon	0.0	0.0	738.9	0
Large Intestine, NOS	0.0	0.0	738.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	738.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	738.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	738.9	0
Liver	0.0	0.0	738.9	0
Intrahepatic Bile Duct	0.0	0.0	738.9	0
Gallbladder	0.0	0.0	738.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	738.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	738.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	738.9	0
Other Digestive Organs	0.0	0.0	738.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	738.9	0
Larynx	0.0	0.0	738.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	738.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	738.9	0
Bones and Joints	0.0	0.0	738.9	0
Soft Tissue including Heart	0.0	0.0	738.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	738.9	0
Urinary System	0.0	0.0	738.9	0
Urinary Bladder	0.0	0.0	738.9	0
Kidney and Renal Pelvis	0.0	0.0	738.9	0
Ureter	0.0	0.0	738.9	0
Other Urinary Organs	0.0	0.0	738.9	0
Eye and Orbit	0.0	0.0	738.9	0
Brain and Other Nervous System	0.0	0.0	738.9	0
Brain	0.0	0.0	738.9	0
Cranial Nerves Other Nervous System	0.0	0.0	738.9	0
Endocrine System	0.0	0.0	738.9	0
Thyroid	0.0	0.0	738.9	0
Other Endocrine including Thymus	0.0	0.0	738.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	738.9	0
Hodgkin - Nodal	0.0	0.0	738.9	0
Hodgkin - Extranodal	0.0	0.0	738.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	738.9	0
Leukemia	0.0	0.0	738.9	0
Lymphocytic Leukemia	0.0	0.0	738.9	0
Acute Lymphocytic Leukemia	0.0	0.0	738.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	738.9	0
Other Lymphocytic Leukemia	0.0	0.0	738.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	738.9	0
Acute Myeloid Leukemia	0.0	0.0	738.9	0
Acute Monocytic Leukemia	0.0	0.0	738.9	0
Chronic Myeloid Leukemia	0.0	0.0	738.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	738.9	0
Other Leukemia	0.0	0.0	738.9	0
Other Acute Leukemia	0.0	0.0	738.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	738.9	0
Mesothelioma	0.0	0.0	738.9	0
Kaposi Sarcoma	0.0	0.0	738.9	0
Miscellaneous	0.0	0.0	738.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	524.3	482.8	568.2	770
Oral Cavity and Pharynx	12.7	7.2	20.5	19
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	2.7	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	75.3	59.7	93.3	106
Esophagus	8.2	3.8	15.1	11
Stomach	7.4	3.0	14.7	9
Small Intestine	^	^	^	^
Colon and Rectum	39.2	28.3	52.5	56
Colon excluding Rectum	26.7	17.6	38.4	37
Cecum	5.8	1.9	12.6	7
Appendix	^	^	^	^
Ascending Colon	6.2	2.2	13.1	8
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	12.5	7.2	20.0	19
Rectosigmoid Junction	5.6	2.2	11.5	7
Rectum	6.9	3.3	12.7	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	5.7	2.0	12.2	8
Liver	3.4	1.2	7.9	6
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	6.3	2.6	12.6	9
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	78.6	63.4	96.2	109
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	74.8	59.8	92.0	103
Pleura	0.0	0.0	2.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.7	0
Bones and Joints	0.0	0.0	2.7	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	17.0	11.0	24.9	34
Melanoma of the Skin	15.6	9.9	23.4	31
Other Non-Epithelial Skin	^	^	^	^
Urinary System	47.9	35.3	63.1	62
Urinary Bladder	32.4	21.7	46.0	37
Kidney and Renal Pelvis	14.5	8.8	22.4	24
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	2.7	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.2	3.6	13.1	15
Brain	7.2	3.6	13.1	15
Cranial Nerves Other Nervous System	0.0	0.0	2.7	0
Endocrine System	8.6	5.1	13.9	21
Thyroid	8.2	4.8	13.4	20
Other Endocrine including Thymus	^	^	^	^
Lymphoma	26.2	18.0	36.6	47
Hodgkin Lymphoma	3.2	1.3	7.0	8
Hodgkin - Nodal	3.2	1.3	7.0	8
Hodgkin - Extranodal	0.0	0.0	2.7	0
Non-Hodgkin Lymphoma	23.0	15.2	33.2	39
NHL - Nodal	17.6	10.6	27.0	29
NHL - Extranodal	5.5	2.4	10.6	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	4.5	1.3	10.5	6
Leukemia	13.1	7.1	21.6	20
Lymphocytic Leukemia	8.1	3.2	16.1	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	6.9	2.3	14.8	7
Other Lymphocytic Leukemia	0.0	0.0	2.7	0
Myeloid and Monocytic Leukemia	3.4	1.3	7.6	7
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	8.5	3.7	15.9	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	389.9	251.3	570.7	29
Oral Cavity and Pharynx	0.0	0.0	45.2	0
Lip	0.0	0.0	45.2	0
Tongue	0.0	0.0	45.2	0
Salivary Gland	0.0	0.0	45.2	0
Floor of Mouth	0.0	0.0	45.2	0
Gum and Other Mouth	0.0	0.0	45.2	0
Nasopharynx	0.0	0.0	45.2	0
Tonsil	0.0	0.0	45.2	0
Oropharynx	0.0	0.0	45.2	0
Hypopharynx	0.0	0.0	45.2	0
Other Oral Cavity and Pharynx	0.0	0.0	45.2	0
Digestive System	170.9	78.7	311.1	11
Esophagus	0.0	0.0	45.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	45.2	0
Colon and Rectum	128.3	51.0	254.0	8
Colon excluding Rectum	111.0	38.4	234.7	6
Cecum	0.0	0.0	45.2	0
Appendix	0.0	0.0	45.2	0
Ascending Colon	0.0	0.0	45.2	0
Hepatic Flexure	0.0	0.0	45.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	45.2	0
Descending Colon	0.0	0.0	45.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	45.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	45.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	45.2	0
Gallbladder	0.0	0.0	45.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	45.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	45.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.2	0
Other Digestive Organs	0.0	0.0	45.2	0
Respiratory System	99.5	40.3	199.5	8
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	82.3	28.4	179.1	6
Pleura	0.0	0.0	45.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.2	0
Bones and Joints	0.0	0.0	45.2	0
Soft Tissue including Heart	0.0	0.0	45.2	0
Skin excluding Basal and Squamous	0.0	0.0	45.2	0
Melanoma of the Skin	0.0	0.0	45.2	0
Other Non-Epithelial Skin	0.0	0.0	45.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	45.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	45.2	0
Other Urinary Organs	0.0	0.0	45.2	0
Eye and Orbit	0.0	0.0	45.2	0
Brain and Other Nervous System	0.0	0.0	45.2	0
Brain	0.0	0.0	45.2	0
Cranial Nerves Other Nervous System	0.0	0.0	45.2	0
Endocrine System	0.0	0.0	45.2	0
Thyroid	0.0	0.0	45.2	0
Other Endocrine including Thymus	0.0	0.0	45.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	45.2	0
Hodgkin - Nodal	0.0	0.0	45.2	0
Hodgkin - Extranodal	0.0	0.0	45.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	45.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	45.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	45.2	0
Other Lymphocytic Leukemia	0.0	0.0	45.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	45.2	0
Acute Myeloid Leukemia	0.0	0.0	45.2	0
Acute Monocytic Leukemia	0.0	0.0	45.2	0
Chronic Myeloid Leukemia	0.0	0.0	45.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.2	0
Other Leukemia	0.0	0.0	45.2	0
Other Acute Leukemia	0.0	0.0	45.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.2	0
Mesothelioma	0.0	0.0	45.2	0
Kaposi Sarcoma	0.0	0.0	45.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,043.1	0
Lip	0.0	0.0	1,043.1	0
Tongue	0.0	0.0	1,043.1	0
Salivary Gland	0.0	0.0	1,043.1	0
Floor of Mouth	0.0	0.0	1,043.1	0
Gum and Other Mouth	0.0	0.0	1,043.1	0
Nasopharynx	0.0	0.0	1,043.1	0
Tonsil	0.0	0.0	1,043.1	0
Oropharynx	0.0	0.0	1,043.1	0
Hypopharynx	0.0	0.0	1,043.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,043.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,043.1	0
Stomach	0.0	0.0	1,043.1	0
Small Intestine	0.0	0.0	1,043.1	0
Colon and Rectum	0.0	0.0	1,043.1	0
Colon excluding Rectum	0.0	0.0	1,043.1	0
Cecum	0.0	0.0	1,043.1	0
Appendix	0.0	0.0	1,043.1	0
Ascending Colon	0.0	0.0	1,043.1	0
Hepatic Flexure	0.0	0.0	1,043.1	0
Transverse Colon	0.0	0.0	1,043.1	0
Splenic Flexure	0.0	0.0	1,043.1	0
Descending Colon	0.0	0.0	1,043.1	0
Sigmoid Colon	0.0	0.0	1,043.1	0
Large Intestine, NOS	0.0	0.0	1,043.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,043.1	0
Rectosigmoid Junction	0.0	0.0	1,043.1	0
Rectum	0.0	0.0	1,043.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,043.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,043.1	0
Liver	0.0	0.0	1,043.1	0
Intrahepatic Bile Duct	0.0	0.0	1,043.1	0
Gallbladder	0.0	0.0	1,043.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	1,043.1	0
Retroperitoneum	0.0	0.0	1,043.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,043.1	0
Other Digestive Organs	0.0	0.0	1,043.1	0
Respiratory System	0.0	0.0	1,043.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,043.1	0
Larynx	0.0	0.0	1,043.1	0
Lung and Bronchus	0.0	0.0	1,043.1	0
Pleura	0.0	0.0	1,043.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,043.1	0
Bones and Joints	0.0	0.0	1,043.1	0
Soft Tissue including Heart	0.0	0.0	1,043.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,043.1	0
Melanoma of the Skin	0.0	0.0	1,043.1	0
Other Non-Epithelial Skin	0.0	0.0	1,043.1	0
Urinary System	0.0	0.0	1,043.1	0
Urinary Bladder	0.0	0.0	1,043.1	0
Kidney and Renal Pelvis	0.0	0.0	1,043.1	0
Ureter	0.0	0.0	1,043.1	0
Other Urinary Organs	0.0	0.0	1,043.1	0
Eye and Orbit	0.0	0.0	1,043.1	0
Brain and Other Nervous System	0.0	0.0	1,043.1	0
Brain	0.0	0.0	1,043.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1,043.1	0
Endocrine System	0.0	0.0	1,043.1	0
Thyroid	0.0	0.0	1,043.1	0
Other Endocrine including Thymus	0.0	0.0	1,043.1	0
Lymphoma	0.0	0.0	1,043.1	0
Hodgkin Lymphoma	0.0	0.0	1,043.1	0
Hodgkin - Nodal	0.0	0.0	1,043.1	0
Hodgkin - Extranodal	0.0	0.0	1,043.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,043.1	0
NHL - Nodal	0.0	0.0	1,043.1	0
NHL - Extranodal	0.0	0.0	1,043.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	1,043.1	0
Leukemia	0.0	0.0	1,043.1	0
Lymphocytic Leukemia	0.0	0.0	1,043.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,043.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,043.1	0
Other Lymphocytic Leukemia	0.0	0.0	1,043.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,043.1	0
Acute Myeloid Leukemia	0.0	0.0	1,043.1	0
Acute Monocytic Leukemia	0.0	0.0	1,043.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,043.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,043.1	0
Other Leukemia	0.0	0.0	1,043.1	0
Other Acute Leukemia	0.0	0.0	1,043.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,043.1	0
Mesothelioma	0.0	0.0	1,043.1	0
Kaposi Sarcoma	0.0	0.0	1,043.1	0
Miscellaneous	0.0	0.0	1,043.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	517.8	184.1	1,273.6	7
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	607.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	607.4	0
Floor of Mouth	0.0	0.0	607.4	0
Gum and Other Mouth	0.0	0.0	607.4	0
Nasopharynx	0.0	0.0	607.4	0
Tonsil	0.0	0.0	607.4	0
Oropharynx	0.0	0.0	607.4	0
Hypopharynx	0.0	0.0	607.4	0
Other Oral Cavity and Pharynx	0.0	0.0	607.4	0
Digestive System	0.0	0.0	607.4	0
Esophagus	0.0	0.0	607.4	0
Stomach	0.0	0.0	607.4	0
Small Intestine	0.0	0.0	607.4	0
Colon and Rectum	0.0	0.0	607.4	0
Colon excluding Rectum	0.0	0.0	607.4	0
Cecum	0.0	0.0	607.4	0
Appendix	0.0	0.0	607.4	0
Ascending Colon	0.0	0.0	607.4	0
Hepatic Flexure	0.0	0.0	607.4	0
Transverse Colon	0.0	0.0	607.4	0
Splenic Flexure	0.0	0.0	607.4	0
Descending Colon	0.0	0.0	607.4	0
Sigmoid Colon	0.0	0.0	607.4	0
Large Intestine, NOS	0.0	0.0	607.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	607.4	0
Rectosigmoid Junction	0.0	0.0	607.4	0
Rectum	0.0	0.0	607.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	607.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	607.4	0
Liver	0.0	0.0	607.4	0
Intrahepatic Bile Duct	0.0	0.0	607.4	0
Gallbladder	0.0	0.0	607.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	607.4	0
Pancreas	0.0	0.0	607.4	0
Retroperitoneum	0.0	0.0	607.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	607.4	0
Other Digestive Organs	0.0	0.0	607.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	607.4	0
Larynx	0.0	0.0	607.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	607.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	607.4	0
Bones and Joints	0.0	0.0	607.4	0
Soft Tissue including Heart	0.0	0.0	607.4	0
Skin excluding Basal and Squamous	0.0	0.0	607.4	0
Melanoma of the Skin	0.0	0.0	607.4	0
Other Non-Epithelial Skin	0.0	0.0	607.4	0
Urinary System	0.0	0.0	607.4	0
Urinary Bladder	0.0	0.0	607.4	0
Kidney and Renal Pelvis	0.0	0.0	607.4	0
Ureter	0.0	0.0	607.4	0
Other Urinary Organs	0.0	0.0	607.4	0
Eye and Orbit	0.0	0.0	607.4	0
Brain and Other Nervous System	0.0	0.0	607.4	0
Brain	0.0	0.0	607.4	0
Cranial Nerves Other Nervous System	0.0	0.0	607.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	607.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	607.4	0
Hodgkin - Nodal	0.0	0.0	607.4	0
Hodgkin - Extranodal	0.0	0.0	607.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	607.4	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	607.4	0
Leukemia	0.0	0.0	607.4	0
Lymphocytic Leukemia	0.0	0.0	607.4	0
Acute Lymphocytic Leukemia	0.0	0.0	607.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	607.4	0
Other Lymphocytic Leukemia	0.0	0.0	607.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	607.4	0
Acute Myeloid Leukemia	0.0	0.0	607.4	0
Acute Monocytic Leukemia	0.0	0.0	607.4	0
Chronic Myeloid Leukemia	0.0	0.0	607.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	607.4	0
Other Leukemia	0.0	0.0	607.4	0
Other Acute Leukemia	0.0	0.0	607.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	607.4	0
Mesothelioma	0.0	0.0	607.4	0
Kaposi Sarcoma	0.0	0.0	607.4	0
Miscellaneous	0.0	0.0	607.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	504.8	260.4	870.9	14
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	138.3	0
Tongue	0.0	0.0	138.3	0
Salivary Gland	0.0	0.0	138.3	0
Floor of Mouth	0.0	0.0	138.3	0
Gum and Other Mouth	0.0	0.0	138.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	138.3	0
Oropharynx	0.0	0.0	138.3	0
Hypopharynx	0.0	0.0	138.3	0
Other Oral Cavity and Pharynx	0.0	0.0	138.3	0
Digestive System	190.2	68.5	424.2	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	138.3	0
Small Intestine	0.0	0.0	138.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	138.3	0
Ascending Colon	0.0	0.0	138.3	0
Hepatic Flexure	0.0	0.0	138.3	0
Transverse Colon	0.0	0.0	138.3	0
Splenic Flexure	0.0	0.0	138.3	0
Descending Colon	0.0	0.0	138.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	138.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	138.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	138.3	0
Gallbladder	0.0	0.0	138.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	138.3	0
Pancreas	0.0	0.0	138.3	0
Retroperitoneum	0.0	0.0	138.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	138.3	0
Other Digestive Organs	0.0	0.0	138.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	138.3	0
Larynx	0.0	0.0	138.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	138.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	138.3	0
Bones and Joints	0.0	0.0	138.3	0
Soft Tissue including Heart	0.0	0.0	138.3	0
Skin excluding Basal and Squamous	0.0	0.0	138.3	0
Melanoma of the Skin	0.0	0.0	138.3	0
Other Non-Epithelial Skin	0.0	0.0	138.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	138.3	0
Ureter	0.0	0.0	138.3	0
Other Urinary Organs	0.0	0.0	138.3	0
Eye and Orbit	0.0	0.0	138.3	0
Brain and Other Nervous System	0.0	0.0	138.3	0
Brain	0.0	0.0	138.3	0
Cranial Nerves Other Nervous System	0.0	0.0	138.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	138.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	138.3	0
Hodgkin - Nodal	0.0	0.0	138.3	0
Hodgkin - Extranodal	0.0	0.0	138.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	138.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	138.3	0
Leukemia	0.0	0.0	138.3	0
Lymphocytic Leukemia	0.0	0.0	138.3	0
Acute Lymphocytic Leukemia	0.0	0.0	138.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	138.3	0
Other Lymphocytic Leukemia	0.0	0.0	138.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	138.3	0
Acute Myeloid Leukemia	0.0	0.0	138.3	0
Acute Monocytic Leukemia	0.0	0.0	138.3	0
Chronic Myeloid Leukemia	0.0	0.0	138.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	138.3	0
Other Leukemia	0.0	0.0	138.3	0
Other Acute Leukemia	0.0	0.0	138.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	138.3	0
Mesothelioma	0.0	0.0	138.3	0
Kaposi Sarcoma	0.0	0.0	138.3	0
Miscellaneous	0.0	0.0	138.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	551.6	473.8	637.4	230
Oral Cavity and Pharynx	13.3	4.7	29.6	7
Lip	0.0	0.0	9.1	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	9.1	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	9.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	114.6	79.8	157.8	43
Esophagus	^	^	^	^
Stomach	19.2	7.0	40.2	7
Small Intestine	0.0	0.0	9.1	0
Colon and Rectum	56.9	34.0	88.1	22
Colon excluding Rectum	35.4	17.7	61.8	13
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	0.0	0.0	9.1	0
Hepatic Flexure	0.0	0.0	9.1	0
Transverse Colon	0.0	0.0	9.1	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	9.1	0
Rectum and Rectosigmoid Junction	21.5	9.0	42.2	9
Rectosigmoid Junction	^	^	^	^
Rectum	18.6	6.9	38.9	7
Anus, Anal Canal and Anorectum	0.0	0.0	9.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	9.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	9.1	0
Pancreas	17.3	5.8	37.9	6
Retroperitoneum	0.0	0.0	9.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.1	0
Other Digestive Organs	0.0	0.0	9.1	0
Respiratory System	109.0	73.5	153.8	36
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.1	0
Larynx	^	^	^	^
Lung and Bronchus	104.6	69.6	148.9	34
Pleura	0.0	0.0	9.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	25.2	10.7	48.5	11
Melanoma of the Skin	25.2	10.7	48.5	11
Other Non-Epithelial Skin	0.0	0.0	9.1	0
Urinary System	50.4	28.4	81.2	18
Urinary Bladder	29.5	13.2	54.8	10
Kidney and Renal Pelvis	16.8	6.0	36.0	7
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	9.1	0
Eye and Orbit	0.0	0.0	9.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	9.1	0
Lymphoma	14.6	6.0	30.1	9
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	9.1	0
Non-Hodgkin Lymphoma	9.5	3.0	23.2	6
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	14.4	4.3	33.6	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.1	0
Other Leukemia	0.0	0.0	9.1	0
Other Acute Leukemia	0.0	0.0	9.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.1	0
Mesothelioma	0.0	0.0	9.1	0
Kaposi Sarcoma	0.0	0.0	9.1	0
Miscellaneous	0.0	0.0	9.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	844.7	408.7	1,500.4	12
Oral Cavity and Pharynx	0.0	0.0	208.7	0
Lip	0.0	0.0	208.7	0
Tongue	0.0	0.0	208.7	0
Salivary Gland	0.0	0.0	208.7	0
Floor of Mouth	0.0	0.0	208.7	0
Gum and Other Mouth	0.0	0.0	208.7	0
Nasopharynx	0.0	0.0	208.7	0
Tonsil	0.0	0.0	208.7	0
Oropharynx	0.0	0.0	208.7	0
Hypopharynx	0.0	0.0	208.7	0
Other Oral Cavity and Pharynx	0.0	0.0	208.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	208.7	0
Stomach	0.0	0.0	208.7	0
Small Intestine	0.0	0.0	208.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	208.7	0
Ascending Colon	0.0	0.0	208.7	0
Hepatic Flexure	0.0	0.0	208.7	0
Transverse Colon	0.0	0.0	208.7	0
Splenic Flexure	0.0	0.0	208.7	0
Descending Colon	0.0	0.0	208.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	208.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	208.7	0
Rectosigmoid Junction	0.0	0.0	208.7	0
Rectum	0.0	0.0	208.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	208.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	208.7	0
Liver	0.0	0.0	208.7	0
Intrahepatic Bile Duct	0.0	0.0	208.7	0
Gallbladder	0.0	0.0	208.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	208.7	0
Pancreas	0.0	0.0	208.7	0
Retroperitoneum	0.0	0.0	208.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	208.7	0
Other Digestive Organs	0.0	0.0	208.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	208.7	0
Larynx	0.0	0.0	208.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	208.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	208.7	0
Bones and Joints	0.0	0.0	208.7	0
Soft Tissue including Heart	0.0	0.0	208.7	0
Skin excluding Basal and Squamous	0.0	0.0	208.7	0
Melanoma of the Skin	0.0	0.0	208.7	0
Other Non-Epithelial Skin	0.0	0.0	208.7	0
Urinary System	0.0	0.0	208.7	0
Urinary Bladder	0.0	0.0	208.7	0
Kidney and Renal Pelvis	0.0	0.0	208.7	0
Ureter	0.0	0.0	208.7	0
Other Urinary Organs	0.0	0.0	208.7	0
Eye and Orbit	0.0	0.0	208.7	0
Brain and Other Nervous System	0.0	0.0	208.7	0
Brain	0.0	0.0	208.7	0
Cranial Nerves Other Nervous System	0.0	0.0	208.7	0
Endocrine System	0.0	0.0	208.7	0
Thyroid	0.0	0.0	208.7	0
Other Endocrine including Thymus	0.0	0.0	208.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	208.7	0
Hodgkin - Nodal	0.0	0.0	208.7	0
Hodgkin - Extranodal	0.0	0.0	208.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	208.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	208.7	0
Leukemia	0.0	0.0	208.7	0
Lymphocytic Leukemia	0.0	0.0	208.7	0
Acute Lymphocytic Leukemia	0.0	0.0	208.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	208.7	0
Other Lymphocytic Leukemia	0.0	0.0	208.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	208.7	0
Acute Myeloid Leukemia	0.0	0.0	208.7	0
Acute Monocytic Leukemia	0.0	0.0	208.7	0
Chronic Myeloid Leukemia	0.0	0.0	208.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	208.7	0
Other Leukemia	0.0	0.0	208.7	0
Other Acute Leukemia	0.0	0.0	208.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	208.7	0
Mesothelioma	0.0	0.0	208.7	0
Kaposi Sarcoma	0.0	0.0	208.7	0
Miscellaneous	0.0	0.0	208.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	480.8	381.6	596.3	97
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	18.4	0
Tongue	0.0	0.0	18.4	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	18.4	0
Gum and Other Mouth	0.0	0.0	18.4	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	18.4	0
Oropharynx	0.0	0.0	18.4	0
Hypopharynx	0.0	0.0	18.4	0
Other Oral Cavity and Pharynx	0.0	0.0	18.4	0
Digestive System	64.4	32.5	112.7	13
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	18.4	0
Colon and Rectum	35.7	13.2	75.6	7
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	18.4	0
Appendix	0.0	0.0	18.4	0
Ascending Colon	0.0	0.0	18.4	0
Hepatic Flexure	0.0	0.0	18.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	18.4	0
Descending Colon	0.0	0.0	18.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	18.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	18.4	0
Gallbladder	0.0	0.0	18.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	18.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	18.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	18.4	0
Other Digestive Organs	0.0	0.0	18.4	0
Respiratory System	107.0	59.7	173.1	17
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	82.7	42.6	141.3	13
Pleura	0.0	0.0	18.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	18.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	18.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	18.4	0
Urinary System	32.5	12.3	69.0	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	18.4	0
Other Urinary Organs	0.0	0.0	18.4	0
Eye and Orbit	0.0	0.0	18.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	18.4	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	18.4	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	32.9	10.6	73.7	6
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	18.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	18.4	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	18.4	0
Chronic Myeloid Leukemia	0.0	0.0	18.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	18.4	0
Other Leukemia	0.0	0.0	18.4	0
Other Acute Leukemia	0.0	0.0	18.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	18.4	0
Mesothelioma	0.0	0.0	18.4	0
Kaposi Sarcoma	^	^	^	^
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	460.4	384.0	546.7	158
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	12.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	12.3	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	12.3	0
Nasopharynx	0.0	0.0	12.3	0
Tonsil	0.0	0.0	12.3	0
Oropharynx	0.0	0.0	12.3	0
Hypopharynx	0.0	0.0	12.3	0
Other Oral Cavity and Pharynx	0.0	0.0	12.3	0
Digestive System	100.8	63.8	149.6	28
Esophagus	^	^	^	^
Stomach	0.0	0.0	12.3	0
Small Intestine	0.0	0.0	12.3	0
Colon and Rectum	49.2	25.3	84.5	14
Colon excluding Rectum	43.7	21.1	78.1	12
Cecum	^	^	^	^
Appendix	0.0	0.0	12.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	12.3	0
Transverse Colon	0.0	0.0	12.3	0
Splenic Flexure	0.0	0.0	12.3	0
Descending Colon	0.0	0.0	12.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	12.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	12.3	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	12.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	12.3	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	80.1	51.7	118.2	28
Nose, Nasal Cavity and Middle Ear	0.0	0.0	12.3	0
Larynx	^	^	^	^
Lung and Bronchus	73.4	46.5	109.9	26
Pleura	0.0	0.0	12.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	12.3	0
Bones and Joints	0.0	0.0	12.3	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	12.3	0
Urinary System	41.3	19.1	75.5	12
Urinary Bladder	34.1	13.8	67.3	9
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	12.3	0
Other Urinary Organs	0.0	0.0	12.3	0
Eye and Orbit	0.0	0.0	12.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	12.3	0
Endocrine System	11.4	4.1	27.9	6
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	17.2	5.9	39.0	6
Hodgkin Lymphoma	0.0	0.0	12.3	0
Hodgkin - Nodal	0.0	0.0	12.3	0
Hodgkin - Extranodal	0.0	0.0	12.3	0
Non-Hodgkin Lymphoma	17.2	5.9	39.0	6
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	15.2	5.1	35.3	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	12.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	12.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	12.3	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	12.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	12.3	0
Kaposi Sarcoma	0.0	0.0	12.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	567.7	428.3	735.8	62
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	32.6	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	32.6	0
Gum and Other Mouth	0.0	0.0	32.6	0
Nasopharynx	0.0	0.0	32.6	0
Tonsil	0.0	0.0	32.6	0
Oropharynx	0.0	0.0	32.6	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	32.6	0
Digestive System	55.0	18.6	122.3	6
Esophagus	0.0	0.0	32.6	0
Stomach	0.0	0.0	32.6	0
Small Intestine	0.0	0.0	32.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	32.6	0
Appendix	0.0	0.0	32.6	0
Ascending Colon	0.0	0.0	32.6	0
Hepatic Flexure	0.0	0.0	32.6	0
Transverse Colon	0.0	0.0	32.6	0
Splenic Flexure	0.0	0.0	32.6	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	32.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	32.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	32.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	32.6	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	32.6	0
Pancreas	0.0	0.0	32.6	0
Retroperitoneum	0.0	0.0	32.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.6	0
Other Digestive Organs	0.0	0.0	32.6	0
Respiratory System	96.2	47.1	173.4	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.6	0
Larynx	^	^	^	^
Lung and Bronchus	78.3	35.0	150.0	9
Pleura	0.0	0.0	32.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.6	0
Bones and Joints	0.0	0.0	32.6	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.6	0
Urinary System	71.5	27.8	146.4	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	32.6	0
Other Urinary Organs	0.0	0.0	32.6	0
Eye and Orbit	0.0	0.0	32.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	32.6	0
Endocrine System	0.0	0.0	32.6	0
Thyroid	0.0	0.0	32.6	0
Other Endocrine including Thymus	0.0	0.0	32.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.6	0
Hodgkin - Nodal	0.0	0.0	32.6	0
Hodgkin - Extranodal	0.0	0.0	32.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	32.6	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	32.6	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	32.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.6	0
Chronic Myeloid Leukemia	0.0	0.0	32.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	32.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	32.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	679.4	443.1	980.2	36
Oral Cavity and Pharynx	0.0	0.0	60.3	0
Lip	0.0	0.0	60.3	0
Tongue	0.0	0.0	60.3	0
Salivary Gland	0.0	0.0	60.3	0
Floor of Mouth	0.0	0.0	60.3	0
Gum and Other Mouth	0.0	0.0	60.3	0
Nasopharynx	0.0	0.0	60.3	0
Tonsil	0.0	0.0	60.3	0
Oropharynx	0.0	0.0	60.3	0
Hypopharynx	0.0	0.0	60.3	0
Other Oral Cavity and Pharynx	0.0	0.0	60.3	0
Digestive System	189.0	75.4	370.2	9
Esophagus	0.0	0.0	60.3	0
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	111.9	34.4	252.0	6
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	60.3	0
Appendix	0.0	0.0	60.3	0
Ascending Colon	0.0	0.0	60.3	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	60.3	0
Splenic Flexure	0.0	0.0	60.3	0
Descending Colon	0.0	0.0	60.3	0
Sigmoid Colon	0.0	0.0	60.3	0
Large Intestine, NOS	0.0	0.0	60.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	60.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	60.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	60.3	0
Liver	0.0	0.0	60.3	0
Intrahepatic Bile Duct	0.0	0.0	60.3	0
Gallbladder	0.0	0.0	60.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	60.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	60.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	60.3	0
Other Digestive Organs	0.0	0.0	60.3	0
Respiratory System	163.5	49.4	360.4	6
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	60.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	60.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	60.3	0
Bones and Joints	0.0	0.0	60.3	0
Soft Tissue including Heart	0.0	0.0	60.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	60.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	60.3	0
Ureter	0.0	0.0	60.3	0
Other Urinary Organs	0.0	0.0	60.3	0
Eye and Orbit	0.0	0.0	60.3	0
Brain and Other Nervous System	0.0	0.0	60.3	0
Brain	0.0	0.0	60.3	0
Cranial Nerves Other Nervous System	0.0	0.0	60.3	0
Endocrine System	0.0	0.0	60.3	0
Thyroid	0.0	0.0	60.3	0
Other Endocrine including Thymus	0.0	0.0	60.3	0
Lymphoma	0.0	0.0	60.3	0
Hodgkin Lymphoma	0.0	0.0	60.3	0
Hodgkin - Nodal	0.0	0.0	60.3	0
Hodgkin - Extranodal	0.0	0.0	60.3	0
Non-Hodgkin Lymphoma	0.0	0.0	60.3	0
NHL - Nodal	0.0	0.0	60.3	0
NHL - Extranodal	0.0	0.0	60.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	60.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	60.3	0
Other Lymphocytic Leukemia	0.0	0.0	60.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	60.3	0
Acute Myeloid Leukemia	0.0	0.0	60.3	0
Acute Monocytic Leukemia	0.0	0.0	60.3	0
Chronic Myeloid Leukemia	0.0	0.0	60.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	60.3	0
Other Leukemia	0.0	0.0	60.3	0
Other Acute Leukemia	0.0	0.0	60.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	60.3	0
Mesothelioma	0.0	0.0	60.3	0
Kaposi Sarcoma	0.0	0.0	60.3	0
Miscellaneous	0.0	0.0	60.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	916.5	384.9	1,808.1	9
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	419.4	0
Tongue	0.0	0.0	419.4	0
Salivary Gland	0.0	0.0	419.4	0
Floor of Mouth	0.0	0.0	419.4	0
Gum and Other Mouth	0.0	0.0	419.4	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	419.4	0
Oropharynx	0.0	0.0	419.4	0
Hypopharynx	0.0	0.0	419.4	0
Other Oral Cavity and Pharynx	0.0	0.0	419.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	419.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	419.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	419.4	0
Appendix	0.0	0.0	419.4	0
Ascending Colon	0.0	0.0	419.4	0
Hepatic Flexure	0.0	0.0	419.4	0
Transverse Colon	0.0	0.0	419.4	0
Splenic Flexure	0.0	0.0	419.4	0
Descending Colon	0.0	0.0	419.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	419.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	419.4	0
Rectosigmoid Junction	0.0	0.0	419.4	0
Rectum	0.0	0.0	419.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	419.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	419.4	0
Liver	0.0	0.0	419.4	0
Intrahepatic Bile Duct	0.0	0.0	419.4	0
Gallbladder	0.0	0.0	419.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	419.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	419.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	419.4	0
Other Digestive Organs	0.0	0.0	419.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	419.4	0
Larynx	^	^	^	^
Lung and Bronchus	0.0	0.0	419.4	0
Pleura	0.0	0.0	419.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	419.4	0
Bones and Joints	0.0	0.0	419.4	0
Soft Tissue including Heart	0.0	0.0	419.4	0
Skin excluding Basal and Squamous	0.0	0.0	419.4	0
Melanoma of the Skin	0.0	0.0	419.4	0
Other Non-Epithelial Skin	0.0	0.0	419.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	419.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	419.4	0
Other Urinary Organs	0.0	0.0	419.4	0
Eye and Orbit	0.0	0.0	419.4	0
Brain and Other Nervous System	0.0	0.0	419.4	0
Brain	0.0	0.0	419.4	0
Cranial Nerves Other Nervous System	0.0	0.0	419.4	0
Endocrine System	0.0	0.0	419.4	0
Thyroid	0.0	0.0	419.4	0
Other Endocrine including Thymus	0.0	0.0	419.4	0
Lymphoma	0.0	0.0	419.4	0
Hodgkin Lymphoma	0.0	0.0	419.4	0
Hodgkin - Nodal	0.0	0.0	419.4	0
Hodgkin - Extranodal	0.0	0.0	419.4	0
Non-Hodgkin Lymphoma	0.0	0.0	419.4	0
NHL - Nodal	0.0	0.0	419.4	0
NHL - Extranodal	0.0	0.0	419.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	419.4	0
Leukemia	0.0	0.0	419.4	0
Lymphocytic Leukemia	0.0	0.0	419.4	0
Acute Lymphocytic Leukemia	0.0	0.0	419.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	419.4	0
Other Lymphocytic Leukemia	0.0	0.0	419.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	419.4	0
Acute Myeloid Leukemia	0.0	0.0	419.4	0
Acute Monocytic Leukemia	0.0	0.0	419.4	0
Chronic Myeloid Leukemia	0.0	0.0	419.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	419.4	0
Other Leukemia	0.0	0.0	419.4	0
Other Acute Leukemia	0.0	0.0	419.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	419.4	0
Mesothelioma	0.0	0.0	419.4	0
Kaposi Sarcoma	0.0	0.0	419.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	467.5	387.0	558.6	152
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	12.8	0
Floor of Mouth	0.0	0.0	12.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	12.8	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	12.8	0
Hypopharynx	0.0	0.0	12.8	0
Other Oral Cavity and Pharynx	0.0	0.0	12.8	0
Digestive System	82.8	50.4	126.6	26
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	40.5	18.4	75.0	12
Colon excluding Rectum	31.4	12.0	63.8	9
Cecum	^	^	^	^
Appendix	0.0	0.0	12.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	12.8	0
Transverse Colon	0.0	0.0	12.8	0
Splenic Flexure	0.0	0.0	12.8	0
Descending Colon	0.0	0.0	12.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	12.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	12.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	12.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	12.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	12.8	0
Other Digestive Organs	0.0	0.0	12.8	0
Respiratory System	62.2	37.6	96.7	21
Nose, Nasal Cavity and Middle Ear	0.0	0.0	12.8	0
Larynx	^	^	^	^
Lung and Bronchus	60.1	35.9	94.4	20
Pleura	0.0	0.0	12.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	12.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	12.8	0
Urinary System	63.1	35.0	103.0	18
Urinary Bladder	40.7	17.8	76.5	10
Kidney and Renal Pelvis	22.4	8.9	46.4	8
Ureter	0.0	0.0	12.8	0
Other Urinary Organs	0.0	0.0	12.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	0.0	0.0	12.8	0
Brain	0.0	0.0	12.8	0
Cranial Nerves Other Nervous System	0.0	0.0	12.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	12.8	0
Lymphoma	53.8	25.7	95.6	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	12.8	0
Non-Hodgkin Lymphoma	50.9	23.5	92.3	14
NHL - Nodal	40.1	15.1	80.7	9
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	12.8	0
Leukemia	17.1	5.1	40.8	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	12.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	12.8	0
Chronic Myeloid Leukemia	0.0	0.0	12.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	12.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	12.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	12.8	0
Kaposi Sarcoma	0.0	0.0	12.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	504.7	320.2	749.5	27
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	66.3	0
Tongue	0.0	0.0	66.3	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	66.3	0
Gum and Other Mouth	0.0	0.0	66.3	0
Nasopharynx	0.0	0.0	66.3	0
Tonsil	0.0	0.0	66.3	0
Oropharynx	0.0	0.0	66.3	0
Hypopharynx	0.0	0.0	66.3	0
Other Oral Cavity and Pharynx	0.0	0.0	66.3	0
Digestive System	238.7	120.6	416.9	13
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	66.3	0
Colon and Rectum	137.3	56.7	275.5	8
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	66.3	0
Ascending Colon	0.0	0.0	66.3	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	66.3	0
Splenic Flexure	0.0	0.0	66.3	0
Descending Colon	0.0	0.0	66.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	66.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	66.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	66.3	0
Liver	0.0	0.0	66.3	0
Intrahepatic Bile Duct	0.0	0.0	66.3	0
Gallbladder	0.0	0.0	66.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	66.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	66.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.3	0
Larynx	0.0	0.0	66.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.3	0
Bones and Joints	0.0	0.0	66.3	0
Soft Tissue including Heart	0.0	0.0	66.3	0
Skin excluding Basal and Squamous	0.0	0.0	66.3	0
Melanoma of the Skin	0.0	0.0	66.3	0
Other Non-Epithelial Skin	0.0	0.0	66.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	66.3	0
Other Urinary Organs	0.0	0.0	66.3	0
Eye and Orbit	0.0	0.0	66.3	0
Brain and Other Nervous System	0.0	0.0	66.3	0
Brain	0.0	0.0	66.3	0
Cranial Nerves Other Nervous System	0.0	0.0	66.3	0
Endocrine System	0.0	0.0	66.3	0
Thyroid	0.0	0.0	66.3	0
Other Endocrine including Thymus	0.0	0.0	66.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	66.3	0
Hodgkin - Nodal	0.0	0.0	66.3	0
Hodgkin - Extranodal	0.0	0.0	66.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	66.3	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	66.3	0
Leukemia	0.0	0.0	66.3	0
Lymphocytic Leukemia	0.0	0.0	66.3	0
Acute Lymphocytic Leukemia	0.0	0.0	66.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.3	0
Other Lymphocytic Leukemia	0.0	0.0	66.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.3	0
Acute Myeloid Leukemia	0.0	0.0	66.3	0
Acute Monocytic Leukemia	0.0	0.0	66.3	0
Chronic Myeloid Leukemia	0.0	0.0	66.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.3	0
Other Leukemia	0.0	0.0	66.3	0
Other Acute Leukemia	0.0	0.0	66.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.3	0
Mesothelioma	0.0	0.0	66.3	0
Kaposi Sarcoma	0.0	0.0	66.3	0
Miscellaneous	0.0	0.0	66.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	496.5	260.2	846.4	17
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	138.1	0
Tongue	0.0	0.0	138.1	0
Salivary Gland	0.0	0.0	138.1	0
Floor of Mouth	0.0	0.0	138.1	0
Gum and Other Mouth	0.0	0.0	138.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	138.1	0
Oropharynx	0.0	0.0	138.1	0
Hypopharynx	0.0	0.0	138.1	0
Other Oral Cavity and Pharynx	0.0	0.0	138.1	0
Digestive System	316.6	123.2	639.6	8
Esophagus	0.0	0.0	138.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	138.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	138.1	0
Ascending Colon	0.0	0.0	138.1	0
Hepatic Flexure	0.0	0.0	138.1	0
Transverse Colon	0.0	0.0	138.1	0
Splenic Flexure	0.0	0.0	138.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	138.1	0
Large Intestine, NOS	0.0	0.0	138.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	138.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	138.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	138.1	0
Liver	0.0	0.0	138.1	0
Intrahepatic Bile Duct	0.0	0.0	138.1	0
Gallbladder	0.0	0.0	138.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	138.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	138.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	138.1	0
Other Digestive Organs	0.0	0.0	138.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	138.1	0
Larynx	0.0	0.0	138.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	138.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	138.1	0
Bones and Joints	0.0	0.0	138.1	0
Soft Tissue including Heart	0.0	0.0	138.1	0
Skin excluding Basal and Squamous	0.0	0.0	138.1	0
Melanoma of the Skin	0.0	0.0	138.1	0
Other Non-Epithelial Skin	0.0	0.0	138.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	138.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	138.1	0
Other Urinary Organs	0.0	0.0	138.1	0
Eye and Orbit	0.0	0.0	138.1	0
Brain and Other Nervous System	0.0	0.0	138.1	0
Brain	0.0	0.0	138.1	0
Cranial Nerves Other Nervous System	0.0	0.0	138.1	0
Endocrine System	0.0	0.0	138.1	0
Thyroid	0.0	0.0	138.1	0
Other Endocrine including Thymus	0.0	0.0	138.1	0
Lymphoma	0.0	0.0	138.1	0
Hodgkin Lymphoma	0.0	0.0	138.1	0
Hodgkin - Nodal	0.0	0.0	138.1	0
Hodgkin - Extranodal	0.0	0.0	138.1	0
Non-Hodgkin Lymphoma	0.0	0.0	138.1	0
NHL - Nodal	0.0	0.0	138.1	0
NHL - Extranodal	0.0	0.0	138.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	138.1	0
Leukemia	0.0	0.0	138.1	0
Lymphocytic Leukemia	0.0	0.0	138.1	0
Acute Lymphocytic Leukemia	0.0	0.0	138.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	138.1	0
Other Lymphocytic Leukemia	0.0	0.0	138.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	138.1	0
Acute Myeloid Leukemia	0.0	0.0	138.1	0
Acute Monocytic Leukemia	0.0	0.0	138.1	0
Chronic Myeloid Leukemia	0.0	0.0	138.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	138.1	0
Other Leukemia	0.0	0.0	138.1	0
Other Acute Leukemia	0.0	0.0	138.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	138.1	0
Mesothelioma	0.0	0.0	138.1	0
Kaposi Sarcoma	0.0	0.0	138.1	0
Miscellaneous	0.0	0.0	138.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	465.5	224.5	821.4	12
Oral Cavity and Pharynx	0.0	0.0	103.0	0
Lip	0.0	0.0	103.0	0
Tongue	0.0	0.0	103.0	0
Salivary Gland	0.0	0.0	103.0	0
Floor of Mouth	0.0	0.0	103.0	0
Gum and Other Mouth	0.0	0.0	103.0	0
Nasopharynx	0.0	0.0	103.0	0
Tonsil	0.0	0.0	103.0	0
Oropharynx	0.0	0.0	103.0	0
Hypopharynx	0.0	0.0	103.0	0
Other Oral Cavity and Pharynx	0.0	0.0	103.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	103.0	0
Stomach	0.0	0.0	103.0	0
Small Intestine	0.0	0.0	103.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	103.0	0
Appendix	0.0	0.0	103.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	103.0	0
Splenic Flexure	0.0	0.0	103.0	0
Descending Colon	0.0	0.0	103.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	103.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	103.0	0
Rectosigmoid Junction	0.0	0.0	103.0	0
Rectum	0.0	0.0	103.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	103.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	103.0	0
Liver	0.0	0.0	103.0	0
Intrahepatic Bile Duct	0.0	0.0	103.0	0
Gallbladder	0.0	0.0	103.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	103.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	103.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	103.0	0
Other Digestive Organs	0.0	0.0	103.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	103.0	0
Larynx	0.0	0.0	103.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	103.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	103.0	0
Bones and Joints	0.0	0.0	103.0	0
Soft Tissue including Heart	0.0	0.0	103.0	0
Skin excluding Basal and Squamous	0.0	0.0	103.0	0
Melanoma of the Skin	0.0	0.0	103.0	0
Other Non-Epithelial Skin	0.0	0.0	103.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	103.0	0
Ureter	0.0	0.0	103.0	0
Other Urinary Organs	0.0	0.0	103.0	0
Eye and Orbit	0.0	0.0	103.0	0
Brain and Other Nervous System	0.0	0.0	103.0	0
Brain	0.0	0.0	103.0	0
Cranial Nerves Other Nervous System	0.0	0.0	103.0	0
Endocrine System	0.0	0.0	103.0	0
Thyroid	0.0	0.0	103.0	0
Other Endocrine including Thymus	0.0	0.0	103.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	103.0	0
Hodgkin - Nodal	0.0	0.0	103.0	0
Hodgkin - Extranodal	0.0	0.0	103.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	103.0	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	103.0	0
Leukemia	0.0	0.0	103.0	0
Lymphocytic Leukemia	0.0	0.0	103.0	0
Acute Lymphocytic Leukemia	0.0	0.0	103.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	103.0	0
Other Lymphocytic Leukemia	0.0	0.0	103.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	103.0	0
Acute Myeloid Leukemia	0.0	0.0	103.0	0
Acute Monocytic Leukemia	0.0	0.0	103.0	0
Chronic Myeloid Leukemia	0.0	0.0	103.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	103.0	0
Other Leukemia	0.0	0.0	103.0	0
Other Acute Leukemia	0.0	0.0	103.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	103.0	0
Mesothelioma	0.0	0.0	103.0	0
Kaposi Sarcoma	0.0	0.0	103.0	0
Miscellaneous	0.0	0.0	103.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	528.2	290.2	873.1	23
Oral Cavity and Pharynx	0.0	0.0	130.3	0
Lip	0.0	0.0	130.3	0
Tongue	0.0	0.0	130.3	0
Salivary Gland	0.0	0.0	130.3	0
Floor of Mouth	0.0	0.0	130.3	0
Gum and Other Mouth	0.0	0.0	130.3	0
Nasopharynx	0.0	0.0	130.3	0
Tonsil	0.0	0.0	130.3	0
Oropharynx	0.0	0.0	130.3	0
Hypopharynx	0.0	0.0	130.3	0
Other Oral Cavity and Pharynx	0.0	0.0	130.3	0
Digestive System	244.7	71.0	561.4	6
Esophagus	0.0	0.0	130.3	0
Stomach	0.0	0.0	130.3	0
Small Intestine	0.0	0.0	130.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	130.3	0
Appendix	0.0	0.0	130.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	130.3	0
Transverse Colon	0.0	0.0	130.3	0
Splenic Flexure	0.0	0.0	130.3	0
Descending Colon	0.0	0.0	130.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	130.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	130.3	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	130.3	0
Liver	0.0	0.0	130.3	0
Intrahepatic Bile Duct	0.0	0.0	130.3	0
Gallbladder	0.0	0.0	130.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	130.3	0
Pancreas	0.0	0.0	130.3	0
Retroperitoneum	0.0	0.0	130.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.3	0
Other Digestive Organs	0.0	0.0	130.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	130.3	0
Larynx	0.0	0.0	130.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	130.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.3	0
Bones and Joints	0.0	0.0	130.3	0
Soft Tissue including Heart	0.0	0.0	130.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	130.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	130.3	0
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	130.3	0
Eye and Orbit	0.0	0.0	130.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	130.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	130.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	130.3	0
Hodgkin - Nodal	0.0	0.0	130.3	0
Hodgkin - Extranodal	0.0	0.0	130.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	130.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	130.3	0
Leukemia	0.0	0.0	130.3	0
Lymphocytic Leukemia	0.0	0.0	130.3	0
Acute Lymphocytic Leukemia	0.0	0.0	130.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	130.3	0
Other Lymphocytic Leukemia	0.0	0.0	130.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	130.3	0
Acute Myeloid Leukemia	0.0	0.0	130.3	0
Acute Monocytic Leukemia	0.0	0.0	130.3	0
Chronic Myeloid Leukemia	0.0	0.0	130.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.3	0
Other Leukemia	0.0	0.0	130.3	0
Other Acute Leukemia	0.0	0.0	130.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.3	0
Mesothelioma	0.0	0.0	130.3	0
Kaposi Sarcoma	0.0	0.0	130.3	0
Miscellaneous	0.0	0.0	130.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	383.4	244.2	570.1	27
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	54.2	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	54.2	0
Floor of Mouth	0.0	0.0	54.2	0
Gum and Other Mouth	0.0	0.0	54.2	0
Nasopharynx	0.0	0.0	54.2	0
Tonsil	0.0	0.0	54.2	0
Oropharynx	0.0	0.0	54.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	54.2	0
Digestive System	81.0	27.2	183.3	6
Esophagus	0.0	0.0	54.2	0
Stomach	0.0	0.0	54.2	0
Small Intestine	0.0	0.0	54.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	54.2	0
Appendix	0.0	0.0	54.2	0
Ascending Colon	0.0	0.0	54.2	0
Hepatic Flexure	0.0	0.0	54.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	54.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	54.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	54.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	54.2	0
Gallbladder	0.0	0.0	54.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	54.2	0
Pancreas	0.0	0.0	54.2	0
Retroperitoneum	0.0	0.0	54.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	54.2	0
Other Digestive Organs	0.0	0.0	54.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	54.2	0
Larynx	0.0	0.0	54.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	54.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	54.2	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	54.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	54.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	54.2	0
Other Urinary Organs	0.0	0.0	54.2	0
Eye and Orbit	0.0	0.0	54.2	0
Brain and Other Nervous System	0.0	0.0	54.2	0
Brain	0.0	0.0	54.2	0
Cranial Nerves Other Nervous System	0.0	0.0	54.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	54.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	54.2	0
Non-Hodgkin Lymphoma	0.0	0.0	54.2	0
NHL - Nodal	0.0	0.0	54.2	0
NHL - Extranodal	0.0	0.0	54.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	54.2	0
Leukemia	0.0	0.0	54.2	0
Lymphocytic Leukemia	0.0	0.0	54.2	0
Acute Lymphocytic Leukemia	0.0	0.0	54.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	54.2	0
Other Lymphocytic Leukemia	0.0	0.0	54.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	54.2	0
Acute Myeloid Leukemia	0.0	0.0	54.2	0
Acute Monocytic Leukemia	0.0	0.0	54.2	0
Chronic Myeloid Leukemia	0.0	0.0	54.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	54.2	0
Other Leukemia	0.0	0.0	54.2	0
Other Acute Leukemia	0.0	0.0	54.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	54.2	0
Mesothelioma	0.0	0.0	54.2	0
Kaposi Sarcoma	^	^	^	^
Miscellaneous	0.0	0.0	54.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	418.3	205.8	751.9	13
Oral Cavity and Pharynx	0.0	0.0	142.7	0
Lip	0.0	0.0	142.7	0
Tongue	0.0	0.0	142.7	0
Salivary Gland	0.0	0.0	142.7	0
Floor of Mouth	0.0	0.0	142.7	0
Gum and Other Mouth	0.0	0.0	142.7	0
Nasopharynx	0.0	0.0	142.7	0
Tonsil	0.0	0.0	142.7	0
Oropharynx	0.0	0.0	142.7	0
Hypopharynx	0.0	0.0	142.7	0
Other Oral Cavity and Pharynx	0.0	0.0	142.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	142.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	142.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	142.7	0
Ascending Colon	0.0	0.0	142.7	0
Hepatic Flexure	0.0	0.0	142.7	0
Transverse Colon	0.0	0.0	142.7	0
Splenic Flexure	0.0	0.0	142.7	0
Descending Colon	0.0	0.0	142.7	0
Sigmoid Colon	0.0	0.0	142.7	0
Large Intestine, NOS	0.0	0.0	142.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	142.7	0
Rectosigmoid Junction	0.0	0.0	142.7	0
Rectum	0.0	0.0	142.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	142.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	142.7	0
Gallbladder	0.0	0.0	142.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	142.7	0
Pancreas	0.0	0.0	142.7	0
Retroperitoneum	0.0	0.0	142.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	142.7	0
Other Digestive Organs	0.0	0.0	142.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	142.7	0
Larynx	0.0	0.0	142.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	142.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	142.7	0
Bones and Joints	0.0	0.0	142.7	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	142.7	0
Melanoma of the Skin	0.0	0.0	142.7	0
Other Non-Epithelial Skin	0.0	0.0	142.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	142.7	0
Ureter	0.0	0.0	142.7	0
Other Urinary Organs	0.0	0.0	142.7	0
Eye and Orbit	0.0	0.0	142.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	142.7	0
Endocrine System	0.0	0.0	142.7	0
Thyroid	0.0	0.0	142.7	0
Other Endocrine including Thymus	0.0	0.0	142.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	142.7	0
Hodgkin - Nodal	0.0	0.0	142.7	0
Hodgkin - Extranodal	0.0	0.0	142.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	142.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	142.7	0
Leukemia	0.0	0.0	142.7	0
Lymphocytic Leukemia	0.0	0.0	142.7	0
Acute Lymphocytic Leukemia	0.0	0.0	142.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	142.7	0
Other Lymphocytic Leukemia	0.0	0.0	142.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	142.7	0
Acute Myeloid Leukemia	0.0	0.0	142.7	0
Acute Monocytic Leukemia	0.0	0.0	142.7	0
Chronic Myeloid Leukemia	0.0	0.0	142.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	142.7	0
Other Leukemia	0.0	0.0	142.7	0
Other Acute Leukemia	0.0	0.0	142.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	142.7	0
Mesothelioma	0.0	0.0	142.7	0
Kaposi Sarcoma	0.0	0.0	142.7	0
Miscellaneous	0.0	0.0	142.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	400.2	210.6	680.9	17
Oral Cavity and Pharynx	0.0	0.0	104.4	0
Lip	0.0	0.0	104.4	0
Tongue	0.0	0.0	104.4	0
Salivary Gland	0.0	0.0	104.4	0
Floor of Mouth	0.0	0.0	104.4	0
Gum and Other Mouth	0.0	0.0	104.4	0
Nasopharynx	0.0	0.0	104.4	0
Tonsil	0.0	0.0	104.4	0
Oropharynx	0.0	0.0	104.4	0
Hypopharynx	0.0	0.0	104.4	0
Other Oral Cavity and Pharynx	0.0	0.0	104.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	104.4	0
Stomach	0.0	0.0	104.4	0
Small Intestine	0.0	0.0	104.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	104.4	0
Appendix	0.0	0.0	104.4	0
Ascending Colon	0.0	0.0	104.4	0
Hepatic Flexure	0.0	0.0	104.4	0
Transverse Colon	0.0	0.0	104.4	0
Splenic Flexure	0.0	0.0	104.4	0
Descending Colon	0.0	0.0	104.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	104.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	104.4	0
Rectosigmoid Junction	0.0	0.0	104.4	0
Rectum	0.0	0.0	104.4	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	104.4	0
Liver	0.0	0.0	104.4	0
Intrahepatic Bile Duct	0.0	0.0	104.4	0
Gallbladder	0.0	0.0	104.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	104.4	0
Pancreas	0.0	0.0	104.4	0
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	104.4	0
Other Digestive Organs	0.0	0.0	104.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	104.4	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	104.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	104.4	0
Bones and Joints	0.0	0.0	104.4	0
Soft Tissue including Heart	0.0	0.0	104.4	0
Skin excluding Basal and Squamous	0.0	0.0	104.4	0
Melanoma of the Skin	0.0	0.0	104.4	0
Other Non-Epithelial Skin	0.0	0.0	104.4	0
Urinary System	0.0	0.0	104.4	0
Urinary Bladder	0.0	0.0	104.4	0
Kidney and Renal Pelvis	0.0	0.0	104.4	0
Ureter	0.0	0.0	104.4	0
Other Urinary Organs	0.0	0.0	104.4	0
Eye and Orbit	0.0	0.0	104.4	0
Brain and Other Nervous System	0.0	0.0	104.4	0
Brain	0.0	0.0	104.4	0
Cranial Nerves Other Nervous System	0.0	0.0	104.4	0
Endocrine System	0.0	0.0	104.4	0
Thyroid	0.0	0.0	104.4	0
Other Endocrine including Thymus	0.0	0.0	104.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	104.4	0
Hodgkin - Nodal	0.0	0.0	104.4	0
Hodgkin - Extranodal	0.0	0.0	104.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	104.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	104.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	104.4	0
Acute Lymphocytic Leukemia	0.0	0.0	104.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	104.4	0
Other Lymphocytic Leukemia	0.0	0.0	104.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	104.4	0
Chronic Myeloid Leukemia	0.0	0.0	104.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	104.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	104.4	0
Mesothelioma	0.0	0.0	104.4	0
Kaposi Sarcoma	0.0	0.0	104.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	495.8	316.9	731.4	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	61.7	0
Tongue	0.0	0.0	61.7	0
Salivary Gland	0.0	0.0	61.7	0
Floor of Mouth	0.0	0.0	61.7	0
Gum and Other Mouth	0.0	0.0	61.7	0
Nasopharynx	0.0	0.0	61.7	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	61.7	0
Hypopharynx	0.0	0.0	61.7	0
Other Oral Cavity and Pharynx	0.0	0.0	61.7	0
Digestive System	120.1	39.6	264.1	7
Esophagus	0.0	0.0	61.7	0
Stomach	0.0	0.0	61.7	0
Small Intestine	^	^	^	^
Colon and Rectum	112.2	34.0	255.8	6
Colon excluding Rectum	112.2	34.0	255.8	6
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	61.7	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	61.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	61.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	61.7	0
Rectosigmoid Junction	0.0	0.0	61.7	0
Rectum	0.0	0.0	61.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	61.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	61.7	0
Liver	0.0	0.0	61.7	0
Intrahepatic Bile Duct	0.0	0.0	61.7	0
Gallbladder	0.0	0.0	61.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	61.7	0
Pancreas	0.0	0.0	61.7	0
Retroperitoneum	0.0	0.0	61.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	61.7	0
Other Digestive Organs	0.0	0.0	61.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	61.7	0
Larynx	0.0	0.0	61.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	61.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	61.7	0
Bones and Joints	0.0	0.0	61.7	0
Soft Tissue including Heart	0.0	0.0	61.7	0
Skin excluding Basal and Squamous	0.0	0.0	61.7	0
Melanoma of the Skin	0.0	0.0	61.7	0
Other Non-Epithelial Skin	0.0	0.0	61.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	61.7	0
Ureter	0.0	0.0	61.7	0
Other Urinary Organs	0.0	0.0	61.7	0
Eye and Orbit	0.0	0.0	61.7	0
Brain and Other Nervous System	0.0	0.0	61.7	0
Brain	0.0	0.0	61.7	0
Cranial Nerves Other Nervous System	0.0	0.0	61.7	0
Endocrine System	0.0	0.0	61.7	0
Thyroid	0.0	0.0	61.7	0
Other Endocrine including Thymus	0.0	0.0	61.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	61.7	0
Hodgkin - Nodal	0.0	0.0	61.7	0
Hodgkin - Extranodal	0.0	0.0	61.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	61.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	61.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	61.7	0
Acute Lymphocytic Leukemia	0.0	0.0	61.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	61.7	0
Other Lymphocytic Leukemia	0.0	0.0	61.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	61.7	0
Chronic Myeloid Leukemia	0.0	0.0	61.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	61.7	0
Other Leukemia	0.0	0.0	61.7	0
Other Acute Leukemia	0.0	0.0	61.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	61.7	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	61.7	0
Miscellaneous	0.0	0.0	61.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	610.2	322.6	1,022.4	16
Oral Cavity and Pharynx	0.0	0.0	127.4	0
Lip	0.0	0.0	127.4	0
Tongue	0.0	0.0	127.4	0
Salivary Gland	0.0	0.0	127.4	0
Floor of Mouth	0.0	0.0	127.4	0
Gum and Other Mouth	0.0	0.0	127.4	0
Nasopharynx	0.0	0.0	127.4	0
Tonsil	0.0	0.0	127.4	0
Oropharynx	0.0	0.0	127.4	0
Hypopharynx	0.0	0.0	127.4	0
Other Oral Cavity and Pharynx	0.0	0.0	127.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	127.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	127.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	127.4	0
Ascending Colon	0.0	0.0	127.4	0
Hepatic Flexure	0.0	0.0	127.4	0
Transverse Colon	0.0	0.0	127.4	0
Splenic Flexure	0.0	0.0	127.4	0
Descending Colon	0.0	0.0	127.4	0
Sigmoid Colon	0.0	0.0	127.4	0
Large Intestine, NOS	0.0	0.0	127.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	127.4	0
Rectosigmoid Junction	0.0	0.0	127.4	0
Rectum	0.0	0.0	127.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	127.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	127.4	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	127.4	0
Pancreas	0.0	0.0	127.4	0
Retroperitoneum	0.0	0.0	127.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.4	0
Other Digestive Organs	0.0	0.0	127.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.4	0
Larynx	0.0	0.0	127.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	127.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	127.4	0
Skin excluding Basal and Squamous	0.0	0.0	127.4	0
Melanoma of the Skin	0.0	0.0	127.4	0
Other Non-Epithelial Skin	0.0	0.0	127.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	127.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	127.4	0
Other Urinary Organs	0.0	0.0	127.4	0
Eye and Orbit	0.0	0.0	127.4	0
Brain and Other Nervous System	0.0	0.0	127.4	0
Brain	0.0	0.0	127.4	0
Cranial Nerves Other Nervous System	0.0	0.0	127.4	0
Endocrine System	0.0	0.0	127.4	0
Thyroid	0.0	0.0	127.4	0
Other Endocrine including Thymus	0.0	0.0	127.4	0
Lymphoma	0.0	0.0	127.4	0
Hodgkin Lymphoma	0.0	0.0	127.4	0
Hodgkin - Nodal	0.0	0.0	127.4	0
Hodgkin - Extranodal	0.0	0.0	127.4	0
Non-Hodgkin Lymphoma	0.0	0.0	127.4	0
NHL - Nodal	0.0	0.0	127.4	0
NHL - Extranodal	0.0	0.0	127.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	127.4	0
Leukemia	0.0	0.0	127.4	0
Lymphocytic Leukemia	0.0	0.0	127.4	0
Acute Lymphocytic Leukemia	0.0	0.0	127.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.4	0
Other Lymphocytic Leukemia	0.0	0.0	127.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.4	0
Acute Myeloid Leukemia	0.0	0.0	127.4	0
Acute Monocytic Leukemia	0.0	0.0	127.4	0
Chronic Myeloid Leukemia	0.0	0.0	127.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.4	0
Other Leukemia	0.0	0.0	127.4	0
Other Acute Leukemia	0.0	0.0	127.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.4	0
Mesothelioma	0.0	0.0	127.4	0
Kaposi Sarcoma	0.0	0.0	127.4	0
Miscellaneous	0.0	0.0	127.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	377.2	226.7	585.9	20
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	64.5	0
Tongue	0.0	0.0	64.5	0
Salivary Gland	0.0	0.0	64.5	0
Floor of Mouth	0.0	0.0	64.5	0
Gum and Other Mouth	0.0	0.0	64.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	64.5	0
Oropharynx	0.0	0.0	64.5	0
Hypopharynx	0.0	0.0	64.5	0
Other Oral Cavity and Pharynx	0.0	0.0	64.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	64.5	0
Stomach	0.0	0.0	64.5	0
Small Intestine	0.0	0.0	64.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	64.5	0
Appendix	0.0	0.0	64.5	0
Ascending Colon	0.0	0.0	64.5	0
Hepatic Flexure	0.0	0.0	64.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	64.5	0
Descending Colon	0.0	0.0	64.5	0
Sigmoid Colon	0.0	0.0	64.5	0
Large Intestine, NOS	0.0	0.0	64.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	64.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	64.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	64.5	0
Liver	0.0	0.0	64.5	0
Intrahepatic Bile Duct	0.0	0.0	64.5	0
Gallbladder	0.0	0.0	64.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	64.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	64.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.5	0
Other Digestive Organs	0.0	0.0	64.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.5	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.5	0
Bones and Joints	0.0	0.0	64.5	0
Soft Tissue including Heart	0.0	0.0	64.5	0
Skin excluding Basal and Squamous	0.0	0.0	64.5	0
Melanoma of the Skin	0.0	0.0	64.5	0
Other Non-Epithelial Skin	0.0	0.0	64.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	64.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	64.5	0
Other Urinary Organs	0.0	0.0	64.5	0
Eye and Orbit	0.0	0.0	64.5	0
Brain and Other Nervous System	0.0	0.0	64.5	0
Brain	0.0	0.0	64.5	0
Cranial Nerves Other Nervous System	0.0	0.0	64.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	64.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	64.5	0
Hodgkin - Nodal	0.0	0.0	64.5	0
Hodgkin - Extranodal	0.0	0.0	64.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	64.5	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	64.5	0
Leukemia	0.0	0.0	64.5	0
Lymphocytic Leukemia	0.0	0.0	64.5	0
Acute Lymphocytic Leukemia	0.0	0.0	64.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.5	0
Other Lymphocytic Leukemia	0.0	0.0	64.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.5	0
Acute Myeloid Leukemia	0.0	0.0	64.5	0
Acute Monocytic Leukemia	0.0	0.0	64.5	0
Chronic Myeloid Leukemia	0.0	0.0	64.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.5	0
Other Leukemia	0.0	0.0	64.5	0
Other Acute Leukemia	0.0	0.0	64.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.5	0
Mesothelioma	0.0	0.0	64.5	0
Kaposi Sarcoma	0.0	0.0	64.5	0
Miscellaneous	0.0	0.0	64.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	2,125.3 &	221.1 &	6,434.6 &	6
Oral Cavity and Pharynx	0.0	0.0	617.6	0
Lip	0.0	0.0	617.6	0
Tongue	0.0	0.0	617.6	0
Salivary Gland	0.0	0.0	617.6	0
Floor of Mouth	0.0	0.0	617.6	0
Gum and Other Mouth	0.0	0.0	617.6	0
Nasopharynx	0.0	0.0	617.6	0
Tonsil	0.0	0.0	617.6	0
Oropharynx	0.0	0.0	617.6	0
Hypopharynx	0.0	0.0	617.6	0
Other Oral Cavity and Pharynx	0.0	0.0	617.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	617.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	617.6	0
Colon and Rectum	0.0	0.0	617.6	0
Colon excluding Rectum	0.0	0.0	617.6	0
Cecum	0.0	0.0	617.6	0
Appendix	0.0	0.0	617.6	0
Ascending Colon	0.0	0.0	617.6	0
Hepatic Flexure	0.0	0.0	617.6	0
Transverse Colon	0.0	0.0	617.6	0
Splenic Flexure	0.0	0.0	617.6	0
Descending Colon	0.0	0.0	617.6	0
Sigmoid Colon	0.0	0.0	617.6	0
Large Intestine, NOS	0.0	0.0	617.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	617.6	0
Rectosigmoid Junction	0.0	0.0	617.6	0
Rectum	0.0	0.0	617.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	617.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	617.6	0
Liver	0.0	0.0	617.6	0
Intrahepatic Bile Duct	0.0	0.0	617.6	0
Gallbladder	0.0	0.0	617.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	617.6	0
Pancreas	0.0	0.0	617.6	0
Retroperitoneum	0.0	0.0	617.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	617.6	0
Other Digestive Organs	0.0	0.0	617.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	617.6	0
Larynx	0.0	0.0	617.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	617.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	617.6	0
Bones and Joints	0.0	0.0	617.6	0
Soft Tissue including Heart	0.0	0.0	617.6	0
Skin excluding Basal and Squamous	0.0	0.0	617.6	0
Melanoma of the Skin	0.0	0.0	617.6	0
Other Non-Epithelial Skin	0.0	0.0	617.6	0
Urinary System	0.0	0.0	617.6	0
Urinary Bladder	0.0	0.0	617.6	0
Kidney and Renal Pelvis	0.0	0.0	617.6	0
Ureter	0.0	0.0	617.6	0
Other Urinary Organs	0.0	0.0	617.6	0
Eye and Orbit	0.0	0.0	617.6	0
Brain and Other Nervous System	0.0	0.0	617.6	0
Brain	0.0	0.0	617.6	0
Cranial Nerves Other Nervous System	0.0	0.0	617.6	0
Endocrine System	0.0	0.0	617.6	0
Thyroid	0.0	0.0	617.6	0
Other Endocrine including Thymus	0.0	0.0	617.6	0
Lymphoma	0.0	0.0	617.6	0
Hodgkin Lymphoma	0.0	0.0	617.6	0
Hodgkin - Nodal	0.0	0.0	617.6	0
Hodgkin - Extranodal	0.0	0.0	617.6	0
Non-Hodgkin Lymphoma	0.0	0.0	617.6	0
NHL - Nodal	0.0	0.0	617.6	0
NHL - Extranodal	0.0	0.0	617.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	617.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	617.6	0
Acute Lymphocytic Leukemia	0.0	0.0	617.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	617.6	0
Other Lymphocytic Leukemia	0.0	0.0	617.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	617.6	0
Acute Monocytic Leukemia	0.0	0.0	617.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	617.6	0
Other Leukemia	0.0	0.0	617.6	0
Other Acute Leukemia	0.0	0.0	617.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	617.6	0
Mesothelioma	0.0	0.0	617.6	0
Kaposi Sarcoma	0.0	0.0	617.6	0
Miscellaneous	0.0	0.0	617.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	312.1	161.5	536.3	14
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	79.1	0
Tongue	0.0	0.0	79.1	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	79.1	0
Gum and Other Mouth	0.0	0.0	79.1	0
Nasopharynx	0.0	0.0	79.1	0
Tonsil	0.0	0.0	79.1	0
Oropharynx	0.0	0.0	79.1	0
Hypopharynx	0.0	0.0	79.1	0
Other Oral Cavity and Pharynx	0.0	0.0	79.1	0
Digestive System	181.6	71.8	367.6	8
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	79.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	79.1	0
Appendix	0.0	0.0	79.1	0
Ascending Colon	0.0	0.0	79.1	0
Hepatic Flexure	0.0	0.0	79.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	79.1	0
Descending Colon	0.0	0.0	79.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	79.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	79.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	79.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	79.1	0
Liver	0.0	0.0	79.1	0
Intrahepatic Bile Duct	0.0	0.0	79.1	0
Gallbladder	0.0	0.0	79.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	79.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	79.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	79.1	0
Other Digestive Organs	0.0	0.0	79.1	0
Respiratory System	0.0	0.0	79.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	79.1	0
Larynx	0.0	0.0	79.1	0
Lung and Bronchus	0.0	0.0	79.1	0
Pleura	0.0	0.0	79.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	79.1	0
Bones and Joints	0.0	0.0	79.1	0
Soft Tissue including Heart	0.0	0.0	79.1	0
Skin excluding Basal and Squamous	0.0	0.0	79.1	0
Melanoma of the Skin	0.0	0.0	79.1	0
Other Non-Epithelial Skin	0.0	0.0	79.1	0
Urinary System	0.0	0.0	79.1	0
Urinary Bladder	0.0	0.0	79.1	0
Kidney and Renal Pelvis	0.0	0.0	79.1	0
Ureter	0.0	0.0	79.1	0
Other Urinary Organs	0.0	0.0	79.1	0
Eye and Orbit	0.0	0.0	79.1	0
Brain and Other Nervous System	0.0	0.0	79.1	0
Brain	0.0	0.0	79.1	0
Cranial Nerves Other Nervous System	0.0	0.0	79.1	0
Endocrine System	0.0	0.0	79.1	0
Thyroid	0.0	0.0	79.1	0
Other Endocrine including Thymus	0.0	0.0	79.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	79.1	0
Hodgkin - Nodal	0.0	0.0	79.1	0
Hodgkin - Extranodal	0.0	0.0	79.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	79.1	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1997/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	79.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	79.1	0
Acute Lymphocytic Leukemia	0.0	0.0	79.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	79.1	0
Other Lymphocytic Leukemia	0.0	0.0	79.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	79.1	0
Acute Monocytic Leukemia	0.0	0.0	79.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	79.1	0
Other Leukemia	0.0	0.0	79.1	0
Other Acute Leukemia	0.0	0.0	79.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	79.1	0
Mesothelioma	0.0	0.0	79.1	0
Kaposi Sarcoma	0.0	0.0	79.1	0
Miscellaneous	0.0	0.0	79.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	757.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	757.4	0
Floor of Mouth	0.0	0.0	757.4	0
Gum and Other Mouth	0.0	0.0	757.4	0
Nasopharynx	0.0	0.0	757.4	0
Tonsil	0.0	0.0	757.4	0
Oropharynx	0.0	0.0	757.4	0
Hypopharynx	0.0	0.0	757.4	0
Other Oral Cavity and Pharynx	0.0	0.0	757.4	0
Digestive System	0.0	0.0	757.4	0
Esophagus	0.0	0.0	757.4	0
Stomach	0.0	0.0	757.4	0
Small Intestine	0.0	0.0	757.4	0
Colon and Rectum	0.0	0.0	757.4	0
Colon excluding Rectum	0.0	0.0	757.4	0
Cecum	0.0	0.0	757.4	0
Appendix	0.0	0.0	757.4	0
Ascending Colon	0.0	0.0	757.4	0
Hepatic Flexure	0.0	0.0	757.4	0
Transverse Colon	0.0	0.0	757.4	0
Splenic Flexure	0.0	0.0	757.4	0
Descending Colon	0.0	0.0	757.4	0
Sigmoid Colon	0.0	0.0	757.4	0
Large Intestine, NOS	0.0	0.0	757.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	757.4	0
Rectosigmoid Junction	0.0	0.0	757.4	0
Rectum	0.0	0.0	757.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	757.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	757.4	0
Liver	0.0	0.0	757.4	0
Intrahepatic Bile Duct	0.0	0.0	757.4	0
Gallbladder	0.0	0.0	757.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	757.4	0
Pancreas	0.0	0.0	757.4	0
Retroperitoneum	0.0	0.0	757.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	757.4	0
Other Digestive Organs	0.0	0.0	757.4	0
Respiratory System	0.0	0.0	757.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	757.4	0
Larynx	0.0	0.0	757.4	0
Lung and Bronchus	0.0	0.0	757.4	0
Pleura	0.0	0.0	757.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	757.4	0
Bones and Joints	0.0	0.0	757.4	0
Soft Tissue including Heart	0.0	0.0	757.4	0
Skin excluding Basal and Squamous	0.0	0.0	757.4	0
Melanoma of the Skin	0.0	0.0	757.4	0
Other Non-Epithelial Skin	0.0	0.0	757.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	757.4	0
Ureter	0.0	0.0	757.4	0
Other Urinary Organs	0.0	0.0	757.4	0
Eye and Orbit	0.0	0.0	757.4	0
Brain and Other Nervous System	0.0	0.0	757.4	0
Brain	0.0	0.0	757.4	0
Cranial Nerves Other Nervous System	0.0	0.0	757.4	0
Endocrine System	0.0	0.0	757.4	0
Thyroid	0.0	0.0	757.4	0
Other Endocrine including Thymus	0.0	0.0	757.4	0
Lymphoma	0.0	0.0	757.4	0
Hodgkin Lymphoma	0.0	0.0	757.4	0
Hodgkin - Nodal	0.0	0.0	757.4	0
Hodgkin - Extranodal	0.0	0.0	757.4	0
Non-Hodgkin Lymphoma	0.0	0.0	757.4	0
NHL - Nodal	0.0	0.0	757.4	0
NHL - Extranodal	0.0	0.0	757.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	757.4	0
Leukemia	0.0	0.0	757.4	0
Lymphocytic Leukemia	0.0	0.0	757.4	0
Acute Lymphocytic Leukemia	0.0	0.0	757.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	757.4	0
Other Lymphocytic Leukemia	0.0	0.0	757.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	757.4	0
Acute Myeloid Leukemia	0.0	0.0	757.4	0
Acute Monocytic Leukemia	0.0	0.0	757.4	0
Chronic Myeloid Leukemia	0.0	0.0	757.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	757.4	0
Other Leukemia	0.0	0.0	757.4	0
Other Acute Leukemia	0.0	0.0	757.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	757.4	0
Mesothelioma	0.0	0.0	757.4	0
Kaposi Sarcoma	0.0	0.0	757.4	0
Miscellaneous	0.0	0.0	757.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	768.1	215.5	1,877.9	16
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	681.2	0
Tongue	0.0	0.0	681.2	0
Salivary Gland	0.0	0.0	681.2	0
Floor of Mouth	0.0	0.0	681.2	0
Gum and Other Mouth	0.0	0.0	681.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	681.2	0
Oropharynx	0.0	0.0	681.2	0
Hypopharynx	0.0	0.0	681.2	0
Other Oral Cavity and Pharynx	0.0	0.0	681.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	681.2	0
Stomach	0.0	0.0	681.2	0
Small Intestine	0.0	0.0	681.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	681.2	0
Appendix	0.0	0.0	681.2	0
Ascending Colon	0.0	0.0	681.2	0
Hepatic Flexure	0.0	0.0	681.2	0
Transverse Colon	0.0	0.0	681.2	0
Splenic Flexure	0.0	0.0	681.2	0
Descending Colon	0.0	0.0	681.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	681.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	681.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	681.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	681.2	0
Liver	0.0	0.0	681.2	0
Intrahepatic Bile Duct	0.0	0.0	681.2	0
Gallbladder	0.0	0.0	681.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	681.2	0
Pancreas	0.0	0.0	681.2	0
Retroperitoneum	0.0	0.0	681.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	681.2	0
Other Digestive Organs	0.0	0.0	681.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	681.2	0
Larynx	0.0	0.0	681.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	681.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	681.2	0
Bones and Joints	0.0	0.0	681.2	0
Soft Tissue including Heart	0.0	0.0	681.2	0
Skin excluding Basal and Squamous	0.0	0.0	681.2	0
Melanoma of the Skin	0.0	0.0	681.2	0
Other Non-Epithelial Skin	0.0	0.0	681.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	681.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	681.2	0
Other Urinary Organs	0.0	0.0	681.2	0
Eye and Orbit	0.0	0.0	681.2	0
Brain and Other Nervous System	0.0	0.0	681.2	0
Brain	0.0	0.0	681.2	0
Cranial Nerves Other Nervous System	0.0	0.0	681.2	0
Endocrine System	0.0	0.0	681.2	0
Thyroid	0.0	0.0	681.2	0
Other Endocrine including Thymus	0.0	0.0	681.2	0
Lymphoma	0.0	0.0	681.2	0
Hodgkin Lymphoma	0.0	0.0	681.2	0
Hodgkin - Nodal	0.0	0.0	681.2	0
Hodgkin - Extranodal	0.0	0.0	681.2	0
Non-Hodgkin Lymphoma	0.0	0.0	681.2	0
NHL - Nodal	0.0	0.0	681.2	0
NHL - Extranodal	0.0	0.0	681.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	681.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	681.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	681.2	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	681.2	0
Chronic Myeloid Leukemia	0.0	0.0	681.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	681.2	0
Other Leukemia	0.0	0.0	681.2	0
Other Acute Leukemia	0.0	0.0	681.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	681.2	0
Mesothelioma	0.0	0.0	681.2	0
Kaposi Sarcoma	0.0	0.0	681.2	0
Miscellaneous	0.0	0.0	681.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	490.5	451.9	531.2	765
Oral Cavity and Pharynx	8.5	4.7	14.3	17
Lip	^	^	^	^
Tongue	4.1	1.5	8.9	7
Salivary Gland	0.0	0.0	2.5	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	2.5	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	2.5	0
Other Oral Cavity and Pharynx	0.0	0.0	2.5	0
Digestive System	100.4	82.7	120.5	140
Esophagus	4.1	1.4	9.0	6
Stomach	13.7	7.1	23.2	15
Small Intestine	0.0	0.0	2.5	0
Colon and Rectum	55.1	42.5	69.9	79
Colon excluding Rectum	40.5	29.5	54.0	54
Cecum	10.0	4.8	17.9	13
Appendix	^	^	^	^
Ascending Colon	5.1	1.5	11.6	6
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	13.7	7.8	22.1	17
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	14.5	9.0	22.0	25
Rectosigmoid Junction	^	^	^	^
Rectum	11.7	6.9	18.5	21
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	10.7	5.5	18.3	16
Liver	10.3	5.2	17.9	15
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	2.5	0
Pancreas	11.1	5.8	18.7	16
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	75.1	60.0	92.6	100
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.3	1.4	9.6	6
Lung and Bronchus	69.3	54.7	86.2	91
Pleura	0.0	0.0	2.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	4.1	1.5	8.8	8
Skin excluding Basal and Squamous	9.7	6.0	15.1	23
Melanoma of the Skin	7.6	4.5	12.3	19
Other Non-Epithelial Skin	^	^	^	^
Urinary System	38.1	27.3	51.2	52
Urinary Bladder	28.2	18.7	40.3	34
Kidney and Renal Pelvis	9.9	5.5	16.4	18
Ureter	0.0	0.0	2.5	0
Other Urinary Organs	0.0	0.0	2.5	0
Eye and Orbit	0.0	0.0	2.5	0
Brain and Other Nervous System	7.2	3.8	12.5	15
Brain	7.2	3.8	12.5	15
Cranial Nerves Other Nervous System	0.0	0.0	2.5	0
Endocrine System	9.1	5.7	14.1	24
Thyroid	8.7	5.4	13.6	23
Other Endocrine including Thymus	^	^	^	^
Lymphoma	24.2	16.8	33.6	43
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	2.5	0
Non-Hodgkin Lymphoma	23.1	15.9	32.4	41
NHL - Nodal	16.3	10.2	24.5	27
NHL - Extranodal	6.9	3.5	12.2	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	7.1	3.5	12.8	12
Leukemia	5.6	2.8	10.3	12
Lymphocytic Leukemia	3.3	1.1	7.5	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	2.3	0.8	5.7	6
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	2.5	0
Other Acute Leukemia	0.0	0.0	2.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2.5	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	5.4	2.3	10.6	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	384.5	243.1	569.6	27
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	43.8	0
Tongue	0.0	0.0	43.8	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	43.8	0
Gum and Other Mouth	0.0	0.0	43.8	0
Nasopharynx	0.0	0.0	43.8	0
Tonsil	0.0	0.0	43.8	0
Oropharynx	0.0	0.0	43.8	0
Hypopharynx	0.0	0.0	43.8	0
Other Oral Cavity and Pharynx	0.0	0.0	43.8	0
Digestive System	192.1	88.8	346.8	10
Esophagus	^	^	^	^
Stomach	0.0	0.0	43.8	0
Small Intestine	0.0	0.0	43.8	0
Colon and Rectum	152.4	62.5	294.1	8
Colon excluding Rectum	152.4	62.5	294.1	8
Cecum	^	^	^	^
Appendix	0.0	0.0	43.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	43.8	0
Splenic Flexure	0.0	0.0	43.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	43.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	43.8	0
Rectosigmoid Junction	0.0	0.0	43.8	0
Rectum	0.0	0.0	43.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	43.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	43.8	0
Liver	0.0	0.0	43.8	0
Intrahepatic Bile Duct	0.0	0.0	43.8	0
Gallbladder	0.0	0.0	43.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	43.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	43.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	43.8	0
Other Digestive Organs	0.0	0.0	43.8	0
Respiratory System	97.8	37.3	200.5	7
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	43.8	0
Lung and Bronchus	83.6	28.7	181.4	6
Pleura	0.0	0.0	43.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	43.8	0
Bones and Joints	0.0	0.0	43.8	0
Soft Tissue including Heart	0.0	0.0	43.8	0
Skin excluding Basal and Squamous	0.0	0.0	43.8	0
Melanoma of the Skin	0.0	0.0	43.8	0
Other Non-Epithelial Skin	0.0	0.0	43.8	0
Urinary System	0.0	0.0	43.8	0
Urinary Bladder	0.0	0.0	43.8	0
Kidney and Renal Pelvis	0.0	0.0	43.8	0
Ureter	0.0	0.0	43.8	0
Other Urinary Organs	0.0	0.0	43.8	0
Eye and Orbit	0.0	0.0	43.8	0
Brain and Other Nervous System	0.0	0.0	43.8	0
Brain	0.0	0.0	43.8	0
Cranial Nerves Other Nervous System	0.0	0.0	43.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	43.8	0
Lymphoma	0.0	0.0	43.8	0
Hodgkin Lymphoma	0.0	0.0	43.8	0
Hodgkin - Nodal	0.0	0.0	43.8	0
Hodgkin - Extranodal	0.0	0.0	43.8	0
Non-Hodgkin Lymphoma	0.0	0.0	43.8	0
NHL - Nodal	0.0	0.0	43.8	0
NHL - Extranodal	0.0	0.0	43.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	43.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	43.8	0
Other Lymphocytic Leukemia	0.0	0.0	43.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	43.8	0
Acute Myeloid Leukemia	0.0	0.0	43.8	0
Acute Monocytic Leukemia	0.0	0.0	43.8	0
Chronic Myeloid Leukemia	0.0	0.0	43.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	43.8	0
Other Leukemia	0.0	0.0	43.8	0
Other Acute Leukemia	0.0	0.0	43.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	43.8	0
Mesothelioma	0.0	0.0	43.8	0
Kaposi Sarcoma	0.0	0.0	43.8	0
Miscellaneous	0.0	0.0	43.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,493.6	0
Lip	0.0	0.0	1,493.6	0
Tongue	0.0	0.0	1,493.6	0
Salivary Gland	0.0	0.0	1,493.6	0
Floor of Mouth	0.0	0.0	1,493.6	0
Gum and Other Mouth	0.0	0.0	1,493.6	0
Nasopharynx	0.0	0.0	1,493.6	0
Tonsil	0.0	0.0	1,493.6	0
Oropharynx	0.0	0.0	1,493.6	0
Hypopharynx	0.0	0.0	1,493.6	0
Other Oral Cavity and Pharynx	0.0	0.0	1,493.6	0
Digestive System	0.0	0.0	1,493.6	0
Esophagus	0.0	0.0	1,493.6	0
Stomach	0.0	0.0	1,493.6	0
Small Intestine	0.0	0.0	1,493.6	0
Colon and Rectum	0.0	0.0	1,493.6	0
Colon excluding Rectum	0.0	0.0	1,493.6	0
Cecum	0.0	0.0	1,493.6	0
Appendix	0.0	0.0	1,493.6	0
Ascending Colon	0.0	0.0	1,493.6	0
Hepatic Flexure	0.0	0.0	1,493.6	0
Transverse Colon	0.0	0.0	1,493.6	0
Splenic Flexure	0.0	0.0	1,493.6	0
Descending Colon	0.0	0.0	1,493.6	0
Sigmoid Colon	0.0	0.0	1,493.6	0
Large Intestine, NOS	0.0	0.0	1,493.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,493.6	0
Rectosigmoid Junction	0.0	0.0	1,493.6	0
Rectum	0.0	0.0	1,493.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,493.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,493.6	0
Liver	0.0	0.0	1,493.6	0
Intrahepatic Bile Duct	0.0	0.0	1,493.6	0
Gallbladder	0.0	0.0	1,493.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	1,493.6	0
Pancreas	0.0	0.0	1,493.6	0
Retroperitoneum	0.0	0.0	1,493.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,493.6	0
Other Digestive Organs	0.0	0.0	1,493.6	0
Respiratory System	0.0	0.0	1,493.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,493.6	0
Larynx	0.0	0.0	1,493.6	0
Lung and Bronchus	0.0	0.0	1,493.6	0
Pleura	0.0	0.0	1,493.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,493.6	0
Bones and Joints	0.0	0.0	1,493.6	0
Soft Tissue including Heart	0.0	0.0	1,493.6	0
Skin excluding Basal and Squamous	0.0	0.0	1,493.6	0
Melanoma of the Skin	0.0	0.0	1,493.6	0
Other Non-Epithelial Skin	0.0	0.0	1,493.6	0
Urinary System	0.0	0.0	1,493.6	0
Urinary Bladder	0.0	0.0	1,493.6	0
Kidney and Renal Pelvis	0.0	0.0	1,493.6	0
Ureter	0.0	0.0	1,493.6	0
Other Urinary Organs	0.0	0.0	1,493.6	0
Eye and Orbit	0.0	0.0	1,493.6	0
Brain and Other Nervous System	0.0	0.0	1,493.6	0
Brain	0.0	0.0	1,493.6	0
Cranial Nerves Other Nervous System	0.0	0.0	1,493.6	0
Endocrine System	0.0	0.0	1,493.6	0
Thyroid	0.0	0.0	1,493.6	0
Other Endocrine including Thymus	0.0	0.0	1,493.6	0
Lymphoma	0.0	0.0	1,493.6	0
Hodgkin Lymphoma	0.0	0.0	1,493.6	0
Hodgkin - Nodal	0.0	0.0	1,493.6	0
Hodgkin - Extranodal	0.0	0.0	1,493.6	0
Non-Hodgkin Lymphoma	0.0	0.0	1,493.6	0
NHL - Nodal	0.0	0.0	1,493.6	0
NHL - Extranodal	0.0	0.0	1,493.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	1,493.6	0
Leukemia	0.0	0.0	1,493.6	0
Lymphocytic Leukemia	0.0	0.0	1,493.6	0
Acute Lymphocytic Leukemia	0.0	0.0	1,493.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,493.6	0
Other Lymphocytic Leukemia	0.0	0.0	1,493.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,493.6	0
Acute Myeloid Leukemia	0.0	0.0	1,493.6	0
Acute Monocytic Leukemia	0.0	0.0	1,493.6	0
Chronic Myeloid Leukemia	0.0	0.0	1,493.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,493.6	0
Other Leukemia	0.0	0.0	1,493.6	0
Other Acute Leukemia	0.0	0.0	1,493.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,493.6	0
Mesothelioma	0.0	0.0	1,493.6	0
Kaposi Sarcoma	0.0	0.0	1,493.6	0
Miscellaneous	0.0	0.0	1,493.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	600.9	0
Lip	0.0	0.0	600.9	0
Tongue	0.0	0.0	600.9	0
Salivary Gland	0.0	0.0	600.9	0
Floor of Mouth	0.0	0.0	600.9	0
Gum and Other Mouth	0.0	0.0	600.9	0
Nasopharynx	0.0	0.0	600.9	0
Tonsil	0.0	0.0	600.9	0
Oropharynx	0.0	0.0	600.9	0
Hypopharynx	0.0	0.0	600.9	0
Other Oral Cavity and Pharynx	0.0	0.0	600.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	600.9	0
Stomach	0.0	0.0	600.9	0
Small Intestine	0.0	0.0	600.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	600.9	0
Cecum	0.0	0.0	600.9	0
Appendix	0.0	0.0	600.9	0
Ascending Colon	0.0	0.0	600.9	0
Hepatic Flexure	0.0	0.0	600.9	0
Transverse Colon	0.0	0.0	600.9	0
Splenic Flexure	0.0	0.0	600.9	0
Descending Colon	0.0	0.0	600.9	0
Sigmoid Colon	0.0	0.0	600.9	0
Large Intestine, NOS	0.0	0.0	600.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	600.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	600.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	600.9	0
Liver	0.0	0.0	600.9	0
Intrahepatic Bile Duct	0.0	0.0	600.9	0
Gallbladder	0.0	0.0	600.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	600.9	0
Pancreas	0.0	0.0	600.9	0
Retroperitoneum	0.0	0.0	600.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	600.9	0
Other Digestive Organs	0.0	0.0	600.9	0
Respiratory System	0.0	0.0	600.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	600.9	0
Larynx	0.0	0.0	600.9	0
Lung and Bronchus	0.0	0.0	600.9	0
Pleura	0.0	0.0	600.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	600.9	0
Bones and Joints	0.0	0.0	600.9	0
Soft Tissue including Heart	0.0	0.0	600.9	0
Skin excluding Basal and Squamous	0.0	0.0	600.9	0
Melanoma of the Skin	0.0	0.0	600.9	0
Other Non-Epithelial Skin	0.0	0.0	600.9	0
Urinary System	0.0	0.0	600.9	0
Urinary Bladder	0.0	0.0	600.9	0
Kidney and Renal Pelvis	0.0	0.0	600.9	0
Ureter	0.0	0.0	600.9	0
Other Urinary Organs	0.0	0.0	600.9	0
Eye and Orbit	0.0	0.0	600.9	0
Brain and Other Nervous System	0.0	0.0	600.9	0
Brain	0.0	0.0	600.9	0
Cranial Nerves Other Nervous System	0.0	0.0	600.9	0
Endocrine System	0.0	0.0	600.9	0
Thyroid	0.0	0.0	600.9	0
Other Endocrine including Thymus	0.0	0.0	600.9	0
Lymphoma	0.0	0.0	600.9	0
Hodgkin Lymphoma	0.0	0.0	600.9	0
Hodgkin - Nodal	0.0	0.0	600.9	0
Hodgkin - Extranodal	0.0	0.0	600.9	0
Non-Hodgkin Lymphoma	0.0	0.0	600.9	0
NHL - Nodal	0.0	0.0	600.9	0
NHL - Extranodal	0.0	0.0	600.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	600.9	0
Leukemia	0.0	0.0	600.9	0
Lymphocytic Leukemia	0.0	0.0	600.9	0
Acute Lymphocytic Leukemia	0.0	0.0	600.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	600.9	0
Other Lymphocytic Leukemia	0.0	0.0	600.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	600.9	0
Acute Myeloid Leukemia	0.0	0.0	600.9	0
Acute Monocytic Leukemia	0.0	0.0	600.9	0
Chronic Myeloid Leukemia	0.0	0.0	600.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	600.9	0
Other Leukemia	0.0	0.0	600.9	0
Other Acute Leukemia	0.0	0.0	600.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	600.9	0
Mesothelioma	0.0	0.0	600.9	0
Kaposi Sarcoma	0.0	0.0	600.9	0
Miscellaneous	0.0	0.0	600.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	492.8	273.1	817.8	17
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	131.8	0
Tongue	0.0	0.0	131.8	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	131.8	0
Gum and Other Mouth	0.0	0.0	131.8	0
Nasopharynx	0.0	0.0	131.8	0
Tonsil	0.0	0.0	131.8	0
Oropharynx	0.0	0.0	131.8	0
Hypopharynx	0.0	0.0	131.8	0
Other Oral Cavity and Pharynx	0.0	0.0	131.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	131.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	131.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	131.8	0
Appendix	0.0	0.0	131.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	131.8	0
Transverse Colon	0.0	0.0	131.8	0
Splenic Flexure	0.0	0.0	131.8	0
Descending Colon	0.0	0.0	131.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	131.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	131.8	0
Rectosigmoid Junction	0.0	0.0	131.8	0
Rectum	0.0	0.0	131.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	131.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	131.8	0
Liver	0.0	0.0	131.8	0
Intrahepatic Bile Duct	0.0	0.0	131.8	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	131.8	0
Pancreas	0.0	0.0	131.8	0
Retroperitoneum	0.0	0.0	131.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	131.8	0
Other Digestive Organs	0.0	0.0	131.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	131.8	0
Larynx	0.0	0.0	131.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	131.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	131.8	0
Bones and Joints	0.0	0.0	131.8	0
Soft Tissue including Heart	0.0	0.0	131.8	0
Skin excluding Basal and Squamous	0.0	0.0	131.8	0
Melanoma of the Skin	0.0	0.0	131.8	0
Other Non-Epithelial Skin	0.0	0.0	131.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	131.8	0
Ureter	0.0	0.0	131.8	0
Other Urinary Organs	0.0	0.0	131.8	0
Eye and Orbit	0.0	0.0	131.8	0
Brain and Other Nervous System	0.0	0.0	131.8	0
Brain	0.0	0.0	131.8	0
Cranial Nerves Other Nervous System	0.0	0.0	131.8	0
Endocrine System	0.0	0.0	131.8	0
Thyroid	0.0	0.0	131.8	0
Other Endocrine including Thymus	0.0	0.0	131.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	131.8	0
Hodgkin - Nodal	0.0	0.0	131.8	0
Hodgkin - Extranodal	0.0	0.0	131.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	131.8	0
Leukemia	0.0	0.0	131.8	0
Lymphocytic Leukemia	0.0	0.0	131.8	0
Acute Lymphocytic Leukemia	0.0	0.0	131.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	131.8	0
Other Lymphocytic Leukemia	0.0	0.0	131.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	131.8	0
Acute Myeloid Leukemia	0.0	0.0	131.8	0
Acute Monocytic Leukemia	0.0	0.0	131.8	0
Chronic Myeloid Leukemia	0.0	0.0	131.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	131.8	0
Other Leukemia	0.0	0.0	131.8	0
Other Acute Leukemia	0.0	0.0	131.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	131.8	0
Mesothelioma	0.0	0.0	131.8	0
Kaposi Sarcoma	0.0	0.0	131.8	0
Miscellaneous	0.0	0.0	131.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	435.3	369.8	508.3	197
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	8.6	0
Salivary Gland	0.0	0.0	8.6	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	8.6	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	8.6	0
Hypopharynx	0.0	0.0	8.6	0
Other Oral Cavity and Pharynx	0.0	0.0	8.6	0
Digestive System	81.9	52.7	119.6	32
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	8.6	0
Colon and Rectum	42.3	20.6	74.0	15
Colon excluding Rectum	36.0	15.5	67.5	10
Cecum	^	^	^	^
Appendix	0.0	0.0	8.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	8.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	8.6	0
Descending Colon	0.0	0.0	8.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	8.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	8.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.6	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	18.0	7.2	36.4	8
Retroperitoneum	0.0	0.0	8.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.6	0
Other Digestive Organs	0.0	0.0	8.6	0
Respiratory System	65.8	42.3	96.6	29
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.6	0
Larynx	^	^	^	^
Lung and Bronchus	63.6	40.4	94.3	27
Pleura	0.0	0.0	8.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.6	0
Bones and Joints	0.0	0.0	8.6	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	14.4	5.4	30.7	8
Melanoma of the Skin	11.3	3.4	26.8	6
Other Non-Epithelial Skin	^	^	^	^
Urinary System	38.4	20.9	63.6	16
Urinary Bladder	21.6	8.7	42.8	8
Kidney and Renal Pelvis	13.7	5.0	29.5	7
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	8.6	0
Eye and Orbit	0.0	0.0	8.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	8.6	0
Lymphoma	21.2	10.3	38.9	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	8.6	0
Non-Hodgkin Lymphoma	18.1	8.6	34.2	11
NHL - Nodal	11.0	4.2	24.3	7
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	19.6	6.8	41.6	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	8.6	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	8.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	8.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	444.3	196.1	861.1	9
Oral Cavity and Pharynx	0.0	0.0	195.9	0
Lip	0.0	0.0	195.9	0
Tongue	0.0	0.0	195.9	0
Salivary Gland	0.0	0.0	195.9	0
Floor of Mouth	0.0	0.0	195.9	0
Gum and Other Mouth	0.0	0.0	195.9	0
Nasopharynx	0.0	0.0	195.9	0
Tonsil	0.0	0.0	195.9	0
Oropharynx	0.0	0.0	195.9	0
Hypopharynx	0.0	0.0	195.9	0
Other Oral Cavity and Pharynx	0.0	0.0	195.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	195.9	0
Stomach	0.0	0.0	195.9	0
Small Intestine	0.0	0.0	195.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	195.9	0
Cecum	0.0	0.0	195.9	0
Appendix	0.0	0.0	195.9	0
Ascending Colon	0.0	0.0	195.9	0
Hepatic Flexure	0.0	0.0	195.9	0
Transverse Colon	0.0	0.0	195.9	0
Splenic Flexure	0.0	0.0	195.9	0
Descending Colon	0.0	0.0	195.9	0
Sigmoid Colon	0.0	0.0	195.9	0
Large Intestine, NOS	0.0	0.0	195.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	195.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	195.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	195.9	0
Liver	0.0	0.0	195.9	0
Intrahepatic Bile Duct	0.0	0.0	195.9	0
Gallbladder	0.0	0.0	195.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	195.9	0
Pancreas	0.0	0.0	195.9	0
Retroperitoneum	0.0	0.0	195.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	195.9	0
Other Digestive Organs	0.0	0.0	195.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	195.9	0
Larynx	0.0	0.0	195.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	195.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	195.9	0
Bones and Joints	0.0	0.0	195.9	0
Soft Tissue including Heart	0.0	0.0	195.9	0
Skin excluding Basal and Squamous	0.0	0.0	195.9	0
Melanoma of the Skin	0.0	0.0	195.9	0
Other Non-Epithelial Skin	0.0	0.0	195.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	195.9	0
Ureter	0.0	0.0	195.9	0
Other Urinary Organs	0.0	0.0	195.9	0
Eye and Orbit	0.0	0.0	195.9	0
Brain and Other Nervous System	0.0	0.0	195.9	0
Brain	0.0	0.0	195.9	0
Cranial Nerves Other Nervous System	0.0	0.0	195.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	195.9	0
Lymphoma	0.0	0.0	195.9	0
Hodgkin Lymphoma	0.0	0.0	195.9	0
Hodgkin - Nodal	0.0	0.0	195.9	0
Hodgkin - Extranodal	0.0	0.0	195.9	0
Non-Hodgkin Lymphoma	0.0	0.0	195.9	0
NHL - Nodal	0.0	0.0	195.9	0
NHL - Extranodal	0.0	0.0	195.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	195.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	195.9	0
Acute Lymphocytic Leukemia	0.0	0.0	195.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	195.9	0
Other Lymphocytic Leukemia	0.0	0.0	195.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	195.9	0
Chronic Myeloid Leukemia	0.0	0.0	195.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	195.9	0
Other Leukemia	0.0	0.0	195.9	0
Other Acute Leukemia	0.0	0.0	195.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	195.9	0
Mesothelioma	0.0	0.0	195.9	0
Kaposi Sarcoma	0.0	0.0	195.9	0
Miscellaneous	0.0	0.0	195.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	481.2	377.8	601.7	86
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	17.9	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	17.9	0
Floor of Mouth	0.0	0.0	17.9	0
Gum and Other Mouth	0.0	0.0	17.9	0
Nasopharynx	0.0	0.0	17.9	0
Tonsil	0.0	0.0	17.9	0
Oropharynx	0.0	0.0	17.9	0
Hypopharynx	0.0	0.0	17.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	84.4	44.3	142.5	14
Esophagus	^	^	^	^
Stomach	0.0	0.0	17.9	0
Small Intestine	0.0	0.0	17.9	0
Colon and Rectum	47.5	18.2	96.0	7
Colon excluding Rectum	37.1	13.2	79.0	6
Cecum	^	^	^	^
Appendix	0.0	0.0	17.9	0
Ascending Colon	0.0	0.0	17.9	0
Hepatic Flexure	0.0	0.0	17.9	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	17.9	0
Descending Colon	0.0	0.0	17.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	17.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	17.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	17.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	17.9	0
Liver	0.0	0.0	17.9	0
Intrahepatic Bile Duct	0.0	0.0	17.9	0
Gallbladder	0.0	0.0	17.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	17.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	17.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.9	0
Other Digestive Organs	0.0	0.0	17.9	0
Respiratory System	68.1	33.6	120.2	12
Nose, Nasal Cavity and Middle Ear	0.0	0.0	17.9	0
Larynx	0.0	0.0	17.9	0
Lung and Bronchus	68.1	33.6	120.2	12
Pleura	0.0	0.0	17.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	17.9	0
Bones and Joints	0.0	0.0	17.9	0
Soft Tissue including Heart	0.0	0.0	17.9	0
Skin excluding Basal and Squamous	0.0	0.0	17.9	0
Melanoma of the Skin	0.0	0.0	17.9	0
Other Non-Epithelial Skin	0.0	0.0	17.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	17.9	0
Ureter	0.0	0.0	17.9	0
Other Urinary Organs	0.0	0.0	17.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	17.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	17.9	0
Lymphoma	39.9	14.4	83.8	7
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	17.9	0
Non-Hodgkin Lymphoma	32.1	10.3	72.1	6
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	17.9	0
Acute Lymphocytic Leukemia	0.0	0.0	17.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	17.9	0
Other Lymphocytic Leukemia	0.0	0.0	17.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	17.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.9	0
Other Leukemia	0.0	0.0	17.9	0
Other Acute Leukemia	0.0	0.0	17.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	17.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	529.1	449.7	617.9	188
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	11.5	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	11.5	0
Gum and Other Mouth	0.0	0.0	11.5	0
Nasopharynx	0.0	0.0	11.5	0
Tonsil	0.0	0.0	11.5	0
Oropharynx	0.0	0.0	11.5	0
Hypopharynx	0.0	0.0	11.5	0
Other Oral Cavity and Pharynx	0.0	0.0	11.5	0
Digestive System	72.7	45.3	109.9	26
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	11.5	0
Colon and Rectum	40.2	19.5	71.9	13
Colon excluding Rectum	24.7	8.4	53.0	7
Cecum	^	^	^	^
Appendix	0.0	0.0	11.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	11.5	0
Transverse Colon	0.0	0.0	11.5	0
Splenic Flexure	0.0	0.0	11.5	0
Descending Colon	0.0	0.0	11.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	15.6	5.3	35.6	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	11.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	11.5	0
Gallbladder	0.0	0.0	11.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	11.5	0
Pancreas	13.6	4.9	31.3	6
Retroperitoneum	0.0	0.0	11.5	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	11.5	0
Respiratory System	133.0	94.7	181.0	45
Nose, Nasal Cavity and Middle Ear	0.0	0.0	11.5	0
Larynx	^	^	^	^
Lung and Bronchus	128.9	91.0	176.5	43
Pleura	0.0	0.0	11.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.5	0
Bones and Joints	0.0	0.0	11.5	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	13.6	4.8	31.3	6
Melanoma of the Skin	13.6	4.8	31.3	6
Other Non-Epithelial Skin	0.0	0.0	11.5	0
Urinary System	20.6	9.2	40.6	9
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	15.6	6.1	33.9	7
Ureter	0.0	0.0	11.5	0
Other Urinary Organs	0.0	0.0	11.5	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	12.0	4.2	28.6	6
Brain	12.0	4.2	28.6	6
Cranial Nerves Other Nervous System	0.0	0.0	11.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	11.5	0
Lymphoma	29.1	12.1	57.0	11
Hodgkin Lymphoma	0.0	0.0	11.5	0
Hodgkin - Nodal	0.0	0.0	11.5	0
Hodgkin - Extranodal	0.0	0.0	11.5	0
Non-Hodgkin Lymphoma	29.1	12.1	57.0	11
NHL - Nodal	^	^	^	^
NHL - Extranodal	18.5	4.9	44.7	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	32.9	13.3	64.7	9
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	11.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	11.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.5	0
Other Leukemia	0.0	0.0	11.5	0
Other Acute Leukemia	0.0	0.0	11.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	11.5	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	11.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	495.2	369.8	648.2	57
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.9	0
Tongue	0.0	0.0	32.9	0
Salivary Gland	0.0	0.0	32.9	0
Floor of Mouth	0.0	0.0	32.9	0
Gum and Other Mouth	0.0	0.0	32.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	32.9	0
Oropharynx	0.0	0.0	32.9	0
Hypopharynx	0.0	0.0	32.9	0
Other Oral Cavity and Pharynx	0.0	0.0	32.9	0
Digestive System	69.7	27.4	142.8	7
Esophagus	0.0	0.0	32.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	32.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	32.9	0
Appendix	0.0	0.0	32.9	0
Ascending Colon	0.0	0.0	32.9	0
Hepatic Flexure	0.0	0.0	32.9	0
Transverse Colon	0.0	0.0	32.9	0
Splenic Flexure	0.0	0.0	32.9	0
Descending Colon	0.0	0.0	32.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	32.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	32.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	32.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	32.9	0
Liver	0.0	0.0	32.9	0
Intrahepatic Bile Duct	0.0	0.0	32.9	0
Gallbladder	0.0	0.0	32.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	32.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.9	0
Other Digestive Organs	0.0	0.0	32.9	0
Respiratory System	127.7	66.9	218.3	14
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.9	0
Larynx	0.0	0.0	32.9	0
Lung and Bronchus	127.7	66.9	218.3	14
Pleura	0.0	0.0	32.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.9	0
Bones and Joints	0.0	0.0	32.9	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	32.9	0
Ureter	0.0	0.0	32.9	0
Other Urinary Organs	0.0	0.0	32.9	0
Eye and Orbit	0.0	0.0	32.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	32.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	32.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	32.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	32.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	32.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	32.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.9	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	32.9	0
Acute Myeloid Leukemia	0.0	0.0	32.9	0
Acute Monocytic Leukemia	0.0	0.0	32.9	0
Chronic Myeloid Leukemia	0.0	0.0	32.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.9	0
Other Leukemia	0.0	0.0	32.9	0
Other Acute Leukemia	0.0	0.0	32.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	32.9	0
Miscellaneous	0.0	0.0	32.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	644.0	461.7	871.0	52
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	57.1	0
Tongue	0.0	0.0	57.1	0
Salivary Gland	0.0	0.0	57.1	0
Floor of Mouth	0.0	0.0	57.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	57.1	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	57.1	0
Hypopharynx	0.0	0.0	57.1	0
Other Oral Cavity and Pharynx	0.0	0.0	57.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	57.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	57.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	57.1	0
Appendix	0.0	0.0	57.1	0
Ascending Colon	0.0	0.0	57.1	0
Hepatic Flexure	0.0	0.0	57.1	0
Transverse Colon	0.0	0.0	57.1	0
Splenic Flexure	0.0	0.0	57.1	0
Descending Colon	0.0	0.0	57.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	57.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	57.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	57.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	57.1	0
Liver	0.0	0.0	57.1	0
Intrahepatic Bile Duct	0.0	0.0	57.1	0
Gallbladder	0.0	0.0	57.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	57.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	57.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	57.1	0
Other Digestive Organs	0.0	0.0	57.1	0
Respiratory System	132.9	54.2	263.6	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	57.1	0
Larynx	^	^	^	^
Lung and Bronchus	122.5	46.7	251.7	7
Pleura	0.0	0.0	57.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	57.1	0
Bones and Joints	0.0	0.0	57.1	0
Soft Tissue including Heart	0.0	0.0	57.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	57.1	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	57.1	0
Other Urinary Organs	0.0	0.0	57.1	0
Eye and Orbit	0.0	0.0	57.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	57.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	57.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	57.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	57.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	57.1	0
Other Lymphocytic Leukemia	0.0	0.0	57.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	57.1	0
Acute Myeloid Leukemia	0.0	0.0	57.1	0
Acute Monocytic Leukemia	0.0	0.0	57.1	0
Chronic Myeloid Leukemia	0.0	0.0	57.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	57.1	0
Other Leukemia	0.0	0.0	57.1	0
Other Acute Leukemia	0.0	0.0	57.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	57.1	0
Mesothelioma	0.0	0.0	57.1	0
Kaposi Sarcoma	0.0	0.0	57.1	0
Miscellaneous	0.0	0.0	57.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	395.7	0
Lip	0.0	0.0	395.7	0
Tongue	0.0	0.0	395.7	0
Salivary Gland	0.0	0.0	395.7	0
Floor of Mouth	0.0	0.0	395.7	0
Gum and Other Mouth	0.0	0.0	395.7	0
Nasopharynx	0.0	0.0	395.7	0
Tonsil	0.0	0.0	395.7	0
Oropharynx	0.0	0.0	395.7	0
Hypopharynx	0.0	0.0	395.7	0
Other Oral Cavity and Pharynx	0.0	0.0	395.7	0
Digestive System	0.0	0.0	395.7	0
Esophagus	0.0	0.0	395.7	0
Stomach	0.0	0.0	395.7	0
Small Intestine	0.0	0.0	395.7	0
Colon and Rectum	0.0	0.0	395.7	0
Colon excluding Rectum	0.0	0.0	395.7	0
Cecum	0.0	0.0	395.7	0
Appendix	0.0	0.0	395.7	0
Ascending Colon	0.0	0.0	395.7	0
Hepatic Flexure	0.0	0.0	395.7	0
Transverse Colon	0.0	0.0	395.7	0
Splenic Flexure	0.0	0.0	395.7	0
Descending Colon	0.0	0.0	395.7	0
Sigmoid Colon	0.0	0.0	395.7	0
Large Intestine, NOS	0.0	0.0	395.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	395.7	0
Rectosigmoid Junction	0.0	0.0	395.7	0
Rectum	0.0	0.0	395.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	395.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	395.7	0
Liver	0.0	0.0	395.7	0
Intrahepatic Bile Duct	0.0	0.0	395.7	0
Gallbladder	0.0	0.0	395.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	395.7	0
Pancreas	0.0	0.0	395.7	0
Retroperitoneum	0.0	0.0	395.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	395.7	0
Other Digestive Organs	0.0	0.0	395.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	395.7	0
Larynx	0.0	0.0	395.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	395.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	395.7	0
Bones and Joints	0.0	0.0	395.7	0
Soft Tissue including Heart	0.0	0.0	395.7	0
Skin excluding Basal and Squamous	0.0	0.0	395.7	0
Melanoma of the Skin	0.0	0.0	395.7	0
Other Non-Epithelial Skin	0.0	0.0	395.7	0
Urinary System	0.0	0.0	395.7	0
Urinary Bladder	0.0	0.0	395.7	0
Kidney and Renal Pelvis	0.0	0.0	395.7	0
Ureter	0.0	0.0	395.7	0
Other Urinary Organs	0.0	0.0	395.7	0
Eye and Orbit	0.0	0.0	395.7	0
Brain and Other Nervous System	0.0	0.0	395.7	0
Brain	0.0	0.0	395.7	0
Cranial Nerves Other Nervous System	0.0	0.0	395.7	0
Endocrine System	0.0	0.0	395.7	0
Thyroid	0.0	0.0	395.7	0
Other Endocrine including Thymus	0.0	0.0	395.7	0
Lymphoma	0.0	0.0	395.7	0
Hodgkin Lymphoma	0.0	0.0	395.7	0
Hodgkin - Nodal	0.0	0.0	395.7	0
Hodgkin - Extranodal	0.0	0.0	395.7	0
Non-Hodgkin Lymphoma	0.0	0.0	395.7	0
NHL - Nodal	0.0	0.0	395.7	0
NHL - Extranodal	0.0	0.0	395.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	395.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	395.7	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	395.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	395.7	0
Acute Myeloid Leukemia	0.0	0.0	395.7	0
Acute Monocytic Leukemia	0.0	0.0	395.7	0
Chronic Myeloid Leukemia	0.0	0.0	395.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	395.7	0
Other Leukemia	0.0	0.0	395.7	0
Other Acute Leukemia	0.0	0.0	395.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	395.7	0
Mesothelioma	0.0	0.0	395.7	0
Kaposi Sarcoma	0.0	0.0	395.7	0
Miscellaneous	0.0	0.0	395.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	657.2	564.8	759.4	221
Oral Cavity and Pharynx	20.4	8.3	42.0	8
Lip	0.0	0.0	11.9	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	11.9	0
Oropharynx	0.0	0.0	11.9	0
Hypopharynx	0.0	0.0	11.9	0
Other Oral Cavity and Pharynx	0.0	0.0	11.9	0
Digestive System	143.8	99.9	198.7	42
Esophagus	0.0	0.0	11.9	0
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	98.2	61.6	146.4	27
Colon excluding Rectum	70.4	39.6	113.4	19
Cecum	21.8	6.2	50.5	6
Appendix	0.0	0.0	11.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	11.9	0
Splenic Flexure	0.0	0.0	11.9	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	27.7	11.2	55.4	8
Rectosigmoid Junction	^	^	^	^
Rectum	22.2	7.5	48.7	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	11.9	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	11.9	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	11.9	0
Respiratory System	91.2	59.8	132.3	30
Nose, Nasal Cavity and Middle Ear	0.0	0.0	11.9	0
Larynx	^	^	^	^
Lung and Bronchus	86.5	55.9	127.1	28
Pleura	0.0	0.0	11.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.9	0
Bones and Joints	0.0	0.0	11.9	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	20.8	9.2	41.4	9
Melanoma of the Skin	14.8	5.8	32.6	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	63.2	36.5	100.4	19
Urinary Bladder	43.9	21.5	77.7	12
Kidney and Renal Pelvis	15.7	5.5	35.7	6
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	11.9	0
Eye and Orbit	0.0	0.0	11.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	11.9	0
Endocrine System	13.5	5.2	30.5	7
Thyroid	13.5	5.2	30.5	7
Other Endocrine including Thymus	0.0	0.0	11.9	0
Lymphoma	21.0	7.9	44.3	7
Hodgkin Lymphoma	0.0	0.0	11.9	0
Hodgkin - Nodal	0.0	0.0	11.9	0
Hodgkin - Extranodal	0.0	0.0	11.9	0
Non-Hodgkin Lymphoma	21.0	7.9	44.3	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	16.7	5.0	39.4	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	11.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	11.9	0
Acute Myeloid Leukemia	0.0	0.0	11.9	0
Acute Monocytic Leukemia	0.0	0.0	11.9	0
Chronic Myeloid Leukemia	0.0	0.0	11.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	11.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	11.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	505.9	327.9	740.5	30
Oral Cavity and Pharynx	0.0	0.0	64.9	0
Lip	0.0	0.0	64.9	0
Tongue	0.0	0.0	64.9	0
Salivary Gland	0.0	0.0	64.9	0
Floor of Mouth	0.0	0.0	64.9	0
Gum and Other Mouth	0.0	0.0	64.9	0
Nasopharynx	0.0	0.0	64.9	0
Tonsil	0.0	0.0	64.9	0
Oropharynx	0.0	0.0	64.9	0
Hypopharynx	0.0	0.0	64.9	0
Other Oral Cavity and Pharynx	0.0	0.0	64.9	0
Digestive System	227.8	114.5	399.5	13
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	64.9	0
Ascending Colon	0.0	0.0	64.9	0
Hepatic Flexure	0.0	0.0	64.9	0
Transverse Colon	0.0	0.0	64.9	0
Splenic Flexure	0.0	0.0	64.9	0
Descending Colon	0.0	0.0	64.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	64.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	64.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	64.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	64.9	0
Gallbladder	0.0	0.0	64.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	64.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	64.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.9	0
Other Digestive Organs	0.0	0.0	64.9	0
Respiratory System	130.9	44.2	284.5	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.9	0
Larynx	0.0	0.0	64.9	0
Lung and Bronchus	130.9	44.2	284.5	6
Pleura	0.0	0.0	64.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.9	0
Bones and Joints	0.0	0.0	64.9	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	64.9	0
Melanoma of the Skin	0.0	0.0	64.9	0
Other Non-Epithelial Skin	0.0	0.0	64.9	0
Urinary System	0.0	0.0	64.9	0
Urinary Bladder	0.0	0.0	64.9	0
Kidney and Renal Pelvis	0.0	0.0	64.9	0
Ureter	0.0	0.0	64.9	0
Other Urinary Organs	0.0	0.0	64.9	0
Eye and Orbit	0.0	0.0	64.9	0
Brain and Other Nervous System	0.0	0.0	64.9	0
Brain	0.0	0.0	64.9	0
Cranial Nerves Other Nervous System	0.0	0.0	64.9	0
Endocrine System	0.0	0.0	64.9	0
Thyroid	0.0	0.0	64.9	0
Other Endocrine including Thymus	0.0	0.0	64.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	64.9	0
Hodgkin - Nodal	0.0	0.0	64.9	0
Hodgkin - Extranodal	0.0	0.0	64.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	64.9	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	64.9	0
Acute Lymphocytic Leukemia	0.0	0.0	64.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.9	0
Other Lymphocytic Leukemia	0.0	0.0	64.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	64.9	0
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.9	0
Other Leukemia	0.0	0.0	64.9	0
Other Acute Leukemia	0.0	0.0	64.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.9	0
Mesothelioma	0.0	0.0	64.9	0
Kaposi Sarcoma	0.0	0.0	64.9	0
Miscellaneous	0.0	0.0	64.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	356.9	170.9	649.4	13
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	130.9	0
Tongue	0.0	0.0	130.9	0
Salivary Gland	0.0	0.0	130.9	0
Floor of Mouth	0.0	0.0	130.9	0
Gum and Other Mouth	0.0	0.0	130.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	130.9	0
Oropharynx	0.0	0.0	130.9	0
Hypopharynx	0.0	0.0	130.9	0
Other Oral Cavity and Pharynx	0.0	0.0	130.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	130.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	130.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	130.9	0
Appendix	0.0	0.0	130.9	0
Ascending Colon	0.0	0.0	130.9	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	130.9	0
Splenic Flexure	0.0	0.0	130.9	0
Descending Colon	0.0	0.0	130.9	0
Sigmoid Colon	0.0	0.0	130.9	0
Large Intestine, NOS	0.0	0.0	130.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	130.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	130.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	130.9	0
Liver	0.0	0.0	130.9	0
Intrahepatic Bile Duct	0.0	0.0	130.9	0
Gallbladder	0.0	0.0	130.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	130.9	0
Pancreas	0.0	0.0	130.9	0
Retroperitoneum	0.0	0.0	130.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.9	0
Other Digestive Organs	0.0	0.0	130.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	130.9	0
Larynx	0.0	0.0	130.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	130.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.9	0
Bones and Joints	0.0	0.0	130.9	0
Soft Tissue including Heart	0.0	0.0	130.9	0
Skin excluding Basal and Squamous	0.0	0.0	130.9	0
Melanoma of the Skin	0.0	0.0	130.9	0
Other Non-Epithelial Skin	0.0	0.0	130.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	130.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	130.9	0
Other Urinary Organs	0.0	0.0	130.9	0
Eye and Orbit	0.0	0.0	130.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	130.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	130.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	130.9	0
Non-Hodgkin Lymphoma	0.0	0.0	130.9	0
NHL - Nodal	0.0	0.0	130.9	0
NHL - Extranodal	0.0	0.0	130.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	130.9	0
Leukemia	0.0	0.0	130.9	0
Lymphocytic Leukemia	0.0	0.0	130.9	0
Acute Lymphocytic Leukemia	0.0	0.0	130.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	130.9	0
Other Lymphocytic Leukemia	0.0	0.0	130.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	130.9	0
Acute Myeloid Leukemia	0.0	0.0	130.9	0
Acute Monocytic Leukemia	0.0	0.0	130.9	0
Chronic Myeloid Leukemia	0.0	0.0	130.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.9	0
Other Leukemia	0.0	0.0	130.9	0
Other Acute Leukemia	0.0	0.0	130.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.9	0
Mesothelioma	0.0	0.0	130.9	0
Kaposi Sarcoma	0.0	0.0	130.9	0
Miscellaneous	0.0	0.0	130.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	438.7	247.1	714.2	17
Oral Cavity and Pharynx	0.0	0.0	100.1	0
Lip	0.0	0.0	100.1	0
Tongue	0.0	0.0	100.1	0
Salivary Gland	0.0	0.0	100.1	0
Floor of Mouth	0.0	0.0	100.1	0
Gum and Other Mouth	0.0	0.0	100.1	0
Nasopharynx	0.0	0.0	100.1	0
Tonsil	0.0	0.0	100.1	0
Oropharynx	0.0	0.0	100.1	0
Hypopharynx	0.0	0.0	100.1	0
Other Oral Cavity and Pharynx	0.0	0.0	100.1	0
Digestive System	240.9	112.0	451.2	10
Esophagus	0.0	0.0	100.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	100.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	100.1	0
Ascending Colon	0.0	0.0	100.1	0
Hepatic Flexure	0.0	0.0	100.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	100.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	100.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	100.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	100.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	100.1	0
Liver	0.0	0.0	100.1	0
Intrahepatic Bile Duct	0.0	0.0	100.1	0
Gallbladder	0.0	0.0	100.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	100.1	0
Retroperitoneum	0.0	0.0	100.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	100.1	0
Other Digestive Organs	0.0	0.0	100.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	100.1	0
Larynx	0.0	0.0	100.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	100.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	100.1	0
Bones and Joints	0.0	0.0	100.1	0
Soft Tissue including Heart	0.0	0.0	100.1	0
Skin excluding Basal and Squamous	0.0	0.0	100.1	0
Melanoma of the Skin	0.0	0.0	100.1	0
Other Non-Epithelial Skin	0.0	0.0	100.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	100.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	100.1	0
Other Urinary Organs	0.0	0.0	100.1	0
Eye and Orbit	0.0	0.0	100.1	0
Brain and Other Nervous System	0.0	0.0	100.1	0
Brain	0.0	0.0	100.1	0
Cranial Nerves Other Nervous System	0.0	0.0	100.1	0
Endocrine System	0.0	0.0	100.1	0
Thyroid	0.0	0.0	100.1	0
Other Endocrine including Thymus	0.0	0.0	100.1	0
Lymphoma	0.0	0.0	100.1	0
Hodgkin Lymphoma	0.0	0.0	100.1	0
Hodgkin - Nodal	0.0	0.0	100.1	0
Hodgkin - Extranodal	0.0	0.0	100.1	0
Non-Hodgkin Lymphoma	0.0	0.0	100.1	0
NHL - Nodal	0.0	0.0	100.1	0
NHL - Extranodal	0.0	0.0	100.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	100.1	0
Leukemia	0.0	0.0	100.1	0
Lymphocytic Leukemia	0.0	0.0	100.1	0
Acute Lymphocytic Leukemia	0.0	0.0	100.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	100.1	0
Other Lymphocytic Leukemia	0.0	0.0	100.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	100.1	0
Acute Myeloid Leukemia	0.0	0.0	100.1	0
Acute Monocytic Leukemia	0.0	0.0	100.1	0
Chronic Myeloid Leukemia	0.0	0.0	100.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	100.1	0
Other Leukemia	0.0	0.0	100.1	0
Other Acute Leukemia	0.0	0.0	100.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	100.1	0
Mesothelioma	0.0	0.0	100.1	0
Kaposi Sarcoma	0.0	0.0	100.1	0
Miscellaneous	0.0	0.0	100.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	794.7	437.0	1,290.0	22
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	127.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	127.0	0
Floor of Mouth	0.0	0.0	127.0	0
Gum and Other Mouth	0.0	0.0	127.0	0
Nasopharynx	0.0	0.0	127.0	0
Tonsil	0.0	0.0	127.0	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	127.0	0
Other Oral Cavity and Pharynx	0.0	0.0	127.0	0
Digestive System	320.1	105.2	686.9	7
Esophagus	0.0	0.0	127.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	127.0	0
Colon and Rectum	280.4	80.1	638.3	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	127.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	127.0	0
Transverse Colon	0.0	0.0	127.0	0
Splenic Flexure	0.0	0.0	127.0	0
Descending Colon	0.0	0.0	127.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	127.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	127.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	127.0	0
Liver	0.0	0.0	127.0	0
Intrahepatic Bile Duct	0.0	0.0	127.0	0
Gallbladder	0.0	0.0	127.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	127.0	0
Pancreas	0.0	0.0	127.0	0
Retroperitoneum	0.0	0.0	127.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.0	0
Other Digestive Organs	0.0	0.0	127.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.0	0
Larynx	0.0	0.0	127.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	127.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.0	0
Bones and Joints	0.0	0.0	127.0	0
Soft Tissue including Heart	0.0	0.0	127.0	0
Skin excluding Basal and Squamous	0.0	0.0	127.0	0
Melanoma of the Skin	0.0	0.0	127.0	0
Other Non-Epithelial Skin	0.0	0.0	127.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	127.0	0
Ureter	0.0	0.0	127.0	0
Other Urinary Organs	0.0	0.0	127.0	0
Eye and Orbit	0.0	0.0	127.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	127.0	0
Endocrine System	0.0	0.0	127.0	0
Thyroid	0.0	0.0	127.0	0
Other Endocrine including Thymus	0.0	0.0	127.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	127.0	0
Hodgkin - Nodal	0.0	0.0	127.0	0
Hodgkin - Extranodal	0.0	0.0	127.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	127.0	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	127.0	0
Leukemia	0.0	0.0	127.0	0
Lymphocytic Leukemia	0.0	0.0	127.0	0
Acute Lymphocytic Leukemia	0.0	0.0	127.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.0	0
Other Lymphocytic Leukemia	0.0	0.0	127.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.0	0
Acute Myeloid Leukemia	0.0	0.0	127.0	0
Acute Monocytic Leukemia	0.0	0.0	127.0	0
Chronic Myeloid Leukemia	0.0	0.0	127.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.0	0
Other Leukemia	0.0	0.0	127.0	0
Other Acute Leukemia	0.0	0.0	127.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.0	0
Mesothelioma	0.0	0.0	127.0	0
Kaposi Sarcoma	0.0	0.0	127.0	0
Miscellaneous	0.0	0.0	127.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	565.8	389.9	789.5	37
Oral Cavity and Pharynx	0.0	0.0	53.1	0
Lip	0.0	0.0	53.1	0
Tongue	0.0	0.0	53.1	0
Salivary Gland	0.0	0.0	53.1	0
Floor of Mouth	0.0	0.0	53.1	0
Gum and Other Mouth	0.0	0.0	53.1	0
Nasopharynx	0.0	0.0	53.1	0
Tonsil	0.0	0.0	53.1	0
Oropharynx	0.0	0.0	53.1	0
Hypopharynx	0.0	0.0	53.1	0
Other Oral Cavity and Pharynx	0.0	0.0	53.1	0
Digestive System	167.5	77.0	309.8	10
Esophagus	0.0	0.0	53.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	53.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	53.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	53.1	0
Splenic Flexure	0.0	0.0	53.1	0
Descending Colon	0.0	0.0	53.1	0
Sigmoid Colon	0.0	0.0	53.1	0
Large Intestine, NOS	0.0	0.0	53.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	53.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	53.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	53.1	0
Liver	0.0	0.0	53.1	0
Intrahepatic Bile Duct	0.0	0.0	53.1	0
Gallbladder	0.0	0.0	53.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	53.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	53.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.1	0
Other Digestive Organs	0.0	0.0	53.1	0
Respiratory System	128.0	56.6	246.2	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.1	0
Larynx	0.0	0.0	53.1	0
Lung and Bronchus	128.0	56.6	246.2	9
Pleura	0.0	0.0	53.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.1	0
Bones and Joints	0.0	0.0	53.1	0
Soft Tissue including Heart	0.0	0.0	53.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	53.1	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	53.1	0
Other Urinary Organs	0.0	0.0	53.1	0
Eye and Orbit	0.0	0.0	53.1	0
Brain and Other Nervous System	0.0	0.0	53.1	0
Brain	0.0	0.0	53.1	0
Cranial Nerves Other Nervous System	0.0	0.0	53.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	53.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	53.1	0
Hodgkin - Nodal	0.0	0.0	53.1	0
Hodgkin - Extranodal	0.0	0.0	53.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	53.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	53.1	0
Lymphocytic Leukemia	0.0	0.0	53.1	0
Acute Lymphocytic Leukemia	0.0	0.0	53.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.1	0
Other Lymphocytic Leukemia	0.0	0.0	53.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	53.1	0
Acute Myeloid Leukemia	0.0	0.0	53.1	0
Acute Monocytic Leukemia	0.0	0.0	53.1	0
Chronic Myeloid Leukemia	0.0	0.0	53.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.1	0
Other Leukemia	0.0	0.0	53.1	0
Other Acute Leukemia	0.0	0.0	53.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.1	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	53.1	0
Miscellaneous	0.0	0.0	53.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	255.7	103.0	535.7	8
Oral Cavity and Pharynx	0.0	0.0	159.8	0
Lip	0.0	0.0	159.8	0
Tongue	0.0	0.0	159.8	0
Salivary Gland	0.0	0.0	159.8	0
Floor of Mouth	0.0	0.0	159.8	0
Gum and Other Mouth	0.0	0.0	159.8	0
Nasopharynx	0.0	0.0	159.8	0
Tonsil	0.0	0.0	159.8	0
Oropharynx	0.0	0.0	159.8	0
Hypopharynx	0.0	0.0	159.8	0
Other Oral Cavity and Pharynx	0.0	0.0	159.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	159.8	0
Stomach	0.0	0.0	159.8	0
Small Intestine	0.0	0.0	159.8	0
Colon and Rectum	0.0	0.0	159.8	0
Colon excluding Rectum	0.0	0.0	159.8	0
Cecum	0.0	0.0	159.8	0
Appendix	0.0	0.0	159.8	0
Ascending Colon	0.0	0.0	159.8	0
Hepatic Flexure	0.0	0.0	159.8	0
Transverse Colon	0.0	0.0	159.8	0
Splenic Flexure	0.0	0.0	159.8	0
Descending Colon	0.0	0.0	159.8	0
Sigmoid Colon	0.0	0.0	159.8	0
Large Intestine, NOS	0.0	0.0	159.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	159.8	0
Rectosigmoid Junction	0.0	0.0	159.8	0
Rectum	0.0	0.0	159.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	159.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	159.8	0
Liver	0.0	0.0	159.8	0
Intrahepatic Bile Duct	0.0	0.0	159.8	0
Gallbladder	0.0	0.0	159.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	159.8	0
Retroperitoneum	0.0	0.0	159.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	159.8	0
Other Digestive Organs	0.0	0.0	159.8	0
Respiratory System	0.0	0.0	159.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	159.8	0
Larynx	0.0	0.0	159.8	0
Lung and Bronchus	0.0	0.0	159.8	0
Pleura	0.0	0.0	159.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	159.8	0
Bones and Joints	0.0	0.0	159.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	159.8	0
Melanoma of the Skin	0.0	0.0	159.8	0
Other Non-Epithelial Skin	0.0	0.0	159.8	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	159.8	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	159.8	0
Other Urinary Organs	0.0	0.0	159.8	0
Eye and Orbit	0.0	0.0	159.8	0
Brain and Other Nervous System	0.0	0.0	159.8	0
Brain	0.0	0.0	159.8	0
Cranial Nerves Other Nervous System	0.0	0.0	159.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	159.8	0
Lymphoma	0.0	0.0	159.8	0
Hodgkin Lymphoma	0.0	0.0	159.8	0
Hodgkin - Nodal	0.0	0.0	159.8	0
Hodgkin - Extranodal	0.0	0.0	159.8	0
Non-Hodgkin Lymphoma	0.0	0.0	159.8	0
NHL - Nodal	0.0	0.0	159.8	0
NHL - Extranodal	0.0	0.0	159.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	159.8	0
Leukemia	0.0	0.0	159.8	0
Lymphocytic Leukemia	0.0	0.0	159.8	0
Acute Lymphocytic Leukemia	0.0	0.0	159.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	159.8	0
Other Lymphocytic Leukemia	0.0	0.0	159.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	159.8	0
Acute Myeloid Leukemia	0.0	0.0	159.8	0
Acute Monocytic Leukemia	0.0	0.0	159.8	0
Chronic Myeloid Leukemia	0.0	0.0	159.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	159.8	0
Other Leukemia	0.0	0.0	159.8	0
Other Acute Leukemia	0.0	0.0	159.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	159.8	0
Mesothelioma	0.0	0.0	159.8	0
Kaposi Sarcoma	0.0	0.0	159.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	647.0	390.5	995.6	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	101.2	0
Tongue	0.0	0.0	101.2	0
Salivary Gland	0.0	0.0	101.2	0
Floor of Mouth	0.0	0.0	101.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	101.2	0
Tonsil	0.0	0.0	101.2	0
Oropharynx	0.0	0.0	101.2	0
Hypopharynx	0.0	0.0	101.2	0
Other Oral Cavity and Pharynx	0.0	0.0	101.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	101.2	0
Stomach	0.0	0.0	101.2	0
Small Intestine	0.0	0.0	101.2	0
Colon and Rectum	0.0	0.0	101.2	0
Colon excluding Rectum	0.0	0.0	101.2	0
Cecum	0.0	0.0	101.2	0
Appendix	0.0	0.0	101.2	0
Ascending Colon	0.0	0.0	101.2	0
Hepatic Flexure	0.0	0.0	101.2	0
Transverse Colon	0.0	0.0	101.2	0
Splenic Flexure	0.0	0.0	101.2	0
Descending Colon	0.0	0.0	101.2	0
Sigmoid Colon	0.0	0.0	101.2	0
Large Intestine, NOS	0.0	0.0	101.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	101.2	0
Rectosigmoid Junction	0.0	0.0	101.2	0
Rectum	0.0	0.0	101.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	101.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	101.2	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	101.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	101.2	0
Pancreas	0.0	0.0	101.2	0
Retroperitoneum	0.0	0.0	101.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	101.2	0
Other Digestive Organs	0.0	0.0	101.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	101.2	0
Larynx	0.0	0.0	101.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	101.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	101.2	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	101.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	101.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	101.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	101.2	0
Other Urinary Organs	0.0	0.0	101.2	0
Eye and Orbit	0.0	0.0	101.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	101.2	0
Endocrine System	0.0	0.0	101.2	0
Thyroid	0.0	0.0	101.2	0
Other Endocrine including Thymus	0.0	0.0	101.2	0
Lymphoma	0.0	0.0	101.2	0
Hodgkin Lymphoma	0.0	0.0	101.2	0
Hodgkin - Nodal	0.0	0.0	101.2	0
Hodgkin - Extranodal	0.0	0.0	101.2	0
Non-Hodgkin Lymphoma	0.0	0.0	101.2	0
NHL - Nodal	0.0	0.0	101.2	0
NHL - Extranodal	0.0	0.0	101.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	101.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	101.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	101.2	0
Acute Myeloid Leukemia	0.0	0.0	101.2	0
Acute Monocytic Leukemia	0.0	0.0	101.2	0
Chronic Myeloid Leukemia	0.0	0.0	101.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	101.2	0
Other Leukemia	0.0	0.0	101.2	0
Other Acute Leukemia	0.0	0.0	101.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	101.2	0
Mesothelioma	0.0	0.0	101.2	0
Kaposi Sarcoma	0.0	0.0	101.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	572.6	374.4	828.8	36
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	60.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	60.4	0
Floor of Mouth	0.0	0.0	60.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	60.4	0
Oropharynx	0.0	0.0	60.4	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	60.4	0
Digestive System	139.1	42.6	309.3	7
Esophagus	^	^	^	^
Stomach	0.0	0.0	60.4	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	60.4	0
Appendix	0.0	0.0	60.4	0
Ascending Colon	0.0	0.0	60.4	0
Hepatic Flexure	0.0	0.0	60.4	0
Transverse Colon	0.0	0.0	60.4	0
Splenic Flexure	0.0	0.0	60.4	0
Descending Colon	0.0	0.0	60.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	60.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	60.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	60.4	0
Gallbladder	0.0	0.0	60.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	60.4	0
Pancreas	0.0	0.0	60.4	0
Retroperitoneum	0.0	0.0	60.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	60.4	0
Other Digestive Organs	0.0	0.0	60.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	60.4	0
Larynx	0.0	0.0	60.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	60.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	60.4	0
Bones and Joints	0.0	0.0	60.4	0
Soft Tissue including Heart	0.0	0.0	60.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	60.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	60.4	0
Other Urinary Organs	0.0	0.0	60.4	0
Eye and Orbit	0.0	0.0	60.4	0
Brain and Other Nervous System	0.0	0.0	60.4	0
Brain	0.0	0.0	60.4	0
Cranial Nerves Other Nervous System	0.0	0.0	60.4	0
Endocrine System	0.0	0.0	60.4	0
Thyroid	0.0	0.0	60.4	0
Other Endocrine including Thymus	0.0	0.0	60.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	60.4	0
Hodgkin - Nodal	0.0	0.0	60.4	0
Hodgkin - Extranodal	0.0	0.0	60.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	60.4	0
Leukemia	0.0	0.0	60.4	0
Lymphocytic Leukemia	0.0	0.0	60.4	0
Acute Lymphocytic Leukemia	0.0	0.0	60.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	60.4	0
Other Lymphocytic Leukemia	0.0	0.0	60.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	60.4	0
Acute Myeloid Leukemia	0.0	0.0	60.4	0
Acute Monocytic Leukemia	0.0	0.0	60.4	0
Chronic Myeloid Leukemia	0.0	0.0	60.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	60.4	0
Other Leukemia	0.0	0.0	60.4	0
Other Acute Leukemia	0.0	0.0	60.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	60.4	0
Mesothelioma	0.0	0.0	60.4	0
Kaposi Sarcoma	0.0	0.0	60.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	457.9	227.6	803.6	14
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	126.9	0
Tongue	0.0	0.0	126.9	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	126.9	0
Gum and Other Mouth	0.0	0.0	126.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	126.9	0
Oropharynx	0.0	0.0	126.9	0
Hypopharynx	0.0	0.0	126.9	0
Other Oral Cavity and Pharynx	0.0	0.0	126.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	126.9	0
Stomach	0.0	0.0	126.9	0
Small Intestine	0.0	0.0	126.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	126.9	0
Appendix	0.0	0.0	126.9	0
Ascending Colon	0.0	0.0	126.9	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	126.9	0
Splenic Flexure	0.0	0.0	126.9	0
Descending Colon	0.0	0.0	126.9	0
Sigmoid Colon	0.0	0.0	126.9	0
Large Intestine, NOS	0.0	0.0	126.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	126.9	0
Rectosigmoid Junction	0.0	0.0	126.9	0
Rectum	0.0	0.0	126.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	126.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	126.9	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	126.9	0
Pancreas	0.0	0.0	126.9	0
Retroperitoneum	0.0	0.0	126.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	126.9	0
Other Digestive Organs	0.0	0.0	126.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	126.9	0
Larynx	0.0	0.0	126.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	126.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	126.9	0
Bones and Joints	0.0	0.0	126.9	0
Soft Tissue including Heart	0.0	0.0	126.9	0
Skin excluding Basal and Squamous	0.0	0.0	126.9	0
Melanoma of the Skin	0.0	0.0	126.9	0
Other Non-Epithelial Skin	0.0	0.0	126.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	126.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	126.9	0
Other Urinary Organs	0.0	0.0	126.9	0
Eye and Orbit	0.0	0.0	126.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	126.9	0
Endocrine System	0.0	0.0	126.9	0
Thyroid	0.0	0.0	126.9	0
Other Endocrine including Thymus	0.0	0.0	126.9	0
Lymphoma	0.0	0.0	126.9	0
Hodgkin Lymphoma	0.0	0.0	126.9	0
Hodgkin - Nodal	0.0	0.0	126.9	0
Hodgkin - Extranodal	0.0	0.0	126.9	0
Non-Hodgkin Lymphoma	0.0	0.0	126.9	0
NHL - Nodal	0.0	0.0	126.9	0
NHL - Extranodal	0.0	0.0	126.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	126.9	0
Leukemia	0.0	0.0	126.9	0
Lymphocytic Leukemia	0.0	0.0	126.9	0
Acute Lymphocytic Leukemia	0.0	0.0	126.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	126.9	0
Other Lymphocytic Leukemia	0.0	0.0	126.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	126.9	0
Acute Myeloid Leukemia	0.0	0.0	126.9	0
Acute Monocytic Leukemia	0.0	0.0	126.9	0
Chronic Myeloid Leukemia	0.0	0.0	126.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	126.9	0
Other Leukemia	0.0	0.0	126.9	0
Other Acute Leukemia	0.0	0.0	126.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	126.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	126.9	0
Miscellaneous	0.0	0.0	126.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	547.0	363.9	786.5	29
Oral Cavity and Pharynx	0.0	0.0	63.7	0
Lip	0.0	0.0	63.7	0
Tongue	0.0	0.0	63.7	0
Salivary Gland	0.0	0.0	63.7	0
Floor of Mouth	0.0	0.0	63.7	0
Gum and Other Mouth	0.0	0.0	63.7	0
Nasopharynx	0.0	0.0	63.7	0
Tonsil	0.0	0.0	63.7	0
Oropharynx	0.0	0.0	63.7	0
Hypopharynx	0.0	0.0	63.7	0
Other Oral Cavity and Pharynx	0.0	0.0	63.7	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	63.7	0
Small Intestine	0.0	0.0	63.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	63.7	0
Appendix	0.0	0.0	63.7	0
Ascending Colon	0.0	0.0	63.7	0
Hepatic Flexure	0.0	0.0	63.7	0
Transverse Colon	0.0	0.0	63.7	0
Splenic Flexure	0.0	0.0	63.7	0
Descending Colon	0.0	0.0	63.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	63.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	63.7	0
Rectosigmoid Junction	0.0	0.0	63.7	0
Rectum	0.0	0.0	63.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	63.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	63.7	0
Liver	0.0	0.0	63.7	0
Intrahepatic Bile Duct	0.0	0.0	63.7	0
Gallbladder	0.0	0.0	63.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	63.7	0
Pancreas	0.0	0.0	63.7	0
Retroperitoneum	0.0	0.0	63.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	63.7	0
Other Digestive Organs	0.0	0.0	63.7	0
Respiratory System	116.5	42.1	250.7	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	63.7	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	63.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	63.7	0
Bones and Joints	0.0	0.0	63.7	0
Soft Tissue including Heart	0.0	0.0	63.7	0
Skin excluding Basal and Squamous	0.0	0.0	63.7	0
Melanoma of the Skin	0.0	0.0	63.7	0
Other Non-Epithelial Skin	0.0	0.0	63.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	63.7	0
Ureter	0.0	0.0	63.7	0
Other Urinary Organs	0.0	0.0	63.7	0
Eye and Orbit	0.0	0.0	63.7	0
Brain and Other Nervous System	0.0	0.0	63.7	0
Brain	0.0	0.0	63.7	0
Cranial Nerves Other Nervous System	0.0	0.0	63.7	0
Endocrine System	0.0	0.0	63.7	0
Thyroid	0.0	0.0	63.7	0
Other Endocrine including Thymus	0.0	0.0	63.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	63.7	0
Hodgkin - Nodal	0.0	0.0	63.7	0
Hodgkin - Extranodal	0.0	0.0	63.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	63.7	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	63.7	0
Other Lymphocytic Leukemia	0.0	0.0	63.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	63.7	0
Chronic Myeloid Leukemia	0.0	0.0	63.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	63.7	0
Other Leukemia	0.0	0.0	63.7	0
Other Acute Leukemia	0.0	0.0	63.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	63.7	0
Mesothelioma	0.0	0.0	63.7	0
Kaposi Sarcoma	0.0	0.0	63.7	0
Miscellaneous	0.0	0.0	63.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	690.7	0
Lip	0.0	0.0	690.7	0
Tongue	0.0	0.0	690.7	0
Salivary Gland	0.0	0.0	690.7	0
Floor of Mouth	0.0	0.0	690.7	0
Gum and Other Mouth	0.0	0.0	690.7	0
Nasopharynx	0.0	0.0	690.7	0
Tonsil	0.0	0.0	690.7	0
Oropharynx	0.0	0.0	690.7	0
Hypopharynx	0.0	0.0	690.7	0
Other Oral Cavity and Pharynx	0.0	0.0	690.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	690.7	0
Stomach	0.0	0.0	690.7	0
Small Intestine	0.0	0.0	690.7	0
Colon and Rectum	0.0	0.0	690.7	0
Colon excluding Rectum	0.0	0.0	690.7	0
Cecum	0.0	0.0	690.7	0
Appendix	0.0	0.0	690.7	0
Ascending Colon	0.0	0.0	690.7	0
Hepatic Flexure	0.0	0.0	690.7	0
Transverse Colon	0.0	0.0	690.7	0
Splenic Flexure	0.0	0.0	690.7	0
Descending Colon	0.0	0.0	690.7	0
Sigmoid Colon	0.0	0.0	690.7	0
Large Intestine, NOS	0.0	0.0	690.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	690.7	0
Rectosigmoid Junction	0.0	0.0	690.7	0
Rectum	0.0	0.0	690.7	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	690.7	0
Liver	0.0	0.0	690.7	0
Intrahepatic Bile Duct	0.0	0.0	690.7	0
Gallbladder	0.0	0.0	690.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	690.7	0
Pancreas	0.0	0.0	690.7	0
Retroperitoneum	0.0	0.0	690.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	690.7	0
Other Digestive Organs	0.0	0.0	690.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	690.7	0
Larynx	0.0	0.0	690.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	690.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	690.7	0
Bones and Joints	0.0	0.0	690.7	0
Soft Tissue including Heart	0.0	0.0	690.7	0
Skin excluding Basal and Squamous	0.0	0.0	690.7	0
Melanoma of the Skin	0.0	0.0	690.7	0
Other Non-Epithelial Skin	0.0	0.0	690.7	0
Urinary System	0.0	0.0	690.7	0
Urinary Bladder	0.0	0.0	690.7	0
Kidney and Renal Pelvis	0.0	0.0	690.7	0
Ureter	0.0	0.0	690.7	0
Other Urinary Organs	0.0	0.0	690.7	0
Eye and Orbit	0.0	0.0	690.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	690.7	0
Endocrine System	0.0	0.0	690.7	0
Thyroid	0.0	0.0	690.7	0
Other Endocrine including Thymus	0.0	0.0	690.7	0
Lymphoma	0.0	0.0	690.7	0
Hodgkin Lymphoma	0.0	0.0	690.7	0
Hodgkin - Nodal	0.0	0.0	690.7	0
Hodgkin - Extranodal	0.0	0.0	690.7	0
Non-Hodgkin Lymphoma	0.0	0.0	690.7	0
NHL - Nodal	0.0	0.0	690.7	0
NHL - Extranodal	0.0	0.0	690.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	690.7	0
Leukemia	0.0	0.0	690.7	0
Lymphocytic Leukemia	0.0	0.0	690.7	0
Acute Lymphocytic Leukemia	0.0	0.0	690.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	690.7	0
Other Lymphocytic Leukemia	0.0	0.0	690.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	690.7	0
Acute Myeloid Leukemia	0.0	0.0	690.7	0
Acute Monocytic Leukemia	0.0	0.0	690.7	0
Chronic Myeloid Leukemia	0.0	0.0	690.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	690.7	0
Other Leukemia	0.0	0.0	690.7	0
Other Acute Leukemia	0.0	0.0	690.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	690.7	0
Mesothelioma	0.0	0.0	690.7	0
Kaposi Sarcoma	0.0	0.0	690.7	0
Miscellaneous	0.0	0.0	690.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	629.3	396.3	938.3	26
Oral Cavity and Pharynx	0.0	0.0	78.9	0
Lip	0.0	0.0	78.9	0
Tongue	0.0	0.0	78.9	0
Salivary Gland	0.0	0.0	78.9	0
Floor of Mouth	0.0	0.0	78.9	0
Gum and Other Mouth	0.0	0.0	78.9	0
Nasopharynx	0.0	0.0	78.9	0
Tonsil	0.0	0.0	78.9	0
Oropharynx	0.0	0.0	78.9	0
Hypopharynx	0.0	0.0	78.9	0
Other Oral Cavity and Pharynx	0.0	0.0	78.9	0
Digestive System	266.1	124.6	485.2	11
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	78.9	0
Colon and Rectum	182.4	63.5	388.0	6
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	78.9	0
Appendix	0.0	0.0	78.9	0
Ascending Colon	0.0	0.0	78.9	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	78.9	0
Sigmoid Colon	0.0	0.0	78.9	0
Large Intestine, NOS	0.0	0.0	78.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	78.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	78.9	0
Liver	0.0	0.0	78.9	0
Intrahepatic Bile Duct	0.0	0.0	78.9	0
Gallbladder	0.0	0.0	78.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	78.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	78.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	78.9	0
Other Digestive Organs	0.0	0.0	78.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	78.9	0
Larynx	0.0	0.0	78.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	78.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	78.9	0
Bones and Joints	0.0	0.0	78.9	0
Soft Tissue including Heart	0.0	0.0	78.9	0
Skin excluding Basal and Squamous	0.0	0.0	78.9	0
Melanoma of the Skin	0.0	0.0	78.9	0
Other Non-Epithelial Skin	0.0	0.0	78.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	78.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	78.9	0
Other Urinary Organs	0.0	0.0	78.9	0
Eye and Orbit	0.0	0.0	78.9	0
Brain and Other Nervous System	0.0	0.0	78.9	0
Brain	0.0	0.0	78.9	0
Cranial Nerves Other Nervous System	0.0	0.0	78.9	0
Endocrine System	0.0	0.0	78.9	0
Thyroid	0.0	0.0	78.9	0
Other Endocrine including Thymus	0.0	0.0	78.9	0
Lymphoma	0.0	0.0	78.9	0
Hodgkin Lymphoma	0.0	0.0	78.9	0
Hodgkin - Nodal	0.0	0.0	78.9	0
Hodgkin - Extranodal	0.0	0.0	78.9	0
Non-Hodgkin Lymphoma	0.0	0.0	78.9	0
NHL - Nodal	0.0	0.0	78.9	0
NHL - Extranodal	0.0	0.0	78.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1998/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	78.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	78.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	78.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	78.9	0
Acute Myeloid Leukemia	0.0	0.0	78.9	0
Acute Monocytic Leukemia	0.0	0.0	78.9	0
Chronic Myeloid Leukemia	0.0	0.0	78.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	78.9	0
Other Leukemia	0.0	0.0	78.9	0
Other Acute Leukemia	0.0	0.0	78.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	78.9	0
Mesothelioma	0.0	0.0	78.9	0
Kaposi Sarcoma	0.0	0.0	78.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	700.7	0
Tongue	0.0	0.0	700.7	0
Salivary Gland	0.0	0.0	700.7	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	700.7	0
Nasopharynx	0.0	0.0	700.7	0
Tonsil	0.0	0.0	700.7	0
Oropharynx	0.0	0.0	700.7	0
Hypopharynx	0.0	0.0	700.7	0
Other Oral Cavity and Pharynx	0.0	0.0	700.7	0
Digestive System	0.0	0.0	700.7	0
Esophagus	0.0	0.0	700.7	0
Stomach	0.0	0.0	700.7	0
Small Intestine	0.0	0.0	700.7	0
Colon and Rectum	0.0	0.0	700.7	0
Colon excluding Rectum	0.0	0.0	700.7	0
Cecum	0.0	0.0	700.7	0
Appendix	0.0	0.0	700.7	0
Ascending Colon	0.0	0.0	700.7	0
Hepatic Flexure	0.0	0.0	700.7	0
Transverse Colon	0.0	0.0	700.7	0
Splenic Flexure	0.0	0.0	700.7	0
Descending Colon	0.0	0.0	700.7	0
Sigmoid Colon	0.0	0.0	700.7	0
Large Intestine, NOS	0.0	0.0	700.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	700.7	0
Rectosigmoid Junction	0.0	0.0	700.7	0
Rectum	0.0	0.0	700.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	700.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	700.7	0
Liver	0.0	0.0	700.7	0
Intrahepatic Bile Duct	0.0	0.0	700.7	0
Gallbladder	0.0	0.0	700.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	700.7	0
Pancreas	0.0	0.0	700.7	0
Retroperitoneum	0.0	0.0	700.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	700.7	0
Other Digestive Organs	0.0	0.0	700.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	700.7	0
Larynx	0.0	0.0	700.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	700.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	700.7	0
Bones and Joints	0.0	0.0	700.7	0
Soft Tissue including Heart	0.0	0.0	700.7	0
Skin excluding Basal and Squamous	0.0	0.0	700.7	0
Melanoma of the Skin	0.0	0.0	700.7	0
Other Non-Epithelial Skin	0.0	0.0	700.7	0
Urinary System	0.0	0.0	700.7	0
Urinary Bladder	0.0	0.0	700.7	0
Kidney and Renal Pelvis	0.0	0.0	700.7	0
Ureter	0.0	0.0	700.7	0
Other Urinary Organs	0.0	0.0	700.7	0
Eye and Orbit	0.0	0.0	700.7	0
Brain and Other Nervous System	0.0	0.0	700.7	0
Brain	0.0	0.0	700.7	0
Cranial Nerves Other Nervous System	0.0	0.0	700.7	0
Endocrine System	0.0	0.0	700.7	0
Thyroid	0.0	0.0	700.7	0
Other Endocrine including Thymus	0.0	0.0	700.7	0
Lymphoma	0.0	0.0	700.7	0
Hodgkin Lymphoma	0.0	0.0	700.7	0
Hodgkin - Nodal	0.0	0.0	700.7	0
Hodgkin - Extranodal	0.0	0.0	700.7	0
Non-Hodgkin Lymphoma	0.0	0.0	700.7	0
NHL - Nodal	0.0	0.0	700.7	0
NHL - Extranodal	0.0	0.0	700.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	700.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	700.7	0
Other Lymphocytic Leukemia	0.0	0.0	700.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	700.7	0
Acute Myeloid Leukemia	0.0	0.0	700.7	0
Acute Monocytic Leukemia	0.0	0.0	700.7	0
Chronic Myeloid Leukemia	0.0	0.0	700.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	700.7	0
Other Leukemia	0.0	0.0	700.7	0
Other Acute Leukemia	0.0	0.0	700.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	700.7	0
Mesothelioma	0.0	0.0	700.7	0
Kaposi Sarcoma	0.0	0.0	700.7	0
Miscellaneous	0.0	0.0	700.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	783.6	0
Tongue	0.0	0.0	783.6	0
Salivary Gland	0.0	0.0	783.6	0
Floor of Mouth	0.0	0.0	783.6	0
Gum and Other Mouth	0.0	0.0	783.6	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	783.6	0
Hypopharynx	0.0	0.0	783.6	0
Other Oral Cavity and Pharynx	0.0	0.0	783.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	783.6	0
Stomach	0.0	0.0	783.6	0
Small Intestine	0.0	0.0	783.6	0
Colon and Rectum	0.0	0.0	783.6	0
Colon excluding Rectum	0.0	0.0	783.6	0
Cecum	0.0	0.0	783.6	0
Appendix	0.0	0.0	783.6	0
Ascending Colon	0.0	0.0	783.6	0
Hepatic Flexure	0.0	0.0	783.6	0
Transverse Colon	0.0	0.0	783.6	0
Splenic Flexure	0.0	0.0	783.6	0
Descending Colon	0.0	0.0	783.6	0
Sigmoid Colon	0.0	0.0	783.6	0
Large Intestine, NOS	0.0	0.0	783.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	783.6	0
Rectosigmoid Junction	0.0	0.0	783.6	0
Rectum	0.0	0.0	783.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	783.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	783.6	0
Liver	0.0	0.0	783.6	0
Intrahepatic Bile Duct	0.0	0.0	783.6	0
Gallbladder	0.0	0.0	783.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	783.6	0
Pancreas	0.0	0.0	783.6	0
Retroperitoneum	0.0	0.0	783.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	783.6	0
Other Digestive Organs	^	^	^	^
Respiratory System	0.0	0.0	783.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	783.6	0
Larynx	0.0	0.0	783.6	0
Lung and Bronchus	0.0	0.0	783.6	0
Pleura	0.0	0.0	783.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	783.6	0
Bones and Joints	0.0	0.0	783.6	0
Soft Tissue including Heart	0.0	0.0	783.6	0
Skin excluding Basal and Squamous	0.0	0.0	783.6	0
Melanoma of the Skin	0.0	0.0	783.6	0
Other Non-Epithelial Skin	0.0	0.0	783.6	0
Urinary System	0.0	0.0	783.6	0
Urinary Bladder	0.0	0.0	783.6	0
Kidney and Renal Pelvis	0.0	0.0	783.6	0
Ureter	0.0	0.0	783.6	0
Other Urinary Organs	0.0	0.0	783.6	0
Eye and Orbit	0.0	0.0	783.6	0
Brain and Other Nervous System	0.0	0.0	783.6	0
Brain	0.0	0.0	783.6	0
Cranial Nerves Other Nervous System	0.0	0.0	783.6	0
Endocrine System	0.0	0.0	783.6	0
Thyroid	0.0	0.0	783.6	0
Other Endocrine including Thymus	0.0	0.0	783.6	0
Lymphoma	0.0	0.0	783.6	0
Hodgkin Lymphoma	0.0	0.0	783.6	0
Hodgkin - Nodal	0.0	0.0	783.6	0
Hodgkin - Extranodal	0.0	0.0	783.6	0
Non-Hodgkin Lymphoma	0.0	0.0	783.6	0
NHL - Nodal	0.0	0.0	783.6	0
NHL - Extranodal	0.0	0.0	783.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	783.6	0
Leukemia	0.0	0.0	783.6	0
Lymphocytic Leukemia	0.0	0.0	783.6	0
Acute Lymphocytic Leukemia	0.0	0.0	783.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	783.6	0
Other Lymphocytic Leukemia	0.0	0.0	783.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	783.6	0
Acute Myeloid Leukemia	0.0	0.0	783.6	0
Acute Monocytic Leukemia	0.0	0.0	783.6	0
Chronic Myeloid Leukemia	0.0	0.0	783.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	783.6	0
Other Leukemia	0.0	0.0	783.6	0
Other Acute Leukemia	0.0	0.0	783.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	783.6	0
Mesothelioma	0.0	0.0	783.6	0
Kaposi Sarcoma	0.0	0.0	783.6	0
Miscellaneous	0.0	0.0	783.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	484.1	446.8	523.5	768
Oral Cavity and Pharynx	10.2	5.5	17.1	17
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	2.4	0
Gum and Other Mouth	0.0	0.0	2.4	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	2.4	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	91.6	74.6	110.8	126
Esophagus	4.9	2.0	9.9	8
Stomach	8.1	3.9	14.5	13
Small Intestine	^	^	^	^
Colon and Rectum	53.1	40.0	68.5	68
Colon excluding Rectum	45.1	32.9	59.8	54
Cecum	8.4	3.8	15.6	11
Appendix	0.0	0.0	2.4	0
Ascending Colon	7.6	3.2	14.5	8
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	14.2	7.7	23.3	16
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	7.9	4.0	13.9	14
Rectosigmoid Junction	^	^	^	^
Rectum	7.0	3.3	12.9	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.5	3.7	13.4	12
Liver	7.5	3.7	13.4	12
Intrahepatic Bile Duct	0.0	0.0	2.4	0
Gallbladder	0.0	0.0	2.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	14.6	8.1	23.7	19
Retroperitoneum	0.0	0.0	2.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.4	0
Other Digestive Organs	0.0	0.0	2.4	0
Respiratory System	75.8	61.7	92.0	113
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	3.6	1.3	8.0	6
Lung and Bronchus	71.6	57.8	87.4	105
Pleura	0.0	0.0	2.4	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	14.3	9.2	21.2	29
Melanoma of the Skin	10.4	6.2	16.3	22
Other Non-Epithelial Skin	3.9	1.4	8.5	7
Urinary System	39.4	28.9	52.1	58
Urinary Bladder	26.6	17.6	38.1	32
Kidney and Renal Pelvis	12.8	8.0	19.3	26
Ureter	0.0	0.0	2.4	0
Other Urinary Organs	0.0	0.0	2.4	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	9.1	5.0	15.3	17
Brain	8.8	4.7	14.9	16
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	8.9	5.4	14.1	22
Thyroid	8.6	5.1	13.7	21
Other Endocrine including Thymus	^	^	^	^
Lymphoma	19.6	13.3	27.8	39
Hodgkin Lymphoma	2.0	0.8	5.1	6
Hodgkin - Nodal	2.0	0.8	5.1	6
Hodgkin - Extranodal	0.0	0.0	2.4	0
Non-Hodgkin Lymphoma	17.5	11.5	25.5	33
NHL - Nodal	13.6	8.6	20.5	26
NHL - Extranodal	3.9	1.2	9.1	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	7.0	3.1	13.2	10
Leukemia	16.5	9.8	25.7	25
Lymphocytic Leukemia	8.6	3.8	15.9	11
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	6.6	2.6	13.3	8
Other Lymphocytic Leukemia	0.0	0.0	2.4	0
Myeloid and Monocytic Leukemia	7.1	3.2	13.4	13
Acute Myeloid Leukemia	4.6	1.4	10.5	7
Acute Monocytic Leukemia	0.0	0.0	2.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.4	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	4.8	1.7	10.3	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	403.3	260.7	587.9	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	41.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	41.5	0
Floor of Mouth	0.0	0.0	41.5	0
Gum and Other Mouth	0.0	0.0	41.5	0
Nasopharynx	0.0	0.0	41.5	0
Tonsil	0.0	0.0	41.5	0
Oropharynx	0.0	0.0	41.5	0
Hypopharynx	0.0	0.0	41.5	0
Other Oral Cavity and Pharynx	0.0	0.0	41.5	0
Digestive System	155.1	75.2	275.9	13
Esophagus	0.0	0.0	41.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	41.5	0
Colon and Rectum	102.6	44.2	198.5	9
Colon excluding Rectum	102.6	44.2	198.5	9
Cecum	^	^	^	^
Appendix	0.0	0.0	41.5	0
Ascending Colon	0.0	0.0	41.5	0
Hepatic Flexure	0.0	0.0	41.5	0
Transverse Colon	0.0	0.0	41.5	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	41.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	41.5	0
Rectosigmoid Junction	0.0	0.0	41.5	0
Rectum	0.0	0.0	41.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	41.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	41.5	0
Gallbladder	0.0	0.0	41.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	41.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	41.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	41.5	0
Other Digestive Organs	0.0	0.0	41.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	41.5	0
Larynx	0.0	0.0	41.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	41.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	41.5	0
Bones and Joints	0.0	0.0	41.5	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	41.5	0
Melanoma of the Skin	0.0	0.0	41.5	0
Other Non-Epithelial Skin	0.0	0.0	41.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	41.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	41.5	0
Other Urinary Organs	0.0	0.0	41.5	0
Eye and Orbit	0.0	0.0	41.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	41.5	0
Endocrine System	0.0	0.0	41.5	0
Thyroid	0.0	0.0	41.5	0
Other Endocrine including Thymus	0.0	0.0	41.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	41.5	0
Hodgkin - Nodal	0.0	0.0	41.5	0
Hodgkin - Extranodal	0.0	0.0	41.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	41.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	41.5	0
Acute Lymphocytic Leukemia	0.0	0.0	41.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	41.5	0
Other Lymphocytic Leukemia	0.0	0.0	41.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	41.5	0
Acute Monocytic Leukemia	0.0	0.0	41.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	41.5	0
Other Leukemia	0.0	0.0	41.5	0
Other Acute Leukemia	0.0	0.0	41.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	41.5	0
Mesothelioma	0.0	0.0	41.5	0
Kaposi Sarcoma	0.0	0.0	41.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,908.5	0
Lip	0.0	0.0	1,908.5	0
Tongue	0.0	0.0	1,908.5	0
Salivary Gland	0.0	0.0	1,908.5	0
Floor of Mouth	0.0	0.0	1,908.5	0
Gum and Other Mouth	0.0	0.0	1,908.5	0
Nasopharynx	0.0	0.0	1,908.5	0
Tonsil	0.0	0.0	1,908.5	0
Oropharynx	0.0	0.0	1,908.5	0
Hypopharynx	0.0	0.0	1,908.5	0
Other Oral Cavity and Pharynx	0.0	0.0	1,908.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,908.5	0
Stomach	0.0	0.0	1,908.5	0
Small Intestine	0.0	0.0	1,908.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	1,908.5	0
Ascending Colon	0.0	0.0	1,908.5	0
Hepatic Flexure	0.0	0.0	1,908.5	0
Transverse Colon	0.0	0.0	1,908.5	0
Splenic Flexure	0.0	0.0	1,908.5	0
Descending Colon	0.0	0.0	1,908.5	0
Sigmoid Colon	0.0	0.0	1,908.5	0
Large Intestine, NOS	0.0	0.0	1,908.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,908.5	0
Rectosigmoid Junction	0.0	0.0	1,908.5	0
Rectum	0.0	0.0	1,908.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,908.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,908.5	0
Liver	0.0	0.0	1,908.5	0
Intrahepatic Bile Duct	0.0	0.0	1,908.5	0
Gallbladder	0.0	0.0	1,908.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	1,908.5	0
Pancreas	0.0	0.0	1,908.5	0
Retroperitoneum	0.0	0.0	1,908.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,908.5	0
Other Digestive Organs	0.0	0.0	1,908.5	0
Respiratory System	0.0	0.0	1,908.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,908.5	0
Larynx	0.0	0.0	1,908.5	0
Lung and Bronchus	0.0	0.0	1,908.5	0
Pleura	0.0	0.0	1,908.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,908.5	0
Bones and Joints	0.0	0.0	1,908.5	0
Soft Tissue including Heart	0.0	0.0	1,908.5	0
Skin excluding Basal and Squamous	0.0	0.0	1,908.5	0
Melanoma of the Skin	0.0	0.0	1,908.5	0
Other Non-Epithelial Skin	0.0	0.0	1,908.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	1,908.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	1,908.5	0
Other Urinary Organs	0.0	0.0	1,908.5	0
Eye and Orbit	0.0	0.0	1,908.5	0
Brain and Other Nervous System	0.0	0.0	1,908.5	0
Brain	0.0	0.0	1,908.5	0
Cranial Nerves Other Nervous System	0.0	0.0	1,908.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,908.5	0
Lymphoma	0.0	0.0	1,908.5	0
Hodgkin Lymphoma	0.0	0.0	1,908.5	0
Hodgkin - Nodal	0.0	0.0	1,908.5	0
Hodgkin - Extranodal	0.0	0.0	1,908.5	0
Non-Hodgkin Lymphoma	0.0	0.0	1,908.5	0
NHL - Nodal	0.0	0.0	1,908.5	0
NHL - Extranodal	0.0	0.0	1,908.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	1,908.5	0
Leukemia	0.0	0.0	1,908.5	0
Lymphocytic Leukemia	0.0	0.0	1,908.5	0
Acute Lymphocytic Leukemia	0.0	0.0	1,908.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,908.5	0
Other Lymphocytic Leukemia	0.0	0.0	1,908.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,908.5	0
Acute Myeloid Leukemia	0.0	0.0	1,908.5	0
Acute Monocytic Leukemia	0.0	0.0	1,908.5	0
Chronic Myeloid Leukemia	0.0	0.0	1,908.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,908.5	0
Other Leukemia	0.0	0.0	1,908.5	0
Other Acute Leukemia	0.0	0.0	1,908.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,908.5	0
Mesothelioma	0.0	0.0	1,908.5	0
Kaposi Sarcoma	0.0	0.0	1,908.5	0
Miscellaneous	0.0	0.0	1,908.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	327.7	121.8	1,135.5	7
Oral Cavity and Pharynx	0.0	0.0	837.4	0
Lip	0.0	0.0	837.4	0
Tongue	0.0	0.0	837.4	0
Salivary Gland	0.0	0.0	837.4	0
Floor of Mouth	0.0	0.0	837.4	0
Gum and Other Mouth	0.0	0.0	837.4	0
Nasopharynx	0.0	0.0	837.4	0
Tonsil	0.0	0.0	837.4	0
Oropharynx	0.0	0.0	837.4	0
Hypopharynx	0.0	0.0	837.4	0
Other Oral Cavity and Pharynx	0.0	0.0	837.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	837.4	0
Stomach	0.0	0.0	837.4	0
Small Intestine	0.0	0.0	837.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	837.4	0
Cecum	0.0	0.0	837.4	0
Appendix	0.0	0.0	837.4	0
Ascending Colon	0.0	0.0	837.4	0
Hepatic Flexure	0.0	0.0	837.4	0
Transverse Colon	0.0	0.0	837.4	0
Splenic Flexure	0.0	0.0	837.4	0
Descending Colon	0.0	0.0	837.4	0
Sigmoid Colon	0.0	0.0	837.4	0
Large Intestine, NOS	0.0	0.0	837.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	837.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	837.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	837.4	0
Liver	0.0	0.0	837.4	0
Intrahepatic Bile Duct	0.0	0.0	837.4	0
Gallbladder	0.0	0.0	837.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	837.4	0
Pancreas	0.0	0.0	837.4	0
Retroperitoneum	0.0	0.0	837.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	837.4	0
Other Digestive Organs	0.0	0.0	837.4	0
Respiratory System	0.0	0.0	837.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	837.4	0
Larynx	0.0	0.0	837.4	0
Lung and Bronchus	0.0	0.0	837.4	0
Pleura	0.0	0.0	837.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	837.4	0
Bones and Joints	0.0	0.0	837.4	0
Soft Tissue including Heart	0.0	0.0	837.4	0
Skin excluding Basal and Squamous	0.0	0.0	837.4	0
Melanoma of the Skin	0.0	0.0	837.4	0
Other Non-Epithelial Skin	0.0	0.0	837.4	0
Urinary System	0.0	0.0	837.4	0
Urinary Bladder	0.0	0.0	837.4	0
Kidney and Renal Pelvis	0.0	0.0	837.4	0
Ureter	0.0	0.0	837.4	0
Other Urinary Organs	0.0	0.0	837.4	0
Eye and Orbit	0.0	0.0	837.4	0
Brain and Other Nervous System	0.0	0.0	837.4	0
Brain	0.0	0.0	837.4	0
Cranial Nerves Other Nervous System	0.0	0.0	837.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	837.4	0
Lymphoma	0.0	0.0	837.4	0
Hodgkin Lymphoma	0.0	0.0	837.4	0
Hodgkin - Nodal	0.0	0.0	837.4	0
Hodgkin - Extranodal	0.0	0.0	837.4	0
Non-Hodgkin Lymphoma	0.0	0.0	837.4	0
NHL - Nodal	0.0	0.0	837.4	0
NHL - Extranodal	0.0	0.0	837.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	837.4	0
Lymphocytic Leukemia	0.0	0.0	837.4	0
Acute Lymphocytic Leukemia	0.0	0.0	837.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	837.4	0
Other Lymphocytic Leukemia	0.0	0.0	837.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	837.4	0
Acute Myeloid Leukemia	0.0	0.0	837.4	0
Acute Monocytic Leukemia	0.0	0.0	837.4	0
Chronic Myeloid Leukemia	0.0	0.0	837.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	837.4	0
Other Leukemia	0.0	0.0	837.4	0
Other Acute Leukemia	0.0	0.0	837.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	837.4	0
Mesothelioma	0.0	0.0	837.4	0
Kaposi Sarcoma	0.0	0.0	837.4	0
Miscellaneous	0.0	0.0	837.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	483.2	252.6	826.4	14
Oral Cavity and Pharynx	0.0	0.0	127.1	0
Lip	0.0	0.0	127.1	0
Tongue	0.0	0.0	127.1	0
Salivary Gland	0.0	0.0	127.1	0
Floor of Mouth	0.0	0.0	127.1	0
Gum and Other Mouth	0.0	0.0	127.1	0
Nasopharynx	0.0	0.0	127.1	0
Tonsil	0.0	0.0	127.1	0
Oropharynx	0.0	0.0	127.1	0
Hypopharynx	0.0	0.0	127.1	0
Other Oral Cavity and Pharynx	0.0	0.0	127.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	127.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	127.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	127.1	0
Appendix	0.0	0.0	127.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	127.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	127.1	0
Descending Colon	0.0	0.0	127.1	0
Sigmoid Colon	0.0	0.0	127.1	0
Large Intestine, NOS	0.0	0.0	127.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	127.1	0
Rectosigmoid Junction	0.0	0.0	127.1	0
Rectum	0.0	0.0	127.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	127.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	127.1	0
Liver	0.0	0.0	127.1	0
Intrahepatic Bile Duct	0.0	0.0	127.1	0
Gallbladder	0.0	0.0	127.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	127.1	0
Pancreas	0.0	0.0	127.1	0
Retroperitoneum	0.0	0.0	127.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.1	0
Other Digestive Organs	0.0	0.0	127.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.1	0
Larynx	0.0	0.0	127.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	127.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.1	0
Bones and Joints	0.0	0.0	127.1	0
Soft Tissue including Heart	0.0	0.0	127.1	0
Skin excluding Basal and Squamous	0.0	0.0	127.1	0
Melanoma of the Skin	0.0	0.0	127.1	0
Other Non-Epithelial Skin	0.0	0.0	127.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	127.1	0
Ureter	0.0	0.0	127.1	0
Other Urinary Organs	0.0	0.0	127.1	0
Eye and Orbit	0.0	0.0	127.1	0
Brain and Other Nervous System	0.0	0.0	127.1	0
Brain	0.0	0.0	127.1	0
Cranial Nerves Other Nervous System	0.0	0.0	127.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	127.1	0
Lymphoma	0.0	0.0	127.1	0
Hodgkin Lymphoma	0.0	0.0	127.1	0
Hodgkin - Nodal	0.0	0.0	127.1	0
Hodgkin - Extranodal	0.0	0.0	127.1	0
Non-Hodgkin Lymphoma	0.0	0.0	127.1	0
NHL - Nodal	0.0	0.0	127.1	0
NHL - Extranodal	0.0	0.0	127.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	127.1	0
Leukemia	0.0	0.0	127.1	0
Lymphocytic Leukemia	0.0	0.0	127.1	0
Acute Lymphocytic Leukemia	0.0	0.0	127.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.1	0
Other Lymphocytic Leukemia	0.0	0.0	127.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.1	0
Acute Myeloid Leukemia	0.0	0.0	127.1	0
Acute Monocytic Leukemia	0.0	0.0	127.1	0
Chronic Myeloid Leukemia	0.0	0.0	127.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.1	0
Other Leukemia	0.0	0.0	127.1	0
Other Acute Leukemia	0.0	0.0	127.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.1	0
Mesothelioma	0.0	0.0	127.1	0
Kaposi Sarcoma	0.0	0.0	127.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	501.6	431.3	579.2	229
Oral Cavity and Pharynx	15.2	5.8	31.9	8
Lip	0.0	0.0	8.3	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	8.3	0
Gum and Other Mouth	0.0	0.0	8.3	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	8.3	0
Hypopharynx	0.0	0.0	8.3	0
Other Oral Cavity and Pharynx	0.0	0.0	8.3	0
Digestive System	95.3	65.0	133.5	37
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	63.3	39.1	95.5	25
Colon excluding Rectum	40.3	20.8	68.5	15
Cecum	^	^	^	^
Appendix	0.0	0.0	8.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	8.3	0
Rectum and Rectosigmoid Junction	23.0	10.6	42.6	10
Rectosigmoid Junction	^	^	^	^
Rectum	15.3	5.8	32.1	7
Anus, Anal Canal and Anorectum	0.0	0.0	8.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.3	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	8.3	0
Pancreas	^	^	^	^
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	8.3	0
Other Digestive Organs	0.0	0.0	8.3	0
Respiratory System	64.3	40.3	96.0	26
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.3	0
Larynx	^	^	^	^
Lung and Bronchus	60.6	37.3	91.8	24
Pleura	0.0	0.0	8.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	8.3	0
Skin excluding Basal and Squamous	21.0	9.8	39.2	12
Melanoma of the Skin	20.0	8.9	38.0	11
Other Non-Epithelial Skin	^	^	^	^
Urinary System	41.1	21.6	69.1	17
Urinary Bladder	23.0	9.5	44.9	9
Kidney and Renal Pelvis	18.1	6.1	39.1	8
Ureter	0.0	0.0	8.3	0
Other Urinary Organs	0.0	0.0	8.3	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.3	0
Endocrine System	6.4	2.4	16.4	6
Thyroid	6.4	2.4	16.4	6
Other Endocrine including Thymus	0.0	0.0	8.3	0
Lymphoma	26.8	13.9	46.3	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	8.3	0
Non-Hodgkin Lymphoma	24.7	12.2	44.1	13
NHL - Nodal	21.3	9.8	40.0	11
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	8.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	8.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	8.3	0
Acute Myeloid Leukemia	0.0	0.0	8.3	0
Acute Monocytic Leukemia	0.0	0.0	8.3	0
Chronic Myeloid Leukemia	0.0	0.0	8.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.3	0
Other Leukemia	0.0	0.0	8.3	0
Other Acute Leukemia	0.0	0.0	8.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	8.3	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	8.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	703.9	386.7	1,179.0	16
Oral Cavity and Pharynx	0.0	0.0	191.9	0
Lip	0.0	0.0	191.9	0
Tongue	0.0	0.0	191.9	0
Salivary Gland	0.0	0.0	191.9	0
Floor of Mouth	0.0	0.0	191.9	0
Gum and Other Mouth	0.0	0.0	191.9	0
Nasopharynx	0.0	0.0	191.9	0
Tonsil	0.0	0.0	191.9	0
Oropharynx	0.0	0.0	191.9	0
Hypopharynx	0.0	0.0	191.9	0
Other Oral Cavity and Pharynx	0.0	0.0	191.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	191.9	0
Stomach	0.0	0.0	191.9	0
Small Intestine	0.0	0.0	191.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	191.9	0
Appendix	0.0	0.0	191.9	0
Ascending Colon	0.0	0.0	191.9	0
Hepatic Flexure	0.0	0.0	191.9	0
Transverse Colon	0.0	0.0	191.9	0
Splenic Flexure	0.0	0.0	191.9	0
Descending Colon	0.0	0.0	191.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	191.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	191.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	191.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	191.9	0
Liver	0.0	0.0	191.9	0
Intrahepatic Bile Duct	0.0	0.0	191.9	0
Gallbladder	0.0	0.0	191.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	191.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	191.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	191.9	0
Other Digestive Organs	0.0	0.0	191.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	191.9	0
Larynx	0.0	0.0	191.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	191.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	191.9	0
Bones and Joints	0.0	0.0	191.9	0
Soft Tissue including Heart	0.0	0.0	191.9	0
Skin excluding Basal and Squamous	0.0	0.0	191.9	0
Melanoma of the Skin	0.0	0.0	191.9	0
Other Non-Epithelial Skin	0.0	0.0	191.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	191.9	0
Ureter	0.0	0.0	191.9	0
Other Urinary Organs	0.0	0.0	191.9	0
Eye and Orbit	0.0	0.0	191.9	0
Brain and Other Nervous System	0.0	0.0	191.9	0
Brain	0.0	0.0	191.9	0
Cranial Nerves Other Nervous System	0.0	0.0	191.9	0
Endocrine System	0.0	0.0	191.9	0
Thyroid	0.0	0.0	191.9	0
Other Endocrine including Thymus	0.0	0.0	191.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	191.9	0
Hodgkin - Nodal	0.0	0.0	191.9	0
Hodgkin - Extranodal	0.0	0.0	191.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	191.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	191.9	0
Lymphocytic Leukemia	0.0	0.0	191.9	0
Acute Lymphocytic Leukemia	0.0	0.0	191.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	191.9	0
Other Lymphocytic Leukemia	0.0	0.0	191.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	191.9	0
Acute Myeloid Leukemia	0.0	0.0	191.9	0
Acute Monocytic Leukemia	0.0	0.0	191.9	0
Chronic Myeloid Leukemia	0.0	0.0	191.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	191.9	0
Other Leukemia	0.0	0.0	191.9	0
Other Acute Leukemia	0.0	0.0	191.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	191.9	0
Mesothelioma	0.0	0.0	191.9	0
Kaposi Sarcoma	0.0	0.0	191.9	0
Miscellaneous	0.0	0.0	191.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	592.6	483.4	717.5	122
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	17.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	17.5	0
Floor of Mouth	0.0	0.0	17.5	0
Gum and Other Mouth	0.0	0.0	17.5	0
Nasopharynx	0.0	0.0	17.5	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	17.5	0
Other Oral Cavity and Pharynx	0.0	0.0	17.5	0
Digestive System	114.3	67.1	179.0	21
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	60.0	27.3	110.9	11
Colon excluding Rectum	30.1	9.8	67.6	6
Cecum	^	^	^	^
Appendix	0.0	0.0	17.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	17.5	0
Splenic Flexure	0.0	0.0	17.5	0
Descending Colon	0.0	0.0	17.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	17.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	17.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	17.5	0
Gallbladder	0.0	0.0	17.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	17.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	115.8	68.2	180.8	20
Nose, Nasal Cavity and Middle Ear	0.0	0.0	17.5	0
Larynx	^	^	^	^
Lung and Bronchus	112.3	65.3	177.0	19
Pleura	0.0	0.0	17.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	17.5	0
Bones and Joints	0.0	0.0	17.5	0
Soft Tissue including Heart	0.0	0.0	17.5	0
Skin excluding Basal and Squamous	0.0	0.0	17.5	0
Melanoma of the Skin	0.0	0.0	17.5	0
Other Non-Epithelial Skin	0.0	0.0	17.5	0
Urinary System	24.2	9.2	53.1	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	17.5	0
Other Urinary Organs	0.0	0.0	17.5	0
Eye and Orbit	0.0	0.0	17.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	17.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	17.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	17.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	17.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	17.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	17.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	17.5	0
Chronic Myeloid Leukemia	0.0	0.0	17.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.5	0
Other Leukemia	0.0	0.0	17.5	0
Other Acute Leukemia	0.0	0.0	17.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.5	0
Mesothelioma	0.0	0.0	17.5	0
Kaposi Sarcoma	0.0	0.0	17.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	464.8	395.0	543.0	185
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	11.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	11.1	0
Floor of Mouth	0.0	0.0	11.1	0
Gum and Other Mouth	0.0	0.0	11.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	11.1	0
Oropharynx	0.0	0.0	11.1	0
Hypopharynx	0.0	0.0	11.1	0
Other Oral Cavity and Pharynx	0.0	0.0	11.1	0
Digestive System	87.8	55.6	130.4	29
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	11.1	0
Colon and Rectum	41.0	22.4	68.6	15
Colon excluding Rectum	27.5	12.8	51.6	10
Cecum	^	^	^	^
Appendix	0.0	0.0	11.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	11.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	11.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	11.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	11.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	11.1	0
Pancreas	20.2	5.9	46.8	6
Retroperitoneum	0.0	0.0	11.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	106.6	74.2	148.0	39
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	11.1	0
Lung and Bronchus	101.8	70.1	142.5	37
Pleura	0.0	0.0	11.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	11.1	0
Urinary System	27.5	13.5	50.3	11
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	19.7	8.3	40.0	8
Ureter	0.0	0.0	11.1	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	11.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	11.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	11.1	0
Lymphoma	29.3	16.0	50.3	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	11.1	0
Non-Hodgkin Lymphoma	26.0	13.5	46.5	13
NHL - Nodal	21.9	10.6	41.2	11
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	11.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	11.1	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	11.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	11.1	0
Acute Monocytic Leukemia	0.0	0.0	11.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.1	0
Other Leukemia	0.0	0.0	11.1	0
Other Acute Leukemia	0.0	0.0	11.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	11.1	0
Mesothelioma	0.0	0.0	11.1	0
Kaposi Sarcoma	0.0	0.0	11.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	667.2	513.9	849.5	71
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.2	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	32.2	0
Floor of Mouth	0.0	0.0	32.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	32.2	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	32.2	0
Hypopharynx	0.0	0.0	32.2	0
Other Oral Cavity and Pharynx	0.0	0.0	32.2	0
Digestive System	123.5	61.2	217.5	12
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	32.2	0
Colon and Rectum	83.3	35.9	160.9	9
Colon excluding Rectum	71.5	27.3	147.5	7
Cecum	0.0	0.0	32.2	0
Appendix	0.0	0.0	32.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	32.2	0
Splenic Flexure	0.0	0.0	32.2	0
Descending Colon	0.0	0.0	32.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	32.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	32.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	32.2	0
Liver	0.0	0.0	32.2	0
Intrahepatic Bile Duct	0.0	0.0	32.2	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	32.2	0
Pancreas	0.0	0.0	32.2	0
Retroperitoneum	0.0	0.0	32.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.2	0
Other Digestive Organs	0.0	0.0	32.2	0
Respiratory System	96.4	42.7	182.1	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.2	0
Larynx	^	^	^	^
Lung and Bronchus	85.7	35.6	168.1	8
Pleura	0.0	0.0	32.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.2	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	32.2	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	32.2	0
Ureter	0.0	0.0	32.2	0
Other Urinary Organs	0.0	0.0	32.2	0
Eye and Orbit	0.0	0.0	32.2	0
Brain and Other Nervous System	0.0	0.0	32.2	0
Brain	0.0	0.0	32.2	0
Cranial Nerves Other Nervous System	0.0	0.0	32.2	0
Endocrine System	0.0	0.0	32.2	0
Thyroid	0.0	0.0	32.2	0
Other Endocrine including Thymus	0.0	0.0	32.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.2	0
Hodgkin - Nodal	0.0	0.0	32.2	0
Hodgkin - Extranodal	0.0	0.0	32.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	32.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	32.2	0
Acute Lymphocytic Leukemia	0.0	0.0	32.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.2	0
Other Lymphocytic Leukemia	0.0	0.0	32.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.2	0
Chronic Myeloid Leukemia	0.0	0.0	32.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	32.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	457.5	284.4	685.3	29
Oral Cavity and Pharynx	0.0	0.0	55.6	0
Lip	0.0	0.0	55.6	0
Tongue	0.0	0.0	55.6	0
Salivary Gland	0.0	0.0	55.6	0
Floor of Mouth	0.0	0.0	55.6	0
Gum and Other Mouth	0.0	0.0	55.6	0
Nasopharynx	0.0	0.0	55.6	0
Tonsil	0.0	0.0	55.6	0
Oropharynx	0.0	0.0	55.6	0
Hypopharynx	0.0	0.0	55.6	0
Other Oral Cavity and Pharynx	0.0	0.0	55.6	0
Digestive System	133.8	44.9	286.1	7
Esophagus	0.0	0.0	55.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	55.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	55.6	0
Ascending Colon	0.0	0.0	55.6	0
Hepatic Flexure	0.0	0.0	55.6	0
Transverse Colon	0.0	0.0	55.6	0
Splenic Flexure	0.0	0.0	55.6	0
Descending Colon	0.0	0.0	55.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	55.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	55.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	55.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	55.6	0
Gallbladder	0.0	0.0	55.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	55.6	0
Pancreas	0.0	0.0	55.6	0
Retroperitoneum	0.0	0.0	55.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.6	0
Other Digestive Organs	0.0	0.0	55.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.6	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	55.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.6	0
Bones and Joints	0.0	0.0	55.6	0
Soft Tissue including Heart	0.0	0.0	55.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	55.6	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	55.6	0
Ureter	0.0	0.0	55.6	0
Other Urinary Organs	0.0	0.0	55.6	0
Eye and Orbit	0.0	0.0	55.6	0
Brain and Other Nervous System	0.0	0.0	55.6	0
Brain	0.0	0.0	55.6	0
Cranial Nerves Other Nervous System	0.0	0.0	55.6	0
Endocrine System	0.0	0.0	55.6	0
Thyroid	0.0	0.0	55.6	0
Other Endocrine including Thymus	0.0	0.0	55.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.6	0
Hodgkin - Nodal	0.0	0.0	55.6	0
Hodgkin - Extranodal	0.0	0.0	55.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	55.6	0
Acute Lymphocytic Leukemia	0.0	0.0	55.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.6	0
Other Lymphocytic Leukemia	0.0	0.0	55.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	55.6	0
Acute Myeloid Leukemia	0.0	0.0	55.6	0
Acute Monocytic Leukemia	0.0	0.0	55.6	0
Chronic Myeloid Leukemia	0.0	0.0	55.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	55.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	55.6	0
Kaposi Sarcoma	0.0	0.0	55.6	0
Miscellaneous	0.0	0.0	55.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	369.4	0
Lip	0.0	0.0	369.4	0
Tongue	0.0	0.0	369.4	0
Salivary Gland	0.0	0.0	369.4	0
Floor of Mouth	0.0	0.0	369.4	0
Gum and Other Mouth	0.0	0.0	369.4	0
Nasopharynx	0.0	0.0	369.4	0
Tonsil	0.0	0.0	369.4	0
Oropharynx	0.0	0.0	369.4	0
Hypopharynx	0.0	0.0	369.4	0
Other Oral Cavity and Pharynx	0.0	0.0	369.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	369.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	369.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	369.4	0
Cecum	0.0	0.0	369.4	0
Appendix	0.0	0.0	369.4	0
Ascending Colon	0.0	0.0	369.4	0
Hepatic Flexure	0.0	0.0	369.4	0
Transverse Colon	0.0	0.0	369.4	0
Splenic Flexure	0.0	0.0	369.4	0
Descending Colon	0.0	0.0	369.4	0
Sigmoid Colon	0.0	0.0	369.4	0
Large Intestine, NOS	0.0	0.0	369.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	369.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	369.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	369.4	0
Liver	0.0	0.0	369.4	0
Intrahepatic Bile Duct	0.0	0.0	369.4	0
Gallbladder	0.0	0.0	369.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	369.4	0
Pancreas	0.0	0.0	369.4	0
Retroperitoneum	0.0	0.0	369.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	369.4	0
Other Digestive Organs	0.0	0.0	369.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	369.4	0
Larynx	0.0	0.0	369.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	369.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	369.4	0
Bones and Joints	0.0	0.0	369.4	0
Soft Tissue including Heart	0.0	0.0	369.4	0
Skin excluding Basal and Squamous	0.0	0.0	369.4	0
Melanoma of the Skin	0.0	0.0	369.4	0
Other Non-Epithelial Skin	0.0	0.0	369.4	0
Urinary System	0.0	0.0	369.4	0
Urinary Bladder	0.0	0.0	369.4	0
Kidney and Renal Pelvis	0.0	0.0	369.4	0
Ureter	0.0	0.0	369.4	0
Other Urinary Organs	0.0	0.0	369.4	0
Eye and Orbit	0.0	0.0	369.4	0
Brain and Other Nervous System	0.0	0.0	369.4	0
Brain	0.0	0.0	369.4	0
Cranial Nerves Other Nervous System	0.0	0.0	369.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	369.4	0
Lymphoma	0.0	0.0	369.4	0
Hodgkin Lymphoma	0.0	0.0	369.4	0
Hodgkin - Nodal	0.0	0.0	369.4	0
Hodgkin - Extranodal	0.0	0.0	369.4	0
Non-Hodgkin Lymphoma	0.0	0.0	369.4	0
NHL - Nodal	0.0	0.0	369.4	0
NHL - Extranodal	0.0	0.0	369.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	369.4	0
Leukemia	0.0	0.0	369.4	0
Lymphocytic Leukemia	0.0	0.0	369.4	0
Acute Lymphocytic Leukemia	0.0	0.0	369.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	369.4	0
Other Lymphocytic Leukemia	0.0	0.0	369.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	369.4	0
Acute Myeloid Leukemia	0.0	0.0	369.4	0
Acute Monocytic Leukemia	0.0	0.0	369.4	0
Chronic Myeloid Leukemia	0.0	0.0	369.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	369.4	0
Other Leukemia	0.0	0.0	369.4	0
Other Acute Leukemia	0.0	0.0	369.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	369.4	0
Mesothelioma	0.0	0.0	369.4	0
Kaposi Sarcoma	0.0	0.0	369.4	0
Miscellaneous	0.0	0.0	369.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	562.0	477.2	656.3	203
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	11.2	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	11.2	0
Nasopharynx	0.0	0.0	11.2	0
Tonsil	0.0	0.0	11.2	0
Oropharynx	0.0	0.0	11.2	0
Hypopharynx	0.0	0.0	11.2	0
Other Oral Cavity and Pharynx	0.0	0.0	11.2	0
Digestive System	99.8	64.3	146.0	33
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	58.1	32.4	94.4	18
Colon excluding Rectum	53.2	28.4	88.8	16
Cecum	25.5	8.7	54.7	6
Appendix	0.0	0.0	11.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	11.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	11.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	11.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	11.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	11.2	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	11.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	11.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.2	0
Other Digestive Organs	0.0	0.0	11.2	0
Respiratory System	95.0	62.6	137.1	32
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	83.8	53.5	123.9	28
Pleura	0.0	0.0	11.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.2	0
Bones and Joints	0.0	0.0	11.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	34.5	15.3	64.7	13
Melanoma of the Skin	34.5	15.3	64.7	13
Other Non-Epithelial Skin	0.0	0.0	11.2	0
Urinary System	66.9	38.1	106.8	19
Urinary Bladder	41.1	19.3	74.2	11
Kidney and Renal Pelvis	22.5	7.6	48.8	7
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	11.2	0
Eye and Orbit	0.0	0.0	11.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	11.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	11.2	0
Lymphoma	19.7	8.6	39.4	9
Hodgkin Lymphoma	0.0	0.0	11.2	0
Hodgkin - Nodal	0.0	0.0	11.2	0
Hodgkin - Extranodal	0.0	0.0	11.2	0
Non-Hodgkin Lymphoma	19.7	8.6	39.4	9
NHL - Nodal	19.7	8.6	39.4	9
NHL - Extranodal	0.0	0.0	11.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	11.2	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	11.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	11.2	0
Acute Myeloid Leukemia	0.0	0.0	11.2	0
Acute Monocytic Leukemia	0.0	0.0	11.2	0
Chronic Myeloid Leukemia	0.0	0.0	11.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	11.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	11.2	0
Kaposi Sarcoma	0.0	0.0	11.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	604.1	406.1	858.2	33
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	61.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	61.0	0
Floor of Mouth	0.0	0.0	61.0	0
Gum and Other Mouth	0.0	0.0	61.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	61.0	0
Oropharynx	0.0	0.0	61.0	0
Hypopharynx	0.0	0.0	61.0	0
Other Oral Cavity and Pharynx	0.0	0.0	61.0	0
Digestive System	372.9	218.4	585.9	19
Esophagus	0.0	0.0	61.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	61.0	0
Colon and Rectum	181.4	85.2	332.9	10
Colon excluding Rectum	153.1	64.9	298.2	8
Cecum	^	^	^	^
Appendix	0.0	0.0	61.0	0
Ascending Colon	0.0	0.0	61.0	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	61.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	61.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	61.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	61.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	61.0	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	61.0	0
Retroperitoneum	0.0	0.0	61.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	61.0	0
Other Digestive Organs	0.0	0.0	61.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	61.0	0
Larynx	0.0	0.0	61.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	61.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	61.0	0
Bones and Joints	0.0	0.0	61.0	0
Soft Tissue including Heart	0.0	0.0	61.0	0
Skin excluding Basal and Squamous	0.0	0.0	61.0	0
Melanoma of the Skin	0.0	0.0	61.0	0
Other Non-Epithelial Skin	0.0	0.0	61.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	61.0	0
Other Urinary Organs	0.0	0.0	61.0	0
Eye and Orbit	0.0	0.0	61.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	61.0	0
Endocrine System	0.0	0.0	61.0	0
Thyroid	0.0	0.0	61.0	0
Other Endocrine including Thymus	0.0	0.0	61.0	0
Lymphoma	0.0	0.0	61.0	0
Hodgkin Lymphoma	0.0	0.0	61.0	0
Hodgkin - Nodal	0.0	0.0	61.0	0
Hodgkin - Extranodal	0.0	0.0	61.0	0
Non-Hodgkin Lymphoma	0.0	0.0	61.0	0
NHL - Nodal	0.0	0.0	61.0	0
NHL - Extranodal	0.0	0.0	61.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	61.0	0
Leukemia	0.0	0.0	61.0	0
Lymphocytic Leukemia	0.0	0.0	61.0	0
Acute Lymphocytic Leukemia	0.0	0.0	61.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	61.0	0
Other Lymphocytic Leukemia	0.0	0.0	61.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	61.0	0
Acute Myeloid Leukemia	0.0	0.0	61.0	0
Acute Monocytic Leukemia	0.0	0.0	61.0	0
Chronic Myeloid Leukemia	0.0	0.0	61.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	61.0	0
Other Leukemia	0.0	0.0	61.0	0
Other Acute Leukemia	0.0	0.0	61.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	61.0	0
Mesothelioma	0.0	0.0	61.0	0
Kaposi Sarcoma	0.0	0.0	61.0	0
Miscellaneous	0.0	0.0	61.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	639.5	355.1	1,038.1	23
Oral Cavity and Pharynx	0.0	0.0	122.2	0
Lip	0.0	0.0	122.2	0
Tongue	0.0	0.0	122.2	0
Salivary Gland	0.0	0.0	122.2	0
Floor of Mouth	0.0	0.0	122.2	0
Gum and Other Mouth	0.0	0.0	122.2	0
Nasopharynx	0.0	0.0	122.2	0
Tonsil	0.0	0.0	122.2	0
Oropharynx	0.0	0.0	122.2	0
Hypopharynx	0.0	0.0	122.2	0
Other Oral Cavity and Pharynx	0.0	0.0	122.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	122.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	122.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	122.2	0
Appendix	0.0	0.0	122.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	122.2	0
Transverse Colon	0.0	0.0	122.2	0
Splenic Flexure	0.0	0.0	122.2	0
Descending Colon	0.0	0.0	122.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	122.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	122.2	0
Rectosigmoid Junction	0.0	0.0	122.2	0
Rectum	0.0	0.0	122.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	122.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	122.2	0
Liver	0.0	0.0	122.2	0
Intrahepatic Bile Duct	0.0	0.0	122.2	0
Gallbladder	0.0	0.0	122.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	122.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	122.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	122.2	0
Other Digestive Organs	0.0	0.0	122.2	0
Respiratory System	174.1	55.2	400.4	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	122.2	0
Larynx	0.0	0.0	122.2	0
Lung and Bronchus	174.1	55.2	400.4	6
Pleura	0.0	0.0	122.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	122.2	0
Bones and Joints	0.0	0.0	122.2	0
Soft Tissue including Heart	0.0	0.0	122.2	0
Skin excluding Basal and Squamous	0.0	0.0	122.2	0
Melanoma of the Skin	0.0	0.0	122.2	0
Other Non-Epithelial Skin	0.0	0.0	122.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	122.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	122.2	0
Other Urinary Organs	0.0	0.0	122.2	0
Eye and Orbit	0.0	0.0	122.2	0
Brain and Other Nervous System	0.0	0.0	122.2	0
Brain	0.0	0.0	122.2	0
Cranial Nerves Other Nervous System	0.0	0.0	122.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	122.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	122.2	0
Hodgkin - Nodal	0.0	0.0	122.2	0
Hodgkin - Extranodal	0.0	0.0	122.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	122.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	122.2	0
Leukemia	0.0	0.0	122.2	0
Lymphocytic Leukemia	0.0	0.0	122.2	0
Acute Lymphocytic Leukemia	0.0	0.0	122.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	122.2	0
Other Lymphocytic Leukemia	0.0	0.0	122.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	122.2	0
Acute Myeloid Leukemia	0.0	0.0	122.2	0
Acute Monocytic Leukemia	0.0	0.0	122.2	0
Chronic Myeloid Leukemia	0.0	0.0	122.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	122.2	0
Other Leukemia	0.0	0.0	122.2	0
Other Acute Leukemia	0.0	0.0	122.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	122.2	0
Mesothelioma	0.0	0.0	122.2	0
Kaposi Sarcoma	0.0	0.0	122.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	269.2	114.6	519.7	10
Oral Cavity and Pharynx	0.0	0.0	101.6	0
Lip	0.0	0.0	101.6	0
Tongue	0.0	0.0	101.6	0
Salivary Gland	0.0	0.0	101.6	0
Floor of Mouth	0.0	0.0	101.6	0
Gum and Other Mouth	0.0	0.0	101.6	0
Nasopharynx	0.0	0.0	101.6	0
Tonsil	0.0	0.0	101.6	0
Oropharynx	0.0	0.0	101.6	0
Hypopharynx	0.0	0.0	101.6	0
Other Oral Cavity and Pharynx	0.0	0.0	101.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	101.6	0
Stomach	0.0	0.0	101.6	0
Small Intestine	0.0	0.0	101.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	101.6	0
Appendix	0.0	0.0	101.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	101.6	0
Transverse Colon	0.0	0.0	101.6	0
Splenic Flexure	0.0	0.0	101.6	0
Descending Colon	0.0	0.0	101.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	101.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	101.6	0
Rectosigmoid Junction	0.0	0.0	101.6	0
Rectum	0.0	0.0	101.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	101.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	101.6	0
Liver	0.0	0.0	101.6	0
Intrahepatic Bile Duct	0.0	0.0	101.6	0
Gallbladder	0.0	0.0	101.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	101.6	0
Pancreas	0.0	0.0	101.6	0
Retroperitoneum	0.0	0.0	101.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	101.6	0
Other Digestive Organs	0.0	0.0	101.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	101.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	101.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	101.6	0
Bones and Joints	0.0	0.0	101.6	0
Soft Tissue including Heart	0.0	0.0	101.6	0
Skin excluding Basal and Squamous	0.0	0.0	101.6	0
Melanoma of the Skin	0.0	0.0	101.6	0
Other Non-Epithelial Skin	0.0	0.0	101.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	101.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	101.6	0
Other Urinary Organs	0.0	0.0	101.6	0
Eye and Orbit	0.0	0.0	101.6	0
Brain and Other Nervous System	0.0	0.0	101.6	0
Brain	0.0	0.0	101.6	0
Cranial Nerves Other Nervous System	0.0	0.0	101.6	0
Endocrine System	0.0	0.0	101.6	0
Thyroid	0.0	0.0	101.6	0
Other Endocrine including Thymus	0.0	0.0	101.6	0
Lymphoma	0.0	0.0	101.6	0
Hodgkin Lymphoma	0.0	0.0	101.6	0
Hodgkin - Nodal	0.0	0.0	101.6	0
Hodgkin - Extranodal	0.0	0.0	101.6	0
Non-Hodgkin Lymphoma	0.0	0.0	101.6	0
NHL - Nodal	0.0	0.0	101.6	0
NHL - Extranodal	0.0	0.0	101.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	101.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	101.6	0
Other Lymphocytic Leukemia	0.0	0.0	101.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	101.6	0
Chronic Myeloid Leukemia	0.0	0.0	101.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	101.6	0
Other Leukemia	0.0	0.0	101.6	0
Other Acute Leukemia	0.0	0.0	101.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	101.6	0
Mesothelioma	0.0	0.0	101.6	0
Kaposi Sarcoma	0.0	0.0	101.6	0
Miscellaneous	0.0	0.0	101.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	466.2	229.7	820.7	17
Oral Cavity and Pharynx	0.0	0.0	128.2	0
Lip	0.0	0.0	128.2	0
Tongue	0.0	0.0	128.2	0
Salivary Gland	0.0	0.0	128.2	0
Floor of Mouth	0.0	0.0	128.2	0
Gum and Other Mouth	0.0	0.0	128.2	0
Nasopharynx	0.0	0.0	128.2	0
Tonsil	0.0	0.0	128.2	0
Oropharynx	0.0	0.0	128.2	0
Hypopharynx	0.0	0.0	128.2	0
Other Oral Cavity and Pharynx	0.0	0.0	128.2	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	128.2	0
Small Intestine	0.0	0.0	128.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	128.2	0
Appendix	0.0	0.0	128.2	0
Ascending Colon	0.0	0.0	128.2	0
Hepatic Flexure	0.0	0.0	128.2	0
Transverse Colon	0.0	0.0	128.2	0
Splenic Flexure	0.0	0.0	128.2	0
Descending Colon	0.0	0.0	128.2	0
Sigmoid Colon	0.0	0.0	128.2	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	128.2	0
Rectosigmoid Junction	0.0	0.0	128.2	0
Rectum	0.0	0.0	128.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	128.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	128.2	0
Liver	0.0	0.0	128.2	0
Intrahepatic Bile Duct	0.0	0.0	128.2	0
Gallbladder	0.0	0.0	128.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	128.2	0
Pancreas	0.0	0.0	128.2	0
Retroperitoneum	0.0	0.0	128.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	128.2	0
Other Digestive Organs	0.0	0.0	128.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	128.2	0
Larynx	0.0	0.0	128.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	128.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	128.2	0
Bones and Joints	0.0	0.0	128.2	0
Soft Tissue including Heart	0.0	0.0	128.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	128.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	128.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	128.2	0
Other Urinary Organs	0.0	0.0	128.2	0
Eye and Orbit	0.0	0.0	128.2	0
Brain and Other Nervous System	0.0	0.0	128.2	0
Brain	0.0	0.0	128.2	0
Cranial Nerves Other Nervous System	0.0	0.0	128.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	128.2	0
Lymphoma	0.0	0.0	128.2	0
Hodgkin Lymphoma	0.0	0.0	128.2	0
Hodgkin - Nodal	0.0	0.0	128.2	0
Hodgkin - Extranodal	0.0	0.0	128.2	0
Non-Hodgkin Lymphoma	0.0	0.0	128.2	0
NHL - Nodal	0.0	0.0	128.2	0
NHL - Extranodal	0.0	0.0	128.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	128.2	0
Leukemia	0.0	0.0	128.2	0
Lymphocytic Leukemia	0.0	0.0	128.2	0
Acute Lymphocytic Leukemia	0.0	0.0	128.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	128.2	0
Other Lymphocytic Leukemia	0.0	0.0	128.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	128.2	0
Acute Myeloid Leukemia	0.0	0.0	128.2	0
Acute Monocytic Leukemia	0.0	0.0	128.2	0
Chronic Myeloid Leukemia	0.0	0.0	128.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	128.2	0
Other Leukemia	0.0	0.0	128.2	0
Other Acute Leukemia	0.0	0.0	128.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	128.2	0
Mesothelioma	0.0	0.0	128.2	0
Kaposi Sarcoma	0.0	0.0	128.2	0
Miscellaneous	0.0	0.0	128.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	504.7	338.1	719.6	33
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	52.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	52.0	0
Floor of Mouth	0.0	0.0	52.0	0
Gum and Other Mouth	0.0	0.0	52.0	0
Nasopharynx	0.0	0.0	52.0	0
Tonsil	0.0	0.0	52.0	0
Oropharynx	0.0	0.0	52.0	0
Hypopharynx	0.0	0.0	52.0	0
Other Oral Cavity and Pharynx	0.0	0.0	52.0	0
Digestive System	136.0	63.0	254.3	10
Esophagus	0.0	0.0	52.0	0
Stomach	0.0	0.0	52.0	0
Small Intestine	0.0	0.0	52.0	0
Colon and Rectum	106.5	44.0	214.4	8
Colon excluding Rectum	73.4	26.1	164.5	6
Cecum	0.0	0.0	52.0	0
Appendix	0.0	0.0	52.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	52.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	52.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	52.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	52.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	52.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	52.0	0
Gallbladder	0.0	0.0	52.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	52.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	52.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	52.0	0
Other Digestive Organs	0.0	0.0	52.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	52.0	0
Larynx	0.0	0.0	52.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	52.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	52.0	0
Bones and Joints	0.0	0.0	52.0	0
Soft Tissue including Heart	0.0	0.0	52.0	0
Skin excluding Basal and Squamous	0.0	0.0	52.0	0
Melanoma of the Skin	0.0	0.0	52.0	0
Other Non-Epithelial Skin	0.0	0.0	52.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	52.0	0
Other Urinary Organs	0.0	0.0	52.0	0
Eye and Orbit	0.0	0.0	52.0	0
Brain and Other Nervous System	0.0	0.0	52.0	0
Brain	0.0	0.0	52.0	0
Cranial Nerves Other Nervous System	0.0	0.0	52.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	52.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	52.0	0
Hodgkin - Nodal	0.0	0.0	52.0	0
Hodgkin - Extranodal	0.0	0.0	52.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	52.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	52.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	52.0	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	52.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	52.0	0
Acute Myeloid Leukemia	0.0	0.0	52.0	0
Acute Monocytic Leukemia	0.0	0.0	52.0	0
Chronic Myeloid Leukemia	0.0	0.0	52.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	52.0	0
Other Leukemia	0.0	0.0	52.0	0
Other Acute Leukemia	0.0	0.0	52.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	52.0	0
Mesothelioma	0.0	0.0	52.0	0
Kaposi Sarcoma	0.0	0.0	52.0	0
Miscellaneous	0.0	0.0	52.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	305.8	156.1	562.7	12
Oral Cavity and Pharynx	0.0	0.0	151.6	0
Lip	0.0	0.0	151.6	0
Tongue	0.0	0.0	151.6	0
Salivary Gland	0.0	0.0	151.6	0
Floor of Mouth	0.0	0.0	151.6	0
Gum and Other Mouth	0.0	0.0	151.6	0
Nasopharynx	0.0	0.0	151.6	0
Tonsil	0.0	0.0	151.6	0
Oropharynx	0.0	0.0	151.6	0
Hypopharynx	0.0	0.0	151.6	0
Other Oral Cavity and Pharynx	0.0	0.0	151.6	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	151.6	0
Colon and Rectum	0.0	0.0	151.6	0
Colon excluding Rectum	0.0	0.0	151.6	0
Cecum	0.0	0.0	151.6	0
Appendix	0.0	0.0	151.6	0
Ascending Colon	0.0	0.0	151.6	0
Hepatic Flexure	0.0	0.0	151.6	0
Transverse Colon	0.0	0.0	151.6	0
Splenic Flexure	0.0	0.0	151.6	0
Descending Colon	0.0	0.0	151.6	0
Sigmoid Colon	0.0	0.0	151.6	0
Large Intestine, NOS	0.0	0.0	151.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	151.6	0
Rectosigmoid Junction	0.0	0.0	151.6	0
Rectum	0.0	0.0	151.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	151.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	151.6	0
Liver	0.0	0.0	151.6	0
Intrahepatic Bile Duct	0.0	0.0	151.6	0
Gallbladder	0.0	0.0	151.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	151.6	0
Pancreas	0.0	0.0	151.6	0
Retroperitoneum	0.0	0.0	151.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	151.6	0
Other Digestive Organs	0.0	0.0	151.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	151.6	0
Larynx	0.0	0.0	151.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	151.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	151.6	0
Bones and Joints	0.0	0.0	151.6	0
Soft Tissue including Heart	0.0	0.0	151.6	0
Skin excluding Basal and Squamous	0.0	0.0	151.6	0
Melanoma of the Skin	0.0	0.0	151.6	0
Other Non-Epithelial Skin	0.0	0.0	151.6	0
Urinary System	0.0	0.0	151.6	0
Urinary Bladder	0.0	0.0	151.6	0
Kidney and Renal Pelvis	0.0	0.0	151.6	0
Ureter	0.0	0.0	151.6	0
Other Urinary Organs	0.0	0.0	151.6	0
Eye and Orbit	0.0	0.0	151.6	0
Brain and Other Nervous System	0.0	0.0	151.6	0
Brain	0.0	0.0	151.6	0
Cranial Nerves Other Nervous System	0.0	0.0	151.6	0
Endocrine System	0.0	0.0	151.6	0
Thyroid	0.0	0.0	151.6	0
Other Endocrine including Thymus	0.0	0.0	151.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	151.6	0
Hodgkin - Nodal	0.0	0.0	151.6	0
Hodgkin - Extranodal	0.0	0.0	151.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	151.6	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	151.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	151.6	0
Acute Lymphocytic Leukemia	0.0	0.0	151.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	151.6	0
Other Lymphocytic Leukemia	0.0	0.0	151.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	151.6	0
Chronic Myeloid Leukemia	0.0	0.0	151.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	151.6	0
Other Leukemia	0.0	0.0	151.6	0
Other Acute Leukemia	0.0	0.0	151.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	151.6	0
Mesothelioma	0.0	0.0	151.6	0
Kaposi Sarcoma	0.0	0.0	151.6	0
Miscellaneous	0.0	0.0	151.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	714.1	423.8	1,107.6	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	105.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	105.1	0
Floor of Mouth	0.0	0.0	105.1	0
Gum and Other Mouth	0.0	0.0	105.1	0
Nasopharynx	0.0	0.0	105.1	0
Tonsil	0.0	0.0	105.1	0
Oropharynx	0.0	0.0	105.1	0
Hypopharynx	0.0	0.0	105.1	0
Other Oral Cavity and Pharynx	0.0	0.0	105.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	105.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	105.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	105.1	0
Ascending Colon	0.0	0.0	105.1	0
Hepatic Flexure	0.0	0.0	105.1	0
Transverse Colon	0.0	0.0	105.1	0
Splenic Flexure	0.0	0.0	105.1	0
Descending Colon	0.0	0.0	105.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	105.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	105.1	0
Rectosigmoid Junction	0.0	0.0	105.1	0
Rectum	0.0	0.0	105.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	105.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	105.1	0
Liver	0.0	0.0	105.1	0
Intrahepatic Bile Duct	0.0	0.0	105.1	0
Gallbladder	0.0	0.0	105.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	105.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	105.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	105.1	0
Other Digestive Organs	0.0	0.0	105.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	105.1	0
Larynx	0.0	0.0	105.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	105.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	105.1	0
Bones and Joints	0.0	0.0	105.1	0
Soft Tissue including Heart	0.0	0.0	105.1	0
Skin excluding Basal and Squamous	0.0	0.0	105.1	0
Melanoma of the Skin	0.0	0.0	105.1	0
Other Non-Epithelial Skin	0.0	0.0	105.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	105.1	0
Other Urinary Organs	0.0	0.0	105.1	0
Eye and Orbit	0.0	0.0	105.1	0
Brain and Other Nervous System	0.0	0.0	105.1	0
Brain	0.0	0.0	105.1	0
Cranial Nerves Other Nervous System	0.0	0.0	105.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	105.1	0
Lymphoma	0.0	0.0	105.1	0
Hodgkin Lymphoma	0.0	0.0	105.1	0
Hodgkin - Nodal	0.0	0.0	105.1	0
Hodgkin - Extranodal	0.0	0.0	105.1	0
Non-Hodgkin Lymphoma	0.0	0.0	105.1	0
NHL - Nodal	0.0	0.0	105.1	0
NHL - Extranodal	0.0	0.0	105.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	105.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	105.1	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	105.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	105.1	0
Acute Myeloid Leukemia	0.0	0.0	105.1	0
Acute Monocytic Leukemia	0.0	0.0	105.1	0
Chronic Myeloid Leukemia	0.0	0.0	105.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	105.1	0
Other Leukemia	0.0	0.0	105.1	0
Other Acute Leukemia	0.0	0.0	105.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	105.1	0
Mesothelioma	0.0	0.0	105.1	0
Kaposi Sarcoma	0.0	0.0	105.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	516.5	346.0	737.3	38
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	58.7	0
Floor of Mouth	0.0	0.0	58.7	0
Gum and Other Mouth	0.0	0.0	58.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	58.7	0
Oropharynx	0.0	0.0	58.7	0
Hypopharynx	0.0	0.0	58.7	0
Other Oral Cavity and Pharynx	0.0	0.0	58.7	0
Digestive System	72.8	23.5	171.6	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	58.7	0
Small Intestine	0.0	0.0	58.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	58.7	0
Appendix	0.0	0.0	58.7	0
Ascending Colon	0.0	0.0	58.7	0
Hepatic Flexure	0.0	0.0	58.7	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	58.7	0
Descending Colon	0.0	0.0	58.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	58.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	58.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	58.7	0
Liver	0.0	0.0	58.7	0
Intrahepatic Bile Duct	0.0	0.0	58.7	0
Gallbladder	0.0	0.0	58.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	58.7	0
Pancreas	0.0	0.0	58.7	0
Retroperitoneum	0.0	0.0	58.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	58.7	0
Other Digestive Organs	0.0	0.0	58.7	0
Respiratory System	158.5	71.6	298.2	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	58.7	0
Larynx	^	^	^	^
Lung and Bronchus	131.4	52.7	264.5	9
Pleura	0.0	0.0	58.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	58.7	0
Bones and Joints	0.0	0.0	58.7	0
Soft Tissue including Heart	0.0	0.0	58.7	0
Skin excluding Basal and Squamous	0.0	0.0	58.7	0
Melanoma of the Skin	0.0	0.0	58.7	0
Other Non-Epithelial Skin	0.0	0.0	58.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	58.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	58.7	0
Other Urinary Organs	0.0	0.0	58.7	0
Eye and Orbit	0.0	0.0	58.7	0
Brain and Other Nervous System	0.0	0.0	58.7	0
Brain	0.0	0.0	58.7	0
Cranial Nerves Other Nervous System	0.0	0.0	58.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	58.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	58.7	0
Hodgkin - Nodal	0.0	0.0	58.7	0
Hodgkin - Extranodal	0.0	0.0	58.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	58.7	0
Leukemia	0.0	0.0	58.7	0
Lymphocytic Leukemia	0.0	0.0	58.7	0
Acute Lymphocytic Leukemia	0.0	0.0	58.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	58.7	0
Other Lymphocytic Leukemia	0.0	0.0	58.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	58.7	0
Acute Myeloid Leukemia	0.0	0.0	58.7	0
Acute Monocytic Leukemia	0.0	0.0	58.7	0
Chronic Myeloid Leukemia	0.0	0.0	58.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	58.7	0
Other Leukemia	0.0	0.0	58.7	0
Other Acute Leukemia	0.0	0.0	58.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	58.7	0
Mesothelioma	0.0	0.0	58.7	0
Kaposi Sarcoma	0.0	0.0	58.7	0
Miscellaneous	0.0	0.0	58.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	575.5	301.0	970.0	16
Oral Cavity and Pharynx	0.0	0.0	119.9	0
Lip	0.0	0.0	119.9	0
Tongue	0.0	0.0	119.9	0
Salivary Gland	0.0	0.0	119.9	0
Floor of Mouth	0.0	0.0	119.9	0
Gum and Other Mouth	0.0	0.0	119.9	0
Nasopharynx	0.0	0.0	119.9	0
Tonsil	0.0	0.0	119.9	0
Oropharynx	0.0	0.0	119.9	0
Hypopharynx	0.0	0.0	119.9	0
Other Oral Cavity and Pharynx	0.0	0.0	119.9	0
Digestive System	284.6	113.0	570.1	8
Esophagus	0.0	0.0	119.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	119.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	119.9	0
Appendix	0.0	0.0	119.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	119.9	0
Splenic Flexure	0.0	0.0	119.9	0
Descending Colon	0.0	0.0	119.9	0
Sigmoid Colon	0.0	0.0	119.9	0
Large Intestine, NOS	0.0	0.0	119.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	119.9	0
Rectosigmoid Junction	0.0	0.0	119.9	0
Rectum	0.0	0.0	119.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	119.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	119.9	0
Liver	0.0	0.0	119.9	0
Intrahepatic Bile Duct	0.0	0.0	119.9	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	119.9	0
Pancreas	0.0	0.0	119.9	0
Retroperitoneum	0.0	0.0	119.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	119.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	119.9	0
Larynx	0.0	0.0	119.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	119.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	119.9	0
Bones and Joints	0.0	0.0	119.9	0
Soft Tissue including Heart	0.0	0.0	119.9	0
Skin excluding Basal and Squamous	0.0	0.0	119.9	0
Melanoma of the Skin	0.0	0.0	119.9	0
Other Non-Epithelial Skin	0.0	0.0	119.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	119.9	0
Ureter	0.0	0.0	119.9	0
Other Urinary Organs	0.0	0.0	119.9	0
Eye and Orbit	0.0	0.0	119.9	0
Brain and Other Nervous System	0.0	0.0	119.9	0
Brain	0.0	0.0	119.9	0
Cranial Nerves Other Nervous System	0.0	0.0	119.9	0
Endocrine System	0.0	0.0	119.9	0
Thyroid	0.0	0.0	119.9	0
Other Endocrine including Thymus	0.0	0.0	119.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	119.9	0
Hodgkin - Nodal	0.0	0.0	119.9	0
Hodgkin - Extranodal	0.0	0.0	119.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	119.9	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	119.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	119.9	0
Acute Lymphocytic Leukemia	0.0	0.0	119.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	119.9	0
Other Lymphocytic Leukemia	0.0	0.0	119.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	119.9	0
Chronic Myeloid Leukemia	0.0	0.0	119.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	119.9	0
Other Leukemia	0.0	0.0	119.9	0
Other Acute Leukemia	0.0	0.0	119.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	119.9	0
Mesothelioma	0.0	0.0	119.9	0
Kaposi Sarcoma	0.0	0.0	119.9	0
Miscellaneous	0.0	0.0	119.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	412.5	261.8	617.2	24
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	64.0	0
Tongue	0.0	0.0	64.0	0
Salivary Gland	0.0	0.0	64.0	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	64.0	0
Nasopharynx	0.0	0.0	64.0	0
Tonsil	0.0	0.0	64.0	0
Oropharynx	0.0	0.0	64.0	0
Hypopharynx	0.0	0.0	64.0	0
Other Oral Cavity and Pharynx	0.0	0.0	64.0	0
Digestive System	116.1	42.1	249.9	6
Esophagus	0.0	0.0	64.0	0
Stomach	0.0	0.0	64.0	0
Small Intestine	0.0	0.0	64.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	64.0	0
Ascending Colon	0.0	0.0	64.0	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	64.0	0
Descending Colon	0.0	0.0	64.0	0
Sigmoid Colon	0.0	0.0	64.0	0
Large Intestine, NOS	0.0	0.0	64.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	64.0	0
Rectosigmoid Junction	0.0	0.0	64.0	0
Rectum	0.0	0.0	64.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	64.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	64.0	0
Liver	0.0	0.0	64.0	0
Intrahepatic Bile Duct	0.0	0.0	64.0	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	64.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	64.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.0	0
Other Digestive Organs	0.0	0.0	64.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.0	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.0	0
Bones and Joints	0.0	0.0	64.0	0
Soft Tissue including Heart	0.0	0.0	64.0	0
Skin excluding Basal and Squamous	0.0	0.0	64.0	0
Melanoma of the Skin	0.0	0.0	64.0	0
Other Non-Epithelial Skin	0.0	0.0	64.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	64.0	0
Other Urinary Organs	0.0	0.0	64.0	0
Eye and Orbit	0.0	0.0	64.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	64.0	0
Endocrine System	0.0	0.0	64.0	0
Thyroid	0.0	0.0	64.0	0
Other Endocrine including Thymus	0.0	0.0	64.0	0
Lymphoma	0.0	0.0	64.0	0
Hodgkin Lymphoma	0.0	0.0	64.0	0
Hodgkin - Nodal	0.0	0.0	64.0	0
Hodgkin - Extranodal	0.0	0.0	64.0	0
Non-Hodgkin Lymphoma	0.0	0.0	64.0	0
NHL - Nodal	0.0	0.0	64.0	0
NHL - Extranodal	0.0	0.0	64.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	64.0	0
Leukemia	0.0	0.0	64.0	0
Lymphocytic Leukemia	0.0	0.0	64.0	0
Acute Lymphocytic Leukemia	0.0	0.0	64.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.0	0
Other Lymphocytic Leukemia	0.0	0.0	64.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.0	0
Acute Myeloid Leukemia	0.0	0.0	64.0	0
Acute Monocytic Leukemia	0.0	0.0	64.0	0
Chronic Myeloid Leukemia	0.0	0.0	64.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.0	0
Other Leukemia	0.0	0.0	64.0	0
Other Acute Leukemia	0.0	0.0	64.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.0	0
Mesothelioma	0.0	0.0	64.0	0
Kaposi Sarcoma	0.0	0.0	64.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	688.1	0
Lip	0.0	0.0	688.1	0
Tongue	0.0	0.0	688.1	0
Salivary Gland	0.0	0.0	688.1	0
Floor of Mouth	0.0	0.0	688.1	0
Gum and Other Mouth	0.0	0.0	688.1	0
Nasopharynx	0.0	0.0	688.1	0
Tonsil	0.0	0.0	688.1	0
Oropharynx	0.0	0.0	688.1	0
Hypopharynx	0.0	0.0	688.1	0
Other Oral Cavity and Pharynx	0.0	0.0	688.1	0
Digestive System	0.0	0.0	688.1	0
Esophagus	0.0	0.0	688.1	0
Stomach	0.0	0.0	688.1	0
Small Intestine	0.0	0.0	688.1	0
Colon and Rectum	0.0	0.0	688.1	0
Colon excluding Rectum	0.0	0.0	688.1	0
Cecum	0.0	0.0	688.1	0
Appendix	0.0	0.0	688.1	0
Ascending Colon	0.0	0.0	688.1	0
Hepatic Flexure	0.0	0.0	688.1	0
Transverse Colon	0.0	0.0	688.1	0
Splenic Flexure	0.0	0.0	688.1	0
Descending Colon	0.0	0.0	688.1	0
Sigmoid Colon	0.0	0.0	688.1	0
Large Intestine, NOS	0.0	0.0	688.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	688.1	0
Rectosigmoid Junction	0.0	0.0	688.1	0
Rectum	0.0	0.0	688.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	688.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	688.1	0
Liver	0.0	0.0	688.1	0
Intrahepatic Bile Duct	0.0	0.0	688.1	0
Gallbladder	0.0	0.0	688.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	688.1	0
Pancreas	0.0	0.0	688.1	0
Retroperitoneum	0.0	0.0	688.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	688.1	0
Other Digestive Organs	0.0	0.0	688.1	0
Respiratory System	0.0	0.0	688.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	688.1	0
Larynx	0.0	0.0	688.1	0
Lung and Bronchus	0.0	0.0	688.1	0
Pleura	0.0	0.0	688.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	688.1	0
Bones and Joints	0.0	0.0	688.1	0
Soft Tissue including Heart	0.0	0.0	688.1	0
Skin excluding Basal and Squamous	0.0	0.0	688.1	0
Melanoma of the Skin	0.0	0.0	688.1	0
Other Non-Epithelial Skin	0.0	0.0	688.1	0
Urinary System	0.0	0.0	688.1	0
Urinary Bladder	0.0	0.0	688.1	0
Kidney and Renal Pelvis	0.0	0.0	688.1	0
Ureter	0.0	0.0	688.1	0
Other Urinary Organs	0.0	0.0	688.1	0
Eye and Orbit	0.0	0.0	688.1	0
Brain and Other Nervous System	0.0	0.0	688.1	0
Brain	0.0	0.0	688.1	0
Cranial Nerves Other Nervous System	0.0	0.0	688.1	0
Endocrine System	0.0	0.0	688.1	0
Thyroid	0.0	0.0	688.1	0
Other Endocrine including Thymus	0.0	0.0	688.1	0
Lymphoma	0.0	0.0	688.1	0
Hodgkin Lymphoma	0.0	0.0	688.1	0
Hodgkin - Nodal	0.0	0.0	688.1	0
Hodgkin - Extranodal	0.0	0.0	688.1	0
Non-Hodgkin Lymphoma	0.0	0.0	688.1	0
NHL - Nodal	0.0	0.0	688.1	0
NHL - Extranodal	0.0	0.0	688.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	688.1	0
Leukemia	0.0	0.0	688.1	0
Lymphocytic Leukemia	0.0	0.0	688.1	0
Acute Lymphocytic Leukemia	0.0	0.0	688.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	688.1	0
Other Lymphocytic Leukemia	0.0	0.0	688.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	688.1	0
Acute Myeloid Leukemia	0.0	0.0	688.1	0
Acute Monocytic Leukemia	0.0	0.0	688.1	0
Chronic Myeloid Leukemia	0.0	0.0	688.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	688.1	0
Other Leukemia	0.0	0.0	688.1	0
Other Acute Leukemia	0.0	0.0	688.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	688.1	0
Mesothelioma	0.0	0.0	688.1	0
Kaposi Sarcoma	0.0	0.0	688.1	0
Miscellaneous	0.0	0.0	688.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	580.7	366.8	866.0	26
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	77.5	0
Floor of Mouth	0.0	0.0	77.5	0
Gum and Other Mouth	0.0	0.0	77.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	77.5	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	77.5	0
Other Oral Cavity and Pharynx	0.0	0.0	77.5	0
Digestive System	143.0	53.5	302.9	7
Esophagus	0.0	0.0	77.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	77.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	77.5	0
Ascending Colon	0.0	0.0	77.5	0
Hepatic Flexure	0.0	0.0	77.5	0
Transverse Colon	0.0	0.0	77.5	0
Splenic Flexure	0.0	0.0	77.5	0
Descending Colon	0.0	0.0	77.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	77.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	77.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	77.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	77.5	0
Liver	0.0	0.0	77.5	0
Intrahepatic Bile Duct	0.0	0.0	77.5	0
Gallbladder	0.0	0.0	77.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	77.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	77.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	77.5	0
Other Digestive Organs	0.0	0.0	77.5	0
Respiratory System	167.1	57.2	359.9	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	77.5	0
Larynx	0.0	0.0	77.5	0
Lung and Bronchus	167.1	57.2	359.9	6
Pleura	0.0	0.0	77.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	77.5	0
Bones and Joints	0.0	0.0	77.5	0
Soft Tissue including Heart	0.0	0.0	77.5	0
Skin excluding Basal and Squamous	0.0	0.0	77.5	0
Melanoma of the Skin	0.0	0.0	77.5	0
Other Non-Epithelial Skin	0.0	0.0	77.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	77.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	77.5	0
Other Urinary Organs	0.0	0.0	77.5	0
Eye and Orbit	0.0	0.0	77.5	0
Brain and Other Nervous System	0.0	0.0	77.5	0
Brain	0.0	0.0	77.5	0
Cranial Nerves Other Nervous System	0.0	0.0	77.5	0
Endocrine System	0.0	0.0	77.5	0
Thyroid	0.0	0.0	77.5	0
Other Endocrine including Thymus	0.0	0.0	77.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	77.5	0
Hodgkin - Nodal	0.0	0.0	77.5	0
Hodgkin - Extranodal	0.0	0.0	77.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	77.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

1999/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	77.5	0
Leukemia	0.0	0.0	77.5	0
Lymphocytic Leukemia	0.0	0.0	77.5	0
Acute Lymphocytic Leukemia	0.0	0.0	77.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	77.5	0
Other Lymphocytic Leukemia	0.0	0.0	77.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	77.5	0
Acute Myeloid Leukemia	0.0	0.0	77.5	0
Acute Monocytic Leukemia	0.0	0.0	77.5	0
Chronic Myeloid Leukemia	0.0	0.0	77.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	77.5	0
Other Leukemia	0.0	0.0	77.5	0
Other Acute Leukemia	0.0	0.0	77.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	77.5	0
Mesothelioma	0.0	0.0	77.5	0
Kaposi Sarcoma	0.0	0.0	77.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	215.9	75.8	643.3	6
Oral Cavity and Pharynx	0.0	0.0	403.2	0
Lip	0.0	0.0	403.2	0
Tongue	0.0	0.0	403.2	0
Salivary Gland	0.0	0.0	403.2	0
Floor of Mouth	0.0	0.0	403.2	0
Gum and Other Mouth	0.0	0.0	403.2	0
Nasopharynx	0.0	0.0	403.2	0
Tonsil	0.0	0.0	403.2	0
Oropharynx	0.0	0.0	403.2	0
Hypopharynx	0.0	0.0	403.2	0
Other Oral Cavity and Pharynx	0.0	0.0	403.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	403.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	403.2	0
Colon and Rectum	0.0	0.0	403.2	0
Colon excluding Rectum	0.0	0.0	403.2	0
Cecum	0.0	0.0	403.2	0
Appendix	0.0	0.0	403.2	0
Ascending Colon	0.0	0.0	403.2	0
Hepatic Flexure	0.0	0.0	403.2	0
Transverse Colon	0.0	0.0	403.2	0
Splenic Flexure	0.0	0.0	403.2	0
Descending Colon	0.0	0.0	403.2	0
Sigmoid Colon	0.0	0.0	403.2	0
Large Intestine, NOS	0.0	0.0	403.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	403.2	0
Rectosigmoid Junction	0.0	0.0	403.2	0
Rectum	0.0	0.0	403.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	403.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	403.2	0
Liver	0.0	0.0	403.2	0
Intrahepatic Bile Duct	0.0	0.0	403.2	0
Gallbladder	0.0	0.0	403.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	403.2	0
Pancreas	0.0	0.0	403.2	0
Retroperitoneum	0.0	0.0	403.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	403.2	0
Other Digestive Organs	0.0	0.0	403.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	403.2	0
Larynx	0.0	0.0	403.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	403.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	403.2	0
Bones and Joints	0.0	0.0	403.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	403.2	0
Urinary System	0.0	0.0	403.2	0
Urinary Bladder	0.0	0.0	403.2	0
Kidney and Renal Pelvis	0.0	0.0	403.2	0
Ureter	0.0	0.0	403.2	0
Other Urinary Organs	0.0	0.0	403.2	0
Eye and Orbit	0.0	0.0	403.2	0
Brain and Other Nervous System	0.0	0.0	403.2	0
Brain	0.0	0.0	403.2	0
Cranial Nerves Other Nervous System	0.0	0.0	403.2	0
Endocrine System	0.0	0.0	403.2	0
Thyroid	0.0	0.0	403.2	0
Other Endocrine including Thymus	0.0	0.0	403.2	0
Lymphoma	0.0	0.0	403.2	0
Hodgkin Lymphoma	0.0	0.0	403.2	0
Hodgkin - Nodal	0.0	0.0	403.2	0
Hodgkin - Extranodal	0.0	0.0	403.2	0
Non-Hodgkin Lymphoma	0.0	0.0	403.2	0
NHL - Nodal	0.0	0.0	403.2	0
NHL - Extranodal	0.0	0.0	403.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	403.2	0
Leukemia	0.0	0.0	403.2	0
Lymphocytic Leukemia	0.0	0.0	403.2	0
Acute Lymphocytic Leukemia	0.0	0.0	403.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	403.2	0
Other Lymphocytic Leukemia	0.0	0.0	403.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	403.2	0
Acute Myeloid Leukemia	0.0	0.0	403.2	0
Acute Monocytic Leukemia	0.0	0.0	403.2	0
Chronic Myeloid Leukemia	0.0	0.0	403.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	403.2	0
Other Leukemia	0.0	0.0	403.2	0
Other Acute Leukemia	0.0	0.0	403.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	403.2	0
Mesothelioma	0.0	0.0	403.2	0
Kaposi Sarcoma	0.0	0.0	403.2	0
Miscellaneous	0.0	0.0	403.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	305.4	118.2	722.1	10
Oral Cavity and Pharynx	0.0	0.0	340.9	0
Lip	0.0	0.0	340.9	0
Tongue	0.0	0.0	340.9	0
Salivary Gland	0.0	0.0	340.9	0
Floor of Mouth	0.0	0.0	340.9	0
Gum and Other Mouth	0.0	0.0	340.9	0
Nasopharynx	0.0	0.0	340.9	0
Tonsil	0.0	0.0	340.9	0
Oropharynx	0.0	0.0	340.9	0
Hypopharynx	0.0	0.0	340.9	0
Other Oral Cavity and Pharynx	0.0	0.0	340.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	340.9	0
Stomach	0.0	0.0	340.9	0
Small Intestine	0.0	0.0	340.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	340.9	0
Ascending Colon	0.0	0.0	340.9	0
Hepatic Flexure	0.0	0.0	340.9	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	340.9	0
Descending Colon	0.0	0.0	340.9	0
Sigmoid Colon	0.0	0.0	340.9	0
Large Intestine, NOS	0.0	0.0	340.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	340.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	340.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	340.9	0
Liver	0.0	0.0	340.9	0
Intrahepatic Bile Duct	0.0	0.0	340.9	0
Gallbladder	0.0	0.0	340.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	340.9	0
Pancreas	0.0	0.0	340.9	0
Retroperitoneum	0.0	0.0	340.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	340.9	0
Other Digestive Organs	0.0	0.0	340.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	340.9	0
Larynx	0.0	0.0	340.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	340.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	340.9	0
Bones and Joints	0.0	0.0	340.9	0
Soft Tissue including Heart	0.0	0.0	340.9	0
Skin excluding Basal and Squamous	0.0	0.0	340.9	0
Melanoma of the Skin	0.0	0.0	340.9	0
Other Non-Epithelial Skin	0.0	0.0	340.9	0
Urinary System	0.0	0.0	340.9	0
Urinary Bladder	0.0	0.0	340.9	0
Kidney and Renal Pelvis	0.0	0.0	340.9	0
Ureter	0.0	0.0	340.9	0
Other Urinary Organs	0.0	0.0	340.9	0
Eye and Orbit	0.0	0.0	340.9	0
Brain and Other Nervous System	0.0	0.0	340.9	0
Brain	0.0	0.0	340.9	0
Cranial Nerves Other Nervous System	0.0	0.0	340.9	0
Endocrine System	0.0	0.0	340.9	0
Thyroid	0.0	0.0	340.9	0
Other Endocrine including Thymus	0.0	0.0	340.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	340.9	0
Hodgkin - Nodal	0.0	0.0	340.9	0
Hodgkin - Extranodal	0.0	0.0	340.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	340.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	340.9	0
Leukemia	0.0	0.0	340.9	0
Lymphocytic Leukemia	0.0	0.0	340.9	0
Acute Lymphocytic Leukemia	0.0	0.0	340.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	340.9	0
Other Lymphocytic Leukemia	0.0	0.0	340.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	340.9	0
Acute Myeloid Leukemia	0.0	0.0	340.9	0
Acute Monocytic Leukemia	0.0	0.0	340.9	0
Chronic Myeloid Leukemia	0.0	0.0	340.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	340.9	0
Other Leukemia	0.0	0.0	340.9	0
Other Acute Leukemia	0.0	0.0	340.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	340.9	0
Mesothelioma	0.0	0.0	340.9	0
Kaposi Sarcoma	0.0	0.0	340.9	0
Miscellaneous	0.0	0.0	340.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	547.3	508.6	588.0	894
Oral Cavity and Pharynx	12.1	7.1	19.2	19
Lip	^	^	^	^
Tongue	4.3	1.6	9.3	7
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	2.3	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	2.3	0
Digestive System	108.2	90.9	127.6	163
Esophagus	5.2	2.1	10.3	8
Stomach	12.6	7.2	20.1	18
Small Intestine	^	^	^	^
Colon and Rectum	63.8	50.5	79.3	95
Colon excluding Rectum	41.9	30.9	55.1	57
Cecum	10.7	5.6	18.1	14
Appendix	^	^	^	^
Ascending Colon	4.6	1.7	9.4	7
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	2.3	0
Descending Colon	^	^	^	^
Sigmoid Colon	17.9	10.8	27.5	23
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	21.9	15.0	30.8	38
Rectosigmoid Junction	6.0	2.5	11.6	9
Rectum	16.0	10.3	23.6	29
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	12.6	7.4	19.7	20
Liver	10.9	6.1	17.7	17
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	6.8	3.2	12.4	11
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	2.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	75.7	61.1	92.4	109
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.3	0
Larynx	3.7	1.2	8.5	6
Lung and Bronchus	71.6	57.4	87.9	102
Pleura	0.0	0.0	2.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	5.2	2.2	10.2	10
Skin excluding Basal and Squamous	14.6	9.2	21.9	29
Melanoma of the Skin	14.2	8.9	21.5	28
Other Non-Epithelial Skin	^	^	^	^
Urinary System	43.7	32.4	57.2	61
Urinary Bladder	28.5	19.3	39.9	37
Kidney and Renal Pelvis	15.2	9.2	23.3	24
Ureter	0.0	0.0	2.3	0
Other Urinary Organs	0.0	0.0	2.3	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	8.1	4.7	13.2	18
Brain	8.1	4.7	13.2	18
Cranial Nerves Other Nervous System	0.0	0.0	2.3	0
Endocrine System	9.8	6.0	15.3	23
Thyroid	9.5	5.7	14.9	22
Other Endocrine including Thymus	^	^	^	^
Lymphoma	20.5	14.1	28.7	39
Hodgkin Lymphoma	3.0	1.0	7.0	6
Hodgkin - Nodal	3.0	1.0	7.0	6
Hodgkin - Extranodal	0.0	0.0	2.3	0
Non-Hodgkin Lymphoma	17.5	11.6	25.2	33
NHL - Nodal	10.5	6.0	16.9	19
NHL - Extranodal	7.0	3.6	12.3	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	5.2	2.1	10.6	8
Leukemia	20.9	14.0	29.8	37
Lymphocytic Leukemia	10.3	5.8	16.9	18
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	8.1	4.1	14.1	13
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	10.2	5.5	17.0	18
Acute Myeloid Leukemia	5.5	2.2	10.9	10
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	4.0	1.3	9.0	6
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	2.3	0
Miscellaneous	11.7	6.4	19.1	18

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	403.0	268.1	575.4	33
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	38.2	0
Tongue	0.0	0.0	38.2	0
Salivary Gland	0.0	0.0	38.2	0
Floor of Mouth	0.0	0.0	38.2	0
Gum and Other Mouth	0.0	0.0	38.2	0
Nasopharynx	0.0	0.0	38.2	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	38.2	0
Hypopharynx	0.0	0.0	38.2	0
Other Oral Cavity and Pharynx	0.0	0.0	38.2	0
Digestive System	119.9	53.8	223.8	10
Esophagus	0.0	0.0	38.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	38.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	38.2	0
Ascending Colon	0.0	0.0	38.2	0
Hepatic Flexure	0.0	0.0	38.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	38.2	0
Descending Colon	0.0	0.0	38.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	38.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	38.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	38.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	38.2	0
Gallbladder	0.0	0.0	38.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	38.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	38.2	0
Other Digestive Organs	0.0	0.0	38.2	0
Respiratory System	211.3	113.5	349.8	15
Nose, Nasal Cavity and Middle Ear	0.0	0.0	38.2	0
Larynx	0.0	0.0	38.2	0
Lung and Bronchus	211.3	113.5	349.8	15
Pleura	0.0	0.0	38.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	38.2	0
Bones and Joints	0.0	0.0	38.2	0
Soft Tissue including Heart	0.0	0.0	38.2	0
Skin excluding Basal and Squamous	0.0	0.0	38.2	0
Melanoma of the Skin	0.0	0.0	38.2	0
Other Non-Epithelial Skin	0.0	0.0	38.2	0
Urinary System	0.0	0.0	38.2	0
Urinary Bladder	0.0	0.0	38.2	0
Kidney and Renal Pelvis	0.0	0.0	38.2	0
Ureter	0.0	0.0	38.2	0
Other Urinary Organs	0.0	0.0	38.2	0
Eye and Orbit	0.0	0.0	38.2	0
Brain and Other Nervous System	0.0	0.0	38.2	0
Brain	0.0	0.0	38.2	0
Cranial Nerves Other Nervous System	0.0	0.0	38.2	0
Endocrine System	0.0	0.0	38.2	0
Thyroid	0.0	0.0	38.2	0
Other Endocrine including Thymus	0.0	0.0	38.2	0
Lymphoma	0.0	0.0	38.2	0
Hodgkin Lymphoma	0.0	0.0	38.2	0
Hodgkin - Nodal	0.0	0.0	38.2	0
Hodgkin - Extranodal	0.0	0.0	38.2	0
Non-Hodgkin Lymphoma	0.0	0.0	38.2	0
NHL - Nodal	0.0	0.0	38.2	0
NHL - Extranodal	0.0	0.0	38.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	38.2	0
Leukemia	0.0	0.0	38.2	0
Lymphocytic Leukemia	0.0	0.0	38.2	0
Acute Lymphocytic Leukemia	0.0	0.0	38.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	38.2	0
Other Lymphocytic Leukemia	0.0	0.0	38.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	38.2	0
Acute Myeloid Leukemia	0.0	0.0	38.2	0
Acute Monocytic Leukemia	0.0	0.0	38.2	0
Chronic Myeloid Leukemia	0.0	0.0	38.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	38.2	0
Other Leukemia	0.0	0.0	38.2	0
Other Acute Leukemia	0.0	0.0	38.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	38.2	0
Mesothelioma	0.0	0.0	38.2	0
Kaposi Sarcoma	0.0	0.0	38.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	866.4	0
Salivary Gland	0.0	0.0	866.4	0
Floor of Mouth	0.0	0.0	866.4	0
Gum and Other Mouth	0.0	0.0	866.4	0
Nasopharynx	0.0	0.0	866.4	0
Tonsil	0.0	0.0	866.4	0
Oropharynx	0.0	0.0	866.4	0
Hypopharynx	0.0	0.0	866.4	0
Other Oral Cavity and Pharynx	0.0	0.0	866.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	866.4	0
Stomach	0.0	0.0	866.4	0
Small Intestine	0.0	0.0	866.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	866.4	0
Appendix	0.0	0.0	866.4	0
Ascending Colon	0.0	0.0	866.4	0
Hepatic Flexure	0.0	0.0	866.4	0
Transverse Colon	0.0	0.0	866.4	0
Splenic Flexure	0.0	0.0	866.4	0
Descending Colon	0.0	0.0	866.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	866.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	866.4	0
Rectosigmoid Junction	0.0	0.0	866.4	0
Rectum	0.0	0.0	866.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	866.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	866.4	0
Liver	0.0	0.0	866.4	0
Intrahepatic Bile Duct	0.0	0.0	866.4	0
Gallbladder	0.0	0.0	866.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	866.4	0
Pancreas	0.0	0.0	866.4	0
Retroperitoneum	0.0	0.0	866.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	866.4	0
Other Digestive Organs	0.0	0.0	866.4	0
Respiratory System	0.0	0.0	866.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	866.4	0
Larynx	0.0	0.0	866.4	0
Lung and Bronchus	0.0	0.0	866.4	0
Pleura	0.0	0.0	866.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	866.4	0
Bones and Joints	0.0	0.0	866.4	0
Soft Tissue including Heart	0.0	0.0	866.4	0
Skin excluding Basal and Squamous	0.0	0.0	866.4	0
Melanoma of the Skin	0.0	0.0	866.4	0
Other Non-Epithelial Skin	0.0	0.0	866.4	0
Urinary System	0.0	0.0	866.4	0
Urinary Bladder	0.0	0.0	866.4	0
Kidney and Renal Pelvis	0.0	0.0	866.4	0
Ureter	0.0	0.0	866.4	0
Other Urinary Organs	0.0	0.0	866.4	0
Eye and Orbit	0.0	0.0	866.4	0
Brain and Other Nervous System	0.0	0.0	866.4	0
Brain	0.0	0.0	866.4	0
Cranial Nerves Other Nervous System	0.0	0.0	866.4	0
Endocrine System	0.0	0.0	866.4	0
Thyroid	0.0	0.0	866.4	0
Other Endocrine including Thymus	0.0	0.0	866.4	0
Lymphoma	0.0	0.0	866.4	0
Hodgkin Lymphoma	0.0	0.0	866.4	0
Hodgkin - Nodal	0.0	0.0	866.4	0
Hodgkin - Extranodal	0.0	0.0	866.4	0
Non-Hodgkin Lymphoma	0.0	0.0	866.4	0
NHL - Nodal	0.0	0.0	866.4	0
NHL - Extranodal	0.0	0.0	866.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	866.4	0
Leukemia	0.0	0.0	866.4	0
Lymphocytic Leukemia	0.0	0.0	866.4	0
Acute Lymphocytic Leukemia	0.0	0.0	866.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	866.4	0
Other Lymphocytic Leukemia	0.0	0.0	866.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	866.4	0
Acute Myeloid Leukemia	0.0	0.0	866.4	0
Acute Monocytic Leukemia	0.0	0.0	866.4	0
Chronic Myeloid Leukemia	0.0	0.0	866.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	866.4	0
Other Leukemia	0.0	0.0	866.4	0
Other Acute Leukemia	0.0	0.0	866.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	866.4	0
Mesothelioma	0.0	0.0	866.4	0
Kaposi Sarcoma	0.0	0.0	866.4	0
Miscellaneous	0.0	0.0	866.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	682.6	0
Lip	0.0	0.0	682.6	0
Tongue	0.0	0.0	682.6	0
Salivary Gland	0.0	0.0	682.6	0
Floor of Mouth	0.0	0.0	682.6	0
Gum and Other Mouth	0.0	0.0	682.6	0
Nasopharynx	0.0	0.0	682.6	0
Tonsil	0.0	0.0	682.6	0
Oropharynx	0.0	0.0	682.6	0
Hypopharynx	0.0	0.0	682.6	0
Other Oral Cavity and Pharynx	0.0	0.0	682.6	0
Digestive System	0.0	0.0	682.6	0
Esophagus	0.0	0.0	682.6	0
Stomach	0.0	0.0	682.6	0
Small Intestine	0.0	0.0	682.6	0
Colon and Rectum	0.0	0.0	682.6	0
Colon excluding Rectum	0.0	0.0	682.6	0
Cecum	0.0	0.0	682.6	0
Appendix	0.0	0.0	682.6	0
Ascending Colon	0.0	0.0	682.6	0
Hepatic Flexure	0.0	0.0	682.6	0
Transverse Colon	0.0	0.0	682.6	0
Splenic Flexure	0.0	0.0	682.6	0
Descending Colon	0.0	0.0	682.6	0
Sigmoid Colon	0.0	0.0	682.6	0
Large Intestine, NOS	0.0	0.0	682.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	682.6	0
Rectosigmoid Junction	0.0	0.0	682.6	0
Rectum	0.0	0.0	682.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	682.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	682.6	0
Liver	0.0	0.0	682.6	0
Intrahepatic Bile Duct	0.0	0.0	682.6	0
Gallbladder	0.0	0.0	682.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	682.6	0
Pancreas	0.0	0.0	682.6	0
Retroperitoneum	0.0	0.0	682.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	682.6	0
Other Digestive Organs	0.0	0.0	682.6	0
Respiratory System	0.0	0.0	682.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	682.6	0
Larynx	0.0	0.0	682.6	0
Lung and Bronchus	0.0	0.0	682.6	0
Pleura	0.0	0.0	682.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	682.6	0
Bones and Joints	0.0	0.0	682.6	0
Soft Tissue including Heart	0.0	0.0	682.6	0
Skin excluding Basal and Squamous	0.0	0.0	682.6	0
Melanoma of the Skin	0.0	0.0	682.6	0
Other Non-Epithelial Skin	0.0	0.0	682.6	0
Urinary System	0.0	0.0	682.6	0
Urinary Bladder	0.0	0.0	682.6	0
Kidney and Renal Pelvis	0.0	0.0	682.6	0
Ureter	0.0	0.0	682.6	0
Other Urinary Organs	0.0	0.0	682.6	0
Eye and Orbit	0.0	0.0	682.6	0
Brain and Other Nervous System	0.0	0.0	682.6	0
Brain	0.0	0.0	682.6	0
Cranial Nerves Other Nervous System	0.0	0.0	682.6	0
Endocrine System	0.0	0.0	682.6	0
Thyroid	0.0	0.0	682.6	0
Other Endocrine including Thymus	0.0	0.0	682.6	0
Lymphoma	0.0	0.0	682.6	0
Hodgkin Lymphoma	0.0	0.0	682.6	0
Hodgkin - Nodal	0.0	0.0	682.6	0
Hodgkin - Extranodal	0.0	0.0	682.6	0
Non-Hodgkin Lymphoma	0.0	0.0	682.6	0
NHL - Nodal	0.0	0.0	682.6	0
NHL - Extranodal	0.0	0.0	682.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	682.6	0
Leukemia	0.0	0.0	682.6	0
Lymphocytic Leukemia	0.0	0.0	682.6	0
Acute Lymphocytic Leukemia	0.0	0.0	682.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	682.6	0
Other Lymphocytic Leukemia	0.0	0.0	682.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	682.6	0
Acute Myeloid Leukemia	0.0	0.0	682.6	0
Acute Monocytic Leukemia	0.0	0.0	682.6	0
Chronic Myeloid Leukemia	0.0	0.0	682.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	682.6	0
Other Leukemia	0.0	0.0	682.6	0
Other Acute Leukemia	0.0	0.0	682.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	682.6	0
Mesothelioma	0.0	0.0	682.6	0
Kaposi Sarcoma	0.0	0.0	682.6	0
Miscellaneous	0.0	0.0	682.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	627.9	335.8	1,043.9	15
Oral Cavity and Pharynx	0.0	0.0	117.8	0
Lip	0.0	0.0	117.8	0
Tongue	0.0	0.0	117.8	0
Salivary Gland	0.0	0.0	117.8	0
Floor of Mouth	0.0	0.0	117.8	0
Gum and Other Mouth	0.0	0.0	117.8	0
Nasopharynx	0.0	0.0	117.8	0
Tonsil	0.0	0.0	117.8	0
Oropharynx	0.0	0.0	117.8	0
Hypopharynx	0.0	0.0	117.8	0
Other Oral Cavity and Pharynx	0.0	0.0	117.8	0
Digestive System	275.9	93.7	590.9	6
Esophagus	0.0	0.0	117.8	0
Stomach	0.0	0.0	117.8	0
Small Intestine	0.0	0.0	117.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	117.8	0
Appendix	0.0	0.0	117.8	0
Ascending Colon	0.0	0.0	117.8	0
Hepatic Flexure	0.0	0.0	117.8	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	117.8	0
Descending Colon	0.0	0.0	117.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	117.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	117.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	117.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	117.8	0
Liver	0.0	0.0	117.8	0
Intrahepatic Bile Duct	0.0	0.0	117.8	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	117.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	117.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	117.8	0
Other Digestive Organs	0.0	0.0	117.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	117.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	117.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	117.8	0
Bones and Joints	0.0	0.0	117.8	0
Soft Tissue including Heart	0.0	0.0	117.8	0
Skin excluding Basal and Squamous	0.0	0.0	117.8	0
Melanoma of the Skin	0.0	0.0	117.8	0
Other Non-Epithelial Skin	0.0	0.0	117.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	117.8	0
Ureter	0.0	0.0	117.8	0
Other Urinary Organs	0.0	0.0	117.8	0
Eye and Orbit	0.0	0.0	117.8	0
Brain and Other Nervous System	0.0	0.0	117.8	0
Brain	0.0	0.0	117.8	0
Cranial Nerves Other Nervous System	0.0	0.0	117.8	0
Endocrine System	0.0	0.0	117.8	0
Thyroid	0.0	0.0	117.8	0
Other Endocrine including Thymus	0.0	0.0	117.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	117.8	0
Hodgkin - Nodal	0.0	0.0	117.8	0
Hodgkin - Extranodal	0.0	0.0	117.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	117.8	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	117.8	0
Lymphocytic Leukemia	0.0	0.0	117.8	0
Acute Lymphocytic Leukemia	0.0	0.0	117.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	117.8	0
Other Lymphocytic Leukemia	0.0	0.0	117.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	117.8	0
Acute Myeloid Leukemia	0.0	0.0	117.8	0
Acute Monocytic Leukemia	0.0	0.0	117.8	0
Chronic Myeloid Leukemia	0.0	0.0	117.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	117.8	0
Other Leukemia	0.0	0.0	117.8	0
Other Acute Leukemia	0.0	0.0	117.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	117.8	0
Mesothelioma	0.0	0.0	117.8	0
Kaposi Sarcoma	0.0	0.0	117.8	0
Miscellaneous	0.0	0.0	117.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	500.5	430.2	578.0	229
Oral Cavity and Pharynx	23.7	8.9	47.9	7
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	8.1	0
Gum and Other Mouth	0.0	0.0	8.1	0
Nasopharynx	0.0	0.0	8.1	0
Tonsil	0.0	0.0	8.1	0
Oropharynx	0.0	0.0	8.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	8.1	0
Digestive System	88.6	59.7	125.4	36
Esophagus	12.4	3.9	28.7	6
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	56.6	33.4	88.0	21
Colon excluding Rectum	45.6	24.6	75.1	16
Cecum	^	^	^	^
Appendix	0.0	0.0	8.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	8.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	19.3	6.5	41.4	7
Large Intestine, NOS	0.0	0.0	8.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	8.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.1	0
Gallbladder	0.0	0.0	8.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	8.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.1	0
Other Digestive Organs	0.0	0.0	8.1	0
Respiratory System	75.6	49.9	108.8	31
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	65.0	41.5	95.9	27
Pleura	0.0	0.0	8.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	8.1	0
Urinary System	29.4	13.8	53.3	12
Urinary Bladder	22.5	9.1	44.5	9
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	8.1	0
Other Urinary Organs	0.0	0.0	8.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	8.1	0
Lymphoma	31.9	14.6	58.1	13
Hodgkin Lymphoma	0.0	0.0	8.1	0
Hodgkin - Nodal	0.0	0.0	8.1	0
Hodgkin - Extranodal	0.0	0.0	8.1	0
Non-Hodgkin Lymphoma	31.9	14.6	58.1	13
NHL - Nodal	22.3	8.6	44.8	9
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	12.3	3.4	29.6	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	8.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	8.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	8.1	0
Kaposi Sarcoma	0.0	0.0	8.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	522.0	261.9	934.6	12
Oral Cavity and Pharynx	0.0	0.0	184.5	0
Lip	0.0	0.0	184.5	0
Tongue	0.0	0.0	184.5	0
Salivary Gland	0.0	0.0	184.5	0
Floor of Mouth	0.0	0.0	184.5	0
Gum and Other Mouth	0.0	0.0	184.5	0
Nasopharynx	0.0	0.0	184.5	0
Tonsil	0.0	0.0	184.5	0
Oropharynx	0.0	0.0	184.5	0
Hypopharynx	0.0	0.0	184.5	0
Other Oral Cavity and Pharynx	0.0	0.0	184.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	184.5	0
Small Intestine	0.0	0.0	184.5	0
Colon and Rectum	0.0	0.0	184.5	0
Colon excluding Rectum	0.0	0.0	184.5	0
Cecum	0.0	0.0	184.5	0
Appendix	0.0	0.0	184.5	0
Ascending Colon	0.0	0.0	184.5	0
Hepatic Flexure	0.0	0.0	184.5	0
Transverse Colon	0.0	0.0	184.5	0
Splenic Flexure	0.0	0.0	184.5	0
Descending Colon	0.0	0.0	184.5	0
Sigmoid Colon	0.0	0.0	184.5	0
Large Intestine, NOS	0.0	0.0	184.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	184.5	0
Rectosigmoid Junction	0.0	0.0	184.5	0
Rectum	0.0	0.0	184.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	184.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	184.5	0
Liver	0.0	0.0	184.5	0
Intrahepatic Bile Duct	0.0	0.0	184.5	0
Gallbladder	0.0	0.0	184.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	184.5	0
Pancreas	0.0	0.0	184.5	0
Retroperitoneum	0.0	0.0	184.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	184.5	0
Other Digestive Organs	0.0	0.0	184.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	184.5	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	184.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	184.5	0
Bones and Joints	0.0	0.0	184.5	0
Soft Tissue including Heart	0.0	0.0	184.5	0
Skin excluding Basal and Squamous	0.0	0.0	184.5	0
Melanoma of the Skin	0.0	0.0	184.5	0
Other Non-Epithelial Skin	0.0	0.0	184.5	0
Urinary System	0.0	0.0	184.5	0
Urinary Bladder	0.0	0.0	184.5	0
Kidney and Renal Pelvis	0.0	0.0	184.5	0
Ureter	0.0	0.0	184.5	0
Other Urinary Organs	0.0	0.0	184.5	0
Eye and Orbit	0.0	0.0	184.5	0
Brain and Other Nervous System	0.0	0.0	184.5	0
Brain	0.0	0.0	184.5	0
Cranial Nerves Other Nervous System	0.0	0.0	184.5	0
Endocrine System	0.0	0.0	184.5	0
Thyroid	0.0	0.0	184.5	0
Other Endocrine including Thymus	0.0	0.0	184.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	184.5	0
Hodgkin - Nodal	0.0	0.0	184.5	0
Hodgkin - Extranodal	0.0	0.0	184.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	184.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	184.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	184.5	0
Acute Lymphocytic Leukemia	0.0	0.0	184.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	184.5	0
Other Lymphocytic Leukemia	0.0	0.0	184.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	184.5	0
Chronic Myeloid Leukemia	0.0	0.0	184.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	184.5	0
Other Leukemia	0.0	0.0	184.5	0
Other Acute Leukemia	0.0	0.0	184.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	184.5	0
Mesothelioma	0.0	0.0	184.5	0
Kaposi Sarcoma	0.0	0.0	184.5	0
Miscellaneous	0.0	0.0	184.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	556.5	453.4	674.7	120
Oral Cavity and Pharynx	0.0	0.0	16.9	0
Lip	0.0	0.0	16.9	0
Tongue	0.0	0.0	16.9	0
Salivary Gland	0.0	0.0	16.9	0
Floor of Mouth	0.0	0.0	16.9	0
Gum and Other Mouth	0.0	0.0	16.9	0
Nasopharynx	0.0	0.0	16.9	0
Tonsil	0.0	0.0	16.9	0
Oropharynx	0.0	0.0	16.9	0
Hypopharynx	0.0	0.0	16.9	0
Other Oral Cavity and Pharynx	0.0	0.0	16.9	0
Digestive System	160.6	103.8	234.4	30
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	84.9	44.8	142.6	16
Colon excluding Rectum	67.9	32.7	120.8	13
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	16.9	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	16.9	0
Descending Colon	0.0	0.0	16.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	16.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	16.9	0
Liver	0.0	0.0	16.9	0
Intrahepatic Bile Duct	0.0	0.0	16.9	0
Gallbladder	0.0	0.0	16.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	16.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	16.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	49.0	21.5	92.9	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	16.9	0
Larynx	^	^	^	^
Lung and Bronchus	46.4	19.6	90.2	8
Pleura	0.0	0.0	16.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	16.9	0
Bones and Joints	0.0	0.0	16.9	0
Soft Tissue including Heart	0.0	0.0	16.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	16.9	0
Urinary System	32.0	12.2	67.2	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	16.9	0
Other Urinary Organs	0.0	0.0	16.9	0
Eye and Orbit	0.0	0.0	16.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	16.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	16.9	0
Hodgkin - Nodal	0.0	0.0	16.9	0
Hodgkin - Extranodal	0.0	0.0	16.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	16.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	16.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	16.9	0
Chronic Myeloid Leukemia	0.0	0.0	16.9	0
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	16.9	0
Other Acute Leukemia	0.0	0.0	16.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	16.9	0
Mesothelioma	0.0	0.0	16.9	0
Kaposi Sarcoma	0.0	0.0	16.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	539.5	458.6	629.7	196
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	10.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	10.8	0
Floor of Mouth	0.0	0.0	10.8	0
Gum and Other Mouth	0.0	0.0	10.8	0
Nasopharynx	0.0	0.0	10.8	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	10.8	0
Hypopharynx	0.0	0.0	10.8	0
Other Oral Cavity and Pharynx	0.0	0.0	10.8	0
Digestive System	113.0	76.3	159.9	37
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	10.8	0
Colon and Rectum	56.9	31.2	93.4	17
Colon excluding Rectum	44.9	22.2	78.6	13
Cecum	26.0	10.0	53.0	7
Appendix	0.0	0.0	10.8	0
Ascending Colon	0.0	0.0	10.8	0
Hepatic Flexure	0.0	0.0	10.8	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	10.8	0
Descending Colon	0.0	0.0	10.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	10.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	10.8	0
Pancreas	16.7	6.4	35.6	7
Retroperitoneum	0.0	0.0	10.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.8	0
Other Digestive Organs	0.0	0.0	10.8	0
Respiratory System	76.7	50.0	112.2	32
Nose, Nasal Cavity and Middle Ear	0.0	0.0	10.8	0
Larynx	0.0	0.0	10.8	0
Lung and Bronchus	76.7	50.0	112.2	32
Pleura	0.0	0.0	10.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.8	0
Bones and Joints	0.0	0.0	10.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	10.8	0
Urinary System	47.3	24.6	80.5	15
Urinary Bladder	26.7	9.4	56.3	7
Kidney and Renal Pelvis	20.6	8.6	41.4	8
Ureter	0.0	0.0	10.8	0
Other Urinary Organs	0.0	0.0	10.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	10.8	0
Lymphoma	16.6	6.5	35.6	7
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	10.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	21.9	7.4	47.5	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	10.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	10.8	0
Chronic Myeloid Leukemia	0.0	0.0	10.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.8	0
Other Leukemia	0.0	0.0	10.8	0
Other Acute Leukemia	0.0	0.0	10.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.8	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	10.8	0
Miscellaneous	29.9	12.1	59.1	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	443.3	321.5	593.7	48
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	31.9	0
Tongue	0.0	0.0	31.9	0
Salivary Gland	0.0	0.0	31.9	0
Floor of Mouth	0.0	0.0	31.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	31.9	0
Tonsil	0.0	0.0	31.9	0
Oropharynx	0.0	0.0	31.9	0
Hypopharynx	0.0	0.0	31.9	0
Other Oral Cavity and Pharynx	0.0	0.0	31.9	0
Digestive System	75.1	30.9	149.5	8
Esophagus	0.0	0.0	31.9	0
Stomach	0.0	0.0	31.9	0
Small Intestine	^	^	^	^
Colon and Rectum	62.1	23.7	129.9	7
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	31.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	31.9	0
Transverse Colon	0.0	0.0	31.9	0
Splenic Flexure	0.0	0.0	31.9	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	31.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	31.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	31.9	0
Liver	0.0	0.0	31.9	0
Intrahepatic Bile Duct	0.0	0.0	31.9	0
Gallbladder	0.0	0.0	31.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	31.9	0
Pancreas	0.0	0.0	31.9	0
Retroperitoneum	0.0	0.0	31.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.9	0
Other Digestive Organs	0.0	0.0	31.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.9	0
Larynx	0.0	0.0	31.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	31.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	31.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	31.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	31.9	0
Other Urinary Organs	0.0	0.0	31.9	0
Eye and Orbit	0.0	0.0	31.9	0
Brain and Other Nervous System	0.0	0.0	31.9	0
Brain	0.0	0.0	31.9	0
Cranial Nerves Other Nervous System	0.0	0.0	31.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	31.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	31.9	0
Hodgkin - Nodal	0.0	0.0	31.9	0
Hodgkin - Extranodal	0.0	0.0	31.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	31.9	0
Acute Lymphocytic Leukemia	0.0	0.0	31.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	31.9	0
Other Lymphocytic Leukemia	0.0	0.0	31.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	31.9	0
Chronic Myeloid Leukemia	0.0	0.0	31.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.9	0
Other Leukemia	0.0	0.0	31.9	0
Other Acute Leukemia	0.0	0.0	31.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	31.9	0
Mesothelioma	0.0	0.0	31.9	0
Kaposi Sarcoma	0.0	0.0	31.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	377.9	242.5	556.4	33
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	49.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	49.5	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	49.5	0
Nasopharynx	0.0	0.0	49.5	0
Tonsil	0.0	0.0	49.5	0
Oropharynx	0.0	0.0	49.5	0
Hypopharynx	0.0	0.0	49.5	0
Other Oral Cavity and Pharynx	0.0	0.0	49.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	49.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	49.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	49.5	0
Appendix	0.0	0.0	49.5	0
Ascending Colon	0.0	0.0	49.5	0
Hepatic Flexure	0.0	0.0	49.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	49.5	0
Descending Colon	0.0	0.0	49.5	0
Sigmoid Colon	0.0	0.0	49.5	0
Large Intestine, NOS	0.0	0.0	49.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	49.5	0
Rectosigmoid Junction	0.0	0.0	49.5	0
Rectum	0.0	0.0	49.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	49.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	49.5	0
Liver	0.0	0.0	49.5	0
Intrahepatic Bile Duct	0.0	0.0	49.5	0
Gallbladder	0.0	0.0	49.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	49.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	49.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	49.5	0
Other Digestive Organs	0.0	0.0	49.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	49.5	0
Larynx	0.0	0.0	49.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	49.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	49.5	0
Bones and Joints	0.0	0.0	49.5	0
Soft Tissue including Heart	0.0	0.0	49.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	49.5	0
Urinary System	0.0	0.0	49.5	0
Urinary Bladder	0.0	0.0	49.5	0
Kidney and Renal Pelvis	0.0	0.0	49.5	0
Ureter	0.0	0.0	49.5	0
Other Urinary Organs	0.0	0.0	49.5	0
Eye and Orbit	0.0	0.0	49.5	0
Brain and Other Nervous System	0.0	0.0	49.5	0
Brain	0.0	0.0	49.5	0
Cranial Nerves Other Nervous System	0.0	0.0	49.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	49.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	49.5	0
Hodgkin - Nodal	0.0	0.0	49.5	0
Hodgkin - Extranodal	0.0	0.0	49.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	49.5	0
Other Lymphocytic Leukemia	0.0	0.0	49.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	49.5	0
Acute Myeloid Leukemia	0.0	0.0	49.5	0
Acute Monocytic Leukemia	0.0	0.0	49.5	0
Chronic Myeloid Leukemia	0.0	0.0	49.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	49.5	0
Other Leukemia	0.0	0.0	49.5	0
Other Acute Leukemia	0.0	0.0	49.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	49.5	0
Mesothelioma	0.0	0.0	49.5	0
Kaposi Sarcoma	0.0	0.0	49.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	698.9	298.5	1,391.5	9
Oral Cavity and Pharynx	0.0	0.0	361.8	0
Lip	0.0	0.0	361.8	0
Tongue	0.0	0.0	361.8	0
Salivary Gland	0.0	0.0	361.8	0
Floor of Mouth	0.0	0.0	361.8	0
Gum and Other Mouth	0.0	0.0	361.8	0
Nasopharynx	0.0	0.0	361.8	0
Tonsil	0.0	0.0	361.8	0
Oropharynx	0.0	0.0	361.8	0
Hypopharynx	0.0	0.0	361.8	0
Other Oral Cavity and Pharynx	0.0	0.0	361.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	361.8	0
Small Intestine	0.0	0.0	361.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	361.8	0
Appendix	0.0	0.0	361.8	0
Ascending Colon	0.0	0.0	361.8	0
Hepatic Flexure	0.0	0.0	361.8	0
Transverse Colon	0.0	0.0	361.8	0
Splenic Flexure	0.0	0.0	361.8	0
Descending Colon	0.0	0.0	361.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	361.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	361.8	0
Rectosigmoid Junction	0.0	0.0	361.8	0
Rectum	0.0	0.0	361.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	361.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	361.8	0
Liver	0.0	0.0	361.8	0
Intrahepatic Bile Duct	0.0	0.0	361.8	0
Gallbladder	0.0	0.0	361.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	361.8	0
Pancreas	0.0	0.0	361.8	0
Retroperitoneum	0.0	0.0	361.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	361.8	0
Other Digestive Organs	0.0	0.0	361.8	0
Respiratory System	0.0	0.0	361.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	361.8	0
Larynx	0.0	0.0	361.8	0
Lung and Bronchus	0.0	0.0	361.8	0
Pleura	0.0	0.0	361.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	361.8	0
Bones and Joints	0.0	0.0	361.8	0
Soft Tissue including Heart	0.0	0.0	361.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	361.8	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	361.8	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	361.8	0
Other Urinary Organs	0.0	0.0	361.8	0
Eye and Orbit	0.0	0.0	361.8	0
Brain and Other Nervous System	0.0	0.0	361.8	0
Brain	0.0	0.0	361.8	0
Cranial Nerves Other Nervous System	0.0	0.0	361.8	0
Endocrine System	0.0	0.0	361.8	0
Thyroid	0.0	0.0	361.8	0
Other Endocrine including Thymus	0.0	0.0	361.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	361.8	0
Hodgkin - Nodal	0.0	0.0	361.8	0
Hodgkin - Extranodal	0.0	0.0	361.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	361.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	361.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	361.8	0
Acute Lymphocytic Leukemia	0.0	0.0	361.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	361.8	0
Other Lymphocytic Leukemia	0.0	0.0	361.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	361.8	0
Chronic Myeloid Leukemia	0.0	0.0	361.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	361.8	0
Other Leukemia	0.0	0.0	361.8	0
Other Acute Leukemia	0.0	0.0	361.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	361.8	0
Mesothelioma	0.0	0.0	361.8	0
Kaposi Sarcoma	0.0	0.0	361.8	0
Miscellaneous	0.0	0.0	361.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	516.8	437.9	604.8	198
Oral Cavity and Pharynx	14.0	3.9	34.1	6
Lip	0.0	0.0	10.6	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	10.6	0
Floor of Mouth	0.0	0.0	10.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	10.6	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	10.6	0
Other Oral Cavity and Pharynx	0.0	0.0	10.6	0
Digestive System	71.5	45.2	106.7	27
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	50.6	28.5	81.9	18
Colon excluding Rectum	41.2	21.2	70.9	14
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	10.6	0
Transverse Colon	0.0	0.0	10.6	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	10.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	10.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	10.6	0
Gallbladder	0.0	0.0	10.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	10.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	10.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.6	0
Other Digestive Organs	0.0	0.0	10.6	0
Respiratory System	91.0	58.5	133.3	30
Nose, Nasal Cavity and Middle Ear	0.0	0.0	10.6	0
Larynx	0.0	0.0	10.6	0
Lung and Bronchus	91.0	58.5	133.3	30
Pleura	0.0	0.0	10.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.6	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	10.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	27.3	11.2	53.6	11
Urinary Bladder	24.8	9.3	51.0	9
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	10.6	0
Other Urinary Organs	0.0	0.0	10.6	0
Eye and Orbit	0.0	0.0	10.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	10.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	10.6	0
Lymphoma	24.8	10.5	48.6	10
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	10.6	0
Non-Hodgkin Lymphoma	17.9	6.2	39.3	7
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	10.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	10.6	0
Chronic Myeloid Leukemia	0.0	0.0	10.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.6	0
Other Leukemia	0.0	0.0	10.6	0
Other Acute Leukemia	0.0	0.0	10.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.6	0
Mesothelioma	0.0	0.0	10.6	0
Kaposi Sarcoma	0.0	0.0	10.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	505.2	323.7	743.4	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	58.3	0
Tongue	0.0	0.0	58.3	0
Salivary Gland	0.0	0.0	58.3	0
Floor of Mouth	0.0	0.0	58.3	0
Gum and Other Mouth	0.0	0.0	58.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	58.3	0
Oropharynx	0.0	0.0	58.3	0
Hypopharynx	0.0	0.0	58.3	0
Other Oral Cavity and Pharynx	0.0	0.0	58.3	0
Digestive System	239.6	117.1	422.8	11
Esophagus	^	^	^	^
Stomach	0.0	0.0	58.3	0
Small Intestine	0.0	0.0	58.3	0
Colon and Rectum	171.5	71.6	332.3	8
Colon excluding Rectum	160.4	63.3	319.9	7
Cecum	^	^	^	^
Appendix	0.0	0.0	58.3	0
Ascending Colon	0.0	0.0	58.3	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	58.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	58.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	58.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	58.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	58.3	0
Liver	0.0	0.0	58.3	0
Intrahepatic Bile Duct	0.0	0.0	58.3	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	58.3	0
Retroperitoneum	0.0	0.0	58.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	58.3	0
Other Digestive Organs	0.0	0.0	58.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	58.3	0
Larynx	0.0	0.0	58.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	58.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	58.3	0
Bones and Joints	0.0	0.0	58.3	0
Soft Tissue including Heart	0.0	0.0	58.3	0
Skin excluding Basal and Squamous	0.0	0.0	58.3	0
Melanoma of the Skin	0.0	0.0	58.3	0
Other Non-Epithelial Skin	0.0	0.0	58.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	58.3	0
Other Urinary Organs	0.0	0.0	58.3	0
Eye and Orbit	0.0	0.0	58.3	0
Brain and Other Nervous System	0.0	0.0	58.3	0
Brain	0.0	0.0	58.3	0
Cranial Nerves Other Nervous System	0.0	0.0	58.3	0
Endocrine System	0.0	0.0	58.3	0
Thyroid	0.0	0.0	58.3	0
Other Endocrine including Thymus	0.0	0.0	58.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	58.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	58.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	58.3	0
Leukemia	0.0	0.0	58.3	0
Lymphocytic Leukemia	0.0	0.0	58.3	0
Acute Lymphocytic Leukemia	0.0	0.0	58.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	58.3	0
Other Lymphocytic Leukemia	0.0	0.0	58.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	58.3	0
Acute Myeloid Leukemia	0.0	0.0	58.3	0
Acute Monocytic Leukemia	0.0	0.0	58.3	0
Chronic Myeloid Leukemia	0.0	0.0	58.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	58.3	0
Other Leukemia	0.0	0.0	58.3	0
Other Acute Leukemia	0.0	0.0	58.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	58.3	0
Mesothelioma	0.0	0.0	58.3	0
Kaposi Sarcoma	0.0	0.0	58.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	391.6	219.1	643.4	18
Oral Cavity and Pharynx	0.0	0.0	99.5	0
Lip	0.0	0.0	99.5	0
Tongue	0.0	0.0	99.5	0
Salivary Gland	0.0	0.0	99.5	0
Floor of Mouth	0.0	0.0	99.5	0
Gum and Other Mouth	0.0	0.0	99.5	0
Nasopharynx	0.0	0.0	99.5	0
Tonsil	0.0	0.0	99.5	0
Oropharynx	0.0	0.0	99.5	0
Hypopharynx	0.0	0.0	99.5	0
Other Oral Cavity and Pharynx	0.0	0.0	99.5	0
Digestive System	152.6	51.6	341.2	6
Esophagus	0.0	0.0	99.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	99.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	99.5	0
Appendix	0.0	0.0	99.5	0
Ascending Colon	0.0	0.0	99.5	0
Hepatic Flexure	0.0	0.0	99.5	0
Transverse Colon	0.0	0.0	99.5	0
Splenic Flexure	0.0	0.0	99.5	0
Descending Colon	0.0	0.0	99.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	99.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	99.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	99.5	0
Liver	0.0	0.0	99.5	0
Intrahepatic Bile Duct	0.0	0.0	99.5	0
Gallbladder	0.0	0.0	99.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	99.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	99.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	99.5	0
Other Digestive Organs	0.0	0.0	99.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	99.5	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	99.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	99.5	0
Bones and Joints	0.0	0.0	99.5	0
Soft Tissue including Heart	0.0	0.0	99.5	0
Skin excluding Basal and Squamous	0.0	0.0	99.5	0
Melanoma of the Skin	0.0	0.0	99.5	0
Other Non-Epithelial Skin	0.0	0.0	99.5	0
Urinary System	0.0	0.0	99.5	0
Urinary Bladder	0.0	0.0	99.5	0
Kidney and Renal Pelvis	0.0	0.0	99.5	0
Ureter	0.0	0.0	99.5	0
Other Urinary Organs	0.0	0.0	99.5	0
Eye and Orbit	0.0	0.0	99.5	0
Brain and Other Nervous System	0.0	0.0	99.5	0
Brain	0.0	0.0	99.5	0
Cranial Nerves Other Nervous System	0.0	0.0	99.5	0
Endocrine System	0.0	0.0	99.5	0
Thyroid	0.0	0.0	99.5	0
Other Endocrine including Thymus	0.0	0.0	99.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	99.5	0
Hodgkin - Nodal	0.0	0.0	99.5	0
Hodgkin - Extranodal	0.0	0.0	99.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	99.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	99.5	0
Lymphocytic Leukemia	0.0	0.0	99.5	0
Acute Lymphocytic Leukemia	0.0	0.0	99.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	99.5	0
Other Lymphocytic Leukemia	0.0	0.0	99.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	99.5	0
Acute Myeloid Leukemia	0.0	0.0	99.5	0
Acute Monocytic Leukemia	0.0	0.0	99.5	0
Chronic Myeloid Leukemia	0.0	0.0	99.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	99.5	0
Other Leukemia	0.0	0.0	99.5	0
Other Acute Leukemia	0.0	0.0	99.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	99.5	0
Mesothelioma	0.0	0.0	99.5	0
Kaposi Sarcoma	0.0	0.0	99.5	0
Miscellaneous	0.0	0.0	99.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	572.0	336.3	896.3	21
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	96.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	96.7	0
Floor of Mouth	0.0	0.0	96.7	0
Gum and Other Mouth	0.0	0.0	96.7	0
Nasopharynx	0.0	0.0	96.7	0
Tonsil	0.0	0.0	96.7	0
Oropharynx	0.0	0.0	96.7	0
Hypopharynx	0.0	0.0	96.7	0
Other Oral Cavity and Pharynx	0.0	0.0	96.7	0
Digestive System	142.6	51.2	314.5	6
Esophagus	0.0	0.0	96.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	96.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	96.7	0
Ascending Colon	0.0	0.0	96.7	0
Hepatic Flexure	0.0	0.0	96.7	0
Transverse Colon	0.0	0.0	96.7	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	96.7	0
Sigmoid Colon	0.0	0.0	96.7	0
Large Intestine, NOS	0.0	0.0	96.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	96.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	96.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	96.7	0
Liver	0.0	0.0	96.7	0
Intrahepatic Bile Duct	0.0	0.0	96.7	0
Gallbladder	0.0	0.0	96.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	96.7	0
Pancreas	0.0	0.0	96.7	0
Retroperitoneum	0.0	0.0	96.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.7	0
Other Digestive Organs	0.0	0.0	96.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.7	0
Larynx	0.0	0.0	96.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	96.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.7	0
Bones and Joints	0.0	0.0	96.7	0
Soft Tissue including Heart	0.0	0.0	96.7	0
Skin excluding Basal and Squamous	0.0	0.0	96.7	0
Melanoma of the Skin	0.0	0.0	96.7	0
Other Non-Epithelial Skin	0.0	0.0	96.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	96.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	96.7	0
Other Urinary Organs	0.0	0.0	96.7	0
Eye and Orbit	0.0	0.0	96.7	0
Brain and Other Nervous System	0.0	0.0	96.7	0
Brain	0.0	0.0	96.7	0
Cranial Nerves Other Nervous System	0.0	0.0	96.7	0
Endocrine System	0.0	0.0	96.7	0
Thyroid	0.0	0.0	96.7	0
Other Endocrine including Thymus	0.0	0.0	96.7	0
Lymphoma	0.0	0.0	96.7	0
Hodgkin Lymphoma	0.0	0.0	96.7	0
Hodgkin - Nodal	0.0	0.0	96.7	0
Hodgkin - Extranodal	0.0	0.0	96.7	0
Non-Hodgkin Lymphoma	0.0	0.0	96.7	0
NHL - Nodal	0.0	0.0	96.7	0
NHL - Extranodal	0.0	0.0	96.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	96.7	0
Other Lymphocytic Leukemia	0.0	0.0	96.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.7	0
Acute Myeloid Leukemia	0.0	0.0	96.7	0
Acute Monocytic Leukemia	0.0	0.0	96.7	0
Chronic Myeloid Leukemia	0.0	0.0	96.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.7	0
Other Leukemia	0.0	0.0	96.7	0
Other Acute Leukemia	0.0	0.0	96.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.7	0
Mesothelioma	0.0	0.0	96.7	0
Kaposi Sarcoma	0.0	0.0	96.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	629.2	314.9	1,081.5	19
Oral Cavity and Pharynx	0.0	0.0	119.9	0
Lip	0.0	0.0	119.9	0
Tongue	0.0	0.0	119.9	0
Salivary Gland	0.0	0.0	119.9	0
Floor of Mouth	0.0	0.0	119.9	0
Gum and Other Mouth	0.0	0.0	119.9	0
Nasopharynx	0.0	0.0	119.9	0
Tonsil	0.0	0.0	119.9	0
Oropharynx	0.0	0.0	119.9	0
Hypopharynx	0.0	0.0	119.9	0
Other Oral Cavity and Pharynx	0.0	0.0	119.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	119.9	0
Stomach	0.0	0.0	119.9	0
Small Intestine	0.0	0.0	119.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	119.9	0
Appendix	0.0	0.0	119.9	0
Ascending Colon	0.0	0.0	119.9	0
Hepatic Flexure	0.0	0.0	119.9	0
Transverse Colon	0.0	0.0	119.9	0
Splenic Flexure	0.0	0.0	119.9	0
Descending Colon	0.0	0.0	119.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	119.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	119.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	119.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	119.9	0
Liver	0.0	0.0	119.9	0
Intrahepatic Bile Duct	0.0	0.0	119.9	0
Gallbladder	0.0	0.0	119.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	119.9	0
Pancreas	0.0	0.0	119.9	0
Retroperitoneum	0.0	0.0	119.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	119.9	0
Other Digestive Organs	0.0	0.0	119.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	119.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	119.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	119.9	0
Bones and Joints	0.0	0.0	119.9	0
Soft Tissue including Heart	0.0	0.0	119.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	119.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	119.9	0
Ureter	0.0	0.0	119.9	0
Other Urinary Organs	0.0	0.0	119.9	0
Eye and Orbit	0.0	0.0	119.9	0
Brain and Other Nervous System	0.0	0.0	119.9	0
Brain	0.0	0.0	119.9	0
Cranial Nerves Other Nervous System	0.0	0.0	119.9	0
Endocrine System	0.0	0.0	119.9	0
Thyroid	0.0	0.0	119.9	0
Other Endocrine including Thymus	0.0	0.0	119.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	119.9	0
Hodgkin - Nodal	0.0	0.0	119.9	0
Hodgkin - Extranodal	0.0	0.0	119.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	119.9	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	119.9	0
Leukemia	0.0	0.0	119.9	0
Lymphocytic Leukemia	0.0	0.0	119.9	0
Acute Lymphocytic Leukemia	0.0	0.0	119.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	119.9	0
Other Lymphocytic Leukemia	0.0	0.0	119.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	119.9	0
Acute Myeloid Leukemia	0.0	0.0	119.9	0
Acute Monocytic Leukemia	0.0	0.0	119.9	0
Chronic Myeloid Leukemia	0.0	0.0	119.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	119.9	0
Other Leukemia	0.0	0.0	119.9	0
Other Acute Leukemia	0.0	0.0	119.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	119.9	0
Mesothelioma	0.0	0.0	119.9	0
Kaposi Sarcoma	0.0	0.0	119.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	320.7	198.4	487.5	23
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	50.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	50.3	0
Floor of Mouth	0.0	0.0	50.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	50.3	0
Tonsil	0.0	0.0	50.3	0
Oropharynx	0.0	0.0	50.3	0
Hypopharynx	0.0	0.0	50.3	0
Other Oral Cavity and Pharynx	0.0	0.0	50.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	50.3	0
Stomach	0.0	0.0	50.3	0
Small Intestine	0.0	0.0	50.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	50.3	0
Appendix	0.0	0.0	50.3	0
Ascending Colon	0.0	0.0	50.3	0
Hepatic Flexure	0.0	0.0	50.3	0
Transverse Colon	0.0	0.0	50.3	0
Splenic Flexure	0.0	0.0	50.3	0
Descending Colon	0.0	0.0	50.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	50.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	50.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	50.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	50.3	0
Liver	0.0	0.0	50.3	0
Intrahepatic Bile Duct	0.0	0.0	50.3	0
Gallbladder	0.0	0.0	50.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	50.3	0
Pancreas	0.0	0.0	50.3	0
Retroperitoneum	0.0	0.0	50.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	50.3	0
Other Digestive Organs	0.0	0.0	50.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	50.3	0
Larynx	^	^	^	^
Lung and Bronchus	0.0	0.0	50.3	0
Pleura	0.0	0.0	50.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	50.3	0
Bones and Joints	0.0	0.0	50.3	0
Soft Tissue including Heart	0.0	0.0	50.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	50.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	50.3	0
Other Urinary Organs	0.0	0.0	50.3	0
Eye and Orbit	0.0	0.0	50.3	0
Brain and Other Nervous System	0.0	0.0	50.3	0
Brain	0.0	0.0	50.3	0
Cranial Nerves Other Nervous System	0.0	0.0	50.3	0
Endocrine System	0.0	0.0	50.3	0
Thyroid	0.0	0.0	50.3	0
Other Endocrine including Thymus	0.0	0.0	50.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	50.3	0
Hodgkin - Nodal	0.0	0.0	50.3	0
Hodgkin - Extranodal	0.0	0.0	50.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	50.3	0
Lymphocytic Leukemia	0.0	0.0	50.3	0
Acute Lymphocytic Leukemia	0.0	0.0	50.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	50.3	0
Other Lymphocytic Leukemia	0.0	0.0	50.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	50.3	0
Acute Myeloid Leukemia	0.0	0.0	50.3	0
Acute Monocytic Leukemia	0.0	0.0	50.3	0
Chronic Myeloid Leukemia	0.0	0.0	50.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	50.3	0
Other Leukemia	0.0	0.0	50.3	0
Other Acute Leukemia	0.0	0.0	50.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	50.3	0
Mesothelioma	0.0	0.0	50.3	0
Kaposi Sarcoma	0.0	0.0	50.3	0
Miscellaneous	0.0	0.0	50.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	425.9	195.2	792.6	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	145.4	0
Tongue	0.0	0.0	145.4	0
Salivary Gland	0.0	0.0	145.4	0
Floor of Mouth	0.0	0.0	145.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	145.4	0
Tonsil	0.0	0.0	145.4	0
Oropharynx	0.0	0.0	145.4	0
Hypopharynx	0.0	0.0	145.4	0
Other Oral Cavity and Pharynx	0.0	0.0	145.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	145.4	0
Stomach	0.0	0.0	145.4	0
Small Intestine	0.0	0.0	145.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	145.4	0
Appendix	0.0	0.0	145.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	145.4	0
Transverse Colon	0.0	0.0	145.4	0
Splenic Flexure	0.0	0.0	145.4	0
Descending Colon	0.0	0.0	145.4	0
Sigmoid Colon	0.0	0.0	145.4	0
Large Intestine, NOS	0.0	0.0	145.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	145.4	0
Rectosigmoid Junction	0.0	0.0	145.4	0
Rectum	0.0	0.0	145.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	145.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	145.4	0
Liver	0.0	0.0	145.4	0
Intrahepatic Bile Duct	0.0	0.0	145.4	0
Gallbladder	0.0	0.0	145.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	145.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	145.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	145.4	0
Other Digestive Organs	0.0	0.0	145.4	0
Respiratory System	0.0	0.0	145.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	145.4	0
Larynx	0.0	0.0	145.4	0
Lung and Bronchus	0.0	0.0	145.4	0
Pleura	0.0	0.0	145.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	145.4	0
Bones and Joints	0.0	0.0	145.4	0
Soft Tissue including Heart	0.0	0.0	145.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	145.4	0
Urinary System	0.0	0.0	145.4	0
Urinary Bladder	0.0	0.0	145.4	0
Kidney and Renal Pelvis	0.0	0.0	145.4	0
Ureter	0.0	0.0	145.4	0
Other Urinary Organs	0.0	0.0	145.4	0
Eye and Orbit	0.0	0.0	145.4	0
Brain and Other Nervous System	0.0	0.0	145.4	0
Brain	0.0	0.0	145.4	0
Cranial Nerves Other Nervous System	0.0	0.0	145.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	145.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	145.4	0
Hodgkin - Nodal	0.0	0.0	145.4	0
Hodgkin - Extranodal	0.0	0.0	145.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	145.4	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	145.4	0
Leukemia	0.0	0.0	145.4	0
Lymphocytic Leukemia	0.0	0.0	145.4	0
Acute Lymphocytic Leukemia	0.0	0.0	145.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	145.4	0
Other Lymphocytic Leukemia	0.0	0.0	145.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	145.4	0
Acute Myeloid Leukemia	0.0	0.0	145.4	0
Acute Monocytic Leukemia	0.0	0.0	145.4	0
Chronic Myeloid Leukemia	0.0	0.0	145.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	145.4	0
Other Leukemia	0.0	0.0	145.4	0
Other Acute Leukemia	0.0	0.0	145.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	145.4	0
Mesothelioma	0.0	0.0	145.4	0
Kaposi Sarcoma	0.0	0.0	145.4	0
Miscellaneous	0.0	0.0	145.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	564.8	312.5	919.9	21
Oral Cavity and Pharynx	0.0	0.0	106.0	0
Lip	0.0	0.0	106.0	0
Tongue	0.0	0.0	106.0	0
Salivary Gland	0.0	0.0	106.0	0
Floor of Mouth	0.0	0.0	106.0	0
Gum and Other Mouth	0.0	0.0	106.0	0
Nasopharynx	0.0	0.0	106.0	0
Tonsil	0.0	0.0	106.0	0
Oropharynx	0.0	0.0	106.0	0
Hypopharynx	0.0	0.0	106.0	0
Other Oral Cavity and Pharynx	0.0	0.0	106.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	106.0	0
Stomach	0.0	0.0	106.0	0
Small Intestine	0.0	0.0	106.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	106.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	106.0	0
Transverse Colon	0.0	0.0	106.0	0
Splenic Flexure	0.0	0.0	106.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	106.0	0
Large Intestine, NOS	0.0	0.0	106.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	106.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	106.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	106.0	0
Liver	0.0	0.0	106.0	0
Intrahepatic Bile Duct	0.0	0.0	106.0	0
Gallbladder	0.0	0.0	106.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	106.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	106.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	106.0	0
Other Digestive Organs	0.0	0.0	106.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	106.0	0
Larynx	0.0	0.0	106.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	106.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	106.0	0
Bones and Joints	0.0	0.0	106.0	0
Soft Tissue including Heart	0.0	0.0	106.0	0
Skin excluding Basal and Squamous	0.0	0.0	106.0	0
Melanoma of the Skin	0.0	0.0	106.0	0
Other Non-Epithelial Skin	0.0	0.0	106.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	106.0	0
Ureter	0.0	0.0	106.0	0
Other Urinary Organs	0.0	0.0	106.0	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	0.0	0.0	106.0	0
Brain	0.0	0.0	106.0	0
Cranial Nerves Other Nervous System	0.0	0.0	106.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	106.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	106.0	0
Hodgkin - Nodal	0.0	0.0	106.0	0
Hodgkin - Extranodal	0.0	0.0	106.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	106.0	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	106.0	0
Leukemia	0.0	0.0	106.0	0
Lymphocytic Leukemia	0.0	0.0	106.0	0
Acute Lymphocytic Leukemia	0.0	0.0	106.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	106.0	0
Other Lymphocytic Leukemia	0.0	0.0	106.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	106.0	0
Acute Myeloid Leukemia	0.0	0.0	106.0	0
Acute Monocytic Leukemia	0.0	0.0	106.0	0
Chronic Myeloid Leukemia	0.0	0.0	106.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	106.0	0
Other Leukemia	0.0	0.0	106.0	0
Other Acute Leukemia	0.0	0.0	106.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	106.0	0
Mesothelioma	0.0	0.0	106.0	0
Kaposi Sarcoma	0.0	0.0	106.0	0
Miscellaneous	0.0	0.0	106.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	527.0	343.3	765.2	33
Oral Cavity and Pharynx	0.0	0.0	55.8	0
Lip	0.0	0.0	55.8	0
Tongue	0.0	0.0	55.8	0
Salivary Gland	0.0	0.0	55.8	0
Floor of Mouth	0.0	0.0	55.8	0
Gum and Other Mouth	0.0	0.0	55.8	0
Nasopharynx	0.0	0.0	55.8	0
Tonsil	0.0	0.0	55.8	0
Oropharynx	0.0	0.0	55.8	0
Hypopharynx	0.0	0.0	55.8	0
Other Oral Cavity and Pharynx	0.0	0.0	55.8	0
Digestive System	126.3	40.8	276.2	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	55.8	0
Small Intestine	0.0	0.0	55.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	55.8	0
Appendix	0.0	0.0	55.8	0
Ascending Colon	0.0	0.0	55.8	0
Hepatic Flexure	0.0	0.0	55.8	0
Transverse Colon	0.0	0.0	55.8	0
Splenic Flexure	0.0	0.0	55.8	0
Descending Colon	0.0	0.0	55.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	55.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	55.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.8	0
Liver	0.0	0.0	55.8	0
Intrahepatic Bile Duct	0.0	0.0	55.8	0
Gallbladder	0.0	0.0	55.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	55.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	55.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.8	0
Other Digestive Organs	0.0	0.0	55.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.8	0
Larynx	0.0	0.0	55.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	55.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.8	0
Bones and Joints	0.0	0.0	55.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	55.8	0
Melanoma of the Skin	0.0	0.0	55.8	0
Other Non-Epithelial Skin	0.0	0.0	55.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	55.8	0
Ureter	0.0	0.0	55.8	0
Other Urinary Organs	0.0	0.0	55.8	0
Eye and Orbit	0.0	0.0	55.8	0
Brain and Other Nervous System	0.0	0.0	55.8	0
Brain	0.0	0.0	55.8	0
Cranial Nerves Other Nervous System	0.0	0.0	55.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	55.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.8	0
Hodgkin - Nodal	0.0	0.0	55.8	0
Hodgkin - Extranodal	0.0	0.0	55.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	55.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	55.8	0
Leukemia	0.0	0.0	55.8	0
Lymphocytic Leukemia	0.0	0.0	55.8	0
Acute Lymphocytic Leukemia	0.0	0.0	55.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.8	0
Other Lymphocytic Leukemia	0.0	0.0	55.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	55.8	0
Acute Myeloid Leukemia	0.0	0.0	55.8	0
Acute Monocytic Leukemia	0.0	0.0	55.8	0
Chronic Myeloid Leukemia	0.0	0.0	55.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.8	0
Other Leukemia	0.0	0.0	55.8	0
Other Acute Leukemia	0.0	0.0	55.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	55.8	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	55.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	427.9	220.1	735.4	14
Oral Cavity and Pharynx	0.0	0.0	109.9	0
Lip	0.0	0.0	109.9	0
Tongue	0.0	0.0	109.9	0
Salivary Gland	0.0	0.0	109.9	0
Floor of Mouth	0.0	0.0	109.9	0
Gum and Other Mouth	0.0	0.0	109.9	0
Nasopharynx	0.0	0.0	109.9	0
Tonsil	0.0	0.0	109.9	0
Oropharynx	0.0	0.0	109.9	0
Hypopharynx	0.0	0.0	109.9	0
Other Oral Cavity and Pharynx	0.0	0.0	109.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	109.9	0
Stomach	0.0	0.0	109.9	0
Small Intestine	0.0	0.0	109.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	109.9	0
Appendix	0.0	0.0	109.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	109.9	0
Transverse Colon	0.0	0.0	109.9	0
Splenic Flexure	0.0	0.0	109.9	0
Descending Colon	0.0	0.0	109.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	109.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	109.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	109.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	109.9	0
Liver	0.0	0.0	109.9	0
Intrahepatic Bile Duct	0.0	0.0	109.9	0
Gallbladder	0.0	0.0	109.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	109.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	109.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	109.9	0
Other Digestive Organs	0.0	0.0	109.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	109.9	0
Larynx	0.0	0.0	109.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	109.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	109.9	0
Bones and Joints	0.0	0.0	109.9	0
Soft Tissue including Heart	0.0	0.0	109.9	0
Skin excluding Basal and Squamous	0.0	0.0	109.9	0
Melanoma of the Skin	0.0	0.0	109.9	0
Other Non-Epithelial Skin	0.0	0.0	109.9	0
Urinary System	0.0	0.0	109.9	0
Urinary Bladder	0.0	0.0	109.9	0
Kidney and Renal Pelvis	0.0	0.0	109.9	0
Ureter	0.0	0.0	109.9	0
Other Urinary Organs	0.0	0.0	109.9	0
Eye and Orbit	0.0	0.0	109.9	0
Brain and Other Nervous System	0.0	0.0	109.9	0
Brain	0.0	0.0	109.9	0
Cranial Nerves Other Nervous System	0.0	0.0	109.9	0
Endocrine System	0.0	0.0	109.9	0
Thyroid	0.0	0.0	109.9	0
Other Endocrine including Thymus	0.0	0.0	109.9	0
Lymphoma	0.0	0.0	109.9	0
Hodgkin Lymphoma	0.0	0.0	109.9	0
Hodgkin - Nodal	0.0	0.0	109.9	0
Hodgkin - Extranodal	0.0	0.0	109.9	0
Non-Hodgkin Lymphoma	0.0	0.0	109.9	0
NHL - Nodal	0.0	0.0	109.9	0
NHL - Extranodal	0.0	0.0	109.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	109.9	0
Lymphocytic Leukemia	0.0	0.0	109.9	0
Acute Lymphocytic Leukemia	0.0	0.0	109.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	109.9	0
Other Lymphocytic Leukemia	0.0	0.0	109.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	109.9	0
Acute Myeloid Leukemia	0.0	0.0	109.9	0
Acute Monocytic Leukemia	0.0	0.0	109.9	0
Chronic Myeloid Leukemia	0.0	0.0	109.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	109.9	0
Other Leukemia	0.0	0.0	109.9	0
Other Acute Leukemia	0.0	0.0	109.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	109.9	0
Mesothelioma	0.0	0.0	109.9	0
Kaposi Sarcoma	0.0	0.0	109.9	0
Miscellaneous	0.0	0.0	109.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	368.8	228.1	562.8	22
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	62.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	62.7	0
Floor of Mouth	0.0	0.0	62.7	0
Gum and Other Mouth	0.0	0.0	62.7	0
Nasopharynx	0.0	0.0	62.7	0
Tonsil	0.0	0.0	62.7	0
Oropharynx	0.0	0.0	62.7	0
Hypopharynx	0.0	0.0	62.7	0
Other Oral Cavity and Pharynx	0.0	0.0	62.7	0
Digestive System	96.5	34.3	213.8	6
Esophagus	0.0	0.0	62.7	0
Stomach	0.0	0.0	62.7	0
Small Intestine	0.0	0.0	62.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	62.7	0
Ascending Colon	0.0	0.0	62.7	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	62.7	0
Splenic Flexure	0.0	0.0	62.7	0
Descending Colon	0.0	0.0	62.7	0
Sigmoid Colon	0.0	0.0	62.7	0
Large Intestine, NOS	0.0	0.0	62.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	62.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	62.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	62.7	0
Gallbladder	0.0	0.0	62.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	62.7	0
Pancreas	0.0	0.0	62.7	0
Retroperitoneum	0.0	0.0	62.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	62.7	0
Other Digestive Organs	0.0	0.0	62.7	0
Respiratory System	102.4	36.3	225.1	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	62.7	0
Larynx	0.0	0.0	62.7	0
Lung and Bronchus	102.4	36.3	225.1	6
Pleura	0.0	0.0	62.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	62.7	0
Bones and Joints	0.0	0.0	62.7	0
Soft Tissue including Heart	0.0	0.0	62.7	0
Skin excluding Basal and Squamous	0.0	0.0	62.7	0
Melanoma of the Skin	0.0	0.0	62.7	0
Other Non-Epithelial Skin	0.0	0.0	62.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	62.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	62.7	0
Other Urinary Organs	0.0	0.0	62.7	0
Eye and Orbit	0.0	0.0	62.7	0
Brain and Other Nervous System	0.0	0.0	62.7	0
Brain	0.0	0.0	62.7	0
Cranial Nerves Other Nervous System	0.0	0.0	62.7	0
Endocrine System	0.0	0.0	62.7	0
Thyroid	0.0	0.0	62.7	0
Other Endocrine including Thymus	0.0	0.0	62.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	62.7	0
Hodgkin - Nodal	0.0	0.0	62.7	0
Hodgkin - Extranodal	0.0	0.0	62.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	62.7	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	62.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	62.7	0
Acute Lymphocytic Leukemia	0.0	0.0	62.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	62.7	0
Other Lymphocytic Leukemia	0.0	0.0	62.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	62.7	0
Chronic Myeloid Leukemia	0.0	0.0	62.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	62.7	0
Other Leukemia	0.0	0.0	62.7	0
Other Acute Leukemia	0.0	0.0	62.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	62.7	0
Mesothelioma	0.0	0.0	62.7	0
Kaposi Sarcoma	0.0	0.0	62.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	1,571.9	0
Tongue	0.0	0.0	1,571.9	0
Salivary Gland	0.0	0.0	1,571.9	0
Floor of Mouth	0.0	0.0	1,571.9	0
Gum and Other Mouth	0.0	0.0	1,571.9	0
Nasopharynx	0.0	0.0	1,571.9	0
Tonsil	0.0	0.0	1,571.9	0
Oropharynx	0.0	0.0	1,571.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1,571.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,571.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	1,571.9	0
Colon and Rectum	0.0	0.0	1,571.9	0
Colon excluding Rectum	0.0	0.0	1,571.9	0
Cecum	0.0	0.0	1,571.9	0
Appendix	0.0	0.0	1,571.9	0
Ascending Colon	0.0	0.0	1,571.9	0
Hepatic Flexure	0.0	0.0	1,571.9	0
Transverse Colon	0.0	0.0	1,571.9	0
Splenic Flexure	0.0	0.0	1,571.9	0
Descending Colon	0.0	0.0	1,571.9	0
Sigmoid Colon	0.0	0.0	1,571.9	0
Large Intestine, NOS	0.0	0.0	1,571.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,571.9	0
Rectosigmoid Junction	0.0	0.0	1,571.9	0
Rectum	0.0	0.0	1,571.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,571.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,571.9	0
Liver	0.0	0.0	1,571.9	0
Intrahepatic Bile Duct	0.0	0.0	1,571.9	0
Gallbladder	0.0	0.0	1,571.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	1,571.9	0
Pancreas	0.0	0.0	1,571.9	0
Retroperitoneum	0.0	0.0	1,571.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,571.9	0
Other Digestive Organs	0.0	0.0	1,571.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,571.9	0
Larynx	0.0	0.0	1,571.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	1,571.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,571.9	0
Bones and Joints	0.0	0.0	1,571.9	0
Soft Tissue including Heart	0.0	0.0	1,571.9	0
Skin excluding Basal and Squamous	0.0	0.0	1,571.9	0
Melanoma of the Skin	0.0	0.0	1,571.9	0
Other Non-Epithelial Skin	0.0	0.0	1,571.9	0
Urinary System	0.0	0.0	1,571.9	0
Urinary Bladder	0.0	0.0	1,571.9	0
Kidney and Renal Pelvis	0.0	0.0	1,571.9	0
Ureter	0.0	0.0	1,571.9	0
Other Urinary Organs	0.0	0.0	1,571.9	0
Eye and Orbit	0.0	0.0	1,571.9	0
Brain and Other Nervous System	0.0	0.0	1,571.9	0
Brain	0.0	0.0	1,571.9	0
Cranial Nerves Other Nervous System	0.0	0.0	1,571.9	0
Endocrine System	0.0	0.0	1,571.9	0
Thyroid	0.0	0.0	1,571.9	0
Other Endocrine including Thymus	0.0	0.0	1,571.9	0
Lymphoma	0.0	0.0	1,571.9	0
Hodgkin Lymphoma	0.0	0.0	1,571.9	0
Hodgkin - Nodal	0.0	0.0	1,571.9	0
Hodgkin - Extranodal	0.0	0.0	1,571.9	0
Non-Hodgkin Lymphoma	0.0	0.0	1,571.9	0
NHL - Nodal	0.0	0.0	1,571.9	0
NHL - Extranodal	0.0	0.0	1,571.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	1,571.9	0
Leukemia	0.0	0.0	1,571.9	0
Lymphocytic Leukemia	0.0	0.0	1,571.9	0
Acute Lymphocytic Leukemia	0.0	0.0	1,571.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,571.9	0
Other Lymphocytic Leukemia	0.0	0.0	1,571.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,571.9	0
Acute Myeloid Leukemia	0.0	0.0	1,571.9	0
Acute Monocytic Leukemia	0.0	0.0	1,571.9	0
Chronic Myeloid Leukemia	0.0	0.0	1,571.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,571.9	0
Other Leukemia	0.0	0.0	1,571.9	0
Other Acute Leukemia	0.0	0.0	1,571.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,571.9	0
Mesothelioma	0.0	0.0	1,571.9	0
Kaposi Sarcoma	0.0	0.0	1,571.9	0
Miscellaneous	0.0	0.0	1,571.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	308.5	168.3	515.1	16
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	77.2	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	77.2	0
Floor of Mouth	0.0	0.0	77.2	0
Gum and Other Mouth	0.0	0.0	77.2	0
Nasopharynx	0.0	0.0	77.2	0
Tonsil	0.0	0.0	77.2	0
Oropharynx	0.0	0.0	77.2	0
Hypopharynx	0.0	0.0	77.2	0
Other Oral Cavity and Pharynx	0.0	0.0	77.2	0
Digestive System	110.6	39.9	245.9	6
Esophagus	0.0	0.0	77.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	77.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	77.2	0
Appendix	0.0	0.0	77.2	0
Ascending Colon	0.0	0.0	77.2	0
Hepatic Flexure	0.0	0.0	77.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	77.2	0
Descending Colon	0.0	0.0	77.2	0
Sigmoid Colon	0.0	0.0	77.2	0
Large Intestine, NOS	0.0	0.0	77.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	77.2	0
Rectosigmoid Junction	0.0	0.0	77.2	0
Rectum	0.0	0.0	77.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	77.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	77.2	0
Gallbladder	0.0	0.0	77.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	77.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	77.2	0
Other Digestive Organs	0.0	0.0	77.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	77.2	0
Larynx	0.0	0.0	77.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	77.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	77.2	0
Bones and Joints	0.0	0.0	77.2	0
Soft Tissue including Heart	0.0	0.0	77.2	0
Skin excluding Basal and Squamous	0.0	0.0	77.2	0
Melanoma of the Skin	0.0	0.0	77.2	0
Other Non-Epithelial Skin	0.0	0.0	77.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	77.2	0
Other Urinary Organs	0.0	0.0	77.2	0
Eye and Orbit	0.0	0.0	77.2	0
Brain and Other Nervous System	0.0	0.0	77.2	0
Brain	0.0	0.0	77.2	0
Cranial Nerves Other Nervous System	0.0	0.0	77.2	0
Endocrine System	0.0	0.0	77.2	0
Thyroid	0.0	0.0	77.2	0
Other Endocrine including Thymus	0.0	0.0	77.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	77.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	77.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2000/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	77.2	0
Leukemia	0.0	0.0	77.2	0
Lymphocytic Leukemia	0.0	0.0	77.2	0
Acute Lymphocytic Leukemia	0.0	0.0	77.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	77.2	0
Other Lymphocytic Leukemia	0.0	0.0	77.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	77.2	0
Acute Myeloid Leukemia	0.0	0.0	77.2	0
Acute Monocytic Leukemia	0.0	0.0	77.2	0
Chronic Myeloid Leukemia	0.0	0.0	77.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	77.2	0
Other Leukemia	0.0	0.0	77.2	0
Other Acute Leukemia	0.0	0.0	77.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	77.2	0
Mesothelioma	0.0	0.0	77.2	0
Kaposi Sarcoma	0.0	0.0	77.2	0
Miscellaneous	0.0	0.0	77.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	460.2	110.1	1,201.3	7
Oral Cavity and Pharynx	0.0	0.0	421.7	0
Lip	0.0	0.0	421.7	0
Tongue	0.0	0.0	421.7	0
Salivary Gland	0.0	0.0	421.7	0
Floor of Mouth	0.0	0.0	421.7	0
Gum and Other Mouth	0.0	0.0	421.7	0
Nasopharynx	0.0	0.0	421.7	0
Tonsil	0.0	0.0	421.7	0
Oropharynx	0.0	0.0	421.7	0
Hypopharynx	0.0	0.0	421.7	0
Other Oral Cavity and Pharynx	0.0	0.0	421.7	0
Digestive System	0.0	0.0	421.7	0
Esophagus	0.0	0.0	421.7	0
Stomach	0.0	0.0	421.7	0
Small Intestine	0.0	0.0	421.7	0
Colon and Rectum	0.0	0.0	421.7	0
Colon excluding Rectum	0.0	0.0	421.7	0
Cecum	0.0	0.0	421.7	0
Appendix	0.0	0.0	421.7	0
Ascending Colon	0.0	0.0	421.7	0
Hepatic Flexure	0.0	0.0	421.7	0
Transverse Colon	0.0	0.0	421.7	0
Splenic Flexure	0.0	0.0	421.7	0
Descending Colon	0.0	0.0	421.7	0
Sigmoid Colon	0.0	0.0	421.7	0
Large Intestine, NOS	0.0	0.0	421.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	421.7	0
Rectosigmoid Junction	0.0	0.0	421.7	0
Rectum	0.0	0.0	421.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	421.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	421.7	0
Liver	0.0	0.0	421.7	0
Intrahepatic Bile Duct	0.0	0.0	421.7	0
Gallbladder	0.0	0.0	421.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	421.7	0
Pancreas	0.0	0.0	421.7	0
Retroperitoneum	0.0	0.0	421.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	421.7	0
Other Digestive Organs	0.0	0.0	421.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	421.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	421.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	421.7	0
Bones and Joints	0.0	0.0	421.7	0
Soft Tissue including Heart	0.0	0.0	421.7	0
Skin excluding Basal and Squamous	0.0	0.0	421.7	0
Melanoma of the Skin	0.0	0.0	421.7	0
Other Non-Epithelial Skin	0.0	0.0	421.7	0
Urinary System	0.0	0.0	421.7	0
Urinary Bladder	0.0	0.0	421.7	0
Kidney and Renal Pelvis	0.0	0.0	421.7	0
Ureter	0.0	0.0	421.7	0
Other Urinary Organs	0.0	0.0	421.7	0
Eye and Orbit	0.0	0.0	421.7	0
Brain and Other Nervous System	0.0	0.0	421.7	0
Brain	0.0	0.0	421.7	0
Cranial Nerves Other Nervous System	0.0	0.0	421.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	421.7	0
Lymphoma	0.0	0.0	421.7	0
Hodgkin Lymphoma	0.0	0.0	421.7	0
Hodgkin - Nodal	0.0	0.0	421.7	0
Hodgkin - Extranodal	0.0	0.0	421.7	0
Non-Hodgkin Lymphoma	0.0	0.0	421.7	0
NHL - Nodal	0.0	0.0	421.7	0
NHL - Extranodal	0.0	0.0	421.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	421.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	421.7	0
Acute Lymphocytic Leukemia	0.0	0.0	421.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	421.7	0
Other Lymphocytic Leukemia	0.0	0.0	421.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	421.7	0
Acute Myeloid Leukemia	0.0	0.0	421.7	0
Acute Monocytic Leukemia	0.0	0.0	421.7	0
Chronic Myeloid Leukemia	0.0	0.0	421.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	421.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	421.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	421.7	0
Kaposi Sarcoma	0.0	0.0	421.7	0
Miscellaneous	0.0	0.0	421.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	333.8	112.7	818.4	8
Oral Cavity and Pharynx	0.0	0.0	372.3	0
Lip	0.0	0.0	372.3	0
Tongue	0.0	0.0	372.3	0
Salivary Gland	0.0	0.0	372.3	0
Floor of Mouth	0.0	0.0	372.3	0
Gum and Other Mouth	0.0	0.0	372.3	0
Nasopharynx	0.0	0.0	372.3	0
Tonsil	0.0	0.0	372.3	0
Oropharynx	0.0	0.0	372.3	0
Hypopharynx	0.0	0.0	372.3	0
Other Oral Cavity and Pharynx	0.0	0.0	372.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	372.3	0
Stomach	0.0	0.0	372.3	0
Small Intestine	0.0	0.0	372.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	372.3	0
Appendix	0.0	0.0	372.3	0
Ascending Colon	0.0	0.0	372.3	0
Hepatic Flexure	0.0	0.0	372.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	372.3	0
Descending Colon	0.0	0.0	372.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	372.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	372.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	372.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	372.3	0
Liver	0.0	0.0	372.3	0
Intrahepatic Bile Duct	0.0	0.0	372.3	0
Gallbladder	0.0	0.0	372.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	372.3	0
Pancreas	0.0	0.0	372.3	0
Retroperitoneum	0.0	0.0	372.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	372.3	0
Other Digestive Organs	0.0	0.0	372.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	372.3	0
Larynx	0.0	0.0	372.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	372.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	372.3	0
Bones and Joints	0.0	0.0	372.3	0
Soft Tissue including Heart	0.0	0.0	372.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	372.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	372.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	372.3	0
Other Urinary Organs	0.0	0.0	372.3	0
Eye and Orbit	0.0	0.0	372.3	0
Brain and Other Nervous System	0.0	0.0	372.3	0
Brain	0.0	0.0	372.3	0
Cranial Nerves Other Nervous System	0.0	0.0	372.3	0
Endocrine System	0.0	0.0	372.3	0
Thyroid	0.0	0.0	372.3	0
Other Endocrine including Thymus	0.0	0.0	372.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	372.3	0
Hodgkin - Nodal	0.0	0.0	372.3	0
Hodgkin - Extranodal	0.0	0.0	372.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	372.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	372.3	0
Leukemia	0.0	0.0	372.3	0
Lymphocytic Leukemia	0.0	0.0	372.3	0
Acute Lymphocytic Leukemia	0.0	0.0	372.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	372.3	0
Other Lymphocytic Leukemia	0.0	0.0	372.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	372.3	0
Acute Myeloid Leukemia	0.0	0.0	372.3	0
Acute Monocytic Leukemia	0.0	0.0	372.3	0
Chronic Myeloid Leukemia	0.0	0.0	372.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	372.3	0
Other Leukemia	0.0	0.0	372.3	0
Other Acute Leukemia	0.0	0.0	372.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	372.3	0
Mesothelioma	0.0	0.0	372.3	0
Kaposi Sarcoma	0.0	0.0	372.3	0
Miscellaneous	0.0	0.0	372.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	530.8	493.6	569.9	911
Oral Cavity and Pharynx	9.9	5.7	15.9	19
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	2.2	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	2.2	0
Hypopharynx	0.0	0.0	2.2	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	96.6	80.8	114.3	159
Esophagus	3.6	1.2	7.9	7
Stomach	12.6	7.0	20.5	18
Small Intestine	^	^	^	^
Colon and Rectum	50.9	39.3	64.6	78
Colon excluding Rectum	35.8	26.0	47.9	50
Cecum	13.3	7.5	21.2	17
Appendix	^	^	^	^
Ascending Colon	6.3	2.4	12.7	7
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	2.2	0
Sigmoid Colon	8.5	4.2	14.8	13
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	15.1	9.6	22.5	28
Rectosigmoid Junction	^	^	^	^
Rectum	13.6	8.3	20.9	24
Anus, Anal Canal and Anorectum	3.0	1.0	6.8	6
Liver and Intrahepatic Bile Duct	11.4	6.9	17.8	23
Liver	9.9	5.6	16.0	19
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	9.4	5.2	15.4	17
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	73.9	60.2	89.5	118
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.4	1.8	8.9	8
Lung and Bronchus	67.9	54.8	83.1	107
Pleura	0.0	0.0	2.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.2	0
Bones and Joints	2.0	0.7	4.9	6
Soft Tissue including Heart	2.1	0.8	5.0	6
Skin excluding Basal and Squamous	15.7	9.9	23.4	29
Melanoma of the Skin	15.7	9.9	23.4	29
Other Non-Epithelial Skin	0.0	0.0	2.2	0
Urinary System	46.6	35.8	59.5	72
Urinary Bladder	27.4	19.1	37.7	41
Kidney and Renal Pelvis	16.7	10.8	24.6	28
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.1	3.4	12.8	13
Brain	6.3	2.9	11.7	12
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.0	6.6	17.0	24
Thyroid	7.9	4.7	12.8	20
Other Endocrine including Thymus	^	^	^	^
Lymphoma	22.6	15.8	31.3	42
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	2.2	0
Non-Hodgkin Lymphoma	20.8	14.2	29.3	38
NHL - Nodal	12.6	7.8	19.3	25
NHL - Extranodal	8.2	4.1	14.3	13

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	6.0	2.6	11.5	9
Leukemia	11.0	6.7	17.2	23
Lymphocytic Leukemia	6.3	3.0	11.6	12
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	4.9	1.9	10.0	8
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.6	1.6	7.2	9
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	20.3	12.7	30.3	26

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	403.1	273.2	567.9	36
Oral Cavity and Pharynx	0.0	0.0	36.6	0
Lip	0.0	0.0	36.6	0
Tongue	0.0	0.0	36.6	0
Salivary Gland	0.0	0.0	36.6	0
Floor of Mouth	0.0	0.0	36.6	0
Gum and Other Mouth	0.0	0.0	36.6	0
Nasopharynx	0.0	0.0	36.6	0
Tonsil	0.0	0.0	36.6	0
Oropharynx	0.0	0.0	36.6	0
Hypopharynx	0.0	0.0	36.6	0
Other Oral Cavity and Pharynx	0.0	0.0	36.6	0
Digestive System	242.3	143.2	377.4	20
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	121.7	54.8	226.1	10
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	36.6	0
Ascending Colon	0.0	0.0	36.6	0
Hepatic Flexure	0.0	0.0	36.6	0
Transverse Colon	0.0	0.0	36.6	0
Splenic Flexure	0.0	0.0	36.6	0
Descending Colon	0.0	0.0	36.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	36.6	0
Rectum and Rectosigmoid Junction	69.0	22.0	154.1	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	36.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	36.6	0
Liver	0.0	0.0	36.6	0
Intrahepatic Bile Duct	0.0	0.0	36.6	0
Gallbladder	0.0	0.0	36.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	36.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	36.6	0
Other Digestive Organs	0.0	0.0	36.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	36.6	0
Larynx	0.0	0.0	36.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	36.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	36.6	0
Bones and Joints	0.0	0.0	36.6	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	36.6	0
Melanoma of the Skin	0.0	0.0	36.6	0
Other Non-Epithelial Skin	0.0	0.0	36.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	36.6	0
Other Urinary Organs	0.0	0.0	36.6	0
Eye and Orbit	0.0	0.0	36.6	0
Brain and Other Nervous System	0.0	0.0	36.6	0
Brain	0.0	0.0	36.6	0
Cranial Nerves Other Nervous System	0.0	0.0	36.6	0
Endocrine System	0.0	0.0	36.6	0
Thyroid	0.0	0.0	36.6	0
Other Endocrine including Thymus	0.0	0.0	36.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	36.6	0
Hodgkin - Nodal	0.0	0.0	36.6	0
Hodgkin - Extranodal	0.0	0.0	36.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	36.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	36.6	0
Other Lymphocytic Leukemia	0.0	0.0	36.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	36.6	0
Acute Myeloid Leukemia	0.0	0.0	36.6	0
Acute Monocytic Leukemia	0.0	0.0	36.6	0
Chronic Myeloid Leukemia	0.0	0.0	36.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	36.6	0
Other Leukemia	0.0	0.0	36.6	0
Other Acute Leukemia	0.0	0.0	36.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	36.6	0
Mesothelioma	0.0	0.0	36.6	0
Kaposi Sarcoma	0.0	0.0	36.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	788.7	0
Lip	0.0	0.0	788.7	0
Tongue	0.0	0.0	788.7	0
Salivary Gland	0.0	0.0	788.7	0
Floor of Mouth	0.0	0.0	788.7	0
Gum and Other Mouth	0.0	0.0	788.7	0
Nasopharynx	0.0	0.0	788.7	0
Tonsil	0.0	0.0	788.7	0
Oropharynx	0.0	0.0	788.7	0
Hypopharynx	0.0	0.0	788.7	0
Other Oral Cavity and Pharynx	0.0	0.0	788.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	788.7	0
Stomach	0.0	0.0	788.7	0
Small Intestine	0.0	0.0	788.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	788.7	0
Cecum	0.0	0.0	788.7	0
Appendix	0.0	0.0	788.7	0
Ascending Colon	0.0	0.0	788.7	0
Hepatic Flexure	0.0	0.0	788.7	0
Transverse Colon	0.0	0.0	788.7	0
Splenic Flexure	0.0	0.0	788.7	0
Descending Colon	0.0	0.0	788.7	0
Sigmoid Colon	0.0	0.0	788.7	0
Large Intestine, NOS	0.0	0.0	788.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	788.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	788.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	788.7	0
Gallbladder	0.0	0.0	788.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	788.7	0
Pancreas	0.0	0.0	788.7	0
Retroperitoneum	0.0	0.0	788.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	788.7	0
Other Digestive Organs	0.0	0.0	788.7	0
Respiratory System	0.0	0.0	788.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	788.7	0
Larynx	0.0	0.0	788.7	0
Lung and Bronchus	0.0	0.0	788.7	0
Pleura	0.0	0.0	788.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	788.7	0
Bones and Joints	0.0	0.0	788.7	0
Soft Tissue including Heart	0.0	0.0	788.7	0
Skin excluding Basal and Squamous	0.0	0.0	788.7	0
Melanoma of the Skin	0.0	0.0	788.7	0
Other Non-Epithelial Skin	0.0	0.0	788.7	0
Urinary System	0.0	0.0	788.7	0
Urinary Bladder	0.0	0.0	788.7	0
Kidney and Renal Pelvis	0.0	0.0	788.7	0
Ureter	0.0	0.0	788.7	0
Other Urinary Organs	0.0	0.0	788.7	0
Eye and Orbit	0.0	0.0	788.7	0
Brain and Other Nervous System	0.0	0.0	788.7	0
Brain	0.0	0.0	788.7	0
Cranial Nerves Other Nervous System	0.0	0.0	788.7	0
Endocrine System	0.0	0.0	788.7	0
Thyroid	0.0	0.0	788.7	0
Other Endocrine including Thymus	0.0	0.0	788.7	0
Lymphoma	0.0	0.0	788.7	0
Hodgkin Lymphoma	0.0	0.0	788.7	0
Hodgkin - Nodal	0.0	0.0	788.7	0
Hodgkin - Extranodal	0.0	0.0	788.7	0
Non-Hodgkin Lymphoma	0.0	0.0	788.7	0
NHL - Nodal	0.0	0.0	788.7	0
NHL - Extranodal	0.0	0.0	788.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	788.7	0
Leukemia	0.0	0.0	788.7	0
Lymphocytic Leukemia	0.0	0.0	788.7	0
Acute Lymphocytic Leukemia	0.0	0.0	788.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	788.7	0
Other Lymphocytic Leukemia	0.0	0.0	788.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	788.7	0
Acute Myeloid Leukemia	0.0	0.0	788.7	0
Acute Monocytic Leukemia	0.0	0.0	788.7	0
Chronic Myeloid Leukemia	0.0	0.0	788.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	788.7	0
Other Leukemia	0.0	0.0	788.7	0
Other Acute Leukemia	0.0	0.0	788.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	788.7	0
Mesothelioma	0.0	0.0	788.7	0
Kaposi Sarcoma	0.0	0.0	788.7	0
Miscellaneous	0.0	0.0	788.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	566.1	0
Lip	0.0	0.0	566.1	0
Tongue	0.0	0.0	566.1	0
Salivary Gland	0.0	0.0	566.1	0
Floor of Mouth	0.0	0.0	566.1	0
Gum and Other Mouth	0.0	0.0	566.1	0
Nasopharynx	0.0	0.0	566.1	0
Tonsil	0.0	0.0	566.1	0
Oropharynx	0.0	0.0	566.1	0
Hypopharynx	0.0	0.0	566.1	0
Other Oral Cavity and Pharynx	0.0	0.0	566.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	566.1	0
Stomach	0.0	0.0	566.1	0
Small Intestine	0.0	0.0	566.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	566.1	0
Appendix	0.0	0.0	566.1	0
Ascending Colon	0.0	0.0	566.1	0
Hepatic Flexure	0.0	0.0	566.1	0
Transverse Colon	0.0	0.0	566.1	0
Splenic Flexure	0.0	0.0	566.1	0
Descending Colon	0.0	0.0	566.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	566.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	566.1	0
Rectosigmoid Junction	0.0	0.0	566.1	0
Rectum	0.0	0.0	566.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	566.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	566.1	0
Liver	0.0	0.0	566.1	0
Intrahepatic Bile Duct	0.0	0.0	566.1	0
Gallbladder	0.0	0.0	566.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	566.1	0
Pancreas	0.0	0.0	566.1	0
Retroperitoneum	0.0	0.0	566.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	566.1	0
Other Digestive Organs	0.0	0.0	566.1	0
Respiratory System	0.0	0.0	566.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	566.1	0
Larynx	0.0	0.0	566.1	0
Lung and Bronchus	0.0	0.0	566.1	0
Pleura	0.0	0.0	566.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	566.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	566.1	0
Skin excluding Basal and Squamous	0.0	0.0	566.1	0
Melanoma of the Skin	0.0	0.0	566.1	0
Other Non-Epithelial Skin	0.0	0.0	566.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	566.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	566.1	0
Other Urinary Organs	0.0	0.0	566.1	0
Eye and Orbit	0.0	0.0	566.1	0
Brain and Other Nervous System	0.0	0.0	566.1	0
Brain	0.0	0.0	566.1	0
Cranial Nerves Other Nervous System	0.0	0.0	566.1	0
Endocrine System	0.0	0.0	566.1	0
Thyroid	0.0	0.0	566.1	0
Other Endocrine including Thymus	0.0	0.0	566.1	0
Lymphoma	0.0	0.0	566.1	0
Hodgkin Lymphoma	0.0	0.0	566.1	0
Hodgkin - Nodal	0.0	0.0	566.1	0
Hodgkin - Extranodal	0.0	0.0	566.1	0
Non-Hodgkin Lymphoma	0.0	0.0	566.1	0
NHL - Nodal	0.0	0.0	566.1	0
NHL - Extranodal	0.0	0.0	566.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	566.1	0
Leukemia	0.0	0.0	566.1	0
Lymphocytic Leukemia	0.0	0.0	566.1	0
Acute Lymphocytic Leukemia	0.0	0.0	566.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	566.1	0
Other Lymphocytic Leukemia	0.0	0.0	566.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	566.1	0
Acute Myeloid Leukemia	0.0	0.0	566.1	0
Acute Monocytic Leukemia	0.0	0.0	566.1	0
Chronic Myeloid Leukemia	0.0	0.0	566.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	566.1	0
Other Leukemia	0.0	0.0	566.1	0
Other Acute Leukemia	0.0	0.0	566.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	566.1	0
Mesothelioma	0.0	0.0	566.1	0
Kaposi Sarcoma	0.0	0.0	566.1	0
Miscellaneous	0.0	0.0	566.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	200.9	67.3	445.6	6
Oral Cavity and Pharynx	0.0	0.0	116.4	0
Lip	0.0	0.0	116.4	0
Tongue	0.0	0.0	116.4	0
Salivary Gland	0.0	0.0	116.4	0
Floor of Mouth	0.0	0.0	116.4	0
Gum and Other Mouth	0.0	0.0	116.4	0
Nasopharynx	0.0	0.0	116.4	0
Tonsil	0.0	0.0	116.4	0
Oropharynx	0.0	0.0	116.4	0
Hypopharynx	0.0	0.0	116.4	0
Other Oral Cavity and Pharynx	0.0	0.0	116.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	116.4	0
Stomach	0.0	0.0	116.4	0
Small Intestine	0.0	0.0	116.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	116.4	0
Appendix	0.0	0.0	116.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	116.4	0
Transverse Colon	0.0	0.0	116.4	0
Splenic Flexure	0.0	0.0	116.4	0
Descending Colon	0.0	0.0	116.4	0
Sigmoid Colon	0.0	0.0	116.4	0
Large Intestine, NOS	0.0	0.0	116.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	116.4	0
Rectosigmoid Junction	0.0	0.0	116.4	0
Rectum	0.0	0.0	116.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	116.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	116.4	0
Gallbladder	0.0	0.0	116.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	116.4	0
Pancreas	0.0	0.0	116.4	0
Retroperitoneum	0.0	0.0	116.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	116.4	0
Other Digestive Organs	0.0	0.0	116.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	116.4	0
Larynx	0.0	0.0	116.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	116.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	116.4	0
Bones and Joints	0.0	0.0	116.4	0
Soft Tissue including Heart	0.0	0.0	116.4	0
Skin excluding Basal and Squamous	0.0	0.0	116.4	0
Melanoma of the Skin	0.0	0.0	116.4	0
Other Non-Epithelial Skin	0.0	0.0	116.4	0
Urinary System	0.0	0.0	116.4	0
Urinary Bladder	0.0	0.0	116.4	0
Kidney and Renal Pelvis	0.0	0.0	116.4	0
Ureter	0.0	0.0	116.4	0
Other Urinary Organs	0.0	0.0	116.4	0
Eye and Orbit	0.0	0.0	116.4	0
Brain and Other Nervous System	0.0	0.0	116.4	0
Brain	0.0	0.0	116.4	0
Cranial Nerves Other Nervous System	0.0	0.0	116.4	0
Endocrine System	0.0	0.0	116.4	0
Thyroid	0.0	0.0	116.4	0
Other Endocrine including Thymus	0.0	0.0	116.4	0
Lymphoma	0.0	0.0	116.4	0
Hodgkin Lymphoma	0.0	0.0	116.4	0
Hodgkin - Nodal	0.0	0.0	116.4	0
Hodgkin - Extranodal	0.0	0.0	116.4	0
Non-Hodgkin Lymphoma	0.0	0.0	116.4	0
NHL - Nodal	0.0	0.0	116.4	0
NHL - Extranodal	0.0	0.0	116.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	116.4	0
Leukemia	0.0	0.0	116.4	0
Lymphocytic Leukemia	0.0	0.0	116.4	0
Acute Lymphocytic Leukemia	0.0	0.0	116.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	116.4	0
Other Lymphocytic Leukemia	0.0	0.0	116.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	116.4	0
Acute Myeloid Leukemia	0.0	0.0	116.4	0
Acute Monocytic Leukemia	0.0	0.0	116.4	0
Chronic Myeloid Leukemia	0.0	0.0	116.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	116.4	0
Other Leukemia	0.0	0.0	116.4	0
Other Acute Leukemia	0.0	0.0	116.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	116.4	0
Mesothelioma	0.0	0.0	116.4	0
Kaposi Sarcoma	0.0	0.0	116.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	569.6	497.6	648.1	284
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	7.5	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	7.5	0
Nasopharynx	0.0	0.0	7.5	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	7.5	0
Hypopharynx	0.0	0.0	7.5	0
Other Oral Cavity and Pharynx	0.0	0.0	7.5	0
Digestive System	117.6	83.7	159.2	46
Esophagus	18.9	6.4	40.2	6
Stomach	^	^	^	^
Small Intestine	0.0	0.0	7.5	0
Colon and Rectum	68.0	43.7	99.6	28
Colon excluding Rectum	49.1	29.0	76.6	20
Cecum	^	^	^	^
Appendix	0.0	0.0	7.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	7.5	0
Descending Colon	^	^	^	^
Sigmoid Colon	18.8	7.7	37.0	8
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	18.8	7.3	38.1	8
Rectosigmoid Junction	^	^	^	^
Rectum	15.3	5.4	32.8	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	7.5	0
Gallbladder	0.0	0.0	7.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	7.5	0
Pancreas	16.9	5.9	35.9	6
Retroperitoneum	0.0	0.0	7.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	7.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	78.7	53.3	111.1	37
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	75.8	50.7	108.0	34
Pleura	0.0	0.0	7.5	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	13.2	5.9	26.1	9
Melanoma of the Skin	12.0	5.0	24.7	8
Other Non-Epithelial Skin	^	^	^	^
Urinary System	44.3	25.2	70.9	20
Urinary Bladder	34.0	18.0	57.3	16
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	7.5	0
Other Urinary Organs	0.0	0.0	7.5	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	7.5	0
Endocrine System	11.3	4.6	23.7	8
Thyroid	9.5	3.6	21.1	7
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.2	11.0	37.1	14
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	7.5	0
Non-Hodgkin Lymphoma	19.4	9.6	35.2	12
NHL - Nodal	14.4	6.2	28.5	9
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	7.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	7.5	0
Chronic Myeloid Leukemia	0.0	0.0	7.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.5	0
Other Leukemia	0.0	0.0	7.5	0
Other Acute Leukemia	0.0	0.0	7.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	7.5	0
Mesothelioma	0.0	0.0	7.5	0
Kaposi Sarcoma	0.0	0.0	7.5	0
Miscellaneous	24.2	10.4	46.0	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	367.8	143.6	765.1	7
Oral Cavity and Pharynx	0.0	0.0	194.4	0
Lip	0.0	0.0	194.4	0
Tongue	0.0	0.0	194.4	0
Salivary Gland	0.0	0.0	194.4	0
Floor of Mouth	0.0	0.0	194.4	0
Gum and Other Mouth	0.0	0.0	194.4	0
Nasopharynx	0.0	0.0	194.4	0
Tonsil	0.0	0.0	194.4	0
Oropharynx	0.0	0.0	194.4	0
Hypopharynx	0.0	0.0	194.4	0
Other Oral Cavity and Pharynx	0.0	0.0	194.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	194.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	194.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	194.4	0
Appendix	0.0	0.0	194.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	194.4	0
Transverse Colon	0.0	0.0	194.4	0
Splenic Flexure	0.0	0.0	194.4	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	194.4	0
Large Intestine, NOS	0.0	0.0	194.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	194.4	0
Rectosigmoid Junction	0.0	0.0	194.4	0
Rectum	0.0	0.0	194.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	194.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	194.4	0
Liver	0.0	0.0	194.4	0
Intrahepatic Bile Duct	0.0	0.0	194.4	0
Gallbladder	0.0	0.0	194.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	194.4	0
Pancreas	0.0	0.0	194.4	0
Retroperitoneum	0.0	0.0	194.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	194.4	0
Other Digestive Organs	0.0	0.0	194.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	194.4	0
Larynx	0.0	0.0	194.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	194.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	194.4	0
Bones and Joints	0.0	0.0	194.4	0
Soft Tissue including Heart	0.0	0.0	194.4	0
Skin excluding Basal and Squamous	0.0	0.0	194.4	0
Melanoma of the Skin	0.0	0.0	194.4	0
Other Non-Epithelial Skin	0.0	0.0	194.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	194.4	0
Ureter	0.0	0.0	194.4	0
Other Urinary Organs	0.0	0.0	194.4	0
Eye and Orbit	0.0	0.0	194.4	0
Brain and Other Nervous System	0.0	0.0	194.4	0
Brain	0.0	0.0	194.4	0
Cranial Nerves Other Nervous System	0.0	0.0	194.4	0
Endocrine System	0.0	0.0	194.4	0
Thyroid	0.0	0.0	194.4	0
Other Endocrine including Thymus	0.0	0.0	194.4	0
Lymphoma	0.0	0.0	194.4	0
Hodgkin Lymphoma	0.0	0.0	194.4	0
Hodgkin - Nodal	0.0	0.0	194.4	0
Hodgkin - Extranodal	0.0	0.0	194.4	0
Non-Hodgkin Lymphoma	0.0	0.0	194.4	0
NHL - Nodal	0.0	0.0	194.4	0
NHL - Extranodal	0.0	0.0	194.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	194.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	194.4	0
Acute Lymphocytic Leukemia	0.0	0.0	194.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	194.4	0
Other Lymphocytic Leukemia	0.0	0.0	194.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	194.4	0
Chronic Myeloid Leukemia	0.0	0.0	194.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	194.4	0
Other Leukemia	0.0	0.0	194.4	0
Other Acute Leukemia	0.0	0.0	194.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	194.4	0
Mesothelioma	0.0	0.0	194.4	0
Kaposi Sarcoma	0.0	0.0	194.4	0
Miscellaneous	0.0	0.0	194.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	561.0	457.5	679.5	120
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	16.7	0
Tongue	0.0	0.0	16.7	0
Salivary Gland	0.0	0.0	16.7	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	16.7	0
Nasopharynx	0.0	0.0	16.7	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	16.7	0
Hypopharynx	0.0	0.0	16.7	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	104.1	63.6	159.4	23
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	16.7	0
Colon and Rectum	52.4	25.5	94.4	12
Colon excluding Rectum	48.4	22.5	89.5	11
Cecum	^	^	^	^
Appendix	0.0	0.0	16.7	0
Ascending Colon	0.0	0.0	16.7	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	16.7	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	16.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	16.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	16.7	0
Gallbladder	0.0	0.0	16.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	16.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	16.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	16.7	0
Other Digestive Organs	0.0	0.0	16.7	0
Respiratory System	75.7	39.5	128.5	14
Nose, Nasal Cavity and Middle Ear	0.0	0.0	16.7	0
Larynx	^	^	^	^
Lung and Bronchus	69.1	34.9	120.0	13
Pleura	0.0	0.0	16.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	16.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	16.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	16.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	16.7	0
Other Urinary Organs	0.0	0.0	16.7	0
Eye and Orbit	0.0	0.0	16.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	16.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	16.7	0
Lymphoma	52.0	22.2	99.3	9
Hodgkin Lymphoma	0.0	0.0	16.7	0
Hodgkin - Nodal	0.0	0.0	16.7	0
Hodgkin - Extranodal	0.0	0.0	16.7	0
Non-Hodgkin Lymphoma	52.0	22.2	99.3	9
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	16.7	0
Acute Lymphocytic Leukemia	0.0	0.0	16.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	16.7	0
Other Lymphocytic Leukemia	0.0	0.0	16.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	16.7	0
Acute Monocytic Leukemia	0.0	0.0	16.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	16.7	0
Other Leukemia	0.0	0.0	16.7	0
Other Acute Leukemia	0.0	0.0	16.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	16.7	0
Mesothelioma	0.0	0.0	16.7	0
Kaposi Sarcoma	0.0	0.0	16.7	0
Miscellaneous	25.7	8.8	57.6	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	575.6	498.5	661.0	231
Oral Cavity and Pharynx	16.5	6.0	35.8	7
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	10.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	10.1	0
Tonsil	0.0	0.0	10.1	0
Oropharynx	0.0	0.0	10.1	0
Hypopharynx	0.0	0.0	10.1	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	101.5	68.5	143.8	35
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	69.6	43.4	104.9	25
Colon excluding Rectum	42.3	22.2	71.9	15
Cecum	^	^	^	^
Appendix	0.0	0.0	10.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	10.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	10.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	27.4	12.7	50.9	10
Rectosigmoid Junction	^	^	^	^
Rectum	17.8	6.4	38.6	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	10.1	0
Liver	0.0	0.0	10.1	0
Intrahepatic Bile Duct	0.0	0.0	10.1	0
Gallbladder	0.0	0.0	10.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	10.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.1	0
Other Digestive Organs	0.0	0.0	10.1	0
Respiratory System	110.2	77.1	152.1	41
Nose, Nasal Cavity and Middle Ear	0.0	0.0	10.1	0
Larynx	^	^	^	^
Lung and Bronchus	106.5	73.8	148.1	39
Pleura	0.0	0.0	10.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.1	0
Bones and Joints	0.0	0.0	10.1	0
Soft Tissue including Heart	0.0	0.0	10.1	0
Skin excluding Basal and Squamous	15.5	6.5	32.2	8
Melanoma of the Skin	13.4	5.2	29.4	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	52.9	32.3	81.7	22
Urinary Bladder	32.9	16.8	57.5	13
Kidney and Renal Pelvis	20.1	8.9	39.4	9
Ureter	0.0	0.0	10.1	0
Other Urinary Organs	0.0	0.0	10.1	0
Eye and Orbit	0.0	0.0	10.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	14.0	5.5	30.2	7
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	36.1	18.6	62.4	14
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	10.1	0
Non-Hodgkin Lymphoma	34.6	17.5	60.8	13
NHL - Nodal	31.7	15.4	57.1	12
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	10.1	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	10.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	10.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.1	0
Other Leukemia	0.0	0.0	10.1	0
Other Acute Leukemia	0.0	0.0	10.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.1	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	10.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	685.4	535.8	862.6	78
Oral Cavity and Pharynx	50.9	18.2	112.0	6
Lip	0.0	0.0	32.2	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	32.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	32.2	0
Tonsil	0.0	0.0	32.2	0
Oropharynx	0.0	0.0	32.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	32.2	0
Digestive System	156.2	84.0	260.5	14
Esophagus	0.0	0.0	32.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	32.2	0
Colon and Rectum	131.9	66.8	229.0	12
Colon excluding Rectum	96.4	41.3	184.9	8
Cecum	^	^	^	^
Appendix	0.0	0.0	32.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	32.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	32.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	32.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	32.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	32.2	0
Liver	0.0	0.0	32.2	0
Intrahepatic Bile Duct	0.0	0.0	32.2	0
Gallbladder	0.0	0.0	32.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	32.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	32.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.2	0
Other Digestive Organs	0.0	0.0	32.2	0
Respiratory System	48.6	17.1	108.2	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.2	0
Larynx	0.0	0.0	32.2	0
Lung and Bronchus	48.6	17.1	108.2	6
Pleura	0.0	0.0	32.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.2	0
Bones and Joints	0.0	0.0	32.2	0
Soft Tissue including Heart	0.0	0.0	32.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.2	0
Urinary System	59.7	21.3	129.0	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	32.2	0
Other Urinary Organs	0.0	0.0	32.2	0
Eye and Orbit	0.0	0.0	32.2	0
Brain and Other Nervous System	0.0	0.0	32.2	0
Brain	0.0	0.0	32.2	0
Cranial Nerves Other Nervous System	0.0	0.0	32.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	32.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.2	0
Hodgkin - Nodal	0.0	0.0	32.2	0
Hodgkin - Extranodal	0.0	0.0	32.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	32.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	32.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	32.2	0
Other Lymphocytic Leukemia	0.0	0.0	32.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.2	0
Chronic Myeloid Leukemia	0.0	0.0	32.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.2	0
Other Leukemia	0.0	0.0	32.2	0
Other Acute Leukemia	0.0	0.0	32.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.2	0
Mesothelioma	0.0	0.0	32.2	0
Kaposi Sarcoma	0.0	0.0	32.2	0
Miscellaneous	0.0	0.0	32.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	472.9	325.2	661.1	44
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	48.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	48.5	0
Floor of Mouth	0.0	0.0	48.5	0
Gum and Other Mouth	0.0	0.0	48.5	0
Nasopharynx	0.0	0.0	48.5	0
Tonsil	0.0	0.0	48.5	0
Oropharynx	0.0	0.0	48.5	0
Hypopharynx	0.0	0.0	48.5	0
Other Oral Cavity and Pharynx	0.0	0.0	48.5	0
Digestive System	101.3	42.2	201.8	8
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	48.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	48.5	0
Ascending Colon	0.0	0.0	48.5	0
Hepatic Flexure	0.0	0.0	48.5	0
Transverse Colon	0.0	0.0	48.5	0
Splenic Flexure	0.0	0.0	48.5	0
Descending Colon	0.0	0.0	48.5	0
Sigmoid Colon	0.0	0.0	48.5	0
Large Intestine, NOS	0.0	0.0	48.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	48.5	0
Liver	0.0	0.0	48.5	0
Intrahepatic Bile Duct	0.0	0.0	48.5	0
Gallbladder	0.0	0.0	48.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	48.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	48.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	48.5	0
Other Digestive Organs	0.0	0.0	48.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	48.5	0
Larynx	0.0	0.0	48.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	48.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	48.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	48.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	48.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	48.5	0
Other Urinary Organs	0.0	0.0	48.5	0
Eye and Orbit	0.0	0.0	48.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	48.5	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	48.5	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	48.5	0
Hodgkin - Nodal	0.0	0.0	48.5	0
Hodgkin - Extranodal	0.0	0.0	48.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	48.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	48.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	48.5	0
Acute Lymphocytic Leukemia	0.0	0.0	48.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	48.5	0
Other Lymphocytic Leukemia	0.0	0.0	48.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	48.5	0
Acute Monocytic Leukemia	0.0	0.0	48.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	48.5	0
Other Leukemia	0.0	0.0	48.5	0
Other Acute Leukemia	0.0	0.0	48.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	48.5	0
Mesothelioma	0.0	0.0	48.5	0
Kaposi Sarcoma	0.0	0.0	48.5	0
Miscellaneous	0.0	0.0	48.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	348.7	0
Lip	0.0	0.0	348.7	0
Tongue	0.0	0.0	348.7	0
Salivary Gland	0.0	0.0	348.7	0
Floor of Mouth	0.0	0.0	348.7	0
Gum and Other Mouth	0.0	0.0	348.7	0
Nasopharynx	0.0	0.0	348.7	0
Tonsil	0.0	0.0	348.7	0
Oropharynx	0.0	0.0	348.7	0
Hypopharynx	0.0	0.0	348.7	0
Other Oral Cavity and Pharynx	0.0	0.0	348.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	348.7	0
Stomach	0.0	0.0	348.7	0
Small Intestine	0.0	0.0	348.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	348.7	0
Appendix	0.0	0.0	348.7	0
Ascending Colon	0.0	0.0	348.7	0
Hepatic Flexure	0.0	0.0	348.7	0
Transverse Colon	0.0	0.0	348.7	0
Splenic Flexure	0.0	0.0	348.7	0
Descending Colon	0.0	0.0	348.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	348.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	348.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	348.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	348.7	0
Liver	0.0	0.0	348.7	0
Intrahepatic Bile Duct	0.0	0.0	348.7	0
Gallbladder	0.0	0.0	348.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	348.7	0
Pancreas	0.0	0.0	348.7	0
Retroperitoneum	0.0	0.0	348.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	348.7	0
Other Digestive Organs	0.0	0.0	348.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	348.7	0
Larynx	0.0	0.0	348.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	348.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	348.7	0
Bones and Joints	0.0	0.0	348.7	0
Soft Tissue including Heart	0.0	0.0	348.7	0
Skin excluding Basal and Squamous	0.0	0.0	348.7	0
Melanoma of the Skin	0.0	0.0	348.7	0
Other Non-Epithelial Skin	0.0	0.0	348.7	0
Urinary System	0.0	0.0	348.7	0
Urinary Bladder	0.0	0.0	348.7	0
Kidney and Renal Pelvis	0.0	0.0	348.7	0
Ureter	0.0	0.0	348.7	0
Other Urinary Organs	0.0	0.0	348.7	0
Eye and Orbit	0.0	0.0	348.7	0
Brain and Other Nervous System	0.0	0.0	348.7	0
Brain	0.0	0.0	348.7	0
Cranial Nerves Other Nervous System	0.0	0.0	348.7	0
Endocrine System	0.0	0.0	348.7	0
Thyroid	0.0	0.0	348.7	0
Other Endocrine including Thymus	0.0	0.0	348.7	0
Lymphoma	0.0	0.0	348.7	0
Hodgkin Lymphoma	0.0	0.0	348.7	0
Hodgkin - Nodal	0.0	0.0	348.7	0
Hodgkin - Extranodal	0.0	0.0	348.7	0
Non-Hodgkin Lymphoma	0.0	0.0	348.7	0
NHL - Nodal	0.0	0.0	348.7	0
NHL - Extranodal	0.0	0.0	348.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	348.7	0
Leukemia	0.0	0.0	348.7	0
Lymphocytic Leukemia	0.0	0.0	348.7	0
Acute Lymphocytic Leukemia	0.0	0.0	348.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	348.7	0
Other Lymphocytic Leukemia	0.0	0.0	348.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	348.7	0
Acute Myeloid Leukemia	0.0	0.0	348.7	0
Acute Monocytic Leukemia	0.0	0.0	348.7	0
Chronic Myeloid Leukemia	0.0	0.0	348.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	348.7	0
Other Leukemia	0.0	0.0	348.7	0
Other Acute Leukemia	0.0	0.0	348.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	348.7	0
Mesothelioma	0.0	0.0	348.7	0
Kaposi Sarcoma	0.0	0.0	348.7	0
Miscellaneous	0.0	0.0	348.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	434.8	370.3	506.8	196
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.7	0
Tongue	0.0	0.0	9.7	0
Salivary Gland	0.0	0.0	9.7	0
Floor of Mouth	0.0	0.0	9.7	0
Gum and Other Mouth	0.0	0.0	9.7	0
Nasopharynx	0.0	0.0	9.7	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	9.7	0
Hypopharynx	0.0	0.0	9.7	0
Other Oral Cavity and Pharynx	0.0	0.0	9.7	0
Digestive System	88.1	59.9	124.3	37
Esophagus	^	^	^	^
Stomach	0.0	0.0	9.7	0
Small Intestine	0.0	0.0	9.7	0
Colon and Rectum	52.5	32.0	81.0	22
Colon excluding Rectum	35.2	19.1	59.3	15
Cecum	^	^	^	^
Appendix	0.0	0.0	9.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	17.3	6.5	36.7	7
Rectosigmoid Junction	^	^	^	^
Rectum	13.5	4.6	30.6	6
Anus, Anal Canal and Anorectum	0.0	0.0	9.7	0
Liver and Intrahepatic Bile Duct	14.3	4.2	33.8	6
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	9.7	0
Other Digestive Organs	0.0	0.0	9.7	0
Respiratory System	66.1	41.9	98.6	28
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.7	0
Larynx	^	^	^	^
Lung and Bronchus	62.5	38.8	94.6	26
Pleura	0.0	0.0	9.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	9.7	0
Skin excluding Basal and Squamous	16.9	6.8	35.0	8
Melanoma of the Skin	16.9	6.8	35.0	8
Other Non-Epithelial Skin	0.0	0.0	9.7	0
Urinary System	36.9	19.8	62.2	16
Urinary Bladder	29.0	13.8	52.9	12
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	9.7	0
Eye and Orbit	0.0	0.0	9.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.7	0
Endocrine System	12.6	5.4	26.8	8
Thyroid	9.6	3.5	22.9	6
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	9.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	9.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	20.6	6.9	44.6	8
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	9.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	9.7	0
Kaposi Sarcoma	0.0	0.0	9.7	0
Miscellaneous	15.8	6.3	33.0	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	377.7	225.2	585.8	20
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	56.6	0
Tongue	0.0	0.0	56.6	0
Salivary Gland	0.0	0.0	56.6	0
Floor of Mouth	0.0	0.0	56.6	0
Gum and Other Mouth	0.0	0.0	56.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	56.6	0
Oropharynx	0.0	0.0	56.6	0
Hypopharynx	0.0	0.0	56.6	0
Other Oral Cavity and Pharynx	0.0	0.0	56.6	0
Digestive System	175.9	78.2	330.3	9
Esophagus	0.0	0.0	56.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	56.6	0
Colon and Rectum	136.3	52.7	277.0	7
Colon excluding Rectum	136.3	52.7	277.0	7
Cecum	0.0	0.0	56.6	0
Appendix	^	^	^	^
Ascending Colon	0.0	0.0	56.6	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	56.6	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	56.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	56.6	0
Rectosigmoid Junction	0.0	0.0	56.6	0
Rectum	0.0	0.0	56.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	56.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	56.6	0
Liver	0.0	0.0	56.6	0
Intrahepatic Bile Duct	0.0	0.0	56.6	0
Gallbladder	0.0	0.0	56.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	56.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	56.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	56.6	0
Other Digestive Organs	0.0	0.0	56.6	0
Respiratory System	151.6	58.8	305.1	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	56.6	0
Larynx	0.0	0.0	56.6	0
Lung and Bronchus	151.6	58.8	305.1	7
Pleura	0.0	0.0	56.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	56.6	0
Bones and Joints	0.0	0.0	56.6	0
Soft Tissue including Heart	0.0	0.0	56.6	0
Skin excluding Basal and Squamous	0.0	0.0	56.6	0
Melanoma of the Skin	0.0	0.0	56.6	0
Other Non-Epithelial Skin	0.0	0.0	56.6	0
Urinary System	0.0	0.0	56.6	0
Urinary Bladder	0.0	0.0	56.6	0
Kidney and Renal Pelvis	0.0	0.0	56.6	0
Ureter	0.0	0.0	56.6	0
Other Urinary Organs	0.0	0.0	56.6	0
Eye and Orbit	0.0	0.0	56.6	0
Brain and Other Nervous System	0.0	0.0	56.6	0
Brain	0.0	0.0	56.6	0
Cranial Nerves Other Nervous System	0.0	0.0	56.6	0
Endocrine System	0.0	0.0	56.6	0
Thyroid	0.0	0.0	56.6	0
Other Endocrine including Thymus	0.0	0.0	56.6	0
Lymphoma	0.0	0.0	56.6	0
Hodgkin Lymphoma	0.0	0.0	56.6	0
Hodgkin - Nodal	0.0	0.0	56.6	0
Hodgkin - Extranodal	0.0	0.0	56.6	0
Non-Hodgkin Lymphoma	0.0	0.0	56.6	0
NHL - Nodal	0.0	0.0	56.6	0
NHL - Extranodal	0.0	0.0	56.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	56.6	0
Leukemia	0.0	0.0	56.6	0
Lymphocytic Leukemia	0.0	0.0	56.6	0
Acute Lymphocytic Leukemia	0.0	0.0	56.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	56.6	0
Other Lymphocytic Leukemia	0.0	0.0	56.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	56.6	0
Acute Myeloid Leukemia	0.0	0.0	56.6	0
Acute Monocytic Leukemia	0.0	0.0	56.6	0
Chronic Myeloid Leukemia	0.0	0.0	56.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	56.6	0
Other Leukemia	0.0	0.0	56.6	0
Other Acute Leukemia	0.0	0.0	56.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	56.6	0
Mesothelioma	0.0	0.0	56.6	0
Kaposi Sarcoma	0.0	0.0	56.6	0
Miscellaneous	0.0	0.0	56.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	545.7	306.9	878.8	19
Oral Cavity and Pharynx	0.0	0.0	96.2	0
Lip	0.0	0.0	96.2	0
Tongue	0.0	0.0	96.2	0
Salivary Gland	0.0	0.0	96.2	0
Floor of Mouth	0.0	0.0	96.2	0
Gum and Other Mouth	0.0	0.0	96.2	0
Nasopharynx	0.0	0.0	96.2	0
Tonsil	0.0	0.0	96.2	0
Oropharynx	0.0	0.0	96.2	0
Hypopharynx	0.0	0.0	96.2	0
Other Oral Cavity and Pharynx	0.0	0.0	96.2	0
Digestive System	192.7	61.0	428.3	6
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	96.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	96.2	0
Appendix	0.0	0.0	96.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	96.2	0
Splenic Flexure	0.0	0.0	96.2	0
Descending Colon	0.0	0.0	96.2	0
Sigmoid Colon	0.0	0.0	96.2	0
Large Intestine, NOS	0.0	0.0	96.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	96.2	0
Rectosigmoid Junction	0.0	0.0	96.2	0
Rectum	0.0	0.0	96.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	96.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	96.2	0
Liver	0.0	0.0	96.2	0
Intrahepatic Bile Duct	0.0	0.0	96.2	0
Gallbladder	0.0	0.0	96.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	96.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	96.2	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	96.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.2	0
Larynx	0.0	0.0	96.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	96.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.2	0
Bones and Joints	0.0	0.0	96.2	0
Soft Tissue including Heart	0.0	0.0	96.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	96.2	0
Urinary System	0.0	0.0	96.2	0
Urinary Bladder	0.0	0.0	96.2	0
Kidney and Renal Pelvis	0.0	0.0	96.2	0
Ureter	0.0	0.0	96.2	0
Other Urinary Organs	0.0	0.0	96.2	0
Eye and Orbit	0.0	0.0	96.2	0
Brain and Other Nervous System	0.0	0.0	96.2	0
Brain	0.0	0.0	96.2	0
Cranial Nerves Other Nervous System	0.0	0.0	96.2	0
Endocrine System	0.0	0.0	96.2	0
Thyroid	0.0	0.0	96.2	0
Other Endocrine including Thymus	0.0	0.0	96.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	96.2	0
Non-Hodgkin Lymphoma	0.0	0.0	96.2	0
NHL - Nodal	0.0	0.0	96.2	0
NHL - Extranodal	0.0	0.0	96.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	96.2	0
Leukemia	0.0	0.0	96.2	0
Lymphocytic Leukemia	0.0	0.0	96.2	0
Acute Lymphocytic Leukemia	0.0	0.0	96.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	96.2	0
Other Lymphocytic Leukemia	0.0	0.0	96.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.2	0
Acute Myeloid Leukemia	0.0	0.0	96.2	0
Acute Monocytic Leukemia	0.0	0.0	96.2	0
Chronic Myeloid Leukemia	0.0	0.0	96.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.2	0
Other Leukemia	0.0	0.0	96.2	0
Other Acute Leukemia	0.0	0.0	96.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.2	0
Mesothelioma	0.0	0.0	96.2	0
Kaposi Sarcoma	0.0	0.0	96.2	0
Miscellaneous	0.0	0.0	96.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	386.1	214.3	636.7	16
Oral Cavity and Pharynx	0.0	0.0	96.4	0
Lip	0.0	0.0	96.4	0
Tongue	0.0	0.0	96.4	0
Salivary Gland	0.0	0.0	96.4	0
Floor of Mouth	0.0	0.0	96.4	0
Gum and Other Mouth	0.0	0.0	96.4	0
Nasopharynx	0.0	0.0	96.4	0
Tonsil	0.0	0.0	96.4	0
Oropharynx	0.0	0.0	96.4	0
Hypopharynx	0.0	0.0	96.4	0
Other Oral Cavity and Pharynx	0.0	0.0	96.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	96.4	0
Stomach	0.0	0.0	96.4	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	96.4	0
Cecum	0.0	0.0	96.4	0
Appendix	0.0	0.0	96.4	0
Ascending Colon	0.0	0.0	96.4	0
Hepatic Flexure	0.0	0.0	96.4	0
Transverse Colon	0.0	0.0	96.4	0
Splenic Flexure	0.0	0.0	96.4	0
Descending Colon	0.0	0.0	96.4	0
Sigmoid Colon	0.0	0.0	96.4	0
Large Intestine, NOS	0.0	0.0	96.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	96.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	96.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	96.4	0
Liver	0.0	0.0	96.4	0
Intrahepatic Bile Duct	0.0	0.0	96.4	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	96.4	0
Pancreas	0.0	0.0	96.4	0
Retroperitoneum	0.0	0.0	96.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.4	0
Other Digestive Organs	0.0	0.0	96.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.4	0
Larynx	0.0	0.0	96.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	96.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.4	0
Bones and Joints	0.0	0.0	96.4	0
Soft Tissue including Heart	0.0	0.0	96.4	0
Skin excluding Basal and Squamous	0.0	0.0	96.4	0
Melanoma of the Skin	0.0	0.0	96.4	0
Other Non-Epithelial Skin	0.0	0.0	96.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	96.4	0
Other Urinary Organs	0.0	0.0	96.4	0
Eye and Orbit	0.0	0.0	96.4	0
Brain and Other Nervous System	0.0	0.0	96.4	0
Brain	0.0	0.0	96.4	0
Cranial Nerves Other Nervous System	0.0	0.0	96.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	96.4	0
Lymphoma	0.0	0.0	96.4	0
Hodgkin Lymphoma	0.0	0.0	96.4	0
Hodgkin - Nodal	0.0	0.0	96.4	0
Hodgkin - Extranodal	0.0	0.0	96.4	0
Non-Hodgkin Lymphoma	0.0	0.0	96.4	0
NHL - Nodal	0.0	0.0	96.4	0
NHL - Extranodal	0.0	0.0	96.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	96.4	0
Leukemia	0.0	0.0	96.4	0
Lymphocytic Leukemia	0.0	0.0	96.4	0
Acute Lymphocytic Leukemia	0.0	0.0	96.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	96.4	0
Other Lymphocytic Leukemia	0.0	0.0	96.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.4	0
Acute Myeloid Leukemia	0.0	0.0	96.4	0
Acute Monocytic Leukemia	0.0	0.0	96.4	0
Chronic Myeloid Leukemia	0.0	0.0	96.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.4	0
Other Leukemia	0.0	0.0	96.4	0
Other Acute Leukemia	0.0	0.0	96.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.4	0
Mesothelioma	0.0	0.0	96.4	0
Kaposi Sarcoma	0.0	0.0	96.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	437.6	221.0	758.3	17
Oral Cavity and Pharynx	0.0	0.0	108.3	0
Lip	0.0	0.0	108.3	0
Tongue	0.0	0.0	108.3	0
Salivary Gland	0.0	0.0	108.3	0
Floor of Mouth	0.0	0.0	108.3	0
Gum and Other Mouth	0.0	0.0	108.3	0
Nasopharynx	0.0	0.0	108.3	0
Tonsil	0.0	0.0	108.3	0
Oropharynx	0.0	0.0	108.3	0
Hypopharynx	0.0	0.0	108.3	0
Other Oral Cavity and Pharynx	0.0	0.0	108.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	108.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	108.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	108.3	0
Ascending Colon	0.0	0.0	108.3	0
Hepatic Flexure	0.0	0.0	108.3	0
Transverse Colon	0.0	0.0	108.3	0
Splenic Flexure	0.0	0.0	108.3	0
Descending Colon	0.0	0.0	108.3	0
Sigmoid Colon	0.0	0.0	108.3	0
Large Intestine, NOS	0.0	0.0	108.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	108.3	0
Rectosigmoid Junction	0.0	0.0	108.3	0
Rectum	0.0	0.0	108.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	108.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	108.3	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	108.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	108.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	108.3	0
Other Digestive Organs	0.0	0.0	108.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	108.3	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	108.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	108.3	0
Bones and Joints	0.0	0.0	108.3	0
Soft Tissue including Heart	0.0	0.0	108.3	0
Skin excluding Basal and Squamous	0.0	0.0	108.3	0
Melanoma of the Skin	0.0	0.0	108.3	0
Other Non-Epithelial Skin	0.0	0.0	108.3	0
Urinary System	0.0	0.0	108.3	0
Urinary Bladder	0.0	0.0	108.3	0
Kidney and Renal Pelvis	0.0	0.0	108.3	0
Ureter	0.0	0.0	108.3	0
Other Urinary Organs	0.0	0.0	108.3	0
Eye and Orbit	0.0	0.0	108.3	0
Brain and Other Nervous System	0.0	0.0	108.3	0
Brain	0.0	0.0	108.3	0
Cranial Nerves Other Nervous System	0.0	0.0	108.3	0
Endocrine System	0.0	0.0	108.3	0
Thyroid	0.0	0.0	108.3	0
Other Endocrine including Thymus	0.0	0.0	108.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	108.3	0
Hodgkin - Nodal	0.0	0.0	108.3	0
Hodgkin - Extranodal	0.0	0.0	108.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	108.3	0
Leukemia	0.0	0.0	108.3	0
Lymphocytic Leukemia	0.0	0.0	108.3	0
Acute Lymphocytic Leukemia	0.0	0.0	108.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	108.3	0
Other Lymphocytic Leukemia	0.0	0.0	108.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	108.3	0
Acute Myeloid Leukemia	0.0	0.0	108.3	0
Acute Monocytic Leukemia	0.0	0.0	108.3	0
Chronic Myeloid Leukemia	0.0	0.0	108.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	108.3	0
Other Leukemia	0.0	0.0	108.3	0
Other Acute Leukemia	0.0	0.0	108.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	108.3	0
Mesothelioma	0.0	0.0	108.3	0
Kaposi Sarcoma	0.0	0.0	108.3	0
Miscellaneous	0.0	0.0	108.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	355.5	222.8	534.3	25
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	50.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	50.3	0
Floor of Mouth	0.0	0.0	50.3	0
Gum and Other Mouth	0.0	0.0	50.3	0
Nasopharynx	0.0	0.0	50.3	0
Tonsil	0.0	0.0	50.3	0
Oropharynx	0.0	0.0	50.3	0
Hypopharynx	0.0	0.0	50.3	0
Other Oral Cavity and Pharynx	0.0	0.0	50.3	0
Digestive System	95.3	32.5	208.5	6
Esophagus	0.0	0.0	50.3	0
Stomach	0.0	0.0	50.3	0
Small Intestine	0.0	0.0	50.3	0
Colon and Rectum	95.3	32.5	208.5	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	50.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	50.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	50.3	0
Descending Colon	0.0	0.0	50.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	50.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	50.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	50.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	50.3	0
Liver	0.0	0.0	50.3	0
Intrahepatic Bile Duct	0.0	0.0	50.3	0
Gallbladder	0.0	0.0	50.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	50.3	0
Pancreas	0.0	0.0	50.3	0
Retroperitoneum	0.0	0.0	50.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	50.3	0
Other Digestive Organs	0.0	0.0	50.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	50.3	0
Larynx	0.0	0.0	50.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	50.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	50.3	0
Bones and Joints	0.0	0.0	50.3	0
Soft Tissue including Heart	0.0	0.0	50.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	50.3	0
Urinary System	0.0	0.0	50.3	0
Urinary Bladder	0.0	0.0	50.3	0
Kidney and Renal Pelvis	0.0	0.0	50.3	0
Ureter	0.0	0.0	50.3	0
Other Urinary Organs	0.0	0.0	50.3	0
Eye and Orbit	0.0	0.0	50.3	0
Brain and Other Nervous System	0.0	0.0	50.3	0
Brain	0.0	0.0	50.3	0
Cranial Nerves Other Nervous System	0.0	0.0	50.3	0
Endocrine System	0.0	0.0	50.3	0
Thyroid	0.0	0.0	50.3	0
Other Endocrine including Thymus	0.0	0.0	50.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	50.3	0
Non-Hodgkin Lymphoma	0.0	0.0	50.3	0
NHL - Nodal	0.0	0.0	50.3	0
NHL - Extranodal	0.0	0.0	50.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	50.3	0
Leukemia	0.0	0.0	50.3	0
Lymphocytic Leukemia	0.0	0.0	50.3	0
Acute Lymphocytic Leukemia	0.0	0.0	50.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	50.3	0
Other Lymphocytic Leukemia	0.0	0.0	50.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	50.3	0
Acute Myeloid Leukemia	0.0	0.0	50.3	0
Acute Monocytic Leukemia	0.0	0.0	50.3	0
Chronic Myeloid Leukemia	0.0	0.0	50.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	50.3	0
Other Leukemia	0.0	0.0	50.3	0
Other Acute Leukemia	0.0	0.0	50.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	50.3	0
Mesothelioma	0.0	0.0	50.3	0
Kaposi Sarcoma	0.0	0.0	50.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	339.2	151.4	653.1	10
Oral Cavity and Pharynx	0.0	0.0	148.5	0
Lip	0.0	0.0	148.5	0
Tongue	0.0	0.0	148.5	0
Salivary Gland	0.0	0.0	148.5	0
Floor of Mouth	0.0	0.0	148.5	0
Gum and Other Mouth	0.0	0.0	148.5	0
Nasopharynx	0.0	0.0	148.5	0
Tonsil	0.0	0.0	148.5	0
Oropharynx	0.0	0.0	148.5	0
Hypopharynx	0.0	0.0	148.5	0
Other Oral Cavity and Pharynx	0.0	0.0	148.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	148.5	0
Stomach	0.0	0.0	148.5	0
Small Intestine	0.0	0.0	148.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	148.5	0
Cecum	0.0	0.0	148.5	0
Appendix	0.0	0.0	148.5	0
Ascending Colon	0.0	0.0	148.5	0
Hepatic Flexure	0.0	0.0	148.5	0
Transverse Colon	0.0	0.0	148.5	0
Splenic Flexure	0.0	0.0	148.5	0
Descending Colon	0.0	0.0	148.5	0
Sigmoid Colon	0.0	0.0	148.5	0
Large Intestine, NOS	0.0	0.0	148.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	148.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	148.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	148.5	0
Liver	0.0	0.0	148.5	0
Intrahepatic Bile Duct	0.0	0.0	148.5	0
Gallbladder	0.0	0.0	148.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	148.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	148.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	148.5	0
Other Digestive Organs	0.0	0.0	148.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	148.5	0
Larynx	0.0	0.0	148.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	148.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	148.5	0
Bones and Joints	0.0	0.0	148.5	0
Soft Tissue including Heart	0.0	0.0	148.5	0
Skin excluding Basal and Squamous	0.0	0.0	148.5	0
Melanoma of the Skin	0.0	0.0	148.5	0
Other Non-Epithelial Skin	0.0	0.0	148.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	148.5	0
Ureter	0.0	0.0	148.5	0
Other Urinary Organs	0.0	0.0	148.5	0
Eye and Orbit	0.0	0.0	148.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	148.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	148.5	0
Lymphoma	0.0	0.0	148.5	0
Hodgkin Lymphoma	0.0	0.0	148.5	0
Hodgkin - Nodal	0.0	0.0	148.5	0
Hodgkin - Extranodal	0.0	0.0	148.5	0
Non-Hodgkin Lymphoma	0.0	0.0	148.5	0
NHL - Nodal	0.0	0.0	148.5	0
NHL - Extranodal	0.0	0.0	148.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	148.5	0
Lymphocytic Leukemia	0.0	0.0	148.5	0
Acute Lymphocytic Leukemia	0.0	0.0	148.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	148.5	0
Other Lymphocytic Leukemia	0.0	0.0	148.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	148.5	0
Acute Myeloid Leukemia	0.0	0.0	148.5	0
Acute Monocytic Leukemia	0.0	0.0	148.5	0
Chronic Myeloid Leukemia	0.0	0.0	148.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	148.5	0
Other Leukemia	0.0	0.0	148.5	0
Other Acute Leukemia	0.0	0.0	148.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	148.5	0
Mesothelioma	0.0	0.0	148.5	0
Kaposi Sarcoma	0.0	0.0	148.5	0
Miscellaneous	0.0	0.0	148.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	533.4	306.2	852.1	20
Oral Cavity and Pharynx	0.0	0.0	100.6	0
Lip	0.0	0.0	100.6	0
Tongue	0.0	0.0	100.6	0
Salivary Gland	0.0	0.0	100.6	0
Floor of Mouth	0.0	0.0	100.6	0
Gum and Other Mouth	0.0	0.0	100.6	0
Nasopharynx	0.0	0.0	100.6	0
Tonsil	0.0	0.0	100.6	0
Oropharynx	0.0	0.0	100.6	0
Hypopharynx	0.0	0.0	100.6	0
Other Oral Cavity and Pharynx	0.0	0.0	100.6	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	100.6	0
Small Intestine	0.0	0.0	100.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	100.6	0
Cecum	0.0	0.0	100.6	0
Appendix	0.0	0.0	100.6	0
Ascending Colon	0.0	0.0	100.6	0
Hepatic Flexure	0.0	0.0	100.6	0
Transverse Colon	0.0	0.0	100.6	0
Splenic Flexure	0.0	0.0	100.6	0
Descending Colon	0.0	0.0	100.6	0
Sigmoid Colon	0.0	0.0	100.6	0
Large Intestine, NOS	0.0	0.0	100.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	100.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	100.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	100.6	0
Liver	0.0	0.0	100.6	0
Intrahepatic Bile Duct	0.0	0.0	100.6	0
Gallbladder	0.0	0.0	100.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	100.6	0
Pancreas	0.0	0.0	100.6	0
Retroperitoneum	0.0	0.0	100.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	100.6	0
Other Digestive Organs	0.0	0.0	100.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	100.6	0
Larynx	0.0	0.0	100.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	100.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	100.6	0
Bones and Joints	0.0	0.0	100.6	0
Soft Tissue including Heart	0.0	0.0	100.6	0
Skin excluding Basal and Squamous	0.0	0.0	100.6	0
Melanoma of the Skin	0.0	0.0	100.6	0
Other Non-Epithelial Skin	0.0	0.0	100.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	100.6	0
Other Urinary Organs	0.0	0.0	100.6	0
Eye and Orbit	0.0	0.0	100.6	0
Brain and Other Nervous System	0.0	0.0	100.6	0
Brain	0.0	0.0	100.6	0
Cranial Nerves Other Nervous System	0.0	0.0	100.6	0
Endocrine System	0.0	0.0	100.6	0
Thyroid	0.0	0.0	100.6	0
Other Endocrine including Thymus	0.0	0.0	100.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	100.6	0
Hodgkin - Nodal	0.0	0.0	100.6	0
Hodgkin - Extranodal	0.0	0.0	100.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	100.6	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	100.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	100.6	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	100.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	100.6	0
Acute Myeloid Leukemia	0.0	0.0	100.6	0
Acute Monocytic Leukemia	0.0	0.0	100.6	0
Chronic Myeloid Leukemia	0.0	0.0	100.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	100.6	0
Other Leukemia	0.0	0.0	100.6	0
Other Acute Leukemia	0.0	0.0	100.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	100.6	0
Mesothelioma	0.0	0.0	100.6	0
Kaposi Sarcoma	0.0	0.0	100.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	465.1	311.0	665.9	36
Oral Cavity and Pharynx	0.0	0.0	55.8	0
Lip	0.0	0.0	55.8	0
Tongue	0.0	0.0	55.8	0
Salivary Gland	0.0	0.0	55.8	0
Floor of Mouth	0.0	0.0	55.8	0
Gum and Other Mouth	0.0	0.0	55.8	0
Nasopharynx	0.0	0.0	55.8	0
Tonsil	0.0	0.0	55.8	0
Oropharynx	0.0	0.0	55.8	0
Hypopharynx	0.0	0.0	55.8	0
Other Oral Cavity and Pharynx	0.0	0.0	55.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	55.8	0
Small Intestine	0.0	0.0	55.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	55.8	0
Appendix	0.0	0.0	55.8	0
Ascending Colon	0.0	0.0	55.8	0
Hepatic Flexure	0.0	0.0	55.8	0
Transverse Colon	0.0	0.0	55.8	0
Splenic Flexure	0.0	0.0	55.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	55.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	55.8	0
Rectosigmoid Junction	0.0	0.0	55.8	0
Rectum	0.0	0.0	55.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	55.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.8	0
Liver	0.0	0.0	55.8	0
Intrahepatic Bile Duct	0.0	0.0	55.8	0
Gallbladder	0.0	0.0	55.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	55.8	0
Pancreas	0.0	0.0	55.8	0
Retroperitoneum	0.0	0.0	55.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.8	0
Other Digestive Organs	0.0	0.0	55.8	0
Respiratory System	145.0	59.2	286.3	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.8	0
Larynx	0.0	0.0	55.8	0
Lung and Bronchus	145.0	59.2	286.3	9
Pleura	0.0	0.0	55.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.8	0
Bones and Joints	0.0	0.0	55.8	0
Soft Tissue including Heart	0.0	0.0	55.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	55.8	0
Ureter	0.0	0.0	55.8	0
Other Urinary Organs	0.0	0.0	55.8	0
Eye and Orbit	0.0	0.0	55.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	55.8	0
Endocrine System	0.0	0.0	55.8	0
Thyroid	0.0	0.0	55.8	0
Other Endocrine including Thymus	0.0	0.0	55.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.8	0
Hodgkin - Nodal	0.0	0.0	55.8	0
Hodgkin - Extranodal	0.0	0.0	55.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	55.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	55.8	0
Leukemia	0.0	0.0	55.8	0
Lymphocytic Leukemia	0.0	0.0	55.8	0
Acute Lymphocytic Leukemia	0.0	0.0	55.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.8	0
Other Lymphocytic Leukemia	0.0	0.0	55.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	55.8	0
Acute Myeloid Leukemia	0.0	0.0	55.8	0
Acute Monocytic Leukemia	0.0	0.0	55.8	0
Chronic Myeloid Leukemia	0.0	0.0	55.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.8	0
Other Leukemia	0.0	0.0	55.8	0
Other Acute Leukemia	0.0	0.0	55.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	55.8	0
Mesothelioma	0.0	0.0	55.8	0
Kaposi Sarcoma	0.0	0.0	55.8	0
Miscellaneous	0.0	0.0	55.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	383.3	183.6	683.9	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	99.2	0
Tongue	0.0	0.0	99.2	0
Salivary Gland	0.0	0.0	99.2	0
Floor of Mouth	0.0	0.0	99.2	0
Gum and Other Mouth	0.0	0.0	99.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	99.2	0
Oropharynx	0.0	0.0	99.2	0
Hypopharynx	0.0	0.0	99.2	0
Other Oral Cavity and Pharynx	0.0	0.0	99.2	0
Digestive System	206.9	69.9	447.4	6
Esophagus	0.0	0.0	99.2	0
Stomach	0.0	0.0	99.2	0
Small Intestine	0.0	0.0	99.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	99.2	0
Appendix	0.0	0.0	99.2	0
Ascending Colon	0.0	0.0	99.2	0
Hepatic Flexure	0.0	0.0	99.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	99.2	0
Descending Colon	0.0	0.0	99.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	99.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	99.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	99.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	99.2	0
Liver	0.0	0.0	99.2	0
Intrahepatic Bile Duct	0.0	0.0	99.2	0
Gallbladder	0.0	0.0	99.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	99.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	99.2	0
Other Digestive Organs	0.0	0.0	99.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	99.2	0
Larynx	0.0	0.0	99.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	99.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	99.2	0
Bones and Joints	0.0	0.0	99.2	0
Soft Tissue including Heart	0.0	0.0	99.2	0
Skin excluding Basal and Squamous	0.0	0.0	99.2	0
Melanoma of the Skin	0.0	0.0	99.2	0
Other Non-Epithelial Skin	0.0	0.0	99.2	0
Urinary System	0.0	0.0	99.2	0
Urinary Bladder	0.0	0.0	99.2	0
Kidney and Renal Pelvis	0.0	0.0	99.2	0
Ureter	0.0	0.0	99.2	0
Other Urinary Organs	0.0	0.0	99.2	0
Eye and Orbit	0.0	0.0	99.2	0
Brain and Other Nervous System	0.0	0.0	99.2	0
Brain	0.0	0.0	99.2	0
Cranial Nerves Other Nervous System	0.0	0.0	99.2	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	99.2	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	0.0	0.0	99.2	0
Hodgkin Lymphoma	0.0	0.0	99.2	0
Hodgkin - Nodal	0.0	0.0	99.2	0
Hodgkin - Extranodal	0.0	0.0	99.2	0
Non-Hodgkin Lymphoma	0.0	0.0	99.2	0
NHL - Nodal	0.0	0.0	99.2	0
NHL - Extranodal	0.0	0.0	99.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	99.2	0
Leukemia	0.0	0.0	99.2	0
Lymphocytic Leukemia	0.0	0.0	99.2	0
Acute Lymphocytic Leukemia	0.0	0.0	99.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	99.2	0
Other Lymphocytic Leukemia	0.0	0.0	99.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	99.2	0
Acute Myeloid Leukemia	0.0	0.0	99.2	0
Acute Monocytic Leukemia	0.0	0.0	99.2	0
Chronic Myeloid Leukemia	0.0	0.0	99.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	99.2	0
Other Leukemia	0.0	0.0	99.2	0
Other Acute Leukemia	0.0	0.0	99.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	99.2	0
Mesothelioma	0.0	0.0	99.2	0
Kaposi Sarcoma	0.0	0.0	99.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	566.7	393.6	790.2	36
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	61.9	0
Salivary Gland	0.0	0.0	61.9	0
Floor of Mouth	0.0	0.0	61.9	0
Gum and Other Mouth	0.0	0.0	61.9	0
Nasopharynx	0.0	0.0	61.9	0
Tonsil	0.0	0.0	61.9	0
Oropharynx	0.0	0.0	61.9	0
Hypopharynx	0.0	0.0	61.9	0
Other Oral Cavity and Pharynx	0.0	0.0	61.9	0
Digestive System	136.0	60.9	263.2	9
Esophagus	^	^	^	^
Stomach	0.0	0.0	61.9	0
Small Intestine	0.0	0.0	61.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	61.9	0
Appendix	0.0	0.0	61.9	0
Ascending Colon	0.0	0.0	61.9	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	61.9	0
Splenic Flexure	0.0	0.0	61.9	0
Descending Colon	0.0	0.0	61.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	61.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	61.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	61.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	61.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	61.9	0
Pancreas	0.0	0.0	61.9	0
Retroperitoneum	0.0	0.0	61.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	61.9	0
Other Digestive Organs	0.0	0.0	61.9	0
Respiratory System	97.5	35.1	214.5	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	61.9	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	61.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	61.9	0
Bones and Joints	0.0	0.0	61.9	0
Soft Tissue including Heart	0.0	0.0	61.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	61.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	61.9	0
Other Urinary Organs	0.0	0.0	61.9	0
Eye and Orbit	0.0	0.0	61.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	61.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	61.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	61.9	0
Hodgkin - Nodal	0.0	0.0	61.9	0
Hodgkin - Extranodal	0.0	0.0	61.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	61.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	61.9	0
Leukemia	0.0	0.0	61.9	0
Lymphocytic Leukemia	0.0	0.0	61.9	0
Acute Lymphocytic Leukemia	0.0	0.0	61.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	61.9	0
Other Lymphocytic Leukemia	0.0	0.0	61.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	61.9	0
Acute Myeloid Leukemia	0.0	0.0	61.9	0
Acute Monocytic Leukemia	0.0	0.0	61.9	0
Chronic Myeloid Leukemia	0.0	0.0	61.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	61.9	0
Other Leukemia	0.0	0.0	61.9	0
Other Acute Leukemia	0.0	0.0	61.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	61.9	0
Mesothelioma	0.0	0.0	61.9	0
Kaposi Sarcoma	0.0	0.0	61.9	0
Miscellaneous	0.0	0.0	61.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	983.2	0
Lip	0.0	0.0	983.2	0
Tongue	0.0	0.0	983.2	0
Salivary Gland	0.0	0.0	983.2	0
Floor of Mouth	0.0	0.0	983.2	0
Gum and Other Mouth	0.0	0.0	983.2	0
Nasopharynx	0.0	0.0	983.2	0
Tonsil	0.0	0.0	983.2	0
Oropharynx	0.0	0.0	983.2	0
Hypopharynx	0.0	0.0	983.2	0
Other Oral Cavity and Pharynx	0.0	0.0	983.2	0
Digestive System	0.0	0.0	983.2	0
Esophagus	0.0	0.0	983.2	0
Stomach	0.0	0.0	983.2	0
Small Intestine	0.0	0.0	983.2	0
Colon and Rectum	0.0	0.0	983.2	0
Colon excluding Rectum	0.0	0.0	983.2	0
Cecum	0.0	0.0	983.2	0
Appendix	0.0	0.0	983.2	0
Ascending Colon	0.0	0.0	983.2	0
Hepatic Flexure	0.0	0.0	983.2	0
Transverse Colon	0.0	0.0	983.2	0
Splenic Flexure	0.0	0.0	983.2	0
Descending Colon	0.0	0.0	983.2	0
Sigmoid Colon	0.0	0.0	983.2	0
Large Intestine, NOS	0.0	0.0	983.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	983.2	0
Rectosigmoid Junction	0.0	0.0	983.2	0
Rectum	0.0	0.0	983.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	983.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	983.2	0
Liver	0.0	0.0	983.2	0
Intrahepatic Bile Duct	0.0	0.0	983.2	0
Gallbladder	0.0	0.0	983.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	983.2	0
Pancreas	0.0	0.0	983.2	0
Retroperitoneum	0.0	0.0	983.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	983.2	0
Other Digestive Organs	0.0	0.0	983.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	983.2	0
Larynx	0.0	0.0	983.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	983.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	983.2	0
Bones and Joints	0.0	0.0	983.2	0
Soft Tissue including Heart	0.0	0.0	983.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	983.2	0
Urinary System	0.0	0.0	983.2	0
Urinary Bladder	0.0	0.0	983.2	0
Kidney and Renal Pelvis	0.0	0.0	983.2	0
Ureter	0.0	0.0	983.2	0
Other Urinary Organs	0.0	0.0	983.2	0
Eye and Orbit	0.0	0.0	983.2	0
Brain and Other Nervous System	0.0	0.0	983.2	0
Brain	0.0	0.0	983.2	0
Cranial Nerves Other Nervous System	0.0	0.0	983.2	0
Endocrine System	0.0	0.0	983.2	0
Thyroid	0.0	0.0	983.2	0
Other Endocrine including Thymus	0.0	0.0	983.2	0
Lymphoma	0.0	0.0	983.2	0
Hodgkin Lymphoma	0.0	0.0	983.2	0
Hodgkin - Nodal	0.0	0.0	983.2	0
Hodgkin - Extranodal	0.0	0.0	983.2	0
Non-Hodgkin Lymphoma	0.0	0.0	983.2	0
NHL - Nodal	0.0	0.0	983.2	0
NHL - Extranodal	0.0	0.0	983.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	983.2	0
Leukemia	0.0	0.0	983.2	0
Lymphocytic Leukemia	0.0	0.0	983.2	0
Acute Lymphocytic Leukemia	0.0	0.0	983.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	983.2	0
Other Lymphocytic Leukemia	0.0	0.0	983.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	983.2	0
Acute Myeloid Leukemia	0.0	0.0	983.2	0
Acute Monocytic Leukemia	0.0	0.0	983.2	0
Chronic Myeloid Leukemia	0.0	0.0	983.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	983.2	0
Other Leukemia	0.0	0.0	983.2	0
Other Acute Leukemia	0.0	0.0	983.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	983.2	0
Mesothelioma	0.0	0.0	983.2	0
Kaposi Sarcoma	0.0	0.0	983.2	0
Miscellaneous	0.0	0.0	983.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	444.7	261.2	699.5	20
Oral Cavity and Pharynx	0.0	0.0	76.5	0
Lip	0.0	0.0	76.5	0
Tongue	0.0	0.0	76.5	0
Salivary Gland	0.0	0.0	76.5	0
Floor of Mouth	0.0	0.0	76.5	0
Gum and Other Mouth	0.0	0.0	76.5	0
Nasopharynx	0.0	0.0	76.5	0
Tonsil	0.0	0.0	76.5	0
Oropharynx	0.0	0.0	76.5	0
Hypopharynx	0.0	0.0	76.5	0
Other Oral Cavity and Pharynx	0.0	0.0	76.5	0
Digestive System	119.1	40.0	268.3	6
Esophagus	0.0	0.0	76.5	0
Stomach	0.0	0.0	76.5	0
Small Intestine	0.0	0.0	76.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	76.5	0
Appendix	0.0	0.0	76.5	0
Ascending Colon	0.0	0.0	76.5	0
Hepatic Flexure	0.0	0.0	76.5	0
Transverse Colon	0.0	0.0	76.5	0
Splenic Flexure	0.0	0.0	76.5	0
Descending Colon	0.0	0.0	76.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	76.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	76.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	76.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	76.5	0
Gallbladder	0.0	0.0	76.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	76.5	0
Pancreas	0.0	0.0	76.5	0
Retroperitoneum	0.0	0.0	76.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	76.5	0
Other Digestive Organs	0.0	0.0	76.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	76.5	0
Larynx	0.0	0.0	76.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	76.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	76.5	0
Bones and Joints	0.0	0.0	76.5	0
Soft Tissue including Heart	0.0	0.0	76.5	0
Skin excluding Basal and Squamous	0.0	0.0	76.5	0
Melanoma of the Skin	0.0	0.0	76.5	0
Other Non-Epithelial Skin	0.0	0.0	76.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	76.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	76.5	0
Other Urinary Organs	0.0	0.0	76.5	0
Eye and Orbit	0.0	0.0	76.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	76.5	0
Endocrine System	0.0	0.0	76.5	0
Thyroid	0.0	0.0	76.5	0
Other Endocrine including Thymus	0.0	0.0	76.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	76.5	0
Non-Hodgkin Lymphoma	0.0	0.0	76.5	0
NHL - Nodal	0.0	0.0	76.5	0
NHL - Extranodal	0.0	0.0	76.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2001/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	76.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	76.5	0
Acute Lymphocytic Leukemia	0.0	0.0	76.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	76.5	0
Other Lymphocytic Leukemia	0.0	0.0	76.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	76.5	0
Chronic Myeloid Leukemia	0.0	0.0	76.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	76.5	0
Other Leukemia	0.0	0.0	76.5	0
Other Acute Leukemia	0.0	0.0	76.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	76.5	0
Mesothelioma	0.0	0.0	76.5	0
Kaposi Sarcoma	0.0	0.0	76.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	342.1	0
Tongue	0.0	0.0	342.1	0
Salivary Gland	0.0	0.0	342.1	0
Floor of Mouth	0.0	0.0	342.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	342.1	0
Tonsil	0.0	0.0	342.1	0
Oropharynx	0.0	0.0	342.1	0
Hypopharynx	0.0	0.0	342.1	0
Other Oral Cavity and Pharynx	0.0	0.0	342.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	342.1	0
Stomach	0.0	0.0	342.1	0
Small Intestine	0.0	0.0	342.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	342.1	0
Appendix	0.0	0.0	342.1	0
Ascending Colon	0.0	0.0	342.1	0
Hepatic Flexure	0.0	0.0	342.1	0
Transverse Colon	0.0	0.0	342.1	0
Splenic Flexure	0.0	0.0	342.1	0
Descending Colon	0.0	0.0	342.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	342.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	342.1	0
Rectosigmoid Junction	0.0	0.0	342.1	0
Rectum	0.0	0.0	342.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	342.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	342.1	0
Liver	0.0	0.0	342.1	0
Intrahepatic Bile Duct	0.0	0.0	342.1	0
Gallbladder	0.0	0.0	342.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	342.1	0
Pancreas	0.0	0.0	342.1	0
Retroperitoneum	0.0	0.0	342.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	342.1	0
Other Digestive Organs	0.0	0.0	342.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	342.1	0
Larynx	0.0	0.0	342.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	342.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	342.1	0
Bones and Joints	0.0	0.0	342.1	0
Soft Tissue including Heart	0.0	0.0	342.1	0
Skin excluding Basal and Squamous	0.0	0.0	342.1	0
Melanoma of the Skin	0.0	0.0	342.1	0
Other Non-Epithelial Skin	0.0	0.0	342.1	0
Urinary System	0.0	0.0	342.1	0
Urinary Bladder	0.0	0.0	342.1	0
Kidney and Renal Pelvis	0.0	0.0	342.1	0
Ureter	0.0	0.0	342.1	0
Other Urinary Organs	0.0	0.0	342.1	0
Eye and Orbit	0.0	0.0	342.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	342.1	0
Endocrine System	0.0	0.0	342.1	0
Thyroid	0.0	0.0	342.1	0
Other Endocrine including Thymus	0.0	0.0	342.1	0
Lymphoma	0.0	0.0	342.1	0
Hodgkin Lymphoma	0.0	0.0	342.1	0
Hodgkin - Nodal	0.0	0.0	342.1	0
Hodgkin - Extranodal	0.0	0.0	342.1	0
Non-Hodgkin Lymphoma	0.0	0.0	342.1	0
NHL - Nodal	0.0	0.0	342.1	0
NHL - Extranodal	0.0	0.0	342.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	342.1	0
Leukemia	0.0	0.0	342.1	0
Lymphocytic Leukemia	0.0	0.0	342.1	0
Acute Lymphocytic Leukemia	0.0	0.0	342.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	342.1	0
Other Lymphocytic Leukemia	0.0	0.0	342.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	342.1	0
Acute Myeloid Leukemia	0.0	0.0	342.1	0
Acute Monocytic Leukemia	0.0	0.0	342.1	0
Chronic Myeloid Leukemia	0.0	0.0	342.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	342.1	0
Other Leukemia	0.0	0.0	342.1	0
Other Acute Leukemia	0.0	0.0	342.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	342.1	0
Mesothelioma	0.0	0.0	342.1	0
Kaposi Sarcoma	0.0	0.0	342.1	0
Miscellaneous	0.0	0.0	342.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	565.2	210.8	1,172.8	15
Oral Cavity and Pharynx	0.0	0.0	283.9	0
Lip	0.0	0.0	283.9	0
Tongue	0.0	0.0	283.9	0
Salivary Gland	0.0	0.0	283.9	0
Floor of Mouth	0.0	0.0	283.9	0
Gum and Other Mouth	0.0	0.0	283.9	0
Nasopharynx	0.0	0.0	283.9	0
Tonsil	0.0	0.0	283.9	0
Oropharynx	0.0	0.0	283.9	0
Hypopharynx	0.0	0.0	283.9	0
Other Oral Cavity and Pharynx	0.0	0.0	283.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	283.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	283.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	283.9	0
Appendix	0.0	0.0	283.9	0
Ascending Colon	0.0	0.0	283.9	0
Hepatic Flexure	0.0	0.0	283.9	0
Transverse Colon	0.0	0.0	283.9	0
Splenic Flexure	0.0	0.0	283.9	0
Descending Colon	0.0	0.0	283.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	283.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	283.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	283.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	283.9	0
Gallbladder	0.0	0.0	283.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	283.9	0
Pancreas	0.0	0.0	283.9	0
Retroperitoneum	0.0	0.0	283.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	283.9	0
Other Digestive Organs	0.0	0.0	283.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	283.9	0
Larynx	^	^	^	^
Lung and Bronchus	0.0	0.0	283.9	0
Pleura	0.0	0.0	283.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	283.9	0
Bones and Joints	0.0	0.0	283.9	0
Soft Tissue including Heart	0.0	0.0	283.9	0
Skin excluding Basal and Squamous	0.0	0.0	283.9	0
Melanoma of the Skin	0.0	0.0	283.9	0
Other Non-Epithelial Skin	0.0	0.0	283.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	283.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	283.9	0
Other Urinary Organs	0.0	0.0	283.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	0.0	0.0	283.9	0
Brain	0.0	0.0	283.9	0
Cranial Nerves Other Nervous System	0.0	0.0	283.9	0
Endocrine System	0.0	0.0	283.9	0
Thyroid	0.0	0.0	283.9	0
Other Endocrine including Thymus	0.0	0.0	283.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	283.9	0
Hodgkin - Nodal	0.0	0.0	283.9	0
Hodgkin - Extranodal	0.0	0.0	283.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	283.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	283.9	0
Leukemia	0.0	0.0	283.9	0
Lymphocytic Leukemia	0.0	0.0	283.9	0
Acute Lymphocytic Leukemia	0.0	0.0	283.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	283.9	0
Other Lymphocytic Leukemia	0.0	0.0	283.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	283.9	0
Acute Myeloid Leukemia	0.0	0.0	283.9	0
Acute Monocytic Leukemia	0.0	0.0	283.9	0
Chronic Myeloid Leukemia	0.0	0.0	283.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	283.9	0
Other Leukemia	0.0	0.0	283.9	0
Other Acute Leukemia	0.0	0.0	283.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	283.9	0
Mesothelioma	0.0	0.0	283.9	0
Kaposi Sarcoma	0.0	0.0	283.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	514.5	479.0	551.8	945
Oral Cavity and Pharynx	12.3	7.5	19.0	23
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	3.4	1.1	7.5	6
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	2.1	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	86.6	72.0	103.0	149
Esophagus	3.9	1.3	8.4	6
Stomach	9.7	5.0	16.4	14
Small Intestine	^	^	^	^
Colon and Rectum	41.8	32.0	53.5	73
Colon excluding Rectum	26.0	18.4	35.5	44
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	5.7	2.4	10.9	9
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	2.1	0
Sigmoid Colon	8.5	4.5	14.6	15
Large Intestine, NOS	3.9	1.3	8.5	6
Rectum and Rectosigmoid Junction	15.8	10.1	23.4	29
Rectosigmoid Junction	3.4	1.1	7.6	6
Rectum	12.4	7.5	19.3	23
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.0	3.3	12.6	12
Liver	6.6	3.0	12.2	11
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	2.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	14.3	8.8	21.6	25
Retroperitoneum	0.0	0.0	2.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	79.1	64.8	95.3	122
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	75.1	61.1	91.0	115
Pleura	0.0	0.0	2.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	2.4	0.8	5.6	6
Skin excluding Basal and Squamous	16.7	11.3	23.8	39
Melanoma of the Skin	15.7	10.4	22.6	36
Other Non-Epithelial Skin	^	^	^	^
Urinary System	50.5	38.9	64.0	77
Urinary Bladder	32.5	23.1	44.0	44
Kidney and Renal Pelvis	17.1	11.1	24.9	32
Ureter	0.0	0.0	2.1	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.1	4.0	11.8	17
Brain	6.8	3.8	11.5	16
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	12.0	8.0	17.4	32
Thyroid	10.9	7.1	16.2	29
Other Endocrine including Thymus	^	^	^	^
Lymphoma	25.0	17.5	34.4	47
Hodgkin Lymphoma	3.4	1.6	6.6	10
Hodgkin - Nodal	3.4	1.6	6.6	10
Hodgkin - Extranodal	0.0	0.0	2.1	0
Non-Hodgkin Lymphoma	21.7	14.5	30.8	37
NHL - Nodal	16.3	10.2	24.5	27
NHL - Extranodal	5.3	2.2	10.5	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	3.7	1.4	7.8	7
Leukemia	15.4	10.0	22.7	30
Lymphocytic Leukemia	8.6	4.5	14.6	15
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	6.6	2.9	12.3	10
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.5	3.3	11.4	14
Acute Myeloid Leukemia	2.8	1.1	6.2	7
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	2.6	0.8	6.2	6
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	12.5	7.4	19.6	22

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	315.3	205.2	459.0	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	36.0	0
Tongue	0.0	0.0	36.0	0
Salivary Gland	0.0	0.0	36.0	0
Floor of Mouth	0.0	0.0	36.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	36.0	0
Oropharynx	0.0	0.0	36.0	0
Hypopharynx	0.0	0.0	36.0	0
Other Oral Cavity and Pharynx	0.0	0.0	36.0	0
Digestive System	152.6	71.7	274.0	11
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	36.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	36.0	0
Ascending Colon	0.0	0.0	36.0	0
Hepatic Flexure	0.0	0.0	36.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	36.0	0
Descending Colon	0.0	0.0	36.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	36.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	36.0	0
Rectosigmoid Junction	0.0	0.0	36.0	0
Rectum	0.0	0.0	36.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	36.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	36.0	0
Gallbladder	0.0	0.0	36.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	36.0	0
Retroperitoneum	0.0	0.0	36.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	36.0	0
Other Digestive Organs	0.0	0.0	36.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	36.0	0
Larynx	0.0	0.0	36.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	36.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	36.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	36.0	0
Melanoma of the Skin	0.0	0.0	36.0	0
Other Non-Epithelial Skin	0.0	0.0	36.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	36.0	0
Other Urinary Organs	0.0	0.0	36.0	0
Eye and Orbit	0.0	0.0	36.0	0
Brain and Other Nervous System	0.0	0.0	36.0	0
Brain	0.0	0.0	36.0	0
Cranial Nerves Other Nervous System	0.0	0.0	36.0	0
Endocrine System	0.0	0.0	36.0	0
Thyroid	0.0	0.0	36.0	0
Other Endocrine including Thymus	0.0	0.0	36.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	36.0	0
Hodgkin - Nodal	0.0	0.0	36.0	0
Hodgkin - Extranodal	0.0	0.0	36.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	36.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	36.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	36.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	36.0	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	36.0	0
Acute Myeloid Leukemia	0.0	0.0	36.0	0
Acute Monocytic Leukemia	0.0	0.0	36.0	0
Chronic Myeloid Leukemia	0.0	0.0	36.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	36.0	0
Other Leukemia	0.0	0.0	36.0	0
Other Acute Leukemia	0.0	0.0	36.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	36.0	0
Mesothelioma	0.0	0.0	36.0	0
Kaposi Sarcoma	0.0	0.0	36.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	892.0	0
Lip	0.0	0.0	892.0	0
Tongue	0.0	0.0	892.0	0
Salivary Gland	0.0	0.0	892.0	0
Floor of Mouth	0.0	0.0	892.0	0
Gum and Other Mouth	0.0	0.0	892.0	0
Nasopharynx	0.0	0.0	892.0	0
Tonsil	0.0	0.0	892.0	0
Oropharynx	0.0	0.0	892.0	0
Hypopharynx	0.0	0.0	892.0	0
Other Oral Cavity and Pharynx	0.0	0.0	892.0	0
Digestive System	0.0	0.0	892.0	0
Esophagus	0.0	0.0	892.0	0
Stomach	0.0	0.0	892.0	0
Small Intestine	0.0	0.0	892.0	0
Colon and Rectum	0.0	0.0	892.0	0
Colon excluding Rectum	0.0	0.0	892.0	0
Cecum	0.0	0.0	892.0	0
Appendix	0.0	0.0	892.0	0
Ascending Colon	0.0	0.0	892.0	0
Hepatic Flexure	0.0	0.0	892.0	0
Transverse Colon	0.0	0.0	892.0	0
Splenic Flexure	0.0	0.0	892.0	0
Descending Colon	0.0	0.0	892.0	0
Sigmoid Colon	0.0	0.0	892.0	0
Large Intestine, NOS	0.0	0.0	892.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	892.0	0
Rectosigmoid Junction	0.0	0.0	892.0	0
Rectum	0.0	0.0	892.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	892.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	892.0	0
Liver	0.0	0.0	892.0	0
Intrahepatic Bile Duct	0.0	0.0	892.0	0
Gallbladder	0.0	0.0	892.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	892.0	0
Pancreas	0.0	0.0	892.0	0
Retroperitoneum	0.0	0.0	892.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	892.0	0
Other Digestive Organs	0.0	0.0	892.0	0
Respiratory System	0.0	0.0	892.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	892.0	0
Larynx	0.0	0.0	892.0	0
Lung and Bronchus	0.0	0.0	892.0	0
Pleura	0.0	0.0	892.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	892.0	0
Bones and Joints	0.0	0.0	892.0	0
Soft Tissue including Heart	0.0	0.0	892.0	0
Skin excluding Basal and Squamous	0.0	0.0	892.0	0
Melanoma of the Skin	0.0	0.0	892.0	0
Other Non-Epithelial Skin	0.0	0.0	892.0	0
Urinary System	0.0	0.0	892.0	0
Urinary Bladder	0.0	0.0	892.0	0
Kidney and Renal Pelvis	0.0	0.0	892.0	0
Ureter	0.0	0.0	892.0	0
Other Urinary Organs	0.0	0.0	892.0	0
Eye and Orbit	0.0	0.0	892.0	0
Brain and Other Nervous System	0.0	0.0	892.0	0
Brain	0.0	0.0	892.0	0
Cranial Nerves Other Nervous System	0.0	0.0	892.0	0
Endocrine System	0.0	0.0	892.0	0
Thyroid	0.0	0.0	892.0	0
Other Endocrine including Thymus	0.0	0.0	892.0	0
Lymphoma	0.0	0.0	892.0	0
Hodgkin Lymphoma	0.0	0.0	892.0	0
Hodgkin - Nodal	0.0	0.0	892.0	0
Hodgkin - Extranodal	0.0	0.0	892.0	0
Non-Hodgkin Lymphoma	0.0	0.0	892.0	0
NHL - Nodal	0.0	0.0	892.0	0
NHL - Extranodal	0.0	0.0	892.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	892.0	0
Leukemia	0.0	0.0	892.0	0
Lymphocytic Leukemia	0.0	0.0	892.0	0
Acute Lymphocytic Leukemia	0.0	0.0	892.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	892.0	0
Other Lymphocytic Leukemia	0.0	0.0	892.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	892.0	0
Acute Myeloid Leukemia	0.0	0.0	892.0	0
Acute Monocytic Leukemia	0.0	0.0	892.0	0
Chronic Myeloid Leukemia	0.0	0.0	892.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	892.0	0
Other Leukemia	0.0	0.0	892.0	0
Other Acute Leukemia	0.0	0.0	892.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	892.0	0
Mesothelioma	0.0	0.0	892.0	0
Kaposi Sarcoma	0.0	0.0	892.0	0
Miscellaneous	0.0	0.0	892.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	1,195.9	371.6	2,626.9	9
Oral Cavity and Pharynx	0.0	0.0	499.3	0
Lip	0.0	0.0	499.3	0
Tongue	0.0	0.0	499.3	0
Salivary Gland	0.0	0.0	499.3	0
Floor of Mouth	0.0	0.0	499.3	0
Gum and Other Mouth	0.0	0.0	499.3	0
Nasopharynx	0.0	0.0	499.3	0
Tonsil	0.0	0.0	499.3	0
Oropharynx	0.0	0.0	499.3	0
Hypopharynx	0.0	0.0	499.3	0
Other Oral Cavity and Pharynx	0.0	0.0	499.3	0
Digestive System	0.0	0.0	499.3	0
Esophagus	0.0	0.0	499.3	0
Stomach	0.0	0.0	499.3	0
Small Intestine	0.0	0.0	499.3	0
Colon and Rectum	0.0	0.0	499.3	0
Colon excluding Rectum	0.0	0.0	499.3	0
Cecum	0.0	0.0	499.3	0
Appendix	0.0	0.0	499.3	0
Ascending Colon	0.0	0.0	499.3	0
Hepatic Flexure	0.0	0.0	499.3	0
Transverse Colon	0.0	0.0	499.3	0
Splenic Flexure	0.0	0.0	499.3	0
Descending Colon	0.0	0.0	499.3	0
Sigmoid Colon	0.0	0.0	499.3	0
Large Intestine, NOS	0.0	0.0	499.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	499.3	0
Rectosigmoid Junction	0.0	0.0	499.3	0
Rectum	0.0	0.0	499.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	499.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	499.3	0
Liver	0.0	0.0	499.3	0
Intrahepatic Bile Duct	0.0	0.0	499.3	0
Gallbladder	0.0	0.0	499.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	499.3	0
Pancreas	0.0	0.0	499.3	0
Retroperitoneum	0.0	0.0	499.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	499.3	0
Other Digestive Organs	0.0	0.0	499.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	499.3	0
Larynx	0.0	0.0	499.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	499.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	499.3	0
Bones and Joints	0.0	0.0	499.3	0
Soft Tissue including Heart	0.0	0.0	499.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	499.3	0
Urinary System	0.0	0.0	499.3	0
Urinary Bladder	0.0	0.0	499.3	0
Kidney and Renal Pelvis	0.0	0.0	499.3	0
Ureter	0.0	0.0	499.3	0
Other Urinary Organs	0.0	0.0	499.3	0
Eye and Orbit	0.0	0.0	499.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	499.3	0
Endocrine System	0.0	0.0	499.3	0
Thyroid	0.0	0.0	499.3	0
Other Endocrine including Thymus	0.0	0.0	499.3	0
Lymphoma	0.0	0.0	499.3	0
Hodgkin Lymphoma	0.0	0.0	499.3	0
Hodgkin - Nodal	0.0	0.0	499.3	0
Hodgkin - Extranodal	0.0	0.0	499.3	0
Non-Hodgkin Lymphoma	0.0	0.0	499.3	0
NHL - Nodal	0.0	0.0	499.3	0
NHL - Extranodal	0.0	0.0	499.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	499.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	499.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	499.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	499.3	0
Acute Myeloid Leukemia	0.0	0.0	499.3	0
Acute Monocytic Leukemia	0.0	0.0	499.3	0
Chronic Myeloid Leukemia	0.0	0.0	499.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	499.3	0
Other Leukemia	0.0	0.0	499.3	0
Other Acute Leukemia	0.0	0.0	499.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	499.3	0
Mesothelioma	0.0	0.0	499.3	0
Kaposi Sarcoma	0.0	0.0	499.3	0
Miscellaneous	0.0	0.0	499.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	524.5	298.2	847.9	18
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	111.1	0
Tongue	0.0	0.0	111.1	0
Salivary Gland	0.0	0.0	111.1	0
Floor of Mouth	0.0	0.0	111.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	111.1	0
Tonsil	0.0	0.0	111.1	0
Oropharynx	0.0	0.0	111.1	0
Hypopharynx	0.0	0.0	111.1	0
Other Oral Cavity and Pharynx	0.0	0.0	111.1	0
Digestive System	268.6	115.6	521.9	9
Esophagus	0.0	0.0	111.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	111.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	111.1	0
Appendix	0.0	0.0	111.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	111.1	0
Transverse Colon	0.0	0.0	111.1	0
Splenic Flexure	0.0	0.0	111.1	0
Descending Colon	0.0	0.0	111.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	111.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	111.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	111.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	111.1	0
Gallbladder	0.0	0.0	111.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	111.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	111.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	111.1	0
Other Digestive Organs	0.0	0.0	111.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	111.1	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	111.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	111.1	0
Bones and Joints	0.0	0.0	111.1	0
Soft Tissue including Heart	0.0	0.0	111.1	0
Skin excluding Basal and Squamous	0.0	0.0	111.1	0
Melanoma of the Skin	0.0	0.0	111.1	0
Other Non-Epithelial Skin	0.0	0.0	111.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	111.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	111.1	0
Other Urinary Organs	0.0	0.0	111.1	0
Eye and Orbit	0.0	0.0	111.1	0
Brain and Other Nervous System	0.0	0.0	111.1	0
Brain	0.0	0.0	111.1	0
Cranial Nerves Other Nervous System	0.0	0.0	111.1	0
Endocrine System	0.0	0.0	111.1	0
Thyroid	0.0	0.0	111.1	0
Other Endocrine including Thymus	0.0	0.0	111.1	0
Lymphoma	0.0	0.0	111.1	0
Hodgkin Lymphoma	0.0	0.0	111.1	0
Hodgkin - Nodal	0.0	0.0	111.1	0
Hodgkin - Extranodal	0.0	0.0	111.1	0
Non-Hodgkin Lymphoma	0.0	0.0	111.1	0
NHL - Nodal	0.0	0.0	111.1	0
NHL - Extranodal	0.0	0.0	111.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	111.1	0
Leukemia	0.0	0.0	111.1	0
Lymphocytic Leukemia	0.0	0.0	111.1	0
Acute Lymphocytic Leukemia	0.0	0.0	111.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	111.1	0
Other Lymphocytic Leukemia	0.0	0.0	111.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	111.1	0
Acute Myeloid Leukemia	0.0	0.0	111.1	0
Acute Monocytic Leukemia	0.0	0.0	111.1	0
Chronic Myeloid Leukemia	0.0	0.0	111.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	111.1	0
Other Leukemia	0.0	0.0	111.1	0
Other Acute Leukemia	0.0	0.0	111.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	111.1	0
Mesothelioma	0.0	0.0	111.1	0
Kaposi Sarcoma	0.0	0.0	111.1	0
Miscellaneous	0.0	0.0	111.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	566.2	497.2	641.4	294
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	7.2	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	7.2	0
Floor of Mouth	0.0	0.0	7.2	0
Gum and Other Mouth	0.0	0.0	7.2	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	7.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	7.2	0
Digestive System	95.2	68.1	128.7	48
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	7.2	0
Colon and Rectum	64.7	42.5	93.6	31
Colon excluding Rectum	47.8	28.5	74.0	21
Cecum	^	^	^	^
Appendix	0.0	0.0	7.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	14.6	5.2	31.1	7
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	16.9	7.6	32.3	10
Rectosigmoid Junction	^	^	^	^
Rectum	11.8	4.3	25.5	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	7.2	0
Gallbladder	0.0	0.0	7.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	7.2	0
Pancreas	12.4	4.0	27.8	6
Retroperitoneum	0.0	0.0	7.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	7.2	0
Other Digestive Organs	^	^	^	^
Respiratory System	79.6	54.6	111.2	38
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	76.3	51.6	107.6	35
Pleura	0.0	0.0	7.2	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	17.6	7.8	33.6	10
Melanoma of the Skin	10.4	4.0	22.5	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	30.7	16.7	50.9	16
Urinary Bladder	17.6	7.3	34.7	8
Kidney and Renal Pelvis	11.7	4.2	25.6	7
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	7.2	0
Eye and Orbit	0.0	0.0	7.2	0
Brain and Other Nervous System	9.7	3.5	21.5	7
Brain	9.7	3.5	21.5	7
Cranial Nerves Other Nervous System	0.0	0.0	7.2	0
Endocrine System	7.2	2.4	17.7	6
Thyroid	7.2	2.4	17.7	6
Other Endocrine including Thymus	0.0	0.0	7.2	0
Lymphoma	38.5	22.3	61.2	21
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	7.2	0
Non-Hodgkin Lymphoma	35.6	19.8	58.0	18
NHL - Nodal	25.3	12.0	45.5	12
NHL - Extranodal	10.3	3.3	23.6	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	12.4	4.4	26.7	7
Leukemia	17.1	6.5	35.1	8
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	7.2	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	7.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	7.2	0
Chronic Myeloid Leukemia	0.0	0.0	7.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.2	0
Other Leukemia	0.0	0.0	7.2	0
Other Acute Leukemia	0.0	0.0	7.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	7.2	0
Mesothelioma	0.0	0.0	7.2	0
Kaposi Sarcoma	0.0	0.0	7.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	725.8	398.5	1,217.4	16
Oral Cavity and Pharynx	0.0	0.0	202.0	0
Lip	0.0	0.0	202.0	0
Tongue	0.0	0.0	202.0	0
Salivary Gland	0.0	0.0	202.0	0
Floor of Mouth	0.0	0.0	202.0	0
Gum and Other Mouth	0.0	0.0	202.0	0
Nasopharynx	0.0	0.0	202.0	0
Tonsil	0.0	0.0	202.0	0
Oropharynx	0.0	0.0	202.0	0
Hypopharynx	0.0	0.0	202.0	0
Other Oral Cavity and Pharynx	0.0	0.0	202.0	0
Digestive System	303.1	102.7	684.5	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	202.0	0
Small Intestine	0.0	0.0	202.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	202.0	0
Appendix	0.0	0.0	202.0	0
Ascending Colon	0.0	0.0	202.0	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	202.0	0
Splenic Flexure	0.0	0.0	202.0	0
Descending Colon	0.0	0.0	202.0	0
Sigmoid Colon	0.0	0.0	202.0	0
Large Intestine, NOS	0.0	0.0	202.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	202.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	202.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	202.0	0
Liver	0.0	0.0	202.0	0
Intrahepatic Bile Duct	0.0	0.0	202.0	0
Gallbladder	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	202.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	202.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	202.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	202.0	0
Larynx	0.0	0.0	202.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	202.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	202.0	0
Bones and Joints	0.0	0.0	202.0	0
Soft Tissue including Heart	0.0	0.0	202.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	202.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	202.0	0
Ureter	0.0	0.0	202.0	0
Other Urinary Organs	0.0	0.0	202.0	0
Eye and Orbit	0.0	0.0	202.0	0
Brain and Other Nervous System	0.0	0.0	202.0	0
Brain	0.0	0.0	202.0	0
Cranial Nerves Other Nervous System	0.0	0.0	202.0	0
Endocrine System	0.0	0.0	202.0	0
Thyroid	0.0	0.0	202.0	0
Other Endocrine including Thymus	0.0	0.0	202.0	0
Lymphoma	0.0	0.0	202.0	0
Hodgkin Lymphoma	0.0	0.0	202.0	0
Hodgkin - Nodal	0.0	0.0	202.0	0
Hodgkin - Extranodal	0.0	0.0	202.0	0
Non-Hodgkin Lymphoma	0.0	0.0	202.0	0
NHL - Nodal	0.0	0.0	202.0	0
NHL - Extranodal	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	202.0	0
Lymphocytic Leukemia	0.0	0.0	202.0	0
Acute Lymphocytic Leukemia	0.0	0.0	202.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	202.0	0
Other Lymphocytic Leukemia	0.0	0.0	202.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	202.0	0
Acute Myeloid Leukemia	0.0	0.0	202.0	0
Acute Monocytic Leukemia	0.0	0.0	202.0	0
Chronic Myeloid Leukemia	0.0	0.0	202.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	202.0	0
Other Leukemia	0.0	0.0	202.0	0
Other Acute Leukemia	0.0	0.0	202.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	202.0	0
Mesothelioma	0.0	0.0	202.0	0
Kaposi Sarcoma	0.0	0.0	202.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	400.4	318.5	496.0	97
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	15.9	0
Tongue	0.0	0.0	15.9	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	15.9	0
Gum and Other Mouth	0.0	0.0	15.9	0
Nasopharynx	0.0	0.0	15.9	0
Tonsil	0.0	0.0	15.9	0
Oropharynx	0.0	0.0	15.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	15.9	0
Digestive System	74.7	40.4	124.3	16
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	15.9	0
Colon and Rectum	47.3	21.1	89.1	10
Colon excluding Rectum	32.7	11.3	70.6	6
Cecum	^	^	^	^
Appendix	0.0	0.0	15.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	15.9	0
Transverse Colon	0.0	0.0	15.9	0
Splenic Flexure	0.0	0.0	15.9	0
Descending Colon	0.0	0.0	15.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	15.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	15.9	0
Liver	0.0	0.0	15.9	0
Intrahepatic Bile Duct	0.0	0.0	15.9	0
Gallbladder	0.0	0.0	15.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	15.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.9	0
Other Digestive Organs	0.0	0.0	15.9	0
Respiratory System	40.9	19.1	76.4	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.9	0
Larynx	^	^	^	^
Lung and Bronchus	38.1	17.0	73.1	10
Pleura	0.0	0.0	15.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.9	0
Bones and Joints	0.0	0.0	15.9	0
Soft Tissue including Heart	0.0	0.0	15.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	15.9	0
Urinary System	37.2	14.0	76.6	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.9	0
Other Urinary Organs	0.0	0.0	15.9	0
Eye and Orbit	0.0	0.0	15.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	15.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	15.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	15.9	0
Hodgkin - Nodal	0.0	0.0	15.9	0
Hodgkin - Extranodal	0.0	0.0	15.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	15.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	15.9	0
Other Lymphocytic Leukemia	0.0	0.0	15.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	15.9	0
Acute Myeloid Leukemia	0.0	0.0	15.9	0
Acute Monocytic Leukemia	0.0	0.0	15.9	0
Chronic Myeloid Leukemia	0.0	0.0	15.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.9	0
Other Leukemia	0.0	0.0	15.9	0
Other Acute Leukemia	0.0	0.0	15.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.9	0
Mesothelioma	0.0	0.0	15.9	0
Kaposi Sarcoma	0.0	0.0	15.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	465.3	398.2	540.3	196
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	9.7	0
Floor of Mouth	0.0	0.0	9.7	0
Gum and Other Mouth	0.0	0.0	9.7	0
Nasopharynx	0.0	0.0	9.7	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	9.7	0
Hypopharynx	0.0	0.0	9.7	0
Other Oral Cavity and Pharynx	0.0	0.0	9.7	0
Digestive System	75.3	50.2	108.3	31
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	51.8	30.9	80.9	20
Colon excluding Rectum	35.2	18.5	60.3	14
Cecum	^	^	^	^
Appendix	0.0	0.0	9.7	0
Ascending Colon	0.0	0.0	9.7	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	9.7	0
Descending Colon	0.0	0.0	9.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	16.6	6.0	35.9	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.7	0
Gallbladder	0.0	0.0	9.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	9.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.7	0
Other Digestive Organs	0.0	0.0	9.7	0
Respiratory System	104.3	72.0	145.2	40
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	98.6	67.3	138.7	38
Pleura	0.0	0.0	9.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.7	0
Bones and Joints	0.0	0.0	9.7	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	16.9	7.0	34.8	8
Melanoma of the Skin	16.9	7.0	34.8	8
Other Non-Epithelial Skin	0.0	0.0	9.7	0
Urinary System	33.9	16.7	60.2	13
Urinary Bladder	18.8	6.0	42.1	6
Kidney and Renal Pelvis	12.2	4.3	28.0	6
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	9.7	0
Eye and Orbit	0.0	0.0	9.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	9.7	0
Lymphoma	25.2	11.6	47.3	10
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	9.7	0
Non-Hodgkin Lymphoma	22.7	9.9	44.1	9
NHL - Nodal	19.2	7.4	40.0	7
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	12.9	4.7	29.0	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.7	0
Other Leukemia	0.0	0.0	9.7	0
Other Acute Leukemia	0.0	0.0	9.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.7	0
Mesothelioma	0.0	0.0	9.7	0
Kaposi Sarcoma	0.0	0.0	9.7	0
Miscellaneous	17.3	7.0	35.6	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	456.2	342.8	595.2	59
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	31.9	0
Tongue	0.0	0.0	31.9	0
Salivary Gland	0.0	0.0	31.9	0
Floor of Mouth	0.0	0.0	31.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	31.9	0
Tonsil	0.0	0.0	31.9	0
Oropharynx	0.0	0.0	31.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	31.9	0
Digestive System	114.4	58.9	198.6	13
Esophagus	^	^	^	^
Stomach	0.0	0.0	31.9	0
Small Intestine	0.0	0.0	31.9	0
Colon and Rectum	84.6	37.4	161.6	9
Colon excluding Rectum	62.7	24.0	131.1	7
Cecum	^	^	^	^
Appendix	0.0	0.0	31.9	0
Ascending Colon	0.0	0.0	31.9	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	31.9	0
Descending Colon	0.0	0.0	31.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	31.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	31.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	31.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	31.9	0
Gallbladder	0.0	0.0	31.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	31.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	31.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.9	0
Other Digestive Organs	0.0	0.0	31.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.9	0
Larynx	0.0	0.0	31.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	31.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.9	0
Bones and Joints	0.0	0.0	31.9	0
Soft Tissue including Heart	0.0	0.0	31.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	31.9	0
Urinary System	49.0	17.2	108.9	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	31.9	0
Other Urinary Organs	0.0	0.0	31.9	0
Eye and Orbit	0.0	0.0	31.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	31.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	31.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	31.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	31.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	31.9	0
Other Lymphocytic Leukemia	0.0	0.0	31.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	31.9	0
Acute Myeloid Leukemia	0.0	0.0	31.9	0
Acute Monocytic Leukemia	0.0	0.0	31.9	0
Chronic Myeloid Leukemia	0.0	0.0	31.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.9	0
Other Leukemia	0.0	0.0	31.9	0
Other Acute Leukemia	0.0	0.0	31.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	31.9	0
Mesothelioma	0.0	0.0	31.9	0
Kaposi Sarcoma	0.0	0.0	31.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	604.2	426.1	825.0	51
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	45.3	0
Tongue	0.0	0.0	45.3	0
Salivary Gland	0.0	0.0	45.3	0
Floor of Mouth	0.0	0.0	45.3	0
Gum and Other Mouth	0.0	0.0	45.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	45.3	0
Oropharynx	0.0	0.0	45.3	0
Hypopharynx	0.0	0.0	45.3	0
Other Oral Cavity and Pharynx	0.0	0.0	45.3	0
Digestive System	138.6	50.5	283.2	7
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	45.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	45.3	0
Ascending Colon	0.0	0.0	45.3	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	45.3	0
Splenic Flexure	0.0	0.0	45.3	0
Descending Colon	0.0	0.0	45.3	0
Sigmoid Colon	0.0	0.0	45.3	0
Large Intestine, NOS	0.0	0.0	45.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	45.3	0
Rectosigmoid Junction	0.0	0.0	45.3	0
Rectum	0.0	0.0	45.3	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	45.3	0
Liver	0.0	0.0	45.3	0
Intrahepatic Bile Duct	0.0	0.0	45.3	0
Gallbladder	0.0	0.0	45.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	45.3	0
Pancreas	0.0	0.0	45.3	0
Retroperitoneum	0.0	0.0	45.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.3	0
Larynx	0.0	0.0	45.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	45.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.3	0
Bones and Joints	0.0	0.0	45.3	0
Soft Tissue including Heart	0.0	0.0	45.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	45.3	0
Other Urinary Organs	0.0	0.0	45.3	0
Eye and Orbit	0.0	0.0	45.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	45.3	0
Endocrine System	0.0	0.0	45.3	0
Thyroid	0.0	0.0	45.3	0
Other Endocrine including Thymus	0.0	0.0	45.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	45.3	0
Hodgkin - Nodal	0.0	0.0	45.3	0
Hodgkin - Extranodal	0.0	0.0	45.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	45.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	45.3	0
Other Lymphocytic Leukemia	0.0	0.0	45.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	45.3	0
Acute Monocytic Leukemia	0.0	0.0	45.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.3	0
Other Leukemia	0.0	0.0	45.3	0
Other Acute Leukemia	0.0	0.0	45.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.3	0
Mesothelioma	0.0	0.0	45.3	0
Kaposi Sarcoma	0.0	0.0	45.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	390.7	0
Lip	0.0	0.0	390.7	0
Tongue	0.0	0.0	390.7	0
Salivary Gland	0.0	0.0	390.7	0
Floor of Mouth	0.0	0.0	390.7	0
Gum and Other Mouth	0.0	0.0	390.7	0
Nasopharynx	0.0	0.0	390.7	0
Tonsil	0.0	0.0	390.7	0
Oropharynx	0.0	0.0	390.7	0
Hypopharynx	0.0	0.0	390.7	0
Other Oral Cavity and Pharynx	0.0	0.0	390.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	390.7	0
Stomach	0.0	0.0	390.7	0
Small Intestine	0.0	0.0	390.7	0
Colon and Rectum	0.0	0.0	390.7	0
Colon excluding Rectum	0.0	0.0	390.7	0
Cecum	0.0	0.0	390.7	0
Appendix	0.0	0.0	390.7	0
Ascending Colon	0.0	0.0	390.7	0
Hepatic Flexure	0.0	0.0	390.7	0
Transverse Colon	0.0	0.0	390.7	0
Splenic Flexure	0.0	0.0	390.7	0
Descending Colon	0.0	0.0	390.7	0
Sigmoid Colon	0.0	0.0	390.7	0
Large Intestine, NOS	0.0	0.0	390.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	390.7	0
Rectosigmoid Junction	0.0	0.0	390.7	0
Rectum	0.0	0.0	390.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	390.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	390.7	0
Gallbladder	0.0	0.0	390.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	390.7	0
Pancreas	0.0	0.0	390.7	0
Retroperitoneum	0.0	0.0	390.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	390.7	0
Other Digestive Organs	0.0	0.0	390.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	390.7	0
Larynx	0.0	0.0	390.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	390.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	390.7	0
Bones and Joints	0.0	0.0	390.7	0
Soft Tissue including Heart	0.0	0.0	390.7	0
Skin excluding Basal and Squamous	0.0	0.0	390.7	0
Melanoma of the Skin	0.0	0.0	390.7	0
Other Non-Epithelial Skin	0.0	0.0	390.7	0
Urinary System	0.0	0.0	390.7	0
Urinary Bladder	0.0	0.0	390.7	0
Kidney and Renal Pelvis	0.0	0.0	390.7	0
Ureter	0.0	0.0	390.7	0
Other Urinary Organs	0.0	0.0	390.7	0
Eye and Orbit	0.0	0.0	390.7	0
Brain and Other Nervous System	0.0	0.0	390.7	0
Brain	0.0	0.0	390.7	0
Cranial Nerves Other Nervous System	0.0	0.0	390.7	0
Endocrine System	0.0	0.0	390.7	0
Thyroid	0.0	0.0	390.7	0
Other Endocrine including Thymus	0.0	0.0	390.7	0
Lymphoma	0.0	0.0	390.7	0
Hodgkin Lymphoma	0.0	0.0	390.7	0
Hodgkin - Nodal	0.0	0.0	390.7	0
Hodgkin - Extranodal	0.0	0.0	390.7	0
Non-Hodgkin Lymphoma	0.0	0.0	390.7	0
NHL - Nodal	0.0	0.0	390.7	0
NHL - Extranodal	0.0	0.0	390.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	390.7	0
Leukemia	0.0	0.0	390.7	0
Lymphocytic Leukemia	0.0	0.0	390.7	0
Acute Lymphocytic Leukemia	0.0	0.0	390.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	390.7	0
Other Lymphocytic Leukemia	0.0	0.0	390.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	390.7	0
Acute Myeloid Leukemia	0.0	0.0	390.7	0
Acute Monocytic Leukemia	0.0	0.0	390.7	0
Chronic Myeloid Leukemia	0.0	0.0	390.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	390.7	0
Other Leukemia	0.0	0.0	390.7	0
Other Acute Leukemia	0.0	0.0	390.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	390.7	0
Mesothelioma	0.0	0.0	390.7	0
Kaposi Sarcoma	0.0	0.0	390.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	496.1	426.9	572.7	227
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.0	0
Tongue	0.0	0.0	9.0	0
Salivary Gland	0.0	0.0	9.0	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	9.0	0
Nasopharynx	0.0	0.0	9.0	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	88.8	60.1	125.5	38
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	58.3	35.4	89.5	24
Colon excluding Rectum	43.5	24.1	71.4	18
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	9.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	9.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	9.0	0
Rectum and Rectosigmoid Junction	14.8	4.8	33.2	6
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.0	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	9.0	0
Retroperitoneum	0.0	0.0	9.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.0	0
Other Digestive Organs	0.0	0.0	9.0	0
Respiratory System	73.5	48.7	105.8	34
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	9.0	0
Lung and Bronchus	71.1	46.8	103.1	33
Pleura	0.0	0.0	9.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	12.6	4.6	27.9	7
Melanoma of the Skin	12.6	4.6	27.9	7
Other Non-Epithelial Skin	0.0	0.0	9.0	0
Urinary System	52.5	32.1	80.6	23
Urinary Bladder	32.8	17.2	56.0	14
Kidney and Renal Pelvis	16.3	6.3	34.0	8
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	9.0	0
Eye and Orbit	0.0	0.0	9.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	20.0	9.4	37.6	11
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	9.0	0
Non-Hodgkin Lymphoma	18.8	8.5	36.2	10
NHL - Nodal	14.5	5.8	30.4	8
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.0	0
Chronic Myeloid Leukemia	0.0	0.0	9.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.0	0
Other Leukemia	0.0	0.0	9.0	0
Other Acute Leukemia	0.0	0.0	9.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.0	0
Mesothelioma	0.0	0.0	9.0	0
Kaposi Sarcoma	0.0	0.0	9.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	528.6	351.6	757.8	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	57.3	0
Tongue	0.0	0.0	57.3	0
Salivary Gland	0.0	0.0	57.3	0
Floor of Mouth	0.0	0.0	57.3	0
Gum and Other Mouth	0.0	0.0	57.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	57.3	0
Oropharynx	0.0	0.0	57.3	0
Hypopharynx	0.0	0.0	57.3	0
Other Oral Cavity and Pharynx	0.0	0.0	57.3	0
Digestive System	135.9	50.6	280.8	7
Esophagus	0.0	0.0	57.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	57.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	57.3	0
Appendix	0.0	0.0	57.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	57.3	0
Transverse Colon	0.0	0.0	57.3	0
Splenic Flexure	0.0	0.0	57.3	0
Descending Colon	0.0	0.0	57.3	0
Sigmoid Colon	0.0	0.0	57.3	0
Large Intestine, NOS	0.0	0.0	57.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	57.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	57.3	0
Liver	0.0	0.0	57.3	0
Intrahepatic Bile Duct	0.0	0.0	57.3	0
Gallbladder	0.0	0.0	57.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	57.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	57.3	0
Other Digestive Organs	0.0	0.0	57.3	0
Respiratory System	145.4	60.4	285.7	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	57.3	0
Larynx	^	^	^	^
Lung and Bronchus	125.6	48.1	258.6	7
Pleura	0.0	0.0	57.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	57.3	0
Bones and Joints	0.0	0.0	57.3	0
Soft Tissue including Heart	0.0	0.0	57.3	0
Skin excluding Basal and Squamous	0.0	0.0	57.3	0
Melanoma of the Skin	0.0	0.0	57.3	0
Other Non-Epithelial Skin	0.0	0.0	57.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	57.3	0
Other Urinary Organs	0.0	0.0	57.3	0
Eye and Orbit	0.0	0.0	57.3	0
Brain and Other Nervous System	0.0	0.0	57.3	0
Brain	0.0	0.0	57.3	0
Cranial Nerves Other Nervous System	0.0	0.0	57.3	0
Endocrine System	0.0	0.0	57.3	0
Thyroid	0.0	0.0	57.3	0
Other Endocrine including Thymus	0.0	0.0	57.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	57.3	0
Hodgkin - Nodal	0.0	0.0	57.3	0
Hodgkin - Extranodal	0.0	0.0	57.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	57.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	57.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	57.3	0
Acute Lymphocytic Leukemia	0.0	0.0	57.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	57.3	0
Other Lymphocytic Leukemia	0.0	0.0	57.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	57.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	57.3	0
Other Leukemia	0.0	0.0	57.3	0
Other Acute Leukemia	0.0	0.0	57.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	57.3	0
Mesothelioma	0.0	0.0	57.3	0
Kaposi Sarcoma	0.0	0.0	57.3	0
Miscellaneous	0.0	0.0	57.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	418.7	241.5	671.2	20
Oral Cavity and Pharynx	0.0	0.0	91.6	0
Lip	0.0	0.0	91.6	0
Tongue	0.0	0.0	91.6	0
Salivary Gland	0.0	0.0	91.6	0
Floor of Mouth	0.0	0.0	91.6	0
Gum and Other Mouth	0.0	0.0	91.6	0
Nasopharynx	0.0	0.0	91.6	0
Tonsil	0.0	0.0	91.6	0
Oropharynx	0.0	0.0	91.6	0
Hypopharynx	0.0	0.0	91.6	0
Other Oral Cavity and Pharynx	0.0	0.0	91.6	0
Digestive System	131.7	41.4	305.0	6
Esophagus	0.0	0.0	91.6	0
Stomach	0.0	0.0	91.6	0
Small Intestine	0.0	0.0	91.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	91.6	0
Appendix	0.0	0.0	91.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	91.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	91.6	0
Descending Colon	0.0	0.0	91.6	0
Sigmoid Colon	0.0	0.0	91.6	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	91.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	91.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	91.6	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	91.6	0
Pancreas	0.0	0.0	91.6	0
Retroperitoneum	0.0	0.0	91.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	91.6	0
Other Digestive Organs	0.0	0.0	91.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	91.6	0
Larynx	0.0	0.0	91.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	91.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	91.6	0
Bones and Joints	0.0	0.0	91.6	0
Soft Tissue including Heart	0.0	0.0	91.6	0
Skin excluding Basal and Squamous	0.0	0.0	91.6	0
Melanoma of the Skin	0.0	0.0	91.6	0
Other Non-Epithelial Skin	0.0	0.0	91.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	91.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	91.6	0
Other Urinary Organs	0.0	0.0	91.6	0
Eye and Orbit	0.0	0.0	91.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	91.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	91.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	91.6	0
Hodgkin - Nodal	0.0	0.0	91.6	0
Hodgkin - Extranodal	0.0	0.0	91.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	91.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	91.6	0
Leukemia	0.0	0.0	91.6	0
Lymphocytic Leukemia	0.0	0.0	91.6	0
Acute Lymphocytic Leukemia	0.0	0.0	91.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	91.6	0
Other Lymphocytic Leukemia	0.0	0.0	91.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	91.6	0
Acute Myeloid Leukemia	0.0	0.0	91.6	0
Acute Monocytic Leukemia	0.0	0.0	91.6	0
Chronic Myeloid Leukemia	0.0	0.0	91.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	91.6	0
Other Leukemia	0.0	0.0	91.6	0
Other Acute Leukemia	0.0	0.0	91.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	91.6	0
Mesothelioma	0.0	0.0	91.6	0
Kaposi Sarcoma	0.0	0.0	91.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	387.3	184.0	690.9	12
Oral Cavity and Pharynx	0.0	0.0	91.5	0
Lip	0.0	0.0	91.5	0
Tongue	0.0	0.0	91.5	0
Salivary Gland	0.0	0.0	91.5	0
Floor of Mouth	0.0	0.0	91.5	0
Gum and Other Mouth	0.0	0.0	91.5	0
Nasopharynx	0.0	0.0	91.5	0
Tonsil	0.0	0.0	91.5	0
Oropharynx	0.0	0.0	91.5	0
Hypopharynx	0.0	0.0	91.5	0
Other Oral Cavity and Pharynx	0.0	0.0	91.5	0
Digestive System	231.9	80.6	488.6	6
Esophagus	0.0	0.0	91.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	91.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	91.5	0
Ascending Colon	0.0	0.0	91.5	0
Hepatic Flexure	0.0	0.0	91.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	91.5	0
Descending Colon	0.0	0.0	91.5	0
Sigmoid Colon	0.0	0.0	91.5	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	91.5	0
Rectosigmoid Junction	0.0	0.0	91.5	0
Rectum	0.0	0.0	91.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	91.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	91.5	0
Liver	0.0	0.0	91.5	0
Intrahepatic Bile Duct	0.0	0.0	91.5	0
Gallbladder	0.0	0.0	91.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	91.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	91.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	91.5	0
Other Digestive Organs	0.0	0.0	91.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	91.5	0
Larynx	0.0	0.0	91.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	91.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	91.5	0
Bones and Joints	0.0	0.0	91.5	0
Soft Tissue including Heart	0.0	0.0	91.5	0
Skin excluding Basal and Squamous	0.0	0.0	91.5	0
Melanoma of the Skin	0.0	0.0	91.5	0
Other Non-Epithelial Skin	0.0	0.0	91.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	91.5	0
Ureter	0.0	0.0	91.5	0
Other Urinary Organs	0.0	0.0	91.5	0
Eye and Orbit	0.0	0.0	91.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	91.5	0
Endocrine System	0.0	0.0	91.5	0
Thyroid	0.0	0.0	91.5	0
Other Endocrine including Thymus	0.0	0.0	91.5	0
Lymphoma	0.0	0.0	91.5	0
Hodgkin Lymphoma	0.0	0.0	91.5	0
Hodgkin - Nodal	0.0	0.0	91.5	0
Hodgkin - Extranodal	0.0	0.0	91.5	0
Non-Hodgkin Lymphoma	0.0	0.0	91.5	0
NHL - Nodal	0.0	0.0	91.5	0
NHL - Extranodal	0.0	0.0	91.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	91.5	0
Leukemia	0.0	0.0	91.5	0
Lymphocytic Leukemia	0.0	0.0	91.5	0
Acute Lymphocytic Leukemia	0.0	0.0	91.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	91.5	0
Other Lymphocytic Leukemia	0.0	0.0	91.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	91.5	0
Acute Myeloid Leukemia	0.0	0.0	91.5	0
Acute Monocytic Leukemia	0.0	0.0	91.5	0
Chronic Myeloid Leukemia	0.0	0.0	91.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	91.5	0
Other Leukemia	0.0	0.0	91.5	0
Other Acute Leukemia	0.0	0.0	91.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	91.5	0
Mesothelioma	0.0	0.0	91.5	0
Kaposi Sarcoma	0.0	0.0	91.5	0
Miscellaneous	0.0	0.0	91.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	620.7	374.5	959.6	24
Oral Cavity and Pharynx	0.0	0.0	110.5	0
Lip	0.0	0.0	110.5	0
Tongue	0.0	0.0	110.5	0
Salivary Gland	0.0	0.0	110.5	0
Floor of Mouth	0.0	0.0	110.5	0
Gum and Other Mouth	0.0	0.0	110.5	0
Nasopharynx	0.0	0.0	110.5	0
Tonsil	0.0	0.0	110.5	0
Oropharynx	0.0	0.0	110.5	0
Hypopharynx	0.0	0.0	110.5	0
Other Oral Cavity and Pharynx	0.0	0.0	110.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	110.5	0
Small Intestine	0.0	0.0	110.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	110.5	0
Appendix	0.0	0.0	110.5	0
Ascending Colon	0.0	0.0	110.5	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	110.5	0
Splenic Flexure	0.0	0.0	110.5	0
Descending Colon	0.0	0.0	110.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	110.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	110.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	110.5	0
Liver	0.0	0.0	110.5	0
Intrahepatic Bile Duct	0.0	0.0	110.5	0
Gallbladder	0.0	0.0	110.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	110.5	0
Pancreas	0.0	0.0	110.5	0
Retroperitoneum	0.0	0.0	110.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	110.5	0
Other Digestive Organs	0.0	0.0	110.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	110.5	0
Larynx	0.0	0.0	110.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	110.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	110.5	0
Bones and Joints	0.0	0.0	110.5	0
Soft Tissue including Heart	0.0	0.0	110.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	110.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	110.5	0
Other Urinary Organs	0.0	0.0	110.5	0
Eye and Orbit	0.0	0.0	110.5	0
Brain and Other Nervous System	0.0	0.0	110.5	0
Brain	0.0	0.0	110.5	0
Cranial Nerves Other Nervous System	0.0	0.0	110.5	0
Endocrine System	0.0	0.0	110.5	0
Thyroid	0.0	0.0	110.5	0
Other Endocrine including Thymus	0.0	0.0	110.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	110.5	0
Hodgkin - Nodal	0.0	0.0	110.5	0
Hodgkin - Extranodal	0.0	0.0	110.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	110.5	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	110.5	0
Leukemia	0.0	0.0	110.5	0
Lymphocytic Leukemia	0.0	0.0	110.5	0
Acute Lymphocytic Leukemia	0.0	0.0	110.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	110.5	0
Other Lymphocytic Leukemia	0.0	0.0	110.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	110.5	0
Acute Myeloid Leukemia	0.0	0.0	110.5	0
Acute Monocytic Leukemia	0.0	0.0	110.5	0
Chronic Myeloid Leukemia	0.0	0.0	110.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	110.5	0
Other Leukemia	0.0	0.0	110.5	0
Other Acute Leukemia	0.0	0.0	110.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	110.5	0
Mesothelioma	0.0	0.0	110.5	0
Kaposi Sarcoma	0.0	0.0	110.5	0
Miscellaneous	0.0	0.0	110.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	422.4	282.1	605.6	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	49.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	49.0	0
Floor of Mouth	0.0	0.0	49.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	49.0	0
Tonsil	0.0	0.0	49.0	0
Oropharynx	0.0	0.0	49.0	0
Hypopharynx	0.0	0.0	49.0	0
Other Oral Cavity and Pharynx	0.0	0.0	49.0	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	49.0	0
Small Intestine	0.0	0.0	49.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	49.0	0
Cecum	0.0	0.0	49.0	0
Appendix	0.0	0.0	49.0	0
Ascending Colon	0.0	0.0	49.0	0
Hepatic Flexure	0.0	0.0	49.0	0
Transverse Colon	0.0	0.0	49.0	0
Splenic Flexure	0.0	0.0	49.0	0
Descending Colon	0.0	0.0	49.0	0
Sigmoid Colon	0.0	0.0	49.0	0
Large Intestine, NOS	0.0	0.0	49.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	49.0	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	49.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	49.0	0
Liver	0.0	0.0	49.0	0
Intrahepatic Bile Duct	0.0	0.0	49.0	0
Gallbladder	0.0	0.0	49.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	49.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	49.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	49.0	0
Other Digestive Organs	0.0	0.0	49.0	0
Respiratory System	92.5	30.9	203.9	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	49.0	0
Larynx	0.0	0.0	49.0	0
Lung and Bronchus	92.5	30.9	203.9	6
Pleura	0.0	0.0	49.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	49.0	0
Bones and Joints	0.0	0.0	49.0	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	49.0	0
Melanoma of the Skin	0.0	0.0	49.0	0
Other Non-Epithelial Skin	0.0	0.0	49.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	49.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	49.0	0
Other Urinary Organs	0.0	0.0	49.0	0
Eye and Orbit	0.0	0.0	49.0	0
Brain and Other Nervous System	0.0	0.0	49.0	0
Brain	0.0	0.0	49.0	0
Cranial Nerves Other Nervous System	0.0	0.0	49.0	0
Endocrine System	0.0	0.0	49.0	0
Thyroid	0.0	0.0	49.0	0
Other Endocrine including Thymus	0.0	0.0	49.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	49.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	49.0	0
Leukemia	0.0	0.0	49.0	0
Lymphocytic Leukemia	0.0	0.0	49.0	0
Acute Lymphocytic Leukemia	0.0	0.0	49.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	49.0	0
Other Lymphocytic Leukemia	0.0	0.0	49.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	49.0	0
Acute Myeloid Leukemia	0.0	0.0	49.0	0
Acute Monocytic Leukemia	0.0	0.0	49.0	0
Chronic Myeloid Leukemia	0.0	0.0	49.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	49.0	0
Other Leukemia	0.0	0.0	49.0	0
Other Acute Leukemia	0.0	0.0	49.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	49.0	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	49.0	0
Miscellaneous	0.0	0.0	49.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	154.2	0
Lip	0.0	0.0	154.2	0
Tongue	0.0	0.0	154.2	0
Salivary Gland	0.0	0.0	154.2	0
Floor of Mouth	0.0	0.0	154.2	0
Gum and Other Mouth	0.0	0.0	154.2	0
Nasopharynx	0.0	0.0	154.2	0
Tonsil	0.0	0.0	154.2	0
Oropharynx	0.0	0.0	154.2	0
Hypopharynx	0.0	0.0	154.2	0
Other Oral Cavity and Pharynx	0.0	0.0	154.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	154.2	0
Stomach	0.0	0.0	154.2	0
Small Intestine	0.0	0.0	154.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	154.2	0
Cecum	0.0	0.0	154.2	0
Appendix	0.0	0.0	154.2	0
Ascending Colon	0.0	0.0	154.2	0
Hepatic Flexure	0.0	0.0	154.2	0
Transverse Colon	0.0	0.0	154.2	0
Splenic Flexure	0.0	0.0	154.2	0
Descending Colon	0.0	0.0	154.2	0
Sigmoid Colon	0.0	0.0	154.2	0
Large Intestine, NOS	0.0	0.0	154.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	154.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	154.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	154.2	0
Liver	0.0	0.0	154.2	0
Intrahepatic Bile Duct	0.0	0.0	154.2	0
Gallbladder	0.0	0.0	154.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	154.2	0
Pancreas	0.0	0.0	154.2	0
Retroperitoneum	0.0	0.0	154.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	154.2	0
Other Digestive Organs	0.0	0.0	154.2	0
Respiratory System	0.0	0.0	154.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	154.2	0
Larynx	0.0	0.0	154.2	0
Lung and Bronchus	0.0	0.0	154.2	0
Pleura	0.0	0.0	154.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	154.2	0
Bones and Joints	0.0	0.0	154.2	0
Soft Tissue including Heart	0.0	0.0	154.2	0
Skin excluding Basal and Squamous	0.0	0.0	154.2	0
Melanoma of the Skin	0.0	0.0	154.2	0
Other Non-Epithelial Skin	0.0	0.0	154.2	0
Urinary System	0.0	0.0	154.2	0
Urinary Bladder	0.0	0.0	154.2	0
Kidney and Renal Pelvis	0.0	0.0	154.2	0
Ureter	0.0	0.0	154.2	0
Other Urinary Organs	0.0	0.0	154.2	0
Eye and Orbit	0.0	0.0	154.2	0
Brain and Other Nervous System	0.0	0.0	154.2	0
Brain	0.0	0.0	154.2	0
Cranial Nerves Other Nervous System	0.0	0.0	154.2	0
Endocrine System	0.0	0.0	154.2	0
Thyroid	0.0	0.0	154.2	0
Other Endocrine including Thymus	0.0	0.0	154.2	0
Lymphoma	0.0	0.0	154.2	0
Hodgkin Lymphoma	0.0	0.0	154.2	0
Hodgkin - Nodal	0.0	0.0	154.2	0
Hodgkin - Extranodal	0.0	0.0	154.2	0
Non-Hodgkin Lymphoma	0.0	0.0	154.2	0
NHL - Nodal	0.0	0.0	154.2	0
NHL - Extranodal	0.0	0.0	154.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	154.2	0
Leukemia	0.0	0.0	154.2	0
Lymphocytic Leukemia	0.0	0.0	154.2	0
Acute Lymphocytic Leukemia	0.0	0.0	154.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	154.2	0
Other Lymphocytic Leukemia	0.0	0.0	154.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	154.2	0
Acute Myeloid Leukemia	0.0	0.0	154.2	0
Acute Monocytic Leukemia	0.0	0.0	154.2	0
Chronic Myeloid Leukemia	0.0	0.0	154.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	154.2	0
Other Leukemia	0.0	0.0	154.2	0
Other Acute Leukemia	0.0	0.0	154.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	154.2	0
Mesothelioma	0.0	0.0	154.2	0
Kaposi Sarcoma	0.0	0.0	154.2	0
Miscellaneous	0.0	0.0	154.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	561.9	334.5	875.3	25
Oral Cavity and Pharynx	0.0	0.0	94.9	0
Lip	0.0	0.0	94.9	0
Tongue	0.0	0.0	94.9	0
Salivary Gland	0.0	0.0	94.9	0
Floor of Mouth	0.0	0.0	94.9	0
Gum and Other Mouth	0.0	0.0	94.9	0
Nasopharynx	0.0	0.0	94.9	0
Tonsil	0.0	0.0	94.9	0
Oropharynx	0.0	0.0	94.9	0
Hypopharynx	0.0	0.0	94.9	0
Other Oral Cavity and Pharynx	0.0	0.0	94.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	94.9	0
Stomach	0.0	0.0	94.9	0
Small Intestine	0.0	0.0	94.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	94.9	0
Cecum	0.0	0.0	94.9	0
Appendix	0.0	0.0	94.9	0
Ascending Colon	0.0	0.0	94.9	0
Hepatic Flexure	0.0	0.0	94.9	0
Transverse Colon	0.0	0.0	94.9	0
Splenic Flexure	0.0	0.0	94.9	0
Descending Colon	0.0	0.0	94.9	0
Sigmoid Colon	0.0	0.0	94.9	0
Large Intestine, NOS	0.0	0.0	94.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	94.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	94.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	94.9	0
Liver	0.0	0.0	94.9	0
Intrahepatic Bile Duct	0.0	0.0	94.9	0
Gallbladder	0.0	0.0	94.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	94.9	0
Pancreas	0.0	0.0	94.9	0
Retroperitoneum	0.0	0.0	94.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.9	0
Other Digestive Organs	0.0	0.0	94.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.9	0
Larynx	0.0	0.0	94.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	94.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.9	0
Bones and Joints	0.0	0.0	94.9	0
Soft Tissue including Heart	0.0	0.0	94.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	94.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	94.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	94.9	0
Other Urinary Organs	0.0	0.0	94.9	0
Eye and Orbit	0.0	0.0	94.9	0
Brain and Other Nervous System	0.0	0.0	94.9	0
Brain	0.0	0.0	94.9	0
Cranial Nerves Other Nervous System	0.0	0.0	94.9	0
Endocrine System	0.0	0.0	94.9	0
Thyroid	0.0	0.0	94.9	0
Other Endocrine including Thymus	0.0	0.0	94.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	94.9	0
Hodgkin - Nodal	0.0	0.0	94.9	0
Hodgkin - Extranodal	0.0	0.0	94.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	94.9	0
Leukemia	0.0	0.0	94.9	0
Lymphocytic Leukemia	0.0	0.0	94.9	0
Acute Lymphocytic Leukemia	0.0	0.0	94.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.9	0
Other Lymphocytic Leukemia	0.0	0.0	94.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	94.9	0
Acute Myeloid Leukemia	0.0	0.0	94.9	0
Acute Monocytic Leukemia	0.0	0.0	94.9	0
Chronic Myeloid Leukemia	0.0	0.0	94.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.9	0
Other Leukemia	0.0	0.0	94.9	0
Other Acute Leukemia	0.0	0.0	94.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	94.9	0
Miscellaneous	0.0	0.0	94.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	468.4	313.0	670.7	36
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	54.6	0
Tongue	0.0	0.0	54.6	0
Salivary Gland	0.0	0.0	54.6	0
Floor of Mouth	0.0	0.0	54.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	54.6	0
Tonsil	0.0	0.0	54.6	0
Oropharynx	0.0	0.0	54.6	0
Hypopharynx	0.0	0.0	54.6	0
Other Oral Cavity and Pharynx	0.0	0.0	54.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	54.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	54.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	54.6	0
Appendix	0.0	0.0	54.6	0
Ascending Colon	0.0	0.0	54.6	0
Hepatic Flexure	0.0	0.0	54.6	0
Transverse Colon	0.0	0.0	54.6	0
Splenic Flexure	0.0	0.0	54.6	0
Descending Colon	0.0	0.0	54.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	54.6	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	54.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	54.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	54.6	0
Gallbladder	0.0	0.0	54.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	54.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	54.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	54.6	0
Other Digestive Organs	0.0	0.0	54.6	0
Respiratory System	124.9	45.4	261.4	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	54.6	0
Larynx	^	^	^	^
Lung and Bronchus	106.0	34.0	235.8	6
Pleura	0.0	0.0	54.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	54.6	0
Bones and Joints	0.0	0.0	54.6	0
Soft Tissue including Heart	0.0	0.0	54.6	0
Skin excluding Basal and Squamous	0.0	0.0	54.6	0
Melanoma of the Skin	0.0	0.0	54.6	0
Other Non-Epithelial Skin	0.0	0.0	54.6	0
Urinary System	0.0	0.0	54.6	0
Urinary Bladder	0.0	0.0	54.6	0
Kidney and Renal Pelvis	0.0	0.0	54.6	0
Ureter	0.0	0.0	54.6	0
Other Urinary Organs	0.0	0.0	54.6	0
Eye and Orbit	0.0	0.0	54.6	0
Brain and Other Nervous System	0.0	0.0	54.6	0
Brain	0.0	0.0	54.6	0
Cranial Nerves Other Nervous System	0.0	0.0	54.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	54.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	54.6	0
Hodgkin - Nodal	0.0	0.0	54.6	0
Hodgkin - Extranodal	0.0	0.0	54.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	54.6	0
Lymphocytic Leukemia	0.0	0.0	54.6	0
Acute Lymphocytic Leukemia	0.0	0.0	54.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	54.6	0
Other Lymphocytic Leukemia	0.0	0.0	54.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	54.6	0
Acute Myeloid Leukemia	0.0	0.0	54.6	0
Acute Monocytic Leukemia	0.0	0.0	54.6	0
Chronic Myeloid Leukemia	0.0	0.0	54.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	54.6	0
Other Leukemia	0.0	0.0	54.6	0
Other Acute Leukemia	0.0	0.0	54.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	54.6	0
Mesothelioma	0.0	0.0	54.6	0
Kaposi Sarcoma	0.0	0.0	54.6	0
Miscellaneous	0.0	0.0	54.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	545.1	280.6	922.4	14
Oral Cavity and Pharynx	0.0	0.0	97.5	0
Lip	0.0	0.0	97.5	0
Tongue	0.0	0.0	97.5	0
Salivary Gland	0.0	0.0	97.5	0
Floor of Mouth	0.0	0.0	97.5	0
Gum and Other Mouth	0.0	0.0	97.5	0
Nasopharynx	0.0	0.0	97.5	0
Tonsil	0.0	0.0	97.5	0
Oropharynx	0.0	0.0	97.5	0
Hypopharynx	0.0	0.0	97.5	0
Other Oral Cavity and Pharynx	0.0	0.0	97.5	0
Digestive System	416.9	191.0	756.5	10
Esophagus	0.0	0.0	97.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	97.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	97.5	0
Appendix	0.0	0.0	97.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	97.5	0
Splenic Flexure	0.0	0.0	97.5	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	97.5	0
Large Intestine, NOS	0.0	0.0	97.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	97.5	0
Rectosigmoid Junction	0.0	0.0	97.5	0
Rectum	0.0	0.0	97.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	97.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	97.5	0
Gallbladder	0.0	0.0	97.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	97.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	97.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	97.5	0
Other Digestive Organs	0.0	0.0	97.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	97.5	0
Larynx	0.0	0.0	97.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	97.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	97.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	97.5	0
Skin excluding Basal and Squamous	0.0	0.0	97.5	0
Melanoma of the Skin	0.0	0.0	97.5	0
Other Non-Epithelial Skin	0.0	0.0	97.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	97.5	0
Ureter	0.0	0.0	97.5	0
Other Urinary Organs	0.0	0.0	97.5	0
Eye and Orbit	0.0	0.0	97.5	0
Brain and Other Nervous System	0.0	0.0	97.5	0
Brain	0.0	0.0	97.5	0
Cranial Nerves Other Nervous System	0.0	0.0	97.5	0
Endocrine System	0.0	0.0	97.5	0
Thyroid	0.0	0.0	97.5	0
Other Endocrine including Thymus	0.0	0.0	97.5	0
Lymphoma	0.0	0.0	97.5	0
Hodgkin Lymphoma	0.0	0.0	97.5	0
Hodgkin - Nodal	0.0	0.0	97.5	0
Hodgkin - Extranodal	0.0	0.0	97.5	0
Non-Hodgkin Lymphoma	0.0	0.0	97.5	0
NHL - Nodal	0.0	0.0	97.5	0
NHL - Extranodal	0.0	0.0	97.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	97.5	0
Leukemia	0.0	0.0	97.5	0
Lymphocytic Leukemia	0.0	0.0	97.5	0
Acute Lymphocytic Leukemia	0.0	0.0	97.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	97.5	0
Other Lymphocytic Leukemia	0.0	0.0	97.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	97.5	0
Acute Myeloid Leukemia	0.0	0.0	97.5	0
Acute Monocytic Leukemia	0.0	0.0	97.5	0
Chronic Myeloid Leukemia	0.0	0.0	97.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	97.5	0
Other Leukemia	0.0	0.0	97.5	0
Other Acute Leukemia	0.0	0.0	97.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	97.5	0
Mesothelioma	0.0	0.0	97.5	0
Kaposi Sarcoma	0.0	0.0	97.5	0
Miscellaneous	0.0	0.0	97.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	512.7	343.2	735.9	30
Oral Cavity and Pharynx	0.0	0.0	64.5	0
Lip	0.0	0.0	64.5	0
Tongue	0.0	0.0	64.5	0
Salivary Gland	0.0	0.0	64.5	0
Floor of Mouth	0.0	0.0	64.5	0
Gum and Other Mouth	0.0	0.0	64.5	0
Nasopharynx	0.0	0.0	64.5	0
Tonsil	0.0	0.0	64.5	0
Oropharynx	0.0	0.0	64.5	0
Hypopharynx	0.0	0.0	64.5	0
Other Oral Cavity and Pharynx	0.0	0.0	64.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	64.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	64.5	0
Cecum	0.0	0.0	64.5	0
Appendix	0.0	0.0	64.5	0
Ascending Colon	0.0	0.0	64.5	0
Hepatic Flexure	0.0	0.0	64.5	0
Transverse Colon	0.0	0.0	64.5	0
Splenic Flexure	0.0	0.0	64.5	0
Descending Colon	0.0	0.0	64.5	0
Sigmoid Colon	0.0	0.0	64.5	0
Large Intestine, NOS	0.0	0.0	64.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	64.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	64.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	64.5	0
Liver	0.0	0.0	64.5	0
Intrahepatic Bile Duct	0.0	0.0	64.5	0
Gallbladder	0.0	0.0	64.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	64.5	0
Pancreas	0.0	0.0	64.5	0
Retroperitoneum	0.0	0.0	64.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.5	0
Other Digestive Organs	0.0	0.0	64.5	0
Respiratory System	127.4	50.6	262.2	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.5	0
Larynx	0.0	0.0	64.5	0
Lung and Bronchus	127.4	50.6	262.2	7
Pleura	0.0	0.0	64.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.5	0
Bones and Joints	0.0	0.0	64.5	0
Soft Tissue including Heart	0.0	0.0	64.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	64.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	64.5	0
Other Urinary Organs	0.0	0.0	64.5	0
Eye and Orbit	0.0	0.0	64.5	0
Brain and Other Nervous System	0.0	0.0	64.5	0
Brain	0.0	0.0	64.5	0
Cranial Nerves Other Nervous System	0.0	0.0	64.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	64.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	64.5	0
Hodgkin - Nodal	0.0	0.0	64.5	0
Hodgkin - Extranodal	0.0	0.0	64.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	64.5	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	64.5	0
Leukemia	0.0	0.0	64.5	0
Lymphocytic Leukemia	0.0	0.0	64.5	0
Acute Lymphocytic Leukemia	0.0	0.0	64.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.5	0
Other Lymphocytic Leukemia	0.0	0.0	64.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.5	0
Acute Myeloid Leukemia	0.0	0.0	64.5	0
Acute Monocytic Leukemia	0.0	0.0	64.5	0
Chronic Myeloid Leukemia	0.0	0.0	64.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.5	0
Other Leukemia	0.0	0.0	64.5	0
Other Acute Leukemia	0.0	0.0	64.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.5	0
Mesothelioma	0.0	0.0	64.5	0
Kaposi Sarcoma	0.0	0.0	64.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	906.5	0
Lip	0.0	0.0	906.5	0
Tongue	0.0	0.0	906.5	0
Salivary Gland	0.0	0.0	906.5	0
Floor of Mouth	0.0	0.0	906.5	0
Gum and Other Mouth	0.0	0.0	906.5	0
Nasopharynx	0.0	0.0	906.5	0
Tonsil	0.0	0.0	906.5	0
Oropharynx	0.0	0.0	906.5	0
Hypopharynx	0.0	0.0	906.5	0
Other Oral Cavity and Pharynx	0.0	0.0	906.5	0
Digestive System	0.0	0.0	906.5	0
Esophagus	0.0	0.0	906.5	0
Stomach	0.0	0.0	906.5	0
Small Intestine	0.0	0.0	906.5	0
Colon and Rectum	0.0	0.0	906.5	0
Colon excluding Rectum	0.0	0.0	906.5	0
Cecum	0.0	0.0	906.5	0
Appendix	0.0	0.0	906.5	0
Ascending Colon	0.0	0.0	906.5	0
Hepatic Flexure	0.0	0.0	906.5	0
Transverse Colon	0.0	0.0	906.5	0
Splenic Flexure	0.0	0.0	906.5	0
Descending Colon	0.0	0.0	906.5	0
Sigmoid Colon	0.0	0.0	906.5	0
Large Intestine, NOS	0.0	0.0	906.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	906.5	0
Rectosigmoid Junction	0.0	0.0	906.5	0
Rectum	0.0	0.0	906.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	906.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	906.5	0
Liver	0.0	0.0	906.5	0
Intrahepatic Bile Duct	0.0	0.0	906.5	0
Gallbladder	0.0	0.0	906.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	906.5	0
Pancreas	0.0	0.0	906.5	0
Retroperitoneum	0.0	0.0	906.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	906.5	0
Other Digestive Organs	0.0	0.0	906.5	0
Respiratory System	0.0	0.0	906.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	906.5	0
Larynx	0.0	0.0	906.5	0
Lung and Bronchus	0.0	0.0	906.5	0
Pleura	0.0	0.0	906.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	906.5	0
Bones and Joints	0.0	0.0	906.5	0
Soft Tissue including Heart	0.0	0.0	906.5	0
Skin excluding Basal and Squamous	0.0	0.0	906.5	0
Melanoma of the Skin	0.0	0.0	906.5	0
Other Non-Epithelial Skin	0.0	0.0	906.5	0
Urinary System	0.0	0.0	906.5	0
Urinary Bladder	0.0	0.0	906.5	0
Kidney and Renal Pelvis	0.0	0.0	906.5	0
Ureter	0.0	0.0	906.5	0
Other Urinary Organs	0.0	0.0	906.5	0
Eye and Orbit	0.0	0.0	906.5	0
Brain and Other Nervous System	0.0	0.0	906.5	0
Brain	0.0	0.0	906.5	0
Cranial Nerves Other Nervous System	0.0	0.0	906.5	0
Endocrine System	0.0	0.0	906.5	0
Thyroid	0.0	0.0	906.5	0
Other Endocrine including Thymus	0.0	0.0	906.5	0
Lymphoma	0.0	0.0	906.5	0
Hodgkin Lymphoma	0.0	0.0	906.5	0
Hodgkin - Nodal	0.0	0.0	906.5	0
Hodgkin - Extranodal	0.0	0.0	906.5	0
Non-Hodgkin Lymphoma	0.0	0.0	906.5	0
NHL - Nodal	0.0	0.0	906.5	0
NHL - Extranodal	0.0	0.0	906.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	906.5	0
Leukemia	0.0	0.0	906.5	0
Lymphocytic Leukemia	0.0	0.0	906.5	0
Acute Lymphocytic Leukemia	0.0	0.0	906.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	906.5	0
Other Lymphocytic Leukemia	0.0	0.0	906.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	906.5	0
Acute Myeloid Leukemia	0.0	0.0	906.5	0
Acute Monocytic Leukemia	0.0	0.0	906.5	0
Chronic Myeloid Leukemia	0.0	0.0	906.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	906.5	0
Other Leukemia	0.0	0.0	906.5	0
Other Acute Leukemia	0.0	0.0	906.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	906.5	0
Mesothelioma	0.0	0.0	906.5	0
Kaposi Sarcoma	0.0	0.0	906.5	0
Miscellaneous	0.0	0.0	906.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	482.1	304.4	722.9	25
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	73.9	0
Tongue	0.0	0.0	73.9	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	73.9	0
Gum and Other Mouth	0.0	0.0	73.9	0
Nasopharynx	0.0	0.0	73.9	0
Tonsil	0.0	0.0	73.9	0
Oropharynx	0.0	0.0	73.9	0
Hypopharynx	0.0	0.0	73.9	0
Other Oral Cavity and Pharynx	0.0	0.0	73.9	0
Digestive System	192.5	84.6	368.8	9
Esophagus	0.0	0.0	73.9	0
Stomach	0.0	0.0	73.9	0
Small Intestine	^	^	^	^
Colon and Rectum	143.5	55.3	298.9	7
Colon excluding Rectum	126.2	44.1	277.0	6
Cecum	^	^	^	^
Appendix	0.0	0.0	73.9	0
Ascending Colon	0.0	0.0	73.9	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	73.9	0
Splenic Flexure	0.0	0.0	73.9	0
Descending Colon	0.0	0.0	73.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	73.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	73.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	73.9	0
Liver	0.0	0.0	73.9	0
Intrahepatic Bile Duct	0.0	0.0	73.9	0
Gallbladder	0.0	0.0	73.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	73.9	0
Pancreas	0.0	0.0	73.9	0
Retroperitoneum	0.0	0.0	73.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	73.9	0
Other Digestive Organs	0.0	0.0	73.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	73.9	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	73.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	73.9	0
Bones and Joints	0.0	0.0	73.9	0
Soft Tissue including Heart	0.0	0.0	73.9	0
Skin excluding Basal and Squamous	0.0	0.0	73.9	0
Melanoma of the Skin	0.0	0.0	73.9	0
Other Non-Epithelial Skin	0.0	0.0	73.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	73.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	73.9	0
Other Urinary Organs	0.0	0.0	73.9	0
Eye and Orbit	0.0	0.0	73.9	0
Brain and Other Nervous System	0.0	0.0	73.9	0
Brain	0.0	0.0	73.9	0
Cranial Nerves Other Nervous System	0.0	0.0	73.9	0
Endocrine System	0.0	0.0	73.9	0
Thyroid	0.0	0.0	73.9	0
Other Endocrine including Thymus	0.0	0.0	73.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	73.9	0
Hodgkin - Nodal	0.0	0.0	73.9	0
Hodgkin - Extranodal	0.0	0.0	73.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	73.9	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2002/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	73.9	0
Leukemia	0.0	0.0	73.9	0
Lymphocytic Leukemia	0.0	0.0	73.9	0
Acute Lymphocytic Leukemia	0.0	0.0	73.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	73.9	0
Other Lymphocytic Leukemia	0.0	0.0	73.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	73.9	0
Acute Myeloid Leukemia	0.0	0.0	73.9	0
Acute Monocytic Leukemia	0.0	0.0	73.9	0
Chronic Myeloid Leukemia	0.0	0.0	73.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	73.9	0
Other Leukemia	0.0	0.0	73.9	0
Other Acute Leukemia	0.0	0.0	73.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	73.9	0
Mesothelioma	0.0	0.0	73.9	0
Kaposi Sarcoma	0.0	0.0	73.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	334.5	0
Lip	0.0	0.0	334.5	0
Tongue	0.0	0.0	334.5	0
Salivary Gland	0.0	0.0	334.5	0
Floor of Mouth	0.0	0.0	334.5	0
Gum and Other Mouth	0.0	0.0	334.5	0
Nasopharynx	0.0	0.0	334.5	0
Tonsil	0.0	0.0	334.5	0
Oropharynx	0.0	0.0	334.5	0
Hypopharynx	0.0	0.0	334.5	0
Other Oral Cavity and Pharynx	0.0	0.0	334.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	334.5	0
Stomach	0.0	0.0	334.5	0
Small Intestine	0.0	0.0	334.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	334.5	0
Cecum	0.0	0.0	334.5	0
Appendix	0.0	0.0	334.5	0
Ascending Colon	0.0	0.0	334.5	0
Hepatic Flexure	0.0	0.0	334.5	0
Transverse Colon	0.0	0.0	334.5	0
Splenic Flexure	0.0	0.0	334.5	0
Descending Colon	0.0	0.0	334.5	0
Sigmoid Colon	0.0	0.0	334.5	0
Large Intestine, NOS	0.0	0.0	334.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	334.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	334.5	0
Liver	0.0	0.0	334.5	0
Intrahepatic Bile Duct	0.0	0.0	334.5	0
Gallbladder	0.0	0.0	334.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	334.5	0
Pancreas	0.0	0.0	334.5	0
Retroperitoneum	0.0	0.0	334.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	334.5	0
Other Digestive Organs	0.0	0.0	334.5	0
Respiratory System	0.0	0.0	334.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	334.5	0
Larynx	0.0	0.0	334.5	0
Lung and Bronchus	0.0	0.0	334.5	0
Pleura	0.0	0.0	334.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	334.5	0
Bones and Joints	0.0	0.0	334.5	0
Soft Tissue including Heart	0.0	0.0	334.5	0
Skin excluding Basal and Squamous	0.0	0.0	334.5	0
Melanoma of the Skin	0.0	0.0	334.5	0
Other Non-Epithelial Skin	0.0	0.0	334.5	0
Urinary System	0.0	0.0	334.5	0
Urinary Bladder	0.0	0.0	334.5	0
Kidney and Renal Pelvis	0.0	0.0	334.5	0
Ureter	0.0	0.0	334.5	0
Other Urinary Organs	0.0	0.0	334.5	0
Eye and Orbit	0.0	0.0	334.5	0
Brain and Other Nervous System	0.0	0.0	334.5	0
Brain	0.0	0.0	334.5	0
Cranial Nerves Other Nervous System	0.0	0.0	334.5	0
Endocrine System	0.0	0.0	334.5	0
Thyroid	0.0	0.0	334.5	0
Other Endocrine including Thymus	0.0	0.0	334.5	0
Lymphoma	0.0	0.0	334.5	0
Hodgkin Lymphoma	0.0	0.0	334.5	0
Hodgkin - Nodal	0.0	0.0	334.5	0
Hodgkin - Extranodal	0.0	0.0	334.5	0
Non-Hodgkin Lymphoma	0.0	0.0	334.5	0
NHL - Nodal	0.0	0.0	334.5	0
NHL - Extranodal	0.0	0.0	334.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	334.5	0
Leukemia	0.0	0.0	334.5	0
Lymphocytic Leukemia	0.0	0.0	334.5	0
Acute Lymphocytic Leukemia	0.0	0.0	334.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	334.5	0
Other Lymphocytic Leukemia	0.0	0.0	334.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	334.5	0
Acute Myeloid Leukemia	0.0	0.0	334.5	0
Acute Monocytic Leukemia	0.0	0.0	334.5	0
Chronic Myeloid Leukemia	0.0	0.0	334.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	334.5	0
Other Leukemia	0.0	0.0	334.5	0
Other Acute Leukemia	0.0	0.0	334.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	334.5	0
Mesothelioma	0.0	0.0	334.5	0
Kaposi Sarcoma	0.0	0.0	334.5	0
Miscellaneous	0.0	0.0	334.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	440.3	172.1	916.2	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	260.9	0
Tongue	0.0	0.0	260.9	0
Salivary Gland	0.0	0.0	260.9	0
Floor of Mouth	0.0	0.0	260.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	260.9	0
Tonsil	0.0	0.0	260.9	0
Oropharynx	0.0	0.0	260.9	0
Hypopharynx	0.0	0.0	260.9	0
Other Oral Cavity and Pharynx	0.0	0.0	260.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	260.9	0
Stomach	0.0	0.0	260.9	0
Small Intestine	0.0	0.0	260.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	260.9	0
Cecum	0.0	0.0	260.9	0
Appendix	0.0	0.0	260.9	0
Ascending Colon	0.0	0.0	260.9	0
Hepatic Flexure	0.0	0.0	260.9	0
Transverse Colon	0.0	0.0	260.9	0
Splenic Flexure	0.0	0.0	260.9	0
Descending Colon	0.0	0.0	260.9	0
Sigmoid Colon	0.0	0.0	260.9	0
Large Intestine, NOS	0.0	0.0	260.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	260.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	260.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	260.9	0
Liver	0.0	0.0	260.9	0
Intrahepatic Bile Duct	0.0	0.0	260.9	0
Gallbladder	0.0	0.0	260.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	260.9	0
Pancreas	0.0	0.0	260.9	0
Retroperitoneum	0.0	0.0	260.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	260.9	0
Other Digestive Organs	0.0	0.0	260.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	260.9	0
Larynx	0.0	0.0	260.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	260.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	260.9	0
Bones and Joints	0.0	0.0	260.9	0
Soft Tissue including Heart	0.0	0.0	260.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	260.9	0
Urinary System	0.0	0.0	260.9	0
Urinary Bladder	0.0	0.0	260.9	0
Kidney and Renal Pelvis	0.0	0.0	260.9	0
Ureter	0.0	0.0	260.9	0
Other Urinary Organs	0.0	0.0	260.9	0
Eye and Orbit	0.0	0.0	260.9	0
Brain and Other Nervous System	0.0	0.0	260.9	0
Brain	0.0	0.0	260.9	0
Cranial Nerves Other Nervous System	0.0	0.0	260.9	0
Endocrine System	0.0	0.0	260.9	0
Thyroid	0.0	0.0	260.9	0
Other Endocrine including Thymus	0.0	0.0	260.9	0
Lymphoma	0.0	0.0	260.9	0
Hodgkin Lymphoma	0.0	0.0	260.9	0
Hodgkin - Nodal	0.0	0.0	260.9	0
Hodgkin - Extranodal	0.0	0.0	260.9	0
Non-Hodgkin Lymphoma	0.0	0.0	260.9	0
NHL - Nodal	0.0	0.0	260.9	0
NHL - Extranodal	0.0	0.0	260.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	260.9	0
Leukemia	0.0	0.0	260.9	0
Lymphocytic Leukemia	0.0	0.0	260.9	0
Acute Lymphocytic Leukemia	0.0	0.0	260.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	260.9	0
Other Lymphocytic Leukemia	0.0	0.0	260.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	260.9	0
Acute Myeloid Leukemia	0.0	0.0	260.9	0
Acute Monocytic Leukemia	0.0	0.0	260.9	0
Chronic Myeloid Leukemia	0.0	0.0	260.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	260.9	0
Other Leukemia	0.0	0.0	260.9	0
Other Acute Leukemia	0.0	0.0	260.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	260.9	0
Mesothelioma	0.0	0.0	260.9	0
Kaposi Sarcoma	0.0	0.0	260.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	483.0	448.9	518.9	902
Oral Cavity and Pharynx	12.0	6.9	18.9	21
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	2.0	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	75.7	62.4	90.8	137
Esophagus	4.4	1.8	8.8	8
Stomach	5.6	2.6	10.4	11
Small Intestine	^	^	^	^
Colon and Rectum	37.5	28.4	48.3	68
Colon excluding Rectum	27.3	19.4	37.1	44
Cecum	5.3	2.3	10.3	9
Appendix	^	^	^	^
Ascending Colon	7.5	3.7	13.2	11
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	2.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	8.7	4.5	15.0	14
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	10.2	6.2	15.8	24
Rectosigmoid Junction	3.5	1.1	8.0	6
Rectum	6.6	3.9	10.9	18
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.8	4.2	13.0	17
Liver	7.8	4.2	13.0	17
Intrahepatic Bile Duct	0.0	0.0	2.0	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	9.0	4.9	15.0	17
Retroperitoneum	0.0	0.0	2.0	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	81.2	66.7	97.6	126
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	5.0	2.0	9.9	8
Lung and Bronchus	75.5	61.5	91.4	116
Pleura	0.0	0.0	2.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	2.2	0.8	5.1	6
Skin excluding Basal and Squamous	17.3	11.8	24.5	39
Melanoma of the Skin	14.8	9.9	21.3	35
Other Non-Epithelial Skin	^	^	^	^
Urinary System	38.7	29.2	50.1	66
Urinary Bladder	27.2	19.0	37.4	40
Kidney and Renal Pelvis	10.9	6.7	16.8	25
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	2.0	0
Eye and Orbit	0.0	0.0	2.0	0
Brain and Other Nervous System	6.1	3.0	11.0	13
Brain	5.4	2.5	10.2	11
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	13.1	8.6	19.2	32
Thyroid	11.4	7.3	17.0	29
Other Endocrine including Thymus	^	^	^	^
Lymphoma	19.3	13.3	27.0	41
Hodgkin Lymphoma	4.8	2.3	8.9	12
Hodgkin - Nodal	4.8	2.3	8.9	12
Hodgkin - Extranodal	0.0	0.0	2.0	0
Non-Hodgkin Lymphoma	14.5	9.2	21.6	29
NHL - Nodal	8.7	4.9	14.1	19
NHL - Extranodal	5.8	2.5	11.1	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	5.5	2.3	10.8	9
Leukemia	10.0	5.7	16.0	20
Lymphocytic Leukemia	3.5	1.3	7.5	7
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	6.0	2.8	11.1	12
Acute Myeloid Leukemia	4.4	1.6	9.2	8
Acute Monocytic Leukemia	0.0	0.0	2.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	14.4	8.8	21.9	25

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	440.6	298.6	619.4	36
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.7	0
Tongue	0.0	0.0	35.7	0
Salivary Gland	0.0	0.0	35.7	0
Floor of Mouth	0.0	0.0	35.7	0
Gum and Other Mouth	0.0	0.0	35.7	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	35.7	0
Hypopharynx	0.0	0.0	35.7	0
Other Oral Cavity and Pharynx	0.0	0.0	35.7	0
Digestive System	212.0	117.9	343.4	17
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	35.7	0
Colon and Rectum	102.1	40.8	201.6	8
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	35.7	0
Ascending Colon	0.0	0.0	35.7	0
Hepatic Flexure	0.0	0.0	35.7	0
Transverse Colon	0.0	0.0	35.7	0
Splenic Flexure	0.0	0.0	35.7	0
Descending Colon	0.0	0.0	35.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	35.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	35.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.7	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	35.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	35.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.7	0
Other Digestive Organs	^	^	^	^
Respiratory System	104.5	40.0	210.2	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.7	0
Larynx	0.0	0.0	35.7	0
Lung and Bronchus	104.5	40.0	210.2	7
Pleura	0.0	0.0	35.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.7	0
Bones and Joints	0.0	0.0	35.7	0
Soft Tissue including Heart	0.0	0.0	35.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	35.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	35.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	35.7	0
Other Urinary Organs	0.0	0.0	35.7	0
Eye and Orbit	0.0	0.0	35.7	0
Brain and Other Nervous System	0.0	0.0	35.7	0
Brain	0.0	0.0	35.7	0
Cranial Nerves Other Nervous System	0.0	0.0	35.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	35.7	0
Lymphoma	0.0	0.0	35.7	0
Hodgkin Lymphoma	0.0	0.0	35.7	0
Hodgkin - Nodal	0.0	0.0	35.7	0
Hodgkin - Extranodal	0.0	0.0	35.7	0
Non-Hodgkin Lymphoma	0.0	0.0	35.7	0
NHL - Nodal	0.0	0.0	35.7	0
NHL - Extranodal	0.0	0.0	35.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	35.7	0
Leukemia	0.0	0.0	35.7	0
Lymphocytic Leukemia	0.0	0.0	35.7	0
Acute Lymphocytic Leukemia	0.0	0.0	35.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.7	0
Other Lymphocytic Leukemia	0.0	0.0	35.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	35.7	0
Acute Myeloid Leukemia	0.0	0.0	35.7	0
Acute Monocytic Leukemia	0.0	0.0	35.7	0
Chronic Myeloid Leukemia	0.0	0.0	35.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.7	0
Other Leukemia	0.0	0.0	35.7	0
Other Acute Leukemia	0.0	0.0	35.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.7	0
Mesothelioma	0.0	0.0	35.7	0
Kaposi Sarcoma	0.0	0.0	35.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	639.6	0
Lip	0.0	0.0	639.6	0
Tongue	0.0	0.0	639.6	0
Salivary Gland	0.0	0.0	639.6	0
Floor of Mouth	0.0	0.0	639.6	0
Gum and Other Mouth	0.0	0.0	639.6	0
Nasopharynx	0.0	0.0	639.6	0
Tonsil	0.0	0.0	639.6	0
Oropharynx	0.0	0.0	639.6	0
Hypopharynx	0.0	0.0	639.6	0
Other Oral Cavity and Pharynx	0.0	0.0	639.6	0
Digestive System	0.0	0.0	639.6	0
Esophagus	0.0	0.0	639.6	0
Stomach	0.0	0.0	639.6	0
Small Intestine	0.0	0.0	639.6	0
Colon and Rectum	0.0	0.0	639.6	0
Colon excluding Rectum	0.0	0.0	639.6	0
Cecum	0.0	0.0	639.6	0
Appendix	0.0	0.0	639.6	0
Ascending Colon	0.0	0.0	639.6	0
Hepatic Flexure	0.0	0.0	639.6	0
Transverse Colon	0.0	0.0	639.6	0
Splenic Flexure	0.0	0.0	639.6	0
Descending Colon	0.0	0.0	639.6	0
Sigmoid Colon	0.0	0.0	639.6	0
Large Intestine, NOS	0.0	0.0	639.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	639.6	0
Rectosigmoid Junction	0.0	0.0	639.6	0
Rectum	0.0	0.0	639.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	639.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	639.6	0
Liver	0.0	0.0	639.6	0
Intrahepatic Bile Duct	0.0	0.0	639.6	0
Gallbladder	0.0	0.0	639.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	639.6	0
Pancreas	0.0	0.0	639.6	0
Retroperitoneum	0.0	0.0	639.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	639.6	0
Other Digestive Organs	0.0	0.0	639.6	0
Respiratory System	0.0	0.0	639.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	639.6	0
Larynx	0.0	0.0	639.6	0
Lung and Bronchus	0.0	0.0	639.6	0
Pleura	0.0	0.0	639.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	639.6	0
Bones and Joints	0.0	0.0	639.6	0
Soft Tissue including Heart	0.0	0.0	639.6	0
Skin excluding Basal and Squamous	0.0	0.0	639.6	0
Melanoma of the Skin	0.0	0.0	639.6	0
Other Non-Epithelial Skin	0.0	0.0	639.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	639.6	0
Ureter	0.0	0.0	639.6	0
Other Urinary Organs	0.0	0.0	639.6	0
Eye and Orbit	0.0	0.0	639.6	0
Brain and Other Nervous System	0.0	0.0	639.6	0
Brain	0.0	0.0	639.6	0
Cranial Nerves Other Nervous System	0.0	0.0	639.6	0
Endocrine System	0.0	0.0	639.6	0
Thyroid	0.0	0.0	639.6	0
Other Endocrine including Thymus	0.0	0.0	639.6	0
Lymphoma	0.0	0.0	639.6	0
Hodgkin Lymphoma	0.0	0.0	639.6	0
Hodgkin - Nodal	0.0	0.0	639.6	0
Hodgkin - Extranodal	0.0	0.0	639.6	0
Non-Hodgkin Lymphoma	0.0	0.0	639.6	0
NHL - Nodal	0.0	0.0	639.6	0
NHL - Extranodal	0.0	0.0	639.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	639.6	0
Leukemia	0.0	0.0	639.6	0
Lymphocytic Leukemia	0.0	0.0	639.6	0
Acute Lymphocytic Leukemia	0.0	0.0	639.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	639.6	0
Other Lymphocytic Leukemia	0.0	0.0	639.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	639.6	0
Acute Myeloid Leukemia	0.0	0.0	639.6	0
Acute Monocytic Leukemia	0.0	0.0	639.6	0
Chronic Myeloid Leukemia	0.0	0.0	639.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	639.6	0
Other Leukemia	0.0	0.0	639.6	0
Other Acute Leukemia	0.0	0.0	639.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	639.6	0
Mesothelioma	0.0	0.0	639.6	0
Kaposi Sarcoma	0.0	0.0	639.6	0
Miscellaneous	0.0	0.0	639.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	488.3	0
Lip	0.0	0.0	488.3	0
Tongue	0.0	0.0	488.3	0
Salivary Gland	0.0	0.0	488.3	0
Floor of Mouth	0.0	0.0	488.3	0
Gum and Other Mouth	0.0	0.0	488.3	0
Nasopharynx	0.0	0.0	488.3	0
Tonsil	0.0	0.0	488.3	0
Oropharynx	0.0	0.0	488.3	0
Hypopharynx	0.0	0.0	488.3	0
Other Oral Cavity and Pharynx	0.0	0.0	488.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	488.3	0
Stomach	0.0	0.0	488.3	0
Small Intestine	0.0	0.0	488.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	488.3	0
Appendix	0.0	0.0	488.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	488.3	0
Transverse Colon	0.0	0.0	488.3	0
Splenic Flexure	0.0	0.0	488.3	0
Descending Colon	0.0	0.0	488.3	0
Sigmoid Colon	0.0	0.0	488.3	0
Large Intestine, NOS	0.0	0.0	488.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	488.3	0
Rectosigmoid Junction	0.0	0.0	488.3	0
Rectum	0.0	0.0	488.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	488.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	488.3	0
Liver	0.0	0.0	488.3	0
Intrahepatic Bile Duct	0.0	0.0	488.3	0
Gallbladder	0.0	0.0	488.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	488.3	0
Pancreas	0.0	0.0	488.3	0
Retroperitoneum	0.0	0.0	488.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	488.3	0
Other Digestive Organs	0.0	0.0	488.3	0
Respiratory System	0.0	0.0	488.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	488.3	0
Larynx	0.0	0.0	488.3	0
Lung and Bronchus	0.0	0.0	488.3	0
Pleura	0.0	0.0	488.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	488.3	0
Bones and Joints	0.0	0.0	488.3	0
Soft Tissue including Heart	0.0	0.0	488.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	488.3	0
Urinary System	0.0	0.0	488.3	0
Urinary Bladder	0.0	0.0	488.3	0
Kidney and Renal Pelvis	0.0	0.0	488.3	0
Ureter	0.0	0.0	488.3	0
Other Urinary Organs	0.0	0.0	488.3	0
Eye and Orbit	0.0	0.0	488.3	0
Brain and Other Nervous System	0.0	0.0	488.3	0
Brain	0.0	0.0	488.3	0
Cranial Nerves Other Nervous System	0.0	0.0	488.3	0
Endocrine System	0.0	0.0	488.3	0
Thyroid	0.0	0.0	488.3	0
Other Endocrine including Thymus	0.0	0.0	488.3	0
Lymphoma	0.0	0.0	488.3	0
Hodgkin Lymphoma	0.0	0.0	488.3	0
Hodgkin - Nodal	0.0	0.0	488.3	0
Hodgkin - Extranodal	0.0	0.0	488.3	0
Non-Hodgkin Lymphoma	0.0	0.0	488.3	0
NHL - Nodal	0.0	0.0	488.3	0
NHL - Extranodal	0.0	0.0	488.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	488.3	0
Leukemia	0.0	0.0	488.3	0
Lymphocytic Leukemia	0.0	0.0	488.3	0
Acute Lymphocytic Leukemia	0.0	0.0	488.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	488.3	0
Other Lymphocytic Leukemia	0.0	0.0	488.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	488.3	0
Acute Myeloid Leukemia	0.0	0.0	488.3	0
Acute Monocytic Leukemia	0.0	0.0	488.3	0
Chronic Myeloid Leukemia	0.0	0.0	488.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	488.3	0
Other Leukemia	0.0	0.0	488.3	0
Other Acute Leukemia	0.0	0.0	488.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	488.3	0
Mesothelioma	0.0	0.0	488.3	0
Kaposi Sarcoma	0.0	0.0	488.3	0
Miscellaneous	0.0	0.0	488.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	511.7	292.8	823.8	18
Oral Cavity and Pharynx	0.0	0.0	106.8	0
Lip	0.0	0.0	106.8	0
Tongue	0.0	0.0	106.8	0
Salivary Gland	0.0	0.0	106.8	0
Floor of Mouth	0.0	0.0	106.8	0
Gum and Other Mouth	0.0	0.0	106.8	0
Nasopharynx	0.0	0.0	106.8	0
Tonsil	0.0	0.0	106.8	0
Oropharynx	0.0	0.0	106.8	0
Hypopharynx	0.0	0.0	106.8	0
Other Oral Cavity and Pharynx	0.0	0.0	106.8	0
Digestive System	232.9	94.1	469.4	8
Esophagus	^	^	^	^
Stomach	0.0	0.0	106.8	0
Small Intestine	0.0	0.0	106.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	106.8	0
Appendix	0.0	0.0	106.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	106.8	0
Splenic Flexure	0.0	0.0	106.8	0
Descending Colon	0.0	0.0	106.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	106.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	106.8	0
Rectosigmoid Junction	0.0	0.0	106.8	0
Rectum	0.0	0.0	106.8	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	106.8	0
Liver	0.0	0.0	106.8	0
Intrahepatic Bile Duct	0.0	0.0	106.8	0
Gallbladder	0.0	0.0	106.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	106.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	106.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	106.8	0
Other Digestive Organs	0.0	0.0	106.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	106.8	0
Larynx	0.0	0.0	106.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	106.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	106.8	0
Bones and Joints	0.0	0.0	106.8	0
Soft Tissue including Heart	0.0	0.0	106.8	0
Skin excluding Basal and Squamous	0.0	0.0	106.8	0
Melanoma of the Skin	0.0	0.0	106.8	0
Other Non-Epithelial Skin	0.0	0.0	106.8	0
Urinary System	0.0	0.0	106.8	0
Urinary Bladder	0.0	0.0	106.8	0
Kidney and Renal Pelvis	0.0	0.0	106.8	0
Ureter	0.0	0.0	106.8	0
Other Urinary Organs	0.0	0.0	106.8	0
Eye and Orbit	0.0	0.0	106.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	106.8	0
Endocrine System	0.0	0.0	106.8	0
Thyroid	0.0	0.0	106.8	0
Other Endocrine including Thymus	0.0	0.0	106.8	0
Lymphoma	0.0	0.0	106.8	0
Hodgkin Lymphoma	0.0	0.0	106.8	0
Hodgkin - Nodal	0.0	0.0	106.8	0
Hodgkin - Extranodal	0.0	0.0	106.8	0
Non-Hodgkin Lymphoma	0.0	0.0	106.8	0
NHL - Nodal	0.0	0.0	106.8	0
NHL - Extranodal	0.0	0.0	106.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	106.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	106.8	0
Acute Lymphocytic Leukemia	0.0	0.0	106.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	106.8	0
Other Lymphocytic Leukemia	0.0	0.0	106.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	106.8	0
Chronic Myeloid Leukemia	0.0	0.0	106.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	106.8	0
Other Leukemia	0.0	0.0	106.8	0
Other Acute Leukemia	0.0	0.0	106.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	106.8	0
Mesothelioma	0.0	0.0	106.8	0
Kaposi Sarcoma	0.0	0.0	106.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	503.9	439.7	574.2	274
Oral Cavity and Pharynx	17.3	6.6	35.0	8
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	6.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	6.7	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	6.7	0
Other Oral Cavity and Pharynx	0.0	0.0	6.7	0
Digestive System	73.4	50.0	103.2	39
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	35.0	19.9	56.3	19
Colon excluding Rectum	17.0	6.8	33.9	9
Cecum	^	^	^	^
Appendix	0.0	0.0	6.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	6.7	0
Transverse Colon	0.0	0.0	6.7	0
Splenic Flexure	0.0	0.0	6.7	0
Descending Colon	0.0	0.0	6.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	18.0	8.2	33.8	10
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	6.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	6.7	0
Pancreas	17.6	6.0	37.2	6
Retroperitoneum	0.0	0.0	6.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.7	0
Other Digestive Organs	0.0	0.0	6.7	0
Respiratory System	91.3	62.7	127.0	39
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.7	0
Larynx	^	^	^	^
Lung and Bronchus	90.1	61.6	125.7	38
Pleura	0.0	0.0	6.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.7	0
Bones and Joints	0.0	0.0	6.7	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	10.2	3.5	22.8	7
Melanoma of the Skin	10.2	3.5	22.8	7
Other Non-Epithelial Skin	0.0	0.0	6.7	0
Urinary System	41.4	25.2	63.5	23
Urinary Bladder	25.8	12.8	45.4	12
Kidney and Renal Pelvis	15.5	7.4	29.0	11
Ureter	0.0	0.0	6.7	0
Other Urinary Organs	0.0	0.0	6.7	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.7	0
Endocrine System	9.1	2.8	21.5	6
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	27.7	14.3	47.6	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.7	0
Non-Hodgkin Lymphoma	26.6	13.3	46.3	14
NHL - Nodal	22.6	10.7	41.0	12
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	8.9	3.4	19.6	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	6.7	0
Acute Monocytic Leukemia	0.0	0.0	6.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	6.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	6.7	0
Kaposi Sarcoma	0.0	0.0	6.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	337.6	147.4	678.7	9
Oral Cavity and Pharynx	0.0	0.0	192.1	0
Lip	0.0	0.0	192.1	0
Tongue	0.0	0.0	192.1	0
Salivary Gland	0.0	0.0	192.1	0
Floor of Mouth	0.0	0.0	192.1	0
Gum and Other Mouth	0.0	0.0	192.1	0
Nasopharynx	0.0	0.0	192.1	0
Tonsil	0.0	0.0	192.1	0
Oropharynx	0.0	0.0	192.1	0
Hypopharynx	0.0	0.0	192.1	0
Other Oral Cavity and Pharynx	0.0	0.0	192.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	192.1	0
Stomach	0.0	0.0	192.1	0
Small Intestine	0.0	0.0	192.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	192.1	0
Appendix	0.0	0.0	192.1	0
Ascending Colon	0.0	0.0	192.1	0
Hepatic Flexure	0.0	0.0	192.1	0
Transverse Colon	0.0	0.0	192.1	0
Splenic Flexure	0.0	0.0	192.1	0
Descending Colon	0.0	0.0	192.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	192.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	192.1	0
Rectosigmoid Junction	0.0	0.0	192.1	0
Rectum	0.0	0.0	192.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	192.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	192.1	0
Liver	0.0	0.0	192.1	0
Intrahepatic Bile Duct	0.0	0.0	192.1	0
Gallbladder	0.0	0.0	192.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	192.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	192.1	0
Other Digestive Organs	0.0	0.0	192.1	0
Respiratory System	0.0	0.0	192.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	192.1	0
Larynx	0.0	0.0	192.1	0
Lung and Bronchus	0.0	0.0	192.1	0
Pleura	0.0	0.0	192.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	192.1	0
Bones and Joints	0.0	0.0	192.1	0
Soft Tissue including Heart	0.0	0.0	192.1	0
Skin excluding Basal and Squamous	0.0	0.0	192.1	0
Melanoma of the Skin	0.0	0.0	192.1	0
Other Non-Epithelial Skin	0.0	0.0	192.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	192.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	192.1	0
Other Urinary Organs	0.0	0.0	192.1	0
Eye and Orbit	0.0	0.0	192.1	0
Brain and Other Nervous System	0.0	0.0	192.1	0
Brain	0.0	0.0	192.1	0
Cranial Nerves Other Nervous System	0.0	0.0	192.1	0
Endocrine System	0.0	0.0	192.1	0
Thyroid	0.0	0.0	192.1	0
Other Endocrine including Thymus	0.0	0.0	192.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	192.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	192.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	192.1	0
Leukemia	0.0	0.0	192.1	0
Lymphocytic Leukemia	0.0	0.0	192.1	0
Acute Lymphocytic Leukemia	0.0	0.0	192.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	192.1	0
Other Lymphocytic Leukemia	0.0	0.0	192.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	192.1	0
Acute Myeloid Leukemia	0.0	0.0	192.1	0
Acute Monocytic Leukemia	0.0	0.0	192.1	0
Chronic Myeloid Leukemia	0.0	0.0	192.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	192.1	0
Other Leukemia	0.0	0.0	192.1	0
Other Acute Leukemia	0.0	0.0	192.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	192.1	0
Mesothelioma	0.0	0.0	192.1	0
Kaposi Sarcoma	0.0	0.0	192.1	0
Miscellaneous	0.0	0.0	192.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	383.4	304.7	475.4	97
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	15.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	15.5	0
Floor of Mouth	0.0	0.0	15.5	0
Gum and Other Mouth	0.0	0.0	15.5	0
Nasopharynx	0.0	0.0	15.5	0
Tonsil	0.0	0.0	15.5	0
Oropharynx	0.0	0.0	15.5	0
Hypopharynx	0.0	0.0	15.5	0
Other Oral Cavity and Pharynx	0.0	0.0	15.5	0
Digestive System	107.0	66.2	162.0	25
Esophagus	^	^	^	^
Stomach	0.0	0.0	15.5	0
Small Intestine	^	^	^	^
Colon and Rectum	72.9	39.7	120.7	16
Colon excluding Rectum	64.7	33.0	111.6	13
Cecum	^	^	^	^
Appendix	0.0	0.0	15.5	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	15.5	0
Splenic Flexure	0.0	0.0	15.5	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	15.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.5	0
Gallbladder	0.0	0.0	15.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.5	0
Other Digestive Organs	0.0	0.0	15.5	0
Respiratory System	61.6	30.8	107.7	12
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	56.2	26.5	101.6	10
Pleura	0.0	0.0	15.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.5	0
Other Urinary Organs	0.0	0.0	15.5	0
Eye and Orbit	0.0	0.0	15.5	0
Brain and Other Nervous System	0.0	0.0	15.5	0
Brain	0.0	0.0	15.5	0
Cranial Nerves Other Nervous System	0.0	0.0	15.5	0
Endocrine System	22.0	8.8	47.3	7
Thyroid	22.0	8.8	47.3	7
Other Endocrine including Thymus	0.0	0.0	15.5	0
Lymphoma	23.4	7.4	54.2	6
Hodgkin Lymphoma	0.0	0.0	15.5	0
Hodgkin - Nodal	0.0	0.0	15.5	0
Hodgkin - Extranodal	0.0	0.0	15.5	0
Non-Hodgkin Lymphoma	23.4	7.4	54.2	6
NHL - Nodal	23.4	7.4	54.2	6
NHL - Extranodal	0.0	0.0	15.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	15.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	15.5	0
Acute Lymphocytic Leukemia	0.0	0.0	15.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	15.5	0
Other Lymphocytic Leukemia	0.0	0.0	15.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	15.5	0
Chronic Myeloid Leukemia	0.0	0.0	15.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.5	0
Other Leukemia	0.0	0.0	15.5	0
Other Acute Leukemia	0.0	0.0	15.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.5	0
Mesothelioma	0.0	0.0	15.5	0
Kaposi Sarcoma	^	^	^	^
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	463.9	397.2	538.3	201
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.3	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	9.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	9.3	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	9.3	0
Hypopharynx	0.0	0.0	9.3	0
Other Oral Cavity and Pharynx	0.0	0.0	9.3	0
Digestive System	85.8	58.4	121.2	36
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	42.2	23.5	69.1	18
Colon excluding Rectum	26.5	11.6	50.5	10
Cecum	^	^	^	^
Appendix	0.0	0.0	9.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	9.3	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	9.3	0
Rectum and Rectosigmoid Junction	15.7	6.4	32.5	8
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.3	0
Gallbladder	0.0	0.0	9.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	9.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	101.9	70.1	142.4	39
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.3	0
Larynx	^	^	^	^
Lung and Bronchus	97.2	65.8	137.3	36
Pleura	0.0	0.0	9.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.0	0.0	9.3	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	18.7	6.9	39.4	8
Melanoma of the Skin	16.2	5.3	36.2	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	46.0	27.9	71.5	21
Urinary Bladder	21.3	9.9	40.2	10
Kidney and Renal Pelvis	24.7	11.9	45.3	11
Ureter	0.0	0.0	9.3	0
Other Urinary Organs	0.0	0.0	9.3	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	9.3	0
Lymphoma	27.6	13.7	49.4	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	9.3	0
Non-Hodgkin Lymphoma	23.4	10.7	44.3	10
NHL - Nodal	16.0	5.9	34.3	7
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	9.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	9.3	0
Acute Monocytic Leukemia	0.0	0.0	9.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.3	0
Other Leukemia	0.0	0.0	9.3	0
Other Acute Leukemia	0.0	0.0	9.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.3	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	9.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	634.2	494.0	801.2	75
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	31.9	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	31.9	0
Floor of Mouth	0.0	0.0	31.9	0
Gum and Other Mouth	0.0	0.0	31.9	0
Nasopharynx	0.0	0.0	31.9	0
Tonsil	0.0	0.0	31.9	0
Oropharynx	0.0	0.0	31.9	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	31.9	0
Digestive System	183.3	110.2	285.0	20
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	31.9	0
Colon and Rectum	115.0	58.4	201.2	12
Colon excluding Rectum	67.5	26.4	138.7	7
Cecum	0.0	0.0	31.9	0
Appendix	0.0	0.0	31.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	31.9	0
Transverse Colon	0.0	0.0	31.9	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	31.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	31.9	0
Liver	0.0	0.0	31.9	0
Intrahepatic Bile Duct	0.0	0.0	31.9	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	31.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	31.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.9	0
Other Digestive Organs	0.0	0.0	31.9	0
Respiratory System	91.0	42.4	168.8	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.9	0
Larynx	0.0	0.0	31.9	0
Lung and Bronchus	91.0	42.4	168.8	10
Pleura	0.0	0.0	31.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.9	0
Bones and Joints	0.0	0.0	31.9	0
Soft Tissue including Heart	0.0	0.0	31.9	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	59.1	22.9	123.6	7
Urinary Bladder	49.4	17.3	109.9	6
Kidney and Renal Pelvis	0.0	0.0	31.9	0
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	31.9	0
Eye and Orbit	0.0	0.0	31.9	0
Brain and Other Nervous System	0.0	0.0	31.9	0
Brain	0.0	0.0	31.9	0
Cranial Nerves Other Nervous System	0.0	0.0	31.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	31.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	31.9	0
Hodgkin - Nodal	0.0	0.0	31.9	0
Hodgkin - Extranodal	0.0	0.0	31.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	31.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	31.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	31.9	0
Acute Myeloid Leukemia	0.0	0.0	31.9	0
Acute Monocytic Leukemia	0.0	0.0	31.9	0
Chronic Myeloid Leukemia	0.0	0.0	31.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	31.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	31.9	0
Kaposi Sarcoma	0.0	0.0	31.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	353.1	221.9	526.5	27
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	43.5	0
Tongue	0.0	0.0	43.5	0
Salivary Gland	0.0	0.0	43.5	0
Floor of Mouth	0.0	0.0	43.5	0
Gum and Other Mouth	0.0	0.0	43.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	43.5	0
Oropharynx	0.0	0.0	43.5	0
Hypopharynx	0.0	0.0	43.5	0
Other Oral Cavity and Pharynx	0.0	0.0	43.5	0
Digestive System	145.9	58.1	285.9	7
Esophagus	0.0	0.0	43.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	43.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	43.5	0
Ascending Colon	0.0	0.0	43.5	0
Hepatic Flexure	0.0	0.0	43.5	0
Transverse Colon	0.0	0.0	43.5	0
Splenic Flexure	0.0	0.0	43.5	0
Descending Colon	0.0	0.0	43.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	43.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	43.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	43.5	0
Liver	0.0	0.0	43.5	0
Intrahepatic Bile Duct	0.0	0.0	43.5	0
Gallbladder	0.0	0.0	43.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	43.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	43.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	43.5	0
Other Digestive Organs	0.0	0.0	43.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	43.5	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	43.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	43.5	0
Bones and Joints	0.0	0.0	43.5	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	43.5	0
Melanoma of the Skin	0.0	0.0	43.5	0
Other Non-Epithelial Skin	0.0	0.0	43.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	43.5	0
Other Urinary Organs	0.0	0.0	43.5	0
Eye and Orbit	0.0	0.0	43.5	0
Brain and Other Nervous System	0.0	0.0	43.5	0
Brain	0.0	0.0	43.5	0
Cranial Nerves Other Nervous System	0.0	0.0	43.5	0
Endocrine System	0.0	0.0	43.5	0
Thyroid	0.0	0.0	43.5	0
Other Endocrine including Thymus	0.0	0.0	43.5	0
Lymphoma	0.0	0.0	43.5	0
Hodgkin Lymphoma	0.0	0.0	43.5	0
Hodgkin - Nodal	0.0	0.0	43.5	0
Hodgkin - Extranodal	0.0	0.0	43.5	0
Non-Hodgkin Lymphoma	0.0	0.0	43.5	0
NHL - Nodal	0.0	0.0	43.5	0
NHL - Extranodal	0.0	0.0	43.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	43.5	0
Lymphocytic Leukemia	0.0	0.0	43.5	0
Acute Lymphocytic Leukemia	0.0	0.0	43.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	43.5	0
Other Lymphocytic Leukemia	0.0	0.0	43.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	43.5	0
Acute Myeloid Leukemia	0.0	0.0	43.5	0
Acute Monocytic Leukemia	0.0	0.0	43.5	0
Chronic Myeloid Leukemia	0.0	0.0	43.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	43.5	0
Other Leukemia	0.0	0.0	43.5	0
Other Acute Leukemia	0.0	0.0	43.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	43.5	0
Mesothelioma	0.0	0.0	43.5	0
Kaposi Sarcoma	0.0	0.0	43.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	360.0	0
Tongue	0.0	0.0	360.0	0
Salivary Gland	0.0	0.0	360.0	0
Floor of Mouth	0.0	0.0	360.0	0
Gum and Other Mouth	0.0	0.0	360.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	360.0	0
Oropharynx	0.0	0.0	360.0	0
Hypopharynx	0.0	0.0	360.0	0
Other Oral Cavity and Pharynx	0.0	0.0	360.0	0
Digestive System	0.0	0.0	360.0	0
Esophagus	0.0	0.0	360.0	0
Stomach	0.0	0.0	360.0	0
Small Intestine	0.0	0.0	360.0	0
Colon and Rectum	0.0	0.0	360.0	0
Colon excluding Rectum	0.0	0.0	360.0	0
Cecum	0.0	0.0	360.0	0
Appendix	0.0	0.0	360.0	0
Ascending Colon	0.0	0.0	360.0	0
Hepatic Flexure	0.0	0.0	360.0	0
Transverse Colon	0.0	0.0	360.0	0
Splenic Flexure	0.0	0.0	360.0	0
Descending Colon	0.0	0.0	360.0	0
Sigmoid Colon	0.0	0.0	360.0	0
Large Intestine, NOS	0.0	0.0	360.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	360.0	0
Rectosigmoid Junction	0.0	0.0	360.0	0
Rectum	0.0	0.0	360.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	360.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	360.0	0
Liver	0.0	0.0	360.0	0
Intrahepatic Bile Duct	0.0	0.0	360.0	0
Gallbladder	0.0	0.0	360.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	360.0	0
Pancreas	0.0	0.0	360.0	0
Retroperitoneum	0.0	0.0	360.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	360.0	0
Other Digestive Organs	0.0	0.0	360.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	360.0	0
Larynx	0.0	0.0	360.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	360.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	360.0	0
Bones and Joints	0.0	0.0	360.0	0
Soft Tissue including Heart	0.0	0.0	360.0	0
Skin excluding Basal and Squamous	0.0	0.0	360.0	0
Melanoma of the Skin	0.0	0.0	360.0	0
Other Non-Epithelial Skin	0.0	0.0	360.0	0
Urinary System	0.0	0.0	360.0	0
Urinary Bladder	0.0	0.0	360.0	0
Kidney and Renal Pelvis	0.0	0.0	360.0	0
Ureter	0.0	0.0	360.0	0
Other Urinary Organs	0.0	0.0	360.0	0
Eye and Orbit	0.0	0.0	360.0	0
Brain and Other Nervous System	0.0	0.0	360.0	0
Brain	0.0	0.0	360.0	0
Cranial Nerves Other Nervous System	0.0	0.0	360.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	360.0	0
Lymphoma	0.0	0.0	360.0	0
Hodgkin Lymphoma	0.0	0.0	360.0	0
Hodgkin - Nodal	0.0	0.0	360.0	0
Hodgkin - Extranodal	0.0	0.0	360.0	0
Non-Hodgkin Lymphoma	0.0	0.0	360.0	0
NHL - Nodal	0.0	0.0	360.0	0
NHL - Extranodal	0.0	0.0	360.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	360.0	0
Leukemia	0.0	0.0	360.0	0
Lymphocytic Leukemia	0.0	0.0	360.0	0
Acute Lymphocytic Leukemia	0.0	0.0	360.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	360.0	0
Other Lymphocytic Leukemia	0.0	0.0	360.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	360.0	0
Acute Myeloid Leukemia	0.0	0.0	360.0	0
Acute Monocytic Leukemia	0.0	0.0	360.0	0
Chronic Myeloid Leukemia	0.0	0.0	360.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	360.0	0
Other Leukemia	0.0	0.0	360.0	0
Other Acute Leukemia	0.0	0.0	360.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	360.0	0
Mesothelioma	0.0	0.0	360.0	0
Kaposi Sarcoma	0.0	0.0	360.0	0
Miscellaneous	0.0	0.0	360.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	498.8	433.5	570.8	258
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.2	0
Tongue	0.0	0.0	8.2	0
Salivary Gland	0.0	0.0	8.2	0
Floor of Mouth	0.0	0.0	8.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	8.2	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	8.2	0
Hypopharynx	0.0	0.0	8.2	0
Other Oral Cavity and Pharynx	0.0	0.0	8.2	0
Digestive System	93.0	65.2	128.1	45
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	60.0	37.6	89.9	27
Colon excluding Rectum	36.3	18.8	61.8	15
Cecum	^	^	^	^
Appendix	0.0	0.0	8.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	8.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	23.7	11.5	43.0	12
Rectosigmoid Junction	^	^	^	^
Rectum	19.1	8.4	37.0	10
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.2	0
Gallbladder	0.0	0.0	8.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.2	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	71.0	47.6	101.3	35
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.2	0
Larynx	^	^	^	^
Lung and Bronchus	66.7	44.1	96.4	33
Pleura	0.0	0.0	8.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.2	0
Bones and Joints	0.0	0.0	8.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	20.0	10.8	34.8	14
Melanoma of the Skin	17.2	8.8	31.4	12
Other Non-Epithelial Skin	^	^	^	^
Urinary System	36.7	19.8	61.3	17
Urinary Bladder	21.2	8.4	42.3	9
Kidney and Renal Pelvis	15.5	6.1	31.9	8
Ureter	0.0	0.0	8.2	0
Other Urinary Organs	0.0	0.0	8.2	0
Eye and Orbit	0.0	0.0	8.2	0
Brain and Other Nervous System	10.7	3.8	24.2	7
Brain	9.0	2.8	22.0	6
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	13.8	6.5	26.9	10
Thyroid	13.8	6.5	26.9	10
Other Endocrine including Thymus	0.0	0.0	8.2	0
Lymphoma	22.7	10.9	41.4	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	8.2	0
Non-Hodgkin Lymphoma	19.5	8.6	37.4	10
NHL - Nodal	11.8	3.8	27.0	6
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	13.1	4.9	28.3	7
Leukemia	8.8	3.1	20.7	6
Lymphocytic Leukemia	8.8	3.1	20.7	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	8.2	0
Acute Myeloid Leukemia	0.0	0.0	8.2	0
Acute Monocytic Leukemia	0.0	0.0	8.2	0
Chronic Myeloid Leukemia	0.0	0.0	8.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.2	0
Other Leukemia	0.0	0.0	8.2	0
Other Acute Leukemia	0.0	0.0	8.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	8.2	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	8.2	0
Miscellaneous	23.2	9.0	46.5	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	507.5	335.6	730.6	31
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	55.6	0
Tongue	0.0	0.0	55.6	0
Salivary Gland	0.0	0.0	55.6	0
Floor of Mouth	0.0	0.0	55.6	0
Gum and Other Mouth	0.0	0.0	55.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	55.6	0
Oropharynx	0.0	0.0	55.6	0
Hypopharynx	0.0	0.0	55.6	0
Other Oral Cavity and Pharynx	0.0	0.0	55.6	0
Digestive System	138.1	55.4	276.1	8
Esophagus	0.0	0.0	55.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	55.6	0
Colon and Rectum	105.7	41.1	219.6	7
Colon excluding Rectum	95.0	33.9	206.7	6
Cecum	0.0	0.0	55.6	0
Appendix	0.0	0.0	55.6	0
Ascending Colon	0.0	0.0	55.6	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	55.6	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	55.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.6	0
Liver	0.0	0.0	55.6	0
Intrahepatic Bile Duct	0.0	0.0	55.6	0
Gallbladder	0.0	0.0	55.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	55.6	0
Pancreas	0.0	0.0	55.6	0
Retroperitoneum	0.0	0.0	55.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.6	0
Other Digestive Organs	0.0	0.0	55.6	0
Respiratory System	95.6	33.3	209.4	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.6	0
Larynx	0.0	0.0	55.6	0
Lung and Bronchus	95.6	33.3	209.4	6
Pleura	0.0	0.0	55.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.6	0
Bones and Joints	0.0	0.0	55.6	0
Soft Tissue including Heart	0.0	0.0	55.6	0
Skin excluding Basal and Squamous	0.0	0.0	55.6	0
Melanoma of the Skin	0.0	0.0	55.6	0
Other Non-Epithelial Skin	0.0	0.0	55.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	55.6	0
Ureter	0.0	0.0	55.6	0
Other Urinary Organs	0.0	0.0	55.6	0
Eye and Orbit	0.0	0.0	55.6	0
Brain and Other Nervous System	0.0	0.0	55.6	0
Brain	0.0	0.0	55.6	0
Cranial Nerves Other Nervous System	0.0	0.0	55.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	55.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.6	0
Hodgkin - Nodal	0.0	0.0	55.6	0
Hodgkin - Extranodal	0.0	0.0	55.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	55.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	55.6	0
Lymphocytic Leukemia	0.0	0.0	55.6	0
Acute Lymphocytic Leukemia	0.0	0.0	55.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.6	0
Other Lymphocytic Leukemia	0.0	0.0	55.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	55.6	0
Acute Myeloid Leukemia	0.0	0.0	55.6	0
Acute Monocytic Leukemia	0.0	0.0	55.6	0
Chronic Myeloid Leukemia	0.0	0.0	55.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.6	0
Other Leukemia	0.0	0.0	55.6	0
Other Acute Leukemia	0.0	0.0	55.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	55.6	0
Mesothelioma	0.0	0.0	55.6	0
Kaposi Sarcoma	0.0	0.0	55.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	683.6	420.1	1,035.3	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	90.7	0
Tongue	0.0	0.0	90.7	0
Salivary Gland	0.0	0.0	90.7	0
Floor of Mouth	0.0	0.0	90.7	0
Gum and Other Mouth	0.0	0.0	90.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	90.7	0
Oropharynx	0.0	0.0	90.7	0
Hypopharynx	0.0	0.0	90.7	0
Other Oral Cavity and Pharynx	0.0	0.0	90.7	0
Digestive System	189.2	66.8	402.8	7
Esophagus	0.0	0.0	90.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	90.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	90.7	0
Ascending Colon	0.0	0.0	90.7	0
Hepatic Flexure	0.0	0.0	90.7	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	90.7	0
Descending Colon	0.0	0.0	90.7	0
Sigmoid Colon	0.0	0.0	90.7	0
Large Intestine, NOS	0.0	0.0	90.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	90.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	90.7	0
Liver	0.0	0.0	90.7	0
Intrahepatic Bile Duct	0.0	0.0	90.7	0
Gallbladder	0.0	0.0	90.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	90.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	90.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	90.7	0
Other Digestive Organs	0.0	0.0	90.7	0
Respiratory System	163.8	52.9	365.4	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	90.7	0
Larynx	0.0	0.0	90.7	0
Lung and Bronchus	163.8	52.9	365.4	6
Pleura	0.0	0.0	90.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	90.7	0
Bones and Joints	0.0	0.0	90.7	0
Soft Tissue including Heart	0.0	0.0	90.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	90.7	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	90.7	0
Other Urinary Organs	0.0	0.0	90.7	0
Eye and Orbit	0.0	0.0	90.7	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	90.7	0
Endocrine System	0.0	0.0	90.7	0
Thyroid	0.0	0.0	90.7	0
Other Endocrine including Thymus	0.0	0.0	90.7	0
Lymphoma	0.0	0.0	90.7	0
Hodgkin Lymphoma	0.0	0.0	90.7	0
Hodgkin - Nodal	0.0	0.0	90.7	0
Hodgkin - Extranodal	0.0	0.0	90.7	0
Non-Hodgkin Lymphoma	0.0	0.0	90.7	0
NHL - Nodal	0.0	0.0	90.7	0
NHL - Extranodal	0.0	0.0	90.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	90.7	0
Leukemia	0.0	0.0	90.7	0
Lymphocytic Leukemia	0.0	0.0	90.7	0
Acute Lymphocytic Leukemia	0.0	0.0	90.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	90.7	0
Other Lymphocytic Leukemia	0.0	0.0	90.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	90.7	0
Acute Myeloid Leukemia	0.0	0.0	90.7	0
Acute Monocytic Leukemia	0.0	0.0	90.7	0
Chronic Myeloid Leukemia	0.0	0.0	90.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	90.7	0
Other Leukemia	0.0	0.0	90.7	0
Other Acute Leukemia	0.0	0.0	90.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	90.7	0
Mesothelioma	0.0	0.0	90.7	0
Kaposi Sarcoma	0.0	0.0	90.7	0
Miscellaneous	0.0	0.0	90.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	452.1	267.9	710.8	20
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	92.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	92.1	0
Floor of Mouth	0.0	0.0	92.1	0
Gum and Other Mouth	0.0	0.0	92.1	0
Nasopharynx	0.0	0.0	92.1	0
Tonsil	0.0	0.0	92.1	0
Oropharynx	0.0	0.0	92.1	0
Hypopharynx	0.0	0.0	92.1	0
Other Oral Cavity and Pharynx	0.0	0.0	92.1	0
Digestive System	169.8	64.9	355.2	7
Esophagus	0.0	0.0	92.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	92.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	92.1	0
Ascending Colon	0.0	0.0	92.1	0
Hepatic Flexure	0.0	0.0	92.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	92.1	0
Descending Colon	0.0	0.0	92.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	92.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	92.1	0
Rectosigmoid Junction	0.0	0.0	92.1	0
Rectum	0.0	0.0	92.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	92.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	92.1	0
Liver	0.0	0.0	92.1	0
Intrahepatic Bile Duct	0.0	0.0	92.1	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	92.1	0
Pancreas	0.0	0.0	92.1	0
Retroperitoneum	0.0	0.0	92.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	92.1	0
Other Digestive Organs	0.0	0.0	92.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	92.1	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	92.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	92.1	0
Bones and Joints	0.0	0.0	92.1	0
Soft Tissue including Heart	0.0	0.0	92.1	0
Skin excluding Basal and Squamous	0.0	0.0	92.1	0
Melanoma of the Skin	0.0	0.0	92.1	0
Other Non-Epithelial Skin	0.0	0.0	92.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	92.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	92.1	0
Other Urinary Organs	0.0	0.0	92.1	0
Eye and Orbit	0.0	0.0	92.1	0
Brain and Other Nervous System	0.0	0.0	92.1	0
Brain	0.0	0.0	92.1	0
Cranial Nerves Other Nervous System	0.0	0.0	92.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	92.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	92.1	0
Hodgkin - Nodal	0.0	0.0	92.1	0
Hodgkin - Extranodal	0.0	0.0	92.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	92.1	0
Leukemia	0.0	0.0	92.1	0
Lymphocytic Leukemia	0.0	0.0	92.1	0
Acute Lymphocytic Leukemia	0.0	0.0	92.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	92.1	0
Other Lymphocytic Leukemia	0.0	0.0	92.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	92.1	0
Acute Myeloid Leukemia	0.0	0.0	92.1	0
Acute Monocytic Leukemia	0.0	0.0	92.1	0
Chronic Myeloid Leukemia	0.0	0.0	92.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	92.1	0
Other Leukemia	0.0	0.0	92.1	0
Other Acute Leukemia	0.0	0.0	92.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	92.1	0
Mesothelioma	0.0	0.0	92.1	0
Kaposi Sarcoma	0.0	0.0	92.1	0
Miscellaneous	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	241.4	118.3	447.3	13
Oral Cavity and Pharynx	0.0	0.0	115.1	0
Lip	0.0	0.0	115.1	0
Tongue	0.0	0.0	115.1	0
Salivary Gland	0.0	0.0	115.1	0
Floor of Mouth	0.0	0.0	115.1	0
Gum and Other Mouth	0.0	0.0	115.1	0
Nasopharynx	0.0	0.0	115.1	0
Tonsil	0.0	0.0	115.1	0
Oropharynx	0.0	0.0	115.1	0
Hypopharynx	0.0	0.0	115.1	0
Other Oral Cavity and Pharynx	0.0	0.0	115.1	0
Digestive System	0.0	0.0	115.1	0
Esophagus	0.0	0.0	115.1	0
Stomach	0.0	0.0	115.1	0
Small Intestine	0.0	0.0	115.1	0
Colon and Rectum	0.0	0.0	115.1	0
Colon excluding Rectum	0.0	0.0	115.1	0
Cecum	0.0	0.0	115.1	0
Appendix	0.0	0.0	115.1	0
Ascending Colon	0.0	0.0	115.1	0
Hepatic Flexure	0.0	0.0	115.1	0
Transverse Colon	0.0	0.0	115.1	0
Splenic Flexure	0.0	0.0	115.1	0
Descending Colon	0.0	0.0	115.1	0
Sigmoid Colon	0.0	0.0	115.1	0
Large Intestine, NOS	0.0	0.0	115.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	115.1	0
Rectosigmoid Junction	0.0	0.0	115.1	0
Rectum	0.0	0.0	115.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	115.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	115.1	0
Liver	0.0	0.0	115.1	0
Intrahepatic Bile Duct	0.0	0.0	115.1	0
Gallbladder	0.0	0.0	115.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	115.1	0
Pancreas	0.0	0.0	115.1	0
Retroperitoneum	0.0	0.0	115.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	115.1	0
Other Digestive Organs	0.0	0.0	115.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	115.1	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	115.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	115.1	0
Bones and Joints	0.0	0.0	115.1	0
Soft Tissue including Heart	0.0	0.0	115.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	115.1	0
Urinary System	0.0	0.0	115.1	0
Urinary Bladder	0.0	0.0	115.1	0
Kidney and Renal Pelvis	0.0	0.0	115.1	0
Ureter	0.0	0.0	115.1	0
Other Urinary Organs	0.0	0.0	115.1	0
Eye and Orbit	0.0	0.0	115.1	0
Brain and Other Nervous System	0.0	0.0	115.1	0
Brain	0.0	0.0	115.1	0
Cranial Nerves Other Nervous System	0.0	0.0	115.1	0
Endocrine System	0.0	0.0	115.1	0
Thyroid	0.0	0.0	115.1	0
Other Endocrine including Thymus	0.0	0.0	115.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	115.1	0
Hodgkin - Nodal	0.0	0.0	115.1	0
Hodgkin - Extranodal	0.0	0.0	115.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	115.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	115.1	0
Lymphocytic Leukemia	0.0	0.0	115.1	0
Acute Lymphocytic Leukemia	0.0	0.0	115.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	115.1	0
Other Lymphocytic Leukemia	0.0	0.0	115.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	115.1	0
Acute Myeloid Leukemia	0.0	0.0	115.1	0
Acute Monocytic Leukemia	0.0	0.0	115.1	0
Chronic Myeloid Leukemia	0.0	0.0	115.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	115.1	0
Other Leukemia	0.0	0.0	115.1	0
Other Acute Leukemia	0.0	0.0	115.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	115.1	0
Mesothelioma	0.0	0.0	115.1	0
Kaposi Sarcoma	0.0	0.0	115.1	0
Miscellaneous	0.0	0.0	115.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	436.9	298.3	616.4	34
Oral Cavity and Pharynx	0.0	0.0	48.3	0
Lip	0.0	0.0	48.3	0
Tongue	0.0	0.0	48.3	0
Salivary Gland	0.0	0.0	48.3	0
Floor of Mouth	0.0	0.0	48.3	0
Gum and Other Mouth	0.0	0.0	48.3	0
Nasopharynx	0.0	0.0	48.3	0
Tonsil	0.0	0.0	48.3	0
Oropharynx	0.0	0.0	48.3	0
Hypopharynx	0.0	0.0	48.3	0
Other Oral Cavity and Pharynx	0.0	0.0	48.3	0
Digestive System	74.3	26.7	164.0	6
Esophagus	0.0	0.0	48.3	0
Stomach	0.0	0.0	48.3	0
Small Intestine	0.0	0.0	48.3	0
Colon and Rectum	74.3	26.7	164.0	6
Colon excluding Rectum	74.3	26.7	164.0	6
Cecum	0.0	0.0	48.3	0
Appendix	0.0	0.0	48.3	0
Ascending Colon	0.0	0.0	48.3	0
Hepatic Flexure	0.0	0.0	48.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	48.3	0
Descending Colon	0.0	0.0	48.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	48.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	48.3	0
Rectosigmoid Junction	0.0	0.0	48.3	0
Rectum	0.0	0.0	48.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	48.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	48.3	0
Liver	0.0	0.0	48.3	0
Intrahepatic Bile Duct	0.0	0.0	48.3	0
Gallbladder	0.0	0.0	48.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	48.3	0
Pancreas	0.0	0.0	48.3	0
Retroperitoneum	0.0	0.0	48.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	48.3	0
Other Digestive Organs	0.0	0.0	48.3	0
Respiratory System	83.8	29.7	182.7	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	48.3	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	48.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	48.3	0
Bones and Joints	0.0	0.0	48.3	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	48.3	0
Melanoma of the Skin	0.0	0.0	48.3	0
Other Non-Epithelial Skin	0.0	0.0	48.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	48.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	48.3	0
Other Urinary Organs	0.0	0.0	48.3	0
Eye and Orbit	0.0	0.0	48.3	0
Brain and Other Nervous System	0.0	0.0	48.3	0
Brain	0.0	0.0	48.3	0
Cranial Nerves Other Nervous System	0.0	0.0	48.3	0
Endocrine System	0.0	0.0	48.3	0
Thyroid	0.0	0.0	48.3	0
Other Endocrine including Thymus	0.0	0.0	48.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	48.3	0
Hodgkin - Nodal	0.0	0.0	48.3	0
Hodgkin - Extranodal	0.0	0.0	48.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	48.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	48.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	48.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	48.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	48.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	48.3	0
Other Leukemia	0.0	0.0	48.3	0
Other Acute Leukemia	0.0	0.0	48.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	48.3	0
Mesothelioma	0.0	0.0	48.3	0
Kaposi Sarcoma	0.0	0.0	48.3	0
Miscellaneous	0.0	0.0	48.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	380.4	183.2	702.8	13
Oral Cavity and Pharynx	0.0	0.0	154.7	0
Lip	0.0	0.0	154.7	0
Tongue	0.0	0.0	154.7	0
Salivary Gland	0.0	0.0	154.7	0
Floor of Mouth	0.0	0.0	154.7	0
Gum and Other Mouth	0.0	0.0	154.7	0
Nasopharynx	0.0	0.0	154.7	0
Tonsil	0.0	0.0	154.7	0
Oropharynx	0.0	0.0	154.7	0
Hypopharynx	0.0	0.0	154.7	0
Other Oral Cavity and Pharynx	0.0	0.0	154.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	154.7	0
Stomach	0.0	0.0	154.7	0
Small Intestine	0.0	0.0	154.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	154.7	0
Cecum	0.0	0.0	154.7	0
Appendix	0.0	0.0	154.7	0
Ascending Colon	0.0	0.0	154.7	0
Hepatic Flexure	0.0	0.0	154.7	0
Transverse Colon	0.0	0.0	154.7	0
Splenic Flexure	0.0	0.0	154.7	0
Descending Colon	0.0	0.0	154.7	0
Sigmoid Colon	0.0	0.0	154.7	0
Large Intestine, NOS	0.0	0.0	154.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	154.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	154.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	154.7	0
Liver	0.0	0.0	154.7	0
Intrahepatic Bile Duct	0.0	0.0	154.7	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	154.7	0
Retroperitoneum	0.0	0.0	154.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	154.7	0
Other Digestive Organs	0.0	0.0	154.7	0
Respiratory System	0.0	0.0	154.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	154.7	0
Larynx	0.0	0.0	154.7	0
Lung and Bronchus	0.0	0.0	154.7	0
Pleura	0.0	0.0	154.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	154.7	0
Bones and Joints	0.0	0.0	154.7	0
Soft Tissue including Heart	0.0	0.0	154.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	154.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	154.7	0
Ureter	0.0	0.0	154.7	0
Other Urinary Organs	0.0	0.0	154.7	0
Eye and Orbit	0.0	0.0	154.7	0
Brain and Other Nervous System	0.0	0.0	154.7	0
Brain	0.0	0.0	154.7	0
Cranial Nerves Other Nervous System	0.0	0.0	154.7	0
Endocrine System	0.0	0.0	154.7	0
Thyroid	0.0	0.0	154.7	0
Other Endocrine including Thymus	0.0	0.0	154.7	0
Lymphoma	0.0	0.0	154.7	0
Hodgkin Lymphoma	0.0	0.0	154.7	0
Hodgkin - Nodal	0.0	0.0	154.7	0
Hodgkin - Extranodal	0.0	0.0	154.7	0
Non-Hodgkin Lymphoma	0.0	0.0	154.7	0
NHL - Nodal	0.0	0.0	154.7	0
NHL - Extranodal	0.0	0.0	154.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	154.7	0
Leukemia	0.0	0.0	154.7	0
Lymphocytic Leukemia	0.0	0.0	154.7	0
Acute Lymphocytic Leukemia	0.0	0.0	154.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	154.7	0
Other Lymphocytic Leukemia	0.0	0.0	154.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	154.7	0
Acute Myeloid Leukemia	0.0	0.0	154.7	0
Acute Monocytic Leukemia	0.0	0.0	154.7	0
Chronic Myeloid Leukemia	0.0	0.0	154.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	154.7	0
Other Leukemia	0.0	0.0	154.7	0
Other Acute Leukemia	0.0	0.0	154.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	154.7	0
Mesothelioma	0.0	0.0	154.7	0
Kaposi Sarcoma	0.0	0.0	154.7	0
Miscellaneous	0.0	0.0	154.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	601.1	366.2	921.0	25
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	94.7	0
Tongue	0.0	0.0	94.7	0
Salivary Gland	0.0	0.0	94.7	0
Floor of Mouth	0.0	0.0	94.7	0
Gum and Other Mouth	0.0	0.0	94.7	0
Nasopharynx	0.0	0.0	94.7	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	94.7	0
Hypopharynx	0.0	0.0	94.7	0
Other Oral Cavity and Pharynx	0.0	0.0	94.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	94.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	94.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	94.7	0
Appendix	0.0	0.0	94.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	94.7	0
Transverse Colon	0.0	0.0	94.7	0
Splenic Flexure	0.0	0.0	94.7	0
Descending Colon	0.0	0.0	94.7	0
Sigmoid Colon	0.0	0.0	94.7	0
Large Intestine, NOS	0.0	0.0	94.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	94.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	94.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	94.7	0
Liver	0.0	0.0	94.7	0
Intrahepatic Bile Duct	0.0	0.0	94.7	0
Gallbladder	0.0	0.0	94.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	94.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	94.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.7	0
Other Digestive Organs	0.0	0.0	94.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.7	0
Larynx	0.0	0.0	94.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	94.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.7	0
Bones and Joints	0.0	0.0	94.7	0
Soft Tissue including Heart	0.0	0.0	94.7	0
Skin excluding Basal and Squamous	0.0	0.0	94.7	0
Melanoma of the Skin	0.0	0.0	94.7	0
Other Non-Epithelial Skin	0.0	0.0	94.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	94.7	0
Other Urinary Organs	0.0	0.0	94.7	0
Eye and Orbit	0.0	0.0	94.7	0
Brain and Other Nervous System	0.0	0.0	94.7	0
Brain	0.0	0.0	94.7	0
Cranial Nerves Other Nervous System	0.0	0.0	94.7	0
Endocrine System	0.0	0.0	94.7	0
Thyroid	0.0	0.0	94.7	0
Other Endocrine including Thymus	0.0	0.0	94.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	94.7	0
Hodgkin - Nodal	0.0	0.0	94.7	0
Hodgkin - Extranodal	0.0	0.0	94.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	94.7	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	94.7	0
Leukemia	0.0	0.0	94.7	0
Lymphocytic Leukemia	0.0	0.0	94.7	0
Acute Lymphocytic Leukemia	0.0	0.0	94.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.7	0
Other Lymphocytic Leukemia	0.0	0.0	94.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	94.7	0
Acute Myeloid Leukemia	0.0	0.0	94.7	0
Acute Monocytic Leukemia	0.0	0.0	94.7	0
Chronic Myeloid Leukemia	0.0	0.0	94.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.7	0
Other Leukemia	0.0	0.0	94.7	0
Other Acute Leukemia	0.0	0.0	94.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.7	0
Mesothelioma	0.0	0.0	94.7	0
Kaposi Sarcoma	0.0	0.0	94.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	562.8	375.6	802.4	35
Oral Cavity and Pharynx	0.0	0.0	53.5	0
Lip	0.0	0.0	53.5	0
Tongue	0.0	0.0	53.5	0
Salivary Gland	0.0	0.0	53.5	0
Floor of Mouth	0.0	0.0	53.5	0
Gum and Other Mouth	0.0	0.0	53.5	0
Nasopharynx	0.0	0.0	53.5	0
Tonsil	0.0	0.0	53.5	0
Oropharynx	0.0	0.0	53.5	0
Hypopharynx	0.0	0.0	53.5	0
Other Oral Cavity and Pharynx	0.0	0.0	53.5	0
Digestive System	153.0	60.5	304.3	8
Esophagus	0.0	0.0	53.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	53.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	53.5	0
Appendix	0.0	0.0	53.5	0
Ascending Colon	0.0	0.0	53.5	0
Hepatic Flexure	0.0	0.0	53.5	0
Transverse Colon	0.0	0.0	53.5	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	53.5	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	53.5	0
Rectosigmoid Junction	0.0	0.0	53.5	0
Rectum	0.0	0.0	53.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	53.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	53.5	0
Gallbladder	0.0	0.0	53.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	53.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	53.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.5	0
Other Digestive Organs	0.0	0.0	53.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.5	0
Larynx	0.0	0.0	53.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	53.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.5	0
Bones and Joints	0.0	0.0	53.5	0
Soft Tissue including Heart	0.0	0.0	53.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	53.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	53.5	0
Other Urinary Organs	0.0	0.0	53.5	0
Eye and Orbit	0.0	0.0	53.5	0
Brain and Other Nervous System	0.0	0.0	53.5	0
Brain	0.0	0.0	53.5	0
Cranial Nerves Other Nervous System	0.0	0.0	53.5	0
Endocrine System	0.0	0.0	53.5	0
Thyroid	0.0	0.0	53.5	0
Other Endocrine including Thymus	0.0	0.0	53.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	53.5	0
Hodgkin - Nodal	0.0	0.0	53.5	0
Hodgkin - Extranodal	0.0	0.0	53.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	53.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	53.5	0
Acute Lymphocytic Leukemia	0.0	0.0	53.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.5	0
Other Lymphocytic Leukemia	0.0	0.0	53.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	53.5	0
Acute Monocytic Leukemia	0.0	0.0	53.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.5	0
Other Leukemia	0.0	0.0	53.5	0
Other Acute Leukemia	0.0	0.0	53.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.5	0
Mesothelioma	0.0	0.0	53.5	0
Kaposi Sarcoma	0.0	0.0	53.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	322.8	148.7	590.4	11
Oral Cavity and Pharynx	0.0	0.0	92.1	0
Lip	0.0	0.0	92.1	0
Tongue	0.0	0.0	92.1	0
Salivary Gland	0.0	0.0	92.1	0
Floor of Mouth	0.0	0.0	92.1	0
Gum and Other Mouth	0.0	0.0	92.1	0
Nasopharynx	0.0	0.0	92.1	0
Tonsil	0.0	0.0	92.1	0
Oropharynx	0.0	0.0	92.1	0
Hypopharynx	0.0	0.0	92.1	0
Other Oral Cavity and Pharynx	0.0	0.0	92.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	92.1	0
Stomach	0.0	0.0	92.1	0
Small Intestine	0.0	0.0	92.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	92.1	0
Appendix	0.0	0.0	92.1	0
Ascending Colon	0.0	0.0	92.1	0
Hepatic Flexure	0.0	0.0	92.1	0
Transverse Colon	0.0	0.0	92.1	0
Splenic Flexure	0.0	0.0	92.1	0
Descending Colon	0.0	0.0	92.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	92.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	92.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	92.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	92.1	0
Liver	0.0	0.0	92.1	0
Intrahepatic Bile Duct	0.0	0.0	92.1	0
Gallbladder	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	92.1	0
Pancreas	0.0	0.0	92.1	0
Retroperitoneum	0.0	0.0	92.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	92.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	92.1	0
Larynx	0.0	0.0	92.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	92.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	92.1	0
Bones and Joints	0.0	0.0	92.1	0
Soft Tissue including Heart	0.0	0.0	92.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	92.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	92.1	0
Other Urinary Organs	0.0	0.0	92.1	0
Eye and Orbit	0.0	0.0	92.1	0
Brain and Other Nervous System	0.0	0.0	92.1	0
Brain	0.0	0.0	92.1	0
Cranial Nerves Other Nervous System	0.0	0.0	92.1	0
Endocrine System	0.0	0.0	92.1	0
Thyroid	0.0	0.0	92.1	0
Other Endocrine including Thymus	0.0	0.0	92.1	0
Lymphoma	0.0	0.0	92.1	0
Hodgkin Lymphoma	0.0	0.0	92.1	0
Hodgkin - Nodal	0.0	0.0	92.1	0
Hodgkin - Extranodal	0.0	0.0	92.1	0
Non-Hodgkin Lymphoma	0.0	0.0	92.1	0
NHL - Nodal	0.0	0.0	92.1	0
NHL - Extranodal	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	92.1	0
Leukemia	0.0	0.0	92.1	0
Lymphocytic Leukemia	0.0	0.0	92.1	0
Acute Lymphocytic Leukemia	0.0	0.0	92.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	92.1	0
Other Lymphocytic Leukemia	0.0	0.0	92.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	92.1	0
Acute Myeloid Leukemia	0.0	0.0	92.1	0
Acute Monocytic Leukemia	0.0	0.0	92.1	0
Chronic Myeloid Leukemia	0.0	0.0	92.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	92.1	0
Other Leukemia	0.0	0.0	92.1	0
Other Acute Leukemia	0.0	0.0	92.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	92.1	0
Mesothelioma	0.0	0.0	92.1	0
Kaposi Sarcoma	0.0	0.0	92.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	416.9	271.1	615.5	27
Oral Cavity and Pharynx	0.0	0.0	67.2	0
Lip	0.0	0.0	67.2	0
Tongue	0.0	0.0	67.2	0
Salivary Gland	0.0	0.0	67.2	0
Floor of Mouth	0.0	0.0	67.2	0
Gum and Other Mouth	0.0	0.0	67.2	0
Nasopharynx	0.0	0.0	67.2	0
Tonsil	0.0	0.0	67.2	0
Oropharynx	0.0	0.0	67.2	0
Hypopharynx	0.0	0.0	67.2	0
Other Oral Cavity and Pharynx	0.0	0.0	67.2	0
Digestive System	102.6	39.7	220.8	7
Esophagus	^	^	^	^
Stomach	0.0	0.0	67.2	0
Small Intestine	0.0	0.0	67.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	67.2	0
Ascending Colon	0.0	0.0	67.2	0
Hepatic Flexure	0.0	0.0	67.2	0
Transverse Colon	0.0	0.0	67.2	0
Splenic Flexure	0.0	0.0	67.2	0
Descending Colon	0.0	0.0	67.2	0
Sigmoid Colon	0.0	0.0	67.2	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	67.2	0
Rectosigmoid Junction	0.0	0.0	67.2	0
Rectum	0.0	0.0	67.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	67.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	67.2	0
Gallbladder	0.0	0.0	67.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	67.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	67.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	67.2	0
Other Digestive Organs	0.0	0.0	67.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	67.2	0
Larynx	0.0	0.0	67.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	67.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	67.2	0
Bones and Joints	0.0	0.0	67.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	67.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	67.2	0
Ureter	0.0	0.0	67.2	0
Other Urinary Organs	0.0	0.0	67.2	0
Eye and Orbit	0.0	0.0	67.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	67.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	67.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	67.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	67.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	67.2	0
Leukemia	0.0	0.0	67.2	0
Lymphocytic Leukemia	0.0	0.0	67.2	0
Acute Lymphocytic Leukemia	0.0	0.0	67.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	67.2	0
Other Lymphocytic Leukemia	0.0	0.0	67.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	67.2	0
Acute Myeloid Leukemia	0.0	0.0	67.2	0
Acute Monocytic Leukemia	0.0	0.0	67.2	0
Chronic Myeloid Leukemia	0.0	0.0	67.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	67.2	0
Other Leukemia	0.0	0.0	67.2	0
Other Acute Leukemia	0.0	0.0	67.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	67.2	0
Mesothelioma	0.0	0.0	67.2	0
Kaposi Sarcoma	0.0	0.0	67.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	826.0	0
Lip	0.0	0.0	826.0	0
Tongue	0.0	0.0	826.0	0
Salivary Gland	0.0	0.0	826.0	0
Floor of Mouth	0.0	0.0	826.0	0
Gum and Other Mouth	0.0	0.0	826.0	0
Nasopharynx	0.0	0.0	826.0	0
Tonsil	0.0	0.0	826.0	0
Oropharynx	0.0	0.0	826.0	0
Hypopharynx	0.0	0.0	826.0	0
Other Oral Cavity and Pharynx	0.0	0.0	826.0	0
Digestive System	0.0	0.0	826.0	0
Esophagus	0.0	0.0	826.0	0
Stomach	0.0	0.0	826.0	0
Small Intestine	0.0	0.0	826.0	0
Colon and Rectum	0.0	0.0	826.0	0
Colon excluding Rectum	0.0	0.0	826.0	0
Cecum	0.0	0.0	826.0	0
Appendix	0.0	0.0	826.0	0
Ascending Colon	0.0	0.0	826.0	0
Hepatic Flexure	0.0	0.0	826.0	0
Transverse Colon	0.0	0.0	826.0	0
Splenic Flexure	0.0	0.0	826.0	0
Descending Colon	0.0	0.0	826.0	0
Sigmoid Colon	0.0	0.0	826.0	0
Large Intestine, NOS	0.0	0.0	826.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	826.0	0
Rectosigmoid Junction	0.0	0.0	826.0	0
Rectum	0.0	0.0	826.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	826.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	826.0	0
Liver	0.0	0.0	826.0	0
Intrahepatic Bile Duct	0.0	0.0	826.0	0
Gallbladder	0.0	0.0	826.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	826.0	0
Pancreas	0.0	0.0	826.0	0
Retroperitoneum	0.0	0.0	826.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	826.0	0
Other Digestive Organs	0.0	0.0	826.0	0
Respiratory System	0.0	0.0	826.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	826.0	0
Larynx	0.0	0.0	826.0	0
Lung and Bronchus	0.0	0.0	826.0	0
Pleura	0.0	0.0	826.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	826.0	0
Bones and Joints	0.0	0.0	826.0	0
Soft Tissue including Heart	0.0	0.0	826.0	0
Skin excluding Basal and Squamous	0.0	0.0	826.0	0
Melanoma of the Skin	0.0	0.0	826.0	0
Other Non-Epithelial Skin	0.0	0.0	826.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	826.0	0
Ureter	0.0	0.0	826.0	0
Other Urinary Organs	0.0	0.0	826.0	0
Eye and Orbit	0.0	0.0	826.0	0
Brain and Other Nervous System	0.0	0.0	826.0	0
Brain	0.0	0.0	826.0	0
Cranial Nerves Other Nervous System	0.0	0.0	826.0	0
Endocrine System	0.0	0.0	826.0	0
Thyroid	0.0	0.0	826.0	0
Other Endocrine including Thymus	0.0	0.0	826.0	0
Lymphoma	0.0	0.0	826.0	0
Hodgkin Lymphoma	0.0	0.0	826.0	0
Hodgkin - Nodal	0.0	0.0	826.0	0
Hodgkin - Extranodal	0.0	0.0	826.0	0
Non-Hodgkin Lymphoma	0.0	0.0	826.0	0
NHL - Nodal	0.0	0.0	826.0	0
NHL - Extranodal	0.0	0.0	826.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	826.0	0
Leukemia	0.0	0.0	826.0	0
Lymphocytic Leukemia	0.0	0.0	826.0	0
Acute Lymphocytic Leukemia	0.0	0.0	826.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	826.0	0
Other Lymphocytic Leukemia	0.0	0.0	826.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	826.0	0
Acute Myeloid Leukemia	0.0	0.0	826.0	0
Acute Monocytic Leukemia	0.0	0.0	826.0	0
Chronic Myeloid Leukemia	0.0	0.0	826.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	826.0	0
Other Leukemia	0.0	0.0	826.0	0
Other Acute Leukemia	0.0	0.0	826.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	826.0	0
Mesothelioma	0.0	0.0	826.0	0
Kaposi Sarcoma	0.0	0.0	826.0	0
Miscellaneous	0.0	0.0	826.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	478.8	296.3	726.9	24
Oral Cavity and Pharynx	0.0	0.0	72.8	0
Lip	0.0	0.0	72.8	0
Tongue	0.0	0.0	72.8	0
Salivary Gland	0.0	0.0	72.8	0
Floor of Mouth	0.0	0.0	72.8	0
Gum and Other Mouth	0.0	0.0	72.8	0
Nasopharynx	0.0	0.0	72.8	0
Tonsil	0.0	0.0	72.8	0
Oropharynx	0.0	0.0	72.8	0
Hypopharynx	0.0	0.0	72.8	0
Other Oral Cavity and Pharynx	0.0	0.0	72.8	0
Digestive System	159.1	59.7	330.7	7
Esophagus	^	^	^	^
Stomach	0.0	0.0	72.8	0
Small Intestine	0.0	0.0	72.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	72.8	0
Ascending Colon	0.0	0.0	72.8	0
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	72.8	0
Descending Colon	0.0	0.0	72.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	72.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	72.8	0
Rectosigmoid Junction	0.0	0.0	72.8	0
Rectum	0.0	0.0	72.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	72.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	72.8	0
Liver	0.0	0.0	72.8	0
Intrahepatic Bile Duct	0.0	0.0	72.8	0
Gallbladder	0.0	0.0	72.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	72.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	72.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	72.8	0
Other Digestive Organs	0.0	0.0	72.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	72.8	0
Larynx	0.0	0.0	72.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	72.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	72.8	0
Bones and Joints	0.0	0.0	72.8	0
Soft Tissue including Heart	0.0	0.0	72.8	0
Skin excluding Basal and Squamous	0.0	0.0	72.8	0
Melanoma of the Skin	0.0	0.0	72.8	0
Other Non-Epithelial Skin	0.0	0.0	72.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	72.8	0
Other Urinary Organs	0.0	0.0	72.8	0
Eye and Orbit	0.0	0.0	72.8	0
Brain and Other Nervous System	0.0	0.0	72.8	0
Brain	0.0	0.0	72.8	0
Cranial Nerves Other Nervous System	0.0	0.0	72.8	0
Endocrine System	0.0	0.0	72.8	0
Thyroid	0.0	0.0	72.8	0
Other Endocrine including Thymus	0.0	0.0	72.8	0
Lymphoma	0.0	0.0	72.8	0
Hodgkin Lymphoma	0.0	0.0	72.8	0
Hodgkin - Nodal	0.0	0.0	72.8	0
Hodgkin - Extranodal	0.0	0.0	72.8	0
Non-Hodgkin Lymphoma	0.0	0.0	72.8	0
NHL - Nodal	0.0	0.0	72.8	0
NHL - Extranodal	0.0	0.0	72.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2003/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	72.8	0
Leukemia	0.0	0.0	72.8	0
Lymphocytic Leukemia	0.0	0.0	72.8	0
Acute Lymphocytic Leukemia	0.0	0.0	72.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	72.8	0
Other Lymphocytic Leukemia	0.0	0.0	72.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	72.8	0
Acute Myeloid Leukemia	0.0	0.0	72.8	0
Acute Monocytic Leukemia	0.0	0.0	72.8	0
Chronic Myeloid Leukemia	0.0	0.0	72.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	72.8	0
Other Leukemia	0.0	0.0	72.8	0
Other Acute Leukemia	0.0	0.0	72.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	72.8	0
Mesothelioma	0.0	0.0	72.8	0
Kaposi Sarcoma	0.0	0.0	72.8	0
Miscellaneous	0.0	0.0	72.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	249.9	99.2	631.4	7
Oral Cavity and Pharynx	0.0	0.0	331.1	0
Lip	0.0	0.0	331.1	0
Tongue	0.0	0.0	331.1	0
Salivary Gland	0.0	0.0	331.1	0
Floor of Mouth	0.0	0.0	331.1	0
Gum and Other Mouth	0.0	0.0	331.1	0
Nasopharynx	0.0	0.0	331.1	0
Tonsil	0.0	0.0	331.1	0
Oropharynx	0.0	0.0	331.1	0
Hypopharynx	0.0	0.0	331.1	0
Other Oral Cavity and Pharynx	0.0	0.0	331.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	331.1	0
Stomach	0.0	0.0	331.1	0
Small Intestine	0.0	0.0	331.1	0
Colon and Rectum	0.0	0.0	331.1	0
Colon excluding Rectum	0.0	0.0	331.1	0
Cecum	0.0	0.0	331.1	0
Appendix	0.0	0.0	331.1	0
Ascending Colon	0.0	0.0	331.1	0
Hepatic Flexure	0.0	0.0	331.1	0
Transverse Colon	0.0	0.0	331.1	0
Splenic Flexure	0.0	0.0	331.1	0
Descending Colon	0.0	0.0	331.1	0
Sigmoid Colon	0.0	0.0	331.1	0
Large Intestine, NOS	0.0	0.0	331.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	331.1	0
Rectosigmoid Junction	0.0	0.0	331.1	0
Rectum	0.0	0.0	331.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	331.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	331.1	0
Gallbladder	0.0	0.0	331.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	331.1	0
Pancreas	0.0	0.0	331.1	0
Retroperitoneum	0.0	0.0	331.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	331.1	0
Other Digestive Organs	0.0	0.0	331.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	331.1	0
Larynx	0.0	0.0	331.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	331.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	331.1	0
Bones and Joints	0.0	0.0	331.1	0
Soft Tissue including Heart	0.0	0.0	331.1	0
Skin excluding Basal and Squamous	0.0	0.0	331.1	0
Melanoma of the Skin	0.0	0.0	331.1	0
Other Non-Epithelial Skin	0.0	0.0	331.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	331.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	331.1	0
Other Urinary Organs	0.0	0.0	331.1	0
Eye and Orbit	0.0	0.0	331.1	0
Brain and Other Nervous System	0.0	0.0	331.1	0
Brain	0.0	0.0	331.1	0
Cranial Nerves Other Nervous System	0.0	0.0	331.1	0
Endocrine System	0.0	0.0	331.1	0
Thyroid	0.0	0.0	331.1	0
Other Endocrine including Thymus	0.0	0.0	331.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	331.1	0
Hodgkin - Nodal	0.0	0.0	331.1	0
Hodgkin - Extranodal	0.0	0.0	331.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	331.1	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	331.1	0
Lymphocytic Leukemia	0.0	0.0	331.1	0
Acute Lymphocytic Leukemia	0.0	0.0	331.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	331.1	0
Other Lymphocytic Leukemia	0.0	0.0	331.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	331.1	0
Acute Myeloid Leukemia	0.0	0.0	331.1	0
Acute Monocytic Leukemia	0.0	0.0	331.1	0
Chronic Myeloid Leukemia	0.0	0.0	331.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	331.1	0
Other Leukemia	0.0	0.0	331.1	0
Other Acute Leukemia	0.0	0.0	331.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	331.1	0
Mesothelioma	0.0	0.0	331.1	0
Kaposi Sarcoma	0.0	0.0	331.1	0
Miscellaneous	0.0	0.0	331.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	495.1	200.4	994.5	11
Oral Cavity and Pharynx	0.0	0.0	242.9	0
Lip	0.0	0.0	242.9	0
Tongue	0.0	0.0	242.9	0
Salivary Gland	0.0	0.0	242.9	0
Floor of Mouth	0.0	0.0	242.9	0
Gum and Other Mouth	0.0	0.0	242.9	0
Nasopharynx	0.0	0.0	242.9	0
Tonsil	0.0	0.0	242.9	0
Oropharynx	0.0	0.0	242.9	0
Hypopharynx	0.0	0.0	242.9	0
Other Oral Cavity and Pharynx	0.0	0.0	242.9	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	242.9	0
Small Intestine	0.0	0.0	242.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	242.9	0
Appendix	0.0	0.0	242.9	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	242.9	0
Transverse Colon	0.0	0.0	242.9	0
Splenic Flexure	0.0	0.0	242.9	0
Descending Colon	0.0	0.0	242.9	0
Sigmoid Colon	0.0	0.0	242.9	0
Large Intestine, NOS	0.0	0.0	242.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	242.9	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	242.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	242.9	0
Gallbladder	0.0	0.0	242.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	242.9	0
Pancreas	0.0	0.0	242.9	0
Retroperitoneum	0.0	0.0	242.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	242.9	0
Other Digestive Organs	0.0	0.0	242.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	242.9	0
Larynx	0.0	0.0	242.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	242.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	242.9	0
Bones and Joints	0.0	0.0	242.9	0
Soft Tissue including Heart	0.0	0.0	242.9	0
Skin excluding Basal and Squamous	0.0	0.0	242.9	0
Melanoma of the Skin	0.0	0.0	242.9	0
Other Non-Epithelial Skin	0.0	0.0	242.9	0
Urinary System	0.0	0.0	242.9	0
Urinary Bladder	0.0	0.0	242.9	0
Kidney and Renal Pelvis	0.0	0.0	242.9	0
Ureter	0.0	0.0	242.9	0
Other Urinary Organs	0.0	0.0	242.9	0
Eye and Orbit	0.0	0.0	242.9	0
Brain and Other Nervous System	0.0	0.0	242.9	0
Brain	0.0	0.0	242.9	0
Cranial Nerves Other Nervous System	0.0	0.0	242.9	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	242.9	0
Lymphoma	0.0	0.0	242.9	0
Hodgkin Lymphoma	0.0	0.0	242.9	0
Hodgkin - Nodal	0.0	0.0	242.9	0
Hodgkin - Extranodal	0.0	0.0	242.9	0
Non-Hodgkin Lymphoma	0.0	0.0	242.9	0
NHL - Nodal	0.0	0.0	242.9	0
NHL - Extranodal	0.0	0.0	242.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	242.9	0
Leukemia	0.0	0.0	242.9	0
Lymphocytic Leukemia	0.0	0.0	242.9	0
Acute Lymphocytic Leukemia	0.0	0.0	242.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	242.9	0
Other Lymphocytic Leukemia	0.0	0.0	242.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	242.9	0
Acute Myeloid Leukemia	0.0	0.0	242.9	0
Acute Monocytic Leukemia	0.0	0.0	242.9	0
Chronic Myeloid Leukemia	0.0	0.0	242.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	242.9	0
Other Leukemia	0.0	0.0	242.9	0
Other Acute Leukemia	0.0	0.0	242.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	242.9	0
Mesothelioma	0.0	0.0	242.9	0
Kaposi Sarcoma	0.0	0.0	242.9	0
Miscellaneous	0.0	0.0	242.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	496.9	463.0	532.5	956
Oral Cavity and Pharynx	10.4	6.0	16.7	19
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	100.5	84.8	118.0	172
Esophagus	4.0	1.7	7.8	9
Stomach	8.0	4.0	14.0	13
Small Intestine	3.3	1.1	7.4	6
Colon and Rectum	50.2	39.4	62.8	88
Colon excluding Rectum	37.7	28.3	48.9	64
Cecum	7.4	3.3	13.8	9
Appendix	^	^	^	^
Ascending Colon	4.2	1.7	8.5	8
Hepatic Flexure	^	^	^	^
Transverse Colon	4.8	1.7	10.2	6
Splenic Flexure	^	^	^	^
Descending Colon	2.7	0.9	6.1	6
Sigmoid Colon	11.1	6.5	17.6	21
Large Intestine, NOS	4.8	2.1	9.2	9
Rectum and Rectosigmoid Junction	12.5	7.6	19.0	24
Rectosigmoid Junction	2.7	0.9	6.2	6
Rectum	9.8	5.5	15.9	18
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	13.9	8.3	21.6	21
Liver	13.0	7.6	20.5	20
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	10.4	5.7	17.1	16
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	79.3	65.4	95.2	131
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.9	0
Larynx	^	^	^	^
Lung and Bronchus	76.1	62.4	91.6	125
Pleura	0.0	0.0	1.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	4.6	2.1	8.7	11
Skin excluding Basal and Squamous	14.1	9.3	20.5	31
Melanoma of the Skin	11.9	7.5	17.9	26
Other Non-Epithelial Skin	^	^	^	^
Urinary System	41.4	31.6	52.9	70
Urinary Bladder	22.5	15.4	31.5	37
Kidney and Renal Pelvis	15.9	10.2	23.4	28
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	7.1	3.8	11.9	16
Brain	6.3	3.2	11.1	14
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	11.8	8.1	16.9	33
Thyroid	11.5	7.8	16.6	32
Other Endocrine including Thymus	^	^	^	^
Lymphoma	22.5	15.7	31.0	43
Hodgkin Lymphoma	3.6	1.7	6.9	10
Hodgkin - Nodal	3.6	1.7	6.9	10
Hodgkin - Extranodal	0.0	0.0	1.9	0
Non-Hodgkin Lymphoma	18.9	12.6	27.1	33
NHL - Nodal	13.7	8.5	20.6	25
NHL - Extranodal	5.2	2.1	10.4	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	8.9	5.0	14.5	18
Leukemia	13.3	8.3	20.0	27
Lymphocytic Leukemia	10.2	5.8	16.5	19
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	7.1	3.4	12.9	12
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.1	1.2	6.4	8
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.9	0
Other Leukemia	0.0	0.0	1.9	0
Other Acute Leukemia	0.0	0.0	1.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1.9	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	13.5	8.2	20.7	23

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	512.5	367.7	690.6	48
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.3	0
Tongue	0.0	0.0	35.3	0
Salivary Gland	0.0	0.0	35.3	0
Floor of Mouth	0.0	0.0	35.3	0
Gum and Other Mouth	0.0	0.0	35.3	0
Nasopharynx	0.0	0.0	35.3	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	35.3	0
Hypopharynx	0.0	0.0	35.3	0
Other Oral Cavity and Pharynx	0.0	0.0	35.3	0
Digestive System	205.5	113.4	334.5	16
Esophagus	0.0	0.0	35.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	35.3	0
Colon and Rectum	124.4	59.3	223.7	11
Colon excluding Rectum	124.4	59.3	223.7	11
Cecum	^	^	^	^
Appendix	0.0	0.0	35.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	35.3	0
Transverse Colon	0.0	0.0	35.3	0
Splenic Flexure	0.0	0.0	35.3	0
Descending Colon	0.0	0.0	35.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	35.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	35.3	0
Rectosigmoid Junction	0.0	0.0	35.3	0
Rectum	0.0	0.0	35.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	35.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.3	0
Gallbladder	0.0	0.0	35.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	35.3	0
Retroperitoneum	0.0	0.0	35.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.3	0
Other Digestive Organs	0.0	0.0	35.3	0
Respiratory System	109.5	45.7	211.1	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.3	0
Larynx	0.0	0.0	35.3	0
Lung and Bronchus	109.5	45.7	211.1	8
Pleura	0.0	0.0	35.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.3	0
Bones and Joints	0.0	0.0	35.3	0
Soft Tissue including Heart	0.0	0.0	35.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	35.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	35.3	0
Other Urinary Organs	0.0	0.0	35.3	0
Eye and Orbit	0.0	0.0	35.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	35.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	35.3	0
Hodgkin - Nodal	0.0	0.0	35.3	0
Hodgkin - Extranodal	0.0	0.0	35.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	35.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	35.3	0
Leukemia	0.0	0.0	35.3	0
Lymphocytic Leukemia	0.0	0.0	35.3	0
Acute Lymphocytic Leukemia	0.0	0.0	35.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.3	0
Other Lymphocytic Leukemia	0.0	0.0	35.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	35.3	0
Acute Myeloid Leukemia	0.0	0.0	35.3	0
Acute Monocytic Leukemia	0.0	0.0	35.3	0
Chronic Myeloid Leukemia	0.0	0.0	35.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.3	0
Other Leukemia	0.0	0.0	35.3	0
Other Acute Leukemia	0.0	0.0	35.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.3	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	35.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	607.9	0
Lip	0.0	0.0	607.9	0
Tongue	0.0	0.0	607.9	0
Salivary Gland	0.0	0.0	607.9	0
Floor of Mouth	0.0	0.0	607.9	0
Gum and Other Mouth	0.0	0.0	607.9	0
Nasopharynx	0.0	0.0	607.9	0
Tonsil	0.0	0.0	607.9	0
Oropharynx	0.0	0.0	607.9	0
Hypopharynx	0.0	0.0	607.9	0
Other Oral Cavity and Pharynx	0.0	0.0	607.9	0
Digestive System	0.0	0.0	607.9	0
Esophagus	0.0	0.0	607.9	0
Stomach	0.0	0.0	607.9	0
Small Intestine	0.0	0.0	607.9	0
Colon and Rectum	0.0	0.0	607.9	0
Colon excluding Rectum	0.0	0.0	607.9	0
Cecum	0.0	0.0	607.9	0
Appendix	0.0	0.0	607.9	0
Ascending Colon	0.0	0.0	607.9	0
Hepatic Flexure	0.0	0.0	607.9	0
Transverse Colon	0.0	0.0	607.9	0
Splenic Flexure	0.0	0.0	607.9	0
Descending Colon	0.0	0.0	607.9	0
Sigmoid Colon	0.0	0.0	607.9	0
Large Intestine, NOS	0.0	0.0	607.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	607.9	0
Rectosigmoid Junction	0.0	0.0	607.9	0
Rectum	0.0	0.0	607.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	607.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	607.9	0
Liver	0.0	0.0	607.9	0
Intrahepatic Bile Duct	0.0	0.0	607.9	0
Gallbladder	0.0	0.0	607.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	607.9	0
Pancreas	0.0	0.0	607.9	0
Retroperitoneum	0.0	0.0	607.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	607.9	0
Other Digestive Organs	0.0	0.0	607.9	0
Respiratory System	0.0	0.0	607.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	607.9	0
Larynx	0.0	0.0	607.9	0
Lung and Bronchus	0.0	0.0	607.9	0
Pleura	0.0	0.0	607.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	607.9	0
Bones and Joints	0.0	0.0	607.9	0
Soft Tissue including Heart	0.0	0.0	607.9	0
Skin excluding Basal and Squamous	0.0	0.0	607.9	0
Melanoma of the Skin	0.0	0.0	607.9	0
Other Non-Epithelial Skin	0.0	0.0	607.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	607.9	0
Ureter	0.0	0.0	607.9	0
Other Urinary Organs	0.0	0.0	607.9	0
Eye and Orbit	0.0	0.0	607.9	0
Brain and Other Nervous System	0.0	0.0	607.9	0
Brain	0.0	0.0	607.9	0
Cranial Nerves Other Nervous System	0.0	0.0	607.9	0
Endocrine System	0.0	0.0	607.9	0
Thyroid	0.0	0.0	607.9	0
Other Endocrine including Thymus	0.0	0.0	607.9	0
Lymphoma	0.0	0.0	607.9	0
Hodgkin Lymphoma	0.0	0.0	607.9	0
Hodgkin - Nodal	0.0	0.0	607.9	0
Hodgkin - Extranodal	0.0	0.0	607.9	0
Non-Hodgkin Lymphoma	0.0	0.0	607.9	0
NHL - Nodal	0.0	0.0	607.9	0
NHL - Extranodal	0.0	0.0	607.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	607.9	0
Leukemia	0.0	0.0	607.9	0
Lymphocytic Leukemia	0.0	0.0	607.9	0
Acute Lymphocytic Leukemia	0.0	0.0	607.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	607.9	0
Other Lymphocytic Leukemia	0.0	0.0	607.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	607.9	0
Acute Myeloid Leukemia	0.0	0.0	607.9	0
Acute Monocytic Leukemia	0.0	0.0	607.9	0
Chronic Myeloid Leukemia	0.0	0.0	607.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	607.9	0
Other Leukemia	0.0	0.0	607.9	0
Other Acute Leukemia	0.0	0.0	607.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	607.9	0
Mesothelioma	0.0	0.0	607.9	0
Kaposi Sarcoma	0.0	0.0	607.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	631.6	175.8	1,524.4	7
Oral Cavity and Pharynx	0.0	0.0	464.1	0
Lip	0.0	0.0	464.1	0
Tongue	0.0	0.0	464.1	0
Salivary Gland	0.0	0.0	464.1	0
Floor of Mouth	0.0	0.0	464.1	0
Gum and Other Mouth	0.0	0.0	464.1	0
Nasopharynx	0.0	0.0	464.1	0
Tonsil	0.0	0.0	464.1	0
Oropharynx	0.0	0.0	464.1	0
Hypopharynx	0.0	0.0	464.1	0
Other Oral Cavity and Pharynx	0.0	0.0	464.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	464.1	0
Stomach	0.0	0.0	464.1	0
Small Intestine	0.0	0.0	464.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	464.1	0
Ascending Colon	0.0	0.0	464.1	0
Hepatic Flexure	0.0	0.0	464.1	0
Transverse Colon	0.0	0.0	464.1	0
Splenic Flexure	0.0	0.0	464.1	0
Descending Colon	0.0	0.0	464.1	0
Sigmoid Colon	0.0	0.0	464.1	0
Large Intestine, NOS	0.0	0.0	464.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	464.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	464.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	464.1	0
Liver	0.0	0.0	464.1	0
Intrahepatic Bile Duct	0.0	0.0	464.1	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	464.1	0
Pancreas	0.0	0.0	464.1	0
Retroperitoneum	0.0	0.0	464.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	464.1	0
Other Digestive Organs	0.0	0.0	464.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	464.1	0
Larynx	0.0	0.0	464.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	464.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	464.1	0
Bones and Joints	0.0	0.0	464.1	0
Soft Tissue including Heart	0.0	0.0	464.1	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	464.1	0
Urinary System	0.0	0.0	464.1	0
Urinary Bladder	0.0	0.0	464.1	0
Kidney and Renal Pelvis	0.0	0.0	464.1	0
Ureter	0.0	0.0	464.1	0
Other Urinary Organs	0.0	0.0	464.1	0
Eye and Orbit	0.0	0.0	464.1	0
Brain and Other Nervous System	0.0	0.0	464.1	0
Brain	0.0	0.0	464.1	0
Cranial Nerves Other Nervous System	0.0	0.0	464.1	0
Endocrine System	0.0	0.0	464.1	0
Thyroid	0.0	0.0	464.1	0
Other Endocrine including Thymus	0.0	0.0	464.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	464.1	0
Hodgkin - Nodal	0.0	0.0	464.1	0
Hodgkin - Extranodal	0.0	0.0	464.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	464.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	464.1	0
Leukemia	0.0	0.0	464.1	0
Lymphocytic Leukemia	0.0	0.0	464.1	0
Acute Lymphocytic Leukemia	0.0	0.0	464.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	464.1	0
Other Lymphocytic Leukemia	0.0	0.0	464.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	464.1	0
Acute Myeloid Leukemia	0.0	0.0	464.1	0
Acute Monocytic Leukemia	0.0	0.0	464.1	0
Chronic Myeloid Leukemia	0.0	0.0	464.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	464.1	0
Other Leukemia	0.0	0.0	464.1	0
Other Acute Leukemia	0.0	0.0	464.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	464.1	0
Mesothelioma	0.0	0.0	464.1	0
Kaposi Sarcoma	0.0	0.0	464.1	0
Miscellaneous	0.0	0.0	464.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	515.1	277.0	857.5	15
Oral Cavity and Pharynx	0.0	0.0	104.8	0
Lip	0.0	0.0	104.8	0
Tongue	0.0	0.0	104.8	0
Salivary Gland	0.0	0.0	104.8	0
Floor of Mouth	0.0	0.0	104.8	0
Gum and Other Mouth	0.0	0.0	104.8	0
Nasopharynx	0.0	0.0	104.8	0
Tonsil	0.0	0.0	104.8	0
Oropharynx	0.0	0.0	104.8	0
Hypopharynx	0.0	0.0	104.8	0
Other Oral Cavity and Pharynx	0.0	0.0	104.8	0
Digestive System	266.9	95.1	557.9	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	104.8	0
Small Intestine	0.0	0.0	104.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	104.8	0
Appendix	0.0	0.0	104.8	0
Ascending Colon	0.0	0.0	104.8	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	104.8	0
Splenic Flexure	0.0	0.0	104.8	0
Descending Colon	0.0	0.0	104.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	104.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	104.8	0
Rectosigmoid Junction	0.0	0.0	104.8	0
Rectum	0.0	0.0	104.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	104.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	104.8	0
Liver	0.0	0.0	104.8	0
Intrahepatic Bile Duct	0.0	0.0	104.8	0
Gallbladder	0.0	0.0	104.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	104.8	0
Pancreas	0.0	0.0	104.8	0
Retroperitoneum	0.0	0.0	104.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	104.8	0
Other Digestive Organs	0.0	0.0	104.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	104.8	0
Larynx	0.0	0.0	104.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	104.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	104.8	0
Bones and Joints	0.0	0.0	104.8	0
Soft Tissue including Heart	0.0	0.0	104.8	0
Skin excluding Basal and Squamous	0.0	0.0	104.8	0
Melanoma of the Skin	0.0	0.0	104.8	0
Other Non-Epithelial Skin	0.0	0.0	104.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	104.8	0
Ureter	0.0	0.0	104.8	0
Other Urinary Organs	0.0	0.0	104.8	0
Eye and Orbit	0.0	0.0	104.8	0
Brain and Other Nervous System	0.0	0.0	104.8	0
Brain	0.0	0.0	104.8	0
Cranial Nerves Other Nervous System	0.0	0.0	104.8	0
Endocrine System	0.0	0.0	104.8	0
Thyroid	0.0	0.0	104.8	0
Other Endocrine including Thymus	0.0	0.0	104.8	0
Lymphoma	0.0	0.0	104.8	0
Hodgkin Lymphoma	0.0	0.0	104.8	0
Hodgkin - Nodal	0.0	0.0	104.8	0
Hodgkin - Extranodal	0.0	0.0	104.8	0
Non-Hodgkin Lymphoma	0.0	0.0	104.8	0
NHL - Nodal	0.0	0.0	104.8	0
NHL - Extranodal	0.0	0.0	104.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	104.8	0
Leukemia	0.0	0.0	104.8	0
Lymphocytic Leukemia	0.0	0.0	104.8	0
Acute Lymphocytic Leukemia	0.0	0.0	104.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	104.8	0
Other Lymphocytic Leukemia	0.0	0.0	104.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	104.8	0
Acute Myeloid Leukemia	0.0	0.0	104.8	0
Acute Monocytic Leukemia	0.0	0.0	104.8	0
Chronic Myeloid Leukemia	0.0	0.0	104.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	104.8	0
Other Leukemia	0.0	0.0	104.8	0
Other Acute Leukemia	0.0	0.0	104.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	104.8	0
Mesothelioma	0.0	0.0	104.8	0
Kaposi Sarcoma	0.0	0.0	104.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	546.6	482.1	616.7	311
Oral Cavity and Pharynx	9.4	3.2	21.0	7
Lip	0.0	0.0	6.3	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	6.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	6.3	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	6.3	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	6.3	0
Digestive System	93.4	67.3	125.4	50
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	55.5	35.1	82.2	27
Colon excluding Rectum	43.3	24.8	68.6	18
Cecum	13.3	4.5	28.8	6
Appendix	0.0	0.0	6.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	6.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	6.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	12.2	5.2	24.3	9
Rectosigmoid Junction	^	^	^	^
Rectum	11.4	4.6	23.5	8
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	9.6	3.1	21.8	6
Liver	9.6	3.1	21.8	6
Intrahepatic Bile Duct	0.0	0.0	6.3	0
Gallbladder	0.0	0.0	6.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	14.0	5.6	28.4	8
Retroperitoneum	0.0	0.0	6.3	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	6.3	0
Respiratory System	62.5	41.0	90.1	31
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.3	0
Larynx	^	^	^	^
Lung and Bronchus	59.6	38.5	86.9	29
Pleura	0.0	0.0	6.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	21.4	10.2	38.5	13
Melanoma of the Skin	17.2	7.6	32.6	11
Other Non-Epithelial Skin	^	^	^	^
Urinary System	31.7	17.3	52.1	16
Urinary Bladder	23.9	11.7	42.2	12
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	6.3	0
Other Urinary Organs	0.0	0.0	6.3	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	10.4	4.2	21.7	8
Brain	9.6	3.6	20.7	7
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	13.6	7.2	24.3	13
Thyroid	12.4	6.3	22.9	12
Other Endocrine including Thymus	^	^	^	^
Lymphoma	20.1	10.9	34.2	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.3	0
Non-Hodgkin Lymphoma	19.2	10.1	33.1	14
NHL - Nodal	16.8	8.3	30.2	12
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	6.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	6.3	0
Acute Monocytic Leukemia	0.0	0.0	6.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.3	0
Other Leukemia	0.0	0.0	6.3	0
Other Acute Leukemia	0.0	0.0	6.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.3	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	6.3	0
Miscellaneous	18.1	7.3	35.6	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	493.7	247.9	894.9	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	200.7	0
Tongue	0.0	0.0	200.7	0
Salivary Gland	0.0	0.0	200.7	0
Floor of Mouth	0.0	0.0	200.7	0
Gum and Other Mouth	0.0	0.0	200.7	0
Nasopharynx	0.0	0.0	200.7	0
Tonsil	0.0	0.0	200.7	0
Oropharynx	0.0	0.0	200.7	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	200.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	200.7	0
Stomach	0.0	0.0	200.7	0
Small Intestine	0.0	0.0	200.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	200.7	0
Cecum	0.0	0.0	200.7	0
Appendix	0.0	0.0	200.7	0
Ascending Colon	0.0	0.0	200.7	0
Hepatic Flexure	0.0	0.0	200.7	0
Transverse Colon	0.0	0.0	200.7	0
Splenic Flexure	0.0	0.0	200.7	0
Descending Colon	0.0	0.0	200.7	0
Sigmoid Colon	0.0	0.0	200.7	0
Large Intestine, NOS	0.0	0.0	200.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	200.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	200.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	200.7	0
Liver	0.0	0.0	200.7	0
Intrahepatic Bile Duct	0.0	0.0	200.7	0
Gallbladder	0.0	0.0	200.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	200.7	0
Pancreas	0.0	0.0	200.7	0
Retroperitoneum	0.0	0.0	200.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	200.7	0
Other Digestive Organs	0.0	0.0	200.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	200.7	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	200.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	200.7	0
Bones and Joints	0.0	0.0	200.7	0
Soft Tissue including Heart	0.0	0.0	200.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	200.7	0
Urinary System	0.0	0.0	200.7	0
Urinary Bladder	0.0	0.0	200.7	0
Kidney and Renal Pelvis	0.0	0.0	200.7	0
Ureter	0.0	0.0	200.7	0
Other Urinary Organs	0.0	0.0	200.7	0
Eye and Orbit	0.0	0.0	200.7	0
Brain and Other Nervous System	0.0	0.0	200.7	0
Brain	0.0	0.0	200.7	0
Cranial Nerves Other Nervous System	0.0	0.0	200.7	0
Endocrine System	0.0	0.0	200.7	0
Thyroid	0.0	0.0	200.7	0
Other Endocrine including Thymus	0.0	0.0	200.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	200.7	0
Hodgkin - Nodal	0.0	0.0	200.7	0
Hodgkin - Extranodal	0.0	0.0	200.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	200.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	200.7	0
Leukemia	0.0	0.0	200.7	0
Lymphocytic Leukemia	0.0	0.0	200.7	0
Acute Lymphocytic Leukemia	0.0	0.0	200.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	200.7	0
Other Lymphocytic Leukemia	0.0	0.0	200.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	200.7	0
Acute Myeloid Leukemia	0.0	0.0	200.7	0
Acute Monocytic Leukemia	0.0	0.0	200.7	0
Chronic Myeloid Leukemia	0.0	0.0	200.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	200.7	0
Other Leukemia	0.0	0.0	200.7	0
Other Acute Leukemia	0.0	0.0	200.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	200.7	0
Mesothelioma	0.0	0.0	200.7	0
Kaposi Sarcoma	0.0	0.0	200.7	0
Miscellaneous	0.0	0.0	200.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	484.7	394.4	588.4	122
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	15.4	0
Salivary Gland	0.0	0.0	15.4	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	15.4	0
Nasopharynx	0.0	0.0	15.4	0
Tonsil	0.0	0.0	15.4	0
Oropharynx	0.0	0.0	15.4	0
Hypopharynx	0.0	0.0	15.4	0
Other Oral Cavity and Pharynx	0.0	0.0	15.4	0
Digestive System	118.1	74.9	175.6	28
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	15.4	0
Colon and Rectum	48.5	22.6	89.3	11
Colon excluding Rectum	32.2	12.6	66.2	8
Cecum	^	^	^	^
Appendix	0.0	0.0	15.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	15.4	0
Transverse Colon	0.0	0.0	15.4	0
Splenic Flexure	0.0	0.0	15.4	0
Descending Colon	0.0	0.0	15.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	15.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.4	0
Gallbladder	0.0	0.0	15.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	15.4	0
Other Digestive Organs	0.0	0.0	15.4	0
Respiratory System	81.4	44.7	133.4	16
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.4	0
Larynx	0.0	0.0	15.4	0
Lung and Bronchus	81.4	44.7	133.4	16
Pleura	0.0	0.0	15.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.4	0
Bones and Joints	0.0	0.0	15.4	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	20.2	6.3	47.8	6
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	50.3	25.5	88.5	14
Urinary Bladder	23.1	7.2	53.4	6
Kidney and Renal Pelvis	27.2	10.7	57.0	8
Ureter	0.0	0.0	15.4	0
Other Urinary Organs	0.0	0.0	15.4	0
Eye and Orbit	0.0	0.0	15.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	15.4	0
Endocrine System	18.8	6.6	43.5	6
Thyroid	18.8	6.6	43.5	6
Other Endocrine including Thymus	0.0	0.0	15.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	15.4	0
Hodgkin - Nodal	0.0	0.0	15.4	0
Hodgkin - Extranodal	0.0	0.0	15.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	15.4	0
Lymphocytic Leukemia	0.0	0.0	15.4	0
Acute Lymphocytic Leukemia	0.0	0.0	15.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	15.4	0
Other Lymphocytic Leukemia	0.0	0.0	15.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	15.4	0
Acute Myeloid Leukemia	0.0	0.0	15.4	0
Acute Monocytic Leukemia	0.0	0.0	15.4	0
Chronic Myeloid Leukemia	0.0	0.0	15.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.4	0
Other Leukemia	0.0	0.0	15.4	0
Other Acute Leukemia	0.0	0.0	15.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.4	0
Mesothelioma	0.0	0.0	15.4	0
Kaposi Sarcoma	0.0	0.0	15.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	433.1	371.1	502.3	201
Oral Cavity and Pharynx	11.0	4.4	24.6	7
Lip	0.0	0.0	9.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	9.0	0
Floor of Mouth	0.0	0.0	9.0	0
Gum and Other Mouth	0.0	0.0	9.0	0
Nasopharynx	0.0	0.0	9.0	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	9.0	0
Other Oral Cavity and Pharynx	0.0	0.0	9.0	0
Digestive System	81.6	55.2	115.7	37
Esophagus	^	^	^	^
Stomach	0.0	0.0	9.0	0
Small Intestine	^	^	^	^
Colon and Rectum	44.8	26.9	70.0	21
Colon excluding Rectum	35.1	19.4	58.4	16
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	9.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	15.5	6.0	32.8	7
Large Intestine, NOS	0.0	0.0	9.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	9.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	9.0	0
Pancreas	14.1	4.1	33.3	6
Retroperitoneum	0.0	0.0	9.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	55.1	33.6	84.5	23
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.0	0
Larynx	^	^	^	^
Lung and Bronchus	52.3	31.5	81.2	22
Pleura	0.0	0.0	9.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	12.5	4.4	28.3	6
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	45.5	27.9	70.4	22
Urinary Bladder	27.2	14.0	47.7	13
Kidney and Renal Pelvis	15.2	6.3	31.3	8
Ureter	0.0	0.0	9.0	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.0	0
Endocrine System	18.7	9.1	35.0	11
Thyroid	18.7	9.1	35.0	11
Other Endocrine including Thymus	0.0	0.0	9.0	0
Lymphoma	27.5	13.9	48.8	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	9.0	0
Non-Hodgkin Lymphoma	23.3	10.9	43.5	10
NHL - Nodal	^	^	^	^
NHL - Extranodal	12.9	4.6	28.9	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.0	0
Chronic Myeloid Leukemia	0.0	0.0	9.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.0	0
Other Leukemia	0.0	0.0	9.0	0
Other Acute Leukemia	0.0	0.0	9.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.0	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	9.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	468.8	349.6	615.0	57
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.2	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	32.2	0
Floor of Mouth	0.0	0.0	32.2	0
Gum and Other Mouth	0.0	0.0	32.2	0
Nasopharynx	0.0	0.0	32.2	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	32.2	0
Hypopharynx	0.0	0.0	32.2	0
Other Oral Cavity and Pharynx	0.0	0.0	32.2	0
Digestive System	98.8	46.3	181.8	10
Esophagus	^	^	^	^
Stomach	0.0	0.0	32.2	0
Small Intestine	0.0	0.0	32.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	32.2	0
Ascending Colon	0.0	0.0	32.2	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	32.2	0
Splenic Flexure	0.0	0.0	32.2	0
Descending Colon	0.0	0.0	32.2	0
Sigmoid Colon	0.0	0.0	32.2	0
Large Intestine, NOS	0.0	0.0	32.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	32.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	32.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	32.2	0
Gallbladder	0.0	0.0	32.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	32.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	32.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.2	0
Other Digestive Organs	^	^	^	^
Respiratory System	97.1	45.1	179.3	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.2	0
Larynx	^	^	^	^
Lung and Bronchus	90.7	40.3	171.9	9
Pleura	0.0	0.0	32.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.2	0
Bones and Joints	0.0	0.0	32.2	0
Soft Tissue including Heart	0.0	0.0	32.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.2	0
Urinary System	41.1	14.5	94.1	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	32.2	0
Other Urinary Organs	0.0	0.0	32.2	0
Eye and Orbit	0.0	0.0	32.2	0
Brain and Other Nervous System	0.0	0.0	32.2	0
Brain	0.0	0.0	32.2	0
Cranial Nerves Other Nervous System	0.0	0.0	32.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	32.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.2	0
Hodgkin - Nodal	0.0	0.0	32.2	0
Hodgkin - Extranodal	0.0	0.0	32.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	32.2	0
Acute Lymphocytic Leukemia	0.0	0.0	32.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.2	0
Other Lymphocytic Leukemia	0.0	0.0	32.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.2	0
Chronic Myeloid Leukemia	0.0	0.0	32.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.2	0
Other Leukemia	0.0	0.0	32.2	0
Other Acute Leukemia	0.0	0.0	32.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.2	0
Mesothelioma	0.0	0.0	32.2	0
Kaposi Sarcoma	0.0	0.0	32.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	370.6	250.4	526.6	37
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	43.6	0
Tongue	0.0	0.0	43.6	0
Salivary Gland	0.0	0.0	43.6	0
Floor of Mouth	0.0	0.0	43.6	0
Gum and Other Mouth	0.0	0.0	43.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	43.6	0
Oropharynx	0.0	0.0	43.6	0
Hypopharynx	0.0	0.0	43.6	0
Other Oral Cavity and Pharynx	0.0	0.0	43.6	0
Digestive System	59.1	21.8	131.2	7
Esophagus	0.0	0.0	43.6	0
Stomach	0.0	0.0	43.6	0
Small Intestine	0.0	0.0	43.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	43.6	0
Ascending Colon	0.0	0.0	43.6	0
Hepatic Flexure	0.0	0.0	43.6	0
Transverse Colon	0.0	0.0	43.6	0
Splenic Flexure	0.0	0.0	43.6	0
Descending Colon	0.0	0.0	43.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	43.6	0
Liver	0.0	0.0	43.6	0
Intrahepatic Bile Duct	0.0	0.0	43.6	0
Gallbladder	0.0	0.0	43.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	43.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	43.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	43.6	0
Other Digestive Organs	0.0	0.0	43.6	0
Respiratory System	66.7	21.4	152.5	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	43.6	0
Larynx	0.0	0.0	43.6	0
Lung and Bronchus	66.7	21.4	152.5	6
Pleura	0.0	0.0	43.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	43.6	0
Bones and Joints	0.0	0.0	43.6	0
Soft Tissue including Heart	0.0	0.0	43.6	0
Skin excluding Basal and Squamous	0.0	0.0	43.6	0
Melanoma of the Skin	0.0	0.0	43.6	0
Other Non-Epithelial Skin	0.0	0.0	43.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	43.6	0
Other Urinary Organs	0.0	0.0	43.6	0
Eye and Orbit	0.0	0.0	43.6	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	43.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	43.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	43.6	0
Hodgkin - Nodal	0.0	0.0	43.6	0
Hodgkin - Extranodal	0.0	0.0	43.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	43.6	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	43.6	0
Leukemia	0.0	0.0	43.6	0
Lymphocytic Leukemia	0.0	0.0	43.6	0
Acute Lymphocytic Leukemia	0.0	0.0	43.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	43.6	0
Other Lymphocytic Leukemia	0.0	0.0	43.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	43.6	0
Acute Myeloid Leukemia	0.0	0.0	43.6	0
Acute Monocytic Leukemia	0.0	0.0	43.6	0
Chronic Myeloid Leukemia	0.0	0.0	43.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	43.6	0
Other Leukemia	0.0	0.0	43.6	0
Other Acute Leukemia	0.0	0.0	43.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	43.6	0
Mesothelioma	0.0	0.0	43.6	0
Kaposi Sarcoma	0.0	0.0	43.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	0.0	0.0	353.7	0
Oral Cavity and Pharynx	0.0	0.0	353.7	0
Lip	0.0	0.0	353.7	0
Tongue	0.0	0.0	353.7	0
Salivary Gland	0.0	0.0	353.7	0
Floor of Mouth	0.0	0.0	353.7	0
Gum and Other Mouth	0.0	0.0	353.7	0
Nasopharynx	0.0	0.0	353.7	0
Tonsil	0.0	0.0	353.7	0
Oropharynx	0.0	0.0	353.7	0
Hypopharynx	0.0	0.0	353.7	0
Other Oral Cavity and Pharynx	0.0	0.0	353.7	0
Digestive System	0.0	0.0	353.7	0
Esophagus	0.0	0.0	353.7	0
Stomach	0.0	0.0	353.7	0
Small Intestine	0.0	0.0	353.7	0
Colon and Rectum	0.0	0.0	353.7	0
Colon excluding Rectum	0.0	0.0	353.7	0
Cecum	0.0	0.0	353.7	0
Appendix	0.0	0.0	353.7	0
Ascending Colon	0.0	0.0	353.7	0
Hepatic Flexure	0.0	0.0	353.7	0
Transverse Colon	0.0	0.0	353.7	0
Splenic Flexure	0.0	0.0	353.7	0
Descending Colon	0.0	0.0	353.7	0
Sigmoid Colon	0.0	0.0	353.7	0
Large Intestine, NOS	0.0	0.0	353.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	353.7	0
Rectosigmoid Junction	0.0	0.0	353.7	0
Rectum	0.0	0.0	353.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	353.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	353.7	0
Liver	0.0	0.0	353.7	0
Intrahepatic Bile Duct	0.0	0.0	353.7	0
Gallbladder	0.0	0.0	353.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	353.7	0
Pancreas	0.0	0.0	353.7	0
Retroperitoneum	0.0	0.0	353.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	353.7	0
Other Digestive Organs	0.0	0.0	353.7	0
Respiratory System	0.0	0.0	353.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	353.7	0
Larynx	0.0	0.0	353.7	0
Lung and Bronchus	0.0	0.0	353.7	0
Pleura	0.0	0.0	353.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	353.7	0
Bones and Joints	0.0	0.0	353.7	0
Soft Tissue including Heart	0.0	0.0	353.7	0
Skin excluding Basal and Squamous	0.0	0.0	353.7	0
Melanoma of the Skin	0.0	0.0	353.7	0
Other Non-Epithelial Skin	0.0	0.0	353.7	0
Urinary System	0.0	0.0	353.7	0
Urinary Bladder	0.0	0.0	353.7	0
Kidney and Renal Pelvis	0.0	0.0	353.7	0
Ureter	0.0	0.0	353.7	0
Other Urinary Organs	0.0	0.0	353.7	0
Eye and Orbit	0.0	0.0	353.7	0
Brain and Other Nervous System	0.0	0.0	353.7	0
Brain	0.0	0.0	353.7	0
Cranial Nerves Other Nervous System	0.0	0.0	353.7	0
Endocrine System	0.0	0.0	353.7	0
Thyroid	0.0	0.0	353.7	0
Other Endocrine including Thymus	0.0	0.0	353.7	0
Lymphoma	0.0	0.0	353.7	0
Hodgkin Lymphoma	0.0	0.0	353.7	0
Hodgkin - Nodal	0.0	0.0	353.7	0
Hodgkin - Extranodal	0.0	0.0	353.7	0
Non-Hodgkin Lymphoma	0.0	0.0	353.7	0
NHL - Nodal	0.0	0.0	353.7	0
NHL - Extranodal	0.0	0.0	353.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	353.7	0
Leukemia	0.0	0.0	353.7	0
Lymphocytic Leukemia	0.0	0.0	353.7	0
Acute Lymphocytic Leukemia	0.0	0.0	353.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	353.7	0
Other Lymphocytic Leukemia	0.0	0.0	353.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	353.7	0
Acute Myeloid Leukemia	0.0	0.0	353.7	0
Acute Monocytic Leukemia	0.0	0.0	353.7	0
Chronic Myeloid Leukemia	0.0	0.0	353.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	353.7	0
Other Leukemia	0.0	0.0	353.7	0
Other Acute Leukemia	0.0	0.0	353.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	353.7	0
Mesothelioma	0.0	0.0	353.7	0
Kaposi Sarcoma	0.0	0.0	353.7	0
Miscellaneous	0.0	0.0	353.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	486.8	423.4	556.4	254
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	7.4	0
Tongue	0.0	0.0	7.4	0
Salivary Gland	0.0	0.0	7.4	0
Floor of Mouth	0.0	0.0	7.4	0
Gum and Other Mouth	0.0	0.0	7.4	0
Nasopharynx	0.0	0.0	7.4	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	7.4	0
Hypopharynx	0.0	0.0	7.4	0
Other Oral Cavity and Pharynx	0.0	0.0	7.4	0
Digestive System	78.7	55.6	108.0	42
Esophagus	^	^	^	^
Stomach	0.0	0.0	7.4	0
Small Intestine	^	^	^	^
Colon and Rectum	40.6	25.2	61.8	24
Colon excluding Rectum	26.6	14.0	45.5	14
Cecum	^	^	^	^
Appendix	0.0	0.0	7.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	7.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	14.0	6.5	27.1	10
Rectosigmoid Junction	^	^	^	^
Rectum	11.4	4.7	23.9	8
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	7.4	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	7.4	0
Pancreas	14.3	5.5	29.7	7
Retroperitoneum	0.0	0.0	7.4	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	88.4	61.7	121.8	42
Nose, Nasal Cavity and Middle Ear	0.0	0.0	7.4	0
Larynx	^	^	^	^
Lung and Bronchus	77.9	53.6	108.8	38
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	7.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	9.2	3.3	20.9	6
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	53.9	33.9	80.7	26
Urinary Bladder	28.3	15.1	47.9	15
Kidney and Renal Pelvis	25.6	12.0	46.7	11
Ureter	0.0	0.0	7.4	0
Other Urinary Organs	0.0	0.0	7.4	0
Eye and Orbit	0.0	0.0	7.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	7.4	0
Endocrine System	8.8	3.5	19.6	7
Thyroid	8.8	3.5	19.6	7
Other Endocrine including Thymus	0.0	0.0	7.4	0
Lymphoma	17.4	8.2	32.6	11
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	7.4	0
Non-Hodgkin Lymphoma	15.9	7.1	30.7	10
NHL - Nodal	11.2	4.0	24.6	7
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	18.5	6.8	38.2	8
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	7.4	0
Acute Monocytic Leukemia	0.0	0.0	7.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	7.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	7.4	0
Kaposi Sarcoma	0.0	0.0	7.4	0
Miscellaneous	15.4	5.3	33.2	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	351.8	215.4	537.3	23
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	53.8	0
Tongue	0.0	0.0	53.8	0
Salivary Gland	0.0	0.0	53.8	0
Floor of Mouth	0.0	0.0	53.8	0
Gum and Other Mouth	0.0	0.0	53.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	53.8	0
Oropharynx	0.0	0.0	53.8	0
Hypopharynx	0.0	0.0	53.8	0
Other Oral Cavity and Pharynx	0.0	0.0	53.8	0
Digestive System	108.8	40.6	228.4	7
Esophagus	0.0	0.0	53.8	0
Stomach	0.0	0.0	53.8	0
Small Intestine	0.0	0.0	53.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	53.8	0
Ascending Colon	0.0	0.0	53.8	0
Hepatic Flexure	0.0	0.0	53.8	0
Transverse Colon	0.0	0.0	53.8	0
Splenic Flexure	0.0	0.0	53.8	0
Descending Colon	0.0	0.0	53.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	53.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	53.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	53.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	53.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	53.8	0
Pancreas	0.0	0.0	53.8	0
Retroperitoneum	0.0	0.0	53.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.8	0
Other Digestive Organs	0.0	0.0	53.8	0
Respiratory System	146.4	59.8	288.1	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.8	0
Larynx	^	^	^	^
Lung and Bronchus	108.3	37.6	233.3	6
Pleura	0.0	0.0	53.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.8	0
Bones and Joints	0.0	0.0	53.8	0
Soft Tissue including Heart	0.0	0.0	53.8	0
Skin excluding Basal and Squamous	0.0	0.0	53.8	0
Melanoma of the Skin	0.0	0.0	53.8	0
Other Non-Epithelial Skin	0.0	0.0	53.8	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	53.8	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	53.8	0
Other Urinary Organs	0.0	0.0	53.8	0
Eye and Orbit	0.0	0.0	53.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	53.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	53.8	0
Lymphoma	0.0	0.0	53.8	0
Hodgkin Lymphoma	0.0	0.0	53.8	0
Hodgkin - Nodal	0.0	0.0	53.8	0
Hodgkin - Extranodal	0.0	0.0	53.8	0
Non-Hodgkin Lymphoma	0.0	0.0	53.8	0
NHL - Nodal	0.0	0.0	53.8	0
NHL - Extranodal	0.0	0.0	53.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	53.8	0
Leukemia	0.0	0.0	53.8	0
Lymphocytic Leukemia	0.0	0.0	53.8	0
Acute Lymphocytic Leukemia	0.0	0.0	53.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.8	0
Other Lymphocytic Leukemia	0.0	0.0	53.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	53.8	0
Acute Myeloid Leukemia	0.0	0.0	53.8	0
Acute Monocytic Leukemia	0.0	0.0	53.8	0
Chronic Myeloid Leukemia	0.0	0.0	53.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.8	0
Other Leukemia	0.0	0.0	53.8	0
Other Acute Leukemia	0.0	0.0	53.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.8	0
Mesothelioma	0.0	0.0	53.8	0
Kaposi Sarcoma	0.0	0.0	53.8	0
Miscellaneous	0.0	0.0	53.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	388.3	190.4	680.9	13
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	88.6	0
Tongue	0.0	0.0	88.6	0
Salivary Gland	0.0	0.0	88.6	0
Floor of Mouth	0.0	0.0	88.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	88.6	0
Tonsil	0.0	0.0	88.6	0
Oropharynx	0.0	0.0	88.6	0
Hypopharynx	0.0	0.0	88.6	0
Other Oral Cavity and Pharynx	0.0	0.0	88.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	88.6	0
Stomach	0.0	0.0	88.6	0
Small Intestine	0.0	0.0	88.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	88.6	0
Appendix	0.0	0.0	88.6	0
Ascending Colon	0.0	0.0	88.6	0
Hepatic Flexure	0.0	0.0	88.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	88.6	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	88.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	88.6	0
Rectosigmoid Junction	0.0	0.0	88.6	0
Rectum	0.0	0.0	88.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	88.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	88.6	0
Liver	0.0	0.0	88.6	0
Intrahepatic Bile Duct	0.0	0.0	88.6	0
Gallbladder	0.0	0.0	88.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	88.6	0
Pancreas	0.0	0.0	88.6	0
Retroperitoneum	0.0	0.0	88.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	88.6	0
Other Digestive Organs	0.0	0.0	88.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	88.6	0
Larynx	0.0	0.0	88.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	88.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	88.6	0
Bones and Joints	0.0	0.0	88.6	0
Soft Tissue including Heart	0.0	0.0	88.6	0
Skin excluding Basal and Squamous	0.0	0.0	88.6	0
Melanoma of the Skin	0.0	0.0	88.6	0
Other Non-Epithelial Skin	0.0	0.0	88.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	88.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	88.6	0
Other Urinary Organs	0.0	0.0	88.6	0
Eye and Orbit	0.0	0.0	88.6	0
Brain and Other Nervous System	0.0	0.0	88.6	0
Brain	0.0	0.0	88.6	0
Cranial Nerves Other Nervous System	0.0	0.0	88.6	0
Endocrine System	0.0	0.0	88.6	0
Thyroid	0.0	0.0	88.6	0
Other Endocrine including Thymus	0.0	0.0	88.6	0
Lymphoma	0.0	0.0	88.6	0
Hodgkin Lymphoma	0.0	0.0	88.6	0
Hodgkin - Nodal	0.0	0.0	88.6	0
Hodgkin - Extranodal	0.0	0.0	88.6	0
Non-Hodgkin Lymphoma	0.0	0.0	88.6	0
NHL - Nodal	0.0	0.0	88.6	0
NHL - Extranodal	0.0	0.0	88.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	88.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	88.6	0
Acute Lymphocytic Leukemia	0.0	0.0	88.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	88.6	0
Other Lymphocytic Leukemia	0.0	0.0	88.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	88.6	0
Chronic Myeloid Leukemia	0.0	0.0	88.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	88.6	0
Other Leukemia	0.0	0.0	88.6	0
Other Acute Leukemia	0.0	0.0	88.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	88.6	0
Mesothelioma	0.0	0.0	88.6	0
Kaposi Sarcoma	0.0	0.0	88.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	287.4	157.2	483.5	15
Oral Cavity and Pharynx	0.0	0.0	85.1	0
Lip	0.0	0.0	85.1	0
Tongue	0.0	0.0	85.1	0
Salivary Gland	0.0	0.0	85.1	0
Floor of Mouth	0.0	0.0	85.1	0
Gum and Other Mouth	0.0	0.0	85.1	0
Nasopharynx	0.0	0.0	85.1	0
Tonsil	0.0	0.0	85.1	0
Oropharynx	0.0	0.0	85.1	0
Hypopharynx	0.0	0.0	85.1	0
Other Oral Cavity and Pharynx	0.0	0.0	85.1	0
Digestive System	137.5	58.3	281.6	8
Esophagus	0.0	0.0	85.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	85.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	85.1	0
Appendix	0.0	0.0	85.1	0
Ascending Colon	0.0	0.0	85.1	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	85.1	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	85.1	0
Sigmoid Colon	0.0	0.0	85.1	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	85.1	0
Rectosigmoid Junction	0.0	0.0	85.1	0
Rectum	0.0	0.0	85.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	85.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	85.1	0
Gallbladder	0.0	0.0	85.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	85.1	0
Pancreas	0.0	0.0	85.1	0
Retroperitoneum	0.0	0.0	85.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	85.1	0
Other Digestive Organs	0.0	0.0	85.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	85.1	0
Larynx	0.0	0.0	85.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	85.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	85.1	0
Bones and Joints	0.0	0.0	85.1	0
Soft Tissue including Heart	0.0	0.0	85.1	0
Skin excluding Basal and Squamous	0.0	0.0	85.1	0
Melanoma of the Skin	0.0	0.0	85.1	0
Other Non-Epithelial Skin	0.0	0.0	85.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	85.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	85.1	0
Other Urinary Organs	0.0	0.0	85.1	0
Eye and Orbit	0.0	0.0	85.1	0
Brain and Other Nervous System	0.0	0.0	85.1	0
Brain	0.0	0.0	85.1	0
Cranial Nerves Other Nervous System	0.0	0.0	85.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	85.1	0
Lymphoma	0.0	0.0	85.1	0
Hodgkin Lymphoma	0.0	0.0	85.1	0
Hodgkin - Nodal	0.0	0.0	85.1	0
Hodgkin - Extranodal	0.0	0.0	85.1	0
Non-Hodgkin Lymphoma	0.0	0.0	85.1	0
NHL - Nodal	0.0	0.0	85.1	0
NHL - Extranodal	0.0	0.0	85.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	85.1	0
Lymphocytic Leukemia	0.0	0.0	85.1	0
Acute Lymphocytic Leukemia	0.0	0.0	85.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	85.1	0
Other Lymphocytic Leukemia	0.0	0.0	85.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	85.1	0
Acute Myeloid Leukemia	0.0	0.0	85.1	0
Acute Monocytic Leukemia	0.0	0.0	85.1	0
Chronic Myeloid Leukemia	0.0	0.0	85.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	85.1	0
Other Leukemia	0.0	0.0	85.1	0
Other Acute Leukemia	0.0	0.0	85.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	85.1	0
Mesothelioma	0.0	0.0	85.1	0
Kaposi Sarcoma	0.0	0.0	85.1	0
Miscellaneous	0.0	0.0	85.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	600.5	365.6	921.5	26
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	97.1	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	97.1	0
Tonsil	0.0	0.0	97.1	0
Oropharynx	0.0	0.0	97.1	0
Hypopharynx	0.0	0.0	97.1	0
Other Oral Cavity and Pharynx	0.0	0.0	97.1	0
Digestive System	136.2	44.3	314.0	6
Esophagus	0.0	0.0	97.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	97.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	97.1	0
Ascending Colon	0.0	0.0	97.1	0
Hepatic Flexure	0.0	0.0	97.1	0
Transverse Colon	0.0	0.0	97.1	0
Splenic Flexure	0.0	0.0	97.1	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	97.1	0
Large Intestine, NOS	0.0	0.0	97.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	97.1	0
Rectosigmoid Junction	0.0	0.0	97.1	0
Rectum	0.0	0.0	97.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	97.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	97.1	0
Liver	0.0	0.0	97.1	0
Intrahepatic Bile Duct	0.0	0.0	97.1	0
Gallbladder	0.0	0.0	97.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	97.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	97.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	97.1	0
Other Digestive Organs	0.0	0.0	97.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	97.1	0
Larynx	0.0	0.0	97.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	97.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	97.1	0
Bones and Joints	0.0	0.0	97.1	0
Soft Tissue including Heart	0.0	0.0	97.1	0
Skin excluding Basal and Squamous	0.0	0.0	97.1	0
Melanoma of the Skin	0.0	0.0	97.1	0
Other Non-Epithelial Skin	0.0	0.0	97.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	97.1	0
Ureter	0.0	0.0	97.1	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	97.1	0
Brain and Other Nervous System	0.0	0.0	97.1	0
Brain	0.0	0.0	97.1	0
Cranial Nerves Other Nervous System	0.0	0.0	97.1	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	97.1	0
Lymphoma	0.0	0.0	97.1	0
Hodgkin Lymphoma	0.0	0.0	97.1	0
Hodgkin - Nodal	0.0	0.0	97.1	0
Hodgkin - Extranodal	0.0	0.0	97.1	0
Non-Hodgkin Lymphoma	0.0	0.0	97.1	0
NHL - Nodal	0.0	0.0	97.1	0
NHL - Extranodal	0.0	0.0	97.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	97.1	0
Leukemia	0.0	0.0	97.1	0
Lymphocytic Leukemia	0.0	0.0	97.1	0
Acute Lymphocytic Leukemia	0.0	0.0	97.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	97.1	0
Other Lymphocytic Leukemia	0.0	0.0	97.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	97.1	0
Acute Myeloid Leukemia	0.0	0.0	97.1	0
Acute Monocytic Leukemia	0.0	0.0	97.1	0
Chronic Myeloid Leukemia	0.0	0.0	97.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	97.1	0
Other Leukemia	0.0	0.0	97.1	0
Other Acute Leukemia	0.0	0.0	97.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	97.1	0
Mesothelioma	0.0	0.0	97.1	0
Kaposi Sarcoma	0.0	0.0	97.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	404.8	272.0	578.3	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	47.5	0
Tongue	0.0	0.0	47.5	0
Salivary Gland	0.0	0.0	47.5	0
Floor of Mouth	0.0	0.0	47.5	0
Gum and Other Mouth	0.0	0.0	47.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	47.5	0
Oropharynx	0.0	0.0	47.5	0
Hypopharynx	0.0	0.0	47.5	0
Other Oral Cavity and Pharynx	0.0	0.0	47.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	47.5	0
Small Intestine	0.0	0.0	47.5	0
Colon and Rectum	0.0	0.0	47.5	0
Colon excluding Rectum	0.0	0.0	47.5	0
Cecum	0.0	0.0	47.5	0
Appendix	0.0	0.0	47.5	0
Ascending Colon	0.0	0.0	47.5	0
Hepatic Flexure	0.0	0.0	47.5	0
Transverse Colon	0.0	0.0	47.5	0
Splenic Flexure	0.0	0.0	47.5	0
Descending Colon	0.0	0.0	47.5	0
Sigmoid Colon	0.0	0.0	47.5	0
Large Intestine, NOS	0.0	0.0	47.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	47.5	0
Rectosigmoid Junction	0.0	0.0	47.5	0
Rectum	0.0	0.0	47.5	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	47.5	0
Liver	0.0	0.0	47.5	0
Intrahepatic Bile Duct	0.0	0.0	47.5	0
Gallbladder	0.0	0.0	47.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	47.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	47.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	47.5	0
Other Digestive Organs	0.0	0.0	47.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	47.5	0
Larynx	0.0	0.0	47.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	47.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	47.5	0
Bones and Joints	0.0	0.0	47.5	0
Soft Tissue including Heart	0.0	0.0	47.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	47.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	47.5	0
Other Urinary Organs	0.0	0.0	47.5	0
Eye and Orbit	0.0	0.0	47.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	47.5	0
Endocrine System	0.0	0.0	47.5	0
Thyroid	0.0	0.0	47.5	0
Other Endocrine including Thymus	0.0	0.0	47.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	47.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	47.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	47.5	0
Acute Lymphocytic Leukemia	0.0	0.0	47.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	47.5	0
Other Lymphocytic Leukemia	0.0	0.0	47.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	47.5	0
Acute Monocytic Leukemia	0.0	0.0	47.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	47.5	0
Other Leukemia	0.0	0.0	47.5	0
Other Acute Leukemia	0.0	0.0	47.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	47.5	0
Mesothelioma	0.0	0.0	47.5	0
Kaposi Sarcoma	0.0	0.0	47.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	271.9	115.8	551.0	9
Oral Cavity and Pharynx	0.0	0.0	153.9	0
Lip	0.0	0.0	153.9	0
Tongue	0.0	0.0	153.9	0
Salivary Gland	0.0	0.0	153.9	0
Floor of Mouth	0.0	0.0	153.9	0
Gum and Other Mouth	0.0	0.0	153.9	0
Nasopharynx	0.0	0.0	153.9	0
Tonsil	0.0	0.0	153.9	0
Oropharynx	0.0	0.0	153.9	0
Hypopharynx	0.0	0.0	153.9	0
Other Oral Cavity and Pharynx	0.0	0.0	153.9	0
Digestive System	0.0	0.0	153.9	0
Esophagus	0.0	0.0	153.9	0
Stomach	0.0	0.0	153.9	0
Small Intestine	0.0	0.0	153.9	0
Colon and Rectum	0.0	0.0	153.9	0
Colon excluding Rectum	0.0	0.0	153.9	0
Cecum	0.0	0.0	153.9	0
Appendix	0.0	0.0	153.9	0
Ascending Colon	0.0	0.0	153.9	0
Hepatic Flexure	0.0	0.0	153.9	0
Transverse Colon	0.0	0.0	153.9	0
Splenic Flexure	0.0	0.0	153.9	0
Descending Colon	0.0	0.0	153.9	0
Sigmoid Colon	0.0	0.0	153.9	0
Large Intestine, NOS	0.0	0.0	153.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	153.9	0
Rectosigmoid Junction	0.0	0.0	153.9	0
Rectum	0.0	0.0	153.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	153.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	153.9	0
Liver	0.0	0.0	153.9	0
Intrahepatic Bile Duct	0.0	0.0	153.9	0
Gallbladder	0.0	0.0	153.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	153.9	0
Pancreas	0.0	0.0	153.9	0
Retroperitoneum	0.0	0.0	153.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	153.9	0
Other Digestive Organs	0.0	0.0	153.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	153.9	0
Larynx	0.0	0.0	153.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	153.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	153.9	0
Bones and Joints	0.0	0.0	153.9	0
Soft Tissue including Heart	0.0	0.0	153.9	0
Skin excluding Basal and Squamous	0.0	0.0	153.9	0
Melanoma of the Skin	0.0	0.0	153.9	0
Other Non-Epithelial Skin	0.0	0.0	153.9	0
Urinary System	0.0	0.0	153.9	0
Urinary Bladder	0.0	0.0	153.9	0
Kidney and Renal Pelvis	0.0	0.0	153.9	0
Ureter	0.0	0.0	153.9	0
Other Urinary Organs	0.0	0.0	153.9	0
Eye and Orbit	0.0	0.0	153.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	153.9	0
Endocrine System	0.0	0.0	153.9	0
Thyroid	0.0	0.0	153.9	0
Other Endocrine including Thymus	0.0	0.0	153.9	0
Lymphoma	0.0	0.0	153.9	0
Hodgkin Lymphoma	0.0	0.0	153.9	0
Hodgkin - Nodal	0.0	0.0	153.9	0
Hodgkin - Extranodal	0.0	0.0	153.9	0
Non-Hodgkin Lymphoma	0.0	0.0	153.9	0
NHL - Nodal	0.0	0.0	153.9	0
NHL - Extranodal	0.0	0.0	153.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	153.9	0
Leukemia	0.0	0.0	153.9	0
Lymphocytic Leukemia	0.0	0.0	153.9	0
Acute Lymphocytic Leukemia	0.0	0.0	153.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	153.9	0
Other Lymphocytic Leukemia	0.0	0.0	153.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	153.9	0
Acute Myeloid Leukemia	0.0	0.0	153.9	0
Acute Monocytic Leukemia	0.0	0.0	153.9	0
Chronic Myeloid Leukemia	0.0	0.0	153.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	153.9	0
Other Leukemia	0.0	0.0	153.9	0
Other Acute Leukemia	0.0	0.0	153.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	153.9	0
Mesothelioma	0.0	0.0	153.9	0
Kaposi Sarcoma	0.0	0.0	153.9	0
Miscellaneous	0.0	0.0	153.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	853.7	534.4	1,272.2	33
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	94.7	0
Tongue	0.0	0.0	94.7	0
Salivary Gland	0.0	0.0	94.7	0
Floor of Mouth	0.0	0.0	94.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	94.7	0
Tonsil	0.0	0.0	94.7	0
Oropharynx	0.0	0.0	94.7	0
Hypopharynx	0.0	0.0	94.7	0
Other Oral Cavity and Pharynx	0.0	0.0	94.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	94.7	0
Stomach	0.0	0.0	94.7	0
Small Intestine	0.0	0.0	94.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	94.7	0
Appendix	0.0	0.0	94.7	0
Ascending Colon	0.0	0.0	94.7	0
Hepatic Flexure	0.0	0.0	94.7	0
Transverse Colon	0.0	0.0	94.7	0
Splenic Flexure	0.0	0.0	94.7	0
Descending Colon	0.0	0.0	94.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	94.7	0
Rectosigmoid Junction	0.0	0.0	94.7	0
Rectum	0.0	0.0	94.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	94.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	94.7	0
Liver	0.0	0.0	94.7	0
Intrahepatic Bile Duct	0.0	0.0	94.7	0
Gallbladder	0.0	0.0	94.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	94.7	0
Pancreas	0.0	0.0	94.7	0
Retroperitoneum	0.0	0.0	94.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.7	0
Other Digestive Organs	0.0	0.0	94.7	0
Respiratory System	233.4	74.9	507.8	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.7	0
Larynx	0.0	0.0	94.7	0
Lung and Bronchus	233.4	74.9	507.8	8
Pleura	0.0	0.0	94.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.7	0
Bones and Joints	0.0	0.0	94.7	0
Soft Tissue including Heart	0.0	0.0	94.7	0
Skin excluding Basal and Squamous	0.0	0.0	94.7	0
Melanoma of the Skin	0.0	0.0	94.7	0
Other Non-Epithelial Skin	0.0	0.0	94.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	94.7	0
Other Urinary Organs	0.0	0.0	94.7	0
Eye and Orbit	0.0	0.0	94.7	0
Brain and Other Nervous System	0.0	0.0	94.7	0
Brain	0.0	0.0	94.7	0
Cranial Nerves Other Nervous System	0.0	0.0	94.7	0
Endocrine System	0.0	0.0	94.7	0
Thyroid	0.0	0.0	94.7	0
Other Endocrine including Thymus	0.0	0.0	94.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	94.7	0
Hodgkin - Nodal	0.0	0.0	94.7	0
Hodgkin - Extranodal	0.0	0.0	94.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	94.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	94.7	0
Lymphocytic Leukemia	0.0	0.0	94.7	0
Acute Lymphocytic Leukemia	0.0	0.0	94.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.7	0
Other Lymphocytic Leukemia	0.0	0.0	94.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	94.7	0
Acute Myeloid Leukemia	0.0	0.0	94.7	0
Acute Monocytic Leukemia	0.0	0.0	94.7	0
Chronic Myeloid Leukemia	0.0	0.0	94.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.7	0
Other Leukemia	0.0	0.0	94.7	0
Other Acute Leukemia	0.0	0.0	94.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.7	0
Mesothelioma	0.0	0.0	94.7	0
Kaposi Sarcoma	0.0	0.0	94.7	0
Miscellaneous	0.0	0.0	94.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	431.1	293.3	611.0	40
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	53.0	0
Tongue	0.0	0.0	53.0	0
Salivary Gland	0.0	0.0	53.0	0
Floor of Mouth	0.0	0.0	53.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	53.0	0
Tonsil	0.0	0.0	53.0	0
Oropharynx	0.0	0.0	53.0	0
Hypopharynx	0.0	0.0	53.0	0
Other Oral Cavity and Pharynx	0.0	0.0	53.0	0
Digestive System	97.9	45.0	191.0	11
Esophagus	0.0	0.0	53.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	53.0	0
Colon and Rectum	54.3	21.5	125.6	7
Colon excluding Rectum	54.3	21.5	125.6	7
Cecum	^	^	^	^
Appendix	0.0	0.0	53.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	53.0	0
Transverse Colon	0.0	0.0	53.0	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	53.0	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	53.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	53.0	0
Rectosigmoid Junction	0.0	0.0	53.0	0
Rectum	0.0	0.0	53.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	53.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	53.0	0
Gallbladder	0.0	0.0	53.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	53.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	53.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.0	0
Other Digestive Organs	0.0	0.0	53.0	0
Respiratory System	109.5	42.8	224.9	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.0	0
Larynx	0.0	0.0	53.0	0
Lung and Bronchus	109.5	42.8	224.9	8
Pleura	0.0	0.0	53.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.0	0
Bones and Joints	0.0	0.0	53.0	0
Soft Tissue including Heart	0.0	0.0	53.0	0
Skin excluding Basal and Squamous	0.0	0.0	53.0	0
Melanoma of the Skin	0.0	0.0	53.0	0
Other Non-Epithelial Skin	0.0	0.0	53.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	53.0	0
Other Urinary Organs	0.0	0.0	53.0	0
Eye and Orbit	0.0	0.0	53.0	0
Brain and Other Nervous System	0.0	0.0	53.0	0
Brain	0.0	0.0	53.0	0
Cranial Nerves Other Nervous System	0.0	0.0	53.0	0
Endocrine System	0.0	0.0	53.0	0
Thyroid	0.0	0.0	53.0	0
Other Endocrine including Thymus	0.0	0.0	53.0	0
Lymphoma	0.0	0.0	53.0	0
Hodgkin Lymphoma	0.0	0.0	53.0	0
Hodgkin - Nodal	0.0	0.0	53.0	0
Hodgkin - Extranodal	0.0	0.0	53.0	0
Non-Hodgkin Lymphoma	0.0	0.0	53.0	0
NHL - Nodal	0.0	0.0	53.0	0
NHL - Extranodal	0.0	0.0	53.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	53.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	53.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.0	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	53.0	0
Acute Myeloid Leukemia	0.0	0.0	53.0	0
Acute Monocytic Leukemia	0.0	0.0	53.0	0
Chronic Myeloid Leukemia	0.0	0.0	53.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.0	0
Other Leukemia	0.0	0.0	53.0	0
Other Acute Leukemia	0.0	0.0	53.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.0	0
Mesothelioma	0.0	0.0	53.0	0
Kaposi Sarcoma	0.0	0.0	53.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	758.9	481.5	1,123.2	27
Oral Cavity and Pharynx	0.0	0.0	91.2	0
Lip	0.0	0.0	91.2	0
Tongue	0.0	0.0	91.2	0
Salivary Gland	0.0	0.0	91.2	0
Floor of Mouth	0.0	0.0	91.2	0
Gum and Other Mouth	0.0	0.0	91.2	0
Nasopharynx	0.0	0.0	91.2	0
Tonsil	0.0	0.0	91.2	0
Oropharynx	0.0	0.0	91.2	0
Hypopharynx	0.0	0.0	91.2	0
Other Oral Cavity and Pharynx	0.0	0.0	91.2	0
Digestive System	410.3	208.6	704.8	14
Esophagus	0.0	0.0	91.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	91.2	0
Colon and Rectum	175.3	67.2	364.6	7
Colon excluding Rectum	133.8	48.4	294.5	6
Cecum	^	^	^	^
Appendix	0.0	0.0	91.2	0
Ascending Colon	0.0	0.0	91.2	0
Hepatic Flexure	0.0	0.0	91.2	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	91.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	91.2	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	91.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	91.2	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	91.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	91.2	0
Other Digestive Organs	0.0	0.0	91.2	0
Respiratory System	252.4	105.6	489.6	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	91.2	0
Larynx	0.0	0.0	91.2	0
Lung and Bronchus	252.4	105.6	489.6	8
Pleura	0.0	0.0	91.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	91.2	0
Bones and Joints	0.0	0.0	91.2	0
Soft Tissue including Heart	0.0	0.0	91.2	0
Skin excluding Basal and Squamous	0.0	0.0	91.2	0
Melanoma of the Skin	0.0	0.0	91.2	0
Other Non-Epithelial Skin	0.0	0.0	91.2	0
Urinary System	0.0	0.0	91.2	0
Urinary Bladder	0.0	0.0	91.2	0
Kidney and Renal Pelvis	0.0	0.0	91.2	0
Ureter	0.0	0.0	91.2	0
Other Urinary Organs	0.0	0.0	91.2	0
Eye and Orbit	0.0	0.0	91.2	0
Brain and Other Nervous System	0.0	0.0	91.2	0
Brain	0.0	0.0	91.2	0
Cranial Nerves Other Nervous System	0.0	0.0	91.2	0
Endocrine System	0.0	0.0	91.2	0
Thyroid	0.0	0.0	91.2	0
Other Endocrine including Thymus	0.0	0.0	91.2	0
Lymphoma	0.0	0.0	91.2	0
Hodgkin Lymphoma	0.0	0.0	91.2	0
Hodgkin - Nodal	0.0	0.0	91.2	0
Hodgkin - Extranodal	0.0	0.0	91.2	0
Non-Hodgkin Lymphoma	0.0	0.0	91.2	0
NHL - Nodal	0.0	0.0	91.2	0
NHL - Extranodal	0.0	0.0	91.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	91.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	91.2	0
Acute Lymphocytic Leukemia	0.0	0.0	91.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	91.2	0
Other Lymphocytic Leukemia	0.0	0.0	91.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	91.2	0
Acute Monocytic Leukemia	0.0	0.0	91.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	91.2	0
Other Leukemia	0.0	0.0	91.2	0
Other Acute Leukemia	0.0	0.0	91.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	91.2	0
Mesothelioma	0.0	0.0	91.2	0
Kaposi Sarcoma	0.0	0.0	91.2	0
Miscellaneous	0.0	0.0	91.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	425.3	274.5	629.7	26
Oral Cavity and Pharynx	0.0	0.0	66.0	0
Lip	0.0	0.0	66.0	0
Tongue	0.0	0.0	66.0	0
Salivary Gland	0.0	0.0	66.0	0
Floor of Mouth	0.0	0.0	66.0	0
Gum and Other Mouth	0.0	0.0	66.0	0
Nasopharynx	0.0	0.0	66.0	0
Tonsil	0.0	0.0	66.0	0
Oropharynx	0.0	0.0	66.0	0
Hypopharynx	0.0	0.0	66.0	0
Other Oral Cavity and Pharynx	0.0	0.0	66.0	0
Digestive System	146.6	69.0	277.1	10
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	66.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	66.0	0
Appendix	0.0	0.0	66.0	0
Ascending Colon	0.0	0.0	66.0	0
Hepatic Flexure	0.0	0.0	66.0	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	66.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	66.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	66.0	0
Gallbladder	0.0	0.0	66.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	66.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	66.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.0	0
Other Digestive Organs	0.0	0.0	66.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.0	0
Larynx	0.0	0.0	66.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.0	0
Bones and Joints	0.0	0.0	66.0	0
Soft Tissue including Heart	0.0	0.0	66.0	0
Skin excluding Basal and Squamous	0.0	0.0	66.0	0
Melanoma of the Skin	0.0	0.0	66.0	0
Other Non-Epithelial Skin	0.0	0.0	66.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	66.0	0
Other Urinary Organs	0.0	0.0	66.0	0
Eye and Orbit	0.0	0.0	66.0	0
Brain and Other Nervous System	0.0	0.0	66.0	0
Brain	0.0	0.0	66.0	0
Cranial Nerves Other Nervous System	0.0	0.0	66.0	0
Endocrine System	0.0	0.0	66.0	0
Thyroid	0.0	0.0	66.0	0
Other Endocrine including Thymus	0.0	0.0	66.0	0
Lymphoma	0.0	0.0	66.0	0
Hodgkin Lymphoma	0.0	0.0	66.0	0
Hodgkin - Nodal	0.0	0.0	66.0	0
Hodgkin - Extranodal	0.0	0.0	66.0	0
Non-Hodgkin Lymphoma	0.0	0.0	66.0	0
NHL - Nodal	0.0	0.0	66.0	0
NHL - Extranodal	0.0	0.0	66.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	66.0	0
Leukemia	0.0	0.0	66.0	0
Lymphocytic Leukemia	0.0	0.0	66.0	0
Acute Lymphocytic Leukemia	0.0	0.0	66.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.0	0
Other Lymphocytic Leukemia	0.0	0.0	66.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.0	0
Acute Myeloid Leukemia	0.0	0.0	66.0	0
Acute Monocytic Leukemia	0.0	0.0	66.0	0
Chronic Myeloid Leukemia	0.0	0.0	66.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.0	0
Other Leukemia	0.0	0.0	66.0	0
Other Acute Leukemia	0.0	0.0	66.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.0	0
Mesothelioma	0.0	0.0	66.0	0
Kaposi Sarcoma	0.0	0.0	66.0	0
Miscellaneous	0.0	0.0	66.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	819.4	0
Lip	0.0	0.0	819.4	0
Tongue	0.0	0.0	819.4	0
Salivary Gland	0.0	0.0	819.4	0
Floor of Mouth	0.0	0.0	819.4	0
Gum and Other Mouth	0.0	0.0	819.4	0
Nasopharynx	0.0	0.0	819.4	0
Tonsil	0.0	0.0	819.4	0
Oropharynx	0.0	0.0	819.4	0
Hypopharynx	0.0	0.0	819.4	0
Other Oral Cavity and Pharynx	0.0	0.0	819.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	819.4	0
Stomach	0.0	0.0	819.4	0
Small Intestine	0.0	0.0	819.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	819.4	0
Cecum	0.0	0.0	819.4	0
Appendix	0.0	0.0	819.4	0
Ascending Colon	0.0	0.0	819.4	0
Hepatic Flexure	0.0	0.0	819.4	0
Transverse Colon	0.0	0.0	819.4	0
Splenic Flexure	0.0	0.0	819.4	0
Descending Colon	0.0	0.0	819.4	0
Sigmoid Colon	0.0	0.0	819.4	0
Large Intestine, NOS	0.0	0.0	819.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	819.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	819.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	819.4	0
Liver	0.0	0.0	819.4	0
Intrahepatic Bile Duct	0.0	0.0	819.4	0
Gallbladder	0.0	0.0	819.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	819.4	0
Pancreas	0.0	0.0	819.4	0
Retroperitoneum	0.0	0.0	819.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	819.4	0
Other Digestive Organs	0.0	0.0	819.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	819.4	0
Larynx	0.0	0.0	819.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	819.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	819.4	0
Bones and Joints	0.0	0.0	819.4	0
Soft Tissue including Heart	0.0	0.0	819.4	0
Skin excluding Basal and Squamous	0.0	0.0	819.4	0
Melanoma of the Skin	0.0	0.0	819.4	0
Other Non-Epithelial Skin	0.0	0.0	819.4	0
Urinary System	0.0	0.0	819.4	0
Urinary Bladder	0.0	0.0	819.4	0
Kidney and Renal Pelvis	0.0	0.0	819.4	0
Ureter	0.0	0.0	819.4	0
Other Urinary Organs	0.0	0.0	819.4	0
Eye and Orbit	0.0	0.0	819.4	0
Brain and Other Nervous System	0.0	0.0	819.4	0
Brain	0.0	0.0	819.4	0
Cranial Nerves Other Nervous System	0.0	0.0	819.4	0
Endocrine System	0.0	0.0	819.4	0
Thyroid	0.0	0.0	819.4	0
Other Endocrine including Thymus	0.0	0.0	819.4	0
Lymphoma	0.0	0.0	819.4	0
Hodgkin Lymphoma	0.0	0.0	819.4	0
Hodgkin - Nodal	0.0	0.0	819.4	0
Hodgkin - Extranodal	0.0	0.0	819.4	0
Non-Hodgkin Lymphoma	0.0	0.0	819.4	0
NHL - Nodal	0.0	0.0	819.4	0
NHL - Extranodal	0.0	0.0	819.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	819.4	0
Leukemia	0.0	0.0	819.4	0
Lymphocytic Leukemia	0.0	0.0	819.4	0
Acute Lymphocytic Leukemia	0.0	0.0	819.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	819.4	0
Other Lymphocytic Leukemia	0.0	0.0	819.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	819.4	0
Acute Myeloid Leukemia	0.0	0.0	819.4	0
Acute Monocytic Leukemia	0.0	0.0	819.4	0
Chronic Myeloid Leukemia	0.0	0.0	819.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	819.4	0
Other Leukemia	0.0	0.0	819.4	0
Other Acute Leukemia	0.0	0.0	819.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	819.4	0
Mesothelioma	0.0	0.0	819.4	0
Kaposi Sarcoma	0.0	0.0	819.4	0
Miscellaneous	0.0	0.0	819.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	610.9	407.6	877.1	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	73.4	0
Tongue	0.0	0.0	73.4	0
Salivary Gland	0.0	0.0	73.4	0
Floor of Mouth	0.0	0.0	73.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	73.4	0
Tonsil	0.0	0.0	73.4	0
Oropharynx	0.0	0.0	73.4	0
Hypopharynx	0.0	0.0	73.4	0
Other Oral Cavity and Pharynx	0.0	0.0	73.4	0
Digestive System	164.2	72.7	318.3	9
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	73.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	73.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	73.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	73.4	0
Descending Colon	0.0	0.0	73.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	73.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	73.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	73.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	73.4	0
Liver	0.0	0.0	73.4	0
Intrahepatic Bile Duct	0.0	0.0	73.4	0
Gallbladder	0.0	0.0	73.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	73.4	0
Pancreas	0.0	0.0	73.4	0
Retroperitoneum	0.0	0.0	73.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	73.4	0
Other Digestive Organs	0.0	0.0	73.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	73.4	0
Larynx	0.0	0.0	73.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	73.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	73.4	0
Bones and Joints	0.0	0.0	73.4	0
Soft Tissue including Heart	0.0	0.0	73.4	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	73.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	73.4	0
Other Urinary Organs	0.0	0.0	73.4	0
Eye and Orbit	0.0	0.0	73.4	0
Brain and Other Nervous System	0.0	0.0	73.4	0
Brain	0.0	0.0	73.4	0
Cranial Nerves Other Nervous System	0.0	0.0	73.4	0
Endocrine System	0.0	0.0	73.4	0
Thyroid	0.0	0.0	73.4	0
Other Endocrine including Thymus	0.0	0.0	73.4	0
Lymphoma	0.0	0.0	73.4	0
Hodgkin Lymphoma	0.0	0.0	73.4	0
Hodgkin - Nodal	0.0	0.0	73.4	0
Hodgkin - Extranodal	0.0	0.0	73.4	0
Non-Hodgkin Lymphoma	0.0	0.0	73.4	0
NHL - Nodal	0.0	0.0	73.4	0
NHL - Extranodal	0.0	0.0	73.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2004/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	73.4	0
Lymphocytic Leukemia	0.0	0.0	73.4	0
Acute Lymphocytic Leukemia	0.0	0.0	73.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	73.4	0
Other Lymphocytic Leukemia	0.0	0.0	73.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	73.4	0
Acute Myeloid Leukemia	0.0	0.0	73.4	0
Acute Monocytic Leukemia	0.0	0.0	73.4	0
Chronic Myeloid Leukemia	0.0	0.0	73.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	73.4	0
Other Leukemia	0.0	0.0	73.4	0
Other Acute Leukemia	0.0	0.0	73.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	73.4	0
Mesothelioma	0.0	0.0	73.4	0
Kaposi Sarcoma	0.0	0.0	73.4	0
Miscellaneous	0.0	0.0	73.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	423.5	123.5	1,016.1	7
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	320.6	0
Tongue	0.0	0.0	320.6	0
Salivary Gland	0.0	0.0	320.6	0
Floor of Mouth	0.0	0.0	320.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	320.6	0
Tonsil	0.0	0.0	320.6	0
Oropharynx	0.0	0.0	320.6	0
Hypopharynx	0.0	0.0	320.6	0
Other Oral Cavity and Pharynx	0.0	0.0	320.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	320.6	0
Stomach	0.0	0.0	320.6	0
Small Intestine	0.0	0.0	320.6	0
Colon and Rectum	0.0	0.0	320.6	0
Colon excluding Rectum	0.0	0.0	320.6	0
Cecum	0.0	0.0	320.6	0
Appendix	0.0	0.0	320.6	0
Ascending Colon	0.0	0.0	320.6	0
Hepatic Flexure	0.0	0.0	320.6	0
Transverse Colon	0.0	0.0	320.6	0
Splenic Flexure	0.0	0.0	320.6	0
Descending Colon	0.0	0.0	320.6	0
Sigmoid Colon	0.0	0.0	320.6	0
Large Intestine, NOS	0.0	0.0	320.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	320.6	0
Rectosigmoid Junction	0.0	0.0	320.6	0
Rectum	0.0	0.0	320.6	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	320.6	0
Liver	0.0	0.0	320.6	0
Intrahepatic Bile Duct	0.0	0.0	320.6	0
Gallbladder	0.0	0.0	320.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	320.6	0
Pancreas	0.0	0.0	320.6	0
Retroperitoneum	0.0	0.0	320.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	320.6	0
Other Digestive Organs	0.0	0.0	320.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	320.6	0
Larynx	0.0	0.0	320.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	320.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	320.6	0
Bones and Joints	0.0	0.0	320.6	0
Soft Tissue including Heart	0.0	0.0	320.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	320.6	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	320.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	320.6	0
Other Urinary Organs	0.0	0.0	320.6	0
Eye and Orbit	0.0	0.0	320.6	0
Brain and Other Nervous System	0.0	0.0	320.6	0
Brain	0.0	0.0	320.6	0
Cranial Nerves Other Nervous System	0.0	0.0	320.6	0
Endocrine System	0.0	0.0	320.6	0
Thyroid	0.0	0.0	320.6	0
Other Endocrine including Thymus	0.0	0.0	320.6	0
Lymphoma	0.0	0.0	320.6	0
Hodgkin Lymphoma	0.0	0.0	320.6	0
Hodgkin - Nodal	0.0	0.0	320.6	0
Hodgkin - Extranodal	0.0	0.0	320.6	0
Non-Hodgkin Lymphoma	0.0	0.0	320.6	0
NHL - Nodal	0.0	0.0	320.6	0
NHL - Extranodal	0.0	0.0	320.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	320.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	320.6	0
Acute Lymphocytic Leukemia	0.0	0.0	320.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	320.6	0
Other Lymphocytic Leukemia	0.0	0.0	320.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	320.6	0
Acute Monocytic Leukemia	0.0	0.0	320.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	320.6	0
Other Leukemia	0.0	0.0	320.6	0
Other Acute Leukemia	0.0	0.0	320.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	320.6	0
Mesothelioma	0.0	0.0	320.6	0
Kaposi Sarcoma	0.0	0.0	320.6	0
Miscellaneous	0.0	0.0	320.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	408.9	159.4	841.5	12
Oral Cavity and Pharynx	0.0	0.0	214.8	0
Lip	0.0	0.0	214.8	0
Tongue	0.0	0.0	214.8	0
Salivary Gland	0.0	0.0	214.8	0
Floor of Mouth	0.0	0.0	214.8	0
Gum and Other Mouth	0.0	0.0	214.8	0
Nasopharynx	0.0	0.0	214.8	0
Tonsil	0.0	0.0	214.8	0
Oropharynx	0.0	0.0	214.8	0
Hypopharynx	0.0	0.0	214.8	0
Other Oral Cavity and Pharynx	0.0	0.0	214.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	214.8	0
Stomach	0.0	0.0	214.8	0
Small Intestine	0.0	0.0	214.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	214.8	0
Appendix	0.0	0.0	214.8	0
Ascending Colon	0.0	0.0	214.8	0
Hepatic Flexure	0.0	0.0	214.8	0
Transverse Colon	0.0	0.0	214.8	0
Splenic Flexure	0.0	0.0	214.8	0
Descending Colon	0.0	0.0	214.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	214.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	214.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	214.8	0
Liver	0.0	0.0	214.8	0
Intrahepatic Bile Duct	0.0	0.0	214.8	0
Gallbladder	0.0	0.0	214.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	214.8	0
Pancreas	0.0	0.0	214.8	0
Retroperitoneum	0.0	0.0	214.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	214.8	0
Other Digestive Organs	0.0	0.0	214.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	214.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	214.8	0
Bones and Joints	0.0	0.0	214.8	0
Soft Tissue including Heart	0.0	0.0	214.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	0.0	0.0	214.8	0
Urinary Bladder	0.0	0.0	214.8	0
Kidney and Renal Pelvis	0.0	0.0	214.8	0
Ureter	0.0	0.0	214.8	0
Other Urinary Organs	0.0	0.0	214.8	0
Eye and Orbit	0.0	0.0	214.8	0
Brain and Other Nervous System	0.0	0.0	214.8	0
Brain	0.0	0.0	214.8	0
Cranial Nerves Other Nervous System	0.0	0.0	214.8	0
Endocrine System	0.0	0.0	214.8	0
Thyroid	0.0	0.0	214.8	0
Other Endocrine including Thymus	0.0	0.0	214.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	214.8	0
Hodgkin - Nodal	0.0	0.0	214.8	0
Hodgkin - Extranodal	0.0	0.0	214.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	214.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	214.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	214.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	214.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	214.8	0
Acute Myeloid Leukemia	0.0	0.0	214.8	0
Acute Monocytic Leukemia	0.0	0.0	214.8	0
Chronic Myeloid Leukemia	0.0	0.0	214.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	214.8	0
Other Leukemia	0.0	0.0	214.8	0
Other Acute Leukemia	0.0	0.0	214.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	214.8	0
Mesothelioma	0.0	0.0	214.8	0
Kaposi Sarcoma	0.0	0.0	214.8	0
Miscellaneous	0.0	0.0	214.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	474.1	441.5	508.2	938
Oral Cavity and Pharynx	10.7	6.5	16.3	24
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	1.8	0
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1.8	0
Digestive System	96.3	81.4	112.9	174
Esophagus	5.2	2.3	9.9	10
Stomach	5.2	2.5	9.4	12
Small Intestine	^	^	^	^
Colon and Rectum	52.7	41.6	65.6	91
Colon excluding Rectum	39.8	30.2	51.2	68
Cecum	12.5	7.2	19.7	19
Appendix	^	^	^	^
Ascending Colon	6.2	2.7	11.6	9
Hepatic Flexure	^	^	^	^
Transverse Colon	5.1	2.0	10.2	7
Splenic Flexure	0.0	0.0	1.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	10.7	6.2	16.9	20
Large Intestine, NOS	2.3	0.7	5.3	6
Rectum and Rectosigmoid Junction	12.8	7.8	19.7	23
Rectosigmoid Junction	3.6	1.2	7.8	6
Rectum	9.3	5.1	15.3	17
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.0	3.6	12.3	14
Liver	7.0	3.6	12.3	14
Intrahepatic Bile Duct	0.0	0.0	1.8	0
Gallbladder	0.0	0.0	1.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	13.2	8.1	20.1	23
Retroperitoneum	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	6.4	3.3	11.2	13
Respiratory System	83.9	69.7	99.8	141
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	82.1	68.0	97.9	137
Pleura	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	6.4	3.1	11.3	13
Skin excluding Basal and Squamous	6.7	3.6	11.4	16
Melanoma of the Skin	4.6	2.4	8.2	13
Other Non-Epithelial Skin	^	^	^	^
Urinary System	39.1	30.1	49.8	74
Urinary Bladder	22.3	15.5	30.9	39
Kidney and Renal Pelvis	16.1	10.7	23.0	34
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	5.7	2.9	10.0	14
Brain	5.7	2.9	10.0	14
Cranial Nerves Other Nervous System	0.0	0.0	1.8	0
Endocrine System	14.7	10.3	20.3	40
Thyroid	14.7	10.3	20.3	40
Other Endocrine including Thymus	0.0	0.0	1.8	0
Lymphoma	27.1	19.6	36.3	52
Hodgkin Lymphoma	3.3	1.2	7.0	7
Hodgkin - Nodal	3.3	1.2	7.0	7
Hodgkin - Extranodal	0.0	0.0	1.8	0
Non-Hodgkin Lymphoma	23.8	16.8	32.6	45
NHL - Nodal	16.2	10.6	23.6	31
NHL - Extranodal	7.6	3.9	13.1	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	5.1	2.3	9.5	10
Leukemia	15.2	9.7	22.6	28
Lymphocytic Leukemia	8.7	4.6	14.6	16
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	7.0	3.2	12.7	11
Other Lymphocytic Leukemia	0.0	0.0	1.8	0
Myeloid and Monocytic Leukemia	5.8	2.7	10.7	11
Acute Myeloid Leukemia	3.6	1.2	7.9	6
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	1.8	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	11.0	6.2	17.7	19

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	483.4	341.5	659.0	46
Oral Cavity and Pharynx	0.0	0.0	35.0	0
Lip	0.0	0.0	35.0	0
Tongue	0.0	0.0	35.0	0
Salivary Gland	0.0	0.0	35.0	0
Floor of Mouth	0.0	0.0	35.0	0
Gum and Other Mouth	0.0	0.0	35.0	0
Nasopharynx	0.0	0.0	35.0	0
Tonsil	0.0	0.0	35.0	0
Oropharynx	0.0	0.0	35.0	0
Hypopharynx	0.0	0.0	35.0	0
Other Oral Cavity and Pharynx	0.0	0.0	35.0	0
Digestive System	156.5	82.6	263.8	15
Esophagus	0.0	0.0	35.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	35.0	0
Colon and Rectum	88.6	37.9	171.8	9
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	35.0	0
Appendix	0.0	0.0	35.0	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	35.0	0
Transverse Colon	0.0	0.0	35.0	0
Splenic Flexure	0.0	0.0	35.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	35.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	35.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	35.0	0
Liver	0.0	0.0	35.0	0
Intrahepatic Bile Duct	0.0	0.0	35.0	0
Gallbladder	0.0	0.0	35.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	35.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	35.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.0	0
Other Digestive Organs	0.0	0.0	35.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.0	0
Larynx	0.0	0.0	35.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	35.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.0	0
Bones and Joints	0.0	0.0	35.0	0
Soft Tissue including Heart	0.0	0.0	35.0	0
Skin excluding Basal and Squamous	0.0	0.0	35.0	0
Melanoma of the Skin	0.0	0.0	35.0	0
Other Non-Epithelial Skin	0.0	0.0	35.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	35.0	0
Other Urinary Organs	0.0	0.0	35.0	0
Eye and Orbit	0.0	0.0	35.0	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	35.0	0
Hodgkin - Nodal	0.0	0.0	35.0	0
Hodgkin - Extranodal	0.0	0.0	35.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	35.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	35.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	35.0	0
Acute Lymphocytic Leukemia	0.0	0.0	35.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.0	0
Other Lymphocytic Leukemia	0.0	0.0	35.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	35.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.0	0
Other Leukemia	0.0	0.0	35.0	0
Other Acute Leukemia	0.0	0.0	35.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.0	0
Mesothelioma	0.0	0.0	35.0	0
Kaposi Sarcoma	0.0	0.0	35.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	1,397.1	543.5	2,827.0	9
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	579.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	579.3	0
Floor of Mouth	0.0	0.0	579.3	0
Gum and Other Mouth	0.0	0.0	579.3	0
Nasopharynx	0.0	0.0	579.3	0
Tonsil	0.0	0.0	579.3	0
Oropharynx	0.0	0.0	579.3	0
Hypopharynx	0.0	0.0	579.3	0
Other Oral Cavity and Pharynx	0.0	0.0	579.3	0
Digestive System	1,037.9	301.1	2,403.8	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	579.3	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	579.3	0
Ascending Colon	0.0	0.0	579.3	0
Hepatic Flexure	0.0	0.0	579.3	0
Transverse Colon	0.0	0.0	579.3	0
Splenic Flexure	0.0	0.0	579.3	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	579.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	579.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	579.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	579.3	0
Liver	0.0	0.0	579.3	0
Intrahepatic Bile Duct	0.0	0.0	579.3	0
Gallbladder	0.0	0.0	579.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	579.3	0
Pancreas	0.0	0.0	579.3	0
Retroperitoneum	0.0	0.0	579.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	579.3	0
Other Digestive Organs	0.0	0.0	579.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	579.3	0
Larynx	0.0	0.0	579.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	579.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	579.3	0
Bones and Joints	0.0	0.0	579.3	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	579.3	0
Melanoma of the Skin	0.0	0.0	579.3	0
Other Non-Epithelial Skin	0.0	0.0	579.3	0
Urinary System	0.0	0.0	579.3	0
Urinary Bladder	0.0	0.0	579.3	0
Kidney and Renal Pelvis	0.0	0.0	579.3	0
Ureter	0.0	0.0	579.3	0
Other Urinary Organs	0.0	0.0	579.3	0
Eye and Orbit	0.0	0.0	579.3	0
Brain and Other Nervous System	0.0	0.0	579.3	0
Brain	0.0	0.0	579.3	0
Cranial Nerves Other Nervous System	0.0	0.0	579.3	0
Endocrine System	0.0	0.0	579.3	0
Thyroid	0.0	0.0	579.3	0
Other Endocrine including Thymus	0.0	0.0	579.3	0
Lymphoma	0.0	0.0	579.3	0
Hodgkin Lymphoma	0.0	0.0	579.3	0
Hodgkin - Nodal	0.0	0.0	579.3	0
Hodgkin - Extranodal	0.0	0.0	579.3	0
Non-Hodgkin Lymphoma	0.0	0.0	579.3	0
NHL - Nodal	0.0	0.0	579.3	0
NHL - Extranodal	0.0	0.0	579.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	579.3	0
Leukemia	0.0	0.0	579.3	0
Lymphocytic Leukemia	0.0	0.0	579.3	0
Acute Lymphocytic Leukemia	0.0	0.0	579.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	579.3	0
Other Lymphocytic Leukemia	0.0	0.0	579.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	579.3	0
Acute Myeloid Leukemia	0.0	0.0	579.3	0
Acute Monocytic Leukemia	0.0	0.0	579.3	0
Chronic Myeloid Leukemia	0.0	0.0	579.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	579.3	0
Other Leukemia	0.0	0.0	579.3	0
Other Acute Leukemia	0.0	0.0	579.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	579.3	0
Mesothelioma	0.0	0.0	579.3	0
Kaposi Sarcoma	0.0	0.0	579.3	0
Miscellaneous	0.0	0.0	579.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	697.8	259.4	1,503.1	9
Oral Cavity and Pharynx	0.0	0.0	450.1	0
Lip	0.0	0.0	450.1	0
Tongue	0.0	0.0	450.1	0
Salivary Gland	0.0	0.0	450.1	0
Floor of Mouth	0.0	0.0	450.1	0
Gum and Other Mouth	0.0	0.0	450.1	0
Nasopharynx	0.0	0.0	450.1	0
Tonsil	0.0	0.0	450.1	0
Oropharynx	0.0	0.0	450.1	0
Hypopharynx	0.0	0.0	450.1	0
Other Oral Cavity and Pharynx	0.0	0.0	450.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	450.1	0
Stomach	0.0	0.0	450.1	0
Small Intestine	0.0	0.0	450.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	450.1	0
Appendix	0.0	0.0	450.1	0
Ascending Colon	0.0	0.0	450.1	0
Hepatic Flexure	0.0	0.0	450.1	0
Transverse Colon	0.0	0.0	450.1	0
Splenic Flexure	0.0	0.0	450.1	0
Descending Colon	0.0	0.0	450.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	450.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	450.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	450.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	450.1	0
Liver	0.0	0.0	450.1	0
Intrahepatic Bile Duct	0.0	0.0	450.1	0
Gallbladder	0.0	0.0	450.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	450.1	0
Pancreas	0.0	0.0	450.1	0
Retroperitoneum	0.0	0.0	450.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	450.1	0
Other Digestive Organs	0.0	0.0	450.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	450.1	0
Larynx	0.0	0.0	450.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	450.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	450.1	0
Bones and Joints	0.0	0.0	450.1	0
Soft Tissue including Heart	0.0	0.0	450.1	0
Skin excluding Basal and Squamous	0.0	0.0	450.1	0
Melanoma of the Skin	0.0	0.0	450.1	0
Other Non-Epithelial Skin	0.0	0.0	450.1	0
Urinary System	0.0	0.0	450.1	0
Urinary Bladder	0.0	0.0	450.1	0
Kidney and Renal Pelvis	0.0	0.0	450.1	0
Ureter	0.0	0.0	450.1	0
Other Urinary Organs	0.0	0.0	450.1	0
Eye and Orbit	0.0	0.0	450.1	0
Brain and Other Nervous System	0.0	0.0	450.1	0
Brain	0.0	0.0	450.1	0
Cranial Nerves Other Nervous System	0.0	0.0	450.1	0
Endocrine System	0.0	0.0	450.1	0
Thyroid	0.0	0.0	450.1	0
Other Endocrine including Thymus	0.0	0.0	450.1	0
Lymphoma	0.0	0.0	450.1	0
Hodgkin Lymphoma	0.0	0.0	450.1	0
Hodgkin - Nodal	0.0	0.0	450.1	0
Hodgkin - Extranodal	0.0	0.0	450.1	0
Non-Hodgkin Lymphoma	0.0	0.0	450.1	0
NHL - Nodal	0.0	0.0	450.1	0
NHL - Extranodal	0.0	0.0	450.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	450.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	450.1	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	450.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	450.1	0
Acute Myeloid Leukemia	0.0	0.0	450.1	0
Acute Monocytic Leukemia	0.0	0.0	450.1	0
Chronic Myeloid Leukemia	0.0	0.0	450.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	450.1	0
Other Leukemia	0.0	0.0	450.1	0
Other Acute Leukemia	0.0	0.0	450.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	450.1	0
Mesothelioma	0.0	0.0	450.1	0
Kaposi Sarcoma	0.0	0.0	450.1	0
Miscellaneous	0.0	0.0	450.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	413.5	233.4	676.6	17
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	100.4	0
Salivary Gland	0.0	0.0	100.4	0
Floor of Mouth	0.0	0.0	100.4	0
Gum and Other Mouth	0.0	0.0	100.4	0
Nasopharynx	0.0	0.0	100.4	0
Tonsil	0.0	0.0	100.4	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	100.4	0
Other Oral Cavity and Pharynx	0.0	0.0	100.4	0
Digestive System	205.8	83.3	417.5	8
Esophagus	^	^	^	^
Stomach	0.0	0.0	100.4	0
Small Intestine	0.0	0.0	100.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	100.4	0
Appendix	0.0	0.0	100.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	100.4	0
Transverse Colon	0.0	0.0	100.4	0
Splenic Flexure	0.0	0.0	100.4	0
Descending Colon	0.0	0.0	100.4	0
Sigmoid Colon	0.0	0.0	100.4	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	100.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	100.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	100.4	0
Retroperitoneum	0.0	0.0	100.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	100.4	0
Other Digestive Organs	0.0	0.0	100.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	100.4	0
Larynx	0.0	0.0	100.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	100.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	100.4	0
Bones and Joints	0.0	0.0	100.4	0
Soft Tissue including Heart	0.0	0.0	100.4	0
Skin excluding Basal and Squamous	0.0	0.0	100.4	0
Melanoma of the Skin	0.0	0.0	100.4	0
Other Non-Epithelial Skin	0.0	0.0	100.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	100.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	100.4	0
Other Urinary Organs	0.0	0.0	100.4	0
Eye and Orbit	0.0	0.0	100.4	0
Brain and Other Nervous System	0.0	0.0	100.4	0
Brain	0.0	0.0	100.4	0
Cranial Nerves Other Nervous System	0.0	0.0	100.4	0
Endocrine System	0.0	0.0	100.4	0
Thyroid	0.0	0.0	100.4	0
Other Endocrine including Thymus	0.0	0.0	100.4	0
Lymphoma	0.0	0.0	100.4	0
Hodgkin Lymphoma	0.0	0.0	100.4	0
Hodgkin - Nodal	0.0	0.0	100.4	0
Hodgkin - Extranodal	0.0	0.0	100.4	0
Non-Hodgkin Lymphoma	0.0	0.0	100.4	0
NHL - Nodal	0.0	0.0	100.4	0
NHL - Extranodal	0.0	0.0	100.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	100.4	0
Lymphocytic Leukemia	0.0	0.0	100.4	0
Acute Lymphocytic Leukemia	0.0	0.0	100.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	100.4	0
Other Lymphocytic Leukemia	0.0	0.0	100.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	100.4	0
Acute Myeloid Leukemia	0.0	0.0	100.4	0
Acute Monocytic Leukemia	0.0	0.0	100.4	0
Chronic Myeloid Leukemia	0.0	0.0	100.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	100.4	0
Other Leukemia	0.0	0.0	100.4	0
Other Acute Leukemia	0.0	0.0	100.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	100.4	0
Mesothelioma	0.0	0.0	100.4	0
Kaposi Sarcoma	0.0	0.0	100.4	0
Miscellaneous	0.0	0.0	100.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	501.2	439.3	568.8	283
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	6.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	6.0	0
Floor of Mouth	0.0	0.0	6.0	0
Gum and Other Mouth	0.0	0.0	6.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	6.0	0
Oropharynx	0.0	0.0	6.0	0
Hypopharynx	0.0	0.0	6.0	0
Other Oral Cavity and Pharynx	0.0	0.0	6.0	0
Digestive System	72.1	48.8	101.5	36
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	48.0	28.7	73.8	21
Colon excluding Rectum	41.7	23.9	66.2	18
Cecum	^	^	^	^
Appendix	0.0	0.0	6.0	0
Ascending Colon	16.4	6.1	33.4	7
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	6.0	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	6.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.0	0
Gallbladder	0.0	0.0	6.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	6.0	0
Pancreas	^	^	^	^
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	6.0	0
Other Digestive Organs	0.0	0.0	6.0	0
Respiratory System	82.7	58.4	112.9	43
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.0	0
Larynx	^	^	^	^
Lung and Bronchus	81.3	57.2	111.4	42
Pleura	0.0	0.0	6.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	18.1	9.1	32.2	14
Melanoma of the Skin	16.4	7.7	30.3	12
Other Non-Epithelial Skin	^	^	^	^
Urinary System	42.5	25.8	65.1	22
Urinary Bladder	33.2	18.5	54.0	16
Kidney and Renal Pelvis	9.3	3.0	21.2	6
Ureter	0.0	0.0	6.0	0
Other Urinary Organs	0.0	0.0	6.0	0
Eye and Orbit	0.0	0.0	6.0	0
Brain and Other Nervous System	12.6	3.9	28.1	6
Brain	12.6	3.9	28.1	6
Cranial Nerves Other Nervous System	0.0	0.0	6.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	6.0	0
Lymphoma	19.2	9.0	34.9	12
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.0	0
Non-Hodgkin Lymphoma	18.4	8.4	34.2	11
NHL - Nodal	14.5	6.0	28.5	9
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	20.2	10.3	35.3	14
Lymphocytic Leukemia	16.4	7.3	31.1	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	11.9	4.5	24.8	7
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.0	0
Other Leukemia	0.0	0.0	6.0	0
Other Acute Leukemia	0.0	0.0	6.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.0	0
Mesothelioma	0.0	0.0	6.0	0
Kaposi Sarcoma	0.0	0.0	6.0	0
Miscellaneous	13.7	4.7	29.3	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	405.1	178.0	797.5	9
Oral Cavity and Pharynx	0.0	0.0	202.0	0
Lip	0.0	0.0	202.0	0
Tongue	0.0	0.0	202.0	0
Salivary Gland	0.0	0.0	202.0	0
Floor of Mouth	0.0	0.0	202.0	0
Gum and Other Mouth	0.0	0.0	202.0	0
Nasopharynx	0.0	0.0	202.0	0
Tonsil	0.0	0.0	202.0	0
Oropharynx	0.0	0.0	202.0	0
Hypopharynx	0.0	0.0	202.0	0
Other Oral Cavity and Pharynx	0.0	0.0	202.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	202.0	0
Stomach	0.0	0.0	202.0	0
Small Intestine	0.0	0.0	202.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	202.0	0
Ascending Colon	0.0	0.0	202.0	0
Hepatic Flexure	0.0	0.0	202.0	0
Transverse Colon	0.0	0.0	202.0	0
Splenic Flexure	0.0	0.0	202.0	0
Descending Colon	0.0	0.0	202.0	0
Sigmoid Colon	0.0	0.0	202.0	0
Large Intestine, NOS	0.0	0.0	202.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	202.0	0
Rectosigmoid Junction	0.0	0.0	202.0	0
Rectum	0.0	0.0	202.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	202.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	202.0	0
Liver	0.0	0.0	202.0	0
Intrahepatic Bile Duct	0.0	0.0	202.0	0
Gallbladder	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	202.0	0
Pancreas	0.0	0.0	202.0	0
Retroperitoneum	0.0	0.0	202.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	202.0	0
Other Digestive Organs	0.0	0.0	202.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	202.0	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	202.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	202.0	0
Bones and Joints	0.0	0.0	202.0	0
Soft Tissue including Heart	0.0	0.0	202.0	0
Skin excluding Basal and Squamous	0.0	0.0	202.0	0
Melanoma of the Skin	0.0	0.0	202.0	0
Other Non-Epithelial Skin	0.0	0.0	202.0	0
Urinary System	0.0	0.0	202.0	0
Urinary Bladder	0.0	0.0	202.0	0
Kidney and Renal Pelvis	0.0	0.0	202.0	0
Ureter	0.0	0.0	202.0	0
Other Urinary Organs	0.0	0.0	202.0	0
Eye and Orbit	0.0	0.0	202.0	0
Brain and Other Nervous System	0.0	0.0	202.0	0
Brain	0.0	0.0	202.0	0
Cranial Nerves Other Nervous System	0.0	0.0	202.0	0
Endocrine System	0.0	0.0	202.0	0
Thyroid	0.0	0.0	202.0	0
Other Endocrine including Thymus	0.0	0.0	202.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	202.0	0
Hodgkin - Nodal	0.0	0.0	202.0	0
Hodgkin - Extranodal	0.0	0.0	202.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	202.0	0
Leukemia	0.0	0.0	202.0	0
Lymphocytic Leukemia	0.0	0.0	202.0	0
Acute Lymphocytic Leukemia	0.0	0.0	202.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	202.0	0
Other Lymphocytic Leukemia	0.0	0.0	202.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	202.0	0
Acute Myeloid Leukemia	0.0	0.0	202.0	0
Acute Monocytic Leukemia	0.0	0.0	202.0	0
Chronic Myeloid Leukemia	0.0	0.0	202.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	202.0	0
Other Leukemia	0.0	0.0	202.0	0
Other Acute Leukemia	0.0	0.0	202.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	202.0	0
Mesothelioma	0.0	0.0	202.0	0
Kaposi Sarcoma	0.0	0.0	202.0	0
Miscellaneous	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	454.8	367.7	555.3	113
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	15.3	0
Salivary Gland	0.0	0.0	15.3	0
Floor of Mouth	0.0	0.0	15.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	15.3	0
Tonsil	0.0	0.0	15.3	0
Oropharynx	0.0	0.0	15.3	0
Hypopharynx	0.0	0.0	15.3	0
Other Oral Cavity and Pharynx	0.0	0.0	15.3	0
Digestive System	94.1	53.6	150.4	17
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	15.3	0
Colon and Rectum	35.6	13.7	72.9	7
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	15.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	15.3	0
Splenic Flexure	0.0	0.0	15.3	0
Descending Colon	0.0	0.0	15.3	0
Sigmoid Colon	0.0	0.0	15.3	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	15.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	15.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.3	0
Gallbladder	0.0	0.0	15.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.3	0
Other Digestive Organs	0.0	0.0	15.3	0
Respiratory System	78.9	43.6	129.3	17
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.3	0
Larynx	^	^	^	^
Lung and Bronchus	76.0	41.2	126.1	16
Pleura	0.0	0.0	15.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	15.3	0
Urinary System	38.5	15.4	77.1	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.3	0
Other Urinary Organs	0.0	0.0	15.3	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	15.3	0
Lymphoma	31.0	12.3	63.4	8
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	15.3	0
Non-Hodgkin Lymphoma	27.3	9.9	58.6	7
NHL - Nodal	25.2	8.4	56.3	6
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	15.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	15.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	15.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.3	0
Other Leukemia	0.0	0.0	15.3	0
Other Acute Leukemia	0.0	0.0	15.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.3	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	15.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	417.1	357.9	483.2	199
Oral Cavity and Pharynx	11.0	3.9	25.1	6
Lip	0.0	0.0	8.8	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	8.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	8.8	0
Oropharynx	0.0	0.0	8.8	0
Hypopharynx	0.0	0.0	8.8	0
Other Oral Cavity and Pharynx	0.0	0.0	8.8	0
Digestive System	72.4	47.6	104.8	31
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	32.2	17.5	54.2	15
Colon excluding Rectum	28.4	14.6	49.6	13
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	8.8	0
Transverse Colon	0.0	0.0	8.8	0
Splenic Flexure	0.0	0.0	8.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	8.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.8	0
Gallbladder	0.0	0.0	8.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	52.1	33.4	77.7	26
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.8	0
Larynx	^	^	^	^
Lung and Bronchus	46.3	28.7	70.9	23
Pleura	0.0	0.0	8.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.8	0
Bones and Joints	0.0	0.0	8.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	10.0	3.5	23.5	6
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	40.5	23.4	65.1	18
Urinary Bladder	21.5	9.5	41.3	9
Kidney and Renal Pelvis	19.0	8.3	37.2	9
Ureter	0.0	0.0	8.8	0
Other Urinary Organs	0.0	0.0	8.8	0
Eye and Orbit	0.0	0.0	8.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.8	0
Endocrine System	10.7	3.7	24.9	6
Thyroid	10.7	3.7	24.9	6
Other Endocrine including Thymus	0.0	0.0	8.8	0
Lymphoma	30.8	16.8	52.0	15
Hodgkin Lymphoma	0.0	0.0	8.8	0
Hodgkin - Nodal	0.0	0.0	8.8	0
Hodgkin - Extranodal	0.0	0.0	8.8	0
Non-Hodgkin Lymphoma	30.8	16.8	52.0	15
NHL - Nodal	23.1	11.2	42.3	11
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	8.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	8.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.8	0
Chronic Myeloid Leukemia	0.0	0.0	8.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	8.8	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	8.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	449.9	333.6	593.0	55
Oral Cavity and Pharynx	0.0	0.0	31.8	0
Lip	0.0	0.0	31.8	0
Tongue	0.0	0.0	31.8	0
Salivary Gland	0.0	0.0	31.8	0
Floor of Mouth	0.0	0.0	31.8	0
Gum and Other Mouth	0.0	0.0	31.8	0
Nasopharynx	0.0	0.0	31.8	0
Tonsil	0.0	0.0	31.8	0
Oropharynx	0.0	0.0	31.8	0
Hypopharynx	0.0	0.0	31.8	0
Other Oral Cavity and Pharynx	0.0	0.0	31.8	0
Digestive System	108.7	54.5	191.9	12
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	31.8	0
Colon and Rectum	55.1	19.4	120.3	6
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	31.8	0
Appendix	0.0	0.0	31.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	31.8	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	31.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	31.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	31.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	31.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	31.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	31.8	0
Pancreas	0.0	0.0	31.8	0
Retroperitoneum	0.0	0.0	31.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	88.6	41.0	165.1	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.8	0
Larynx	^	^	^	^
Lung and Bronchus	83.6	37.1	159.5	9
Pleura	0.0	0.0	31.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.8	0
Bones and Joints	0.0	0.0	31.8	0
Soft Tissue including Heart	0.0	0.0	31.8	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	31.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	31.8	0
Other Urinary Organs	0.0	0.0	31.8	0
Eye and Orbit	0.0	0.0	31.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	31.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	31.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	31.8	0
Hodgkin - Nodal	0.0	0.0	31.8	0
Hodgkin - Extranodal	0.0	0.0	31.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	31.8	0
Leukemia	0.0	0.0	31.8	0
Lymphocytic Leukemia	0.0	0.0	31.8	0
Acute Lymphocytic Leukemia	0.0	0.0	31.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	31.8	0
Other Lymphocytic Leukemia	0.0	0.0	31.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	31.8	0
Acute Myeloid Leukemia	0.0	0.0	31.8	0
Acute Monocytic Leukemia	0.0	0.0	31.8	0
Chronic Myeloid Leukemia	0.0	0.0	31.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.8	0
Other Leukemia	0.0	0.0	31.8	0
Other Acute Leukemia	0.0	0.0	31.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	31.8	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	31.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	398.2	261.8	574.5	33
Oral Cavity and Pharynx	0.0	0.0	41.5	0
Lip	0.0	0.0	41.5	0
Tongue	0.0	0.0	41.5	0
Salivary Gland	0.0	0.0	41.5	0
Floor of Mouth	0.0	0.0	41.5	0
Gum and Other Mouth	0.0	0.0	41.5	0
Nasopharynx	0.0	0.0	41.5	0
Tonsil	0.0	0.0	41.5	0
Oropharynx	0.0	0.0	41.5	0
Hypopharynx	0.0	0.0	41.5	0
Other Oral Cavity and Pharynx	0.0	0.0	41.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	41.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	41.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	41.5	0
Appendix	^	^	^	^
Ascending Colon	0.0	0.0	41.5	0
Hepatic Flexure	0.0	0.0	41.5	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	41.5	0
Descending Colon	0.0	0.0	41.5	0
Sigmoid Colon	0.0	0.0	41.5	0
Large Intestine, NOS	0.0	0.0	41.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	41.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	41.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	41.5	0
Liver	0.0	0.0	41.5	0
Intrahepatic Bile Duct	0.0	0.0	41.5	0
Gallbladder	0.0	0.0	41.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	41.5	0
Pancreas	0.0	0.0	41.5	0
Retroperitoneum	0.0	0.0	41.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	41.5	0
Other Digestive Organs	0.0	0.0	41.5	0
Respiratory System	102.4	38.9	209.0	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	41.5	0
Larynx	0.0	0.0	41.5	0
Lung and Bronchus	102.4	38.9	209.0	7
Pleura	0.0	0.0	41.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	41.5	0
Bones and Joints	0.0	0.0	41.5	0
Soft Tissue including Heart	0.0	0.0	41.5	0
Skin excluding Basal and Squamous	0.0	0.0	41.5	0
Melanoma of the Skin	0.0	0.0	41.5	0
Other Non-Epithelial Skin	0.0	0.0	41.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	41.5	0
Other Urinary Organs	0.0	0.0	41.5	0
Eye and Orbit	0.0	0.0	41.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	41.5	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	41.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	41.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	41.5	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	41.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	41.5	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	41.5	0
Acute Myeloid Leukemia	0.0	0.0	41.5	0
Acute Monocytic Leukemia	0.0	0.0	41.5	0
Chronic Myeloid Leukemia	0.0	0.0	41.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	41.5	0
Other Leukemia	0.0	0.0	41.5	0
Other Acute Leukemia	0.0	0.0	41.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	41.5	0
Mesothelioma	0.0	0.0	41.5	0
Kaposi Sarcoma	0.0	0.0	41.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	359.1	0
Lip	0.0	0.0	359.1	0
Tongue	0.0	0.0	359.1	0
Salivary Gland	0.0	0.0	359.1	0
Floor of Mouth	0.0	0.0	359.1	0
Gum and Other Mouth	0.0	0.0	359.1	0
Nasopharynx	0.0	0.0	359.1	0
Tonsil	0.0	0.0	359.1	0
Oropharynx	0.0	0.0	359.1	0
Hypopharynx	0.0	0.0	359.1	0
Other Oral Cavity and Pharynx	0.0	0.0	359.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	359.1	0
Stomach	0.0	0.0	359.1	0
Small Intestine	0.0	0.0	359.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	359.1	0
Appendix	0.0	0.0	359.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	359.1	0
Transverse Colon	0.0	0.0	359.1	0
Splenic Flexure	0.0	0.0	359.1	0
Descending Colon	0.0	0.0	359.1	0
Sigmoid Colon	0.0	0.0	359.1	0
Large Intestine, NOS	0.0	0.0	359.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	359.1	0
Rectosigmoid Junction	0.0	0.0	359.1	0
Rectum	0.0	0.0	359.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	359.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	359.1	0
Liver	0.0	0.0	359.1	0
Intrahepatic Bile Duct	0.0	0.0	359.1	0
Gallbladder	0.0	0.0	359.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	359.1	0
Pancreas	0.0	0.0	359.1	0
Retroperitoneum	0.0	0.0	359.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	359.1	0
Other Digestive Organs	0.0	0.0	359.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	359.1	0
Larynx	0.0	0.0	359.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	359.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	359.1	0
Bones and Joints	0.0	0.0	359.1	0
Soft Tissue including Heart	0.0	0.0	359.1	0
Skin excluding Basal and Squamous	0.0	0.0	359.1	0
Melanoma of the Skin	0.0	0.0	359.1	0
Other Non-Epithelial Skin	0.0	0.0	359.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	359.1	0
Ureter	0.0	0.0	359.1	0
Other Urinary Organs	0.0	0.0	359.1	0
Eye and Orbit	0.0	0.0	359.1	0
Brain and Other Nervous System	0.0	0.0	359.1	0
Brain	0.0	0.0	359.1	0
Cranial Nerves Other Nervous System	0.0	0.0	359.1	0
Endocrine System	0.0	0.0	359.1	0
Thyroid	0.0	0.0	359.1	0
Other Endocrine including Thymus	0.0	0.0	359.1	0
Lymphoma	0.0	0.0	359.1	0
Hodgkin Lymphoma	0.0	0.0	359.1	0
Hodgkin - Nodal	0.0	0.0	359.1	0
Hodgkin - Extranodal	0.0	0.0	359.1	0
Non-Hodgkin Lymphoma	0.0	0.0	359.1	0
NHL - Nodal	0.0	0.0	359.1	0
NHL - Extranodal	0.0	0.0	359.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	359.1	0
Leukemia	0.0	0.0	359.1	0
Lymphocytic Leukemia	0.0	0.0	359.1	0
Acute Lymphocytic Leukemia	0.0	0.0	359.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	359.1	0
Other Lymphocytic Leukemia	0.0	0.0	359.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	359.1	0
Acute Myeloid Leukemia	0.0	0.0	359.1	0
Acute Monocytic Leukemia	0.0	0.0	359.1	0
Chronic Myeloid Leukemia	0.0	0.0	359.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	359.1	0
Other Leukemia	0.0	0.0	359.1	0
Other Acute Leukemia	0.0	0.0	359.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	359.1	0
Mesothelioma	0.0	0.0	359.1	0
Kaposi Sarcoma	0.0	0.0	359.1	0
Miscellaneous	0.0	0.0	359.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	514.8	453.3	581.8	304
Oral Cavity and Pharynx	9.4	3.7	20.5	7
Lip	0.0	0.0	6.9	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	6.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	6.9	0
Other Oral Cavity and Pharynx	0.0	0.0	6.9	0
Digestive System	99.5	72.5	132.7	55
Esophagus	8.8	2.9	20.5	6
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	58.4	37.3	86.1	29
Colon excluding Rectum	44.6	25.9	70.1	21
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	6.9	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	13.8	5.6	28.1	8
Rectosigmoid Junction	^	^	^	^
Rectum	12.8	4.8	27.0	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.9	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	13.6	4.6	29.6	6
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	6.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	101.4	72.6	136.9	48
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.9	0
Larynx	^	^	^	^
Lung and Bronchus	98.0	69.5	133.3	45
Pleura	0.0	0.0	6.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	13.1	5.5	26.4	9
Melanoma of the Skin	9.0	3.5	19.8	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	53.9	35.4	78.2	30
Urinary Bladder	28.6	15.4	48.0	15
Kidney and Renal Pelvis	21.1	10.8	37.0	13
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	6.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.9	0
Endocrine System	8.5	3.0	19.6	6
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	23.8	12.4	40.9	16
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.9	0
Non-Hodgkin Lymphoma	22.2	11.2	39.0	15
NHL - Nodal	19.9	9.5	36.4	13
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	14.3	6.0	28.4	9
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.9	0
Other Leukemia	0.0	0.0	6.9	0
Other Acute Leukemia	0.0	0.0	6.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.9	0
Mesothelioma	0.0	0.0	6.9	0
Kaposi Sarcoma	0.0	0.0	6.9	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	285.1	164.3	455.1	19
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	53.7	0
Tongue	0.0	0.0	53.7	0
Salivary Gland	0.0	0.0	53.7	0
Floor of Mouth	0.0	0.0	53.7	0
Gum and Other Mouth	0.0	0.0	53.7	0
Nasopharynx	0.0	0.0	53.7	0
Tonsil	0.0	0.0	53.7	0
Oropharynx	0.0	0.0	53.7	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	53.7	0
Digestive System	115.4	47.8	230.7	8
Esophagus	0.0	0.0	53.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	53.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	53.7	0
Ascending Colon	0.0	0.0	53.7	0
Hepatic Flexure	0.0	0.0	53.7	0
Transverse Colon	0.0	0.0	53.7	0
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	53.7	0
Large Intestine, NOS	0.0	0.0	53.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	53.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	53.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	53.7	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	53.7	0
Pancreas	0.0	0.0	53.7	0
Retroperitoneum	0.0	0.0	53.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.7	0
Other Digestive Organs	0.0	0.0	53.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.7	0
Larynx	0.0	0.0	53.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	53.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.7	0
Bones and Joints	0.0	0.0	53.7	0
Soft Tissue including Heart	0.0	0.0	53.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	53.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	53.7	0
Ureter	0.0	0.0	53.7	0
Other Urinary Organs	0.0	0.0	53.7	0
Eye and Orbit	0.0	0.0	53.7	0
Brain and Other Nervous System	0.0	0.0	53.7	0
Brain	0.0	0.0	53.7	0
Cranial Nerves Other Nervous System	0.0	0.0	53.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	53.7	0
Lymphoma	0.0	0.0	53.7	0
Hodgkin Lymphoma	0.0	0.0	53.7	0
Hodgkin - Nodal	0.0	0.0	53.7	0
Hodgkin - Extranodal	0.0	0.0	53.7	0
Non-Hodgkin Lymphoma	0.0	0.0	53.7	0
NHL - Nodal	0.0	0.0	53.7	0
NHL - Extranodal	0.0	0.0	53.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	53.7	0
Leukemia	0.0	0.0	53.7	0
Lymphocytic Leukemia	0.0	0.0	53.7	0
Acute Lymphocytic Leukemia	0.0	0.0	53.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.7	0
Other Lymphocytic Leukemia	0.0	0.0	53.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	53.7	0
Acute Myeloid Leukemia	0.0	0.0	53.7	0
Acute Monocytic Leukemia	0.0	0.0	53.7	0
Chronic Myeloid Leukemia	0.0	0.0	53.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.7	0
Other Leukemia	0.0	0.0	53.7	0
Other Acute Leukemia	0.0	0.0	53.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.7	0
Mesothelioma	0.0	0.0	53.7	0
Kaposi Sarcoma	0.0	0.0	53.7	0
Miscellaneous	0.0	0.0	53.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	439.6	248.7	711.0	20
Oral Cavity and Pharynx	0.0	0.0	92.1	0
Lip	0.0	0.0	92.1	0
Tongue	0.0	0.0	92.1	0
Salivary Gland	0.0	0.0	92.1	0
Floor of Mouth	0.0	0.0	92.1	0
Gum and Other Mouth	0.0	0.0	92.1	0
Nasopharynx	0.0	0.0	92.1	0
Tonsil	0.0	0.0	92.1	0
Oropharynx	0.0	0.0	92.1	0
Hypopharynx	0.0	0.0	92.1	0
Other Oral Cavity and Pharynx	0.0	0.0	92.1	0
Digestive System	229.1	85.6	469.8	8
Esophagus	0.0	0.0	92.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	92.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	92.1	0
Ascending Colon	0.0	0.0	92.1	0
Hepatic Flexure	0.0	0.0	92.1	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	92.1	0
Descending Colon	0.0	0.0	92.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	92.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	92.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	92.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	92.1	0
Gallbladder	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	92.1	0
Pancreas	0.0	0.0	92.1	0
Retroperitoneum	0.0	0.0	92.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	92.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	92.1	0
Larynx	0.0	0.0	92.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	92.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	92.1	0
Bones and Joints	0.0	0.0	92.1	0
Soft Tissue including Heart	0.0	0.0	92.1	0
Skin excluding Basal and Squamous	0.0	0.0	92.1	0
Melanoma of the Skin	0.0	0.0	92.1	0
Other Non-Epithelial Skin	0.0	0.0	92.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	92.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	92.1	0
Other Urinary Organs	0.0	0.0	92.1	0
Eye and Orbit	0.0	0.0	92.1	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	92.1	0
Endocrine System	0.0	0.0	92.1	0
Thyroid	0.0	0.0	92.1	0
Other Endocrine including Thymus	0.0	0.0	92.1	0
Lymphoma	0.0	0.0	92.1	0
Hodgkin Lymphoma	0.0	0.0	92.1	0
Hodgkin - Nodal	0.0	0.0	92.1	0
Hodgkin - Extranodal	0.0	0.0	92.1	0
Non-Hodgkin Lymphoma	0.0	0.0	92.1	0
NHL - Nodal	0.0	0.0	92.1	0
NHL - Extranodal	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	92.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	92.1	0
Acute Lymphocytic Leukemia	0.0	0.0	92.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	92.1	0
Other Lymphocytic Leukemia	0.0	0.0	92.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	92.1	0
Acute Myeloid Leukemia	0.0	0.0	92.1	0
Acute Monocytic Leukemia	0.0	0.0	92.1	0
Chronic Myeloid Leukemia	0.0	0.0	92.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	92.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	92.1	0
Mesothelioma	0.0	0.0	92.1	0
Kaposi Sarcoma	0.0	0.0	92.1	0
Miscellaneous	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	423.3	248.6	668.1	20
Oral Cavity and Pharynx	0.0	0.0	82.3	0
Lip	0.0	0.0	82.3	0
Tongue	0.0	0.0	82.3	0
Salivary Gland	0.0	0.0	82.3	0
Floor of Mouth	0.0	0.0	82.3	0
Gum and Other Mouth	0.0	0.0	82.3	0
Nasopharynx	0.0	0.0	82.3	0
Tonsil	0.0	0.0	82.3	0
Oropharynx	0.0	0.0	82.3	0
Hypopharynx	0.0	0.0	82.3	0
Other Oral Cavity and Pharynx	0.0	0.0	82.3	0
Digestive System	236.2	113.1	430.3	11
Esophagus	0.0	0.0	82.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	82.3	0
Colon and Rectum	155.8	59.7	324.9	7
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	82.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	82.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	82.3	0
Descending Colon	0.0	0.0	82.3	0
Sigmoid Colon	0.0	0.0	82.3	0
Large Intestine, NOS	0.0	0.0	82.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	82.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	82.3	0
Liver	0.0	0.0	82.3	0
Intrahepatic Bile Duct	0.0	0.0	82.3	0
Gallbladder	0.0	0.0	82.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	82.3	0
Pancreas	0.0	0.0	82.3	0
Retroperitoneum	0.0	0.0	82.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	82.3	0
Other Digestive Organs	0.0	0.0	82.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	82.3	0
Larynx	0.0	0.0	82.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	82.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	82.3	0
Bones and Joints	0.0	0.0	82.3	0
Soft Tissue including Heart	0.0	0.0	82.3	0
Skin excluding Basal and Squamous	0.0	0.0	82.3	0
Melanoma of the Skin	0.0	0.0	82.3	0
Other Non-Epithelial Skin	0.0	0.0	82.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	82.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	82.3	0
Other Urinary Organs	0.0	0.0	82.3	0
Eye and Orbit	0.0	0.0	82.3	0
Brain and Other Nervous System	0.0	0.0	82.3	0
Brain	0.0	0.0	82.3	0
Cranial Nerves Other Nervous System	0.0	0.0	82.3	0
Endocrine System	0.0	0.0	82.3	0
Thyroid	0.0	0.0	82.3	0
Other Endocrine including Thymus	0.0	0.0	82.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	82.3	0
Non-Hodgkin Lymphoma	0.0	0.0	82.3	0
NHL - Nodal	0.0	0.0	82.3	0
NHL - Extranodal	0.0	0.0	82.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	82.3	0
Leukemia	0.0	0.0	82.3	0
Lymphocytic Leukemia	0.0	0.0	82.3	0
Acute Lymphocytic Leukemia	0.0	0.0	82.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	82.3	0
Other Lymphocytic Leukemia	0.0	0.0	82.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	82.3	0
Acute Myeloid Leukemia	0.0	0.0	82.3	0
Acute Monocytic Leukemia	0.0	0.0	82.3	0
Chronic Myeloid Leukemia	0.0	0.0	82.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	82.3	0
Other Leukemia	0.0	0.0	82.3	0
Other Acute Leukemia	0.0	0.0	82.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	82.3	0
Mesothelioma	0.0	0.0	82.3	0
Kaposi Sarcoma	0.0	0.0	82.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	348.1	203.2	562.1	20
Oral Cavity and Pharynx	0.0	0.0	93.3	0
Lip	0.0	0.0	93.3	0
Tongue	0.0	0.0	93.3	0
Salivary Gland	0.0	0.0	93.3	0
Floor of Mouth	0.0	0.0	93.3	0
Gum and Other Mouth	0.0	0.0	93.3	0
Nasopharynx	0.0	0.0	93.3	0
Tonsil	0.0	0.0	93.3	0
Oropharynx	0.0	0.0	93.3	0
Hypopharynx	0.0	0.0	93.3	0
Other Oral Cavity and Pharynx	0.0	0.0	93.3	0
Digestive System	129.5	52.8	276.7	8
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	93.3	0
Transverse Colon	0.0	0.0	93.3	0
Splenic Flexure	0.0	0.0	93.3	0
Descending Colon	0.0	0.0	93.3	0
Sigmoid Colon	0.0	0.0	93.3	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	93.3	0
Rectosigmoid Junction	0.0	0.0	93.3	0
Rectum	0.0	0.0	93.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	93.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	93.3	0
Liver	0.0	0.0	93.3	0
Intrahepatic Bile Duct	0.0	0.0	93.3	0
Gallbladder	0.0	0.0	93.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	93.3	0
Pancreas	0.0	0.0	93.3	0
Retroperitoneum	0.0	0.0	93.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	93.3	0
Other Digestive Organs	0.0	0.0	93.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	93.3	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	93.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	93.3	0
Bones and Joints	0.0	0.0	93.3	0
Soft Tissue including Heart	0.0	0.0	93.3	0
Skin excluding Basal and Squamous	0.0	0.0	93.3	0
Melanoma of the Skin	0.0	0.0	93.3	0
Other Non-Epithelial Skin	0.0	0.0	93.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	93.3	0
Ureter	0.0	0.0	93.3	0
Other Urinary Organs	0.0	0.0	93.3	0
Eye and Orbit	0.0	0.0	93.3	0
Brain and Other Nervous System	0.0	0.0	93.3	0
Brain	0.0	0.0	93.3	0
Cranial Nerves Other Nervous System	0.0	0.0	93.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	93.3	0
Lymphoma	0.0	0.0	93.3	0
Hodgkin Lymphoma	0.0	0.0	93.3	0
Hodgkin - Nodal	0.0	0.0	93.3	0
Hodgkin - Extranodal	0.0	0.0	93.3	0
Non-Hodgkin Lymphoma	0.0	0.0	93.3	0
NHL - Nodal	0.0	0.0	93.3	0
NHL - Extranodal	0.0	0.0	93.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	93.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	93.3	0
Acute Lymphocytic Leukemia	0.0	0.0	93.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	93.3	0
Other Lymphocytic Leukemia	0.0	0.0	93.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	93.3	0
Chronic Myeloid Leukemia	0.0	0.0	93.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	93.3	0
Other Leukemia	0.0	0.0	93.3	0
Other Acute Leukemia	0.0	0.0	93.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	93.3	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	93.3	0
Miscellaneous	0.0	0.0	93.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	395.8	268.5	561.7	33
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	45.9	0
Tongue	0.0	0.0	45.9	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	45.9	0
Gum and Other Mouth	0.0	0.0	45.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	45.9	0
Oropharynx	0.0	0.0	45.9	0
Hypopharynx	0.0	0.0	45.9	0
Other Oral Cavity and Pharynx	0.0	0.0	45.9	0
Digestive System	109.3	46.0	215.2	8
Esophagus	^	^	^	^
Stomach	0.0	0.0	45.9	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	45.9	0
Ascending Colon	0.0	0.0	45.9	0
Hepatic Flexure	0.0	0.0	45.9	0
Transverse Colon	0.0	0.0	45.9	0
Splenic Flexure	0.0	0.0	45.9	0
Descending Colon	0.0	0.0	45.9	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	45.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	45.9	0
Rectosigmoid Junction	0.0	0.0	45.9	0
Rectum	0.0	0.0	45.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	45.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	45.9	0
Gallbladder	0.0	0.0	45.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	45.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	45.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.9	0
Other Digestive Organs	0.0	0.0	45.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.9	0
Larynx	0.0	0.0	45.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	45.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	45.9	0
Skin excluding Basal and Squamous	0.0	0.0	45.9	0
Melanoma of the Skin	0.0	0.0	45.9	0
Other Non-Epithelial Skin	0.0	0.0	45.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	45.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	45.9	0
Other Urinary Organs	0.0	0.0	45.9	0
Eye and Orbit	0.0	0.0	45.9	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	45.9	0
Endocrine System	0.0	0.0	45.9	0
Thyroid	0.0	0.0	45.9	0
Other Endocrine including Thymus	0.0	0.0	45.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	45.9	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	45.9	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	45.9	0
Other Lymphocytic Leukemia	0.0	0.0	45.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	45.9	0
Acute Myeloid Leukemia	0.0	0.0	45.9	0
Acute Monocytic Leukemia	0.0	0.0	45.9	0
Chronic Myeloid Leukemia	0.0	0.0	45.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.9	0
Other Leukemia	0.0	0.0	45.9	0
Other Acute Leukemia	0.0	0.0	45.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.9	0
Mesothelioma	0.0	0.0	45.9	0
Kaposi Sarcoma	0.0	0.0	45.9	0
Miscellaneous	0.0	0.0	45.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	223.6	75.7	504.4	6
Oral Cavity and Pharynx	0.0	0.0	148.1	0
Lip	0.0	0.0	148.1	0
Tongue	0.0	0.0	148.1	0
Salivary Gland	0.0	0.0	148.1	0
Floor of Mouth	0.0	0.0	148.1	0
Gum and Other Mouth	0.0	0.0	148.1	0
Nasopharynx	0.0	0.0	148.1	0
Tonsil	0.0	0.0	148.1	0
Oropharynx	0.0	0.0	148.1	0
Hypopharynx	0.0	0.0	148.1	0
Other Oral Cavity and Pharynx	0.0	0.0	148.1	0
Digestive System	0.0	0.0	148.1	0
Esophagus	0.0	0.0	148.1	0
Stomach	0.0	0.0	148.1	0
Small Intestine	0.0	0.0	148.1	0
Colon and Rectum	0.0	0.0	148.1	0
Colon excluding Rectum	0.0	0.0	148.1	0
Cecum	0.0	0.0	148.1	0
Appendix	0.0	0.0	148.1	0
Ascending Colon	0.0	0.0	148.1	0
Hepatic Flexure	0.0	0.0	148.1	0
Transverse Colon	0.0	0.0	148.1	0
Splenic Flexure	0.0	0.0	148.1	0
Descending Colon	0.0	0.0	148.1	0
Sigmoid Colon	0.0	0.0	148.1	0
Large Intestine, NOS	0.0	0.0	148.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	148.1	0
Rectosigmoid Junction	0.0	0.0	148.1	0
Rectum	0.0	0.0	148.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	148.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	148.1	0
Liver	0.0	0.0	148.1	0
Intrahepatic Bile Duct	0.0	0.0	148.1	0
Gallbladder	0.0	0.0	148.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	148.1	0
Pancreas	0.0	0.0	148.1	0
Retroperitoneum	0.0	0.0	148.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	148.1	0
Other Digestive Organs	0.0	0.0	148.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	148.1	0
Larynx	0.0	0.0	148.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	148.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	148.1	0
Bones and Joints	0.0	0.0	148.1	0
Soft Tissue including Heart	0.0	0.0	148.1	0
Skin excluding Basal and Squamous	0.0	0.0	148.1	0
Melanoma of the Skin	0.0	0.0	148.1	0
Other Non-Epithelial Skin	0.0	0.0	148.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	148.1	0
Ureter	0.0	0.0	148.1	0
Other Urinary Organs	0.0	0.0	148.1	0
Eye and Orbit	0.0	0.0	148.1	0
Brain and Other Nervous System	0.0	0.0	148.1	0
Brain	0.0	0.0	148.1	0
Cranial Nerves Other Nervous System	0.0	0.0	148.1	0
Endocrine System	0.0	0.0	148.1	0
Thyroid	0.0	0.0	148.1	0
Other Endocrine including Thymus	0.0	0.0	148.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	148.1	0
Hodgkin - Nodal	0.0	0.0	148.1	0
Hodgkin - Extranodal	0.0	0.0	148.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	148.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	148.1	0
Leukemia	0.0	0.0	148.1	0
Lymphocytic Leukemia	0.0	0.0	148.1	0
Acute Lymphocytic Leukemia	0.0	0.0	148.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	148.1	0
Other Lymphocytic Leukemia	0.0	0.0	148.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	148.1	0
Acute Myeloid Leukemia	0.0	0.0	148.1	0
Acute Monocytic Leukemia	0.0	0.0	148.1	0
Chronic Myeloid Leukemia	0.0	0.0	148.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	148.1	0
Other Leukemia	0.0	0.0	148.1	0
Other Acute Leukemia	0.0	0.0	148.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	148.1	0
Mesothelioma	0.0	0.0	148.1	0
Kaposi Sarcoma	0.0	0.0	148.1	0
Miscellaneous	0.0	0.0	148.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	669.0	416.1	1,004.6	29
Oral Cavity and Pharynx	0.0	0.0	84.2	0
Lip	0.0	0.0	84.2	0
Tongue	0.0	0.0	84.2	0
Salivary Gland	0.0	0.0	84.2	0
Floor of Mouth	0.0	0.0	84.2	0
Gum and Other Mouth	0.0	0.0	84.2	0
Nasopharynx	0.0	0.0	84.2	0
Tonsil	0.0	0.0	84.2	0
Oropharynx	0.0	0.0	84.2	0
Hypopharynx	0.0	0.0	84.2	0
Other Oral Cavity and Pharynx	0.0	0.0	84.2	0
Digestive System	193.5	57.3	435.6	6
Esophagus	0.0	0.0	84.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	84.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	84.2	0
Appendix	0.0	0.0	84.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	84.2	0
Transverse Colon	0.0	0.0	84.2	0
Splenic Flexure	0.0	0.0	84.2	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	84.2	0
Large Intestine, NOS	0.0	0.0	84.2	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	84.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	84.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	84.2	0
Liver	0.0	0.0	84.2	0
Intrahepatic Bile Duct	0.0	0.0	84.2	0
Gallbladder	0.0	0.0	84.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	84.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	84.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	84.2	0
Other Digestive Organs	0.0	0.0	84.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	84.2	0
Larynx	0.0	0.0	84.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	84.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	84.2	0
Bones and Joints	0.0	0.0	84.2	0
Soft Tissue including Heart	0.0	0.0	84.2	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	84.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	84.2	0
Other Urinary Organs	0.0	0.0	84.2	0
Eye and Orbit	0.0	0.0	84.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	84.2	0
Endocrine System	0.0	0.0	84.2	0
Thyroid	0.0	0.0	84.2	0
Other Endocrine including Thymus	0.0	0.0	84.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	84.2	0
Hodgkin - Nodal	0.0	0.0	84.2	0
Hodgkin - Extranodal	0.0	0.0	84.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	84.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	0.0	0.0	84.2	0
Lymphocytic Leukemia	0.0	0.0	84.2	0
Acute Lymphocytic Leukemia	0.0	0.0	84.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	84.2	0
Other Lymphocytic Leukemia	0.0	0.0	84.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	84.2	0
Acute Myeloid Leukemia	0.0	0.0	84.2	0
Acute Monocytic Leukemia	0.0	0.0	84.2	0
Chronic Myeloid Leukemia	0.0	0.0	84.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	84.2	0
Other Leukemia	0.0	0.0	84.2	0
Other Acute Leukemia	0.0	0.0	84.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	84.2	0
Mesothelioma	0.0	0.0	84.2	0
Kaposi Sarcoma	0.0	0.0	84.2	0
Miscellaneous	0.0	0.0	84.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	498.6	332.6	712.5	35
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	50.6	0
Tongue	0.0	0.0	50.6	0
Salivary Gland	0.0	0.0	50.6	0
Floor of Mouth	0.0	0.0	50.6	0
Gum and Other Mouth	0.0	0.0	50.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	50.6	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	50.6	0
Other Oral Cavity and Pharynx	0.0	0.0	50.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	50.6	0
Stomach	0.0	0.0	50.6	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	50.6	0
Appendix	0.0	0.0	50.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	50.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	50.6	0
Descending Colon	0.0	0.0	50.6	0
Sigmoid Colon	0.0	0.0	50.6	0
Large Intestine, NOS	0.0	0.0	50.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	50.6	0
Rectosigmoid Junction	0.0	0.0	50.6	0
Rectum	0.0	0.0	50.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	50.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	50.6	0
Liver	0.0	0.0	50.6	0
Intrahepatic Bile Duct	0.0	0.0	50.6	0
Gallbladder	0.0	0.0	50.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	50.6	0
Retroperitoneum	0.0	0.0	50.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	50.6	0
Other Digestive Organs	0.0	0.0	50.6	0
Respiratory System	122.4	45.6	252.6	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	50.6	0
Larynx	0.0	0.0	50.6	0
Lung and Bronchus	122.4	45.6	252.6	7
Pleura	0.0	0.0	50.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	50.6	0
Bones and Joints	0.0	0.0	50.6	0
Soft Tissue including Heart	0.0	0.0	50.6	0
Skin excluding Basal and Squamous	0.0	0.0	50.6	0
Melanoma of the Skin	0.0	0.0	50.6	0
Other Non-Epithelial Skin	0.0	0.0	50.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	50.6	0
Other Urinary Organs	0.0	0.0	50.6	0
Eye and Orbit	0.0	0.0	50.6	0
Brain and Other Nervous System	0.0	0.0	50.6	0
Brain	0.0	0.0	50.6	0
Cranial Nerves Other Nervous System	0.0	0.0	50.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	50.6	0
Lymphoma	0.0	0.0	50.6	0
Hodgkin Lymphoma	0.0	0.0	50.6	0
Hodgkin - Nodal	0.0	0.0	50.6	0
Hodgkin - Extranodal	0.0	0.0	50.6	0
Non-Hodgkin Lymphoma	0.0	0.0	50.6	0
NHL - Nodal	0.0	0.0	50.6	0
NHL - Extranodal	0.0	0.0	50.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	50.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	50.6	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	50.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	50.6	0
Acute Myeloid Leukemia	0.0	0.0	50.6	0
Acute Monocytic Leukemia	0.0	0.0	50.6	0
Chronic Myeloid Leukemia	0.0	0.0	50.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	50.6	0
Other Leukemia	0.0	0.0	50.6	0
Other Acute Leukemia	0.0	0.0	50.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	50.6	0
Mesothelioma	0.0	0.0	50.6	0
Kaposi Sarcoma	0.0	0.0	50.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	342.0	185.8	570.7	15
Oral Cavity and Pharynx	0.0	0.0	84.3	0
Lip	0.0	0.0	84.3	0
Tongue	0.0	0.0	84.3	0
Salivary Gland	0.0	0.0	84.3	0
Floor of Mouth	0.0	0.0	84.3	0
Gum and Other Mouth	0.0	0.0	84.3	0
Nasopharynx	0.0	0.0	84.3	0
Tonsil	0.0	0.0	84.3	0
Oropharynx	0.0	0.0	84.3	0
Hypopharynx	0.0	0.0	84.3	0
Other Oral Cavity and Pharynx	0.0	0.0	84.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	84.3	0
Stomach	0.0	0.0	84.3	0
Small Intestine	0.0	0.0	84.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	84.3	0
Ascending Colon	0.0	0.0	84.3	0
Hepatic Flexure	0.0	0.0	84.3	0
Transverse Colon	0.0	0.0	84.3	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	84.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	84.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	84.3	0
Rectosigmoid Junction	0.0	0.0	84.3	0
Rectum	0.0	0.0	84.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	84.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	84.3	0
Liver	0.0	0.0	84.3	0
Intrahepatic Bile Duct	0.0	0.0	84.3	0
Gallbladder	0.0	0.0	84.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	84.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	84.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	84.3	0
Other Digestive Organs	0.0	0.0	84.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	84.3	0
Larynx	0.0	0.0	84.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	84.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	84.3	0
Bones and Joints	0.0	0.0	84.3	0
Soft Tissue including Heart	0.0	0.0	84.3	0
Skin excluding Basal and Squamous	0.0	0.0	84.3	0
Melanoma of the Skin	0.0	0.0	84.3	0
Other Non-Epithelial Skin	0.0	0.0	84.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	84.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	84.3	0
Other Urinary Organs	0.0	0.0	84.3	0
Eye and Orbit	0.0	0.0	84.3	0
Brain and Other Nervous System	0.0	0.0	84.3	0
Brain	0.0	0.0	84.3	0
Cranial Nerves Other Nervous System	0.0	0.0	84.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	84.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	84.3	0
Hodgkin - Nodal	0.0	0.0	84.3	0
Hodgkin - Extranodal	0.0	0.0	84.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	84.3	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	84.3	0
Leukemia	0.0	0.0	84.3	0
Lymphocytic Leukemia	0.0	0.0	84.3	0
Acute Lymphocytic Leukemia	0.0	0.0	84.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	84.3	0
Other Lymphocytic Leukemia	0.0	0.0	84.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	84.3	0
Acute Myeloid Leukemia	0.0	0.0	84.3	0
Acute Monocytic Leukemia	0.0	0.0	84.3	0
Chronic Myeloid Leukemia	0.0	0.0	84.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	84.3	0
Other Leukemia	0.0	0.0	84.3	0
Other Acute Leukemia	0.0	0.0	84.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	84.3	0
Mesothelioma	0.0	0.0	84.3	0
Kaposi Sarcoma	0.0	0.0	84.3	0
Miscellaneous	0.0	0.0	84.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	318.3	202.8	483.2	25
Oral Cavity and Pharynx	0.0	0.0	69.5	0
Lip	0.0	0.0	69.5	0
Tongue	0.0	0.0	69.5	0
Salivary Gland	0.0	0.0	69.5	0
Floor of Mouth	0.0	0.0	69.5	0
Gum and Other Mouth	0.0	0.0	69.5	0
Nasopharynx	0.0	0.0	69.5	0
Tonsil	0.0	0.0	69.5	0
Oropharynx	0.0	0.0	69.5	0
Hypopharynx	0.0	0.0	69.5	0
Other Oral Cavity and Pharynx	0.0	0.0	69.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	69.5	0
Stomach	0.0	0.0	69.5	0
Small Intestine	0.0	0.0	69.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	69.5	0
Ascending Colon	0.0	0.0	69.5	0
Hepatic Flexure	0.0	0.0	69.5	0
Transverse Colon	0.0	0.0	69.5	0
Splenic Flexure	0.0	0.0	69.5	0
Descending Colon	0.0	0.0	69.5	0
Sigmoid Colon	0.0	0.0	69.5	0
Large Intestine, NOS	0.0	0.0	69.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	69.5	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	69.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	69.5	0
Liver	0.0	0.0	69.5	0
Intrahepatic Bile Duct	0.0	0.0	69.5	0
Gallbladder	0.0	0.0	69.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	69.5	0
Pancreas	0.0	0.0	69.5	0
Retroperitoneum	0.0	0.0	69.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	69.5	0
Other Digestive Organs	0.0	0.0	69.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	69.5	0
Larynx	0.0	0.0	69.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	69.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	69.5	0
Bones and Joints	0.0	0.0	69.5	0
Soft Tissue including Heart	0.0	0.0	69.5	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	69.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	69.5	0
Eye and Orbit	0.0	0.0	69.5	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	69.5	0
Endocrine System	0.0	0.0	69.5	0
Thyroid	0.0	0.0	69.5	0
Other Endocrine including Thymus	0.0	0.0	69.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	69.5	0
Hodgkin - Nodal	0.0	0.0	69.5	0
Hodgkin - Extranodal	0.0	0.0	69.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	69.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	69.5	0
Acute Lymphocytic Leukemia	0.0	0.0	69.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	69.5	0
Other Lymphocytic Leukemia	0.0	0.0	69.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	69.5	0
Chronic Myeloid Leukemia	0.0	0.0	69.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	69.5	0
Other Leukemia	0.0	0.0	69.5	0
Other Acute Leukemia	0.0	0.0	69.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	69.5	0
Mesothelioma	0.0	0.0	69.5	0
Kaposi Sarcoma	0.0	0.0	69.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	765.8	0
Lip	0.0	0.0	765.8	0
Tongue	0.0	0.0	765.8	0
Salivary Gland	0.0	0.0	765.8	0
Floor of Mouth	0.0	0.0	765.8	0
Gum and Other Mouth	0.0	0.0	765.8	0
Nasopharynx	0.0	0.0	765.8	0
Tonsil	0.0	0.0	765.8	0
Oropharynx	0.0	0.0	765.8	0
Hypopharynx	0.0	0.0	765.8	0
Other Oral Cavity and Pharynx	0.0	0.0	765.8	0
Digestive System	0.0	0.0	765.8	0
Esophagus	0.0	0.0	765.8	0
Stomach	0.0	0.0	765.8	0
Small Intestine	0.0	0.0	765.8	0
Colon and Rectum	0.0	0.0	765.8	0
Colon excluding Rectum	0.0	0.0	765.8	0
Cecum	0.0	0.0	765.8	0
Appendix	0.0	0.0	765.8	0
Ascending Colon	0.0	0.0	765.8	0
Hepatic Flexure	0.0	0.0	765.8	0
Transverse Colon	0.0	0.0	765.8	0
Splenic Flexure	0.0	0.0	765.8	0
Descending Colon	0.0	0.0	765.8	0
Sigmoid Colon	0.0	0.0	765.8	0
Large Intestine, NOS	0.0	0.0	765.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	765.8	0
Rectosigmoid Junction	0.0	0.0	765.8	0
Rectum	0.0	0.0	765.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	765.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	765.8	0
Liver	0.0	0.0	765.8	0
Intrahepatic Bile Duct	0.0	0.0	765.8	0
Gallbladder	0.0	0.0	765.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	765.8	0
Pancreas	0.0	0.0	765.8	0
Retroperitoneum	0.0	0.0	765.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	765.8	0
Other Digestive Organs	0.0	0.0	765.8	0
Respiratory System	0.0	0.0	765.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	765.8	0
Larynx	0.0	0.0	765.8	0
Lung and Bronchus	0.0	0.0	765.8	0
Pleura	0.0	0.0	765.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	765.8	0
Bones and Joints	0.0	0.0	765.8	0
Soft Tissue including Heart	0.0	0.0	765.8	0
Skin excluding Basal and Squamous	0.0	0.0	765.8	0
Melanoma of the Skin	0.0	0.0	765.8	0
Other Non-Epithelial Skin	0.0	0.0	765.8	0
Urinary System	0.0	0.0	765.8	0
Urinary Bladder	0.0	0.0	765.8	0
Kidney and Renal Pelvis	0.0	0.0	765.8	0
Ureter	0.0	0.0	765.8	0
Other Urinary Organs	0.0	0.0	765.8	0
Eye and Orbit	0.0	0.0	765.8	0
Brain and Other Nervous System	0.0	0.0	765.8	0
Brain	0.0	0.0	765.8	0
Cranial Nerves Other Nervous System	0.0	0.0	765.8	0
Endocrine System	0.0	0.0	765.8	0
Thyroid	0.0	0.0	765.8	0
Other Endocrine including Thymus	0.0	0.0	765.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	765.8	0
Hodgkin - Nodal	0.0	0.0	765.8	0
Hodgkin - Extranodal	0.0	0.0	765.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	765.8	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	765.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	765.8	0
Other Lymphocytic Leukemia	0.0	0.0	765.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	765.8	0
Acute Myeloid Leukemia	0.0	0.0	765.8	0
Acute Monocytic Leukemia	0.0	0.0	765.8	0
Chronic Myeloid Leukemia	0.0	0.0	765.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	765.8	0
Other Leukemia	0.0	0.0	765.8	0
Other Acute Leukemia	0.0	0.0	765.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	765.8	0
Mesothelioma	0.0	0.0	765.8	0
Kaposi Sarcoma	0.0	0.0	765.8	0
Miscellaneous	0.0	0.0	765.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	634.9	419.4	917.1	30
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	75.1	0
Tongue	0.0	0.0	75.1	0
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	75.1	0
Nasopharynx	0.0	0.0	75.1	0
Tonsil	0.0	0.0	75.1	0
Oropharynx	0.0	0.0	75.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	75.1	0
Digestive System	141.3	57.8	288.9	8
Esophagus	0.0	0.0	75.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	75.1	0
Colon and Rectum	117.8	44.4	254.7	7
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	75.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	75.1	0
Transverse Colon	0.0	0.0	75.1	0
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	75.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	75.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	75.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	75.1	0
Liver	0.0	0.0	75.1	0
Intrahepatic Bile Duct	0.0	0.0	75.1	0
Gallbladder	0.0	0.0	75.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	75.1	0
Pancreas	0.0	0.0	75.1	0
Retroperitoneum	0.0	0.0	75.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	75.1	0
Other Digestive Organs	0.0	0.0	75.1	0
Respiratory System	138.3	49.1	299.3	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	75.1	0
Larynx	0.0	0.0	75.1	0
Lung and Bronchus	138.3	49.1	299.3	6
Pleura	0.0	0.0	75.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	75.1	0
Bones and Joints	0.0	0.0	75.1	0
Soft Tissue including Heart	0.0	0.0	75.1	0
Skin excluding Basal and Squamous	0.0	0.0	75.1	0
Melanoma of the Skin	0.0	0.0	75.1	0
Other Non-Epithelial Skin	0.0	0.0	75.1	0
Urinary System	0.0	0.0	75.1	0
Urinary Bladder	0.0	0.0	75.1	0
Kidney and Renal Pelvis	0.0	0.0	75.1	0
Ureter	0.0	0.0	75.1	0
Other Urinary Organs	0.0	0.0	75.1	0
Eye and Orbit	0.0	0.0	75.1	0
Brain and Other Nervous System	0.0	0.0	75.1	0
Brain	0.0	0.0	75.1	0
Cranial Nerves Other Nervous System	0.0	0.0	75.1	0
Endocrine System	0.0	0.0	75.1	0
Thyroid	0.0	0.0	75.1	0
Other Endocrine including Thymus	0.0	0.0	75.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	75.1	0
Hodgkin - Nodal	0.0	0.0	75.1	0
Hodgkin - Extranodal	0.0	0.0	75.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	75.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2005/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	75.1	0
Leukemia	0.0	0.0	75.1	0
Lymphocytic Leukemia	0.0	0.0	75.1	0
Acute Lymphocytic Leukemia	0.0	0.0	75.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	75.1	0
Other Lymphocytic Leukemia	0.0	0.0	75.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	75.1	0
Acute Myeloid Leukemia	0.0	0.0	75.1	0
Acute Monocytic Leukemia	0.0	0.0	75.1	0
Chronic Myeloid Leukemia	0.0	0.0	75.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	75.1	0
Other Leukemia	0.0	0.0	75.1	0
Other Acute Leukemia	0.0	0.0	75.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	75.1	0
Mesothelioma	0.0	0.0	75.1	0
Kaposi Sarcoma	0.0	0.0	75.1	0
Miscellaneous	0.0	0.0	75.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	329.8	0
Lip	0.0	0.0	329.8	0
Tongue	0.0	0.0	329.8	0
Salivary Gland	0.0	0.0	329.8	0
Floor of Mouth	0.0	0.0	329.8	0
Gum and Other Mouth	0.0	0.0	329.8	0
Nasopharynx	0.0	0.0	329.8	0
Tonsil	0.0	0.0	329.8	0
Oropharynx	0.0	0.0	329.8	0
Hypopharynx	0.0	0.0	329.8	0
Other Oral Cavity and Pharynx	0.0	0.0	329.8	0
Digestive System	0.0	0.0	329.8	0
Esophagus	0.0	0.0	329.8	0
Stomach	0.0	0.0	329.8	0
Small Intestine	0.0	0.0	329.8	0
Colon and Rectum	0.0	0.0	329.8	0
Colon excluding Rectum	0.0	0.0	329.8	0
Cecum	0.0	0.0	329.8	0
Appendix	0.0	0.0	329.8	0
Ascending Colon	0.0	0.0	329.8	0
Hepatic Flexure	0.0	0.0	329.8	0
Transverse Colon	0.0	0.0	329.8	0
Splenic Flexure	0.0	0.0	329.8	0
Descending Colon	0.0	0.0	329.8	0
Sigmoid Colon	0.0	0.0	329.8	0
Large Intestine, NOS	0.0	0.0	329.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	329.8	0
Rectosigmoid Junction	0.0	0.0	329.8	0
Rectum	0.0	0.0	329.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	329.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	329.8	0
Liver	0.0	0.0	329.8	0
Intrahepatic Bile Duct	0.0	0.0	329.8	0
Gallbladder	0.0	0.0	329.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	329.8	0
Pancreas	0.0	0.0	329.8	0
Retroperitoneum	0.0	0.0	329.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	329.8	0
Other Digestive Organs	0.0	0.0	329.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	329.8	0
Larynx	0.0	0.0	329.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	329.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	329.8	0
Bones and Joints	0.0	0.0	329.8	0
Soft Tissue including Heart	0.0	0.0	329.8	0
Skin excluding Basal and Squamous	0.0	0.0	329.8	0
Melanoma of the Skin	0.0	0.0	329.8	0
Other Non-Epithelial Skin	0.0	0.0	329.8	0
Urinary System	0.0	0.0	329.8	0
Urinary Bladder	0.0	0.0	329.8	0
Kidney and Renal Pelvis	0.0	0.0	329.8	0
Ureter	0.0	0.0	329.8	0
Other Urinary Organs	0.0	0.0	329.8	0
Eye and Orbit	0.0	0.0	329.8	0
Brain and Other Nervous System	0.0	0.0	329.8	0
Brain	0.0	0.0	329.8	0
Cranial Nerves Other Nervous System	0.0	0.0	329.8	0
Endocrine System	0.0	0.0	329.8	0
Thyroid	0.0	0.0	329.8	0
Other Endocrine including Thymus	0.0	0.0	329.8	0
Lymphoma	0.0	0.0	329.8	0
Hodgkin Lymphoma	0.0	0.0	329.8	0
Hodgkin - Nodal	0.0	0.0	329.8	0
Hodgkin - Extranodal	0.0	0.0	329.8	0
Non-Hodgkin Lymphoma	0.0	0.0	329.8	0
NHL - Nodal	0.0	0.0	329.8	0
NHL - Extranodal	0.0	0.0	329.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	329.8	0
Leukemia	0.0	0.0	329.8	0
Lymphocytic Leukemia	0.0	0.0	329.8	0
Acute Lymphocytic Leukemia	0.0	0.0	329.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	329.8	0
Other Lymphocytic Leukemia	0.0	0.0	329.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	329.8	0
Acute Myeloid Leukemia	0.0	0.0	329.8	0
Acute Monocytic Leukemia	0.0	0.0	329.8	0
Chronic Myeloid Leukemia	0.0	0.0	329.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	329.8	0
Other Leukemia	0.0	0.0	329.8	0
Other Acute Leukemia	0.0	0.0	329.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	329.8	0
Mesothelioma	0.0	0.0	329.8	0
Kaposi Sarcoma	0.0	0.0	329.8	0
Miscellaneous	0.0	0.0	329.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	211.2	0
Lip	0.0	0.0	211.2	0
Tongue	0.0	0.0	211.2	0
Salivary Gland	0.0	0.0	211.2	0
Floor of Mouth	0.0	0.0	211.2	0
Gum and Other Mouth	0.0	0.0	211.2	0
Nasopharynx	0.0	0.0	211.2	0
Tonsil	0.0	0.0	211.2	0
Oropharynx	0.0	0.0	211.2	0
Hypopharynx	0.0	0.0	211.2	0
Other Oral Cavity and Pharynx	0.0	0.0	211.2	0
Digestive System	0.0	0.0	211.2	0
Esophagus	0.0	0.0	211.2	0
Stomach	0.0	0.0	211.2	0
Small Intestine	0.0	0.0	211.2	0
Colon and Rectum	0.0	0.0	211.2	0
Colon excluding Rectum	0.0	0.0	211.2	0
Cecum	0.0	0.0	211.2	0
Appendix	0.0	0.0	211.2	0
Ascending Colon	0.0	0.0	211.2	0
Hepatic Flexure	0.0	0.0	211.2	0
Transverse Colon	0.0	0.0	211.2	0
Splenic Flexure	0.0	0.0	211.2	0
Descending Colon	0.0	0.0	211.2	0
Sigmoid Colon	0.0	0.0	211.2	0
Large Intestine, NOS	0.0	0.0	211.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	211.2	0
Rectosigmoid Junction	0.0	0.0	211.2	0
Rectum	0.0	0.0	211.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	211.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	211.2	0
Liver	0.0	0.0	211.2	0
Intrahepatic Bile Duct	0.0	0.0	211.2	0
Gallbladder	0.0	0.0	211.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	211.2	0
Pancreas	0.0	0.0	211.2	0
Retroperitoneum	0.0	0.0	211.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	211.2	0
Other Digestive Organs	0.0	0.0	211.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	211.2	0
Larynx	0.0	0.0	211.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	211.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	211.2	0
Bones and Joints	0.0	0.0	211.2	0
Soft Tissue including Heart	0.0	0.0	211.2	0
Skin excluding Basal and Squamous	0.0	0.0	211.2	0
Melanoma of the Skin	0.0	0.0	211.2	0
Other Non-Epithelial Skin	0.0	0.0	211.2	0
Urinary System	0.0	0.0	211.2	0
Urinary Bladder	0.0	0.0	211.2	0
Kidney and Renal Pelvis	0.0	0.0	211.2	0
Ureter	0.0	0.0	211.2	0
Other Urinary Organs	0.0	0.0	211.2	0
Eye and Orbit	0.0	0.0	211.2	0
Brain and Other Nervous System	0.0	0.0	211.2	0
Brain	0.0	0.0	211.2	0
Cranial Nerves Other Nervous System	0.0	0.0	211.2	0
Endocrine System	0.0	0.0	211.2	0
Thyroid	0.0	0.0	211.2	0
Other Endocrine including Thymus	0.0	0.0	211.2	0
Lymphoma	0.0	0.0	211.2	0
Hodgkin Lymphoma	0.0	0.0	211.2	0
Hodgkin - Nodal	0.0	0.0	211.2	0
Hodgkin - Extranodal	0.0	0.0	211.2	0
Non-Hodgkin Lymphoma	0.0	0.0	211.2	0
NHL - Nodal	0.0	0.0	211.2	0
NHL - Extranodal	0.0	0.0	211.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	211.2	0
Leukemia	0.0	0.0	211.2	0
Lymphocytic Leukemia	0.0	0.0	211.2	0
Acute Lymphocytic Leukemia	0.0	0.0	211.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	211.2	0
Other Lymphocytic Leukemia	0.0	0.0	211.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	211.2	0
Acute Myeloid Leukemia	0.0	0.0	211.2	0
Acute Monocytic Leukemia	0.0	0.0	211.2	0
Chronic Myeloid Leukemia	0.0	0.0	211.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	211.2	0
Other Leukemia	0.0	0.0	211.2	0
Other Acute Leukemia	0.0	0.0	211.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	211.2	0
Mesothelioma	0.0	0.0	211.2	0
Kaposi Sarcoma	0.0	0.0	211.2	0
Miscellaneous	0.0	0.0	211.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Sites	473.9	442.1	507.2	993
Oral Cavity and Pharynx	8.9	5.6	13.7	23
Lip	0.0	0.0	1.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1.8	0
Floor of Mouth	0.0	0.0	1.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	2.3	0.8	5.3	6
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	1.8	0
Other Oral Cavity and Pharynx	0.0	0.0	1.8	0
Digestive System	86.7	72.8	102.3	164
Esophagus	6.1	2.9	11.0	12
Stomach	5.2	2.1	10.1	9
Small Intestine	^	^	^	^
Colon and Rectum	43.1	33.3	54.6	78
Colon excluding Rectum	34.1	25.3	44.8	58
Cecum	7.7	3.9	13.4	13
Appendix	^	^	^	^
Ascending Colon	6.6	3.0	12.2	10
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	3.2	1.0	7.1	6
Sigmoid Colon	8.4	4.4	14.2	15
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	9.0	5.2	14.2	20
Rectosigmoid Junction	^	^	^	^
Rectum	7.2	3.9	12.0	16
Anus, Anal Canal and Anorectum	4.2	1.9	8.0	10
Liver and Intrahepatic Bile Duct	7.2	4.1	11.8	19
Liver	6.6	3.6	11.1	17
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	12.8	7.6	19.7	21
Retroperitoneum	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	1.8	0
Respiratory System	82.5	69.0	97.6	155
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	4.6	2.0	9.0	9
Lung and Bronchus	75.6	62.8	90.1	143
Pleura	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	3.1	1.4	6.1	9
Skin excluding Basal and Squamous	10.8	6.7	16.4	25
Melanoma of the Skin	10.5	6.5	16.1	24
Other Non-Epithelial Skin	^	^	^	^
Urinary System	37.7	28.8	48.4	72
Urinary Bladder	26.5	18.7	36.1	42
Kidney and Renal Pelvis	10.9	6.9	16.2	29
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	3.2	1.2	6.7	8
Brain	2.9	1.0	6.4	7
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	13.5	9.3	19.1	37
Thyroid	13.2	9.0	18.7	36
Other Endocrine including Thymus	^	^	^	^
Lymphoma	19.8	13.9	27.2	44
Hodgkin Lymphoma	3.2	1.3	6.6	8
Hodgkin - Nodal	3.2	1.3	6.6	8
Hodgkin - Extranodal	0.0	0.0	1.8	0
Non-Hodgkin Lymphoma	16.6	11.2	23.6	36
NHL - Nodal	14.6	9.4	21.4	30
NHL - Extranodal	2.0	0.7	4.7	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Myeloma	4.5	1.8	9.0	8
Leukemia	17.6	11.7	25.2	33
Lymphocytic Leukemia	7.3	3.7	12.5	14
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	3.8	1.3	8.2	6
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	10.4	5.9	16.5	19
Acute Myeloid Leukemia	6.5	3.0	11.8	10
Acute Monocytic Leukemia	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	3.1	1.3	6.4	8
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	1.8	0
Other Acute Leukemia	0.0	0.0	1.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1.8	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	1.8	0
Miscellaneous	10.1	5.7	16.3	18

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	490.1	355.8	655.0	53
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.3	0
Tongue	0.0	0.0	35.3	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	35.3	0
Gum and Other Mouth	0.0	0.0	35.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	35.3	0
Oropharynx	0.0	0.0	35.3	0
Hypopharynx	0.0	0.0	35.3	0
Other Oral Cavity and Pharynx	0.0	0.0	35.3	0
Digestive System	161.0	96.3	252.9	21
Esophagus	0.0	0.0	35.3	0
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	98.3	47.7	178.3	12
Colon excluding Rectum	92.1	43.0	171.1	11
Cecum	^	^	^	^
Appendix	0.0	0.0	35.3	0
Ascending Colon	0.0	0.0	35.3	0
Hepatic Flexure	0.0	0.0	35.3	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	0.0	0.0	35.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	35.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	35.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.3	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	35.3	0
Pancreas	0.0	0.0	35.3	0
Retroperitoneum	0.0	0.0	35.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.3	0
Other Digestive Organs	0.0	0.0	35.3	0
Respiratory System	76.6	26.7	163.4	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.3	0
Larynx	0.0	0.0	35.3	0
Lung and Bronchus	76.6	26.7	163.4	6
Pleura	0.0	0.0	35.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.3	0
Bones and Joints	0.0	0.0	35.3	0
Soft Tissue including Heart	0.0	0.0	35.3	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	35.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	35.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	35.3	0
Other Urinary Organs	0.0	0.0	35.3	0
Eye and Orbit	0.0	0.0	35.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	35.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	35.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	35.3	0
Hodgkin - Nodal	0.0	0.0	35.3	0
Hodgkin - Extranodal	0.0	0.0	35.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	35.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	35.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	35.3	0
Other Lymphocytic Leukemia	0.0	0.0	35.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	35.3	0
Acute Myeloid Leukemia	0.0	0.0	35.3	0
Acute Monocytic Leukemia	0.0	0.0	35.3	0
Chronic Myeloid Leukemia	0.0	0.0	35.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.3	0
Other Leukemia	0.0	0.0	35.3	0
Other Acute Leukemia	0.0	0.0	35.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.3	0
Mesothelioma	0.0	0.0	35.3	0
Kaposi Sarcoma	0.0	0.0	35.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	585.0	0
Lip	0.0	0.0	585.0	0
Tongue	0.0	0.0	585.0	0
Salivary Gland	0.0	0.0	585.0	0
Floor of Mouth	0.0	0.0	585.0	0
Gum and Other Mouth	0.0	0.0	585.0	0
Nasopharynx	0.0	0.0	585.0	0
Tonsil	0.0	0.0	585.0	0
Oropharynx	0.0	0.0	585.0	0
Hypopharynx	0.0	0.0	585.0	0
Other Oral Cavity and Pharynx	0.0	0.0	585.0	0
Digestive System	0.0	0.0	585.0	0
Esophagus	0.0	0.0	585.0	0
Stomach	0.0	0.0	585.0	0
Small Intestine	0.0	0.0	585.0	0
Colon and Rectum	0.0	0.0	585.0	0
Colon excluding Rectum	0.0	0.0	585.0	0
Cecum	0.0	0.0	585.0	0
Appendix	0.0	0.0	585.0	0
Ascending Colon	0.0	0.0	585.0	0
Hepatic Flexure	0.0	0.0	585.0	0
Transverse Colon	0.0	0.0	585.0	0
Splenic Flexure	0.0	0.0	585.0	0
Descending Colon	0.0	0.0	585.0	0
Sigmoid Colon	0.0	0.0	585.0	0
Large Intestine, NOS	0.0	0.0	585.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	585.0	0
Rectosigmoid Junction	0.0	0.0	585.0	0
Rectum	0.0	0.0	585.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	585.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	585.0	0
Liver	0.0	0.0	585.0	0
Intrahepatic Bile Duct	0.0	0.0	585.0	0
Gallbladder	0.0	0.0	585.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	585.0	0
Pancreas	0.0	0.0	585.0	0
Retroperitoneum	0.0	0.0	585.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	585.0	0
Other Digestive Organs	0.0	0.0	585.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	585.0	0
Larynx	0.0	0.0	585.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	585.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	585.0	0
Bones and Joints	0.0	0.0	585.0	0
Soft Tissue including Heart	0.0	0.0	585.0	0
Skin excluding Basal and Squamous	0.0	0.0	585.0	0
Melanoma of the Skin	0.0	0.0	585.0	0
Other Non-Epithelial Skin	0.0	0.0	585.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	585.0	0
Other Urinary Organs	0.0	0.0	585.0	0
Eye and Orbit	0.0	0.0	585.0	0
Brain and Other Nervous System	0.0	0.0	585.0	0
Brain	0.0	0.0	585.0	0
Cranial Nerves Other Nervous System	0.0	0.0	585.0	0
Endocrine System	0.0	0.0	585.0	0
Thyroid	0.0	0.0	585.0	0
Other Endocrine including Thymus	0.0	0.0	585.0	0
Lymphoma	0.0	0.0	585.0	0
Hodgkin Lymphoma	0.0	0.0	585.0	0
Hodgkin - Nodal	0.0	0.0	585.0	0
Hodgkin - Extranodal	0.0	0.0	585.0	0
Non-Hodgkin Lymphoma	0.0	0.0	585.0	0
NHL - Nodal	0.0	0.0	585.0	0
NHL - Extranodal	0.0	0.0	585.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	585.0	0
Leukemia	0.0	0.0	585.0	0
Lymphocytic Leukemia	0.0	0.0	585.0	0
Acute Lymphocytic Leukemia	0.0	0.0	585.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	585.0	0
Other Lymphocytic Leukemia	0.0	0.0	585.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	585.0	0
Acute Myeloid Leukemia	0.0	0.0	585.0	0
Acute Monocytic Leukemia	0.0	0.0	585.0	0
Chronic Myeloid Leukemia	0.0	0.0	585.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	585.0	0
Other Leukemia	0.0	0.0	585.0	0
Other Acute Leukemia	0.0	0.0	585.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	585.0	0
Mesothelioma	0.0	0.0	585.0	0
Kaposi Sarcoma	0.0	0.0	585.0	0
Miscellaneous	0.0	0.0	585.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Sites	589.9	173.7	1,395.8	7
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	418.1	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	418.1	0
Gum and Other Mouth	0.0	0.0	418.1	0
Nasopharynx	0.0	0.0	418.1	0
Tonsil	0.0	0.0	418.1	0
Oropharynx	0.0	0.0	418.1	0
Hypopharynx	0.0	0.0	418.1	0
Other Oral Cavity and Pharynx	0.0	0.0	418.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	418.1	0
Small Intestine	0.0	0.0	418.1	0
Colon and Rectum	0.0	0.0	418.1	0
Colon excluding Rectum	0.0	0.0	418.1	0
Cecum	0.0	0.0	418.1	0
Appendix	0.0	0.0	418.1	0
Ascending Colon	0.0	0.0	418.1	0
Hepatic Flexure	0.0	0.0	418.1	0
Transverse Colon	0.0	0.0	418.1	0
Splenic Flexure	0.0	0.0	418.1	0
Descending Colon	0.0	0.0	418.1	0
Sigmoid Colon	0.0	0.0	418.1	0
Large Intestine, NOS	0.0	0.0	418.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	418.1	0
Rectosigmoid Junction	0.0	0.0	418.1	0
Rectum	0.0	0.0	418.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	418.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	418.1	0
Gallbladder	0.0	0.0	418.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Denali Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	418.1	0
Pancreas	0.0	0.0	418.1	0
Retroperitoneum	0.0	0.0	418.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	418.1	0
Other Digestive Organs	0.0	0.0	418.1	0
Respiratory System	0.0	0.0	418.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	418.1	0
Larynx	0.0	0.0	418.1	0
Lung and Bronchus	0.0	0.0	418.1	0
Pleura	0.0	0.0	418.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	418.1	0
Bones and Joints	0.0	0.0	418.1	0
Soft Tissue including Heart	0.0	0.0	418.1	0
Skin excluding Basal and Squamous	0.0	0.0	418.1	0
Melanoma of the Skin	0.0	0.0	418.1	0
Other Non-Epithelial Skin	0.0	0.0	418.1	0
Urinary System	0.0	0.0	418.1	0
Urinary Bladder	0.0	0.0	418.1	0
Kidney and Renal Pelvis	0.0	0.0	418.1	0
Ureter	0.0	0.0	418.1	0
Other Urinary Organs	0.0	0.0	418.1	0
Eye and Orbit	0.0	0.0	418.1	0
Brain and Other Nervous System	0.0	0.0	418.1	0
Brain	0.0	0.0	418.1	0
Cranial Nerves Other Nervous System	0.0	0.0	418.1	0
Endocrine System	0.0	0.0	418.1	0
Thyroid	0.0	0.0	418.1	0
Other Endocrine including Thymus	0.0	0.0	418.1	0
Lymphoma	0.0	0.0	418.1	0
Hodgkin Lymphoma	0.0	0.0	418.1	0
Hodgkin - Nodal	0.0	0.0	418.1	0
Hodgkin - Extranodal	0.0	0.0	418.1	0
Non-Hodgkin Lymphoma	0.0	0.0	418.1	0
NHL - Nodal	0.0	0.0	418.1	0
NHL - Extranodal	0.0	0.0	418.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Denali Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	418.1	0
Leukemia	0.0	0.0	418.1	0
Lymphocytic Leukemia	0.0	0.0	418.1	0
Acute Lymphocytic Leukemia	0.0	0.0	418.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	418.1	0
Other Lymphocytic Leukemia	0.0	0.0	418.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	418.1	0
Acute Myeloid Leukemia	0.0	0.0	418.1	0
Acute Monocytic Leukemia	0.0	0.0	418.1	0
Chronic Myeloid Leukemia	0.0	0.0	418.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	418.1	0
Other Leukemia	0.0	0.0	418.1	0
Other Acute Leukemia	0.0	0.0	418.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	418.1	0
Mesothelioma	0.0	0.0	418.1	0
Kaposi Sarcoma	0.0	0.0	418.1	0
Miscellaneous	0.0	0.0	418.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	319.0	157.7	567.8	12
Oral Cavity and Pharynx	0.0	0.0	97.3	0
Lip	0.0	0.0	97.3	0
Tongue	0.0	0.0	97.3	0
Salivary Gland	0.0	0.0	97.3	0
Floor of Mouth	0.0	0.0	97.3	0
Gum and Other Mouth	0.0	0.0	97.3	0
Nasopharynx	0.0	0.0	97.3	0
Tonsil	0.0	0.0	97.3	0
Oropharynx	0.0	0.0	97.3	0
Hypopharynx	0.0	0.0	97.3	0
Other Oral Cavity and Pharynx	0.0	0.0	97.3	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	97.3	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	97.3	0
Appendix	0.0	0.0	97.3	0
Ascending Colon	0.0	0.0	97.3	0
Hepatic Flexure	0.0	0.0	97.3	0
Transverse Colon	0.0	0.0	97.3	0
Splenic Flexure	0.0	0.0	97.3	0
Descending Colon	0.0	0.0	97.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	97.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	97.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	97.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	97.3	0
Liver	0.0	0.0	97.3	0
Intrahepatic Bile Duct	0.0	0.0	97.3	0
Gallbladder	0.0	0.0	97.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	97.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	97.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	97.3	0
Other Digestive Organs	0.0	0.0	97.3	0
Respiratory System	0.0	0.0	97.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	97.3	0
Larynx	0.0	0.0	97.3	0
Lung and Bronchus	0.0	0.0	97.3	0
Pleura	0.0	0.0	97.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	97.3	0
Bones and Joints	0.0	0.0	97.3	0
Soft Tissue including Heart	0.0	0.0	97.3	0
Skin excluding Basal and Squamous	0.0	0.0	97.3	0
Melanoma of the Skin	0.0	0.0	97.3	0
Other Non-Epithelial Skin	0.0	0.0	97.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	97.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	97.3	0
Other Urinary Organs	0.0	0.0	97.3	0
Eye and Orbit	0.0	0.0	97.3	0
Brain and Other Nervous System	0.0	0.0	97.3	0
Brain	0.0	0.0	97.3	0
Cranial Nerves Other Nervous System	0.0	0.0	97.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	97.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	97.3	0
Hodgkin - Nodal	0.0	0.0	97.3	0
Hodgkin - Extranodal	0.0	0.0	97.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	97.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	97.3	0
Leukemia	0.0	0.0	97.3	0
Lymphocytic Leukemia	0.0	0.0	97.3	0
Acute Lymphocytic Leukemia	0.0	0.0	97.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	97.3	0
Other Lymphocytic Leukemia	0.0	0.0	97.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	97.3	0
Acute Myeloid Leukemia	0.0	0.0	97.3	0
Acute Monocytic Leukemia	0.0	0.0	97.3	0
Chronic Myeloid Leukemia	0.0	0.0	97.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	97.3	0
Other Leukemia	0.0	0.0	97.3	0
Other Acute Leukemia	0.0	0.0	97.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	97.3	0
Mesothelioma	0.0	0.0	97.3	0
Kaposi Sarcoma	0.0	0.0	97.3	0
Miscellaneous	0.0	0.0	97.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Sites	437.0	381.0	498.3	266
Oral Cavity and Pharynx	13.4	4.9	28.1	7
Lip	0.0	0.0	5.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	5.8	0
Floor of Mouth	0.0	0.0	5.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	5.8	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	5.8	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	5.8	0
Digestive System	87.3	62.2	118.1	48
Esophagus	8.2	2.5	19.3	6
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	43.3	26.6	65.6	25
Colon excluding Rectum	34.1	19.2	55.1	18
Cecum	^	^	^	^
Appendix	0.0	0.0	5.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	5.8	0
Transverse Colon	^	^	^	^
Splenic Flexure	^	^	^	^
Descending Colon	^	^	^	^
Sigmoid Colon	12.8	4.3	27.7	6
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	9.1	3.2	20.2	7
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	11.1	3.6	24.7	6
Liver	11.1	3.6	24.7	6
Intrahepatic Bile Duct	0.0	0.0	5.8	0
Gallbladder	0.0	0.0	5.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	5.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	5.8	0
Respiratory System	84.5	61.1	113.4	50
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.8	0
Larynx	^	^	^	^
Lung and Bronchus	79.2	56.5	107.1	47
Pleura	0.0	0.0	5.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	5.8	0
Urinary System	35.6	20.3	56.7	19
Urinary Bladder	17.8	7.4	34.5	9
Kidney and Renal Pelvis	17.7	8.0	33.2	10
Ureter	0.0	0.0	5.8	0
Other Urinary Organs	0.0	0.0	5.8	0
Eye and Orbit	0.0	0.0	5.8	0
Brain and Other Nervous System	^	^	^	^
Brain	0.0	0.0	5.8	0
Cranial Nerves Other Nervous System	^	^	^	^
Endocrine System	9.3	3.3	20.4	7
Thyroid	9.3	3.3	20.4	7
Other Endocrine including Thymus	0.0	0.0	5.8	0
Lymphoma	21.6	10.7	38.2	13
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	5.8	0
Non-Hodgkin Lymphoma	19.9	9.2	36.3	11
NHL - Nodal	^	^	^	^
NHL - Extranodal	16.2	6.5	32.0	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	15.5	6.1	30.8	8
Lymphocytic Leukemia	11.9	4.1	25.8	6
Acute Lymphocytic Leukemia	0.0	0.0	5.8	0
Chronic Lymphocytic Leukemia	11.9	4.1	25.8	6
Other Lymphocytic Leukemia	0.0	0.0	5.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.8	0
Chronic Myeloid Leukemia	0.0	0.0	5.8	0
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	5.8	0
Other Acute Leukemia	0.0	0.0	5.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.8	0
Mesothelioma	0.0	0.0	5.8	0
Kaposi Sarcoma	0.0	0.0	5.8	0
Miscellaneous	9.5	3.3	20.8	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Sites	473.7	239.4	859.9	13
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	200.6	0
Tongue	0.0	0.0	200.6	0
Salivary Gland	0.0	0.0	200.6	0
Floor of Mouth	0.0	0.0	200.6	0
Gum and Other Mouth	0.0	0.0	200.6	0
Nasopharynx	0.0	0.0	200.6	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	200.6	0
Hypopharynx	0.0	0.0	200.6	0
Other Oral Cavity and Pharynx	0.0	0.0	200.6	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	200.6	0
Small Intestine	0.0	0.0	200.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	200.6	0
Ascending Colon	0.0	0.0	200.6	0
Hepatic Flexure	0.0	0.0	200.6	0
Transverse Colon	0.0	0.0	200.6	0
Splenic Flexure	0.0	0.0	200.6	0
Descending Colon	0.0	0.0	200.6	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	200.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	200.6	0
Rectosigmoid Junction	0.0	0.0	200.6	0
Rectum	0.0	0.0	200.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	200.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	200.6	0
Liver	0.0	0.0	200.6	0
Intrahepatic Bile Duct	0.0	0.0	200.6	0
Gallbladder	0.0	0.0	200.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Haines Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	200.6	0
Pancreas	0.0	0.0	200.6	0
Retroperitoneum	0.0	0.0	200.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	200.6	0
Other Digestive Organs	0.0	0.0	200.6	0
Respiratory System	0.0	0.0	200.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	200.6	0
Larynx	0.0	0.0	200.6	0
Lung and Bronchus	0.0	0.0	200.6	0
Pleura	0.0	0.0	200.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	200.6	0
Bones and Joints	0.0	0.0	200.6	0
Soft Tissue including Heart	0.0	0.0	200.6	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	200.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	200.6	0
Ureter	0.0	0.0	200.6	0
Other Urinary Organs	0.0	0.0	200.6	0
Eye and Orbit	0.0	0.0	200.6	0
Brain and Other Nervous System	0.0	0.0	200.6	0
Brain	0.0	0.0	200.6	0
Cranial Nerves Other Nervous System	0.0	0.0	200.6	0
Endocrine System	0.0	0.0	200.6	0
Thyroid	0.0	0.0	200.6	0
Other Endocrine including Thymus	0.0	0.0	200.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	200.6	0
Hodgkin - Nodal	0.0	0.0	200.6	0
Hodgkin - Extranodal	0.0	0.0	200.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	200.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Haines Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	200.6	0
Leukemia	0.0	0.0	200.6	0
Lymphocytic Leukemia	0.0	0.0	200.6	0
Acute Lymphocytic Leukemia	0.0	0.0	200.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	200.6	0
Other Lymphocytic Leukemia	0.0	0.0	200.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	200.6	0
Acute Myeloid Leukemia	0.0	0.0	200.6	0
Acute Monocytic Leukemia	0.0	0.0	200.6	0
Chronic Myeloid Leukemia	0.0	0.0	200.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	200.6	0
Other Leukemia	0.0	0.0	200.6	0
Other Acute Leukemia	0.0	0.0	200.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	200.6	0
Mesothelioma	0.0	0.0	200.6	0
Kaposi Sarcoma	0.0	0.0	200.6	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Sites	433.2	350.6	528.6	117
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	0.0	0.0	15.2	0
Salivary Gland	0.0	0.0	15.2	0
Floor of Mouth	0.0	0.0	15.2	0
Gum and Other Mouth	0.0	0.0	15.2	0
Nasopharynx	0.0	0.0	15.2	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	15.2	0
Hypopharynx	0.0	0.0	15.2	0
Other Oral Cavity and Pharynx	0.0	0.0	15.2	0
Digestive System	98.3	61.4	148.3	27
Esophagus	^	^	^	^
Stomach	0.0	0.0	15.2	0
Small Intestine	^	^	^	^
Colon and Rectum	78.6	45.4	125.5	20
Colon excluding Rectum	54.9	27.1	97.2	13
Cecum	37.4	14.9	75.2	8
Appendix	0.0	0.0	15.2	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	15.2	0
Transverse Colon	0.0	0.0	15.2	0
Splenic Flexure	0.0	0.0	15.2	0
Descending Colon	0.0	0.0	15.2	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	15.2	0
Rectum and Rectosigmoid Junction	23.7	8.7	51.6	7
Rectosigmoid Junction	^	^	^	^
Rectum	21.0	7.0	48.3	6
Anus, Anal Canal and Anorectum	0.0	0.0	15.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	15.2	0
Liver	0.0	0.0	15.2	0
Intrahepatic Bile Duct	0.0	0.0	15.2	0
Gallbladder	0.0	0.0	15.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	15.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.2	0
Other Digestive Organs	0.0	0.0	15.2	0
Respiratory System	47.2	22.1	86.6	11
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	15.2	0
Lung and Bronchus	44.5	20.0	83.6	10
Pleura	0.0	0.0	15.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.2	0
Bones and Joints	0.0	0.0	15.2	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	21.6	9.8	44.3	9
Melanoma of the Skin	21.6	9.8	44.3	9
Other Non-Epithelial Skin	0.0	0.0	15.2	0
Urinary System	42.4	17.1	83.8	8
Urinary Bladder	34.0	11.8	72.7	6
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.2	0
Other Urinary Organs	0.0	0.0	15.2	0
Eye and Orbit	0.0	0.0	15.2	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	15.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	15.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	15.2	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	15.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	15.2	0
Chronic Myeloid Leukemia	0.0	0.0	15.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.2	0
Other Leukemia	0.0	0.0	15.2	0
Other Acute Leukemia	0.0	0.0	15.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.2	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	15.2	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	433.6	374.8	498.9	219
Oral Cavity and Pharynx	17.9	7.1	36.6	8
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	8.4	0
Gum and Other Mouth	0.0	0.0	8.4	0
Nasopharynx	0.0	0.0	8.4	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	8.4	0
Hypopharynx	0.0	0.0	8.4	0
Other Oral Cavity and Pharynx	0.0	0.0	8.4	0
Digestive System	84.0	58.9	116.1	43
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	27.6	15.3	46.4	16
Colon excluding Rectum	18.1	8.8	33.8	11
Cecum	^	^	^	^
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	8.4	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	8.4	0
Descending Colon	0.0	0.0	8.4	0
Sigmoid Colon	0.0	0.0	8.4	0
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	8.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	19.4	8.2	38.4	9
Retroperitoneum	0.0	0.0	8.4	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	73.5	50.1	103.8	34
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.4	0
Larynx	^	^	^	^
Lung and Bronchus	67.7	45.2	97.2	31
Pleura	0.0	0.0	8.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	8.4	0
Urinary System	24.9	12.8	43.8	14
Urinary Bladder	20.6	9.5	38.8	11
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	8.4	0
Other Urinary Organs	0.0	0.0	8.4	0
Eye and Orbit	0.0	0.0	8.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	8.4	0
Lymphoma	30.8	17.0	51.5	16
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	8.4	0
Non-Hodgkin Lymphoma	27.1	14.2	46.9	14
NHL - Nodal	23.4	11.5	42.3	12
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	8.4	0
Leukemia	17.2	6.4	36.0	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	8.4	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	8.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	8.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	8.4	0
Kaposi Sarcoma	0.0	0.0	8.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Sites	522.0	394.5	676.4	62
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	31.4	0
Tongue	0.0	0.0	31.4	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	31.4	0
Gum and Other Mouth	0.0	0.0	31.4	0
Nasopharynx	0.0	0.0	31.4	0
Tonsil	0.0	0.0	31.4	0
Oropharynx	0.0	0.0	31.4	0
Hypopharynx	0.0	0.0	31.4	0
Other Oral Cavity and Pharynx	0.0	0.0	31.4	0
Digestive System	94.4	46.5	169.8	12
Esophagus	0.0	0.0	31.4	0
Stomach	0.0	0.0	31.4	0
Small Intestine	0.0	0.0	31.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	31.4	0
Appendix	0.0	0.0	31.4	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	31.4	0
Splenic Flexure	0.0	0.0	31.4	0
Descending Colon	0.0	0.0	31.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	31.4	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	31.4	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	31.4	0
Gallbladder	0.0	0.0	31.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	31.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.4	0
Other Digestive Organs	^	^	^	^
Respiratory System	82.8	36.2	158.9	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.4	0
Larynx	0.0	0.0	31.4	0
Lung and Bronchus	82.8	36.2	158.9	9
Pleura	0.0	0.0	31.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.4	0
Bones and Joints	0.0	0.0	31.4	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	31.4	0
Urinary System	51.9	18.1	114.5	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	31.4	0
Other Urinary Organs	0.0	0.0	31.4	0
Eye and Orbit	0.0	0.0	31.4	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	31.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	31.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	31.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	31.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	31.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	31.4	0
Acute Myeloid Leukemia	0.0	0.0	31.4	0
Acute Monocytic Leukemia	0.0	0.0	31.4	0
Chronic Myeloid Leukemia	0.0	0.0	31.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.4	0
Other Leukemia	0.0	0.0	31.4	0
Other Acute Leukemia	0.0	0.0	31.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	31.4	0
Mesothelioma	0.0	0.0	31.4	0
Kaposi Sarcoma	0.0	0.0	31.4	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Sites	428.6	295.5	597.6	41
Oral Cavity and Pharynx	0.0	0.0	40.7	0
Lip	0.0	0.0	40.7	0
Tongue	0.0	0.0	40.7	0
Salivary Gland	0.0	0.0	40.7	0
Floor of Mouth	0.0	0.0	40.7	0
Gum and Other Mouth	0.0	0.0	40.7	0
Nasopharynx	0.0	0.0	40.7	0
Tonsil	0.0	0.0	40.7	0
Oropharynx	0.0	0.0	40.7	0
Hypopharynx	0.0	0.0	40.7	0
Other Oral Cavity and Pharynx	0.0	0.0	40.7	0
Digestive System	72.5	29.2	149.6	8
Esophagus	0.0	0.0	40.7	0
Stomach	0.0	0.0	40.7	0
Small Intestine	0.0	0.0	40.7	0
Colon and Rectum	58.0	19.5	131.9	6
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	40.7	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	40.7	0
Transverse Colon	0.0	0.0	40.7	0
Splenic Flexure	0.0	0.0	40.7	0
Descending Colon	0.0	0.0	40.7	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	40.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	40.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	40.7	0
Liver	0.0	0.0	40.7	0
Intrahepatic Bile Duct	0.0	0.0	40.7	0
Gallbladder	0.0	0.0	40.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	40.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	40.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	40.7	0
Other Digestive Organs	0.0	0.0	40.7	0
Respiratory System	126.9	53.2	244.4	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	40.7	0
Larynx	^	^	^	^
Lung and Bronchus	95.5	32.2	205.3	6
Pleura	0.0	0.0	40.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	40.7	0
Urinary System	0.0	0.0	40.7	0
Urinary Bladder	0.0	0.0	40.7	0
Kidney and Renal Pelvis	0.0	0.0	40.7	0
Ureter	0.0	0.0	40.7	0
Other Urinary Organs	0.0	0.0	40.7	0
Eye and Orbit	0.0	0.0	40.7	0
Brain and Other Nervous System	0.0	0.0	40.7	0
Brain	0.0	0.0	40.7	0
Cranial Nerves Other Nervous System	0.0	0.0	40.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	40.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	40.7	0
Hodgkin - Nodal	0.0	0.0	40.7	0
Hodgkin - Extranodal	0.0	0.0	40.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	40.7	0
Acute Lymphocytic Leukemia	0.0	0.0	40.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	40.7	0
Other Lymphocytic Leukemia	0.0	0.0	40.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	40.7	0
Chronic Myeloid Leukemia	0.0	0.0	40.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	40.7	0
Other Leukemia	0.0	0.0	40.7	0
Other Acute Leukemia	0.0	0.0	40.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	40.7	0
Mesothelioma	0.0	0.0	40.7	0
Kaposi Sarcoma	0.0	0.0	40.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	364.5	0
Tongue	0.0	0.0	364.5	0
Salivary Gland	0.0	0.0	364.5	0
Floor of Mouth	0.0	0.0	364.5	0
Gum and Other Mouth	0.0	0.0	364.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	364.5	0
Oropharynx	0.0	0.0	364.5	0
Hypopharynx	0.0	0.0	364.5	0
Other Oral Cavity and Pharynx	0.0	0.0	364.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	364.5	0
Stomach	0.0	0.0	364.5	0
Small Intestine	0.0	0.0	364.5	0
Colon and Rectum	0.0	0.0	364.5	0
Colon excluding Rectum	0.0	0.0	364.5	0
Cecum	0.0	0.0	364.5	0
Appendix	0.0	0.0	364.5	0
Ascending Colon	0.0	0.0	364.5	0
Hepatic Flexure	0.0	0.0	364.5	0
Transverse Colon	0.0	0.0	364.5	0
Splenic Flexure	0.0	0.0	364.5	0
Descending Colon	0.0	0.0	364.5	0
Sigmoid Colon	0.0	0.0	364.5	0
Large Intestine, NOS	0.0	0.0	364.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	364.5	0
Rectosigmoid Junction	0.0	0.0	364.5	0
Rectum	0.0	0.0	364.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	364.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	364.5	0
Gallbladder	0.0	0.0	364.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	364.5	0
Pancreas	0.0	0.0	364.5	0
Retroperitoneum	0.0	0.0	364.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	364.5	0
Other Digestive Organs	0.0	0.0	364.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	364.5	0
Larynx	0.0	0.0	364.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	364.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	364.5	0
Bones and Joints	0.0	0.0	364.5	0
Soft Tissue including Heart	0.0	0.0	364.5	0
Skin excluding Basal and Squamous	0.0	0.0	364.5	0
Melanoma of the Skin	0.0	0.0	364.5	0
Other Non-Epithelial Skin	0.0	0.0	364.5	0
Urinary System	0.0	0.0	364.5	0
Urinary Bladder	0.0	0.0	364.5	0
Kidney and Renal Pelvis	0.0	0.0	364.5	0
Ureter	0.0	0.0	364.5	0
Other Urinary Organs	0.0	0.0	364.5	0
Eye and Orbit	0.0	0.0	364.5	0
Brain and Other Nervous System	0.0	0.0	364.5	0
Brain	0.0	0.0	364.5	0
Cranial Nerves Other Nervous System	0.0	0.0	364.5	0
Endocrine System	0.0	0.0	364.5	0
Thyroid	0.0	0.0	364.5	0
Other Endocrine including Thymus	0.0	0.0	364.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	364.5	0
Hodgkin - Nodal	0.0	0.0	364.5	0
Hodgkin - Extranodal	0.0	0.0	364.5	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	364.5	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	364.5	0
Leukemia	0.0	0.0	364.5	0
Lymphocytic Leukemia	0.0	0.0	364.5	0
Acute Lymphocytic Leukemia	0.0	0.0	364.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	364.5	0
Other Lymphocytic Leukemia	0.0	0.0	364.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	364.5	0
Acute Myeloid Leukemia	0.0	0.0	364.5	0
Acute Monocytic Leukemia	0.0	0.0	364.5	0
Chronic Myeloid Leukemia	0.0	0.0	364.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	364.5	0
Other Leukemia	0.0	0.0	364.5	0
Other Acute Leukemia	0.0	0.0	364.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	364.5	0
Mesothelioma	0.0	0.0	364.5	0
Kaposi Sarcoma	0.0	0.0	364.5	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Sites	482.9	424.7	546.4	296
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	6.3	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	6.3	0
Gum and Other Mouth	0.0	0.0	6.3	0
Nasopharynx	0.0	0.0	6.3	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	6.3	0
Hypopharynx	0.0	0.0	6.3	0
Other Oral Cavity and Pharynx	0.0	0.0	6.3	0
Digestive System	82.6	58.4	112.8	45
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	50.4	32.0	74.7	27
Colon excluding Rectum	40.5	24.3	62.7	22
Cecum	^	^	^	^
Appendix	0.0	0.0	6.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	6.3	0
Descending Colon	^	^	^	^
Sigmoid Colon	11.8	4.5	24.8	7
Large Intestine, NOS	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.3	0
Gallbladder	0.0	0.0	6.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	6.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	74.4	51.8	102.8	40
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.3	0
Larynx	0.0	0.0	6.3	0
Lung and Bronchus	74.4	51.8	102.8	40
Pleura	0.0	0.0	6.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	13.0	5.3	26.3	9
Melanoma of the Skin	13.0	5.3	26.3	9
Other Non-Epithelial Skin	0.0	0.0	6.3	0
Urinary System	40.6	24.8	62.2	25
Urinary Bladder	26.2	13.0	45.7	14
Kidney and Renal Pelvis	14.4	7.0	26.7	11
Ureter	0.0	0.0	6.3	0
Other Urinary Organs	0.0	0.0	6.3	0
Eye and Orbit	0.0	0.0	6.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.3	0
Endocrine System	17.9	8.6	32.7	13
Thyroid	16.6	7.7	31.1	12
Other Endocrine including Thymus	^	^	^	^
Lymphoma	21.2	11.4	36.1	15
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.3	0
Non-Hodgkin Lymphoma	19.9	10.4	34.4	14
NHL - Nodal	12.5	5.8	24.0	10
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	8.5	2.7	20.0	6
Leukemia	17.2	8.5	31.1	12
Lymphocytic Leukemia	11.6	4.7	23.9	8
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	6.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.3	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	6.3	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	^	^	^	^
Miscellaneous	16.8	7.5	31.8	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	520.7	345.3	747.3	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	54.1	0
Tongue	0.0	0.0	54.1	0
Salivary Gland	0.0	0.0	54.1	0
Floor of Mouth	0.0	0.0	54.1	0
Gum and Other Mouth	0.0	0.0	54.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	54.1	0
Oropharynx	0.0	0.0	54.1	0
Hypopharynx	0.0	0.0	54.1	0
Other Oral Cavity and Pharynx	0.0	0.0	54.1	0
Digestive System	119.9	51.0	236.2	9
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	54.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	54.1	0
Appendix	0.0	0.0	54.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	54.1	0
Transverse Colon	0.0	0.0	54.1	0
Splenic Flexure	0.0	0.0	54.1	0
Descending Colon	0.0	0.0	54.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	54.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	54.1	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	54.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	54.1	0
Liver	0.0	0.0	54.1	0
Intrahepatic Bile Duct	0.0	0.0	54.1	0
Gallbladder	0.0	0.0	54.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	54.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	54.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	54.1	0
Other Digestive Organs	0.0	0.0	54.1	0
Respiratory System	200.5	89.4	372.0	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	54.1	0
Larynx	0.0	0.0	54.1	0
Lung and Bronchus	200.5	89.4	372.0	9
Pleura	0.0	0.0	54.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	54.1	0
Bones and Joints	0.0	0.0	54.1	0
Soft Tissue including Heart	0.0	0.0	54.1	0
Skin excluding Basal and Squamous	0.0	0.0	54.1	0
Melanoma of the Skin	0.0	0.0	54.1	0
Other Non-Epithelial Skin	0.0	0.0	54.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	54.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	54.1	0
Other Urinary Organs	0.0	0.0	54.1	0
Eye and Orbit	0.0	0.0	54.1	0
Brain and Other Nervous System	0.0	0.0	54.1	0
Brain	0.0	0.0	54.1	0
Cranial Nerves Other Nervous System	0.0	0.0	54.1	0
Endocrine System	0.0	0.0	54.1	0
Thyroid	0.0	0.0	54.1	0
Other Endocrine including Thymus	0.0	0.0	54.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	54.1	0
Hodgkin - Nodal	0.0	0.0	54.1	0
Hodgkin - Extranodal	0.0	0.0	54.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	54.1	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	54.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	54.1	0
Acute Lymphocytic Leukemia	0.0	0.0	54.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	54.1	0
Other Lymphocytic Leukemia	0.0	0.0	54.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	54.1	0
Acute Myeloid Leukemia	0.0	0.0	54.1	0
Acute Monocytic Leukemia	0.0	0.0	54.1	0
Chronic Myeloid Leukemia	0.0	0.0	54.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	54.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	54.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma	0.0	0.0	54.1	0
Kaposi Sarcoma	0.0	0.0	54.1	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Sites	706.2	405.1	1,115.5	21
Oral Cavity and Pharynx	0.0	0.0	96.6	0
Lip	0.0	0.0	96.6	0
Tongue	0.0	0.0	96.6	0
Salivary Gland	0.0	0.0	96.6	0
Floor of Mouth	0.0	0.0	96.6	0
Gum and Other Mouth	0.0	0.0	96.6	0
Nasopharynx	0.0	0.0	96.6	0
Tonsil	0.0	0.0	96.6	0
Oropharynx	0.0	0.0	96.6	0
Hypopharynx	0.0	0.0	96.6	0
Other Oral Cavity and Pharynx	0.0	0.0	96.6	0
Digestive System	404.3	180.0	744.5	10
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	96.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	96.6	0
Appendix	0.0	0.0	96.6	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	96.6	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	96.6	0
Descending Colon	^	^	^	^
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	96.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	96.6	0
Rectosigmoid Junction	0.0	0.0	96.6	0
Rectum	0.0	0.0	96.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	96.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	96.6	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	96.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	96.6	0
Retroperitoneum	0.0	0.0	96.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.6	0
Other Digestive Organs	0.0	0.0	96.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.6	0
Larynx	0.0	0.0	96.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	96.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.6	0
Bones and Joints	0.0	0.0	96.6	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	96.6	0
Melanoma of the Skin	0.0	0.0	96.6	0
Other Non-Epithelial Skin	0.0	0.0	96.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	96.6	0
Ureter	0.0	0.0	96.6	0
Other Urinary Organs	0.0	0.0	96.6	0
Eye and Orbit	0.0	0.0	96.6	0
Brain and Other Nervous System	0.0	0.0	96.6	0
Brain	0.0	0.0	96.6	0
Cranial Nerves Other Nervous System	0.0	0.0	96.6	0
Endocrine System	0.0	0.0	96.6	0
Thyroid	0.0	0.0	96.6	0
Other Endocrine including Thymus	0.0	0.0	96.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	96.6	0
Hodgkin - Nodal	0.0	0.0	96.6	0
Hodgkin - Extranodal	0.0	0.0	96.6	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	96.6	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	96.6	0
Leukemia	0.0	0.0	96.6	0
Lymphocytic Leukemia	0.0	0.0	96.6	0
Acute Lymphocytic Leukemia	0.0	0.0	96.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	96.6	0
Other Lymphocytic Leukemia	0.0	0.0	96.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.6	0
Acute Myeloid Leukemia	0.0	0.0	96.6	0
Acute Monocytic Leukemia	0.0	0.0	96.6	0
Chronic Myeloid Leukemia	0.0	0.0	96.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.6	0
Other Leukemia	0.0	0.0	96.6	0
Other Acute Leukemia	0.0	0.0	96.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.6	0
Mesothelioma	0.0	0.0	96.6	0
Kaposi Sarcoma	0.0	0.0	96.6	0
Miscellaneous	0.0	0.0	96.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Sites	452.2	274.3	696.8	22
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	77.8	0
Tongue	0.0	0.0	77.8	0
Salivary Gland	0.0	0.0	77.8	0
Floor of Mouth	0.0	0.0	77.8	0
Gum and Other Mouth	0.0	0.0	77.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	77.8	0
Oropharynx	0.0	0.0	77.8	0
Hypopharynx	0.0	0.0	77.8	0
Other Oral Cavity and Pharynx	0.0	0.0	77.8	0
Digestive System	165.9	65.1	338.4	8
Esophagus	0.0	0.0	77.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	77.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	77.8	0
Appendix	0.0	0.0	77.8	0
Ascending Colon	0.0	0.0	77.8	0
Hepatic Flexure	0.0	0.0	77.8	0
Transverse Colon	^	^	^	^
Splenic Flexure	0.0	0.0	77.8	0
Descending Colon	0.0	0.0	77.8	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	77.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	77.8	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	77.8	0
Gallbladder	0.0	0.0	77.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	77.8	0
Pancreas	0.0	0.0	77.8	0
Retroperitoneum	0.0	0.0	77.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	77.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	77.8	0
Larynx	0.0	0.0	77.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	77.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	77.8	0
Bones and Joints	0.0	0.0	77.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	77.8	0
Melanoma of the Skin	0.0	0.0	77.8	0
Other Non-Epithelial Skin	0.0	0.0	77.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	77.8	0
Ureter	0.0	0.0	77.8	0
Other Urinary Organs	0.0	0.0	77.8	0
Eye and Orbit	0.0	0.0	77.8	0
Brain and Other Nervous System	0.0	0.0	77.8	0
Brain	0.0	0.0	77.8	0
Cranial Nerves Other Nervous System	0.0	0.0	77.8	0
Endocrine System	0.0	0.0	77.8	0
Thyroid	0.0	0.0	77.8	0
Other Endocrine including Thymus	0.0	0.0	77.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	77.8	0
Hodgkin - Nodal	0.0	0.0	77.8	0
Hodgkin - Extranodal	0.0	0.0	77.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	77.8	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	77.8	0
Leukemia	0.0	0.0	77.8	0
Lymphocytic Leukemia	0.0	0.0	77.8	0
Acute Lymphocytic Leukemia	0.0	0.0	77.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	77.8	0
Other Lymphocytic Leukemia	0.0	0.0	77.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	77.8	0
Acute Myeloid Leukemia	0.0	0.0	77.8	0
Acute Monocytic Leukemia	0.0	0.0	77.8	0
Chronic Myeloid Leukemia	0.0	0.0	77.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	77.8	0
Other Leukemia	0.0	0.0	77.8	0
Other Acute Leukemia	0.0	0.0	77.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	77.8	0
Mesothelioma	0.0	0.0	77.8	0
Kaposi Sarcoma	0.0	0.0	77.8	0
Miscellaneous	0.0	0.0	77.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	279.1	146.5	483.0	16
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	87.7	0
Tongue	0.0	0.0	87.7	0
Salivary Gland	0.0	0.0	87.7	0
Floor of Mouth	0.0	0.0	87.7	0
Gum and Other Mouth	0.0	0.0	87.7	0
Nasopharynx	0.0	0.0	87.7	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	87.7	0
Hypopharynx	0.0	0.0	87.7	0
Other Oral Cavity and Pharynx	0.0	0.0	87.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	87.7	0
Stomach	0.0	0.0	87.7	0
Small Intestine	0.0	0.0	87.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	87.7	0
Ascending Colon	0.0	0.0	87.7	0
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	87.7	0
Splenic Flexure	0.0	0.0	87.7	0
Descending Colon	0.0	0.0	87.7	0
Sigmoid Colon	0.0	0.0	87.7	0
Large Intestine, NOS	0.0	0.0	87.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	87.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	87.7	0
Liver	0.0	0.0	87.7	0
Intrahepatic Bile Duct	0.0	0.0	87.7	0
Gallbladder	0.0	0.0	87.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	87.7	0
Pancreas	0.0	0.0	87.7	0
Retroperitoneum	0.0	0.0	87.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	87.7	0
Other Digestive Organs	0.0	0.0	87.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	87.7	0
Larynx	0.0	0.0	87.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	87.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	87.7	0
Bones and Joints	0.0	0.0	87.7	0
Soft Tissue including Heart	0.0	0.0	87.7	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	87.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	87.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	87.7	0
Other Urinary Organs	0.0	0.0	87.7	0
Eye and Orbit	0.0	0.0	87.7	0
Brain and Other Nervous System	0.0	0.0	87.7	0
Brain	0.0	0.0	87.7	0
Cranial Nerves Other Nervous System	0.0	0.0	87.7	0
Endocrine System	0.0	0.0	87.7	0
Thyroid	0.0	0.0	87.7	0
Other Endocrine including Thymus	0.0	0.0	87.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	87.7	0
Hodgkin - Nodal	0.0	0.0	87.7	0
Hodgkin - Extranodal	0.0	0.0	87.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	87.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	87.7	0
Leukemia	0.0	0.0	87.7	0
Lymphocytic Leukemia	0.0	0.0	87.7	0
Acute Lymphocytic Leukemia	0.0	0.0	87.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	87.7	0
Other Lymphocytic Leukemia	0.0	0.0	87.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	87.7	0
Acute Myeloid Leukemia	0.0	0.0	87.7	0
Acute Monocytic Leukemia	0.0	0.0	87.7	0
Chronic Myeloid Leukemia	0.0	0.0	87.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	87.7	0
Other Leukemia	0.0	0.0	87.7	0
Other Acute Leukemia	0.0	0.0	87.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	87.7	0
Mesothelioma	0.0	0.0	87.7	0
Kaposi Sarcoma	0.0	0.0	87.7	0
Miscellaneous	0.0	0.0	87.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Sites	407.3	280.2	571.8	35
Oral Cavity and Pharynx	0.0	0.0	45.0	0
Lip	0.0	0.0	45.0	0
Tongue	0.0	0.0	45.0	0
Salivary Gland	0.0	0.0	45.0	0
Floor of Mouth	0.0	0.0	45.0	0
Gum and Other Mouth	0.0	0.0	45.0	0
Nasopharynx	0.0	0.0	45.0	0
Tonsil	0.0	0.0	45.0	0
Oropharynx	0.0	0.0	45.0	0
Hypopharynx	0.0	0.0	45.0	0
Other Oral Cavity and Pharynx	0.0	0.0	45.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	45.0	0
Stomach	0.0	0.0	45.0	0
Small Intestine	0.0	0.0	45.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	45.0	0
Ascending Colon	0.0	0.0	45.0	0
Hepatic Flexure	0.0	0.0	45.0	0
Transverse Colon	0.0	0.0	45.0	0
Splenic Flexure	0.0	0.0	45.0	0
Descending Colon	0.0	0.0	45.0	0
Sigmoid Colon	0.0	0.0	45.0	0
Large Intestine, NOS	0.0	0.0	45.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	0.0	0.0	45.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	45.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	45.0	0
Liver	0.0	0.0	45.0	0
Intrahepatic Bile Duct	0.0	0.0	45.0	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	45.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	45.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.0	0
Other Digestive Organs	0.0	0.0	45.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.0	0
Larynx	0.0	0.0	45.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	45.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.0	0
Bones and Joints	0.0	0.0	45.0	0
Soft Tissue including Heart	0.0	0.0	45.0	0
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	45.0	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	45.0	0
Other Urinary Organs	0.0	0.0	45.0	0
Eye and Orbit	0.0	0.0	45.0	0
Brain and Other Nervous System	0.0	0.0	45.0	0
Brain	0.0	0.0	45.0	0
Cranial Nerves Other Nervous System	0.0	0.0	45.0	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	45.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	45.0	0
Hodgkin - Nodal	0.0	0.0	45.0	0
Hodgkin - Extranodal	0.0	0.0	45.0	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	45.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	45.0	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	45.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	45.0	0
Chronic Myeloid Leukemia	0.0	0.0	45.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.0	0
Other Leukemia	0.0	0.0	45.0	0
Other Acute Leukemia	0.0	0.0	45.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.0	0
Mesothelioma	0.0	0.0	45.0	0
Kaposi Sarcoma	0.0	0.0	45.0	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	473.6	251.5	815.1	15
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	147.3	0
Tongue	0.0	0.0	147.3	0
Salivary Gland	0.0	0.0	147.3	0
Floor of Mouth	0.0	0.0	147.3	0
Gum and Other Mouth	0.0	0.0	147.3	0
Nasopharynx	0.0	0.0	147.3	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	147.3	0
Hypopharynx	0.0	0.0	147.3	0
Other Oral Cavity and Pharynx	0.0	0.0	147.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	147.3	0
Stomach	0.0	0.0	147.3	0
Small Intestine	0.0	0.0	147.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	147.3	0
Appendix	0.0	0.0	147.3	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	147.3	0
Transverse Colon	0.0	0.0	147.3	0
Splenic Flexure	0.0	0.0	147.3	0
Descending Colon	0.0	0.0	147.3	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	147.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	147.3	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	147.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	147.3	0
Liver	0.0	0.0	147.3	0
Intrahepatic Bile Duct	0.0	0.0	147.3	0
Gallbladder	0.0	0.0	147.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	147.3	0
Pancreas	0.0	0.0	147.3	0
Retroperitoneum	0.0	0.0	147.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	147.3	0
Other Digestive Organs	0.0	0.0	147.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	147.3	0
Larynx	^	^	^	^
Lung and Bronchus	0.0	0.0	147.3	0
Pleura	0.0	0.0	147.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	147.3	0
Bones and Joints	0.0	0.0	147.3	0
Soft Tissue including Heart	0.0	0.0	147.3	0
Skin excluding Basal and Squamous	0.0	0.0	147.3	0
Melanoma of the Skin	0.0	0.0	147.3	0
Other Non-Epithelial Skin	0.0	0.0	147.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	147.3	0
Ureter	0.0	0.0	147.3	0
Other Urinary Organs	0.0	0.0	147.3	0
Eye and Orbit	0.0	0.0	147.3	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	147.3	0
Endocrine System	0.0	0.0	147.3	0
Thyroid	0.0	0.0	147.3	0
Other Endocrine including Thymus	0.0	0.0	147.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	147.3	0
Hodgkin - Nodal	0.0	0.0	147.3	0
Hodgkin - Extranodal	0.0	0.0	147.3	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	147.3	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	147.3	0
Leukemia	0.0	0.0	147.3	0
Lymphocytic Leukemia	0.0	0.0	147.3	0
Acute Lymphocytic Leukemia	0.0	0.0	147.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	147.3	0
Other Lymphocytic Leukemia	0.0	0.0	147.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	147.3	0
Acute Myeloid Leukemia	0.0	0.0	147.3	0
Acute Monocytic Leukemia	0.0	0.0	147.3	0
Chronic Myeloid Leukemia	0.0	0.0	147.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	147.3	0
Other Leukemia	0.0	0.0	147.3	0
Other Acute Leukemia	0.0	0.0	147.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	147.3	0
Mesothelioma	0.0	0.0	147.3	0
Kaposi Sarcoma	0.0	0.0	147.3	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	460.4	272.8	719.4	22
Oral Cavity and Pharynx	0.0	0.0	78.4	0
Lip	0.0	0.0	78.4	0
Tongue	0.0	0.0	78.4	0
Salivary Gland	0.0	0.0	78.4	0
Floor of Mouth	0.0	0.0	78.4	0
Gum and Other Mouth	0.0	0.0	78.4	0
Nasopharynx	0.0	0.0	78.4	0
Tonsil	0.0	0.0	78.4	0
Oropharynx	0.0	0.0	78.4	0
Hypopharynx	0.0	0.0	78.4	0
Other Oral Cavity and Pharynx	0.0	0.0	78.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	78.4	0
Stomach	0.0	0.0	78.4	0
Small Intestine	0.0	0.0	78.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	78.4	0
Ascending Colon	0.0	0.0	78.4	0
Hepatic Flexure	0.0	0.0	78.4	0
Transverse Colon	0.0	0.0	78.4	0
Splenic Flexure	0.0	0.0	78.4	0
Descending Colon	0.0	0.0	78.4	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	78.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	78.4	0
Rectosigmoid Junction	0.0	0.0	78.4	0
Rectum	0.0	0.0	78.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	78.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	78.4	0
Liver	0.0	0.0	78.4	0
Intrahepatic Bile Duct	0.0	0.0	78.4	0
Gallbladder	0.0	0.0	78.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	78.4	0
Pancreas	0.0	0.0	78.4	0
Retroperitoneum	0.0	0.0	78.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	78.4	0
Other Digestive Organs	0.0	0.0	78.4	0
Respiratory System	192.0	68.0	403.1	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	78.4	0
Larynx	^	^	^	^
Lung and Bronchus	167.1	52.3	371.6	6
Pleura	0.0	0.0	78.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	78.4	0
Bones and Joints	0.0	0.0	78.4	0
Soft Tissue including Heart	0.0	0.0	78.4	0
Skin excluding Basal and Squamous	0.0	0.0	78.4	0
Melanoma of the Skin	0.0	0.0	78.4	0
Other Non-Epithelial Skin	0.0	0.0	78.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	78.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	78.4	0
Other Urinary Organs	0.0	0.0	78.4	0
Eye and Orbit	0.0	0.0	78.4	0
Brain and Other Nervous System	0.0	0.0	78.4	0
Brain	0.0	0.0	78.4	0
Cranial Nerves Other Nervous System	0.0	0.0	78.4	0
Endocrine System	0.0	0.0	78.4	0
Thyroid	0.0	0.0	78.4	0
Other Endocrine including Thymus	0.0	0.0	78.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	78.4	0
Hodgkin - Nodal	0.0	0.0	78.4	0
Hodgkin - Extranodal	0.0	0.0	78.4	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	78.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	78.4	0
Leukemia	0.0	0.0	78.4	0
Lymphocytic Leukemia	0.0	0.0	78.4	0
Acute Lymphocytic Leukemia	0.0	0.0	78.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	78.4	0
Other Lymphocytic Leukemia	0.0	0.0	78.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	78.4	0
Acute Myeloid Leukemia	0.0	0.0	78.4	0
Acute Monocytic Leukemia	0.0	0.0	78.4	0
Chronic Myeloid Leukemia	0.0	0.0	78.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	78.4	0
Other Leukemia	0.0	0.0	78.4	0
Other Acute Leukemia	0.0	0.0	78.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	78.4	0
Mesothelioma	0.0	0.0	78.4	0
Kaposi Sarcoma	0.0	0.0	78.4	0
Miscellaneous	0.0	0.0	78.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	366.1	239.8	534.0	33
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	49.8	0
Tongue	0.0	0.0	49.8	0
Salivary Gland	0.0	0.0	49.8	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	49.8	0
Nasopharynx	0.0	0.0	49.8	0
Tonsil	0.0	0.0	49.8	0
Oropharynx	0.0	0.0	49.8	0
Hypopharynx	0.0	0.0	49.8	0
Other Oral Cavity and Pharynx	0.0	0.0	49.8	0
Digestive System	109.8	47.5	215.1	10
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	49.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	49.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	^	^	^	^
Transverse Colon	0.0	0.0	49.8	0
Splenic Flexure	0.0	0.0	49.8	0
Descending Colon	0.0	0.0	49.8	0
Sigmoid Colon	0.0	0.0	49.8	0
Large Intestine, NOS	0.0	0.0	49.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	49.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	49.8	0
Liver	0.0	0.0	49.8	0
Intrahepatic Bile Duct	0.0	0.0	49.8	0
Gallbladder	0.0	0.0	49.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	49.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	49.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	49.8	0
Other Digestive Organs	0.0	0.0	49.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	49.8	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	49.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	49.8	0
Bones and Joints	0.0	0.0	49.8	0
Soft Tissue including Heart	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	49.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	49.8	0
Other Urinary Organs	0.0	0.0	49.8	0
Eye and Orbit	0.0	0.0	49.8	0
Brain and Other Nervous System	^	^	^	^
Brain	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	49.8	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Hodgkin - Nodal	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	49.8	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	0.0	0.0	49.8	0
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	49.8	0
Leukemia	0.0	0.0	49.8	0
Lymphocytic Leukemia	0.0	0.0	49.8	0
Acute Lymphocytic Leukemia	0.0	0.0	49.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	49.8	0
Other Lymphocytic Leukemia	0.0	0.0	49.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	49.8	0
Acute Myeloid Leukemia	0.0	0.0	49.8	0
Acute Monocytic Leukemia	0.0	0.0	49.8	0
Chronic Myeloid Leukemia	0.0	0.0	49.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	49.8	0
Other Leukemia	0.0	0.0	49.8	0
Other Acute Leukemia	0.0	0.0	49.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	49.8	0
Mesothelioma	^	^	^	^
Kaposi Sarcoma	0.0	0.0	49.8	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	223.1	97.4	426.4	9
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	83.8	0
Tongue	0.0	0.0	83.8	0
Salivary Gland	0.0	0.0	83.8	0
Floor of Mouth	0.0	0.0	83.8	0
Gum and Other Mouth	0.0	0.0	83.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	83.8	0
Oropharynx	0.0	0.0	83.8	0
Hypopharynx	0.0	0.0	83.8	0
Other Oral Cavity and Pharynx	0.0	0.0	83.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	83.8	0
Stomach	0.0	0.0	83.8	0
Small Intestine	0.0	0.0	83.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	83.8	0
Appendix	0.0	0.0	83.8	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	83.8	0
Transverse Colon	0.0	0.0	83.8	0
Splenic Flexure	0.0	0.0	83.8	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	83.8	0
Large Intestine, NOS	0.0	0.0	83.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	83.8	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	83.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	83.8	0
Liver	0.0	0.0	83.8	0
Intrahepatic Bile Duct	0.0	0.0	83.8	0
Gallbladder	0.0	0.0	83.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	83.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	83.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	83.8	0
Other Digestive Organs	0.0	0.0	83.8	0
Respiratory System	0.0	0.0	83.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	83.8	0
Larynx	0.0	0.0	83.8	0
Lung and Bronchus	0.0	0.0	83.8	0
Pleura	0.0	0.0	83.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	83.8	0
Bones and Joints	0.0	0.0	83.8	0
Soft Tissue including Heart	0.0	0.0	83.8	0
Skin excluding Basal and Squamous	0.0	0.0	83.8	0
Melanoma of the Skin	0.0	0.0	83.8	0
Other Non-Epithelial Skin	0.0	0.0	83.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	83.8	0
Ureter	0.0	0.0	83.8	0
Other Urinary Organs	0.0	0.0	83.8	0
Eye and Orbit	0.0	0.0	83.8	0
Brain and Other Nervous System	0.0	0.0	83.8	0
Brain	0.0	0.0	83.8	0
Cranial Nerves Other Nervous System	0.0	0.0	83.8	0
Endocrine System	0.0	0.0	83.8	0
Thyroid	0.0	0.0	83.8	0
Other Endocrine including Thymus	0.0	0.0	83.8	0
Lymphoma	0.0	0.0	83.8	0
Hodgkin Lymphoma	0.0	0.0	83.8	0
Hodgkin - Nodal	0.0	0.0	83.8	0
Hodgkin - Extranodal	0.0	0.0	83.8	0
Non-Hodgkin Lymphoma	0.0	0.0	83.8	0
NHL - Nodal	0.0	0.0	83.8	0
NHL - Extranodal	0.0	0.0	83.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	83.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	83.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	83.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	83.8	0
Acute Myeloid Leukemia	0.0	0.0	83.8	0
Acute Monocytic Leukemia	0.0	0.0	83.8	0
Chronic Myeloid Leukemia	0.0	0.0	83.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	83.8	0
Other Leukemia	0.0	0.0	83.8	0
Other Acute Leukemia	0.0	0.0	83.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	83.8	0
Mesothelioma	0.0	0.0	83.8	0
Kaposi Sarcoma	0.0	0.0	83.8	0
Miscellaneous	0.0	0.0	83.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	366.5	237.2	546.6	27
Oral Cavity and Pharynx	0.0	0.0	69.1	0
Lip	0.0	0.0	69.1	0
Tongue	0.0	0.0	69.1	0
Salivary Gland	0.0	0.0	69.1	0
Floor of Mouth	0.0	0.0	69.1	0
Gum and Other Mouth	0.0	0.0	69.1	0
Nasopharynx	0.0	0.0	69.1	0
Tonsil	0.0	0.0	69.1	0
Oropharynx	0.0	0.0	69.1	0
Hypopharynx	0.0	0.0	69.1	0
Other Oral Cavity and Pharynx	0.0	0.0	69.1	0
Digestive System	110.2	46.5	228.1	8
Esophagus	0.0	0.0	69.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	69.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	69.1	0
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	69.1	0
Transverse Colon	0.0	0.0	69.1	0
Splenic Flexure	0.0	0.0	69.1	0
Descending Colon	0.0	0.0	69.1	0
Sigmoid Colon	^	^	^	^
Large Intestine, NOS	0.0	0.0	69.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	^	^	^	^
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	69.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	69.1	0
Liver	0.0	0.0	69.1	0
Intrahepatic Bile Duct	0.0	0.0	69.1	0
Gallbladder	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	69.1	0
Retroperitoneum	0.0	0.0	69.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	69.1	0
Other Digestive Organs	0.0	0.0	69.1	0
Respiratory System	100.7	37.9	220.3	7
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	69.1	0
Lung and Bronchus	76.6	27.1	180.6	6
Pleura	0.0	0.0	69.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	69.1	0
Bones and Joints	0.0	0.0	69.1	0
Soft Tissue including Heart	0.0	0.0	69.1	0
Skin excluding Basal and Squamous	0.0	0.0	69.1	0
Melanoma of the Skin	0.0	0.0	69.1	0
Other Non-Epithelial Skin	0.0	0.0	69.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	69.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	69.1	0
Other Urinary Organs	0.0	0.0	69.1	0
Eye and Orbit	0.0	0.0	69.1	0
Brain and Other Nervous System	0.0	0.0	69.1	0
Brain	0.0	0.0	69.1	0
Cranial Nerves Other Nervous System	0.0	0.0	69.1	0
Endocrine System	0.0	0.0	69.1	0
Thyroid	0.0	0.0	69.1	0
Other Endocrine including Thymus	0.0	0.0	69.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	69.1	0
Hodgkin - Nodal	0.0	0.0	69.1	0
Hodgkin - Extranodal	0.0	0.0	69.1	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	0.0	0.0	69.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	69.1	0
Leukemia	0.0	0.0	69.1	0
Lymphocytic Leukemia	0.0	0.0	69.1	0
Acute Lymphocytic Leukemia	0.0	0.0	69.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	69.1	0
Other Lymphocytic Leukemia	0.0	0.0	69.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	69.1	0
Acute Myeloid Leukemia	0.0	0.0	69.1	0
Acute Monocytic Leukemia	0.0	0.0	69.1	0
Chronic Myeloid Leukemia	0.0	0.0	69.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	69.1	0
Other Leukemia	0.0	0.0	69.1	0
Other Acute Leukemia	0.0	0.0	69.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	69.1	0
Mesothelioma	0.0	0.0	69.1	0
Kaposi Sarcoma	0.0	0.0	69.1	0
Miscellaneous	0.0	0.0	69.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	706.3	0
Lip	0.0	0.0	706.3	0
Tongue	0.0	0.0	706.3	0
Salivary Gland	0.0	0.0	706.3	0
Floor of Mouth	0.0	0.0	706.3	0
Gum and Other Mouth	0.0	0.0	706.3	0
Nasopharynx	0.0	0.0	706.3	0
Tonsil	0.0	0.0	706.3	0
Oropharynx	0.0	0.0	706.3	0
Hypopharynx	0.0	0.0	706.3	0
Other Oral Cavity and Pharynx	0.0	0.0	706.3	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	706.3	0
Small Intestine	0.0	0.0	706.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	^	^	^	^
Appendix	0.0	0.0	706.3	0
Ascending Colon	0.0	0.0	706.3	0
Hepatic Flexure	0.0	0.0	706.3	0
Transverse Colon	0.0	0.0	706.3	0
Splenic Flexure	0.0	0.0	706.3	0
Descending Colon	0.0	0.0	706.3	0
Sigmoid Colon	0.0	0.0	706.3	0
Large Intestine, NOS	0.0	0.0	706.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	706.3	0
Rectosigmoid Junction	0.0	0.0	706.3	0
Rectum	0.0	0.0	706.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	706.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	706.3	0
Liver	0.0	0.0	706.3	0
Intrahepatic Bile Duct	0.0	0.0	706.3	0
Gallbladder	0.0	0.0	706.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	706.3	0
Pancreas	0.0	0.0	706.3	0
Retroperitoneum	0.0	0.0	706.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	706.3	0
Other Digestive Organs	0.0	0.0	706.3	0
Respiratory System	0.0	0.0	706.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	706.3	0
Larynx	0.0	0.0	706.3	0
Lung and Bronchus	0.0	0.0	706.3	0
Pleura	0.0	0.0	706.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	706.3	0
Bones and Joints	0.0	0.0	706.3	0
Soft Tissue including Heart	0.0	0.0	706.3	0
Skin excluding Basal and Squamous	0.0	0.0	706.3	0
Melanoma of the Skin	0.0	0.0	706.3	0
Other Non-Epithelial Skin	0.0	0.0	706.3	0
Urinary System	0.0	0.0	706.3	0
Urinary Bladder	0.0	0.0	706.3	0
Kidney and Renal Pelvis	0.0	0.0	706.3	0
Ureter	0.0	0.0	706.3	0
Other Urinary Organs	0.0	0.0	706.3	0
Eye and Orbit	0.0	0.0	706.3	0
Brain and Other Nervous System	0.0	0.0	706.3	0
Brain	0.0	0.0	706.3	0
Cranial Nerves Other Nervous System	0.0	0.0	706.3	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	706.3	0
Lymphoma	0.0	0.0	706.3	0
Hodgkin Lymphoma	0.0	0.0	706.3	0
Hodgkin - Nodal	0.0	0.0	706.3	0
Hodgkin - Extranodal	0.0	0.0	706.3	0
Non-Hodgkin Lymphoma	0.0	0.0	706.3	0
NHL - Nodal	0.0	0.0	706.3	0
NHL - Extranodal	0.0	0.0	706.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	706.3	0
Leukemia	0.0	0.0	706.3	0
Lymphocytic Leukemia	0.0	0.0	706.3	0
Acute Lymphocytic Leukemia	0.0	0.0	706.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	706.3	0
Other Lymphocytic Leukemia	0.0	0.0	706.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	706.3	0
Acute Myeloid Leukemia	0.0	0.0	706.3	0
Acute Monocytic Leukemia	0.0	0.0	706.3	0
Chronic Myeloid Leukemia	0.0	0.0	706.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	706.3	0
Other Leukemia	0.0	0.0	706.3	0
Other Acute Leukemia	0.0	0.0	706.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	706.3	0
Mesothelioma	0.0	0.0	706.3	0
Kaposi Sarcoma	0.0	0.0	706.3	0
Miscellaneous	0.0	0.0	706.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Sites	315.3	180.2	512.9	18
Oral Cavity and Pharynx	0.0	0.0	76.7	0
Lip	0.0	0.0	76.7	0
Tongue	0.0	0.0	76.7	0
Salivary Gland	0.0	0.0	76.7	0
Floor of Mouth	0.0	0.0	76.7	0
Gum and Other Mouth	0.0	0.0	76.7	0
Nasopharynx	0.0	0.0	76.7	0
Tonsil	0.0	0.0	76.7	0
Oropharynx	0.0	0.0	76.7	0
Hypopharynx	0.0	0.0	76.7	0
Other Oral Cavity and Pharynx	0.0	0.0	76.7	0
Digestive System	129.5	48.0	278.7	7
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	76.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Cecum	0.0	0.0	76.7	0
Appendix	^	^	^	^
Ascending Colon	^	^	^	^
Hepatic Flexure	0.0	0.0	76.7	0
Transverse Colon	0.0	0.0	76.7	0
Splenic Flexure	0.0	0.0	76.7	0
Descending Colon	^	^	^	^
Sigmoid Colon	0.0	0.0	76.7	0
Large Intestine, NOS	0.0	0.0	76.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Rectosigmoid Junction	0.0	0.0	76.7	0
Rectum	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	76.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	76.7	0
Liver	0.0	0.0	76.7	0
Intrahepatic Bile Duct	0.0	0.0	76.7	0
Gallbladder	0.0	0.0	76.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Other Biliary	0.0	0.0	76.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	76.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	76.7	0
Other Digestive Organs	0.0	0.0	76.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	76.7	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	76.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	76.7	0
Bones and Joints	0.0	0.0	76.7	0
Soft Tissue including Heart	0.0	0.0	76.7	0
Skin excluding Basal and Squamous	0.0	0.0	76.7	0
Melanoma of the Skin	0.0	0.0	76.7	0
Other Non-Epithelial Skin	0.0	0.0	76.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	76.7	0
Ureter	0.0	0.0	76.7	0
Other Urinary Organs	0.0	0.0	76.7	0
Eye and Orbit	0.0	0.0	76.7	0
Brain and Other Nervous System	0.0	0.0	76.7	0
Brain	0.0	0.0	76.7	0
Cranial Nerves Other Nervous System	0.0	0.0	76.7	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	76.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	76.7	0
Hodgkin - Nodal	0.0	0.0	76.7	0
Hodgkin - Extranodal	0.0	0.0	76.7	0
Non-Hodgkin Lymphoma	^	^	^	^
NHL - Nodal	^	^	^	^
NHL - Extranodal	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area

2006/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Myeloma	0.0	0.0	76.7	0
Leukemia	0.0	0.0	76.7	0
Lymphocytic Leukemia	0.0	0.0	76.7	0
Acute Lymphocytic Leukemia	0.0	0.0	76.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	76.7	0
Other Lymphocytic Leukemia	0.0	0.0	76.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	76.7	0
Acute Myeloid Leukemia	0.0	0.0	76.7	0
Acute Monocytic Leukemia	0.0	0.0	76.7	0
Chronic Myeloid Leukemia	0.0	0.0	76.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	76.7	0
Other Leukemia	0.0	0.0	76.7	0
Other Acute Leukemia	0.0	0.0	76.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	76.7	0
Mesothelioma	0.0	0.0	76.7	0
Kaposi Sarcoma	0.0	0.0	76.7	0
Miscellaneous	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.