Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Session Type: Rate

Suggested Citation

Software: Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.5.2.
Data: Alaska Cancer Registry SEER*Stat Database - Incidence data for diagnosis years 1996 to 2006. Released May 2009. Alaska population data for rate calculations are from the SEER program (http://www.seer.cancer.gov/popdata/) and include populations by borough/census area, expanded races, and Hispanic origin.

Data

Database: ACR w/Borough, Race, & Hispanic Pops (1996-2006), May 2009

Statistic

Statistic: Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)
P-Values: .05
Options: Display Confidence Intervals (Tiwari mod) and Standard Errors

Selection

Select Only: Malignant Behavior, Known Age, Male or Female Sex

Table

Page: Year of diagnosis
County at DX - County Names-no Total [County at DX]

Row: Site rec with Kaposi and mesothelioma

Column: Sex - M & F only [Sex]

Output

Title: Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex
Suppress: Statistics based on fewer than 6 cases
Display Rates as: Cases per 100,000
Precision: 1 decimal place (default)

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	343.9	173.8	595.5	27	356.2	183.3	605.6	24
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	73.6	0
Lip	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Tongue	^	^	^	^	0.0	0.0	73.6	0
Salivary Gland	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Floor of Mouth	^	^	^	^	0.0	0.0	73.6	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	73.6	0
Nasopharynx	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Tonsil	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Oropharynx	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Hypopharynx	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Other Oral Cavity and Pharynx	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Colon and Rectum	^	^	^	^	0.0	0.0	73.6	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	73.6	0
Cecum	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Appendix	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Ascending Colon	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Hepatic Flexure	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Transverse Colon	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Splenic Flexure	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Descending Colon	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	73.6	0
Large Intestine, NOS	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	73.6	0
Rectosigmoid Junction	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Rectum	^	^	^	^	0.0	0.0	73.6	0
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	73.6	0
Liver	^	^	^	^	0.0	0.0	73.6	0
Intrahepatic Bile Duct	0.0	0.0	96.4	0	0.0	0.0	73.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Other Biliary	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Pancreas	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Retroperitoneum	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Other Digestive Organs	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Respiratory System	97.0	18.5	269.6	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	73.6	0
Larynx	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Bones and Joints	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	73.6	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	0.0	0.0	73.6	0
Other Non-Epithelial Skin	0.0	0.0	96.4	0	^	^	^	^
Breast	0.0	0.0	96.4	0	67.5	28.6	156.7	8
Female Genital System	0.0	0.0	96.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Corpus and Uterus, NOS	0.0	0.0	96.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	96.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Ovary	0.0	0.0	96.4	0	^	^	^	^
Vagina	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Vulva	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Other Female Genital Organs	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Male Genital System	^	^	^	^	0.0	0.0	73.6	0
Prostate	^	^	^	^	0.0	0.0	73.6	0
Testis	^	^	^	^	0.0	0.0	73.6	0
Penis	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Other Male Genital Organs	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	73.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	96.4	0	^	^	^	^
Ureter	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Other Urinary Organs	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Eye and Orbit	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	73.6	0
Brain	^	^	^	^	0.0	0.0	73.6	0
Cranial Nerves Other Nervous System	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Endocrine System	0.0	0.0	96.4	0	^	^	^	^
Thyroid	0.0	0.0	96.4	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Hodgkin - Nodal	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Hodgkin - Extranodal	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	0.0	0.0	96.4	0	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	73.6	0
Myeloma	^	^	^	^	0.0	0.0	73.6	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	96.4	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	96.4	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Other Lymphocytic Leukemia	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	73.6	0
Acute Myeloid Leukemia	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Acute Monocytic Leukemia	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	73.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Other Leukemia	^	^	^	^	0.0	0.0	73.6	0
Other Acute Leukemia	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	73.6	0
Mesothelioma	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Kaposi Sarcoma	0.0	0.0	96.4	0	0.0	0.0	73.6	0
Miscellaneous	0.0	0.0	96.4	0	0.0	0.0	73.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	442.0	256.5	693.3	56	412.7	290.4	569.0	59
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Tongue	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Salivary Gland	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Floor of Mouth	^	^	^	^	0.0	0.0	49.6	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	49.6	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Hypopharynx	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Oral Cavity and Pharynx	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Digestive System	148.4	73.1	272.8	19	147.4	65.1	276.2	12
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	74.9	0	^	^	^	^
Small Intestine	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Colon and Rectum	116.7	50.6	234.1	15	69.8	22.6	159.5	6
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Ascending Colon	0.0	0.0	74.9	0	^	^	^	^
Hepatic Flexure	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Transverse Colon	0.0	0.0	74.9	0	^	^	^	^
Splenic Flexure	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Descending Colon	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Rectum and Rectosigmoid Junction	74.0	26.8	173.0	10	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	49.6	0
Rectum	46.1	11.9	135.7	7	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	49.6	0
Liver	^	^	^	^	0.0	0.0	49.6	0
Intrahepatic Bile Duct	0.0	0.0	74.9	0	0.0	0.0	49.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Biliary	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Digestive Organs	0.0	0.0	74.9	0	^	^	^	^
Respiratory System	63.6	20.4	160.3	12	113.1	55.6	206.4	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	74.9	0	^	^	^	^
Larynx	0.0	0.0	74.9	0	^	^	^	^
Lung and Bronchus	63.6	20.4	160.3	12	94.9	42.0	185.3	10
Pleura	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Bones and Joints	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Soft Tissue including Heart	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	49.6	0
Breast	0.0	0.0	74.9	0	99.8	57.5	171.6	21
Female Genital System	0.0	0.0	74.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Corpus and Uterus, NOS	0.0	0.0	74.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	74.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Ovary	0.0	0.0	74.9	0	^	^	^	^
Vagina	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Vulva	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Female Genital Organs	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Male Genital System	^	^	^	^	0.0	0.0	49.6	0
Prostate	^	^	^	^	0.0	0.0	49.6	0
Testis	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Penis	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Male Genital Organs	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	74.9	0	0.0	0.0	49.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Urinary Organs	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Eye and Orbit	^	^	^	^	0.0	0.0	49.6	0
Brain and Other Nervous System	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Brain	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Cranial Nerves Other Nervous System	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Endocrine System	0.0	0.0	74.9	0	^	^	^	^
Thyroid	0.0	0.0	74.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Hodgkin - Nodal	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Hodgkin - Extranodal	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	49.6	0
Myeloma	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	74.9	0	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	49.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	49.6	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	49.6	0
Acute Monocytic Leukemia	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Chronic Myeloid Leukemia	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Leukemia	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Other Acute Leukemia	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Mesothelioma	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Kaposi Sarcoma	0.0	0.0	74.9	0	0.0	0.0	49.6	0
Miscellaneous	^	^	^	^	0.0	0.0	49.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	584.6	565.5	604.1	4,860	440.6	427.2	454.4	4,648
Oral Cavity and Pharynx	16.7	13.8	19.9	158	6.0	4.5	7.7	63
Lip	1.8	0.8	3.3	12	^	^	^	^
Tongue	4.3	3.0	6.0	42	1.5	0.8	2.5	15
Salivary Gland	1.6	0.8	3.0	11	0.9	0.4	1.7	11
Floor of Mouth	1.6	0.8	2.7	15	0.5	0.2	1.2	6
Gum and Other Mouth	1.4	0.6	2.8	11	0.7	0.3	1.5	7
Nasopharynx	1.4	0.8	2.5	16	1.2	0.6	2.1	12
Tonsil	2.4	1.6	3.7	29	^	^	^	^
Oropharynx	1.0	0.4	2.0	9	^	^	^	^
Hypopharynx	0.7	0.3	1.5	7	^	^	^	^
Other Oral Cavity and Pharynx	0.5	0.2	1.2	6	^	^	^	^
Digestive System	110.2	101.8	119.1	884	77.1	71.2	83.3	713
Esophagus	8.0	6.0	10.4	70	2.0	1.1	3.1	19
Stomach	12.2	9.4	15.5	89	6.3	4.7	8.3	57
Small Intestine	1.8	1.0	3.0	19	2.0	1.1	3.2	19
Colon and Rectum	55.6	49.7	62.0	435	43.3	38.8	48.0	396
Colon excluding Rectum	39.0	33.9	44.5	287	32.7	28.8	36.9	282
Cecum	8.0	5.6	10.8	53	8.4	6.4	10.6	68
Appendix	0.6	0.3	1.2	9	^	^	^	^
Ascending Colon	6.6	4.6	9.0	45	5.5	3.9	7.4	44
Hepatic Flexure	1.8	1.0	3.0	16	1.8	0.9	2.9	14
Transverse Colon	3.1	1.8	5.0	21	3.0	1.9	4.4	25
Splenic Flexure	1.2	0.5	2.3	9	0.9	0.4	1.8	8
Descending Colon	2.3	1.2	3.7	19	0.8	0.4	1.6	9
Sigmoid Colon	13.0	10.1	16.3	91	9.1	7.1	11.4	83
Large Intestine, NOS	2.6	1.6	4.0	24	2.9	1.8	4.2	27
Rectum and Rectosigmoid Junction	16.6	13.6	20.1	148	10.6	8.6	12.9	114
Rectosigmoid Junction	4.7	3.1	6.7	36	2.4	1.5	3.5	25
Rectum	12.0	9.5	14.8	112	8.2	6.5	10.3	89
Anus, Anal Canal and Anorectum	1.0	0.5	2.0	10	3.1	2.1	4.4	35
Liver and Intrahepatic Bile Duct	13.3	10.5	16.6	117	5.4	4.0	7.2	53
Liver	12.4	9.7	15.5	108	4.8	3.5	6.5	46
Intrahepatic Bile Duct	1.0	0.3	2.1	9	0.6	0.2	1.3	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	1.3	0.4	2.9	7	1.3	0.6	2.3	9
Other Biliary	1.5	0.7	2.9	10	1.4	0.7	2.4	13
Pancreas	12.4	9.7	15.5	102	9.8	7.7	12.2	86
Retroperitoneum	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	0.5	0	1.0	0.5	1.9	10
Other Digestive Organs	2.7	1.5	4.4	20	1.5	0.8	2.5	14
Respiratory System	96.6	88.9	104.8	754	66.5	61.0	72.3	589
Nose, Nasal Cavity and Middle Ear	0.7	0.2	1.6	6	1.0	0.5	1.8	11
Larynx	7.1	5.3	9.4	60	0.8	0.3	1.5	8
Lung and Bronchus	88.2	80.8	96.1	683	64.5	59.1	70.3	568
Pleura	0.0	0.0	0.5	0	0.0	0.0	0.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^
Bones and Joints	0.8	0.4	1.5	13	0.8	0.4	1.5	12
Soft Tissue including Heart	3.9	2.6	5.5	44	3.6	2.5	4.9	43
Skin excluding Basal and Squamous	15.6	13.0	18.7	173	11.7	9.8	14.0	141
Melanoma of the Skin	13.1	10.8	15.8	150	11.0	9.1	13.2	132
Other Non-Epithelial Skin	2.5	1.4	4.1	23	0.7	0.3	1.5	9
Breast	0.9	0.4	1.7	10	144.3	136.9	151.9	1,634
Female Genital System	0.0	0.0	0.5	0	46.7	42.6	51.2	537
Cervix Uteri	0.0	0.0	0.5	0	8.1	6.5	9.8	108
Corpus and Uterus, NOS	0.0	0.0	0.5	0	21.3	18.5	24.4	241
Corpus Uteri	0.0	0.0	0.5	0	20.5	17.8	23.5	233
Uterus, NOS	0.0	0.0	0.5	0	0.8	0.3	1.7	8
Ovary	0.0	0.0	0.5	0	13.4	11.2	15.9	147
Vagina	0.0	0.0	0.5	0	1.0	0.5	1.9	10
Vulva	0.0	0.0	0.5	0	2.1	1.2	3.2	21
Other Female Genital Organs	0.0	0.0	0.5	0	0.9	0.4	1.7	10
Male Genital System	179.1	168.8	189.9	1,474	0.0	0.0	0.3	0
Prostate	172.3	162.1	183.0	1,370	0.0	0.0	0.3	0
Testis	5.6	4.5	7.0	92	0.0	0.0	0.3	0
Penis	0.9	0.4	1.9	9	0.0	0.0	0.3	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	0.3	0
Urinary System	71.9	64.9	79.3	531	18.3	15.5	21.4	172
Urinary Bladder	51.2	45.0	57.8	332	8.3	6.4	10.5	72

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	19.8	16.7	23.4	192	9.1	7.2	11.2	93
Ureter	0.7	0.2	1.5	6	^	^	^	^
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	1.1	0.6	2.0	14	^	^	^	^
Brain and Other Nervous System	7.4	5.7	9.5	84	5.7	4.4	7.4	70
Brain	7.1	5.4	9.2	80	5.4	4.1	7.0	66
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	6.2	4.8	7.9	81	16.3	14.1	18.7	226
Thyroid	5.7	4.4	7.4	75	15.3	13.3	17.6	216
Other Endocrine including Thymus	0.5	0.2	1.1	6	0.9	0.4	1.8	10
Lymphoma	26.7	23.0	30.8	266	20.1	17.3	23.2	216
Hodgkin Lymphoma	4.4	3.2	5.9	56	2.0	1.3	2.9	29
Hodgkin - Nodal	4.4	3.2	5.9	56	1.9	1.3	2.9	28
Hodgkin - Extranodal	0.0	0.0	0.5	0	^	^	^	^
Non-Hodgkin Lymphoma	22.3	18.8	26.2	210	18.1	15.4	21.1	187
NHL - Nodal	16.2	13.2	19.5	153	12.9	10.6	15.4	132
NHL - Extranodal	6.1	4.3	8.3	57	5.2	3.8	6.9	55
Myeloma	8.1	6.1	10.5	70	3.9	2.7	5.5	37
Leukemia	17.7	14.6	21.2	161	10.9	8.8	13.3	113
Lymphocytic Leukemia	10.7	8.2	13.6	93	4.6	3.3	6.3	45
Acute Lymphocytic Leukemia	1.7	1.0	2.8	23	1.1	0.6	1.8	16
Chronic Lymphocytic Leukemia	8.0	5.8	10.7	60	3.3	2.1	4.8	27
Other Lymphocytic Leukemia	1.0	0.4	1.9	10	^	^	^	^
Myeloid and Monocytic Leukemia	6.2	4.5	8.4	60	5.9	4.5	7.7	64
Acute Myeloid Leukemia	3.3	2.0	5.0	30	3.4	2.2	4.8	34
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	2.4	1.4	3.8	24	1.9	1.2	3.0	22
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^
Other Leukemia	0.8	0.3	1.6	8	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	5.0	3.0	7.6	24	^	^	^	^
Kaposi Sarcoma	0.5	0.2	1.2	9	^	^	^	^
Miscellaneous	16.2	12.7	20.2	110	8.1	6.3	10.3	74

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	417.4	354.8	486.7	190	401.2	342.5	466.4	199
Oral Cavity and Pharynx	8.6	3.0	19.6	6	^	^	^	^
Lip	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Tongue	0.0	0.0	6.8	0	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Gum and Other Mouth	0.0	0.0	6.8	0	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	7.1	0
Oropharynx	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Hypopharynx	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Other Oral Cavity and Pharynx	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Digestive System	158.5	120.3	203.6	69	186.1	144.7	234.4	80
Esophagus	^	^	^	^	^	^	^	^
Stomach	36.7	19.5	61.1	15	10.5	4.1	22.4	7
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	75.4	49.9	107.9	33	127.8	93.8	168.7	54
Colon excluding Rectum	60.9	37.9	91.1	25	107.9	76.5	146.5	44
Cecum	^	^	^	^	46.3	25.4	75.4	15
Appendix	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	7.1	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	7.1	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	18.7	8.4	35.2	10	35.1	20.0	56.4	18
Large Intestine, NOS	^	^	^	^	0.0	0.0	7.1	0
Rectum and Rectosigmoid Junction	14.5	5.5	29.9	8	19.8	8.9	37.4	10
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	11.0	4.0	23.8	7	17.1	7.2	33.5	9
Anus, Anal Canal and Anorectum	0.0	0.0	6.8	0	^	^	^	^
Liver and Intrahepatic Bile Duct	12.2	3.9	27.3	6	^	^	^	^
Liver	12.2	3.9	27.3	6	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.8	0	0.0	0.0	7.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	6.8	0	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	20.5	8.2	40.4	8	14.8	4.9	32.4	6
Retroperitoneum	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Other Digestive Organs	0.0	0.0	6.8	0	^	^	^	^
Respiratory System	116.5	83.5	156.7	46	35.1	18.9	58.3	15
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	0.0	0.0	6.8	0	^	^	^	^
Lung and Bronchus	113.8	81.1	153.8	44	31.4	16.0	54.0	13
Pleura	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	7.1	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	7.1	0
Other Non-Epithelial Skin	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Breast	0.0	0.0	6.8	0	68.4	47.4	95.1	39
Female Genital System	0.0	0.0	6.8	0	37.3	23.3	56.8	24
Cervix Uteri	0.0	0.0	6.8	0	11.5	3.9	25.4	7
Corpus and Uterus, NOS	0.0	0.0	6.8	0	15.6	7.5	29.1	10
Corpus Uteri	0.0	0.0	6.8	0	15.6	7.5	29.1	10
Uterus, NOS	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Ovary	0.0	0.0	6.8	0	9.1	3.3	20.7	6
Vagina	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Vulva	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Other Female Genital Organs	0.0	0.0	6.8	0	^	^	^	^
Male Genital System	31.8	16.5	53.9	15	0.0	0.0	7.1	0
Prostate	23.6	10.6	43.8	10	0.0	0.0	7.1	0
Testis	^	^	^	^	0.0	0.0	7.1	0
Penis	^	^	^	^	0.0	0.0	7.1	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	7.1	0
Urinary System	42.0	23.5	67.5	17	18.9	7.2	38.3	7
Urinary Bladder	14.2	4.7	30.7	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	27.8	13.3	49.6	11	15.5	5.3	33.2	6
Ureter	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Other Urinary Organs	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Eye and Orbit	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.8	0	^	^	^	^
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	7.1	0
Lymphoma	^	^	^	^	15.4	6.3	30.9	9
Hodgkin Lymphoma	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Hodgkin - Nodal	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Hodgkin - Extranodal	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Non-Hodgkin Lymphoma	^	^	^	^	15.4	6.3	30.9	9
NHL - Nodal	^	^	^	^	12.7	4.4	27.7	7
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	7.1	0
Leukemia	9.6	3.2	21.9	7	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	7.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	7.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Other Leukemia	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Other Acute Leukemia	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Mesothelioma	^	^	^	^	0.0	0.0	7.1	0
Kaposi Sarcoma	0.0	0.0	6.8	0	0.0	0.0	7.1	0
Miscellaneous	25.5	12.2	45.6	12	16.3	6.1	33.7	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	472.5	286.8	757.0	26	216.9	81.3	462.2	10
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	130.2	0
Lip	^	^	^	^	0.0	0.0	130.2	0
Tongue	^	^	^	^	0.0	0.0	130.2	0
Salivary Gland	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Floor of Mouth	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Gum and Other Mouth	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Nasopharynx	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Tonsil	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Oropharynx	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Hypopharynx	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Oral Cavity and Pharynx	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Digestive System	111.6	39.9	299.7	7	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	130.2	0
Stomach	0.0	0.0	168.7	0	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	130.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Ascending Colon	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Hepatic Flexure	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Transverse Colon	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Splenic Flexure	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Descending Colon	^	^	^	^	0.0	0.0	130.2	0
Sigmoid Colon	^	^	^	^	0.0	0.0	130.2	0
Large Intestine, NOS	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	168.7	0	^	^	^	^
Liver	0.0	0.0	168.7	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	168.7	0	0.0	0.0	130.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Biliary	0.0	0.0	168.7	0	^	^	^	^
Pancreas	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Retroperitoneum	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Digestive Organs	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Larynx	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Bones and Joints	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	130.2	0
Skin excluding Basal and Squamous	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Melanoma of the Skin	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Non-Epithelial Skin	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Breast	0.0	0.0	168.7	0	^	^	^	^
Female Genital System	0.0	0.0	168.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Corpus and Uterus, NOS	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Corpus Uteri	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Uterus, NOS	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Ovary	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Vagina	0.0	0.0	168.7	0	^	^	^	^
Vulva	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Female Genital Organs	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Male Genital System	173.8	59.6	411.3	8	0.0	0.0	130.2	0
Prostate	173.8	59.6	411.3	8	0.0	0.0	130.2	0
Testis	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Penis	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Male Genital Organs	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Urinary System	^	^	^	^	0.0	0.0	130.2	0
Urinary Bladder	^	^	^	^	0.0	0.0	130.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	130.2	0
Ureter	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Urinary Organs	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Eye and Orbit	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Brain and Other Nervous System	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Brain	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Cranial Nerves Other Nervous System	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Lymphoma	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Hodgkin Lymphoma	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Hodgkin - Nodal	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Hodgkin - Extranodal	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Non-Hodgkin Lymphoma	0.0	0.0	168.7	0	0.0	0.0	130.2	0
NHL - Nodal	0.0	0.0	168.7	0	0.0	0.0	130.2	0
NHL - Extranodal	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Myeloma	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Lymphocytic Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Acute Lymphocytic Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Lymphocytic Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Acute Myeloid Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Acute Monocytic Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Chronic Myeloid Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Other Acute Leukemia	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Mesothelioma	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Kaposi Sarcoma	0.0	0.0	168.7	0	0.0	0.0	130.2	0
Miscellaneous	^	^	^	^	0.0	0.0	130.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	634.4	400.8	939.2	39	411.6	229.6	698.5	28
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	^	^	^	^	0.0	0.0	169.2	0
Tongue	0.0	0.0	73.1	0	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	169.2	0
Floor of Mouth	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Gum and Other Mouth	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Nasopharynx	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Tonsil	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Oropharynx	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Hypopharynx	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Other Oral Cavity and Pharynx	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Digestive System	79.1	25.3	190.7	7	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	169.2	0
Stomach	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Small Intestine	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	73.1	0	^	^	^	^
Appendix	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Ascending Colon	0.0	0.0	73.1	0	^	^	^	^
Hepatic Flexure	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Transverse Colon	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Splenic Flexure	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Descending Colon	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	169.2	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	169.2	0
Rectum	^	^	^	^	0.0	0.0	169.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	73.1	0	^	^	^	^
Liver	0.0	0.0	73.1	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	73.1	0	0.0	0.0	169.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	169.2	0
Other Biliary	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Pancreas	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Retroperitoneum	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Other Digestive Organs	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Respiratory System	100.2	28.4	240.4	6	0.0	0.0	169.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Larynx	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Lung and Bronchus	100.2	28.4	240.4	6	0.0	0.0	169.2	0
Pleura	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Bones and Joints	^	^	^	^	0.0	0.0	169.2	0
Soft Tissue including Heart	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Breast	0.0	0.0	73.1	0	165.1	46.8	416.9	11
Female Genital System	0.0	0.0	73.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	73.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	73.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	73.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Ovary	0.0	0.0	73.1	0	^	^	^	^
Vagina	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Vulva	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Other Female Genital Organs	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Male Genital System	262.6	112.6	494.4	13	0.0	0.0	169.2	0
Prostate	253.2	105.1	484.9	12	0.0	0.0	169.2	0
Testis	^	^	^	^	0.0	0.0	169.2	0
Penis	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Other Male Genital Organs	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	169.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Other Urinary Organs	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Eye and Orbit	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	169.2	0
Brain	^	^	^	^	0.0	0.0	169.2	0
Cranial Nerves Other Nervous System	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Lymphoma	^	^	^	^	0.0	0.0	169.2	0
Hodgkin Lymphoma	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Hodgkin - Nodal	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Hodgkin - Extranodal	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	169.2	0
NHL - Nodal	^	^	^	^	0.0	0.0	169.2	0
NHL - Extranodal	^	^	^	^	0.0	0.0	169.2	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	0.0	0.0	73.1	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	73.1	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	73.1	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Acute Myeloid Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Acute Monocytic Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Chronic Myeloid Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Other Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Other Acute Leukemia	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Mesothelioma	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Kaposi Sarcoma	0.0	0.0	73.1	0	0.0	0.0	169.2	0
Miscellaneous	0.0	0.0	73.1	0	0.0	0.0	169.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	474.3	370.3	596.7	83	459.8	355.7	582.7	75
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	20.2	0
Lip	^	^	^	^	0.0	0.0	20.2	0
Tongue	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Salivary Gland	^	^	^	^	0.0	0.0	20.2	0
Floor of Mouth	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	20.2	0
Nasopharynx	^	^	^	^	0.0	0.0	20.2	0
Tonsil	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Oropharynx	^	^	^	^	0.0	0.0	20.2	0
Hypopharynx	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Oral Cavity and Pharynx	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Digestive System	191.2	128.1	272.8	34	200.8	130.6	291.7	28
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	20.2	0
Colon and Rectum	118.3	67.9	188.7	18	123.3	70.1	197.3	17
Colon excluding Rectum	97.8	51.7	164.7	14	96.0	50.9	161.3	14
Cecum	^	^	^	^	0.0	0.0	20.2	0
Appendix	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Descending Colon	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Sigmoid Colon	47.2	17.9	97.3	7	51.7	21.2	102.3	8
Large Intestine, NOS	^	^	^	^	0.0	0.0	20.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	0.0	0.0	20.2	0
Intrahepatic Bile Duct	0.0	0.0	21.3	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	0.0	0.0	21.3	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Digestive Organs	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Respiratory System	95.3	51.1	159.5	15	63.6	27.8	120.2	9
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	20.2	0
Larynx	^	^	^	^	0.0	0.0	20.2	0
Lung and Bronchus	79.7	41.0	137.6	13	63.6	27.8	120.2	9
Pleura	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Bones and Joints	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Soft Tissue including Heart	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Skin excluding Basal and Squamous	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Melanoma of the Skin	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Non-Epithelial Skin	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Breast	0.0	0.0	21.3	0	131.3	82.7	196.9	25
Female Genital System	0.0	0.0	21.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Corpus and Uterus, NOS	0.0	0.0	21.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	21.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Ovary	0.0	0.0	21.3	0	^	^	^	^
Vagina	0.0	0.0	21.3	0	^	^	^	^
Vulva	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Female Genital Organs	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Male Genital System	89.1	45.1	154.2	14	0.0	0.0	20.2	0
Prostate	84.7	41.6	149.2	13	0.0	0.0	20.2	0
Testis	^	^	^	^	0.0	0.0	20.2	0
Penis	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Male Genital Organs	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Urinary System	40.1	15.3	83.9	7	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Urinary Organs	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Eye and Orbit	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	20.2	0
Brain	^	^	^	^	0.0	0.0	20.2	0
Cranial Nerves Other Nervous System	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Hodgkin - Nodal	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Hodgkin - Extranodal	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	0.0	0.0	21.3	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Acute Lymphocytic Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Lymphocytic Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	21.3	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	21.3	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Chronic Myeloid Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Other Acute Leukemia	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Mesothelioma	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Kaposi Sarcoma	0.0	0.0	21.3	0	0.0	0.0	20.2	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	581.4	548.1	616.0	1,513	445.4	419.3	472.6	1,285
Oral Cavity and Pharynx	17.4	12.1	23.9	50	9.0	5.4	13.7	22
Lip	^	^	^	^	^	^	^	^
Tongue	3.5	1.5	6.7	11	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	1.8	0.6	4.1	6	^	^	^	^
Tonsil	2.8	1.2	5.5	11	^	^	^	^
Oropharynx	^	^	^	^	0.0	0.0	1.2	0
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.2	0
Digestive System	105.9	91.5	121.6	255	79.5	68.1	92.2	196
Esophagus	9.9	6.4	14.6	31	3.2	1.2	6.6	7
Stomach	8.7	5.0	13.9	21	2.5	1.0	5.1	8
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	57.0	46.6	68.7	134	50.5	41.4	60.8	123
Colon excluding Rectum	42.6	33.3	53.5	88	37.3	29.4	46.5	87
Cecum	6.1	3.1	10.6	14	10.4	6.4	15.6	24
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	6.6	3.2	11.7	12	6.9	3.7	11.4	15
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	3.3	1.2	7.1	6	3.2	1.3	6.5	7
Sigmoid Colon	16.1	10.6	23.1	34	8.9	5.4	13.7	22
Large Intestine, NOS	5.2	2.2	9.9	10	2.1	0.8	4.5	7
Rectum and Rectosigmoid Junction	14.3	10.1	19.7	46	13.2	9.0	18.5	36
Rectosigmoid Junction	4.8	2.3	8.8	13	2.7	1.1	5.3	8
Rectum	9.5	6.3	13.7	33	10.5	6.8	15.5	28
Anus, Anal Canal and Anorectum	^	^	^	^	2.1	0.7	4.6	6
Liver and Intrahepatic Bile Duct	11.4	6.9	17.3	28	3.8	1.7	7.1	11
Liver	11.4	6.9	17.3	28	3.0	1.2	6.0	9
Intrahepatic Bile Duct	0.0	0.0	1.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	14.8	9.4	21.7	29	13.3	8.8	18.9	32
Retroperitoneum	^	^	^	^	0.0	0.0	1.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.5	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	87.7	75.0	101.8	215	70.9	60.2	82.9	173
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	1.2	0
Larynx	5.1	2.7	8.7	14	2.2	0.8	4.7	7
Lung and Bronchus	81.2	68.8	94.9	195	68.5	57.9	80.3	165
Pleura	0.0	0.0	1.5	0	0.0	0.0	1.2	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^
Bones and Joints	1.3	0.5	3.1	7	1.5	0.6	3.3	7
Soft Tissue including Heart	4.3	1.9	8.0	15	2.8	1.3	5.4	10
Skin excluding Basal and Squamous	17.8	12.5	24.4	49	11.8	8.5	16.2	47
Melanoma of the Skin	15.4	10.5	21.5	43	10.8	7.5	15.0	42
Other Non-Epithelial Skin	2.4	0.8	5.6	6	^	^	^	^
Breast	^	^	^	^	134.4	120.9	148.9	424
Female Genital System	0.0	0.0	1.5	0	46.2	38.4	55.1	145
Cervix Uteri	0.0	0.0	1.5	0	8.0	5.3	11.6	33
Corpus and Uterus, NOS	0.0	0.0	1.5	0	22.6	17.1	29.2	66
Corpus Uteri	0.0	0.0	1.5	0	22.6	17.1	29.2	66
Uterus, NOS	0.0	0.0	1.5	0	0.0	0.0	1.2	0
Ovary	0.0	0.0	1.5	0	10.4	6.9	15.0	33
Vagina	0.0	0.0	1.5	0	0.0	0.0	1.2	0
Vulva	0.0	0.0	1.5	0	3.6	1.5	6.9	9
Other Female Genital Organs	0.0	0.0	1.5	0	^	^	^	^
Male Genital System	211.5	191.6	232.7	542	0.0	0.0	1.2	0
Prostate	202.9	183.4	223.8	503	0.0	0.0	1.2	0
Testis	6.4	4.4	9.2	36	0.0	0.0	1.2	0
Penis	^	^	^	^	0.0	0.0	1.2	0
Other Male Genital Organs	0.0	0.0	1.5	0	0.0	0.0	1.2	0
Urinary System	55.7	45.7	67.1	137	23.1	17.3	30.0	61
Urinary Bladder	40.7	32.1	50.8	93	10.5	6.8	15.4	28

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	13.6	9.2	19.3	41	11.8	7.8	17.0	31
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	^	^	^	^	0.0	0.0	1.2	0
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	10.7	6.5	16.3	32	6.0	3.4	9.7	19
Brain	10.5	6.3	16.1	31	5.8	3.2	9.5	18
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	4.0	2.1	7.0	15	12.5	9.1	16.8	53
Thyroid	3.3	1.8	5.8	14	12.0	8.7	16.2	51
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	28.6	22.3	36.1	96	19.6	14.4	26.0	56
Hodgkin Lymphoma	3.1	1.5	5.6	14	1.3	0.5	2.9	7
Hodgkin - Nodal	3.1	1.5	5.6	14	1.3	0.5	2.9	7
Hodgkin - Extranodal	0.0	0.0	1.5	0	0.0	0.0	1.2	0
Non-Hodgkin Lymphoma	25.6	19.5	32.8	82	18.3	13.2	24.6	49
NHL - Nodal	18.0	13.0	24.2	58	12.1	8.1	17.1	34
NHL - Extranodal	7.6	4.4	12.0	24	6.3	3.3	10.5	15
Myeloma	7.7	4.5	12.3	21	5.9	3.1	10.0	14
Leukemia	17.0	11.6	23.9	44	7.9	4.9	12.0	25
Lymphocytic Leukemia	11.0	6.7	16.7	27	4.7	2.5	8.0	15
Acute Lymphocytic Leukemia	1.0	0.4	2.7	6	^	^	^	^
Chronic Lymphocytic Leukemia	8.9	5.0	14.3	19	4.0	1.9	7.2	11
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.2	0
Myeloid and Monocytic Leukemia	5.1	2.4	9.3	15	2.8	1.1	5.7	8
Acute Myeloid Leukemia	3.0	1.0	6.6	8	2.3	0.8	5.1	6
Acute Monocytic Leukemia	0.0	0.0	1.5	0	^	^	^	^
Chronic Myeloid Leukemia	2.0	0.5	4.8	6	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	1.2	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	1.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	2.6	0.9	5.7	6	^	^	^	^
Kaposi Sarcoma	0.0	0.0	1.5	0	0.0	0.0	1.2	0
Miscellaneous	7.9	4.7	12.4	23	13.0	8.5	18.7	30

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	639.6	494.4	813.6	74	374.5	273.2	502.0	49
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	33.8	0
Lip	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Tongue	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Salivary Gland	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Floor of Mouth	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Gum and Other Mouth	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Nasopharynx	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Tonsil	^	^	^	^	0.0	0.0	33.8	0
Oropharynx	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Hypopharynx	^	^	^	^	0.0	0.0	33.8	0
Other Oral Cavity and Pharynx	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Digestive System	170.8	99.5	272.3	19	68.7	30.2	135.3	9
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	33.8	0
Small Intestine	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Colon and Rectum	87.7	39.0	168.1	9	45.9	16.0	104.3	6
Colon excluding Rectum	71.1	27.6	147.2	7	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Ascending Colon	^	^	^	^	0.0	0.0	33.8	0
Hepatic Flexure	^	^	^	^	0.0	0.0	33.8	0
Transverse Colon	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Splenic Flexure	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Descending Colon	^	^	^	^	0.0	0.0	33.8	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	33.8	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Liver	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Intrahepatic Bile Duct	0.0	0.0	35.4	0	0.0	0.0	33.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Other Biliary	^	^	^	^	0.0	0.0	33.8	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Other Digestive Organs	0.0	0.0	35.4	0	^	^	^	^
Respiratory System	125.2	64.7	217.0	14	54.8	20.7	117.7	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	111.0	54.0	199.9	12	49.9	17.3	112.1	6
Pleura	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Bones and Joints	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Soft Tissue including Heart	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Breast	0.0	0.0	35.4	0	77.3	38.2	142.3	12
Female Genital System	0.0	0.0	35.4	0	55.8	21.2	119.4	7
Cervix Uteri	0.0	0.0	35.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	35.4	0	48.9	16.8	110.8	6
Corpus Uteri	0.0	0.0	35.4	0	48.9	16.8	110.8	6
Uterus, NOS	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Ovary	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Vagina	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Vulva	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Other Female Genital Organs	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Male Genital System	183.2	112.7	282.0	23	0.0	0.0	33.8	0
Prostate	178.6	108.8	277.0	22	0.0	0.0	33.8	0
Testis	^	^	^	^	0.0	0.0	33.8	0
Penis	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Other Male Genital Organs	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	35.4	0	^	^	^	^
Ureter	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Other Urinary Organs	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Eye and Orbit	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Brain and Other Nervous System	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Brain	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Cranial Nerves Other Nervous System	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Endocrine System	0.0	0.0	35.4	0	^	^	^	^
Thyroid	0.0	0.0	35.4	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	35.4	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	35.4	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	33.8	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	33.8	0
Acute Lymphocytic Leukemia	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	33.8	0
Other Lymphocytic Leukemia	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Chronic Myeloid Leukemia	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Other Leukemia	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Other Acute Leukemia	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Mesothelioma	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Kaposi Sarcoma	0.0	0.0	35.4	0	0.0	0.0	33.8	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	553.6	504.4	605.9	605	427.7	391.4	466.2	585
Oral Cavity and Pharynx	11.4	6.2	19.2	17	5.9	2.3	12.2	7
Lip	^	^	^	^	^	^	^	^
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	2.7	0
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	2.7	0
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	^	^	^	^	0.0	0.0	2.7	0
Hypopharynx	^	^	^	^	0.0	0.0	2.7	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	2.7	0
Digestive System	118.7	96.5	144.0	130	80.2	64.0	99.0	93
Esophagus	10.5	5.3	18.5	14	6.0	2.1	12.8	6
Stomach	10.8	4.8	20.3	11	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	58.6	43.5	76.9	64	49.0	36.6	63.9	58
Colon excluding Rectum	44.6	31.5	60.9	47	35.3	25.0	48.1	43
Cecum	9.6	3.9	18.7	10	13.9	8.0	22.4	18
Appendix	^	^	^	^	0.0	0.0	2.7	0
Ascending Colon	6.5	2.2	14.2	6	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	10.3	4.7	19.2	11	7.4	3.3	14.1	10
Large Intestine, NOS	6.2	2.1	13.7	7	^	^	^	^
Rectum and Rectosigmoid Junction	14.0	7.3	23.9	17	13.7	7.5	22.7	15
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	11.0	5.0	20.5	12	10.3	4.9	18.4	11
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	9.8	3.9	19.4	9	^	^	^	^
Liver	9.8	3.9	19.4	9	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	3.4	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	16.0	8.5	26.7	17	14.1	7.9	22.9	16
Retroperitoneum	^	^	^	^	0.0	0.0	2.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	84.4	65.0	107.2	80	63.8	49.4	80.9	72
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	2.7	0
Larynx	8.0	3.1	16.2	10	0.0	0.0	2.7	0
Lung and Bronchus	73.8	55.6	95.3	67	63.8	49.4	80.9	72
Pleura	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	4.6	1.5	10.7	7	0.0	0.0	2.7	0
Skin excluding Basal and Squamous	13.2	7.6	21.4	21	9.6	5.3	16.1	16
Melanoma of the Skin	12.7	7.2	20.9	20	8.0	4.2	13.9	14
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	131.0	112.4	151.7	204
Female Genital System	0.0	0.0	3.4	0	46.0	35.0	59.2	67
Cervix Uteri	0.0	0.0	3.4	0	6.8	3.4	12.4	12
Corpus and Uterus, NOS	0.0	0.0	3.4	0	21.8	14.1	31.9	28
Corpus Uteri	0.0	0.0	3.4	0	18.9	11.9	28.4	25
Uterus, NOS	0.0	0.0	3.4	0	^	^	^	^
Ovary	0.0	0.0	3.4	0	14.2	8.7	21.9	23
Vagina	0.0	0.0	3.4	0	^	^	^	^
Vulva	0.0	0.0	3.4	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	3.4	0	^	^	^	^
Male Genital System	176.2	149.1	206.3	187	0.0	0.0	2.7	0
Prostate	166.7	140.2	196.3	173	0.0	0.0	2.7	0
Testis	6.3	3.3	11.7	12	0.0	0.0	2.7	0
Penis	^	^	^	^	0.0	0.0	2.7	0
Other Male Genital Organs	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Urinary System	51.7	37.0	69.8	53	14.6	8.5	23.2	19
Urinary Bladder	35.5	23.1	51.5	33	7.3	3.2	14.0	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	16.2	9.1	26.3	20	7.3	3.3	13.8	10
Ureter	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Other Urinary Organs	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Eye and Orbit	^	^	^	^	0.0	0.0	2.7	0
Brain and Other Nervous System	6.9	3.1	13.4	11	11.1	6.1	18.4	16
Brain	6.4	2.8	12.9	10	11.1	6.1	18.4	16
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	2.7	0
Endocrine System	10.4	5.2	18.4	13	17.8	11.9	25.7	31
Thyroid	9.1	4.2	16.9	11	17.8	11.9	25.7	31
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	2.7	0
Lymphoma	34.3	22.1	50.0	35	16.7	10.2	25.6	23
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Non-Hodgkin Lymphoma	30.4	18.9	45.7	30	14.9	8.8	23.6	20
NHL - Nodal	22.4	12.9	35.4	24	10.5	5.5	17.9	15
NHL - Extranodal	8.1	2.6	17.6	6	^	^	^	^
Myeloma	4.6	1.5	10.8	6	9.2	4.4	16.7	11
Leukemia	16.3	9.1	26.6	20	10.7	5.5	18.4	13
Lymphocytic Leukemia	6.6	2.8	13.1	10	7.4	3.2	14.1	9
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	5.4	2.0	11.7	8	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	9.7	4.1	18.8	10	^	^	^	^
Acute Myeloid Leukemia	5.3	1.7	11.9	6	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	2.7	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	2.7	0
Other Leukemia	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Other Acute Leukemia	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	3.4	0	0.0	0.0	2.7	0
Mesothelioma	^	^	^	^	0.0	0.0	2.7	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	2.7	0
Miscellaneous	13.4	6.5	23.8	13	10.7	5.3	18.7	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	540.1	504.9	576.8	1,159	425.7	398.1	454.6	977
Oral Cavity and Pharynx	13.6	9.2	19.3	37	4.7	2.1	8.8	10
Lip	^	^	^	^	^	^	^	^
Tongue	6.2	3.5	10.3	18	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	1.7	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	1.7	0
Nasopharynx	^	^	^	^	0.0	0.0	1.7	0
Tonsil	2.8	0.9	6.4	7	0.0	0.0	1.7	0
Oropharynx	^	^	^	^	0.0	0.0	1.7	0
Hypopharynx	0.0	0.0	2.1	0	0.0	0.0	1.7	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1.7	0
Digestive System	105.4	90.1	122.5	221	62.0	51.0	74.4	126
Esophagus	7.7	4.3	12.8	17	3.4	1.4	6.8	8
Stomach	7.5	3.9	12.7	14	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	53.6	43.2	65.7	112	33.8	26.1	43.1	71
Colon excluding Rectum	38.2	29.2	48.9	77	24.9	18.3	33.2	51
Cecum	8.4	4.8	13.7	18	9.0	5.2	14.4	18
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	10.5	5.5	17.5	17	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	2.8	0.9	6.4	6	^	^	^	^
Splenic Flexure	0.0	0.0	2.1	0	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	8.5	4.8	13.9	19	6.0	3.1	10.4	13
Large Intestine, NOS	3.9	1.6	7.8	9	^	^	^	^
Rectum and Rectosigmoid Junction	15.4	10.5	21.9	35	8.9	5.3	13.9	20
Rectosigmoid Junction	5.4	2.8	9.6	13	2.7	1.0	6.0	6
Rectum	10.0	6.1	15.6	22	6.2	3.2	10.6	14
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	9.4	5.2	15.3	23	^	^	^	^
Liver	7.7	3.9	13.4	19	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	1.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	17.6	11.3	25.9	37	10.6	6.4	16.5	21
Retroperitoneum	0.0	0.0	2.1	0	0.0	0.0	1.7	0
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^
Other Digestive Organs	2.3	0.8	5.5	6	^	^	^	^
Respiratory System	101.1	85.5	118.4	205	83.1	70.9	96.7	179
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	1.7	0
Larynx	5.4	2.9	9.5	14	^	^	^	^
Lung and Bronchus	94.2	79.0	111.1	188	80.9	68.9	94.4	173
Pleura	0.0	0.0	2.1	0	0.0	0.0	1.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	^	^	^	^
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	3.4	1.5	6.9	9	^	^	^	^
Skin excluding Basal and Squamous	12.6	8.5	18.1	35	12.2	8.1	17.7	30
Melanoma of the Skin	11.8	7.8	17.2	33	11.1	7.1	16.4	27
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	128.6	114.1	144.4	312
Female Genital System	0.0	0.0	2.1	0	46.8	38.3	56.7	114
Cervix Uteri	0.0	0.0	2.1	0	5.2	2.8	9.0	14
Corpus and Uterus, NOS	0.0	0.0	2.1	0	25.3	19.1	33.0	60
Corpus Uteri	0.0	0.0	2.1	0	24.1	18.0	31.6	57
Uterus, NOS	0.0	0.0	2.1	0	^	^	^	^
Ovary	0.0	0.0	2.1	0	11.7	7.8	16.9	30
Vagina	0.0	0.0	2.1	0	^	^	^	^
Vulva	0.0	0.0	2.1	0	2.7	1.0	5.7	7
Other Female Genital Organs	0.0	0.0	2.1	0	^	^	^	^
Male Genital System	151.8	133.7	171.5	322	0.0	0.0	1.7	0
Prostate	145.1	127.3	164.6	302	0.0	0.0	1.7	0
Testis	5.9	3.5	9.8	18	0.0	0.0	1.7	0
Penis	^	^	^	^	0.0	0.0	1.7	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	1.7	0
Urinary System	54.3	44.0	66.1	124	18.8	13.3	25.8	41
Urinary Bladder	33.8	25.3	44.0	71	7.9	4.4	13.1	16

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	20.1	14.8	26.8	52	9.7	6.0	14.7	23
Ureter	0.0	0.0	2.1	0	^	^	^	^
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	8.0	4.8	12.7	22	6.9	3.9	11.2	17
Brain	7.6	4.5	12.1	21	6.6	3.7	10.8	16
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	3.2	1.5	6.3	10	16.2	11.7	22.0	44
Thyroid	2.2	0.9	5.1	7	15.8	11.3	21.6	43
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	34.0	25.8	43.8	75	21.3	15.6	28.4	50
Hodgkin Lymphoma	3.8	1.9	7.1	11	^	^	^	^
Hodgkin - Nodal	3.8	1.9	7.1	11	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	2.1	0	0.0	0.0	1.7	0
Non-Hodgkin Lymphoma	30.2	22.4	39.7	64	20.0	14.5	27.0	47
NHL - Nodal	21.8	15.5	29.8	47	13.8	9.3	19.8	33
NHL - Extranodal	8.4	4.2	14.5	17	6.2	3.3	10.6	14
Myeloma	4.4	1.9	8.5	9	3.4	1.3	7.2	7
Leukemia	26.0	17.5	36.6	45	8.8	5.2	13.8	20
Lymphocytic Leukemia	10.4	5.3	17.9	18	4.0	1.9	7.5	10
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	7.6	3.6	13.8	14	2.8	1.1	6.0	7
Other Lymphocytic Leukemia	0.0	0.0	2.1	0	^	^	^	^
Myeloid and Monocytic Leukemia	12.4	7.3	19.3	24	3.4	1.2	7.1	7
Acute Myeloid Leukemia	8.1	4.0	14.3	15	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.1	0	0.0	0.0	1.7	0
Chronic Myeloid Leukemia	4.2	1.8	8.4	9	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.1	0	0.0	0.0	1.7	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	5.3	1.9	11.1	9	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.7	0
Miscellaneous	14.0	8.6	21.2	29	7.1	3.9	11.8	15

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	551.7	490.7	617.8	342	502.4	448.1	561.4	331
Oral Cavity and Pharynx	22.4	12.7	37.0	17	16.5	7.7	30.5	10
Lip	0.0	0.0	6.0	0	^	^	^	^
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	5.6	0
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	0.0	0.0	6.0	0	^	^	^	^
Hypopharynx	^	^	^	^	0.0	0.0	5.6	0
Other Oral Cavity and Pharynx	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Digestive System	126.8	97.2	162.0	72	88.8	65.8	116.9	52
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	5.6	0
Colon and Rectum	79.2	56.4	107.6	46	58.9	40.4	82.5	34
Colon excluding Rectum	64.2	43.5	90.6	36	32.4	19.0	51.1	18
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	5.6	0
Descending Colon	^	^	^	^	0.0	0.0	5.6	0
Sigmoid Colon	21.9	11.4	37.8	14	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	15.0	6.8	28.6	10	26.5	14.9	43.2	16
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	12.6	5.4	25.0	9	22.5	12.1	38.1	14
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	9.5	3.2	21.2	6	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	5.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	0.0	0.0	6.0	0	^	^	^	^
Pancreas	^	^	^	^	8.8	3.1	19.5	6
Retroperitoneum	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	88.7	65.1	117.6	53	65.9	46.6	90.1	40
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	83.7	60.6	112.2	49	64.0	45.0	87.9	39
Pleura	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Bones and Joints	^	^	^	^	0.0	0.0	5.6	0
Soft Tissue including Heart	0.0	0.0	6.0	0	^	^	^	^
Skin excluding Basal and Squamous	9.6	4.4	19.2	9	22.3	12.3	37.2	15
Melanoma of the Skin	9.6	4.4	19.2	9	18.7	9.8	32.5	13
Other Non-Epithelial Skin	0.0	0.0	6.0	0	^	^	^	^
Breast	0.0	0.0	6.0	0	146.6	119.1	178.6	105
Female Genital System	0.0	0.0	6.0	0	57.6	41.5	78.0	44
Cervix Uteri	0.0	0.0	6.0	0	18.0	9.8	30.8	14
Corpus and Uterus, NOS	0.0	0.0	6.0	0	24.9	15.1	39.1	20
Corpus Uteri	0.0	0.0	6.0	0	24.9	15.1	39.1	20
Uterus, NOS	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Ovary	0.0	0.0	6.0	0	12.6	5.6	24.5	9
Vagina	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Vulva	0.0	0.0	6.0	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Male Genital System	142.6	112.4	178.0	86	0.0	0.0	5.6	0
Prostate	135.1	105.5	169.9	80	0.0	0.0	5.6	0
Testis	7.6	2.7	17.2	6	0.0	0.0	5.6	0
Penis	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Other Male Genital Organs	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Urinary System	71.8	51.4	97.3	47	22.1	11.5	37.9	13
Urinary Bladder	52.9	35.2	75.9	33	18.1	8.8	32.6	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	14.8	7.4	26.8	12	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	5.6	0
Other Urinary Organs	^	^	^	^	0.0	0.0	5.6	0
Eye and Orbit	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Brain and Other Nervous System	8.1	2.8	18.5	6	^	^	^	^
Brain	8.1	2.8	18.5	6	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Endocrine System	^	^	^	^	12.1	5.7	22.8	10
Thyroid	^	^	^	^	12.1	5.7	22.8	10
Other Endocrine including Thymus	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Lymphoma	19.2	10.4	32.8	15	25.0	13.6	41.7	14
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Non-Hodgkin Lymphoma	16.9	8.6	30.0	13	23.1	12.2	39.3	13
NHL - Nodal	13.6	6.2	26.1	10	10.3	3.7	22.3	6
NHL - Extranodal	^	^	^	^	12.8	5.1	25.9	7
Myeloma	^	^	^	^	^	^	^	^
Leukemia	24.7	13.6	41.1	16	10.2	4.0	21.4	7
Lymphocytic Leukemia	7.9	2.7	18.3	6	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	5.6	0
Other Lymphocytic Leukemia	0.0	0.0	6.0	0	^	^	^	^
Myeloid and Monocytic Leukemia	13.9	5.7	27.8	8	^	^	^	^
Acute Myeloid Leukemia	13.9	5.7	27.8	8	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.0	0	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	6.0	0	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	5.6	0
Kaposi Sarcoma	0.0	0.0	6.0	0	0.0	0.0	5.6	0
Miscellaneous	14.7	6.0	29.3	8	21.8	11.1	37.8	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	458.0	388.2	535.6	208	513.5	439.5	595.5	221
Oral Cavity and Pharynx	14.6	5.8	30.4	8	^	^	^	^
Lip	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Tongue	0.0	0.0	8.8	0	^	^	^	^
Salivary Gland	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Floor of Mouth	^	^	^	^	0.0	0.0	8.7	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	8.7	0
Nasopharynx	^	^	^	^	0.0	0.0	8.7	0
Tonsil	^	^	^	^	0.0	0.0	8.7	0
Oropharynx	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Hypopharynx	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Other Oral Cavity and Pharynx	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Digestive System	98.6	66.2	139.5	40	111.1	75.3	156.1	36
Esophagus	^	^	^	^	0.0	0.0	8.7	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	8.7	0
Colon and Rectum	58.4	34.5	91.0	24	61.9	36.5	96.3	21
Colon excluding Rectum	35.6	16.7	64.0	12	37.8	18.9	65.7	13
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	8.7	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	8.8	0	^	^	^	^
Transverse Colon	0.0	0.0	8.8	0	^	^	^	^
Splenic Flexure	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Descending Colon	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	8.7	0
Rectum and Rectosigmoid Junction	22.8	10.3	43.0	12	24.1	9.5	48.1	8
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	18.6	7.2	38.2	9	22.5	8.3	46.2	7
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	8.7	0
Liver	^	^	^	^	0.0	0.0	8.7	0
Intrahepatic Bile Duct	0.0	0.0	8.8	0	0.0	0.0	8.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Other Biliary	0.0	0.0	8.8	0	^	^	^	^
Pancreas	^	^	^	^	22.3	8.4	45.5	7
Retroperitoneum	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Other Digestive Organs	0.0	0.0	8.8	0	^	^	^	^
Respiratory System	77.5	50.4	112.8	34	79.3	50.4	117.0	28
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	8.7	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	66.3	41.1	99.8	28	77.2	48.7	114.7	27
Pleura	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	8.7	0
Bones and Joints	^	^	^	^	0.0	0.0	8.7	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	8.7	0
Skin excluding Basal and Squamous	6.9	2.5	17.6	6	17.6	7.8	34.2	11
Melanoma of the Skin	^	^	^	^	12.0	5.5	24.7	9
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	8.8	0	164.5	126.0	210.3	79
Female Genital System	0.0	0.0	8.8	0	47.5	29.3	72.6	27
Cervix Uteri	0.0	0.0	8.8	0	9.4	3.8	21.4	7
Corpus and Uterus, NOS	0.0	0.0	8.8	0	22.3	10.2	41.9	12
Corpus Uteri	0.0	0.0	8.8	0	20.9	9.2	40.2	11
Uterus, NOS	0.0	0.0	8.8	0	^	^	^	^
Ovary	0.0	0.0	8.8	0	14.4	4.9	32.0	7
Vagina	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Vulva	0.0	0.0	8.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Male Genital System	143.6	105.3	190.0	60	0.0	0.0	8.7	0
Prostate	136.9	99.1	182.9	55	0.0	0.0	8.7	0
Testis	^	^	^	^	0.0	0.0	8.7	0
Penis	^	^	^	^	0.0	0.0	8.7	0
Other Male Genital Organs	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Urinary System	59.3	36.0	90.6	27	^	^	^	^
Urinary Bladder	38.3	21.1	63.0	18	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	21.0	7.5	44.0	9	^	^	^	^
Ureter	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Other Urinary Organs	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Eye and Orbit	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Endocrine System	^	^	^	^	8.1	3.0	19.7	6
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	8.8	0	^	^	^	^
Lymphoma	18.3	8.1	35.4	11	21.8	9.6	41.6	10
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Non-Hodgkin Lymphoma	14.7	5.5	31.4	8	20.5	8.7	40.3	9
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	6.8	2.5	17.4	6	16.9	5.1	38.4	6
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	8.8	0	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	8.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	8.7	0
Acute Monocytic Leukemia	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Other Leukemia	0.0	0.0	8.8	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	8.8	0	^	^	^	^
Mesothelioma	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Kaposi Sarcoma	0.0	0.0	8.8	0	0.0	0.0	8.7	0
Miscellaneous	^	^	^	^	18.8	5.7	42.1	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	493.5	324.5	716.9	32	362.1	213.2	569.9	22
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	67.5	0
Lip	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Tongue	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Salivary Gland	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Floor of Mouth	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Gum and Other Mouth	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Nasopharynx	^	^	^	^	0.0	0.0	67.5	0
Tonsil	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Oropharynx	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Hypopharynx	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Oral Cavity and Pharynx	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Digestive System	136.7	51.1	286.2	7	^	^	^	^
Esophagus	0.0	0.0	70.8	0	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Appendix	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Ascending Colon	^	^	^	^	0.0	0.0	67.5	0
Hepatic Flexure	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Transverse Colon	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Splenic Flexure	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Descending Colon	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	70.8	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Rectum	0.0	0.0	70.8	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	67.5	0
Liver	^	^	^	^	0.0	0.0	67.5	0
Intrahepatic Bile Duct	0.0	0.0	70.8	0	0.0	0.0	67.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Biliary	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Pancreas	^	^	^	^	0.0	0.0	67.5	0
Retroperitoneum	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Digestive Organs	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Respiratory System	121.8	42.8	264.5	7	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Larynx	0.0	0.0	70.8	0	^	^	^	^
Lung and Bronchus	121.8	42.8	264.5	7	^	^	^	^
Pleura	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Bones and Joints	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Soft Tissue including Heart	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Breast	0.0	0.0	70.8	0	^	^	^	^
Female Genital System	0.0	0.0	70.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Corpus and Uterus, NOS	0.0	0.0	70.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	70.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Ovary	0.0	0.0	70.8	0	^	^	^	^
Vagina	0.0	0.0	70.8	0	^	^	^	^
Vulva	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Female Genital Organs	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Male Genital System	73.7	24.7	177.2	6	0.0	0.0	67.5	0
Prostate	^	^	^	^	0.0	0.0	67.5	0
Testis	^	^	^	^	0.0	0.0	67.5	0
Penis	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Male Genital Organs	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Urinary System	^	^	^	^	0.0	0.0	67.5	0
Urinary Bladder	^	^	^	^	0.0	0.0	67.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	67.5	0
Ureter	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Urinary Organs	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Eye and Orbit	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Brain and Other Nervous System	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Brain	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Cranial Nerves Other Nervous System	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Endocrine System	0.0	0.0	70.8	0	^	^	^	^
Thyroid	0.0	0.0	70.8	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Hodgkin - Nodal	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Hodgkin - Extranodal	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	67.5	0
NHL - Extranodal	0.0	0.0	70.8	0	^	^	^	^
Myeloma	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	67.5	0
Acute Lymphocytic Leukemia	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	67.5	0
Other Lymphocytic Leukemia	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Chronic Myeloid Leukemia	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Leukemia	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Other Acute Leukemia	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Mesothelioma	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Kaposi Sarcoma	0.0	0.0	70.8	0	0.0	0.0	67.5	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	564.4	530.2	600.0	1,372	443.3	415.3	472.7	1,095
Oral Cavity and Pharynx	11.4	7.8	16.2	39	5.4	2.7	9.4	13
Lip	^	^	^	^	0.0	0.0	1.6	0
Tongue	3.3	1.3	6.9	9	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	1.9	0.7	4.5	6	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	3.8	2.1	6.8	15	0.0	0.0	1.6	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	^	^	^	^	0.0	0.0	1.6	0
Other Oral Cavity and Pharynx	0.0	0.0	1.9	0	^	^	^	^
Digestive System	112.2	96.6	129.3	265	73.6	61.7	86.9	155
Esophagus	13.9	8.3	21.4	31	^	^	^	^
Stomach	5.6	3.1	9.6	16	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	66.0	54.1	79.6	150	47.1	37.7	58.0	97
Colon excluding Rectum	49.5	38.7	62.2	103	34.6	26.6	44.1	71
Cecum	13.6	7.6	21.8	23	10.7	6.4	16.6	21
Appendix	^	^	^	^	0.0	0.0	1.6	0
Ascending Colon	8.0	4.3	13.2	18	7.5	3.9	12.7	13
Hepatic Flexure	2.4	0.8	5.5	6	^	^	^	^
Transverse Colon	2.0	0.7	4.8	6	3.9	1.5	7.9	7
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	4.7	2.1	8.9	10	^	^	^	^
Sigmoid Colon	10.3	6.4	15.7	24	6.3	3.5	10.4	17
Large Intestine, NOS	7.7	3.2	14.6	12	^	^	^	^
Rectum and Rectosigmoid Junction	16.5	11.9	22.4	47	12.5	7.9	18.6	26
Rectosigmoid Junction	3.1	1.3	6.5	8	^	^	^	^
Rectum	13.4	9.3	18.7	39	9.9	5.9	15.3	21
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	8.2	5.0	12.9	25	4.0	1.6	7.9	8
Liver	7.3	4.3	11.7	23	3.7	1.4	7.7	7
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	4.2	1.8	8.1	10	^	^	^	^
Pancreas	6.9	3.9	11.3	18	8.5	4.8	13.7	18
Retroperitoneum	0.0	0.0	1.9	0	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	98.9	84.6	114.8	222	61.1	50.6	72.9	137
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	1.6	0
Larynx	5.2	2.7	9.1	14	^	^	^	^
Lung and Bronchus	93.1	79.1	108.6	206	59.3	49.0	70.9	133
Pleura	0.0	0.0	1.9	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Bones and Joints	^	^	^	^	2.8	1.1	5.8	8
Soft Tissue including Heart	3.8	2.0	6.9	13	^	^	^	^
Skin excluding Basal and Squamous	20.9	15.0	28.3	59	10.1	6.6	14.8	30
Melanoma of the Skin	19.0	13.4	26.0	54	8.4	5.4	12.6	27
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	137.3	122.4	153.5	363
Female Genital System	0.0	0.0	1.9	0	51.7	42.8	61.8	137
Cervix Uteri	0.0	0.0	1.9	0	11.3	7.8	16.0	36
Corpus and Uterus, NOS	0.0	0.0	1.9	0	21.9	16.0	29.0	54
Corpus Uteri	0.0	0.0	1.9	0	21.9	16.0	29.0	54
Uterus, NOS	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Ovary	0.0	0.0	1.9	0	11.0	7.1	16.2	28
Vagina	0.0	0.0	1.9	0	2.4	0.8	5.5	6
Vulva	0.0	0.0	1.9	0	3.7	1.7	6.9	10
Other Female Genital Organs	0.0	0.0	1.9	0	^	^	^	^
Male Genital System	174.9	155.9	195.4	410	0.0	0.0	1.6	0
Prostate	167.4	148.6	187.7	383	0.0	0.0	1.6	0
Testis	6.3	4.0	9.8	24	0.0	0.0	1.6	0
Penis	^	^	^	^	0.0	0.0	1.6	0
Other Male Genital Organs	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Urinary System	70.6	58.3	84.4	156	25.2	18.8	32.9	60
Urinary Bladder	48.4	38.0	60.4	102	12.0	7.6	17.9	25

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	20.0	14.3	27.2	50	12.1	8.1	17.5	33
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	^	^	^	^	0.0	0.0	1.6	0
Eye and Orbit	0.0	0.0	1.9	0	^	^	^	^
Brain and Other Nervous System	6.4	3.9	10.1	22	4.6	2.3	8.1	13
Brain	6.1	3.7	9.7	21	4.6	2.3	8.1	13
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	1.6	0
Endocrine System	5.4	3.2	9.0	19	14.1	10.1	19.2	46
Thyroid	4.0	2.2	7.1	15	13.9	9.9	18.9	45
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	25.0	19.1	32.1	73	19.5	13.9	26.4	49
Hodgkin Lymphoma	2.7	1.2	5.6	9	2.3	0.8	5.1	7
Hodgkin - Nodal	2.7	1.2	5.6	9	2.3	0.8	5.1	7
Hodgkin - Extranodal	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Non-Hodgkin Lymphoma	22.2	16.7	29.1	64	17.2	11.9	23.8	42
NHL - Nodal	15.2	10.8	21.0	45	14.4	9.6	20.6	35
NHL - Extranodal	7.0	4.0	11.5	19	2.7	1.0	5.9	7
Myeloma	5.4	2.9	9.3	15	6.0	3.1	10.3	14
Leukemia	15.2	10.4	21.3	42	16.9	11.4	24.0	37
Lymphocytic Leukemia	9.9	6.2	14.9	29	7.9	4.4	13.0	18
Acute Lymphocytic Leukemia	3.0	1.6	5.7	12	2.0	0.8	4.4	7
Chronic Lymphocytic Leukemia	5.4	2.5	10.0	12	5.9	2.7	10.7	11
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1.6	0
Myeloid and Monocytic Leukemia	4.5	2.0	8.7	10	7.5	4.0	12.7	16
Acute Myeloid Leukemia	2.8	0.9	6.4	6	3.8	1.5	7.7	8
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	3.4	1.2	7.4	7
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.9	0	0.0	0.0	1.6	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.9	0	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	1.6	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	1.6	0
Miscellaneous	11.1	7.1	16.5	28	12.7	8.0	18.8	26

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	517.3	433.9	610.9	163	406.6	336.6	486.1	128
Oral Cavity and Pharynx	23.9	9.4	48.7	8	^	^	^	^
Lip	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Tongue	0.0	0.0	11.4	0	^	^	^	^
Salivary Gland	0.0	0.0	11.4	0	^	^	^	^
Floor of Mouth	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Gum and Other Mouth	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Nasopharynx	21.4	7.7	45.7	7	^	^	^	^
Tonsil	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Oropharynx	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Hypopharynx	^	^	^	^	0.0	0.0	10.5	0
Other Oral Cavity and Pharynx	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Digestive System	201.4	151.4	261.5	65	150.8	108.1	203.4	44
Esophagus	^	^	^	^	^	^	^	^
Stomach	35.8	17.3	64.5	12	^	^	^	^
Small Intestine	0.0	0.0	11.4	0	^	^	^	^
Colon and Rectum	114.3	77.5	161.1	36	96.1	63.2	138.7	29
Colon excluding Rectum	92.8	60.3	135.4	30	76.4	46.6	116.7	21
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	10.5	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	37.9	18.4	67.8	12	31.1	13.8	58.6	9
Large Intestine, NOS	^	^	^	^	0.0	0.0	10.5	0
Rectum and Rectosigmoid Junction	21.5	7.4	46.5	6	19.6	8.4	39.4	8
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	17.3	6.9	36.3	7
Anus, Anal Canal and Anorectum	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Other Digestive Organs	^	^	^	^	0.0	0.0	10.5	0
Respiratory System	163.1	116.4	220.7	45	59.1	33.4	95.3	16
Nose, Nasal Cavity and Middle Ear	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Larynx	^	^	^	^	0.0	0.0	10.5	0
Lung and Bronchus	153.4	108.0	209.6	42	59.1	33.4	95.3	16
Pleura	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Bones and Joints	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	10.5	0
Skin excluding Basal and Squamous	0.0	0.0	11.4	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	11.4	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Breast	0.0	0.0	11.4	0	92.2	63.3	129.7	34
Female Genital System	0.0	0.0	11.4	0	29.2	13.7	54.1	10
Cervix Uteri	0.0	0.0	11.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	11.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	11.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Ovary	0.0	0.0	11.4	0	^	^	^	^
Vagina	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Vulva	0.0	0.0	11.4	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Male Genital System	43.3	23.3	73.0	16	0.0	0.0	10.5	0
Prostate	35.0	17.4	62.3	13	0.0	0.0	10.5	0
Testis	^	^	^	^	0.0	0.0	10.5	0
Penis	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Other Male Genital Organs	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Urinary System	29.9	13.7	56.1	10	26.4	10.3	53.3	7
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	10.5	0
Other Urinary Organs	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Eye and Orbit	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Lymphoma	14.1	4.9	32.5	6	21.6	8.2	44.9	7
Hodgkin Lymphoma	0.0	0.0	11.4	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	11.4	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Non-Hodgkin Lymphoma	14.1	4.9	32.5	6	19.2	6.6	42.0	6
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	11.4	0	^	^	^	^
Leukemia	16.8	4.7	40.2	7	0.0	0.0	10.5	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	10.5	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	10.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Other Lymphocytic Leukemia	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	10.5	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	10.5	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	10.5	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	10.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Other Leukemia	^	^	^	^	0.0	0.0	10.5	0
Other Acute Leukemia	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	10.5	0
Mesothelioma	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Kaposi Sarcoma	0.0	0.0	11.4	0	0.0	0.0	10.5	0
Miscellaneous	^	^	^	^	0.0	0.0	10.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	673.5	531.0	838.4	117	359.9	281.6	452.0	87
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Tongue	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Salivary Gland	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Floor of Mouth	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Gum and Other Mouth	0.0	0.0	26.5	0	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Oropharynx	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Hypopharynx	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Other Oral Cavity and Pharynx	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Digestive System	251.3	165.2	361.3	38	144.6	93.4	211.5	30
Esophagus	^	^	^	^	0.0	0.0	16.0	0
Stomach	37.9	11.2	88.6	6	26.0	9.5	56.4	7
Small Intestine	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Colon and Rectum	137.7	77.5	221.5	22	90.1	49.7	146.9	17
Colon excluding Rectum	116.6	59.4	199.4	15	58.4	27.3	106.1	11
Cecum	^	^	^	^	0.0	0.0	16.0	0
Appendix	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	26.5	0	^	^	^	^
Rectum and Rectosigmoid Junction	21.0	8.1	52.1	7	31.7	10.3	70.0	6
Rectosigmoid Junction	^	^	^	^	0.0	0.0	16.0	0
Rectum	^	^	^	^	31.7	10.3	70.0	6
Anus, Anal Canal and Anorectum	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	26.5	0	^	^	^	^
Liver	0.0	0.0	26.5	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	26.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	16.0	0
Other Biliary	^	^	^	^	0.0	0.0	16.0	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	26.5	0	^	^	^	^
Other Digestive Organs	^	^	^	^	0.0	0.0	16.0	0
Respiratory System	195.5	127.6	284.0	35	28.7	10.5	61.4	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Larynx	^	^	^	^	0.0	0.0	16.0	0
Lung and Bronchus	192.3	124.8	280.6	34	28.7	10.5	61.4	7
Pleura	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Bones and Joints	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	16.0	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	16.0	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	16.0	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	16.0	0
Breast	0.0	0.0	26.5	0	77.6	47.4	120.1	22
Female Genital System	0.0	0.0	26.5	0	34.5	15.2	67.1	10
Cervix Uteri	0.0	0.0	26.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	26.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	26.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Ovary	0.0	0.0	26.5	0	^	^	^	^
Vagina	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Vulva	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Other Female Genital Organs	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Male Genital System	76.1	38.6	133.7	18	0.0	0.0	16.0	0
Prostate	73.7	36.7	131.2	17	0.0	0.0	16.0	0
Testis	^	^	^	^	0.0	0.0	16.0	0
Penis	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Other Male Genital Organs	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Urinary System	81.4	30.7	163.0	11	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	16.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	49.7	16.7	107.8	8	^	^	^	^
Ureter	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Other Urinary Organs	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Eye and Orbit	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	26.5	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	26.5	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	16.0	0
NHL - Nodal	^	^	^	^	0.0	0.0	16.0	0
NHL - Extranodal	^	^	^	^	0.0	0.0	16.0	0
Myeloma	0.0	0.0	26.5	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Acute Lymphocytic Leukemia	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Other Lymphocytic Leukemia	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	16.0	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	16.0	0
Acute Monocytic Leukemia	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Chronic Myeloid Leukemia	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Other Leukemia	0.0	0.0	26.5	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	26.5	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Mesothelioma	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Kaposi Sarcoma	0.0	0.0	26.5	0	0.0	0.0	16.0	0
Miscellaneous	0.0	0.0	26.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	381.4	296.2	481.6	84	461.6	369.4	568.3	96
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	16.2	0
Lip	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Tongue	^	^	^	^	0.0	0.0	16.2	0
Salivary Gland	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Floor of Mouth	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Gum and Other Mouth	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Nasopharynx	^	^	^	^	0.0	0.0	16.2	0
Tonsil	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Oropharynx	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Hypopharynx	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Oral Cavity and Pharynx	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Digestive System	158.1	106.3	224.8	37	171.3	115.8	241.9	33
Esophagus	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Stomach	46.1	22.5	83.7	13	^	^	^	^
Small Intestine	0.0	0.0	18.0	0	^	^	^	^
Colon and Rectum	87.3	48.7	141.9	18	105.4	63.8	162.0	20
Colon excluding Rectum	70.2	35.0	122.5	13	88.7	51.1	141.3	17
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	16.2	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	18.0	0	^	^	^	^
Descending Colon	0.0	0.0	18.0	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	18.0	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	16.2	0
Liver	^	^	^	^	0.0	0.0	16.2	0
Intrahepatic Bile Duct	0.0	0.0	18.0	0	0.0	0.0	16.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Digestive Organs	0.0	0.0	18.0	0	^	^	^	^
Respiratory System	76.4	42.5	125.2	16	60.1	28.9	107.6	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	18.0	0	^	^	^	^
Larynx	^	^	^	^	0.0	0.0	16.2	0
Lung and Bronchus	70.8	38.5	118.0	15	57.0	26.4	104.0	10
Pleura	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Bones and Joints	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	16.2	0
Skin excluding Basal and Squamous	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Melanoma of the Skin	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Non-Epithelial Skin	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Breast	0.0	0.0	18.0	0	98.9	60.6	151.2	22
Female Genital System	0.0	0.0	18.0	0	50.7	25.6	89.3	12
Cervix Uteri	0.0	0.0	18.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	18.0	0	35.5	14.9	70.2	8
Corpus Uteri	0.0	0.0	18.0	0	35.5	14.9	70.2	8
Uterus, NOS	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Ovary	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Vagina	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Vulva	0.0	0.0	18.0	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Male Genital System	58.5	24.8	111.5	9	0.0	0.0	16.2	0
Prostate	56.3	23.0	109.2	8	0.0	0.0	16.2	0
Testis	^	^	^	^	0.0	0.0	16.2	0
Penis	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Male Genital Organs	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Urinary System	40.1	17.0	78.7	9	33.3	13.0	68.4	7
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	29.4	10.4	63.5	6
Ureter	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Urinary Organs	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Eye and Orbit	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	16.2	0
Brain	^	^	^	^	0.0	0.0	16.2	0
Cranial Nerves Other Nervous System	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	16.2	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	16.2	0
Hodgkin - Extranodal	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	18.0	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	18.0	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Lymphocytic Leukemia	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	16.2	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	16.2	0
Acute Monocytic Leukemia	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Chronic Myeloid Leukemia	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Leukemia	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Other Acute Leukemia	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Mesothelioma	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Kaposi Sarcoma	0.0	0.0	18.0	0	0.0	0.0	16.2	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	533.1	423.2	660.1	131	392.4	301.4	500.6	79
Oral Cavity and Pharynx	20.6	7.8	47.1	7	0.0	0.0	20.1	0
Lip	^	^	^	^	0.0	0.0	20.1	0
Tongue	^	^	^	^	0.0	0.0	20.1	0
Salivary Gland	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Floor of Mouth	^	^	^	^	0.0	0.0	20.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	20.1	0
Nasopharynx	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Tonsil	^	^	^	^	0.0	0.0	20.1	0
Oropharynx	^	^	^	^	0.0	0.0	20.1	0
Hypopharynx	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Other Oral Cavity and Pharynx	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Digestive System	184.7	119.0	269.5	38	74.1	37.2	129.6	13
Esophagus	^	^	^	^	0.0	0.0	20.1	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	20.1	0
Colon and Rectum	130.9	74.1	208.4	24	55.8	24.7	105.5	10
Colon excluding Rectum	87.6	43.6	151.8	17	33.0	11.0	73.5	6
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	20.1	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Splenic Flexure	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Descending Colon	^	^	^	^	0.0	0.0	20.1	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	43.2	13.4	95.5	7	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	20.1	0
Liver	^	^	^	^	0.0	0.0	20.1	0
Intrahepatic Bile Duct	0.0	0.0	18.7	0	0.0	0.0	20.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	20.1	0
Other Biliary	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Other Digestive Organs	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Respiratory System	92.2	50.3	151.7	22	73.8	34.4	133.9	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	18.7	0	^	^	^	^
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	82.7	43.2	140.1	20	61.7	26.2	118.2	11
Pleura	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Bones and Joints	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Soft Tissue including Heart	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Skin excluding Basal and Squamous	26.3	5.2	69.7	6	^	^	^	^
Melanoma of the Skin	26.3	5.2	69.7	6	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Breast	0.0	0.0	18.7	0	124.1	77.3	187.6	27
Female Genital System	0.0	0.0	18.7	0	50.6	24.6	92.4	12
Cervix Uteri	0.0	0.0	18.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	18.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	18.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Ovary	0.0	0.0	18.7	0	^	^	^	^
Vagina	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Vulva	0.0	0.0	18.7	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Male Genital System	101.5	62.8	154.6	28	0.0	0.0	20.1	0
Prostate	98.4	60.2	151.1	27	0.0	0.0	20.1	0
Testis	^	^	^	^	0.0	0.0	20.1	0
Penis	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Other Male Genital Organs	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Urinary System	62.8	28.6	115.5	16	^	^	^	^
Urinary Bladder	27.8	6.2	71.0	7	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	27.6	8.2	64.7	7	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	20.1	0
Other Urinary Organs	^	^	^	^	0.0	0.0	20.1	0
Eye and Orbit	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Lymphoma	34.4	10.4	78.3	9	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Hodgkin - Nodal	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Hodgkin - Extranodal	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Non-Hodgkin Lymphoma	34.4	10.4	78.3	9	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	20.1	0
Myeloma	0.0	0.0	18.7	0	^	^	^	^
Leukemia	0.0	0.0	18.7	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Acute Lymphocytic Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Other Lymphocytic Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	18.7	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	18.7	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Chronic Myeloid Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Other Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Other Acute Leukemia	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Mesothelioma	^	^	^	^	0.0	0.0	20.1	0
Kaposi Sarcoma	0.0	0.0	18.7	0	0.0	0.0	20.1	0
Miscellaneous	^	^	^	^	0.0	0.0	20.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	455.6	382.4	537.9	169	412.4	351.3	480.7	173
Oral Cavity and Pharynx	26.2	11.8	49.6	10	^	^	^	^
Lip	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Tongue	^	^	^	^	0.0	0.0	8.6	0
Salivary Gland	^	^	^	^	0.0	0.0	8.6	0
Floor of Mouth	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Oropharynx	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Digestive System	128.0	90.3	175.2	45	62.6	40.4	92.4	26
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	82.7	53.9	120.7	31	35.1	19.8	57.6	16
Colon excluding Rectum	55.7	32.6	88.0	21	31.3	16.8	53.0	14
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	10.4	0	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	8.6	0
Descending Colon	0.0	0.0	10.4	0	^	^	^	^
Sigmoid Colon	19.1	7.9	38.9	8	^	^	^	^
Large Intestine, NOS	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Rectum and Rectosigmoid Junction	27.0	12.0	51.4	10	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	25.2	10.6	49.3	9	0.0	0.0	8.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	10.4	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	10.4	0	0.0	0.0	8.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	8.6	0
Other Biliary	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Pancreas	23.3	8.1	49.6	7	^	^	^	^
Retroperitoneum	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Other Digestive Organs	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Respiratory System	59.1	37.9	88.1	26	59.5	36.9	90.2	22
Nose, Nasal Cavity and Middle Ear	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Larynx	^	^	^	^	0.0	0.0	8.6	0
Lung and Bronchus	52.6	32.6	80.5	23	59.5	36.9	90.2	22
Pleura	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Bones and Joints	0.0	0.0	10.4	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	25.7	8.0	56.8	6	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	8.6	0
Breast	0.0	0.0	10.4	0	121.7	91.2	159.3	56
Female Genital System	0.0	0.0	10.4	0	46.9	28.1	73.1	20
Cervix Uteri	0.0	0.0	10.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	10.4	0	29.5	15.4	50.9	13
Corpus Uteri	0.0	0.0	10.4	0	27.3	13.8	48.2	12
Uterus, NOS	0.0	0.0	10.4	0	^	^	^	^
Ovary	0.0	0.0	10.4	0	^	^	^	^
Vagina	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Vulva	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Other Female Genital Organs	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Male Genital System	108.9	73.7	153.9	38	0.0	0.0	8.6	0
Prostate	105.2	70.3	149.8	36	0.0	0.0	8.6	0
Testis	^	^	^	^	0.0	0.0	8.6	0
Penis	^	^	^	^	0.0	0.0	8.6	0
Other Male Genital Organs	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Urinary System	36.2	17.9	64.1	14	29.1	13.6	53.3	10
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	26.9	11.1	52.7	10	16.1	5.7	34.8	6
Ureter	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Other Urinary Organs	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Eye and Orbit	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Lymphoma	30.1	15.0	53.7	13	19.0	8.5	36.6	9
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Non-Hodgkin Lymphoma	28.4	13.7	51.8	12	^	^	^	^
NHL - Nodal	18.0	8.1	35.6	9	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	16.9	6.1	36.9	7	21.5	8.5	43.3	7
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	8.6	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Other Leukemia	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Other Acute Leukemia	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.4	0	0.0	0.0	8.6	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	8.6	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	326.7	232.2	445.1	51	413.0	314.7	532.2	67
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Tongue	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Salivary Gland	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Floor of Mouth	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	25.7	0
Nasopharynx	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Tonsil	^	^	^	^	0.0	0.0	25.7	0
Oropharynx	0.0	0.0	28.9	0	^	^	^	^
Hypopharynx	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Other Oral Cavity and Pharynx	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Digestive System	59.8	24.6	120.1	10	73.8	32.6	140.0	9
Esophagus	^	^	^	^	0.0	0.0	25.7	0
Stomach	0.0	0.0	28.9	0	^	^	^	^
Small Intestine	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	25.7	0
Appendix	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Ascending Colon	0.0	0.0	28.9	0	^	^	^	^
Hepatic Flexure	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Transverse Colon	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Splenic Flexure	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Descending Colon	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Sigmoid Colon	^	^	^	^	0.0	0.0	25.7	0
Large Intestine, NOS	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	25.7	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	25.7	0
Liver	^	^	^	^	0.0	0.0	25.7	0
Intrahepatic Bile Duct	0.0	0.0	28.9	0	0.0	0.0	25.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	28.9	0	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Other Digestive Organs	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Respiratory System	33.7	10.2	81.9	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Larynx	^	^	^	^	0.0	0.0	25.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Bones and Joints	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Soft Tissue including Heart	0.0	0.0	28.9	0	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	25.7	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	25.7	0
Other Non-Epithelial Skin	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Breast	0.0	0.0	28.9	0	120.2	73.1	187.5	22
Female Genital System	0.0	0.0	28.9	0	71.5	35.3	129.3	12
Cervix Uteri	0.0	0.0	28.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	28.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	28.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Ovary	0.0	0.0	28.9	0	36.3	12.3	82.9	6
Vagina	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Vulva	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Other Female Genital Organs	0.0	0.0	28.9	0	^	^	^	^
Male Genital System	101.8	55.7	170.7	16	0.0	0.0	25.7	0
Prostate	101.8	55.7	170.7	16	0.0	0.0	25.7	0
Testis	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Penis	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Other Male Genital Organs	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Urinary System	51.0	16.9	113.1	6	^	^	^	^
Urinary Bladder	51.0	16.9	113.1	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	28.9	0	^	^	^	^
Ureter	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Other Urinary Organs	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Eye and Orbit	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Hodgkin - Nodal	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Hodgkin - Extranodal	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	28.9	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	25.7	0
Acute Lymphocytic Leukemia	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	25.7	0
Other Lymphocytic Leukemia	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Chronic Myeloid Leukemia	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Other Leukemia	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Other Acute Leukemia	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Mesothelioma	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Kaposi Sarcoma	0.0	0.0	28.9	0	0.0	0.0	25.7	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	711.2	578.9	861.4	155	485.6	389.7	596.1	108
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	16.0	0
Lip	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Tongue	^	^	^	^	0.0	0.0	16.0	0
Salivary Gland	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Floor of Mouth	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	16.0	0
Nasopharynx	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Tonsil	^	^	^	^	0.0	0.0	16.0	0
Oropharynx	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Hypopharynx	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Other Oral Cavity and Pharynx	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Digestive System	107.1	54.3	182.5	19	91.1	50.2	148.6	17
Esophagus	0.0	0.0	19.8	0	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Colon and Rectum	90.5	40.5	165.4	13	43.0	18.4	83.0	9
Colon excluding Rectum	62.9	23.7	126.4	9	28.0	9.3	62.2	6
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Transverse Colon	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Splenic Flexure	0.0	0.0	19.8	0	^	^	^	^
Descending Colon	^	^	^	^	0.0	0.0	16.0	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	16.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	16.0	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	16.0	0
Liver	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	16.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Other Biliary	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	19.8	0	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Other Digestive Organs	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Respiratory System	108.8	58.7	179.3	21	62.1	32.1	106.9	14
Nose, Nasal Cavity and Middle Ear	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Larynx	^	^	^	^	0.0	0.0	16.0	0
Lung and Bronchus	101.4	52.6	171.1	19	62.1	32.1	106.9	14
Pleura	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Bones and Joints	^	^	^	^	0.0	0.0	16.0	0
Soft Tissue including Heart	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Breast	0.0	0.0	19.8	0	150.2	99.7	215.6	35
Female Genital System	0.0	0.0	19.8	0	62.3	33.2	105.5	16
Cervix Uteri	0.0	0.0	19.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	19.8	0	22.9	7.6	52.4	6
Corpus Uteri	0.0	0.0	19.8	0	22.9	7.6	52.4	6
Uterus, NOS	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Ovary	0.0	0.0	19.8	0	^	^	^	^
Vagina	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Vulva	0.0	0.0	19.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Male Genital System	231.1	167.4	310.1	58	0.0	0.0	16.0	0
Prostate	225.2	162.0	303.7	56	0.0	0.0	16.0	0
Testis	^	^	^	^	0.0	0.0	16.0	0
Penis	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Other Male Genital Organs	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Urinary System	112.8	60.1	187.1	20	29.8	10.1	65.2	6
Urinary Bladder	52.7	19.7	107.2	9	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	60.2	23.9	118.4	11	^	^	^	^
Ureter	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Other Urinary Organs	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Eye and Orbit	^	^	^	^	0.0	0.0	16.0	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	16.0	0
Brain	^	^	^	^	0.0	0.0	16.0	0
Cranial Nerves Other Nervous System	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Lymphoma	45.2	19.9	87.0	12	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Hodgkin - Nodal	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Hodgkin - Extranodal	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Non-Hodgkin Lymphoma	45.2	19.9	87.0	12	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	31.8	10.1	72.1	7	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	19.8	0	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	19.8	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	19.8	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Chronic Myeloid Leukemia	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Other Leukemia	0.0	0.0	19.8	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	19.8	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Mesothelioma	^	^	^	^	0.0	0.0	16.0	0
Kaposi Sarcoma	0.0	0.0	19.8	0	0.0	0.0	16.0	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	549.5	469.4	638.2	218	431.6	362.1	509.8	173
Oral Cavity and Pharynx	16.1	5.6	35.5	8	^	^	^	^
Lip	^	^	^	^	0.0	0.0	10.2	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Floor of Mouth	^	^	^	^	0.0	0.0	10.2	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	10.2	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	10.2	0
Oropharynx	0.0	0.0	9.7	0	^	^	^	^
Hypopharynx	0.0	0.0	9.7	0	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Digestive System	128.3	89.4	176.7	46	77.1	48.3	115.6	28
Esophagus	^	^	^	^	^	^	^	^
Stomach	16.0	4.7	37.2	6	0.0	0.0	10.2	0
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	67.0	40.6	102.7	25	52.7	28.7	87.0	17
Colon excluding Rectum	55.2	31.0	89.1	19	42.3	22.0	72.2	15
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	10.2	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	9.7	0	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	13.7	3.9	32.8	6	19.1	6.8	41.1	7
Large Intestine, NOS	^	^	^	^	0.0	0.0	10.2	0
Rectum and Rectosigmoid Junction	11.8	3.7	28.3	6	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	10.2	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.7	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.7	0	0.0	0.0	10.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Other Biliary	^	^	^	^	0.0	0.0	10.2	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Other Digestive Organs	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Respiratory System	113.9	79.2	157.7	44	76.4	46.6	116.3	24
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	109.7	75.4	153.0	42	67.3	39.4	105.6	21
Pleura	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Bones and Joints	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	10.2	0
Breast	^	^	^	^	137.7	101.3	182.7	61
Female Genital System	0.0	0.0	9.7	0	38.5	23.0	61.3	20
Cervix Uteri	0.0	0.0	9.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	9.7	0	16.4	6.6	34.3	8
Corpus Uteri	0.0	0.0	9.7	0	16.4	6.6	34.3	8
Uterus, NOS	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Ovary	0.0	0.0	9.7	0	14.4	6.1	30.4	8
Vagina	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Vulva	0.0	0.0	9.7	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	9.7	0	^	^	^	^
Male Genital System	158.4	118.2	206.9	65	0.0	0.0	10.2	0
Prostate	151.3	111.7	199.5	60	0.0	0.0	10.2	0
Testis	^	^	^	^	0.0	0.0	10.2	0
Penis	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	10.2	0
Urinary System	53.2	30.3	85.4	21	^	^	^	^
Urinary Bladder	42.9	22.1	73.3	15	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	10.4	3.0	26.1	6	^	^	^	^
Ureter	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Other Urinary Organs	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Eye and Orbit	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Endocrine System	^	^	^	^	22.4	10.7	42.1	11
Thyroid	^	^	^	^	20.9	9.6	40.4	10
Other Endocrine including Thymus	0.0	0.0	9.7	0	^	^	^	^
Lymphoma	23.0	11.7	41.5	13	26.5	11.7	50.6	10
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	10.2	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	10.2	0
Hodgkin - Extranodal	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Non-Hodgkin Lymphoma	21.6	10.7	39.8	12	26.5	11.7	50.6	10
NHL - Nodal	17.4	7.9	34.2	10	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	10.2	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	10.2	0
Acute Lymphocytic Leukemia	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	10.2	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	10.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	9.7	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	10.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Other Leukemia	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Other Acute Leukemia	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	0.0	0.0	9.7	0	0.0	0.0	10.2	0
Miscellaneous	17.1	5.0	39.4	7	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	461.9	355.6	587.0	81	422.6	329.0	532.4	79
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Tongue	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Salivary Gland	^	^	^	^	0.0	0.0	17.1	0
Floor of Mouth	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Gum and Other Mouth	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Oropharynx	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Hypopharynx	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Other Oral Cavity and Pharynx	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Digestive System	217.5	145.6	309.0	37	165.6	108.6	239.1	29
Esophagus	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Stomach	45.1	17.6	92.0	8	^	^	^	^
Small Intestine	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Colon and Rectum	79.0	44.2	130.0	17	114.6	67.0	179.6	19
Colon excluding Rectum	55.5	27.8	99.4	12	107.7	61.8	171.0	18
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	0.0	0.0	21.5	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	17.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	21.5	0	0.0	0.0	17.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	40.7	14.3	87.2	6	^	^	^	^
Retroperitoneum	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Other Digestive Organs	^	^	^	^	0.0	0.0	17.1	0
Respiratory System	103.6	60.8	163.5	19	93.2	51.1	152.6	15
Nose, Nasal Cavity and Middle Ear	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Larynx	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Lung and Bronchus	103.6	60.8	163.5	19	93.2	51.1	152.6	15
Pleura	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Bones and Joints	^	^	^	^	0.0	0.0	17.1	0
Soft Tissue including Heart	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Skin excluding Basal and Squamous	0.0	0.0	21.5	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	21.5	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Breast	0.0	0.0	21.5	0	62.2	33.5	105.1	14
Female Genital System	0.0	0.0	21.5	0	30.5	11.1	65.5	8
Cervix Uteri	0.0	0.0	21.5	0	25.0	7.4	58.9	6
Corpus and Uterus, NOS	0.0	0.0	21.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	21.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Ovary	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Vagina	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Vulva	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Other Female Genital Organs	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Male Genital System	48.3	13.7	110.0	6	0.0	0.0	17.1	0
Prostate	48.3	13.7	110.0	6	0.0	0.0	17.1	0
Testis	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Penis	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Other Male Genital Organs	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Urinary System	47.8	18.5	97.0	7	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	17.1	0
Other Urinary Organs	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Eye and Orbit	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Brain and Other Nervous System	0.0	0.0	21.5	0	^	^	^	^
Brain	0.0	0.0	21.5	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	0.0	0.0	21.5	0	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	17.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Hodgkin - Nodal	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Hodgkin - Extranodal	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	0.0	0.0	21.5	0	0.0	0.0	17.1	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	21.5	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	17.1	0
Acute Lymphocytic Leukemia	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	17.1	0
Other Lymphocytic Leukemia	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	17.1	0
Acute Monocytic Leukemia	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Chronic Myeloid Leukemia	0.0	0.0	21.5	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Other Leukemia	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Other Acute Leukemia	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Mesothelioma	^	^	^	^	0.0	0.0	17.1	0
Kaposi Sarcoma	0.0	0.0	21.5	0	0.0	0.0	17.1	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	495.3	420.5	579.4	168	376.7	312.6	450.2	125
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	^	^	^	^	^	^	^	^
Tongue	^	^	^	^	0.0	0.0	11.9	0
Salivary Gland	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Nasopharynx	^	^	^	^	0.0	0.0	11.9	0
Tonsil	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Oropharynx	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Hypopharynx	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Other Oral Cavity and Pharynx	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Digestive System	97.5	66.5	137.8	35	74.1	47.2	111.0	24
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Colon and Rectum	64.9	39.3	100.4	22	29.4	13.4	55.9	9
Colon excluding Rectum	42.1	21.3	73.7	13	23.0	9.1	47.3	7
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Ascending Colon	0.0	0.0	11.5	0	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Descending Colon	^	^	^	^	0.0	0.0	11.9	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	11.9	0
Rectum and Rectosigmoid Junction	22.7	10.1	44.7	9	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	11.9	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	11.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^	15.7	5.6	35.6	6
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	11.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	11.9	0
Other Biliary	0.0	0.0	11.5	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Other Digestive Organs	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Respiratory System	127.3	89.7	174.8	40	48.6	27.0	80.4	15
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	11.9	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	112.4	77.5	157.3	36	45.2	24.5	76.1	14
Pleura	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Bones and Joints	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Soft Tissue including Heart	0.0	0.0	11.5	0	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	11.9	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	11.9	0
Other Non-Epithelial Skin	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Breast	0.0	0.0	11.5	0	130.1	94.0	175.6	44
Female Genital System	0.0	0.0	11.5	0	48.6	28.0	79.0	17
Cervix Uteri	0.0	0.0	11.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	11.5	0	23.7	10.7	46.2	9
Corpus Uteri	0.0	0.0	11.5	0	23.7	10.7	46.2	9
Uterus, NOS	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Ovary	0.0	0.0	11.5	0	^	^	^	^
Vagina	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Vulva	0.0	0.0	11.5	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Male Genital System	140.3	102.2	187.9	47	0.0	0.0	11.9	0
Prostate	140.3	102.2	187.9	47	0.0	0.0	11.9	0
Testis	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Penis	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Other Male Genital Organs	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Urinary System	52.6	30.1	85.0	17	^	^	^	^
Urinary Bladder	28.9	12.9	55.4	9	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	23.6	9.9	47.3	8	^	^	^	^
Ureter	0.0	0.0	11.5	0	^	^	^	^
Other Urinary Organs	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Eye and Orbit	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Endocrine System	0.0	0.0	11.5	0	16.6	6.0	37.1	6
Thyroid	0.0	0.0	11.5	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	11.5	0	^	^	^	^
Lymphoma	22.5	9.1	46.2	8	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	11.9	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	11.9	0
Hodgkin - Extranodal	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Non-Hodgkin Lymphoma	20.4	7.6	43.6	7	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	11.9	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	11.9	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	11.9	0
Other Lymphocytic Leukemia	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Chronic Myeloid Leukemia	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Other Leukemia	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Other Acute Leukemia	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Mesothelioma	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Kaposi Sarcoma	0.0	0.0	11.5	0	0.0	0.0	11.9	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	752.9	377.6	1,304.0	21	495.4	250.3	873.7	14
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Tongue	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Salivary Gland	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Floor of Mouth	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Gum and Other Mouth	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Nasopharynx	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Tonsil	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Oropharynx	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	180.9	0	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Ascending Colon	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Hepatic Flexure	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Transverse Colon	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Splenic Flexure	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Descending Colon	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Sigmoid Colon	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Large Intestine, NOS	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	160.4	0
Rectosigmoid Junction	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Rectum	^	^	^	^	0.0	0.0	160.4	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	160.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Liver	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Intrahepatic Bile Duct	0.0	0.0	180.9	0	0.0	0.0	160.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Other Biliary	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Pancreas	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Retroperitoneum	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Other Digestive Organs	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Larynx	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Bones and Joints	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Soft Tissue including Heart	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Skin excluding Basal and Squamous	0.0	0.0	180.9	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	180.9	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Breast	0.0	0.0	180.9	0	^	^	^	^
Female Genital System	0.0	0.0	180.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Corpus and Uterus, NOS	0.0	0.0	180.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	180.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Ovary	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Vagina	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Vulva	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Other Female Genital Organs	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Male Genital System	263.6	47.0	713.7	7	0.0	0.0	160.4	0
Prostate	^	^	^	^	0.0	0.0	160.4	0
Testis	^	^	^	^	0.0	0.0	160.4	0
Penis	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Other Male Genital Organs	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Urinary System	^	^	^	^	0.0	0.0	160.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	160.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	160.4	0
Ureter	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Other Urinary Organs	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Eye and Orbit	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Brain and Other Nervous System	0.0	0.0	180.9	0	^	^	^	^
Brain	0.0	0.0	180.9	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Endocrine System	0.0	0.0	180.9	0	^	^	^	^
Thyroid	0.0	0.0	180.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Lymphoma	0.0	0.0	180.9	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Hodgkin - Nodal	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Hodgkin - Extranodal	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Non-Hodgkin Lymphoma	0.0	0.0	180.9	0	^	^	^	^
NHL - Nodal	0.0	0.0	180.9	0	0.0	0.0	160.4	0
NHL - Extranodal	0.0	0.0	180.9	0	^	^	^	^
Myeloma	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Leukemia	^	^	^	^	0.0	0.0	160.4	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	160.4	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	160.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Other Lymphocytic Leukemia	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	160.4	0
Acute Myeloid Leukemia	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Acute Monocytic Leukemia	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	160.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Other Leukemia	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Other Acute Leukemia	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Mesothelioma	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Kaposi Sarcoma	0.0	0.0	180.9	0	0.0	0.0	160.4	0
Miscellaneous	0.0	0.0	180.9	0	0.0	0.0	160.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	531.5	442.5	632.0	147	414.4	335.0	506.3	102
Oral Cavity and Pharynx	35.8	17.7	64.6	12	^	^	^	^
Lip	^	^	^	^	0.0	0.0	14.2	0
Tongue	^	^	^	^	0.0	0.0	14.2	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	14.2	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	14.2	0
Nasopharynx	^	^	^	^	0.0	0.0	14.2	0
Tonsil	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Oropharynx	^	^	^	^	0.0	0.0	14.2	0
Hypopharynx	^	^	^	^	0.0	0.0	14.2	0
Other Oral Cavity and Pharynx	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Digestive System	165.2	119.3	222.3	50	153.6	106.1	214.1	36
Esophagus	^	^	^	^	^	^	^	^
Stomach	24.9	10.2	50.9	8	^	^	^	^
Small Intestine	0.0	0.0	13.0	0	^	^	^	^
Colon and Rectum	116.2	77.4	166.6	34	95.2	57.8	146.1	21
Colon excluding Rectum	82.2	49.8	126.5	23	81.9	46.8	130.9	17
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	14.2	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	0.0	0.0	14.2	0
Sigmoid Colon	41.9	20.6	75.0	13	^	^	^	^
Large Intestine, NOS	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Rectum and Rectosigmoid Junction	34.0	15.6	63.9	11	^	^	^	^
Rectosigmoid Junction	0.0	0.0	13.0	0	^	^	^	^
Rectum	34.0	15.6	63.9	11	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	13.0	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	13.0	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Other Biliary	0.0	0.0	13.0	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Other Digestive Organs	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Respiratory System	83.7	49.4	130.7	20	67.5	36.8	111.8	15
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	81.3	47.4	128.2	19	64.4	34.3	108.3	14
Pleura	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Bones and Joints	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Soft Tissue including Heart	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Skin excluding Basal and Squamous	0.0	0.0	13.0	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	13.0	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Breast	0.0	0.0	13.0	0	107.8	70.2	157.8	28
Female Genital System	0.0	0.0	13.0	0	27.6	10.7	57.5	7
Cervix Uteri	0.0	0.0	13.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	13.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	13.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Ovary	0.0	0.0	13.0	0	^	^	^	^
Vagina	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Vulva	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Other Female Genital Organs	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Male Genital System	160.0	111.8	220.5	41	0.0	0.0	14.2	0
Prostate	143.0	96.7	201.9	35	0.0	0.0	14.2	0
Testis	17.0	6.2	38.3	6	0.0	0.0	14.2	0
Penis	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Other Male Genital Organs	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Urinary System	41.5	20.0	74.9	12	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	14.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

Total/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	27.3	11.0	55.3	8	^	^	^	^
Ureter	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Other Urinary Organs	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Eye and Orbit	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Brain and Other Nervous System	0.0	0.0	13.0	0	^	^	^	^
Brain	0.0	0.0	13.0	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Endocrine System	0.0	0.0	13.0	0	^	^	^	^
Thyroid	0.0	0.0	13.0	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Lymphoma	27.7	9.8	59.1	7	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	14.2	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	14.2	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	13.0	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	13.0	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	14.2	0
Acute Monocytic Leukemia	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Chronic Myeloid Leukemia	0.0	0.0	13.0	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Other Leukemia	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Other Acute Leukemia	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Mesothelioma	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Kaposi Sarcoma	0.0	0.0	13.0	0	0.0	0.0	14.2	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Lip	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Tongue	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Salivary Gland	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Floor of Mouth	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Gum and Other Mouth	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Nasopharynx	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Tonsil	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Oropharynx	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Hypopharynx	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Oral Cavity and Pharynx	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Digestive System	^	^	^	^	0.0	0.0	796.9	0
Esophagus	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Stomach	^	^	^	^	0.0	0.0	796.9	0
Small Intestine	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Colon and Rectum	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Colon excluding Rectum	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Cecum	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Appendix	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Ascending Colon	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Hepatic Flexure	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Transverse Colon	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Splenic Flexure	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Descending Colon	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Sigmoid Colon	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Large Intestine, NOS	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Rectosigmoid Junction	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Rectum	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Liver	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Intrahepatic Bile Duct	0.0	0.0	307.6	0	0.0	0.0	796.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Biliary	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Pancreas	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Retroperitoneum	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Digestive Organs	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Respiratory System	^	^	^	^	0.0	0.0	796.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Larynx	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Lung and Bronchus	^	^	^	^	0.0	0.0	796.9	0
Pleura	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Bones and Joints	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Soft Tissue including Heart	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Skin excluding Basal and Squamous	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Melanoma of the Skin	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Non-Epithelial Skin	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Breast	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Female Genital System	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Cervix Uteri	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Corpus and Uterus, NOS	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Corpus Uteri	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Uterus, NOS	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Ovary	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Vagina	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Vulva	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Female Genital Organs	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Male Genital System	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Prostate	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Testis	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Penis	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Male Genital Organs	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Urinary System	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Urinary Bladder	0.0	0.0	307.6	0	0.0	0.0	796.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Ureter	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Urinary Organs	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Eye and Orbit	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Brain and Other Nervous System	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Brain	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Cranial Nerves Other Nervous System	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Endocrine System	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Thyroid	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Endocrine including Thymus	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Lymphoma	0.0	0.0	307.6	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Hodgkin - Nodal	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Hodgkin - Extranodal	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Non-Hodgkin Lymphoma	0.0	0.0	307.6	0	^	^	^	^
NHL - Nodal	0.0	0.0	307.6	0	^	^	^	^
NHL - Extranodal	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Myeloma	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Lymphocytic Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Acute Lymphocytic Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Lymphocytic Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Acute Myeloid Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Acute Monocytic Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Chronic Myeloid Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Other Acute Leukemia	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Mesothelioma	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Kaposi Sarcoma	0.0	0.0	307.6	0	0.0	0.0	796.9	0
Miscellaneous	0.0	0.0	307.6	0	0.0	0.0	796.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	2,010.2 &	97.6 &	7,028.7 &	6	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	796.4	0	^	^	^	^
Lip	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Tongue	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Salivary Gland	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Floor of Mouth	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Gum and Other Mouth	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Nasopharynx	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Tonsil	0.0	0.0	796.4	0	^	^	^	^
Oropharynx	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Hypopharynx	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Oral Cavity and Pharynx	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Stomach	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Small Intestine	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Colon and Rectum	^	^	^	^	0.0	0.0	596.9	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	596.9	0
Cecum	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Appendix	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Ascending Colon	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Hepatic Flexure	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Transverse Colon	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Splenic Flexure	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Descending Colon	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Sigmoid Colon	^	^	^	^	0.0	0.0	596.9	0
Large Intestine, NOS	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	596.9	0
Rectosigmoid Junction	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Rectum	^	^	^	^	0.0	0.0	596.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Liver	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Intrahepatic Bile Duct	0.0	0.0	796.4	0	0.0	0.0	596.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Biliary	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Digestive Organs	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Larynx	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Bones and Joints	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Soft Tissue including Heart	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Skin excluding Basal and Squamous	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Melanoma of the Skin	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Non-Epithelial Skin	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Breast	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Female Genital System	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Cervix Uteri	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Corpus and Uterus, NOS	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Corpus Uteri	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Uterus, NOS	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Ovary	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Vagina	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Vulva	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Female Genital Organs	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Male Genital System	^	^	^	^	0.0	0.0	596.9	0
Prostate	^	^	^	^	0.0	0.0	596.9	0
Testis	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Penis	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Male Genital Organs	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Urinary System	^	^	^	^	0.0	0.0	596.9	0
Urinary Bladder	0.0	0.0	796.4	0	0.0	0.0	596.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	596.9	0
Ureter	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Urinary Organs	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Eye and Orbit	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Brain and Other Nervous System	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Brain	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Cranial Nerves Other Nervous System	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Endocrine System	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Thyroid	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Endocrine including Thymus	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Lymphoma	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Hodgkin Lymphoma	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Hodgkin - Nodal	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Hodgkin - Extranodal	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Non-Hodgkin Lymphoma	0.0	0.0	796.4	0	0.0	0.0	596.9	0
NHL - Nodal	0.0	0.0	796.4	0	0.0	0.0	596.9	0
NHL - Extranodal	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Myeloma	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Lymphocytic Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Acute Lymphocytic Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Lymphocytic Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Acute Myeloid Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Acute Monocytic Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Chronic Myeloid Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Other Acute Leukemia	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Mesothelioma	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Kaposi Sarcoma	0.0	0.0	796.4	0	0.0	0.0	596.9	0
Miscellaneous	0.0	0.0	796.4	0	0.0	0.0	596.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	538.6	468.0	615.8	324	449.7	398.5	505.3	342
Oral Cavity and Pharynx	29.4	15.7	49.6	19	^	^	^	^
Lip	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Tongue	^	^	^	^	0.0	0.0	4.9	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	4.9	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	4.9	0
Nasopharynx	^	^	^	^	0.0	0.0	4.9	0
Tonsil	^	^	^	^	0.0	0.0	4.9	0
Oropharynx	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Hypopharynx	^	^	^	^	0.0	0.0	4.9	0
Other Oral Cavity and Pharynx	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Digestive System	101.2	71.1	138.6	58	85.6	61.8	114.6	49
Esophagus	^	^	^	^	^	^	^	^
Stomach	17.1	7.0	34.0	10	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	52.6	31.9	80.5	28	49.7	32.4	72.2	29
Colon excluding Rectum	29.2	15.4	49.8	18	39.7	23.9	60.8	21
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	8.4	0	^	^	^	^
Descending Colon	^	^	^	^	0.0	0.0	4.9	0
Sigmoid Colon	10.8	4.5	22.9	8	13.6	5.2	27.4	7
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	23.4	9.7	45.3	10	10.1	4.2	20.3	8
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	7.0	2.4	15.8	6
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Other Biliary	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Pancreas	16.7	4.2	39.8	8	11.4	3.8	24.5	6
Retroperitoneum	0.0	0.0	8.4	0	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Other Digestive Organs	0.0	0.0	8.4	0	^	^	^	^
Respiratory System	110.2	80.5	146.3	68	75.7	55.2	100.6	51
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Larynx	16.5	6.2	34.3	9	^	^	^	^
Lung and Bronchus	92.6	65.8	126.0	58	73.1	53.0	97.7	49
Pleura	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	4.9	0
Bones and Joints	^	^	^	^	0.0	0.0	4.9	0
Soft Tissue including Heart	8.1	2.5	20.3	7	^	^	^	^
Skin excluding Basal and Squamous	8.3	3.6	18.5	9	13.1	5.8	24.8	11
Melanoma of the Skin	7.7	3.2	17.8	8	13.1	5.8	24.8	11
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	4.9	0
Breast	0.0	0.0	8.4	0	129.0	103.5	158.6	106
Female Genital System	0.0	0.0	8.4	0	45.6	31.7	63.6	42
Cervix Uteri	0.0	0.0	8.4	0	11.0	5.5	20.1	12
Corpus and Uterus, NOS	0.0	0.0	8.4	0	21.2	11.4	35.4	17
Corpus Uteri	0.0	0.0	8.4	0	16.3	8.2	28.7	13
Uterus, NOS	0.0	0.0	8.4	0	^	^	^	^
Ovary	0.0	0.0	8.4	0	13.5	6.7	24.2	13
Vagina	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Vulva	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Other Female Genital Organs	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Male Genital System	158.5	120.3	203.7	87	0.0	0.0	4.9	0
Prostate	154.6	116.5	199.7	81	0.0	0.0	4.9	0
Testis	3.9	1.4	12.4	6	0.0	0.0	4.9	0
Penis	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Other Male Genital Organs	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Urinary System	55.9	32.7	87.2	27	17.9	8.6	31.9	12
Urinary Bladder	30.9	13.2	58.0	13	11.5	4.6	23.1	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	23.5	11.0	42.8	13	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	4.9	0
Other Urinary Organs	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Eye and Orbit	^	^	^	^	0.0	0.0	4.9	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Endocrine System	0.0	0.0	8.4	0	18.2	10.5	29.7	19
Thyroid	0.0	0.0	8.4	0	18.2	10.5	29.7	19
Other Endocrine including Thymus	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Lymphoma	21.4	11.8	36.3	19	30.6	18.7	46.9	26
Hodgkin Lymphoma	^	^	^	^	5.3	2.3	11.8	8
Hodgkin - Nodal	^	^	^	^	4.5	1.8	10.7	7
Hodgkin - Extranodal	0.0	0.0	8.4	0	^	^	^	^
Non-Hodgkin Lymphoma	17.2	8.8	31.1	15	25.3	14.1	41.3	18
NHL - Nodal	13.7	6.3	26.9	12	21.5	11.4	36.2	15
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	8.8	3.0	19.2	6
Leukemia	22.3	9.8	42.1	13	9.1	3.0	20.1	6
Lymphocytic Leukemia	8.9	2.9	21.2	7	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	4.9	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Other Leukemia	^	^	^	^	0.0	0.0	4.9	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	4.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	4.9	0
Mesothelioma	^	^	^	^	0.0	0.0	4.9	0
Kaposi Sarcoma	0.0	0.0	8.4	0	0.0	0.0	4.9	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	288.6	140.7	519.2	12
Oral Cavity and Pharynx	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Lip	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Tongue	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Salivary Gland	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Floor of Mouth	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Gum and Other Mouth	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Nasopharynx	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Tonsil	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Oropharynx	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Hypopharynx	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Oral Cavity and Pharynx	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	87.3	0	^	^	^	^
Stomach	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Small Intestine	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Appendix	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Ascending Colon	0.0	0.0	87.3	0	^	^	^	^
Hepatic Flexure	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Transverse Colon	^	^	^	^	0.0	0.0	97.6	0
Splenic Flexure	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Descending Colon	^	^	^	^	0.0	0.0	97.6	0
Sigmoid Colon	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Large Intestine, NOS	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	87.3	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Rectum	0.0	0.0	87.3	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Liver	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Intrahepatic Bile Duct	0.0	0.0	87.3	0	0.0	0.0	97.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Biliary	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Pancreas	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Retroperitoneum	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Digestive Organs	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Respiratory System	^	^	^	^	0.0	0.0	97.6	0
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	97.6	0
Larynx	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Lung and Bronchus	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Pleura	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Bones and Joints	0.0	0.0	87.3	0	^	^	^	^
Soft Tissue including Heart	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Skin excluding Basal and Squamous	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Melanoma of the Skin	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Non-Epithelial Skin	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Breast	0.0	0.0	87.3	0	^	^	^	^
Female Genital System	0.0	0.0	87.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Corpus and Uterus, NOS	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Corpus Uteri	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Uterus, NOS	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Ovary	0.0	0.0	87.3	0	^	^	^	^
Vagina	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Vulva	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Female Genital Organs	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Male Genital System	^	^	^	^	0.0	0.0	97.6	0
Prostate	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Testis	^	^	^	^	0.0	0.0	97.6	0
Penis	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Male Genital Organs	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Urinary System	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Urinary Bladder	0.0	0.0	87.3	0	0.0	0.0	97.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Ureter	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Urinary Organs	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Eye and Orbit	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Brain and Other Nervous System	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Brain	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Cranial Nerves Other Nervous System	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Endocrine System	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Thyroid	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Endocrine including Thymus	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Lymphoma	0.0	0.0	87.3	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Hodgkin - Nodal	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Hodgkin - Extranodal	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Non-Hodgkin Lymphoma	0.0	0.0	87.3	0	^	^	^	^
NHL - Nodal	0.0	0.0	87.3	0	^	^	^	^
NHL - Extranodal	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Myeloma	^	^	^	^	0.0	0.0	97.6	0
Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Lymphocytic Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Acute Lymphocytic Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Lymphocytic Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Acute Myeloid Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Acute Monocytic Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Chronic Myeloid Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Other Acute Leukemia	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Mesothelioma	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Kaposi Sarcoma	0.0	0.0	87.3	0	0.0	0.0	97.6	0
Miscellaneous	0.0	0.0	87.3	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	0.0	0.0	1,004.1	0	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Lip	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Tongue	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Salivary Gland	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Floor of Mouth	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Gum and Other Mouth	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Nasopharynx	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Tonsil	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Oropharynx	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Hypopharynx	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Oral Cavity and Pharynx	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Digestive System	0.0	0.0	1,004.1	0	^	^	^	^
Esophagus	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Stomach	0.0	0.0	1,004.1	0	^	^	^	^
Small Intestine	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Colon and Rectum	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Colon excluding Rectum	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Cecum	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Appendix	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Ascending Colon	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Hepatic Flexure	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Transverse Colon	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Splenic Flexure	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Descending Colon	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Sigmoid Colon	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Large Intestine, NOS	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Rectosigmoid Junction	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Rectum	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Liver	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Intrahepatic Bile Duct	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Biliary	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Pancreas	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Retroperitoneum	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Digestive Organs	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Respiratory System	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Larynx	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Lung and Bronchus	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Pleura	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Bones and Joints	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Soft Tissue including Heart	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Skin excluding Basal and Squamous	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Melanoma of the Skin	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Non-Epithelial Skin	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Breast	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Female Genital System	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Cervix Uteri	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Corpus and Uterus, NOS	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Corpus Uteri	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Uterus, NOS	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Ovary	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Vagina	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Vulva	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Female Genital Organs	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Male Genital System	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Prostate	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Testis	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Penis	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Male Genital Organs	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Urinary System	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Urinary Bladder	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Ureter	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Urinary Organs	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Eye and Orbit	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Brain and Other Nervous System	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Brain	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Cranial Nerves Other Nervous System	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Endocrine System	0.0	0.0	1,004.1	0	^	^	^	^
Thyroid	0.0	0.0	1,004.1	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Lymphoma	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Hodgkin Lymphoma	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Hodgkin - Nodal	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Hodgkin - Extranodal	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Non-Hodgkin Lymphoma	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
NHL - Nodal	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
NHL - Extranodal	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Myeloma	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Lymphocytic Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Acute Lymphocytic Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Lymphocytic Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Acute Myeloid Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Acute Monocytic Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Chronic Myeloid Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Other Acute Leukemia	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Mesothelioma	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Kaposi Sarcoma	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0
Miscellaneous	0.0	0.0	1,004.1	0	0.0	0.0	1,651.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	669.7	0	^	^	^	^
Lip	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Tongue	0.0	0.0	669.7	0	^	^	^	^
Salivary Gland	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Floor of Mouth	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Gum and Other Mouth	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Nasopharynx	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Tonsil	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Oropharynx	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Hypopharynx	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Oral Cavity and Pharynx	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Digestive System	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Esophagus	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Stomach	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Small Intestine	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Colon and Rectum	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Colon excluding Rectum	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Cecum	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Appendix	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Ascending Colon	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Hepatic Flexure	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Transverse Colon	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Splenic Flexure	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Descending Colon	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Sigmoid Colon	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Large Intestine, NOS	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Rectosigmoid Junction	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Rectum	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Liver	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Intrahepatic Bile Duct	0.0	0.0	669.7	0	0.0	0.0	978.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Biliary	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Pancreas	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Retroperitoneum	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Digestive Organs	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Respiratory System	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Larynx	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Lung and Bronchus	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Pleura	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Bones and Joints	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Soft Tissue including Heart	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Skin excluding Basal and Squamous	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Melanoma of the Skin	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Non-Epithelial Skin	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Breast	0.0	0.0	669.7	0	^	^	^	^
Female Genital System	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Cervix Uteri	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Corpus and Uterus, NOS	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Corpus Uteri	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Uterus, NOS	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Ovary	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Vagina	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Vulva	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Female Genital Organs	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Male Genital System	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Prostate	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Testis	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Penis	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Male Genital Organs	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Urinary System	^	^	^	^	0.0	0.0	978.1	0
Urinary Bladder	^	^	^	^	0.0	0.0	978.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	978.1	0
Ureter	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Urinary Organs	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Eye and Orbit	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Brain and Other Nervous System	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Brain	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Cranial Nerves Other Nervous System	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Endocrine System	0.0	0.0	669.7	0	^	^	^	^
Thyroid	0.0	0.0	669.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Lymphoma	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Hodgkin Lymphoma	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Hodgkin - Nodal	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Hodgkin - Extranodal	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Non-Hodgkin Lymphoma	0.0	0.0	669.7	0	0.0	0.0	978.1	0
NHL - Nodal	0.0	0.0	669.7	0	0.0	0.0	978.1	0
NHL - Extranodal	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Myeloma	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Lymphocytic Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Acute Lymphocytic Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Lymphocytic Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Acute Myeloid Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Acute Monocytic Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Chronic Myeloid Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Other Acute Leukemia	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Mesothelioma	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Kaposi Sarcoma	0.0	0.0	669.7	0	0.0	0.0	978.1	0
Miscellaneous	0.0	0.0	669.7	0	0.0	0.0	978.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	662.5	267.6	1,321.4	8	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Lip	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Tongue	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Salivary Gland	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Floor of Mouth	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Gum and Other Mouth	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Nasopharynx	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Tonsil	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Oropharynx	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Hypopharynx	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Oral Cavity and Pharynx	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Stomach	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Small Intestine	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Appendix	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Ascending Colon	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Hepatic Flexure	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Transverse Colon	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Splenic Flexure	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Descending Colon	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Rectosigmoid Junction	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Rectum	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Liver	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Intrahepatic Bile Duct	0.0	0.0	278.9	0	0.0	0.0	288.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Biliary	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Pancreas	^	^	^	^	0.0	0.0	288.0	0
Retroperitoneum	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Digestive Organs	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Larynx	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Bones and Joints	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Soft Tissue including Heart	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Skin excluding Basal and Squamous	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Melanoma of the Skin	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Non-Epithelial Skin	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Breast	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Female Genital System	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Cervix Uteri	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Corpus and Uterus, NOS	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Corpus Uteri	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Uterus, NOS	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Ovary	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Vagina	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Vulva	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Female Genital Organs	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Male Genital System	^	^	^	^	0.0	0.0	288.0	0
Prostate	^	^	^	^	0.0	0.0	288.0	0
Testis	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Penis	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Male Genital Organs	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Urinary System	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Urinary Bladder	0.0	0.0	278.9	0	0.0	0.0	288.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Ureter	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Urinary Organs	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Eye and Orbit	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Brain and Other Nervous System	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Brain	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Cranial Nerves Other Nervous System	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Endocrine System	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Thyroid	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Endocrine including Thymus	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Lymphoma	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Hodgkin Lymphoma	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Hodgkin - Nodal	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Hodgkin - Extranodal	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Non-Hodgkin Lymphoma	0.0	0.0	278.9	0	0.0	0.0	288.0	0
NHL - Nodal	0.0	0.0	278.9	0	0.0	0.0	288.0	0
NHL - Extranodal	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Myeloma	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Lymphocytic Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Acute Lymphocytic Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Lymphocytic Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Acute Myeloid Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Acute Monocytic Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Chronic Myeloid Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Other Acute Leukemia	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Mesothelioma	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Kaposi Sarcoma	0.0	0.0	278.9	0	0.0	0.0	288.0	0
Miscellaneous	0.0	0.0	278.9	0	0.0	0.0	288.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	559.7	433.9	706.5	104	448.5	354.9	557.3	97
Oral Cavity and Pharynx	^	^	^	^	43.1	16.8	87.0	7
Lip	^	^	^	^	^	^	^	^
Tongue	0.0	0.0	23.4	0	^	^	^	^
Salivary Gland	0.0	0.0	23.4	0	^	^	^	^
Floor of Mouth	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Gum and Other Mouth	0.0	0.0	23.4	0	^	^	^	^
Nasopharynx	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Tonsil	^	^	^	^	0.0	0.0	17.4	0
Oropharynx	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Hypopharynx	0.0	0.0	23.4	0	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Digestive System	140.3	76.5	228.8	20	88.7	47.3	147.7	16
Esophagus	0.0	0.0	23.4	0	^	^	^	^
Stomach	0.0	0.0	23.4	0	^	^	^	^
Small Intestine	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Colon and Rectum	93.8	46.6	163.3	15	41.5	16.2	83.8	8
Colon excluding Rectum	79.2	34.9	147.3	11	33.9	11.2	74.5	6
Cecum	^	^	^	^	0.0	0.0	17.4	0
Appendix	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Ascending Colon	0.0	0.0	23.4	0	^	^	^	^
Hepatic Flexure	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Transverse Colon	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Splenic Flexure	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	17.4	0
Liver	^	^	^	^	0.0	0.0	17.4	0
Intrahepatic Bile Duct	0.0	0.0	23.4	0	0.0	0.0	17.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Other Biliary	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	17.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Other Digestive Organs	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Respiratory System	119.0	66.1	193.2	21	39.5	15.4	80.1	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	96.1	48.2	166.3	17	35.4	12.7	75.2	6
Pleura	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Bones and Joints	0.0	0.0	23.4	0	^	^	^	^
Soft Tissue including Heart	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Breast	0.0	0.0	23.4	0	134.1	87.5	195.5	30
Female Genital System	0.0	0.0	23.4	0	28.0	12.8	55.6	10
Cervix Uteri	0.0	0.0	23.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	23.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	23.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Ovary	0.0	0.0	23.4	0	^	^	^	^
Vagina	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Vulva	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Other Female Genital Organs	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Male Genital System	153.5	89.1	240.9	28	0.0	0.0	17.4	0
Prostate	146.0	82.3	233.3	24	0.0	0.0	17.4	0
Testis	^	^	^	^	0.0	0.0	17.4	0
Penis	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Other Male Genital Organs	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Urinary System	56.3	26.5	104.4	12	34.7	13.4	71.8	7
Urinary Bladder	33.5	13.0	71.7	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	23.4	0	^	^	^	^
Other Urinary Organs	^	^	^	^	0.0	0.0	17.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	17.4	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Endocrine System	0.0	0.0	23.4	0	21.4	4.9	55.7	6
Thyroid	0.0	0.0	23.4	0	21.4	4.9	55.7	6
Other Endocrine including Thymus	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Lymphoma	29.0	7.6	72.2	7	24.3	7.1	57.6	6
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	17.4	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	17.4	0
Leukemia	^	^	^	^	0.0	0.0	17.4	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	17.4	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	17.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Other Lymphocytic Leukemia	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	17.4	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	17.4	0
Acute Monocytic Leukemia	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Chronic Myeloid Leukemia	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Other Leukemia	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Other Acute Leukemia	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Mesothelioma	^	^	^	^	0.0	0.0	17.4	0
Kaposi Sarcoma	0.0	0.0	23.4	0	0.0	0.0	17.4	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	582.6	205.4	1,322.3	6	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Lip	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Tongue	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Salivary Gland	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Floor of Mouth	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Gum and Other Mouth	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Nasopharynx	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Tonsil	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Oropharynx	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Hypopharynx	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Oral Cavity and Pharynx	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Digestive System	^	^	^	^	0.0	0.0	411.2	0
Esophagus	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Stomach	^	^	^	^	0.0	0.0	411.2	0
Small Intestine	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Colon and Rectum	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Colon excluding Rectum	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Cecum	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Appendix	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Ascending Colon	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Hepatic Flexure	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Transverse Colon	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Splenic Flexure	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Descending Colon	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Sigmoid Colon	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Large Intestine, NOS	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Rectosigmoid Junction	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Rectum	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Liver	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Intrahepatic Bile Duct	0.0	0.0	443.2	0	0.0	0.0	411.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Biliary	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Pancreas	^	^	^	^	0.0	0.0	411.2	0
Retroperitoneum	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Digestive Organs	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Respiratory System	^	^	^	^	0.0	0.0	411.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Larynx	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Lung and Bronchus	^	^	^	^	0.0	0.0	411.2	0
Pleura	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Bones and Joints	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Soft Tissue including Heart	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Skin excluding Basal and Squamous	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Melanoma of the Skin	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Non-Epithelial Skin	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Breast	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Female Genital System	0.0	0.0	443.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Corpus and Uterus, NOS	0.0	0.0	443.2	0	^	^	^	^
Corpus Uteri	0.0	0.0	443.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Ovary	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Vagina	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Vulva	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Female Genital Organs	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Male Genital System	^	^	^	^	0.0	0.0	411.2	0
Prostate	^	^	^	^	0.0	0.0	411.2	0
Testis	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Penis	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Male Genital Organs	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Urinary System	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Urinary Bladder	0.0	0.0	443.2	0	0.0	0.0	411.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Ureter	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Urinary Organs	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Eye and Orbit	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Brain and Other Nervous System	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Brain	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Cranial Nerves Other Nervous System	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Endocrine System	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Thyroid	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Endocrine including Thymus	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Lymphoma	^	^	^	^	0.0	0.0	411.2	0
Hodgkin Lymphoma	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Hodgkin - Nodal	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Hodgkin - Extranodal	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	411.2	0
NHL - Nodal	0.0	0.0	443.2	0	0.0	0.0	411.2	0
NHL - Extranodal	^	^	^	^	0.0	0.0	411.2	0
Myeloma	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Leukemia	^	^	^	^	0.0	0.0	411.2	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	411.2	0
Acute Lymphocytic Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	411.2	0
Other Lymphocytic Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Acute Myeloid Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Acute Monocytic Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Chronic Myeloid Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Other Acute Leukemia	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Mesothelioma	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Kaposi Sarcoma	0.0	0.0	443.2	0	0.0	0.0	411.2	0
Miscellaneous	0.0	0.0	443.2	0	0.0	0.0	411.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	561.0	388.4	776.8	47	484.6	352.7	647.2	52
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Tongue	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Salivary Gland	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Floor of Mouth	^	^	^	^	0.0	0.0	34.7	0
Gum and Other Mouth	0.0	0.0	45.9	0	^	^	^	^
Nasopharynx	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Tonsil	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Oropharynx	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Hypopharynx	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Oral Cavity and Pharynx	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Stomach	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Small Intestine	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	34.7	0
Appendix	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Ascending Colon	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Hepatic Flexure	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Transverse Colon	0.0	0.0	45.9	0	^	^	^	^
Splenic Flexure	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Descending Colon	^	^	^	^	0.0	0.0	34.7	0
Sigmoid Colon	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Large Intestine, NOS	0.0	0.0	45.9	0	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	45.9	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	45.9	0	^	^	^	^
Rectum	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	0.0	0.0	34.7	0
Intrahepatic Bile Duct	0.0	0.0	45.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Biliary	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Digestive Organs	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Respiratory System	^	^	^	^	108.7	46.4	207.8	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Larynx	^	^	^	^	0.0	0.0	34.7	0
Lung and Bronchus	^	^	^	^	108.7	46.4	207.8	8
Pleura	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Bones and Joints	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	34.7	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Breast	0.0	0.0	45.9	0	146.3	84.4	236.1	19
Female Genital System	0.0	0.0	45.9	0	54.4	20.4	117.6	7
Cervix Uteri	0.0	0.0	45.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	45.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	45.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	45.9	0	^	^	^	^
Ovary	0.0	0.0	45.9	0	^	^	^	^
Vagina	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Vulva	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Female Genital Organs	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Male Genital System	234.7	128.7	384.9	20	0.0	0.0	34.7	0
Prostate	215.0	111.6	364.5	16	0.0	0.0	34.7	0
Testis	^	^	^	^	0.0	0.0	34.7	0
Penis	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Male Genital Organs	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Urinary System	105.2	33.4	230.5	6	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	34.7	0
Ureter	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Urinary Organs	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Eye and Orbit	^	^	^	^	0.0	0.0	34.7	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Lymphoma	0.0	0.0	45.9	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	45.9	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	45.9	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Non-Hodgkin Lymphoma	0.0	0.0	45.9	0	0.0	0.0	34.7	0
NHL - Nodal	0.0	0.0	45.9	0	0.0	0.0	34.7	0
NHL - Extranodal	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Myeloma	0.0	0.0	45.9	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	34.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	34.7	0
Acute Monocytic Leukemia	0.0	0.0	45.9	0	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Leukemia	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Other Acute Leukemia	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Mesothelioma	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Kaposi Sarcoma	0.0	0.0	45.9	0	0.0	0.0	34.7	0
Miscellaneous	^	^	^	^	0.0	0.0	34.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	635.3	475.1	826.2	86	455.8	353.4	577.7	76
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	23.8	0
Lip	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Tongue	^	^	^	^	0.0	0.0	23.8	0
Salivary Gland	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Floor of Mouth	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Gum and Other Mouth	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Nasopharynx	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Tonsil	^	^	^	^	0.0	0.0	23.8	0
Oropharynx	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Hypopharynx	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Other Oral Cavity and Pharynx	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Digestive System	36.7	15.3	81.1	8	38.2	13.3	84.3	6
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Small Intestine	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Colon and Rectum	28.6	10.0	71.1	6	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Ascending Colon	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Hepatic Flexure	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Descending Colon	^	^	^	^	0.0	0.0	23.8	0
Sigmoid Colon	^	^	^	^	0.0	0.0	23.8	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	23.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	33.7	0	^	^	^	^
Rectum	^	^	^	^	0.0	0.0	23.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Liver	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Intrahepatic Bile Duct	0.0	0.0	33.7	0	0.0	0.0	23.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Other Biliary	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Other Digestive Organs	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Respiratory System	171.8	89.1	289.7	19	108.7	62.5	175.0	18
Nose, Nasal Cavity and Middle Ear	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	159.8	79.1	276.7	17	105.1	59.4	170.9	17
Pleura	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	23.8	0
Bones and Joints	0.0	0.0	33.7	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Breast	0.0	0.0	33.7	0	108.7	62.8	174.3	19
Female Genital System	0.0	0.0	33.7	0	73.2	37.2	128.8	13
Cervix Uteri	0.0	0.0	33.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	33.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	33.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Ovary	0.0	0.0	33.7	0	^	^	^	^
Vagina	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Vulva	0.0	0.0	33.7	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Male Genital System	233.0	132.6	369.4	27	0.0	0.0	23.8	0
Prostate	233.0	132.6	369.4	27	0.0	0.0	23.8	0
Testis	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Penis	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Other Male Genital Organs	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Urinary System	30.3	11.9	71.8	7	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	23.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Other Urinary Organs	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Eye and Orbit	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	0.0	0.0	33.7	0	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	23.8	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	33.7	0	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	58.9	19.3	130.3	7	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.8	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.8	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	23.8	0
Other Lymphocytic Leukemia	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Acute Monocytic Leukemia	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	33.7	0	0.0	0.0	23.8	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	23.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	23.8	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	23.8	0
Miscellaneous	0.0	0.0	33.7	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	447.5	269.7	690.8	23	423.4	269.9	630.8	26
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Tongue	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Salivary Gland	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Floor of Mouth	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	63.6	0
Nasopharynx	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Tonsil	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Oropharynx	0.0	0.0	72.1	0	^	^	^	^
Hypopharynx	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Oral Cavity and Pharynx	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Digestive System	98.4	33.3	224.8	6	^	^	^	^
Esophagus	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Stomach	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Small Intestine	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Ascending Colon	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Hepatic Flexure	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Transverse Colon	0.0	0.0	72.1	0	^	^	^	^
Splenic Flexure	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Descending Colon	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	63.6	0
Large Intestine, NOS	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Liver	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Intrahepatic Bile Duct	0.0	0.0	72.1	0	0.0	0.0	63.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	63.6	0
Other Biliary	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Pancreas	0.0	0.0	72.1	0	^	^	^	^
Retroperitoneum	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Digestive Organs	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Respiratory System	0.0	0.0	72.1	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Larynx	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Lung and Bronchus	0.0	0.0	72.1	0	^	^	^	^
Pleura	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Bones and Joints	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Soft Tissue including Heart	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Skin excluding Basal and Squamous	0.0	0.0	72.1	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	72.1	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Breast	0.0	0.0	72.1	0	149.2	68.8	282.6	10
Female Genital System	0.0	0.0	72.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Corpus and Uterus, NOS	0.0	0.0	72.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	72.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Ovary	0.0	0.0	72.1	0	^	^	^	^
Vagina	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Vulva	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Female Genital Organs	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Male Genital System	162.1	59.3	338.5	7	0.0	0.0	63.6	0
Prostate	151.9	51.8	327.6	6	0.0	0.0	63.6	0
Testis	^	^	^	^	0.0	0.0	63.6	0
Penis	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Male Genital Organs	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Urinary System	128.9	41.8	288.0	6	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	63.6	0
Ureter	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Urinary Organs	^	^	^	^	0.0	0.0	63.6	0
Eye and Orbit	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	63.6	0
Brain	^	^	^	^	0.0	0.0	63.6	0
Cranial Nerves Other Nervous System	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Endocrine System	0.0	0.0	72.1	0	^	^	^	^
Thyroid	0.0	0.0	72.1	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Lymphoma	^	^	^	^	0.0	0.0	63.6	0
Hodgkin Lymphoma	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Hodgkin - Nodal	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Hodgkin - Extranodal	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	63.6	0
NHL - Nodal	^	^	^	^	0.0	0.0	63.6	0
NHL - Extranodal	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Myeloma	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Leukemia	0.0	0.0	72.1	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Acute Lymphocytic Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Lymphocytic Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	72.1	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Acute Monocytic Leukemia	0.0	0.0	72.1	0	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Other Acute Leukemia	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Mesothelioma	^	^	^	^	0.0	0.0	63.6	0
Kaposi Sarcoma	0.0	0.0	72.1	0	0.0	0.0	63.6	0
Miscellaneous	0.0	0.0	72.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	782.7	403.4	1,320.4	19	814.3	481.0	1,266.2	27
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	121.8	0
Lip	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Tongue	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Salivary Gland	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Floor of Mouth	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Gum and Other Mouth	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Nasopharynx	^	^	^	^	0.0	0.0	121.8	0
Tonsil	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Oropharynx	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Hypopharynx	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Oral Cavity and Pharynx	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Digestive System	^	^	^	^	177.0	47.6	428.6	6
Esophagus	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Stomach	^	^	^	^	0.0	0.0	121.8	0
Small Intestine	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	145.0	0	^	^	^	^
Appendix	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Ascending Colon	^	^	^	^	0.0	0.0	121.8	0
Hepatic Flexure	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Transverse Colon	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Splenic Flexure	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Descending Colon	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Sigmoid Colon	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Large Intestine, NOS	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	145.0	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Rectum	0.0	0.0	145.0	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	121.8	0
Liver	^	^	^	^	0.0	0.0	121.8	0
Intrahepatic Bile Duct	0.0	0.0	145.0	0	0.0	0.0	121.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Biliary	0.0	0.0	145.0	0	^	^	^	^
Pancreas	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Retroperitoneum	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Digestive Organs	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Larynx	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Bones and Joints	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Soft Tissue including Heart	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Skin excluding Basal and Squamous	0.0	0.0	145.0	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	145.0	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Breast	0.0	0.0	145.0	0	337.0	131.5	672.1	10
Female Genital System	0.0	0.0	145.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Corpus and Uterus, NOS	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Corpus Uteri	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Uterus, NOS	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Ovary	0.0	0.0	145.0	0	^	^	^	^
Vagina	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Vulva	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Female Genital Organs	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Male Genital System	356.5	129.7	735.0	8	0.0	0.0	121.8	0
Prostate	356.5	129.7	735.0	8	0.0	0.0	121.8	0
Testis	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Penis	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Male Genital Organs	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Urinary System	^	^	^	^	0.0	0.0	121.8	0
Urinary Bladder	^	^	^	^	0.0	0.0	121.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Ureter	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Urinary Organs	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Eye and Orbit	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	121.8	0
Brain	^	^	^	^	0.0	0.0	121.8	0
Cranial Nerves Other Nervous System	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Lymphoma	^	^	^	^	0.0	0.0	121.8	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	121.8	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	121.8	0
Hodgkin - Extranodal	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Non-Hodgkin Lymphoma	0.0	0.0	145.0	0	0.0	0.0	121.8	0
NHL - Nodal	0.0	0.0	145.0	0	0.0	0.0	121.8	0
NHL - Extranodal	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Myeloma	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Leukemia	0.0	0.0	145.0	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	145.0	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	145.0	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Lymphocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Acute Myeloid Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Acute Monocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Chronic Myeloid Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Other Acute Leukemia	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Mesothelioma	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Kaposi Sarcoma	0.0	0.0	145.0	0	0.0	0.0	121.8	0
Miscellaneous	0.0	0.0	145.0	0	0.0	0.0	121.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Lip	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Tongue	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Salivary Gland	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Floor of Mouth	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Gum and Other Mouth	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Nasopharynx	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Tonsil	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Oropharynx	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Hypopharynx	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Oral Cavity and Pharynx	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Digestive System	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Esophagus	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Stomach	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Small Intestine	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Colon and Rectum	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Colon excluding Rectum	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Cecum	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Appendix	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Ascending Colon	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Hepatic Flexure	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Transverse Colon	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Splenic Flexure	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Descending Colon	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Sigmoid Colon	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Large Intestine, NOS	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Rectosigmoid Junction	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Rectum	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Liver	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Intrahepatic Bile Duct	0.0	0.0	872.9	0	0.0	0.0	758.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Biliary	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Pancreas	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Retroperitoneum	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Digestive Organs	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Respiratory System	^	^	^	^	0.0	0.0	758.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Larynx	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Lung and Bronchus	^	^	^	^	0.0	0.0	758.5	0
Pleura	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Bones and Joints	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Soft Tissue including Heart	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Skin excluding Basal and Squamous	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Melanoma of the Skin	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Non-Epithelial Skin	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Breast	0.0	0.0	872.9	0	^	^	^	^
Female Genital System	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Cervix Uteri	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Corpus and Uterus, NOS	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Corpus Uteri	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Uterus, NOS	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Ovary	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Vagina	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Vulva	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Female Genital Organs	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Male Genital System	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Prostate	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Testis	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Penis	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Male Genital Organs	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Urinary System	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Urinary Bladder	0.0	0.0	872.9	0	0.0	0.0	758.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Ureter	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Urinary Organs	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Eye and Orbit	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Brain and Other Nervous System	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Brain	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Cranial Nerves Other Nervous System	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Endocrine System	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Thyroid	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Endocrine including Thymus	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Lymphoma	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Hodgkin Lymphoma	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Hodgkin - Nodal	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Hodgkin - Extranodal	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Non-Hodgkin Lymphoma	0.0	0.0	872.9	0	0.0	0.0	758.5	0
NHL - Nodal	0.0	0.0	872.9	0	0.0	0.0	758.5	0
NHL - Extranodal	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Myeloma	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Leukemia	^	^	^	^	0.0	0.0	758.5	0
Lymphocytic Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Acute Lymphocytic Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Lymphocytic Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	758.5	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	758.5	0
Acute Monocytic Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Chronic Myeloid Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Other Acute Leukemia	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Mesothelioma	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Kaposi Sarcoma	0.0	0.0	872.9	0	0.0	0.0	758.5	0
Miscellaneous	0.0	0.0	872.9	0	0.0	0.0	758.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	423.7	310.9	561.6	76	490.3	378.2	623.3	82
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Tongue	^	^	^	^	0.0	0.0	25.0	0
Salivary Gland	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Floor of Mouth	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Gum and Other Mouth	0.0	0.0	32.9	0	^	^	^	^
Nasopharynx	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Tonsil	^	^	^	^	0.0	0.0	25.0	0
Oropharynx	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Hypopharynx	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Other Oral Cavity and Pharynx	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Digestive System	115.9	44.2	229.7	15	102.9	53.7	175.4	15
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Small Intestine	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Colon and Rectum	64.8	17.2	152.3	9	67.1	30.2	126.3	10
Colon excluding Rectum	^	^	^	^	42.0	13.5	94.8	6
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Transverse Colon	0.0	0.0	32.9	0	^	^	^	^
Splenic Flexure	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Descending Colon	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	25.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	32.9	0	0.0	0.0	25.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Other Biliary	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Other Digestive Organs	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Respiratory System	57.4	29.1	107.1	13	35.7	12.5	80.0	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Larynx	^	^	^	^	0.0	0.0	25.0	0
Lung and Bronchus	51.7	25.2	99.6	12	35.7	12.5	80.0	6
Pleura	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Bones and Joints	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Breast	^	^	^	^	161.8	103.2	240.6	30
Female Genital System	0.0	0.0	32.9	0	40.4	15.7	85.6	7
Cervix Uteri	0.0	0.0	32.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	32.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	32.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Ovary	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Vagina	0.0	0.0	32.9	0	^	^	^	^
Vulva	0.0	0.0	32.9	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Male Genital System	79.1	41.2	139.8	14	0.0	0.0	25.0	0
Prostate	76.2	38.8	136.7	13	0.0	0.0	25.0	0
Testis	^	^	^	^	0.0	0.0	25.0	0
Penis	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Other Male Genital Organs	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Urinary System	42.0	17.8	89.1	8	^	^	^	^
Urinary Bladder	32.9	11.8	77.8	6	0.0	0.0	25.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Other Urinary Organs	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Eye and Orbit	0.0	0.0	32.9	0	^	^	^	^
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Endocrine System	0.0	0.0	32.9	0	^	^	^	^
Thyroid	0.0	0.0	32.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Lymphoma	35.6	15.0	78.4	8	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	25.0	0
Myeloma	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Leukemia	^	^	^	^	63.9	22.6	133.6	7
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	25.0	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	25.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Chronic Myeloid Leukemia	0.0	0.0	32.9	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Other Leukemia	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Other Acute Leukemia	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Mesothelioma	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Kaposi Sarcoma	0.0	0.0	32.9	0	0.0	0.0	25.0	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	616.8	317.7	1,053.5	14	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Lip	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Tongue	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Salivary Gland	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Floor of Mouth	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Gum and Other Mouth	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Nasopharynx	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Tonsil	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Oropharynx	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Hypopharynx	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Oral Cavity and Pharynx	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Stomach	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Small Intestine	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Appendix	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Ascending Colon	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Hepatic Flexure	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Transverse Colon	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Splenic Flexure	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Descending Colon	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Rectosigmoid Junction	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Rectum	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Liver	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Intrahepatic Bile Duct	0.0	0.0	140.8	0	0.0	0.0	133.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Biliary	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Pancreas	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Retroperitoneum	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Digestive Organs	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Respiratory System	^	^	^	^	0.0	0.0	133.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Larynx	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	133.6	0
Pleura	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Bones and Joints	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Soft Tissue including Heart	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Skin excluding Basal and Squamous	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Melanoma of the Skin	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Non-Epithelial Skin	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Breast	0.0	0.0	140.8	0	^	^	^	^
Female Genital System	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Cervix Uteri	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Corpus and Uterus, NOS	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Corpus Uteri	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Uterus, NOS	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Ovary	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Vagina	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Vulva	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Female Genital Organs	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Male Genital System	^	^	^	^	0.0	0.0	133.6	0
Prostate	^	^	^	^	0.0	0.0	133.6	0
Testis	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Penis	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Male Genital Organs	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	140.8	0	0.0	0.0	133.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	140.8	0	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	133.6	0
Other Urinary Organs	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Eye and Orbit	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Brain and Other Nervous System	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Brain	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Cranial Nerves Other Nervous System	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Endocrine System	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Thyroid	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Endocrine including Thymus	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Lymphoma	0.0	0.0	140.8	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Hodgkin - Nodal	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Hodgkin - Extranodal	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Non-Hodgkin Lymphoma	0.0	0.0	140.8	0	^	^	^	^
NHL - Nodal	0.0	0.0	140.8	0	0.0	0.0	133.6	0
NHL - Extranodal	0.0	0.0	140.8	0	^	^	^	^
Myeloma	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Leukemia	^	^	^	^	0.0	0.0	133.6	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	133.6	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	133.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Lymphocytic Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Acute Myeloid Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Acute Monocytic Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Chronic Myeloid Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Other Acute Leukemia	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Mesothelioma	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Kaposi Sarcoma	0.0	0.0	140.8	0	0.0	0.0	133.6	0
Miscellaneous	0.0	0.0	140.8	0	0.0	0.0	133.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	269.2	105.9	679.6	7	269.4	104.9	619.7	7
Oral Cavity and Pharynx	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Lip	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Tongue	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Salivary Gland	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Floor of Mouth	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Gum and Other Mouth	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Nasopharynx	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Tonsil	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Oropharynx	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Hypopharynx	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Oral Cavity and Pharynx	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Cecum	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Appendix	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Ascending Colon	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Hepatic Flexure	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Transverse Colon	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Splenic Flexure	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Descending Colon	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Sigmoid Colon	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Large Intestine, NOS	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Liver	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Intrahepatic Bile Duct	0.0	0.0	368.3	0	0.0	0.0	262.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Biliary	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Pancreas	0.0	0.0	368.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Digestive Organs	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Respiratory System	^	^	^	^	0.0	0.0	262.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Larynx	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	262.6	0
Pleura	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Bones and Joints	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Soft Tissue including Heart	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	262.6	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	262.6	0
Other Non-Epithelial Skin	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Breast	0.0	0.0	368.3	0	^	^	^	^
Female Genital System	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Cervix Uteri	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Corpus and Uterus, NOS	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Corpus Uteri	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Uterus, NOS	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Ovary	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Vagina	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Vulva	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Female Genital Organs	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Male Genital System	^	^	^	^	0.0	0.0	262.6	0
Prostate	^	^	^	^	0.0	0.0	262.6	0
Testis	^	^	^	^	0.0	0.0	262.6	0
Penis	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Male Genital Organs	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Urinary System	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Urinary Bladder	0.0	0.0	368.3	0	0.0	0.0	262.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Ureter	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Urinary Organs	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Eye and Orbit	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	262.6	0
Brain	^	^	^	^	0.0	0.0	262.6	0
Cranial Nerves Other Nervous System	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Endocrine System	0.0	0.0	368.3	0	^	^	^	^
Thyroid	0.0	0.0	368.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Lymphoma	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Hodgkin Lymphoma	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Hodgkin - Nodal	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Hodgkin - Extranodal	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Non-Hodgkin Lymphoma	0.0	0.0	368.3	0	0.0	0.0	262.6	0
NHL - Nodal	0.0	0.0	368.3	0	0.0	0.0	262.6	0
NHL - Extranodal	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Myeloma	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Lymphocytic Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Acute Lymphocytic Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Lymphocytic Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Acute Myeloid Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Acute Monocytic Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Chronic Myeloid Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Other Acute Leukemia	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Mesothelioma	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Kaposi Sarcoma	0.0	0.0	368.3	0	0.0	0.0	262.6	0
Miscellaneous	0.0	0.0	368.3	0	0.0	0.0	262.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	445.3	152.0	962.1	7	588.2	236.4	1,159.5	8
Oral Cavity and Pharynx	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Lip	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Tongue	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Salivary Gland	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Floor of Mouth	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Gum and Other Mouth	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Nasopharynx	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Tonsil	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Oropharynx	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Hypopharynx	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Oral Cavity and Pharynx	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Stomach	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Small Intestine	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	224.5	0	^	^	^	^
Appendix	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Ascending Colon	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Hepatic Flexure	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Transverse Colon	^	^	^	^	0.0	0.0	205.8	0
Splenic Flexure	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Descending Colon	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Sigmoid Colon	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Large Intestine, NOS	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	224.5	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Rectum	0.0	0.0	224.5	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Liver	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Intrahepatic Bile Duct	0.0	0.0	224.5	0	0.0	0.0	205.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Biliary	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Pancreas	^	^	^	^	0.0	0.0	205.8	0
Retroperitoneum	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Digestive Organs	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Respiratory System	^	^	^	^	0.0	0.0	205.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Larynx	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Lung and Bronchus	^	^	^	^	0.0	0.0	205.8	0
Pleura	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Bones and Joints	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Soft Tissue including Heart	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Skin excluding Basal and Squamous	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Melanoma of the Skin	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Non-Epithelial Skin	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Breast	0.0	0.0	224.5	0	^	^	^	^
Female Genital System	0.0	0.0	224.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	224.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	224.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	224.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Ovary	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Vagina	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Vulva	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Female Genital Organs	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Male Genital System	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Prostate	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Testis	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Penis	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Male Genital Organs	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	205.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	224.5	0	^	^	^	^
Ureter	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Urinary Organs	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Eye and Orbit	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Brain and Other Nervous System	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Brain	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Cranial Nerves Other Nervous System	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Endocrine System	0.0	0.0	224.5	0	^	^	^	^
Thyroid	0.0	0.0	224.5	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Lymphoma	^	^	^	^	0.0	0.0	205.8	0
Hodgkin Lymphoma	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Hodgkin - Nodal	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Hodgkin - Extranodal	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	205.8	0
NHL - Nodal	^	^	^	^	0.0	0.0	205.8	0
NHL - Extranodal	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Myeloma	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Lymphocytic Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Acute Lymphocytic Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Lymphocytic Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Acute Myeloid Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Acute Monocytic Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Chronic Myeloid Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Other Acute Leukemia	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Mesothelioma	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Kaposi Sarcoma	0.0	0.0	224.5	0	0.0	0.0	205.8	0
Miscellaneous	0.0	0.0	224.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	514.8	163.8	1,135.8	9	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Lip	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Tongue	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Salivary Gland	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Floor of Mouth	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Gum and Other Mouth	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Nasopharynx	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Tonsil	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Oropharynx	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Hypopharynx	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Oral Cavity and Pharynx	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Digestive System	^	^	^	^	0.0	0.0	287.7	0
Esophagus	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Stomach	^	^	^	^	0.0	0.0	287.7	0
Small Intestine	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Colon and Rectum	^	^	^	^	0.0	0.0	287.7	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	287.7	0
Cecum	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Appendix	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Ascending Colon	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Hepatic Flexure	^	^	^	^	0.0	0.0	287.7	0
Transverse Colon	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Splenic Flexure	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Descending Colon	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Sigmoid Colon	^	^	^	^	0.0	0.0	287.7	0
Large Intestine, NOS	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	287.7	0
Rectosigmoid Junction	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Rectum	^	^	^	^	0.0	0.0	287.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Liver	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Intrahepatic Bile Duct	0.0	0.0	256.7	0	0.0	0.0	287.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Biliary	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Pancreas	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Retroperitoneum	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Digestive Organs	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Larynx	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Bones and Joints	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Soft Tissue including Heart	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Skin excluding Basal and Squamous	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Melanoma of the Skin	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Non-Epithelial Skin	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Breast	0.0	0.0	256.7	0	^	^	^	^
Female Genital System	0.0	0.0	256.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	256.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Corpus Uteri	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Uterus, NOS	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Ovary	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Vagina	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Vulva	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Female Genital Organs	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Male Genital System	^	^	^	^	0.0	0.0	287.7	0
Prostate	^	^	^	^	0.0	0.0	287.7	0
Testis	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Penis	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Male Genital Organs	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Urinary System	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Urinary Bladder	0.0	0.0	256.7	0	0.0	0.0	287.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Ureter	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Urinary Organs	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Eye and Orbit	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Brain and Other Nervous System	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Brain	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Cranial Nerves Other Nervous System	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Endocrine System	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Thyroid	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Endocrine including Thymus	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Lymphoma	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Hodgkin Lymphoma	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Hodgkin - Nodal	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Hodgkin - Extranodal	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Non-Hodgkin Lymphoma	0.0	0.0	256.7	0	0.0	0.0	287.7	0
NHL - Nodal	0.0	0.0	256.7	0	0.0	0.0	287.7	0
NHL - Extranodal	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Myeloma	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Leukemia	0.0	0.0	256.7	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Acute Lymphocytic Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Lymphocytic Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	256.7	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	256.7	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Chronic Myeloid Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Other Acute Leukemia	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Mesothelioma	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Kaposi Sarcoma	0.0	0.0	256.7	0	0.0	0.0	287.7	0
Miscellaneous	0.0	0.0	256.7	0	0.0	0.0	287.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	640.4	343.9	1,066.4	17	395.4	206.1	679.6	14
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Tongue	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Salivary Gland	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Floor of Mouth	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Gum and Other Mouth	0.0	0.0	135.6	0	^	^	^	^
Nasopharynx	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Tonsil	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Oropharynx	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Hypopharynx	^	^	^	^	0.0	0.0	105.1	0
Other Oral Cavity and Pharynx	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Stomach	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Small Intestine	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	105.1	0
Appendix	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Ascending Colon	0.0	0.0	135.6	0	^	^	^	^
Hepatic Flexure	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Transverse Colon	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Splenic Flexure	^	^	^	^	0.0	0.0	105.1	0
Descending Colon	0.0	0.0	135.6	0	^	^	^	^
Sigmoid Colon	0.0	0.0	135.6	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	105.1	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	105.1	0
Rectum	^	^	^	^	0.0	0.0	105.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Liver	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Intrahepatic Bile Duct	0.0	0.0	135.6	0	0.0	0.0	105.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Biliary	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Pancreas	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Retroperitoneum	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Digestive Organs	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Larynx	^	^	^	^	0.0	0.0	105.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Bones and Joints	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Soft Tissue including Heart	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Breast	0.0	0.0	135.6	0	^	^	^	^
Female Genital System	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Cervix Uteri	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Corpus and Uterus, NOS	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Corpus Uteri	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Uterus, NOS	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Ovary	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Vagina	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Vulva	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Female Genital Organs	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Male Genital System	^	^	^	^	0.0	0.0	105.1	0
Prostate	^	^	^	^	0.0	0.0	105.1	0
Testis	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Penis	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Male Genital Organs	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Urinary System	^	^	^	^	0.0	0.0	105.1	0
Urinary Bladder	0.0	0.0	135.6	0	0.0	0.0	105.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	105.1	0
Ureter	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Urinary Organs	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Eye and Orbit	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	105.1	0
Brain	^	^	^	^	0.0	0.0	105.1	0
Cranial Nerves Other Nervous System	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Endocrine System	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Thyroid	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Endocrine including Thymus	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Hodgkin - Nodal	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Hodgkin - Extranodal	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Myeloma	0.0	0.0	135.6	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	105.1	0
Acute Lymphocytic Leukemia	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	105.1	0
Other Lymphocytic Leukemia	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	135.6	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	135.6	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Chronic Myeloid Leukemia	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Leukemia	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Other Acute Leukemia	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Mesothelioma	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Kaposi Sarcoma	0.0	0.0	135.6	0	0.0	0.0	105.1	0
Miscellaneous	0.0	0.0	135.6	0	0.0	0.0	105.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	789.6	282.6	1,658.9	7	599.5	256.7	1,191.7	9
Oral Cavity and Pharynx	0.0	0.0	355.4	0	^	^	^	^
Lip	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Tongue	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Salivary Gland	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Floor of Mouth	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Gum and Other Mouth	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Nasopharynx	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Tonsil	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Oropharynx	0.0	0.0	355.4	0	^	^	^	^
Hypopharynx	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Oral Cavity and Pharynx	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Digestive System	^	^	^	^	0.0	0.0	298.7	0
Esophagus	^	^	^	^	0.0	0.0	298.7	0
Stomach	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Small Intestine	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Colon and Rectum	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Colon excluding Rectum	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Cecum	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Appendix	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Ascending Colon	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Hepatic Flexure	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Transverse Colon	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Splenic Flexure	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Descending Colon	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Sigmoid Colon	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Large Intestine, NOS	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Rectosigmoid Junction	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Rectum	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Liver	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Intrahepatic Bile Duct	0.0	0.0	355.4	0	0.0	0.0	298.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Biliary	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Pancreas	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Retroperitoneum	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Digestive Organs	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Larynx	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Bones and Joints	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Soft Tissue including Heart	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Skin excluding Basal and Squamous	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Melanoma of the Skin	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Non-Epithelial Skin	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Breast	0.0	0.0	355.4	0	^	^	^	^
Female Genital System	0.0	0.0	355.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Corpus and Uterus, NOS	0.0	0.0	355.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	355.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Ovary	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Vagina	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Vulva	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Female Genital Organs	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Male Genital System	^	^	^	^	0.0	0.0	298.7	0
Prostate	^	^	^	^	0.0	0.0	298.7	0
Testis	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Penis	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Male Genital Organs	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Urinary System	^	^	^	^	0.0	0.0	298.7	0
Urinary Bladder	^	^	^	^	0.0	0.0	298.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Ureter	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Urinary Organs	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Eye and Orbit	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Brain and Other Nervous System	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Brain	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Cranial Nerves Other Nervous System	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Endocrine System	0.0	0.0	355.4	0	^	^	^	^
Thyroid	0.0	0.0	355.4	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Lymphoma	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Hodgkin Lymphoma	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Hodgkin - Nodal	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Hodgkin - Extranodal	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Non-Hodgkin Lymphoma	0.0	0.0	355.4	0	0.0	0.0	298.7	0
NHL - Nodal	0.0	0.0	355.4	0	0.0	0.0	298.7	0
NHL - Extranodal	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Myeloma	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Leukemia	^	^	^	^	0.0	0.0	298.7	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	298.7	0
Acute Lymphocytic Leukemia	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	298.7	0
Other Lymphocytic Leukemia	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	298.7	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	298.7	0
Acute Monocytic Leukemia	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Chronic Myeloid Leukemia	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Leukemia	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Other Acute Leukemia	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Mesothelioma	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Kaposi Sarcoma	0.0	0.0	355.4	0	0.0	0.0	298.7	0
Miscellaneous	0.0	0.0	355.4	0	0.0	0.0	298.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	627.9	227.9	1,294.6	10	595.5	243.1	1,164.5	9
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	203.5	0
Lip	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Tongue	^	^	^	^	0.0	0.0	203.5	0
Salivary Gland	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Floor of Mouth	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Gum and Other Mouth	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Nasopharynx	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Tonsil	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Oropharynx	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Hypopharynx	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Oral Cavity and Pharynx	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Stomach	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Small Intestine	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	241.9	0	^	^	^	^
Cecum	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Appendix	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Ascending Colon	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Hepatic Flexure	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Transverse Colon	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Splenic Flexure	0.0	0.0	241.9	0	^	^	^	^
Descending Colon	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Sigmoid Colon	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Large Intestine, NOS	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	203.5	0
Rectum	0.0	0.0	241.9	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	241.9	0	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Liver	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Intrahepatic Bile Duct	0.0	0.0	241.9	0	0.0	0.0	203.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Biliary	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Pancreas	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Retroperitoneum	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Digestive Organs	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Respiratory System	^	^	^	^	0.0	0.0	203.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Larynx	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Lung and Bronchus	^	^	^	^	0.0	0.0	203.5	0
Pleura	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Bones and Joints	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Soft Tissue including Heart	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Breast	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Female Genital System	0.0	0.0	241.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Corpus and Uterus, NOS	0.0	0.0	241.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	241.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Ovary	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Vagina	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Vulva	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Female Genital Organs	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Male Genital System	^	^	^	^	0.0	0.0	203.5	0
Prostate	^	^	^	^	0.0	0.0	203.5	0
Testis	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Penis	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Male Genital Organs	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	241.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	203.5	0
Ureter	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Urinary Organs	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Eye and Orbit	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Brain and Other Nervous System	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Brain	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Cranial Nerves Other Nervous System	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Endocrine System	0.0	0.0	241.9	0	^	^	^	^
Thyroid	0.0	0.0	241.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Lymphoma	^	^	^	^	0.0	0.0	203.5	0
Hodgkin Lymphoma	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Hodgkin - Nodal	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Hodgkin - Extranodal	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	203.5	0
NHL - Nodal	0.0	0.0	241.9	0	0.0	0.0	203.5	0
NHL - Extranodal	^	^	^	^	0.0	0.0	203.5	0
Myeloma	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Lymphocytic Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Acute Lymphocytic Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Lymphocytic Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Acute Myeloid Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Acute Monocytic Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Chronic Myeloid Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Other Acute Leukemia	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Mesothelioma	^	^	^	^	0.0	0.0	203.5	0
Kaposi Sarcoma	0.0	0.0	241.9	0	0.0	0.0	203.5	0
Miscellaneous	0.0	0.0	241.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	602.2	357.4	947.7	21	533.2	265.3	931.8	16
Oral Cavity and Pharynx	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Lip	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Tongue	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Salivary Gland	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Floor of Mouth	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Gum and Other Mouth	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Nasopharynx	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Tonsil	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Oropharynx	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Hypopharynx	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Oral Cavity and Pharynx	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Stomach	^	^	^	^	0.0	0.0	131.8	0
Small Intestine	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Appendix	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Ascending Colon	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Hepatic Flexure	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Transverse Colon	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Splenic Flexure	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Descending Colon	^	^	^	^	0.0	0.0	131.8	0
Sigmoid Colon	0.0	0.0	127.9	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	131.8	0
Rectosigmoid Junction	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Rectum	^	^	^	^	0.0	0.0	131.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Liver	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Intrahepatic Bile Duct	0.0	0.0	127.9	0	0.0	0.0	131.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Biliary	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Pancreas	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Retroperitoneum	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Digestive Organs	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Larynx	0.0	0.0	127.9	0	^	^	^	^
Lung and Bronchus	^	^	^	^	0.0	0.0	131.8	0
Pleura	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Bones and Joints	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Soft Tissue including Heart	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Skin excluding Basal and Squamous	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Melanoma of the Skin	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Non-Epithelial Skin	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Breast	0.0	0.0	127.9	0	390.5	155.6	770.6	10
Female Genital System	0.0	0.0	127.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	127.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	127.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	127.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Ovary	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Vagina	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Vulva	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Female Genital Organs	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Male Genital System	282.2	121.4	551.2	9	0.0	0.0	131.8	0
Prostate	282.2	121.4	551.2	9	0.0	0.0	131.8	0
Testis	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Penis	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Male Genital Organs	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Urinary System	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Urinary Bladder	0.0	0.0	127.9	0	0.0	0.0	131.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Ureter	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Urinary Organs	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Eye and Orbit	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Brain and Other Nervous System	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Brain	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Cranial Nerves Other Nervous System	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Endocrine System	0.0	0.0	127.9	0	^	^	^	^
Thyroid	0.0	0.0	127.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Hodgkin - Nodal	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Hodgkin - Extranodal	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Myeloma	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Lymphocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Acute Lymphocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Lymphocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Acute Myeloid Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Acute Monocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Chronic Myeloid Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Other Acute Leukemia	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Mesothelioma	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Kaposi Sarcoma	0.0	0.0	127.9	0	0.0	0.0	131.8	0
Miscellaneous	^	^	^	^	0.0	0.0	131.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	512.2	193.5	1,062.8	7	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Lip	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Tongue	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Salivary Gland	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Floor of Mouth	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Gum and Other Mouth	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Nasopharynx	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Tonsil	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Oropharynx	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Hypopharynx	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Oral Cavity and Pharynx	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Stomach	^	^	^	^	0.0	0.0	253.1	0
Small Intestine	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Appendix	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Ascending Colon	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Hepatic Flexure	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Transverse Colon	^	^	^	^	0.0	0.0	253.1	0
Splenic Flexure	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Descending Colon	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Sigmoid Colon	0.0	0.0	257.3	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Rectosigmoid Junction	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Rectum	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Liver	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Intrahepatic Bile Duct	0.0	0.0	257.3	0	0.0	0.0	253.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Biliary	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Pancreas	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Retroperitoneum	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Digestive Organs	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Larynx	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Bones and Joints	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Soft Tissue including Heart	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Skin excluding Basal and Squamous	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Melanoma of the Skin	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Non-Epithelial Skin	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Breast	0.0	0.0	257.3	0	^	^	^	^
Female Genital System	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Cervix Uteri	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Corpus and Uterus, NOS	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Corpus Uteri	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Uterus, NOS	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Ovary	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Vagina	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Vulva	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Female Genital Organs	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Male Genital System	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Prostate	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Testis	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Penis	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Male Genital Organs	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Urinary System	^	^	^	^	0.0	0.0	253.1	0
Urinary Bladder	0.0	0.0	257.3	0	0.0	0.0	253.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	253.1	0
Ureter	^	^	^	^	0.0	0.0	253.1	0
Other Urinary Organs	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Eye and Orbit	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Brain and Other Nervous System	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Brain	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Cranial Nerves Other Nervous System	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Endocrine System	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Thyroid	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Endocrine including Thymus	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Lymphoma	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Hodgkin Lymphoma	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Hodgkin - Nodal	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Hodgkin - Extranodal	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Non-Hodgkin Lymphoma	0.0	0.0	257.3	0	0.0	0.0	253.1	0
NHL - Nodal	0.0	0.0	257.3	0	0.0	0.0	253.1	0
NHL - Extranodal	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Myeloma	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Lymphocytic Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Acute Lymphocytic Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Lymphocytic Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Acute Myeloid Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Acute Monocytic Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Chronic Myeloid Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Other Acute Leukemia	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Mesothelioma	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Kaposi Sarcoma	0.0	0.0	257.3	0	0.0	0.0	253.1	0
Miscellaneous	0.0	0.0	257.3	0	0.0	0.0	253.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	495.0	255.7	855.9	13	481.7	259.3	816.7	14
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	136.5	0	^	^	^	^
Tongue	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Salivary Gland	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Floor of Mouth	^	^	^	^	0.0	0.0	133.1	0
Gum and Other Mouth	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Nasopharynx	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Tonsil	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Oropharynx	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Hypopharynx	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Oral Cavity and Pharynx	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Digestive System	^	^	^	^	0.0	0.0	133.1	0
Esophagus	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Stomach	^	^	^	^	0.0	0.0	133.1	0
Small Intestine	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Colon and Rectum	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Colon excluding Rectum	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Cecum	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Appendix	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Ascending Colon	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Hepatic Flexure	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Transverse Colon	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Splenic Flexure	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Descending Colon	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Sigmoid Colon	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Large Intestine, NOS	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Rectosigmoid Junction	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Rectum	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Liver	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Intrahepatic Bile Duct	0.0	0.0	136.5	0	0.0	0.0	133.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Biliary	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Pancreas	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Retroperitoneum	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Digestive Organs	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Larynx	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Bones and Joints	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Soft Tissue including Heart	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	133.1	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	133.1	0
Other Non-Epithelial Skin	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Breast	0.0	0.0	136.5	0	292.6	131.1	566.0	9
Female Genital System	0.0	0.0	136.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Corpus and Uterus, NOS	0.0	0.0	136.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	136.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Ovary	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Vagina	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Vulva	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Female Genital Organs	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Male Genital System	^	^	^	^	0.0	0.0	133.1	0
Prostate	^	^	^	^	0.0	0.0	133.1	0
Testis	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Penis	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Male Genital Organs	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Urinary System	0.0	0.0	136.5	0	^	^	^	^
Urinary Bladder	0.0	0.0	136.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Ureter	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Urinary Organs	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Eye and Orbit	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Brain and Other Nervous System	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Brain	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Cranial Nerves Other Nervous System	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Endocrine System	0.0	0.0	136.5	0	^	^	^	^
Thyroid	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Endocrine including Thymus	0.0	0.0	136.5	0	^	^	^	^
Lymphoma	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Hodgkin Lymphoma	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Hodgkin - Nodal	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Hodgkin - Extranodal	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Non-Hodgkin Lymphoma	0.0	0.0	136.5	0	0.0	0.0	133.1	0
NHL - Nodal	0.0	0.0	136.5	0	0.0	0.0	133.1	0
NHL - Extranodal	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Myeloma	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Leukemia	^	^	^	^	0.0	0.0	133.1	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	133.1	0
Acute Lymphocytic Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	133.1	0
Other Lymphocytic Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Acute Myeloid Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Acute Monocytic Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Chronic Myeloid Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Other Acute Leukemia	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Mesothelioma	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Kaposi Sarcoma	0.0	0.0	136.5	0	0.0	0.0	133.1	0
Miscellaneous	0.0	0.0	136.5	0	0.0	0.0	133.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,498.7	0	^	^	^	^
Lip	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Tongue	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Salivary Gland	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Floor of Mouth	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Gum and Other Mouth	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Nasopharynx	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Tonsil	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Oropharynx	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Hypopharynx	0.0	0.0	1,498.7	0	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Digestive System	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Esophagus	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Stomach	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Small Intestine	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Colon and Rectum	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Colon excluding Rectum	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Cecum	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Appendix	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Ascending Colon	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Hepatic Flexure	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Transverse Colon	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Splenic Flexure	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Descending Colon	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Sigmoid Colon	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Large Intestine, NOS	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Rectosigmoid Junction	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Rectum	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Liver	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Intrahepatic Bile Duct	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Biliary	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Pancreas	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Retroperitoneum	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Digestive Organs	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Respiratory System	0.0	0.0	1,498.7	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Larynx	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Lung and Bronchus	0.0	0.0	1,498.7	0	^	^	^	^
Pleura	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Bones and Joints	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Soft Tissue including Heart	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Skin excluding Basal and Squamous	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Melanoma of the Skin	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Non-Epithelial Skin	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Breast	0.0	0.0	1,498.7	0	^	^	^	^
Female Genital System	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Cervix Uteri	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Corpus and Uterus, NOS	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Corpus Uteri	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Uterus, NOS	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Ovary	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Vagina	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Vulva	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Female Genital Organs	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Male Genital System	^	^	^	^	0.0	0.0	1,212.9	0
Prostate	^	^	^	^	0.0	0.0	1,212.9	0
Testis	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Penis	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Male Genital Organs	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Urinary System	^	^	^	^	0.0	0.0	1,212.9	0
Urinary Bladder	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	1,212.9	0
Ureter	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Urinary Organs	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Eye and Orbit	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Brain and Other Nervous System	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Brain	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Cranial Nerves Other Nervous System	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Endocrine System	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Thyroid	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Endocrine including Thymus	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Lymphoma	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Hodgkin Lymphoma	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Hodgkin - Nodal	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Hodgkin - Extranodal	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Non-Hodgkin Lymphoma	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
NHL - Nodal	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
NHL - Extranodal	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Myeloma	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Lymphocytic Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Acute Lymphocytic Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Lymphocytic Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Acute Myeloid Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Acute Monocytic Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Chronic Myeloid Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Other Acute Leukemia	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Mesothelioma	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Kaposi Sarcoma	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0
Miscellaneous	0.0	0.0	1,498.7	0	0.0	0.0	1,212.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	637.4	329.6	1,089.5	14	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	166.8	0
Lip	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Tongue	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Salivary Gland	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Floor of Mouth	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Gum and Other Mouth	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Nasopharynx	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Tonsil	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Oropharynx	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Hypopharynx	^	^	^	^	0.0	0.0	166.8	0
Other Oral Cavity and Pharynx	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	145.9	0	^	^	^	^
Stomach	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Small Intestine	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	145.9	0	^	^	^	^
Appendix	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Ascending Colon	0.0	0.0	145.9	0	^	^	^	^
Hepatic Flexure	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Transverse Colon	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Splenic Flexure	^	^	^	^	0.0	0.0	166.8	0
Descending Colon	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Sigmoid Colon	^	^	^	^	0.0	0.0	166.8	0
Large Intestine, NOS	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	166.8	0
Rectosigmoid Junction	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Rectum	^	^	^	^	0.0	0.0	166.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	145.9	0	^	^	^	^
Liver	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Intrahepatic Bile Duct	0.0	0.0	145.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Biliary	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Pancreas	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Retroperitoneum	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Digestive Organs	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Respiratory System	^	^	^	^	0.0	0.0	166.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Larynx	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Lung and Bronchus	^	^	^	^	0.0	0.0	166.8	0
Pleura	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Bones and Joints	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Soft Tissue including Heart	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Skin excluding Basal and Squamous	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Melanoma of the Skin	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Non-Epithelial Skin	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Breast	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Female Genital System	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Cervix Uteri	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Corpus and Uterus, NOS	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Corpus Uteri	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Uterus, NOS	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Ovary	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Vagina	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Vulva	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Female Genital Organs	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Male Genital System	^	^	^	^	0.0	0.0	166.8	0
Prostate	^	^	^	^	0.0	0.0	166.8	0
Testis	^	^	^	^	0.0	0.0	166.8	0
Penis	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Male Genital Organs	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Urinary System	^	^	^	^	0.0	0.0	166.8	0
Urinary Bladder	0.0	0.0	145.9	0	0.0	0.0	166.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1996/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	166.8	0
Ureter	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Urinary Organs	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Eye and Orbit	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Brain and Other Nervous System	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Brain	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Cranial Nerves Other Nervous System	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Endocrine System	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Thyroid	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Endocrine including Thymus	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Lymphoma	^	^	^	^	0.0	0.0	166.8	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	166.8	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	166.8	0
Hodgkin - Extranodal	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Non-Hodgkin Lymphoma	0.0	0.0	145.9	0	0.0	0.0	166.8	0
NHL - Nodal	0.0	0.0	145.9	0	0.0	0.0	166.8	0
NHL - Extranodal	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Myeloma	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Lymphocytic Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Acute Lymphocytic Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Lymphocytic Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Acute Myeloid Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Acute Monocytic Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Chronic Myeloid Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Other Acute Leukemia	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Mesothelioma	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Kaposi Sarcoma	0.0	0.0	145.9	0	0.0	0.0	166.8	0
Miscellaneous	0.0	0.0	145.9	0	0.0	0.0	166.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Lip	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Tongue	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Salivary Gland	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Floor of Mouth	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Gum and Other Mouth	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Nasopharynx	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Tonsil	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Oropharynx	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Hypopharynx	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Oral Cavity and Pharynx	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Digestive System	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Esophagus	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Stomach	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Small Intestine	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Colon and Rectum	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Colon excluding Rectum	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Cecum	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Appendix	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Ascending Colon	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Hepatic Flexure	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Transverse Colon	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Splenic Flexure	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Descending Colon	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Sigmoid Colon	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Large Intestine, NOS	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Rectosigmoid Junction	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Rectum	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Liver	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Intrahepatic Bile Duct	0.0	0.0	306.7	0	0.0	0.0	700.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Biliary	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Pancreas	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Retroperitoneum	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Digestive Organs	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Respiratory System	0.0	0.0	306.7	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Larynx	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Lung and Bronchus	0.0	0.0	306.7	0	^	^	^	^
Pleura	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Bones and Joints	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	700.6	0
Skin excluding Basal and Squamous	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Melanoma of the Skin	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Non-Epithelial Skin	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Breast	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Female Genital System	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Cervix Uteri	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Corpus and Uterus, NOS	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Corpus Uteri	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Uterus, NOS	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Ovary	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Vagina	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Vulva	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Female Genital Organs	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Male Genital System	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Prostate	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Testis	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Penis	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Male Genital Organs	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Urinary System	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Urinary Bladder	0.0	0.0	306.7	0	0.0	0.0	700.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Ureter	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Urinary Organs	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Eye and Orbit	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Brain and Other Nervous System	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Brain	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Cranial Nerves Other Nervous System	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Endocrine System	0.0	0.0	306.7	0	^	^	^	^
Thyroid	0.0	0.0	306.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Lymphoma	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Hodgkin Lymphoma	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Hodgkin - Nodal	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Hodgkin - Extranodal	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Non-Hodgkin Lymphoma	0.0	0.0	306.7	0	0.0	0.0	700.6	0
NHL - Nodal	0.0	0.0	306.7	0	0.0	0.0	700.6	0
NHL - Extranodal	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Myeloma	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Lymphocytic Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Acute Lymphocytic Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Lymphocytic Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Acute Myeloid Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Acute Monocytic Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Chronic Myeloid Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Other Acute Leukemia	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Mesothelioma	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Kaposi Sarcoma	0.0	0.0	306.7	0	0.0	0.0	700.6	0
Miscellaneous	0.0	0.0	306.7	0	0.0	0.0	700.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	570.0	45.6	1,967.8	6	273.9	91.7	976.1	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	713.9	0
Lip	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Tongue	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Salivary Gland	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Floor of Mouth	^	^	^	^	0.0	0.0	713.9	0
Gum and Other Mouth	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Nasopharynx	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Tonsil	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Oropharynx	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Hypopharynx	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Oral Cavity and Pharynx	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Stomach	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Small Intestine	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Colon and Rectum	^	^	^	^	0.0	0.0	713.9	0
Colon excluding Rectum	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Cecum	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Appendix	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Ascending Colon	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Hepatic Flexure	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Transverse Colon	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Splenic Flexure	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Descending Colon	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Sigmoid Colon	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Large Intestine, NOS	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	713.9	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	713.9	0
Rectum	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Liver	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Intrahepatic Bile Duct	0.0	0.0	763.3	0	0.0	0.0	713.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Biliary	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Pancreas	0.0	0.0	763.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Digestive Organs	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Respiratory System	^	^	^	^	0.0	0.0	713.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Larynx	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Lung and Bronchus	^	^	^	^	0.0	0.0	713.9	0
Pleura	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Bones and Joints	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Soft Tissue including Heart	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Skin excluding Basal and Squamous	0.0	0.0	763.3	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	763.3	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Breast	0.0	0.0	763.3	0	^	^	^	^
Female Genital System	0.0	0.0	763.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Corpus and Uterus, NOS	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Corpus Uteri	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Uterus, NOS	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Ovary	0.0	0.0	763.3	0	^	^	^	^
Vagina	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Vulva	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Female Genital Organs	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Male Genital System	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Prostate	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Testis	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Penis	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Male Genital Organs	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Urinary System	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Urinary Bladder	0.0	0.0	763.3	0	0.0	0.0	713.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Ureter	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Urinary Organs	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Eye and Orbit	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Brain and Other Nervous System	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Brain	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Cranial Nerves Other Nervous System	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Endocrine System	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Thyroid	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Endocrine including Thymus	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Hodgkin - Nodal	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Hodgkin - Extranodal	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	0.0	0.0	763.3	0	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	713.9	0
Myeloma	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Lymphocytic Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Acute Lymphocytic Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Lymphocytic Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Acute Myeloid Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Acute Monocytic Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Chronic Myeloid Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Other Acute Leukemia	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Mesothelioma	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Kaposi Sarcoma	0.0	0.0	763.3	0	0.0	0.0	713.9	0
Miscellaneous	0.0	0.0	763.3	0	0.0	0.0	713.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	651.7	573.3	736.6	399	446.9	398.6	499.1	371
Oral Cavity and Pharynx	16.4	7.4	31.3	11	9.6	3.8	19.6	8
Lip	^	^	^	^	0.0	0.0	4.6	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	4.6	0
Gum and Other Mouth	0.0	0.0	7.6	0	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Hypopharynx	0.0	0.0	7.6	0	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	4.6	0
Digestive System	82.5	58.0	113.1	57	67.6	48.6	90.9	49
Esophagus	14.0	5.1	29.7	8	^	^	^	^
Stomach	9.1	2.9	21.3	6	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	35.4	21.7	54.6	27	40.0	25.8	58.6	29
Colon excluding Rectum	19.9	10.2	35.1	17	29.8	17.4	46.9	20
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	^	^	^	^	9.2	3.0	20.3	6
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	4.6	0
Descending Colon	0.0	0.0	7.6	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	15.5	6.9	30.0	10	10.2	4.4	20.0	9
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	7.6	2.8	16.5	7
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	11.9	2.1	31.9	6	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	7.6	0	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	7.3	2.4	17.7	6	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	4.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	7.6	0	^	^	^	^
Other Digestive Organs	0.0	0.0	7.6	0	^	^	^	^
Respiratory System	91.5	67.9	120.3	61	66.4	47.9	89.2	48
Nose, Nasal Cavity and Middle Ear	0.0	0.0	7.6	0	^	^	^	^
Larynx	^	^	^	^	0.0	0.0	4.6	0
Lung and Bronchus	86.0	63.1	114.2	57	64.1	45.9	86.6	46
Pleura	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Bones and Joints	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Soft Tissue including Heart	0.0	0.0	7.6	0	^	^	^	^
Skin excluding Basal and Squamous	21.4	8.9	41.4	18	15.5	8.6	26.0	16
Melanoma of the Skin	19.5	7.4	39.4	16	14.7	7.9	25.0	15
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	160.9	132.9	192.8	138
Female Genital System	0.0	0.0	7.6	0	43.9	30.4	61.1	40
Cervix Uteri	0.0	0.0	7.6	0	6.2	2.6	13.3	8
Corpus and Uterus, NOS	0.0	0.0	7.6	0	11.7	5.8	21.2	12
Corpus Uteri	0.0	0.0	7.6	0	11.1	5.3	20.5	11
Uterus, NOS	0.0	0.0	7.6	0	^	^	^	^
Ovary	0.0	0.0	7.6	0	19.8	10.5	33.5	15
Vagina	0.0	0.0	7.6	0	^	^	^	^
Vulva	0.0	0.0	7.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	7.6	0	^	^	^	^
Male Genital System	260.1	209.2	318.1	132	0.0	0.0	4.6	0
Prostate	253.4	202.7	311.3	122	0.0	0.0	4.6	0
Testis	6.6	3.1	15.0	10	0.0	0.0	4.6	0
Penis	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Other Male Genital Organs	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Urinary System	82.6	53.1	120.3	41	26.8	15.8	41.9	21
Urinary Bladder	65.9	38.5	102.4	28	12.4	5.2	24.1	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	14.6	6.9	27.7	12	14.3	7.0	25.8	12
Ureter	^	^	^	^	0.0	0.0	4.6	0
Other Urinary Organs	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Eye and Orbit	^	^	^	^	0.0	0.0	4.6	0
Brain and Other Nervous System	9.8	3.0	22.9	9	5.5	1.8	13.0	6
Brain	9.8	3.0	22.9	9	5.5	1.8	13.0	6
Cranial Nerves Other Nervous System	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Endocrine System	4.0	1.5	11.9	6	13.2	7.0	22.8	15
Thyroid	^	^	^	^	13.2	7.0	22.8	15
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	4.6	0
Lymphoma	31.3	19.9	47.4	31	19.5	10.2	33.0	16
Hodgkin Lymphoma	4.2	1.5	12.1	6	^	^	^	^
Hodgkin - Nodal	4.2	1.5	12.1	6	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Non-Hodgkin Lymphoma	27.1	16.3	42.9	25	17.4	8.7	30.5	14
NHL - Nodal	21.2	11.6	36.0	19	12.4	5.1	24.3	10
NHL - Extranodal	5.9	1.9	15.5	6	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	21.9	8.9	42.6	15	^	^	^	^
Lymphocytic Leukemia	15.1	4.0	35.5	8	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	13.4	2.9	33.9	6	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	4.6	0
Acute Monocytic Leukemia	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.6	0	0.0	0.0	4.6	0
Other Leukemia	^	^	^	^	^	^	^	^
Other Acute Leukemia	^	^	^	^	0.0	0.0	4.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	4.6	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	4.6	0
Miscellaneous	12.0	2.2	32.0	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	257.9	114.5	484.3	10	542.5	310.1	866.2	19
Oral Cavity and Pharynx	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Lip	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Tongue	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Salivary Gland	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Floor of Mouth	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Gum and Other Mouth	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Nasopharynx	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Tonsil	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Oropharynx	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Hypopharynx	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Oral Cavity and Pharynx	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Digestive System	^	^	^	^	210.5	65.5	467.5	6
Esophagus	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Stomach	0.0	0.0	85.6	0	^	^	^	^
Small Intestine	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Appendix	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Ascending Colon	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Hepatic Flexure	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Transverse Colon	0.0	0.0	85.6	0	^	^	^	^
Splenic Flexure	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Descending Colon	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	97.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	97.1	0
Liver	^	^	^	^	0.0	0.0	97.1	0
Intrahepatic Bile Duct	0.0	0.0	85.6	0	0.0	0.0	97.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Biliary	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Pancreas	0.0	0.0	85.6	0	^	^	^	^
Retroperitoneum	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Digestive Organs	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	97.1	0
Larynx	0.0	0.0	85.6	0	^	^	^	^
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Bones and Joints	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Soft Tissue including Heart	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Skin excluding Basal and Squamous	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Melanoma of the Skin	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Non-Epithelial Skin	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Breast	0.0	0.0	85.6	0	^	^	^	^
Female Genital System	0.0	0.0	85.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Corpus and Uterus, NOS	0.0	0.0	85.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	85.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Ovary	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Vagina	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Vulva	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Female Genital Organs	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Male Genital System	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Prostate	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Testis	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Penis	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Male Genital Organs	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Urinary System	0.0	0.0	85.6	0	^	^	^	^
Urinary Bladder	0.0	0.0	85.6	0	0.0	0.0	97.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	85.6	0	^	^	^	^
Ureter	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Urinary Organs	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Eye and Orbit	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Brain and Other Nervous System	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Brain	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Cranial Nerves Other Nervous System	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Endocrine System	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Thyroid	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Endocrine including Thymus	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Lymphoma	0.0	0.0	85.6	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Hodgkin - Nodal	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Hodgkin - Extranodal	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Non-Hodgkin Lymphoma	0.0	0.0	85.6	0	^	^	^	^
NHL - Nodal	0.0	0.0	85.6	0	^	^	^	^
NHL - Extranodal	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Myeloma	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Leukemia	^	^	^	^	0.0	0.0	97.1	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	97.1	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	97.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Lymphocytic Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Acute Myeloid Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Acute Monocytic Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Chronic Myeloid Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Other Acute Leukemia	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Mesothelioma	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Kaposi Sarcoma	0.0	0.0	85.6	0	0.0	0.0	97.1	0
Miscellaneous	0.0	0.0	85.6	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	0.0	0.0	963.8	0	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Lip	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Tongue	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Salivary Gland	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Floor of Mouth	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Gum and Other Mouth	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Nasopharynx	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Tonsil	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Oropharynx	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Hypopharynx	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Oral Cavity and Pharynx	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Digestive System	0.0	0.0	963.8	0	^	^	^	^
Esophagus	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Stomach	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Small Intestine	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Colon and Rectum	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Colon excluding Rectum	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Cecum	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Appendix	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Ascending Colon	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Hepatic Flexure	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Transverse Colon	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Splenic Flexure	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Descending Colon	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Sigmoid Colon	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Large Intestine, NOS	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Rectosigmoid Junction	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Rectum	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Liver	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Intrahepatic Bile Duct	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Biliary	0.0	0.0	963.8	0	^	^	^	^
Pancreas	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Retroperitoneum	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Digestive Organs	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Respiratory System	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Larynx	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Lung and Bronchus	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Pleura	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Bones and Joints	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Soft Tissue including Heart	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Skin excluding Basal and Squamous	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Melanoma of the Skin	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Non-Epithelial Skin	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Breast	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Female Genital System	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Cervix Uteri	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Corpus and Uterus, NOS	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Corpus Uteri	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Uterus, NOS	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Ovary	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Vagina	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Vulva	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Female Genital Organs	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Male Genital System	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Prostate	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Testis	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Penis	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Male Genital Organs	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Urinary System	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Urinary Bladder	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Ureter	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Urinary Organs	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Eye and Orbit	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Brain and Other Nervous System	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Brain	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Cranial Nerves Other Nervous System	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Endocrine System	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Thyroid	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Endocrine including Thymus	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Lymphoma	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Hodgkin Lymphoma	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Hodgkin - Nodal	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Hodgkin - Extranodal	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Non-Hodgkin Lymphoma	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
NHL - Nodal	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
NHL - Extranodal	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Myeloma	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Lymphocytic Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Acute Lymphocytic Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Lymphocytic Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Acute Myeloid Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Acute Monocytic Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Chronic Myeloid Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Other Acute Leukemia	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Mesothelioma	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Kaposi Sarcoma	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0
Miscellaneous	0.0	0.0	963.8	0	0.0	0.0	1,427.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	773.8	0	^	^	^	^
Lip	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Tongue	0.0	0.0	773.8	0	^	^	^	^
Salivary Gland	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Floor of Mouth	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Gum and Other Mouth	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Nasopharynx	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Tonsil	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Oropharynx	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Hypopharynx	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Oral Cavity and Pharynx	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Digestive System	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Esophagus	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Stomach	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Small Intestine	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Colon and Rectum	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Colon excluding Rectum	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Cecum	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Appendix	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Ascending Colon	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Hepatic Flexure	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Transverse Colon	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Splenic Flexure	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Descending Colon	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Sigmoid Colon	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Large Intestine, NOS	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Rectosigmoid Junction	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Rectum	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Liver	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Intrahepatic Bile Duct	0.0	0.0	773.8	0	0.0	0.0	967.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Biliary	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Pancreas	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Retroperitoneum	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Digestive Organs	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Respiratory System	^	^	^	^	0.0	0.0	967.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Larynx	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Lung and Bronchus	^	^	^	^	0.0	0.0	967.5	0
Pleura	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Bones and Joints	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Soft Tissue including Heart	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Skin excluding Basal and Squamous	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Melanoma of the Skin	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Non-Epithelial Skin	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Breast	0.0	0.0	773.8	0	^	^	^	^
Female Genital System	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Cervix Uteri	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Corpus and Uterus, NOS	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Corpus Uteri	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Uterus, NOS	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Ovary	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Vagina	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Vulva	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Female Genital Organs	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Male Genital System	^	^	^	^	0.0	0.0	967.5	0
Prostate	^	^	^	^	0.0	0.0	967.5	0
Testis	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Penis	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Male Genital Organs	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Urinary System	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Urinary Bladder	0.0	0.0	773.8	0	0.0	0.0	967.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Ureter	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Urinary Organs	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Eye and Orbit	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Brain and Other Nervous System	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Brain	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Cranial Nerves Other Nervous System	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Endocrine System	^	^	^	^	0.0	0.0	967.5	0
Thyroid	^	^	^	^	0.0	0.0	967.5	0
Other Endocrine including Thymus	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Lymphoma	^	^	^	^	0.0	0.0	967.5	0
Hodgkin Lymphoma	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Hodgkin - Nodal	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Hodgkin - Extranodal	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	967.5	0
NHL - Nodal	0.0	0.0	773.8	0	0.0	0.0	967.5	0
NHL - Extranodal	^	^	^	^	0.0	0.0	967.5	0
Myeloma	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Lymphocytic Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Acute Lymphocytic Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Lymphocytic Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Acute Myeloid Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Acute Monocytic Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Chronic Myeloid Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Other Acute Leukemia	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Mesothelioma	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Kaposi Sarcoma	0.0	0.0	773.8	0	0.0	0.0	967.5	0
Miscellaneous	0.0	0.0	773.8	0	0.0	0.0	967.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	600.3	236.0	1,220.9	8	401.9	140.1	900.0	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	278.9	0
Lip	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Tongue	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Salivary Gland	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Floor of Mouth	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Gum and Other Mouth	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Nasopharynx	^	^	^	^	0.0	0.0	278.9	0
Tonsil	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Oropharynx	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Hypopharynx	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Oral Cavity and Pharynx	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	278.9	0
Stomach	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Small Intestine	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	278.9	0
Appendix	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Ascending Colon	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Hepatic Flexure	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Transverse Colon	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Splenic Flexure	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Descending Colon	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Sigmoid Colon	0.0	0.0	277.5	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	278.9	0
Rectosigmoid Junction	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Rectum	^	^	^	^	0.0	0.0	278.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	277.5	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	278.9	0
Liver	^	^	^	^	0.0	0.0	278.9	0
Intrahepatic Bile Duct	0.0	0.0	277.5	0	0.0	0.0	278.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Biliary	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Pancreas	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Retroperitoneum	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Digestive Organs	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Respiratory System	0.0	0.0	277.5	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Larynx	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Lung and Bronchus	0.0	0.0	277.5	0	^	^	^	^
Pleura	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Bones and Joints	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Soft Tissue including Heart	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Skin excluding Basal and Squamous	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Melanoma of the Skin	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Non-Epithelial Skin	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Breast	0.0	0.0	277.5	0	^	^	^	^
Female Genital System	0.0	0.0	277.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Corpus and Uterus, NOS	0.0	0.0	277.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	277.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Ovary	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Vagina	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Vulva	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Female Genital Organs	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Male Genital System	^	^	^	^	0.0	0.0	278.9	0
Prostate	^	^	^	^	0.0	0.0	278.9	0
Testis	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Penis	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Male Genital Organs	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Urinary System	^	^	^	^	0.0	0.0	278.9	0
Urinary Bladder	^	^	^	^	0.0	0.0	278.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Ureter	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Urinary Organs	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Eye and Orbit	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Brain and Other Nervous System	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Brain	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Cranial Nerves Other Nervous System	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Endocrine System	0.0	0.0	277.5	0	^	^	^	^
Thyroid	0.0	0.0	277.5	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Lymphoma	^	^	^	^	0.0	0.0	278.9	0
Hodgkin Lymphoma	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Hodgkin - Nodal	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Hodgkin - Extranodal	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	278.9	0
NHL - Nodal	^	^	^	^	0.0	0.0	278.9	0
NHL - Extranodal	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Myeloma	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Lymphocytic Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Acute Lymphocytic Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Lymphocytic Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Acute Myeloid Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Acute Monocytic Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Chronic Myeloid Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Other Acute Leukemia	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Mesothelioma	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Kaposi Sarcoma	0.0	0.0	277.5	0	0.0	0.0	278.9	0
Miscellaneous	0.0	0.0	277.5	0	0.0	0.0	278.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	651.3	524.3	796.9	129	465.9	371.1	575.7	101
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Tongue	^	^	^	^	0.0	0.0	16.5	0
Salivary Gland	^	^	^	^	0.0	0.0	16.5	0
Floor of Mouth	^	^	^	^	0.0	0.0	16.5	0
Gum and Other Mouth	0.0	0.0	21.9	0	^	^	^	^
Nasopharynx	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Tonsil	^	^	^	^	0.0	0.0	16.5	0
Oropharynx	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Hypopharynx	0.0	0.0	21.9	0	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	16.5	0
Digestive System	129.8	73.3	207.6	22	105.0	62.2	163.5	21
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Colon and Rectum	56.1	24.4	107.2	10	57.9	27.9	103.6	12
Colon excluding Rectum	37.1	12.1	82.5	6	34.2	12.2	72.4	7
Cecum	0.0	0.0	21.9	0	^	^	^	^
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Hepatic Flexure	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Transverse Colon	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Splenic Flexure	^	^	^	^	0.0	0.0	16.5	0
Descending Colon	0.0	0.0	21.9	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	0.0	0.0	16.5	0
Intrahepatic Bile Duct	0.0	0.0	21.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Other Biliary	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Other Digestive Organs	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Respiratory System	151.3	90.3	233.3	25	69.9	33.3	124.5	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	147.3	86.9	228.9	24	65.0	29.7	118.8	10
Pleura	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Bones and Joints	^	^	^	^	0.0	0.0	16.5	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	16.5	0
Skin excluding Basal and Squamous	42.6	13.2	95.4	6	^	^	^	^
Melanoma of the Skin	42.6	13.2	95.4	6	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Breast	0.0	0.0	21.9	0	126.9	83.6	183.7	31
Female Genital System	0.0	0.0	21.9	0	92.8	51.7	150.3	19
Cervix Uteri	0.0	0.0	21.9	0	19.1	6.1	45.7	6
Corpus and Uterus, NOS	0.0	0.0	21.9	0	48.5	18.3	98.0	7
Corpus Uteri	0.0	0.0	21.9	0	48.5	18.3	98.0	7
Uterus, NOS	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Ovary	0.0	0.0	21.9	0	^	^	^	^
Vagina	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Vulva	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Other Female Genital Organs	0.0	0.0	21.9	0	^	^	^	^
Male Genital System	160.7	106.7	231.2	37	0.0	0.0	16.5	0
Prostate	151.0	97.9	221.1	32	0.0	0.0	16.5	0
Testis	^	^	^	^	0.0	0.0	16.5	0
Penis	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Other Male Genital Organs	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Urinary System	83.0	42.2	143.3	15	^	^	^	^
Urinary Bladder	55.8	22.3	110.3	9	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	16.5	0
Other Urinary Organs	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Eye and Orbit	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Lymphoma	24.1	8.5	56.0	7	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	16.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	16.5	0
Hodgkin - Extranodal	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	16.5	0
Myeloma	0.0	0.0	21.9	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	16.5	0
Other Lymphocytic Leukemia	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	21.9	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	16.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Other Leukemia	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Other Acute Leukemia	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Mesothelioma	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Kaposi Sarcoma	0.0	0.0	21.9	0	0.0	0.0	16.5	0
Miscellaneous	0.0	0.0	21.9	0	0.0	0.0	16.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	1,451.4	527.0	2,970.5	7	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Lip	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Tongue	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Salivary Gland	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Floor of Mouth	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Gum and Other Mouth	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Nasopharynx	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Tonsil	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Oropharynx	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Hypopharynx	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Oral Cavity and Pharynx	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Stomach	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Small Intestine	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	470.7	0	^	^	^	^
Appendix	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Ascending Colon	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Hepatic Flexure	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Transverse Colon	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Splenic Flexure	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Descending Colon	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Sigmoid Colon	^	^	^	^	0.0	0.0	402.1	0
Large Intestine, NOS	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Rectosigmoid Junction	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Rectum	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Liver	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Intrahepatic Bile Duct	0.0	0.0	470.7	0	0.0	0.0	402.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Biliary	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Pancreas	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Retroperitoneum	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Digestive Organs	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Respiratory System	^	^	^	^	0.0	0.0	402.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Larynx	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Lung and Bronchus	^	^	^	^	0.0	0.0	402.1	0
Pleura	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Bones and Joints	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Soft Tissue including Heart	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Skin excluding Basal and Squamous	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Melanoma of the Skin	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Non-Epithelial Skin	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Breast	0.0	0.0	470.7	0	^	^	^	^
Female Genital System	0.0	0.0	470.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	470.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Corpus Uteri	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Uterus, NOS	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Ovary	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Vagina	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Vulva	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Female Genital Organs	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Male Genital System	^	^	^	^	0.0	0.0	402.1	0
Prostate	^	^	^	^	0.0	0.0	402.1	0
Testis	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Penis	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Male Genital Organs	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Urinary System	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Urinary Bladder	0.0	0.0	470.7	0	0.0	0.0	402.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Ureter	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Urinary Organs	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Eye and Orbit	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Brain and Other Nervous System	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Brain	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Cranial Nerves Other Nervous System	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Endocrine System	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Thyroid	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Endocrine including Thymus	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Lymphoma	^	^	^	^	0.0	0.0	402.1	0
Hodgkin Lymphoma	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Hodgkin - Nodal	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Hodgkin - Extranodal	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	402.1	0
NHL - Nodal	^	^	^	^	0.0	0.0	402.1	0
NHL - Extranodal	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Myeloma	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Lymphocytic Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Acute Lymphocytic Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Lymphocytic Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Acute Myeloid Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Acute Monocytic Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Chronic Myeloid Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Other Acute Leukemia	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Mesothelioma	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Kaposi Sarcoma	0.0	0.0	470.7	0	0.0	0.0	402.1	0
Miscellaneous	0.0	0.0	470.7	0	0.0	0.0	402.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	653.0	472.8	873.4	55	355.1	249.0	489.6	42
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	33.3	0
Lip	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Tongue	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Salivary Gland	^	^	^	^	0.0	0.0	33.3	0
Floor of Mouth	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Gum and Other Mouth	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Nasopharynx	^	^	^	^	0.0	0.0	33.3	0
Tonsil	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Oropharynx	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Hypopharynx	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Oral Cavity and Pharynx	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Digestive System	80.0	31.7	165.0	8	^	^	^	^
Esophagus	0.0	0.0	43.8	0	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	33.3	0
Small Intestine	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Appendix	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Ascending Colon	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Hepatic Flexure	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Descending Colon	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	33.3	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	33.3	0
Rectum	^	^	^	^	0.0	0.0	33.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	43.8	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	33.3	0
Liver	^	^	^	^	0.0	0.0	33.3	0
Intrahepatic Bile Duct	0.0	0.0	43.8	0	0.0	0.0	33.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Biliary	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Pancreas	^	^	^	^	0.0	0.0	33.3	0
Retroperitoneum	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Digestive Organs	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Respiratory System	238.2	126.1	397.4	16	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	33.3	0
Larynx	^	^	^	^	0.0	0.0	33.3	0
Lung and Bronchus	176.9	86.2	312.0	12	^	^	^	^
Pleura	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Bones and Joints	^	^	^	^	0.0	0.0	33.3	0
Soft Tissue including Heart	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Breast	0.0	0.0	43.8	0	123.9	70.6	203.1	18
Female Genital System	0.0	0.0	43.8	0	93.6	40.6	179.3	9
Cervix Uteri	0.0	0.0	43.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	43.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	43.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	43.8	0	^	^	^	^
Ovary	0.0	0.0	43.8	0	^	^	^	^
Vagina	0.0	0.0	43.8	0	^	^	^	^
Vulva	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Female Genital Organs	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Male Genital System	111.2	48.2	213.6	9	0.0	0.0	33.3	0
Prostate	106.1	44.3	208.3	8	0.0	0.0	33.3	0
Testis	^	^	^	^	0.0	0.0	33.3	0
Penis	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Male Genital Organs	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Urinary Organs	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Eye and Orbit	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Endocrine System	^	^	^	^	0.0	0.0	33.3	0
Thyroid	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	33.3	0
Lymphoma	74.7	22.4	171.8	6	0.0	0.0	33.3	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	33.3	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	33.3	0
Hodgkin - Extranodal	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	33.3	0
NHL - Nodal	^	^	^	^	0.0	0.0	33.3	0
NHL - Extranodal	^	^	^	^	0.0	0.0	33.3	0
Myeloma	0.0	0.0	43.8	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	33.3	0
Other Lymphocytic Leukemia	0.0	0.0	43.8	0	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	33.3	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	33.3	0
Acute Monocytic Leukemia	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Chronic Myeloid Leukemia	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Leukemia	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Other Acute Leukemia	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Mesothelioma	0.0	0.0	43.8	0	0.0	0.0	33.3	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	33.3	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	514.3	387.8	665.7	82	427.1	331.0	541.6	76
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	22.4	0
Lip	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Tongue	^	^	^	^	0.0	0.0	22.4	0
Salivary Gland	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Floor of Mouth	^	^	^	^	0.0	0.0	22.4	0
Gum and Other Mouth	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Nasopharynx	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Tonsil	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Oropharynx	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Hypopharynx	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Other Oral Cavity and Pharynx	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Digestive System	157.8	83.2	263.6	19	57.4	25.2	110.2	9
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Small Intestine	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Colon and Rectum	78.0	32.4	152.1	10	^	^	^	^
Colon excluding Rectum	73.9	29.3	147.7	9	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	22.4	0
Appendix	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Ascending Colon	^	^	^	^	0.0	0.0	22.4	0
Hepatic Flexure	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Transverse Colon	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Splenic Flexure	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Descending Colon	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	30.5	0	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	30.5	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	22.4	0
Liver	^	^	^	^	0.0	0.0	22.4	0
Intrahepatic Bile Duct	0.0	0.0	30.5	0	0.0	0.0	22.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	22.4	0
Other Biliary	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Pancreas	^	^	^	^	0.0	0.0	22.4	0
Retroperitoneum	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	30.5	0	^	^	^	^
Other Digestive Organs	0.0	0.0	30.5	0	^	^	^	^
Respiratory System	102.4	55.4	172.6	17	61.5	29.9	111.9	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Larynx	^	^	^	^	0.0	0.0	22.4	0
Lung and Bronchus	89.3	45.9	156.1	15	61.5	29.9	111.9	11
Pleura	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Bones and Joints	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	22.4	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Breast	0.0	0.0	30.5	0	153.4	98.7	226.8	28
Female Genital System	0.0	0.0	30.5	0	51.8	20.1	105.5	8
Cervix Uteri	0.0	0.0	30.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	30.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	30.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Ovary	0.0	0.0	30.5	0	^	^	^	^
Vagina	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Vulva	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Other Female Genital Organs	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Male Genital System	101.2	58.6	164.7	18	0.0	0.0	22.4	0
Prostate	101.2	58.6	164.7	18	0.0	0.0	22.4	0
Testis	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Penis	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Other Male Genital Organs	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Urinary System	72.6	23.7	156.6	9	^	^	^	^
Urinary Bladder	58.8	14.3	142.2	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	22.4	0
Ureter	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Other Urinary Organs	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Eye and Orbit	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	22.4	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Hodgkin - Nodal	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Hodgkin - Extranodal	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	30.5	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	22.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	30.5	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	22.4	0
Acute Monocytic Leukemia	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Chronic Myeloid Leukemia	0.0	0.0	30.5	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Other Leukemia	0.0	0.0	30.5	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	30.5	0	^	^	^	^
Mesothelioma	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Kaposi Sarcoma	0.0	0.0	30.5	0	0.0	0.0	22.4	0
Miscellaneous	^	^	^	^	0.0	0.0	22.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	828.2	579.8	1,140.0	43	330.4	194.4	521.9	19
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	70.7	0	^	^	^	^
Tongue	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Salivary Gland	^	^	^	^	0.0	0.0	62.6	0
Floor of Mouth	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Gum and Other Mouth	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Nasopharynx	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Tonsil	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Oropharynx	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Hypopharynx	^	^	^	^	0.0	0.0	62.6	0
Other Oral Cavity and Pharynx	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Digestive System	117.1	35.8	269.4	6	0.0	0.0	62.6	0
Esophagus	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Stomach	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Small Intestine	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Colon and Rectum	^	^	^	^	0.0	0.0	62.6	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	62.6	0
Cecum	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Appendix	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Ascending Colon	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Hepatic Flexure	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Transverse Colon	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Splenic Flexure	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Descending Colon	^	^	^	^	0.0	0.0	62.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	62.6	0
Large Intestine, NOS	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	62.6	0
Rectosigmoid Junction	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Rectum	^	^	^	^	0.0	0.0	62.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	62.6	0
Liver	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	62.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	62.6	0
Other Biliary	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Pancreas	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Retroperitoneum	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Other Digestive Organs	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Respiratory System	165.7	77.0	312.2	10	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Larynx	^	^	^	^	0.0	0.0	62.6	0
Lung and Bronchus	130.8	54.3	265.6	8	^	^	^	^
Pleura	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Bones and Joints	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Soft Tissue including Heart	0.0	0.0	70.7	0	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Breast	0.0	0.0	70.7	0	^	^	^	^
Female Genital System	0.0	0.0	70.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	70.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	70.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	70.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Ovary	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Vagina	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Vulva	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Other Female Genital Organs	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Male Genital System	239.2	116.2	428.2	11	0.0	0.0	62.6	0
Prostate	222.1	103.5	407.5	10	0.0	0.0	62.6	0
Testis	^	^	^	^	0.0	0.0	62.6	0
Penis	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Other Male Genital Organs	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Urinary System	156.8	54.8	333.8	8	0.0	0.0	62.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	62.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	62.6	0
Ureter	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Other Urinary Organs	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Eye and Orbit	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	62.6	0
Brain	^	^	^	^	0.0	0.0	62.6	0
Cranial Nerves Other Nervous System	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Endocrine System	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Thyroid	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Other Endocrine including Thymus	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Lymphoma	^	^	^	^	0.0	0.0	62.6	0
Hodgkin Lymphoma	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Hodgkin - Nodal	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Hodgkin - Extranodal	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	62.6	0
NHL - Nodal	0.0	0.0	70.7	0	0.0	0.0	62.6	0
NHL - Extranodal	^	^	^	^	0.0	0.0	62.6	0
Myeloma	0.0	0.0	70.7	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	62.6	0
Acute Lymphocytic Leukemia	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	62.6	0
Other Lymphocytic Leukemia	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	70.7	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	70.7	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Chronic Myeloid Leukemia	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Other Leukemia	^	^	^	^	0.0	0.0	62.6	0
Other Acute Leukemia	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	62.6	0
Mesothelioma	^	^	^	^	0.0	0.0	62.6	0
Kaposi Sarcoma	0.0	0.0	70.7	0	0.0	0.0	62.6	0
Miscellaneous	0.0	0.0	70.7	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	639.2	324.5	1,091.6	19	718.5	393.7	1,170.5	17
Oral Cavity and Pharynx	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Lip	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Tongue	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Salivary Gland	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Floor of Mouth	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Gum and Other Mouth	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Nasopharynx	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Tonsil	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Oropharynx	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Hypopharynx	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Oral Cavity and Pharynx	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Stomach	0.0	0.0	130.5	0	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	117.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	130.5	0	^	^	^	^
Cecum	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Appendix	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Ascending Colon	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Hepatic Flexure	0.0	0.0	130.5	0	^	^	^	^
Transverse Colon	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Splenic Flexure	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Descending Colon	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Sigmoid Colon	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Large Intestine, NOS	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Liver	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Intrahepatic Bile Duct	0.0	0.0	130.5	0	0.0	0.0	117.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Biliary	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Pancreas	0.0	0.0	130.5	0	^	^	^	^
Retroperitoneum	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Digestive Organs	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	117.4	0
Larynx	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Bones and Joints	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Soft Tissue including Heart	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	117.4	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	117.4	0
Other Non-Epithelial Skin	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Breast	0.0	0.0	130.5	0	351.7	149.3	673.3	10
Female Genital System	0.0	0.0	130.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Corpus and Uterus, NOS	0.0	0.0	130.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	130.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Ovary	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Vagina	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Vulva	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Female Genital Organs	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Male Genital System	^	^	^	^	0.0	0.0	117.4	0
Prostate	^	^	^	^	0.0	0.0	117.4	0
Testis	^	^	^	^	0.0	0.0	117.4	0
Penis	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Male Genital Organs	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Urinary System	^	^	^	^	0.0	0.0	117.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	117.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Ureter	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Urinary Organs	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Eye and Orbit	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Brain and Other Nervous System	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Brain	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Cranial Nerves Other Nervous System	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Endocrine System	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Thyroid	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Endocrine including Thymus	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Lymphoma	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Hodgkin Lymphoma	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Hodgkin - Nodal	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Hodgkin - Extranodal	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Non-Hodgkin Lymphoma	0.0	0.0	130.5	0	0.0	0.0	117.4	0
NHL - Nodal	0.0	0.0	130.5	0	0.0	0.0	117.4	0
NHL - Extranodal	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Myeloma	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Leukemia	^	^	^	^	0.0	0.0	117.4	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	117.4	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	117.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Lymphocytic Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Acute Myeloid Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Acute Monocytic Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Chronic Myeloid Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Other Acute Leukemia	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Mesothelioma	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Kaposi Sarcoma	0.0	0.0	130.5	0	0.0	0.0	117.4	0
Miscellaneous	0.0	0.0	130.5	0	0.0	0.0	117.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	1,305.9	434.0	2,974.0	7	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	813.6	0
Lip	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Tongue	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Salivary Gland	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Floor of Mouth	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Gum and Other Mouth	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Nasopharynx	^	^	^	^	0.0	0.0	813.6	0
Tonsil	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Oropharynx	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Hypopharynx	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Oral Cavity and Pharynx	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Digestive System	^	^	^	^	0.0	0.0	813.6	0
Esophagus	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Stomach	^	^	^	^	0.0	0.0	813.6	0
Small Intestine	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Colon and Rectum	^	^	^	^	0.0	0.0	813.6	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	813.6	0
Cecum	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Appendix	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Ascending Colon	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Hepatic Flexure	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Transverse Colon	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Splenic Flexure	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Descending Colon	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	813.6	0
Large Intestine, NOS	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Rectosigmoid Junction	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Rectum	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Liver	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Intrahepatic Bile Duct	0.0	0.0	958.6	0	0.0	0.0	813.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Biliary	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Pancreas	^	^	^	^	0.0	0.0	813.6	0
Retroperitoneum	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Digestive Organs	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Respiratory System	0.0	0.0	958.6	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Larynx	0.0	0.0	958.6	0	^	^	^	^
Lung and Bronchus	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Pleura	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Bones and Joints	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Soft Tissue including Heart	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Skin excluding Basal and Squamous	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Melanoma of the Skin	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Non-Epithelial Skin	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Breast	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Female Genital System	0.0	0.0	958.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Corpus and Uterus, NOS	0.0	0.0	958.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	958.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Ovary	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Vagina	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Vulva	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Female Genital Organs	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Male Genital System	^	^	^	^	0.0	0.0	813.6	0
Prostate	^	^	^	^	0.0	0.0	813.6	0
Testis	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Penis	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Male Genital Organs	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Urinary System	^	^	^	^	0.0	0.0	813.6	0
Urinary Bladder	0.0	0.0	958.6	0	0.0	0.0	813.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	813.6	0
Ureter	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Urinary Organs	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Eye and Orbit	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Brain and Other Nervous System	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Brain	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Cranial Nerves Other Nervous System	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Endocrine System	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Thyroid	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Endocrine including Thymus	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Lymphoma	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Hodgkin Lymphoma	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Hodgkin - Nodal	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Hodgkin - Extranodal	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Non-Hodgkin Lymphoma	0.0	0.0	958.6	0	0.0	0.0	813.6	0
NHL - Nodal	0.0	0.0	958.6	0	0.0	0.0	813.6	0
NHL - Extranodal	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Myeloma	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Lymphocytic Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Acute Lymphocytic Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Lymphocytic Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Acute Myeloid Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Acute Monocytic Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Chronic Myeloid Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Other Acute Leukemia	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Mesothelioma	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Kaposi Sarcoma	0.0	0.0	958.6	0	0.0	0.0	813.6	0
Miscellaneous	^	^	^	^	0.0	0.0	813.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	472.3	362.1	604.4	80	450.5	343.7	577.9	72
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	^	^	^	^	0.0	0.0	23.3	0
Tongue	0.0	0.0	31.7	0	^	^	^	^
Salivary Gland	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Floor of Mouth	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	23.3	0
Nasopharynx	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Tonsil	^	^	^	^	0.0	0.0	23.3	0
Oropharynx	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Hypopharynx	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Other Oral Cavity and Pharynx	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Digestive System	95.4	51.7	161.9	17	62.8	25.5	123.8	9
Esophagus	^	^	^	^	0.0	0.0	23.3	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	31.7	0	^	^	^	^
Colon and Rectum	44.3	18.4	92.8	8	^	^	^	^
Colon excluding Rectum	29.8	10.4	72.2	6	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Ascending Colon	^	^	^	^	0.0	0.0	23.3	0
Hepatic Flexure	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Transverse Colon	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Splenic Flexure	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Descending Colon	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	23.3	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	31.7	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	23.3	0
Liver	^	^	^	^	0.0	0.0	23.3	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	23.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Other Biliary	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Other Digestive Organs	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Respiratory System	66.8	32.1	124.3	11	58.1	26.8	109.1	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Larynx	^	^	^	^	0.0	0.0	23.3	0
Lung and Bronchus	63.1	29.2	120.2	10	58.1	26.8	109.1	10
Pleura	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Bones and Joints	^	^	^	^	0.0	0.0	23.3	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	23.3	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Breast	0.0	0.0	31.7	0	148.4	91.3	225.9	24
Female Genital System	0.0	0.0	31.7	0	44.8	19.5	88.6	9
Cervix Uteri	0.0	0.0	31.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	31.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	31.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Ovary	0.0	0.0	31.7	0	^	^	^	^
Vagina	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Vulva	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Other Female Genital Organs	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Male Genital System	104.0	55.2	177.1	16	0.0	0.0	23.3	0
Prostate	104.0	55.2	177.1	16	0.0	0.0	23.3	0
Testis	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Penis	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Other Male Genital Organs	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Urinary System	101.7	48.3	183.5	13	^	^	^	^
Urinary Bladder	71.4	26.4	147.4	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Other Urinary Organs	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Eye and Orbit	0.0	0.0	31.7	0	^	^	^	^
Brain and Other Nervous System	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Brain	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Cranial Nerves Other Nervous System	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Endocrine System	0.0	0.0	31.7	0	^	^	^	^
Thyroid	0.0	0.0	31.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Lymphoma	52.2	23.9	102.5	11	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	23.3	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	23.3	0
Hodgkin - Extranodal	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Non-Hodgkin Lymphoma	46.6	20.2	95.3	10	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	23.3	0
Myeloma	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	31.7	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	23.3	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	23.3	0
Acute Monocytic Leukemia	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Chronic Myeloid Leukemia	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Other Leukemia	^	^	^	^	0.0	0.0	23.3	0
Other Acute Leukemia	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	23.3	0
Mesothelioma	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Kaposi Sarcoma	0.0	0.0	31.7	0	0.0	0.0	23.3	0
Miscellaneous	0.0	0.0	31.7	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	542.6	283.4	926.6	15	447.5	218.2	799.6	12
Oral Cavity and Pharynx	0.0	0.0	142.0	0	^	^	^	^
Lip	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Tongue	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Salivary Gland	0.0	0.0	142.0	0	^	^	^	^
Floor of Mouth	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Gum and Other Mouth	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Nasopharynx	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Tonsil	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Oropharynx	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Hypopharynx	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Oral Cavity and Pharynx	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Digestive System	377.9	162.7	725.7	10	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	131.9	0
Stomach	^	^	^	^	0.0	0.0	131.9	0
Small Intestine	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Ascending Colon	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Hepatic Flexure	^	^	^	^	0.0	0.0	131.9	0
Transverse Colon	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Splenic Flexure	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Descending Colon	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	131.9	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Liver	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Intrahepatic Bile Duct	0.0	0.0	142.0	0	0.0	0.0	131.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Biliary	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Pancreas	^	^	^	^	0.0	0.0	131.9	0
Retroperitoneum	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Digestive Organs	^	^	^	^	0.0	0.0	131.9	0
Respiratory System	^	^	^	^	0.0	0.0	131.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Larynx	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Lung and Bronchus	^	^	^	^	0.0	0.0	131.9	0
Pleura	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Bones and Joints	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Soft Tissue including Heart	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Skin excluding Basal and Squamous	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Melanoma of the Skin	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Non-Epithelial Skin	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Breast	0.0	0.0	142.0	0	^	^	^	^
Female Genital System	0.0	0.0	142.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Corpus and Uterus, NOS	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Corpus Uteri	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Uterus, NOS	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Ovary	0.0	0.0	142.0	0	^	^	^	^
Vagina	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Vulva	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Female Genital Organs	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Male Genital System	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Prostate	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Testis	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Penis	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Male Genital Organs	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Urinary System	0.0	0.0	142.0	0	^	^	^	^
Urinary Bladder	0.0	0.0	142.0	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	142.0	0	^	^	^	^
Ureter	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Urinary Organs	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Eye and Orbit	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Brain and Other Nervous System	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Brain	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Cranial Nerves Other Nervous System	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Endocrine System	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Thyroid	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Endocrine including Thymus	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Lymphoma	^	^	^	^	0.0	0.0	131.9	0
Hodgkin Lymphoma	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Hodgkin - Nodal	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Hodgkin - Extranodal	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	131.9	0
NHL - Nodal	0.0	0.0	142.0	0	0.0	0.0	131.9	0
NHL - Extranodal	^	^	^	^	0.0	0.0	131.9	0
Myeloma	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Lymphocytic Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Acute Lymphocytic Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Lymphocytic Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Acute Myeloid Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Acute Monocytic Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Chronic Myeloid Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Other Acute Leukemia	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Mesothelioma	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Kaposi Sarcoma	0.0	0.0	142.0	0	0.0	0.0	131.9	0
Miscellaneous	0.0	0.0	142.0	0	0.0	0.0	131.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	538.4	187.0	1,185.3	8	485.3	197.7	976.9	9
Oral Cavity and Pharynx	0.0	0.0	359.4	0	^	^	^	^
Lip	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Tongue	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Salivary Gland	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Floor of Mouth	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Gum and Other Mouth	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Nasopharynx	0.0	0.0	359.4	0	^	^	^	^
Tonsil	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Oropharynx	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Hypopharynx	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Oral Cavity and Pharynx	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Stomach	^	^	^	^	0.0	0.0	239.2	0
Small Intestine	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	239.2	0
Appendix	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Ascending Colon	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Hepatic Flexure	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Transverse Colon	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Splenic Flexure	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Descending Colon	0.0	0.0	359.4	0	^	^	^	^
Sigmoid Colon	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Large Intestine, NOS	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Liver	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Intrahepatic Bile Duct	0.0	0.0	359.4	0	0.0	0.0	239.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Biliary	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Digestive Organs	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Larynx	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Bones and Joints	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Soft Tissue including Heart	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Skin excluding Basal and Squamous	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Melanoma of the Skin	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Non-Epithelial Skin	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Breast	0.0	0.0	359.4	0	^	^	^	^
Female Genital System	0.0	0.0	359.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	359.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Corpus Uteri	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Uterus, NOS	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Ovary	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Vagina	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Vulva	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Female Genital Organs	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Male Genital System	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Prostate	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Testis	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Penis	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Male Genital Organs	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Urinary System	^	^	^	^	0.0	0.0	239.2	0
Urinary Bladder	0.0	0.0	359.4	0	0.0	0.0	239.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	239.2	0
Ureter	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Urinary Organs	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Eye and Orbit	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Brain and Other Nervous System	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Brain	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Cranial Nerves Other Nervous System	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Endocrine System	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Thyroid	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Endocrine including Thymus	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Lymphoma	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Hodgkin Lymphoma	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Hodgkin - Nodal	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Hodgkin - Extranodal	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Non-Hodgkin Lymphoma	0.0	0.0	359.4	0	0.0	0.0	239.2	0
NHL - Nodal	0.0	0.0	359.4	0	0.0	0.0	239.2	0
NHL - Extranodal	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Myeloma	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Lymphocytic Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Acute Lymphocytic Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Lymphocytic Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Acute Myeloid Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Acute Monocytic Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Chronic Myeloid Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Other Acute Leukemia	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Mesothelioma	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Kaposi Sarcoma	0.0	0.0	359.4	0	0.0	0.0	239.2	0
Miscellaneous	0.0	0.0	359.4	0	0.0	0.0	239.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	533.3	207.7	1,072.0	7
Oral Cavity and Pharynx	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Lip	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Tongue	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Salivary Gland	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Floor of Mouth	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Gum and Other Mouth	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Nasopharynx	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Tonsil	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Oropharynx	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Hypopharynx	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Oral Cavity and Pharynx	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Stomach	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Small Intestine	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Appendix	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Ascending Colon	0.0	0.0	217.8	0	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	205.4	0
Transverse Colon	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Splenic Flexure	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Descending Colon	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Sigmoid Colon	^	^	^	^	0.0	0.0	205.4	0
Large Intestine, NOS	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Rectosigmoid Junction	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Rectum	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Liver	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Intrahepatic Bile Duct	0.0	0.0	217.8	0	0.0	0.0	205.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Biliary	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Pancreas	0.0	0.0	217.8	0	^	^	^	^
Retroperitoneum	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Digestive Organs	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Respiratory System	0.0	0.0	217.8	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Larynx	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Lung and Bronchus	0.0	0.0	217.8	0	^	^	^	^
Pleura	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Bones and Joints	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Soft Tissue including Heart	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Skin excluding Basal and Squamous	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Melanoma of the Skin	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Non-Epithelial Skin	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Breast	0.0	0.0	217.8	0	^	^	^	^
Female Genital System	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Cervix Uteri	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Corpus and Uterus, NOS	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Corpus Uteri	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Uterus, NOS	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Ovary	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Vagina	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Vulva	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Female Genital Organs	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Male Genital System	^	^	^	^	0.0	0.0	205.4	0
Prostate	^	^	^	^	0.0	0.0	205.4	0
Testis	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Penis	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Male Genital Organs	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Urinary System	^	^	^	^	0.0	0.0	205.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	205.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Ureter	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Urinary Organs	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Eye and Orbit	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Brain and Other Nervous System	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Brain	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Cranial Nerves Other Nervous System	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Endocrine System	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Thyroid	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Endocrine including Thymus	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Lymphoma	^	^	^	^	0.0	0.0	205.4	0
Hodgkin Lymphoma	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Hodgkin - Nodal	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Hodgkin - Extranodal	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	205.4	0
NHL - Nodal	0.0	0.0	217.8	0	0.0	0.0	205.4	0
NHL - Extranodal	^	^	^	^	0.0	0.0	205.4	0
Myeloma	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Lymphocytic Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Acute Lymphocytic Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Lymphocytic Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Acute Myeloid Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Acute Monocytic Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Chronic Myeloid Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Other Acute Leukemia	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Mesothelioma	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Kaposi Sarcoma	0.0	0.0	217.8	0	0.0	0.0	205.4	0
Miscellaneous	0.0	0.0	217.8	0	0.0	0.0	205.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	812.3	349.0	1,533.6	15	258.1	110.3	604.6	8
Oral Cavity and Pharynx	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Lip	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Tongue	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Salivary Gland	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Floor of Mouth	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Gum and Other Mouth	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Nasopharynx	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Tonsil	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Oropharynx	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Hypopharynx	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Oral Cavity and Pharynx	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Stomach	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Small Intestine	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	296.8	0
Cecum	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Appendix	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Ascending Colon	^	^	^	^	0.0	0.0	296.8	0
Hepatic Flexure	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Transverse Colon	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Splenic Flexure	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Descending Colon	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Sigmoid Colon	^	^	^	^	0.0	0.0	296.8	0
Large Intestine, NOS	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	246.0	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	246.0	0	^	^	^	^
Rectum	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	296.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Liver	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Intrahepatic Bile Duct	0.0	0.0	246.0	0	0.0	0.0	296.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Biliary	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Pancreas	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Retroperitoneum	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Digestive Organs	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Respiratory System	^	^	^	^	0.0	0.0	296.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Larynx	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Lung and Bronchus	^	^	^	^	0.0	0.0	296.8	0
Pleura	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Bones and Joints	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Soft Tissue including Heart	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Breast	0.0	0.0	246.0	0	^	^	^	^
Female Genital System	0.0	0.0	246.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Corpus and Uterus, NOS	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Corpus Uteri	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Uterus, NOS	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Ovary	0.0	0.0	246.0	0	^	^	^	^
Vagina	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Vulva	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Female Genital Organs	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Male Genital System	^	^	^	^	0.0	0.0	296.8	0
Prostate	^	^	^	^	0.0	0.0	296.8	0
Testis	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Penis	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Male Genital Organs	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Urinary System	^	^	^	^	0.0	0.0	296.8	0
Urinary Bladder	^	^	^	^	0.0	0.0	296.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Ureter	^	^	^	^	0.0	0.0	296.8	0
Other Urinary Organs	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Eye and Orbit	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	296.8	0
Brain	^	^	^	^	0.0	0.0	296.8	0
Cranial Nerves Other Nervous System	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Endocrine System	0.0	0.0	246.0	0	^	^	^	^
Thyroid	0.0	0.0	246.0	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Hodgkin - Nodal	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Hodgkin - Extranodal	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Myeloma	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Lymphocytic Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Acute Lymphocytic Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Lymphocytic Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Acute Myeloid Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Acute Monocytic Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Chronic Myeloid Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Other Acute Leukemia	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Mesothelioma	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Kaposi Sarcoma	0.0	0.0	246.0	0	0.0	0.0	296.8	0
Miscellaneous	0.0	0.0	246.0	0	0.0	0.0	296.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	375.2	158.3	724.0	11	429.8	236.7	713.7	16
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Tongue	^	^	^	^	0.0	0.0	104.5	0
Salivary Gland	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Floor of Mouth	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Gum and Other Mouth	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Nasopharynx	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Tonsil	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Oropharynx	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Hypopharynx	0.0	0.0	132.1	0	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Stomach	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Small Intestine	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Appendix	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Ascending Colon	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Hepatic Flexure	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Transverse Colon	0.0	0.0	132.1	0	^	^	^	^
Splenic Flexure	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Descending Colon	0.0	0.0	132.1	0	^	^	^	^
Sigmoid Colon	^	^	^	^	0.0	0.0	104.5	0
Large Intestine, NOS	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	104.5	0
Rectosigmoid Junction	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Rectum	^	^	^	^	0.0	0.0	104.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	132.1	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	104.5	0
Liver	^	^	^	^	0.0	0.0	104.5	0
Intrahepatic Bile Duct	0.0	0.0	132.1	0	0.0	0.0	104.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Biliary	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Pancreas	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Retroperitoneum	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Digestive Organs	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Larynx	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Bones and Joints	0.0	0.0	132.1	0	^	^	^	^
Soft Tissue including Heart	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Skin excluding Basal and Squamous	0.0	0.0	132.1	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	132.1	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Breast	0.0	0.0	132.1	0	^	^	^	^
Female Genital System	0.0	0.0	132.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	132.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	132.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	132.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Ovary	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Vagina	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Vulva	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Female Genital Organs	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Male Genital System	^	^	^	^	0.0	0.0	104.5	0
Prostate	^	^	^	^	0.0	0.0	104.5	0
Testis	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Penis	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Male Genital Organs	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	104.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Urinary Organs	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Eye and Orbit	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Brain and Other Nervous System	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Brain	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Cranial Nerves Other Nervous System	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Endocrine System	0.0	0.0	132.1	0	^	^	^	^
Thyroid	0.0	0.0	132.1	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Lymphoma	0.0	0.0	132.1	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	132.1	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	132.1	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Non-Hodgkin Lymphoma	0.0	0.0	132.1	0	0.0	0.0	104.5	0
NHL - Nodal	0.0	0.0	132.1	0	0.0	0.0	104.5	0
NHL - Extranodal	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Myeloma	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Lymphocytic Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Acute Lymphocytic Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Lymphocytic Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Acute Myeloid Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Acute Monocytic Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Chronic Myeloid Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Other Acute Leukemia	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Mesothelioma	0.0	0.0	132.1	0	0.0	0.0	104.5	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	104.5	0
Miscellaneous	0.0	0.0	132.1	0	0.0	0.0	104.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	562.6	180.9	1,260.7	7	329.3	118.6	759.3	6
Oral Cavity and Pharynx	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Lip	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Tongue	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Salivary Gland	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Floor of Mouth	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Gum and Other Mouth	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Nasopharynx	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Tonsil	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Oropharynx	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Hypopharynx	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Oral Cavity and Pharynx	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Stomach	0.0	0.0	322.4	0	^	^	^	^
Small Intestine	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Colon and Rectum	^	^	^	^	0.0	0.0	276.7	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	276.7	0
Cecum	^	^	^	^	0.0	0.0	276.7	0
Appendix	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Ascending Colon	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Hepatic Flexure	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Transverse Colon	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Splenic Flexure	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Descending Colon	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Sigmoid Colon	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Large Intestine, NOS	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Rectosigmoid Junction	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Rectum	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	276.7	0
Liver	^	^	^	^	0.0	0.0	276.7	0
Intrahepatic Bile Duct	0.0	0.0	322.4	0	0.0	0.0	276.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Biliary	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Pancreas	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Retroperitoneum	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Digestive Organs	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Larynx	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Bones and Joints	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Soft Tissue including Heart	0.0	0.0	322.4	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Melanoma of the Skin	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Non-Epithelial Skin	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Breast	0.0	0.0	322.4	0	^	^	^	^
Female Genital System	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Cervix Uteri	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Corpus and Uterus, NOS	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Corpus Uteri	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Uterus, NOS	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Ovary	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Vagina	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Vulva	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Female Genital Organs	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Male Genital System	^	^	^	^	0.0	0.0	276.7	0
Prostate	^	^	^	^	0.0	0.0	276.7	0
Testis	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Penis	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Male Genital Organs	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Urinary System	0.0	0.0	322.4	0	^	^	^	^
Urinary Bladder	0.0	0.0	322.4	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Ureter	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Urinary Organs	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Eye and Orbit	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Brain and Other Nervous System	0.0	0.0	322.4	0	^	^	^	^
Brain	0.0	0.0	322.4	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Endocrine System	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Thyroid	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Endocrine including Thymus	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Lymphoma	^	^	^	^	0.0	0.0	276.7	0
Hodgkin Lymphoma	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Hodgkin - Nodal	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Hodgkin - Extranodal	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	276.7	0
NHL - Nodal	^	^	^	^	0.0	0.0	276.7	0
NHL - Extranodal	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Myeloma	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Lymphocytic Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Acute Lymphocytic Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Lymphocytic Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Acute Myeloid Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Acute Monocytic Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Chronic Myeloid Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Other Acute Leukemia	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Mesothelioma	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Kaposi Sarcoma	0.0	0.0	322.4	0	0.0	0.0	276.7	0
Miscellaneous	0.0	0.0	322.4	0	0.0	0.0	276.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	362.5	143.6	769.9	9	430.5	156.0	903.4	8
Oral Cavity and Pharynx	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Lip	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Tongue	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Salivary Gland	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Floor of Mouth	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Gum and Other Mouth	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Nasopharynx	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Tonsil	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Oropharynx	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Hypopharynx	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Oral Cavity and Pharynx	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Stomach	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Small Intestine	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Colon and Rectum	^	^	^	^	0.0	0.0	193.4	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	193.4	0
Cecum	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Appendix	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Ascending Colon	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Hepatic Flexure	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Transverse Colon	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Splenic Flexure	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Descending Colon	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Sigmoid Colon	^	^	^	^	0.0	0.0	193.4	0
Large Intestine, NOS	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Rectosigmoid Junction	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Rectum	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	193.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Liver	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Intrahepatic Bile Duct	0.0	0.0	249.6	0	0.0	0.0	193.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Biliary	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Pancreas	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Retroperitoneum	0.0	0.0	249.6	0	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Digestive Organs	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Larynx	^	^	^	^	0.0	0.0	193.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Bones and Joints	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Soft Tissue including Heart	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Skin excluding Basal and Squamous	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Melanoma of the Skin	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Non-Epithelial Skin	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Breast	0.0	0.0	249.6	0	^	^	^	^
Female Genital System	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Cervix Uteri	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Corpus and Uterus, NOS	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Corpus Uteri	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Uterus, NOS	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Ovary	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Vagina	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Vulva	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Female Genital Organs	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Male Genital System	^	^	^	^	0.0	0.0	193.4	0
Prostate	^	^	^	^	0.0	0.0	193.4	0
Testis	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Penis	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Male Genital Organs	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Urinary System	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Urinary Bladder	0.0	0.0	249.6	0	0.0	0.0	193.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Ureter	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Urinary Organs	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Eye and Orbit	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Brain and Other Nervous System	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Brain	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Cranial Nerves Other Nervous System	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Endocrine System	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Thyroid	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Endocrine including Thymus	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Lymphoma	^	^	^	^	0.0	0.0	193.4	0
Hodgkin Lymphoma	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Hodgkin - Nodal	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Hodgkin - Extranodal	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	193.4	0
NHL - Nodal	^	^	^	^	0.0	0.0	193.4	0
NHL - Extranodal	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Myeloma	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Leukemia	0.0	0.0	249.6	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Acute Lymphocytic Leukemia	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Lymphocytic Leukemia	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	249.6	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	249.6	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Chronic Myeloid Leukemia	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Other Leukemia	0.0	0.0	249.6	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	249.6	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Mesothelioma	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Kaposi Sarcoma	0.0	0.0	249.6	0	0.0	0.0	193.4	0
Miscellaneous	^	^	^	^	0.0	0.0	193.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	670.9	386.6	1,067.1	22	322.7	124.0	653.7	10
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	126.2	0
Lip	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Tongue	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Salivary Gland	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Floor of Mouth	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Gum and Other Mouth	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Nasopharynx	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Tonsil	^	^	^	^	0.0	0.0	126.2	0
Oropharynx	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Hypopharynx	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Oral Cavity and Pharynx	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Stomach	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Small Intestine	0.0	0.0	123.2	0	^	^	^	^
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	126.2	0
Appendix	^	^	^	^	0.0	0.0	126.2	0
Ascending Colon	^	^	^	^	0.0	0.0	126.2	0
Hepatic Flexure	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Transverse Colon	^	^	^	^	0.0	0.0	126.2	0
Splenic Flexure	0.0	0.0	123.2	0	^	^	^	^
Descending Colon	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Sigmoid Colon	^	^	^	^	0.0	0.0	126.2	0
Large Intestine, NOS	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Rectosigmoid Junction	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Rectum	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Liver	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Intrahepatic Bile Duct	0.0	0.0	123.2	0	0.0	0.0	126.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Biliary	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Pancreas	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Retroperitoneum	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Digestive Organs	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Larynx	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Bones and Joints	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Soft Tissue including Heart	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Skin excluding Basal and Squamous	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Melanoma of the Skin	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Non-Epithelial Skin	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Breast	0.0	0.0	123.2	0	^	^	^	^
Female Genital System	0.0	0.0	123.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Corpus and Uterus, NOS	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Corpus Uteri	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Uterus, NOS	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Ovary	0.0	0.0	123.2	0	^	^	^	^
Vagina	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Vulva	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Female Genital Organs	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Male Genital System	230.5	90.3	476.5	8	0.0	0.0	126.2	0
Prostate	202.2	69.4	446.1	6	0.0	0.0	126.2	0
Testis	^	^	^	^	0.0	0.0	126.2	0
Penis	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Male Genital Organs	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Urinary System	^	^	^	^	0.0	0.0	126.2	0
Urinary Bladder	^	^	^	^	0.0	0.0	126.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Ureter	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Urinary Organs	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Eye and Orbit	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Brain and Other Nervous System	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Brain	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Cranial Nerves Other Nervous System	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Endocrine System	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Thyroid	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Endocrine including Thymus	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Hodgkin - Nodal	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Hodgkin - Extranodal	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Myeloma	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Leukemia	0.0	0.0	123.2	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Acute Lymphocytic Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Lymphocytic Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	123.2	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	123.2	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Chronic Myeloid Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Other Acute Leukemia	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Mesothelioma	^	^	^	^	0.0	0.0	126.2	0
Kaposi Sarcoma	0.0	0.0	123.2	0	0.0	0.0	126.2	0
Miscellaneous	0.0	0.0	123.2	0	0.0	0.0	126.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	961.3	405.5	1,826.6	11	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Lip	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Tongue	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Salivary Gland	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Floor of Mouth	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Gum and Other Mouth	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Nasopharynx	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Tonsil	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Oropharynx	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Hypopharynx	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Oral Cavity and Pharynx	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Stomach	0.0	0.0	283.3	0	^	^	^	^
Small Intestine	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Colon and Rectum	^	^	^	^	0.0	0.0	245.4	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	245.4	0
Cecum	^	^	^	^	0.0	0.0	245.4	0
Appendix	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Ascending Colon	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Hepatic Flexure	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Transverse Colon	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Splenic Flexure	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Descending Colon	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Sigmoid Colon	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Large Intestine, NOS	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Rectosigmoid Junction	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Rectum	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	283.3	0	^	^	^	^
Liver	0.0	0.0	283.3	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	283.3	0	0.0	0.0	245.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	245.4	0
Other Biliary	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Pancreas	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Retroperitoneum	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Digestive Organs	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Larynx	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Bones and Joints	^	^	^	^	0.0	0.0	245.4	0
Soft Tissue including Heart	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Skin excluding Basal and Squamous	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Melanoma of the Skin	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Non-Epithelial Skin	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Breast	0.0	0.0	283.3	0	^	^	^	^
Female Genital System	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Cervix Uteri	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Corpus and Uterus, NOS	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Corpus Uteri	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Uterus, NOS	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Ovary	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Vagina	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Vulva	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Female Genital Organs	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Male Genital System	^	^	^	^	0.0	0.0	245.4	0
Prostate	^	^	^	^	0.0	0.0	245.4	0
Testis	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Penis	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Male Genital Organs	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Urinary System	^	^	^	^	0.0	0.0	245.4	0
Urinary Bladder	0.0	0.0	283.3	0	0.0	0.0	245.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	245.4	0
Ureter	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Urinary Organs	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Eye and Orbit	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Brain and Other Nervous System	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Brain	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Cranial Nerves Other Nervous System	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Endocrine System	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Thyroid	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Endocrine including Thymus	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Lymphoma	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Hodgkin Lymphoma	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Hodgkin - Nodal	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Hodgkin - Extranodal	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Non-Hodgkin Lymphoma	0.0	0.0	283.3	0	0.0	0.0	245.4	0
NHL - Nodal	0.0	0.0	283.3	0	0.0	0.0	245.4	0
NHL - Extranodal	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Myeloma	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Lymphocytic Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Acute Lymphocytic Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Lymphocytic Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Acute Myeloid Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Acute Monocytic Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Chronic Myeloid Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Other Acute Leukemia	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Mesothelioma	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Kaposi Sarcoma	0.0	0.0	283.3	0	0.0	0.0	245.4	0
Miscellaneous	0.0	0.0	283.3	0	0.0	0.0	245.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	454.3	230.7	794.8	12	281.5	117.7	562.7	8
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	132.1	0
Lip	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Tongue	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Salivary Gland	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Floor of Mouth	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Gum and Other Mouth	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Nasopharynx	^	^	^	^	0.0	0.0	132.1	0
Tonsil	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Oropharynx	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Hypopharynx	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Oral Cavity and Pharynx	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Stomach	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Small Intestine	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	130.1	0	^	^	^	^
Cecum	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Appendix	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Ascending Colon	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Hepatic Flexure	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Transverse Colon	0.0	0.0	130.1	0	^	^	^	^
Splenic Flexure	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Descending Colon	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Sigmoid Colon	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Large Intestine, NOS	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	132.1	0
Rectosigmoid Junction	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Rectum	^	^	^	^	0.0	0.0	132.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Liver	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Intrahepatic Bile Duct	0.0	0.0	130.1	0	0.0	0.0	132.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Biliary	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Pancreas	0.0	0.0	130.1	0	^	^	^	^
Retroperitoneum	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Digestive Organs	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Respiratory System	^	^	^	^	0.0	0.0	132.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Larynx	^	^	^	^	0.0	0.0	132.1	0
Lung and Bronchus	^	^	^	^	0.0	0.0	132.1	0
Pleura	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Bones and Joints	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Soft Tissue including Heart	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Skin excluding Basal and Squamous	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Melanoma of the Skin	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Non-Epithelial Skin	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Breast	0.0	0.0	130.1	0	^	^	^	^
Female Genital System	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Cervix Uteri	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Corpus and Uterus, NOS	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Corpus Uteri	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Uterus, NOS	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Ovary	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Vagina	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Vulva	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Female Genital Organs	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Male Genital System	^	^	^	^	0.0	0.0	132.1	0
Prostate	^	^	^	^	0.0	0.0	132.1	0
Testis	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Penis	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Male Genital Organs	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Urinary System	^	^	^	^	0.0	0.0	132.1	0
Urinary Bladder	0.0	0.0	130.1	0	0.0	0.0	132.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	132.1	0
Ureter	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Urinary Organs	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Eye and Orbit	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Brain and Other Nervous System	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Brain	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Cranial Nerves Other Nervous System	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Endocrine System	0.0	0.0	130.1	0	^	^	^	^
Thyroid	0.0	0.0	130.1	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Lymphoma	0.0	0.0	130.1	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Hodgkin - Nodal	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Hodgkin - Extranodal	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Non-Hodgkin Lymphoma	0.0	0.0	130.1	0	^	^	^	^
NHL - Nodal	0.0	0.0	130.1	0	0.0	0.0	132.1	0
NHL - Extranodal	0.0	0.0	130.1	0	^	^	^	^
Myeloma	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Lymphocytic Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Acute Lymphocytic Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Lymphocytic Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Acute Myeloid Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Acute Monocytic Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Chronic Myeloid Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Other Acute Leukemia	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Mesothelioma	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Kaposi Sarcoma	0.0	0.0	130.1	0	0.0	0.0	132.1	0
Miscellaneous	0.0	0.0	130.1	0	0.0	0.0	132.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Lip	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Tongue	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Salivary Gland	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Floor of Mouth	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Gum and Other Mouth	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Nasopharynx	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Tonsil	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Oropharynx	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Hypopharynx	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Digestive System	^	^	^	^	0.0	0.0	1,222.2	0
Esophagus	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Stomach	^	^	^	^	0.0	0.0	1,222.2	0
Small Intestine	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Colon and Rectum	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Colon excluding Rectum	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Cecum	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Appendix	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Ascending Colon	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Hepatic Flexure	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Transverse Colon	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Splenic Flexure	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Descending Colon	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Sigmoid Colon	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Large Intestine, NOS	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Rectosigmoid Junction	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Rectum	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Liver	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Intrahepatic Bile Duct	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Biliary	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Pancreas	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Retroperitoneum	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Digestive Organs	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Respiratory System	^	^	^	^	0.0	0.0	1,222.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Larynx	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Lung and Bronchus	^	^	^	^	0.0	0.0	1,222.2	0
Pleura	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Bones and Joints	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Soft Tissue including Heart	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Skin excluding Basal and Squamous	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Melanoma of the Skin	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Non-Epithelial Skin	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Breast	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Female Genital System	0.0	0.0	1,521.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Corpus and Uterus, NOS	0.0	0.0	1,521.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	1,521.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Ovary	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Vagina	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Vulva	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Female Genital Organs	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Male Genital System	^	^	^	^	0.0	0.0	1,222.2	0
Prostate	^	^	^	^	0.0	0.0	1,222.2	0
Testis	^	^	^	^	0.0	0.0	1,222.2	0
Penis	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Male Genital Organs	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Urinary System	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Urinary Bladder	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Ureter	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Urinary Organs	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Eye and Orbit	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Brain and Other Nervous System	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Brain	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Endocrine System	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Thyroid	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Endocrine including Thymus	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Lymphoma	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Hodgkin Lymphoma	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Hodgkin - Nodal	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Hodgkin - Extranodal	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
NHL - Nodal	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
NHL - Extranodal	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Myeloma	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Leukemia	^	^	^	^	0.0	0.0	1,222.2	0
Lymphocytic Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Lymphocytic Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	1,222.2	0
Acute Myeloid Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Acute Monocytic Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	1,222.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Other Acute Leukemia	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Mesothelioma	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Kaposi Sarcoma	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0
Miscellaneous	0.0	0.0	1,521.4	0	0.0	0.0	1,222.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	336.2	143.0	662.4	9	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	151.9	0	^	^	^	^
Lip	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Tongue	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Salivary Gland	0.0	0.0	151.9	0	^	^	^	^
Floor of Mouth	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Gum and Other Mouth	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Nasopharynx	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Tonsil	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Oropharynx	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Hypopharynx	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Oral Cavity and Pharynx	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Digestive System	257.0	92.3	557.9	7	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	167.8	0
Stomach	^	^	^	^	0.0	0.0	167.8	0
Small Intestine	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Colon and Rectum	^	^	^	^	0.0	0.0	167.8	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	167.8	0
Cecum	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Appendix	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Ascending Colon	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Hepatic Flexure	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Transverse Colon	^	^	^	^	0.0	0.0	167.8	0
Splenic Flexure	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Descending Colon	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Sigmoid Colon	^	^	^	^	0.0	0.0	167.8	0
Large Intestine, NOS	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	167.8	0
Rectosigmoid Junction	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Rectum	^	^	^	^	0.0	0.0	167.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Liver	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Intrahepatic Bile Duct	0.0	0.0	151.9	0	0.0	0.0	167.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Biliary	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Pancreas	0.0	0.0	151.9	0	^	^	^	^
Retroperitoneum	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Digestive Organs	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Respiratory System	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Larynx	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Lung and Bronchus	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Pleura	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Bones and Joints	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Soft Tissue including Heart	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Skin excluding Basal and Squamous	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Melanoma of the Skin	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Non-Epithelial Skin	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Breast	0.0	0.0	151.9	0	^	^	^	^
Female Genital System	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Cervix Uteri	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Corpus and Uterus, NOS	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Corpus Uteri	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Uterus, NOS	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Ovary	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Vagina	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Vulva	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Female Genital Organs	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Male Genital System	^	^	^	^	0.0	0.0	167.8	0
Prostate	^	^	^	^	0.0	0.0	167.8	0
Testis	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Penis	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Male Genital Organs	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Urinary System	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Urinary Bladder	0.0	0.0	151.9	0	0.0	0.0	167.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1997/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Ureter	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Urinary Organs	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Eye and Orbit	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Brain and Other Nervous System	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Brain	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Cranial Nerves Other Nervous System	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Endocrine System	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Thyroid	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Endocrine including Thymus	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Lymphoma	^	^	^	^	0.0	0.0	167.8	0
Hodgkin Lymphoma	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Hodgkin - Nodal	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Hodgkin - Extranodal	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	167.8	0
NHL - Nodal	0.0	0.0	151.9	0	0.0	0.0	167.8	0
NHL - Extranodal	^	^	^	^	0.0	0.0	167.8	0
Myeloma	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Leukemia	0.0	0.0	151.9	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Acute Lymphocytic Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Lymphocytic Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	151.9	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Acute Monocytic Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Chronic Myeloid Leukemia	0.0	0.0	151.9	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Other Acute Leukemia	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Mesothelioma	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Kaposi Sarcoma	0.0	0.0	151.9	0	0.0	0.0	167.8	0
Miscellaneous	0.0	0.0	151.9	0	0.0	0.0	167.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1,003.8	0
Lip	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Tongue	^	^	^	^	0.0	0.0	1,003.8	0
Salivary Gland	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Floor of Mouth	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Gum and Other Mouth	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Nasopharynx	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Tonsil	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Oropharynx	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Hypopharynx	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Oral Cavity and Pharynx	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Digestive System	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Esophagus	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Stomach	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Small Intestine	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Colon and Rectum	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Colon excluding Rectum	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Cecum	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Appendix	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Ascending Colon	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Hepatic Flexure	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Transverse Colon	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Splenic Flexure	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Descending Colon	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Sigmoid Colon	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Large Intestine, NOS	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Rectosigmoid Junction	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Rectum	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Liver	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Intrahepatic Bile Duct	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Biliary	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Pancreas	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Retroperitoneum	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Digestive Organs	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Respiratory System	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Larynx	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Lung and Bronchus	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Pleura	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Bones and Joints	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Soft Tissue including Heart	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Skin excluding Basal and Squamous	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Melanoma of the Skin	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Non-Epithelial Skin	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Breast	0.0	0.0	335.7	0	^	^	^	^
Female Genital System	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Cervix Uteri	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Corpus and Uterus, NOS	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Corpus Uteri	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Uterus, NOS	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Ovary	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Vagina	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Vulva	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Female Genital Organs	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Male Genital System	^	^	^	^	0.0	0.0	1,003.8	0
Prostate	^	^	^	^	0.0	0.0	1,003.8	0
Testis	^	^	^	^	0.0	0.0	1,003.8	0
Penis	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Male Genital Organs	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Urinary System	^	^	^	^	0.0	0.0	1,003.8	0
Urinary Bladder	^	^	^	^	0.0	0.0	1,003.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Ureter	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Urinary Organs	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Eye and Orbit	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Brain and Other Nervous System	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Brain	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Cranial Nerves Other Nervous System	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Endocrine System	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Thyroid	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Endocrine including Thymus	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Lymphoma	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Hodgkin Lymphoma	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Hodgkin - Nodal	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Hodgkin - Extranodal	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Non-Hodgkin Lymphoma	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
NHL - Nodal	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
NHL - Extranodal	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Myeloma	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Lymphocytic Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Acute Lymphocytic Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Lymphocytic Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Acute Myeloid Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Acute Monocytic Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Chronic Myeloid Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Other Acute Leukemia	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Mesothelioma	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Kaposi Sarcoma	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0
Miscellaneous	0.0	0.0	335.7	0	0.0	0.0	1,003.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	2,310.9 &	201.1 &	7,225.6 &	10	351.9	123.6	945.6	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	524.5	0
Lip	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Tongue	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Salivary Gland	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Floor of Mouth	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Gum and Other Mouth	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Nasopharynx	^	^	^	^	0.0	0.0	524.5	0
Tonsil	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Oropharynx	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Hypopharynx	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Oral Cavity and Pharynx	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Digestive System	^	^	^	^	0.0	0.0	524.5	0
Esophagus	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Stomach	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Small Intestine	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Colon and Rectum	^	^	^	^	0.0	0.0	524.5	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	524.5	0
Cecum	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Appendix	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Ascending Colon	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Hepatic Flexure	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Transverse Colon	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Splenic Flexure	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Descending Colon	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Sigmoid Colon	^	^	^	^	0.0	0.0	524.5	0
Large Intestine, NOS	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	524.5	0
Rectosigmoid Junction	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Rectum	^	^	^	^	0.0	0.0	524.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Liver	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Intrahepatic Bile Duct	0.0	0.0	694.5	0	0.0	0.0	524.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Biliary	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Pancreas	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Retroperitoneum	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Digestive Organs	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Larynx	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Bones and Joints	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Soft Tissue including Heart	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Skin excluding Basal and Squamous	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Melanoma of the Skin	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Non-Epithelial Skin	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Breast	0.0	0.0	694.5	0	^	^	^	^
Female Genital System	0.0	0.0	694.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Corpus and Uterus, NOS	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Corpus Uteri	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Uterus, NOS	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Ovary	0.0	0.0	694.5	0	^	^	^	^
Vagina	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Vulva	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Female Genital Organs	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Male Genital System	^	^	^	^	0.0	0.0	524.5	0
Prostate	^	^	^	^	0.0	0.0	524.5	0
Testis	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Penis	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Male Genital Organs	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Urinary System	0.0	0.0	694.5	0	^	^	^	^
Urinary Bladder	0.0	0.0	694.5	0	0.0	0.0	524.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	694.5	0	^	^	^	^
Ureter	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Urinary Organs	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Eye and Orbit	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Brain and Other Nervous System	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Brain	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Cranial Nerves Other Nervous System	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Endocrine System	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Thyroid	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Endocrine including Thymus	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Lymphoma	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Hodgkin Lymphoma	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Hodgkin - Nodal	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Hodgkin - Extranodal	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Non-Hodgkin Lymphoma	0.0	0.0	694.5	0	0.0	0.0	524.5	0
NHL - Nodal	0.0	0.0	694.5	0	0.0	0.0	524.5	0
NHL - Extranodal	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Myeloma	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Leukemia	^	^	^	^	0.0	0.0	524.5	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	524.5	0
Acute Lymphocytic Leukemia	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	524.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	524.5	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	524.5	0
Acute Monocytic Leukemia	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Chronic Myeloid Leukemia	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Leukemia	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Other Acute Leukemia	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Mesothelioma	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Kaposi Sarcoma	0.0	0.0	694.5	0	0.0	0.0	524.5	0
Miscellaneous	0.0	0.0	694.5	0	0.0	0.0	524.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	591.9	521.5	668.1	380	428.5	383.0	477.6	385
Oral Cavity and Pharynx	14.6	7.1	27.0	13	^	^	^	^
Lip	^	^	^	^	^	^	^	^
Tongue	8.0	2.5	18.9	6	^	^	^	^
Salivary Gland	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Floor of Mouth	^	^	^	^	0.0	0.0	4.4	0
Gum and Other Mouth	0.0	0.0	6.9	0	^	^	^	^
Nasopharynx	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	^	^	^	^	0.0	0.0	4.4	0
Hypopharynx	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Other Oral Cavity and Pharynx	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Digestive System	130.9	97.8	170.3	80	78.8	58.8	102.8	60
Esophagus	^	^	^	^	^	^	^	^
Stomach	22.5	7.6	47.1	8	9.9	3.7	20.6	7
Small Intestine	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Colon and Rectum	70.4	47.2	99.8	44	44.7	30.3	63.1	35
Colon excluding Rectum	52.5	31.6	80.4	29	33.7	21.2	50.3	25
Cecum	12.0	2.7	29.9	7	9.3	3.3	19.9	6
Appendix	^	^	^	^	0.0	0.0	4.4	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	4.4	0
Descending Colon	0.0	0.0	6.9	0	^	^	^	^
Sigmoid Colon	15.3	6.5	29.9	8	12.6	5.5	24.0	9
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	17.9	9.7	30.8	15	11.0	4.9	21.0	10
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	14.8	7.5	26.7	13	8.5	3.3	17.6	8
Anus, Anal Canal and Anorectum	0.0	0.0	6.9	0	^	^	^	^
Liver and Intrahepatic Bile Duct	10.9	4.9	21.7	10	9.0	2.9	19.8	6
Liver	10.9	4.9	21.7	10	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Pancreas	15.0	6.5	29.1	10	7.1	2.3	16.3	6
Retroperitoneum	^	^	^	^	0.0	0.0	4.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.9	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	86.3	61.2	117.3	53	67.1	48.5	89.8	47
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	77.9	53.9	107.9	47	63.5	45.4	85.7	44
Pleura	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	6.3	2.0	14.6	6
Skin excluding Basal and Squamous	9.7	4.3	19.9	10	10.0	5.2	17.8	13
Melanoma of the Skin	7.0	2.8	15.8	8	8.3	4.1	15.6	11
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	154.9	128.8	184.6	149
Female Genital System	0.0	0.0	6.9	0	45.8	31.6	63.7	41
Cervix Uteri	0.0	0.0	6.9	0	11.2	4.8	21.7	11
Corpus and Uterus, NOS	0.0	0.0	6.9	0	26.2	15.9	40.4	22
Corpus Uteri	0.0	0.0	6.9	0	26.2	15.9	40.4	22
Uterus, NOS	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Ovary	0.0	0.0	6.9	0	7.1	2.4	15.8	7
Vagina	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Vulva	0.0	0.0	6.9	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Male Genital System	197.0	155.5	244.9	112	0.0	0.0	4.4	0
Prostate	190.8	149.7	238.5	105	0.0	0.0	4.4	0
Testis	^	^	^	^	0.0	0.0	4.4	0
Penis	^	^	^	^	0.0	0.0	4.4	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	4.4	0
Urinary System	79.1	53.7	111.1	45	7.9	2.9	16.9	7
Urinary Bladder	62.9	39.4	93.4	30	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	16.2	8.1	29.3	15	^	^	^	^
Ureter	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Other Urinary Organs	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Eye and Orbit	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Brain and Other Nervous System	9.4	3.8	19.9	9	5.4	1.9	12.4	6
Brain	9.4	3.8	19.9	9	5.4	1.9	12.4	6
Cranial Nerves Other Nervous System	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Endocrine System	^	^	^	^	14.9	8.8	24.1	19
Thyroid	^	^	^	^	14.0	8.1	23.1	18
Other Endocrine including Thymus	0.0	0.0	6.9	0	^	^	^	^
Lymphoma	27.4	16.0	43.8	23	21.6	12.6	34.3	20
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Non-Hodgkin Lymphoma	25.9	14.8	41.9	22	20.9	12.0	33.6	19
NHL - Nodal	19.5	9.9	34.4	16	13.7	6.5	24.9	11
NHL - Extranodal	6.4	2.1	15.8	6	7.2	2.8	15.2	8
Myeloma	8.3	3.2	18.4	7	^	^	^	^
Leukemia	8.2	3.3	18.1	8	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	4.4	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	4.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	4.4	0
Other Leukemia	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Other Acute Leukemia	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.9	0	0.0	0.0	4.4	0
Mesothelioma	^	^	^	^	0.0	0.0	4.4	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	4.4	0
Miscellaneous	7.8	2.5	18.4	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	278.7	120.2	527.1	9	500.1	281.5	807.0	18
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	92.9	0
Lip	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Tongue	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Salivary Gland	^	^	^	^	0.0	0.0	92.9	0
Floor of Mouth	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Gum and Other Mouth	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Nasopharynx	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Tonsil	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Oropharynx	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Hypopharynx	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Oral Cavity and Pharynx	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Digestive System	^	^	^	^	296.5	122.9	572.4	8
Esophagus	0.0	0.0	83.5	0	^	^	^	^
Stomach	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Small Intestine	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Colon and Rectum	^	^	^	^	210.9	72.6	449.8	6
Colon excluding Rectum	^	^	^	^	210.9	72.6	449.8	6
Cecum	0.0	0.0	83.5	0	^	^	^	^
Appendix	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	92.9	0
Transverse Colon	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Splenic Flexure	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Descending Colon	0.0	0.0	83.5	0	^	^	^	^
Sigmoid Colon	0.0	0.0	83.5	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Rectosigmoid Junction	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Rectum	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Liver	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Intrahepatic Bile Duct	0.0	0.0	83.5	0	0.0	0.0	92.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Biliary	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Pancreas	0.0	0.0	83.5	0	^	^	^	^
Retroperitoneum	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Digestive Organs	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	83.5	0	^	^	^	^
Larynx	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Bones and Joints	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Soft Tissue including Heart	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Skin excluding Basal and Squamous	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Melanoma of the Skin	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Non-Epithelial Skin	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Breast	0.0	0.0	83.5	0	^	^	^	^
Female Genital System	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Cervix Uteri	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Corpus and Uterus, NOS	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Corpus Uteri	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Uterus, NOS	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Ovary	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Vagina	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Vulva	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Female Genital Organs	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Male Genital System	^	^	^	^	0.0	0.0	92.9	0
Prostate	^	^	^	^	0.0	0.0	92.9	0
Testis	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Penis	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Male Genital Organs	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Urinary System	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Urinary Bladder	0.0	0.0	83.5	0	0.0	0.0	92.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Ureter	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Urinary Organs	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Eye and Orbit	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Brain and Other Nervous System	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Brain	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Cranial Nerves Other Nervous System	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Endocrine System	0.0	0.0	83.5	0	^	^	^	^
Thyroid	0.0	0.0	83.5	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Lymphoma	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Hodgkin Lymphoma	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Hodgkin - Nodal	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Hodgkin - Extranodal	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Non-Hodgkin Lymphoma	0.0	0.0	83.5	0	0.0	0.0	92.9	0
NHL - Nodal	0.0	0.0	83.5	0	0.0	0.0	92.9	0
NHL - Extranodal	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Myeloma	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Leukemia	0.0	0.0	83.5	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	83.5	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	83.5	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Lymphocytic Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Acute Myeloid Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Acute Monocytic Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Chronic Myeloid Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Other Acute Leukemia	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Mesothelioma	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Kaposi Sarcoma	0.0	0.0	83.5	0	0.0	0.0	92.9	0
Miscellaneous	0.0	0.0	83.5	0	0.0	0.0	92.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	1,937.3	0
Oral Cavity and Pharynx	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Lip	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Tongue	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Salivary Gland	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Floor of Mouth	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Gum and Other Mouth	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Nasopharynx	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Tonsil	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Oropharynx	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Hypopharynx	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Oral Cavity and Pharynx	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Digestive System	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Esophagus	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Stomach	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Small Intestine	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Colon and Rectum	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Colon excluding Rectum	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Cecum	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Appendix	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Ascending Colon	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Hepatic Flexure	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Transverse Colon	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Splenic Flexure	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Descending Colon	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Sigmoid Colon	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Large Intestine, NOS	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Rectosigmoid Junction	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Rectum	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Liver	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Intrahepatic Bile Duct	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Biliary	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Pancreas	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Retroperitoneum	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Digestive Organs	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Respiratory System	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Larynx	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Lung and Bronchus	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Pleura	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Bones and Joints	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Soft Tissue including Heart	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Skin excluding Basal and Squamous	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Melanoma of the Skin	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Non-Epithelial Skin	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Breast	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Female Genital System	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Cervix Uteri	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Corpus and Uterus, NOS	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Corpus Uteri	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Uterus, NOS	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Ovary	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Vagina	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Vulva	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Female Genital Organs	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Male Genital System	^	^	^	^	0.0	0.0	1,937.3	0
Prostate	^	^	^	^	0.0	0.0	1,937.3	0
Testis	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Penis	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Male Genital Organs	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Urinary System	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Urinary Bladder	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Ureter	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Urinary Organs	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Eye and Orbit	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Brain and Other Nervous System	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Brain	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Cranial Nerves Other Nervous System	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Endocrine System	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Thyroid	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Endocrine including Thymus	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Lymphoma	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Hodgkin Lymphoma	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Hodgkin - Nodal	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Hodgkin - Extranodal	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Non-Hodgkin Lymphoma	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
NHL - Nodal	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
NHL - Extranodal	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Myeloma	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Lymphocytic Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Acute Lymphocytic Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Lymphocytic Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Acute Myeloid Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Acute Monocytic Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Chronic Myeloid Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Other Acute Leukemia	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Mesothelioma	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Kaposi Sarcoma	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0
Miscellaneous	0.0	0.0	966.4	0	0.0	0.0	1,937.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Lip	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Tongue	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Salivary Gland	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Floor of Mouth	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Gum and Other Mouth	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Nasopharynx	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Tonsil	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Oropharynx	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Hypopharynx	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Oral Cavity and Pharynx	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Digestive System	^	^	^	^	0.0	0.0	1,001.4	0
Esophagus	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Stomach	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Small Intestine	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Colon and Rectum	^	^	^	^	0.0	0.0	1,001.4	0
Colon excluding Rectum	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Cecum	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Appendix	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Ascending Colon	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Hepatic Flexure	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Transverse Colon	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Splenic Flexure	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Descending Colon	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Sigmoid Colon	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Large Intestine, NOS	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,001.4	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,001.4	0
Rectum	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Liver	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Intrahepatic Bile Duct	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Biliary	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Pancreas	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Retroperitoneum	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Digestive Organs	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Respiratory System	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Larynx	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Lung and Bronchus	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Pleura	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Bones and Joints	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Soft Tissue including Heart	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Skin excluding Basal and Squamous	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Melanoma of the Skin	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Non-Epithelial Skin	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Breast	0.0	0.0	746.3	0	^	^	^	^
Female Genital System	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Cervix Uteri	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Corpus and Uterus, NOS	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Corpus Uteri	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Uterus, NOS	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Ovary	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Vagina	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Vulva	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Female Genital Organs	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Male Genital System	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Prostate	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Testis	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Penis	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Male Genital Organs	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Urinary System	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Urinary Bladder	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Ureter	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Urinary Organs	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Eye and Orbit	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Brain and Other Nervous System	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Brain	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Cranial Nerves Other Nervous System	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Endocrine System	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Thyroid	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Endocrine including Thymus	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Lymphoma	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Hodgkin Lymphoma	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Hodgkin - Nodal	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Hodgkin - Extranodal	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Non-Hodgkin Lymphoma	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
NHL - Nodal	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
NHL - Extranodal	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Myeloma	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Lymphocytic Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Acute Lymphocytic Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Lymphocytic Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Acute Myeloid Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Acute Monocytic Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Chronic Myeloid Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Other Acute Leukemia	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Mesothelioma	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Kaposi Sarcoma	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0
Miscellaneous	0.0	0.0	746.3	0	0.0	0.0	1,001.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	392.9	148.3	850.9	7	592.1	261.7	1,144.7	10
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	265.7	0
Lip	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Tongue	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Salivary Gland	^	^	^	^	0.0	0.0	265.7	0
Floor of Mouth	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Gum and Other Mouth	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Nasopharynx	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Tonsil	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Oropharynx	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Hypopharynx	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Oral Cavity and Pharynx	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Stomach	^	^	^	^	0.0	0.0	265.7	0
Small Intestine	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Colon and Rectum	0.0	0.0	263.0	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	263.0	0	^	^	^	^
Cecum	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Appendix	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Ascending Colon	0.0	0.0	263.0	0	^	^	^	^
Hepatic Flexure	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Transverse Colon	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Splenic Flexure	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Descending Colon	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Sigmoid Colon	0.0	0.0	263.0	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Rectosigmoid Junction	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Rectum	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Liver	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Intrahepatic Bile Duct	0.0	0.0	263.0	0	0.0	0.0	265.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	265.7	0
Other Biliary	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Pancreas	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Retroperitoneum	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Digestive Organs	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Larynx	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Bones and Joints	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Soft Tissue including Heart	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Skin excluding Basal and Squamous	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Melanoma of the Skin	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Non-Epithelial Skin	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Breast	0.0	0.0	263.0	0	^	^	^	^
Female Genital System	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Cervix Uteri	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Corpus and Uterus, NOS	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Corpus Uteri	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Uterus, NOS	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Ovary	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Vagina	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Vulva	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Female Genital Organs	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Male Genital System	^	^	^	^	0.0	0.0	265.7	0
Prostate	^	^	^	^	0.0	0.0	265.7	0
Testis	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Penis	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Male Genital Organs	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Urinary System	^	^	^	^	0.0	0.0	265.7	0
Urinary Bladder	^	^	^	^	0.0	0.0	265.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Ureter	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Urinary Organs	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Eye and Orbit	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Brain and Other Nervous System	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Brain	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Cranial Nerves Other Nervous System	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Endocrine System	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Thyroid	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Endocrine including Thymus	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Hodgkin - Nodal	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Hodgkin - Extranodal	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	265.7	0
NHL - Extranodal	0.0	0.0	263.0	0	^	^	^	^
Myeloma	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Lymphocytic Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Acute Lymphocytic Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Lymphocytic Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Acute Myeloid Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Acute Monocytic Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Chronic Myeloid Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Other Acute Leukemia	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Mesothelioma	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Kaposi Sarcoma	0.0	0.0	263.0	0	0.0	0.0	265.7	0
Miscellaneous	0.0	0.0	263.0	0	0.0	0.0	265.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	456.2	357.3	571.8	98	416.5	331.1	515.6	99
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	20.4	0	^	^	^	^
Tongue	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Salivary Gland	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Floor of Mouth	^	^	^	^	0.0	0.0	15.7	0
Gum and Other Mouth	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Nasopharynx	^	^	^	^	0.0	0.0	15.7	0
Tonsil	^	^	^	^	0.0	0.0	15.7	0
Oropharynx	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Hypopharynx	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Other Oral Cavity and Pharynx	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Digestive System	100.2	54.9	164.3	20	61.3	28.9	110.2	12
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	15.7	0
Small Intestine	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Colon and Rectum	39.2	10.9	91.0	8	42.5	15.2	88.1	7
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Descending Colon	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	15.7	0
Liver	^	^	^	^	0.0	0.0	15.7	0
Intrahepatic Bile Duct	0.0	0.0	20.4	0	0.0	0.0	15.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	15.7	0
Other Biliary	^	^	^	^	0.0	0.0	15.7	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Other Digestive Organs	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Respiratory System	62.6	31.9	109.6	15	67.0	35.0	113.7	14
Nose, Nasal Cavity and Middle Ear	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	60.6	30.2	107.5	14	64.5	33.0	111.0	13
Pleura	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Bones and Joints	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	24.7	7.5	59.1	6	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	15.7	0
Breast	0.0	0.0	20.4	0	148.3	101.8	207.8	39
Female Genital System	0.0	0.0	20.4	0	38.9	16.7	75.4	9
Cervix Uteri	0.0	0.0	20.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	20.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	20.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Ovary	0.0	0.0	20.4	0	^	^	^	^
Vagina	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Vulva	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Other Female Genital Organs	0.0	0.0	20.4	0	^	^	^	^
Male Genital System	132.1	78.3	205.0	24	0.0	0.0	15.7	0
Prostate	111.1	66.3	172.8	21	0.0	0.0	15.7	0
Testis	^	^	^	^	0.0	0.0	15.7	0
Penis	^	^	^	^	0.0	0.0	15.7	0
Other Male Genital Organs	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Urinary System	37.0	13.7	77.9	7	40.6	17.3	78.5	9
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	15.7	0
Other Urinary Organs	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Eye and Orbit	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Lymphoma	33.5	14.1	68.3	9	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	15.7	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	15.7	0
Hodgkin - Extranodal	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Non-Hodgkin Lymphoma	27.2	10.8	58.6	8	^	^	^	^
NHL - Nodal	18.7	6.5	45.8	6	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	20.4	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	20.4	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	15.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Other Leukemia	^	^	^	^	0.0	0.0	15.7	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	15.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	15.7	0
Mesothelioma	^	^	^	^	0.0	0.0	15.7	0
Kaposi Sarcoma	0.0	0.0	20.4	0	0.0	0.0	15.7	0
Miscellaneous	0.0	0.0	20.4	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Lip	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Tongue	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Salivary Gland	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Floor of Mouth	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Gum and Other Mouth	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Nasopharynx	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Tonsil	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Oropharynx	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Hypopharynx	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Oral Cavity and Pharynx	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Digestive System	^	^	^	^	0.0	0.0	381.9	0
Esophagus	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Stomach	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Small Intestine	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Colon and Rectum	^	^	^	^	0.0	0.0	381.9	0
Colon excluding Rectum	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Cecum	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Appendix	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Ascending Colon	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Hepatic Flexure	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Transverse Colon	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Splenic Flexure	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Descending Colon	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Sigmoid Colon	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Large Intestine, NOS	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	381.9	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	381.9	0
Rectum	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Liver	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Intrahepatic Bile Duct	0.0	0.0	429.5	0	0.0	0.0	381.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Biliary	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Pancreas	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Retroperitoneum	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Digestive Organs	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Larynx	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Bones and Joints	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Soft Tissue including Heart	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Skin excluding Basal and Squamous	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Melanoma of the Skin	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Non-Epithelial Skin	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Breast	0.0	0.0	429.5	0	^	^	^	^
Female Genital System	0.0	0.0	429.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Corpus and Uterus, NOS	0.0	0.0	429.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	429.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Ovary	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Vagina	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Vulva	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Female Genital Organs	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Male Genital System	^	^	^	^	0.0	0.0	381.9	0
Prostate	^	^	^	^	0.0	0.0	381.9	0
Testis	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Penis	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Male Genital Organs	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Urinary System	^	^	^	^	0.0	0.0	381.9	0
Urinary Bladder	^	^	^	^	0.0	0.0	381.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Ureter	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Urinary Organs	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Eye and Orbit	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Brain and Other Nervous System	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Brain	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Cranial Nerves Other Nervous System	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Endocrine System	0.0	0.0	429.5	0	^	^	^	^
Thyroid	0.0	0.0	429.5	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Lymphoma	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Hodgkin Lymphoma	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Hodgkin - Nodal	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Hodgkin - Extranodal	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Non-Hodgkin Lymphoma	0.0	0.0	429.5	0	0.0	0.0	381.9	0
NHL - Nodal	0.0	0.0	429.5	0	0.0	0.0	381.9	0
NHL - Extranodal	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Myeloma	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Leukemia	0.0	0.0	429.5	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Acute Lymphocytic Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Lymphocytic Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	429.5	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	429.5	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Chronic Myeloid Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Other Acute Leukemia	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Mesothelioma	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Kaposi Sarcoma	0.0	0.0	429.5	0	0.0	0.0	381.9	0
Miscellaneous	0.0	0.0	429.5	0	0.0	0.0	381.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	577.7	405.9	790.6	46	400.8	279.9	552.5	40
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	32.5	0
Lip	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Tongue	^	^	^	^	0.0	0.0	32.5	0
Salivary Gland	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Floor of Mouth	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Gum and Other Mouth	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Nasopharynx	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Tonsil	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Oropharynx	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Hypopharynx	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	32.5	0
Digestive System	84.6	32.6	175.0	8	76.3	27.8	159.4	6
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Small Intestine	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	42.7	0	^	^	^	^
Appendix	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Ascending Colon	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Hepatic Flexure	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Transverse Colon	^	^	^	^	0.0	0.0	32.5	0
Splenic Flexure	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Descending Colon	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Sigmoid Colon	^	^	^	^	0.0	0.0	32.5	0
Large Intestine, NOS	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	42.7	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Rectum	0.0	0.0	42.7	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Liver	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Intrahepatic Bile Duct	0.0	0.0	42.7	0	0.0	0.0	32.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Biliary	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Digestive Organs	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Respiratory System	^	^	^	^	89.1	38.6	171.0	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Larynx	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Lung and Bronchus	^	^	^	^	89.1	38.6	171.0	9
Pleura	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Bones and Joints	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Soft Tissue including Heart	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Skin excluding Basal and Squamous	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Melanoma of the Skin	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Non-Epithelial Skin	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Breast	0.0	0.0	42.7	0	116.9	58.7	205.3	13
Female Genital System	0.0	0.0	42.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Corpus and Uterus, NOS	0.0	0.0	42.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	42.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Ovary	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Vagina	0.0	0.0	42.7	0	^	^	^	^
Vulva	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Female Genital Organs	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Male Genital System	270.5	157.5	425.3	21	0.0	0.0	32.5	0
Prostate	229.6	131.2	367.2	18	0.0	0.0	32.5	0
Testis	^	^	^	^	0.0	0.0	32.5	0
Penis	^	^	^	^	0.0	0.0	32.5	0
Other Male Genital Organs	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Urinary System	^	^	^	^	0.0	0.0	32.5	0
Urinary Bladder	^	^	^	^	0.0	0.0	32.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Ureter	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Urinary Organs	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Eye and Orbit	^	^	^	^	0.0	0.0	32.5	0
Brain and Other Nervous System	0.0	0.0	42.7	0	^	^	^	^
Brain	0.0	0.0	42.7	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Endocrine System	0.0	0.0	42.7	0	^	^	^	^
Thyroid	0.0	0.0	42.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	32.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	32.5	0
Hodgkin - Extranodal	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	42.7	0	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	32.5	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Acute Lymphocytic Leukemia	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Lymphocytic Leukemia	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	32.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Leukemia	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Other Acute Leukemia	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Mesothelioma	^	^	^	^	0.0	0.0	32.5	0
Kaposi Sarcoma	0.0	0.0	42.7	0	0.0	0.0	32.5	0
Miscellaneous	0.0	0.0	42.7	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	593.4	458.0	752.7	98	498.7	396.8	618.0	90
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	27.8	0	^	^	^	^
Floor of Mouth	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Gum and Other Mouth	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Nasopharynx	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Tonsil	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Oropharynx	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Hypopharynx	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Other Oral Cavity and Pharynx	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Digestive System	88.8	51.3	145.3	18	51.2	20.4	102.8	8
Esophagus	^	^	^	^	0.0	0.0	21.2	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Colon and Rectum	31.2	11.0	72.4	6	45.7	16.7	95.9	7
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Ascending Colon	^	^	^	^	0.0	0.0	21.2	0
Hepatic Flexure	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Transverse Colon	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Splenic Flexure	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Descending Colon	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Sigmoid Colon	0.0	0.0	27.8	0	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	21.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	21.2	0
Liver	^	^	^	^	0.0	0.0	21.2	0
Intrahepatic Bile Duct	0.0	0.0	27.8	0	0.0	0.0	21.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Other Biliary	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Pancreas	25.8	9.2	62.6	6	0.0	0.0	21.2	0
Retroperitoneum	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	21.2	0
Other Digestive Organs	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Respiratory System	132.9	74.6	215.4	23	137.7	85.0	209.2	22
Nose, Nasal Cavity and Middle Ear	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Larynx	^	^	^	^	0.0	0.0	21.2	0
Lung and Bronchus	125.4	68.2	207.3	21	137.7	85.0	209.2	22
Pleura	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Bones and Joints	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	21.2	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Breast	0.0	0.0	27.8	0	143.4	92.3	212.1	27
Female Genital System	0.0	0.0	27.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Corpus and Uterus, NOS	0.0	0.0	27.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	27.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Ovary	0.0	0.0	27.8	0	^	^	^	^
Vagina	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Vulva	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Other Female Genital Organs	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Male Genital System	178.2	106.9	274.9	27	0.0	0.0	21.2	0
Prostate	178.2	106.9	274.9	27	0.0	0.0	21.2	0
Testis	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Penis	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Other Male Genital Organs	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	27.8	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Other Urinary Organs	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Eye and Orbit	^	^	^	^	0.0	0.0	21.2	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Lymphoma	^	^	^	^	31.5	12.3	67.9	7
Hodgkin Lymphoma	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Hodgkin - Nodal	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Hodgkin - Extranodal	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Non-Hodgkin Lymphoma	^	^	^	^	31.5	12.3	67.9	7
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	21.2	0
Leukemia	66.4	20.2	147.2	7	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	21.2	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	21.2	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	21.2	0
Acute Monocytic Leukemia	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	21.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Other Leukemia	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Other Acute Leukemia	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Mesothelioma	^	^	^	^	0.0	0.0	21.2	0
Kaposi Sarcoma	0.0	0.0	27.8	0	0.0	0.0	21.2	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	461.7	286.7	698.8	24	544.3	369.5	772.1	33
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	63.4	0
Lip	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Tongue	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Salivary Gland	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Floor of Mouth	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Gum and Other Mouth	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Nasopharynx	^	^	^	^	0.0	0.0	63.4	0
Tonsil	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Oropharynx	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Hypopharynx	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Oral Cavity and Pharynx	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Stomach	^	^	^	^	0.0	0.0	63.4	0
Small Intestine	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Colon and Rectum	0.0	0.0	70.9	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	70.9	0	^	^	^	^
Cecum	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Appendix	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Ascending Colon	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Hepatic Flexure	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Transverse Colon	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Splenic Flexure	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Descending Colon	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Sigmoid Colon	0.0	0.0	70.9	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	70.9	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Rectum	0.0	0.0	70.9	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Liver	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Intrahepatic Bile Duct	0.0	0.0	70.9	0	0.0	0.0	63.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Biliary	0.0	0.0	70.9	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Digestive Organs	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Respiratory System	179.2	71.9	357.2	8	86.4	30.2	196.4	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Larynx	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Lung and Bronchus	179.2	71.9	357.2	8	86.4	30.2	196.4	6
Pleura	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Bones and Joints	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Soft Tissue including Heart	0.0	0.0	70.9	0	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	63.4	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	63.4	0
Other Non-Epithelial Skin	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Breast	0.0	0.0	70.9	0	154.4	68.3	296.9	9
Female Genital System	0.0	0.0	70.9	0	86.7	30.4	196.8	6
Cervix Uteri	0.0	0.0	70.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	70.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	70.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Ovary	0.0	0.0	70.9	0	^	^	^	^
Vagina	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Vulva	0.0	0.0	70.9	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Male Genital System	^	^	^	^	0.0	0.0	63.4	0
Prostate	^	^	^	^	0.0	0.0	63.4	0
Testis	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Penis	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Male Genital Organs	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Urinary System	^	^	^	^	0.0	0.0	63.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	63.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Ureter	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Urinary Organs	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Eye and Orbit	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	63.4	0
Brain	^	^	^	^	0.0	0.0	63.4	0
Cranial Nerves Other Nervous System	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Endocrine System	0.0	0.0	70.9	0	^	^	^	^
Thyroid	0.0	0.0	70.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	70.9	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	70.9	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Myeloma	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Leukemia	0.0	0.0	70.9	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	70.9	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Lymphocytic Leukemia	0.0	0.0	70.9	0	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Acute Myeloid Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Acute Monocytic Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Chronic Myeloid Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Other Acute Leukemia	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Mesothelioma	^	^	^	^	0.0	0.0	63.4	0
Kaposi Sarcoma	0.0	0.0	70.9	0	0.0	0.0	63.4	0
Miscellaneous	0.0	0.0	70.9	0	0.0	0.0	63.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	592.7	365.4	908.1	25	692.7	427.3	1,052.7	27
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	112.1	0
Lip	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Tongue	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Salivary Gland	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Floor of Mouth	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	112.1	0
Nasopharynx	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Tonsil	^	^	^	^	0.0	0.0	112.1	0
Oropharynx	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Hypopharynx	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Oral Cavity and Pharynx	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Stomach	0.0	0.0	121.4	0	^	^	^	^
Small Intestine	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	112.1	0
Cecum	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Appendix	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Ascending Colon	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Hepatic Flexure	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Transverse Colon	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Splenic Flexure	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Descending Colon	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Sigmoid Colon	^	^	^	^	0.0	0.0	112.1	0
Large Intestine, NOS	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	121.4	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	121.4	0	^	^	^	^
Rectum	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Liver	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Intrahepatic Bile Duct	0.0	0.0	121.4	0	0.0	0.0	112.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Biliary	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Pancreas	^	^	^	^	0.0	0.0	112.1	0
Retroperitoneum	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Digestive Organs	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Larynx	^	^	^	^	0.0	0.0	112.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Bones and Joints	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Soft Tissue including Heart	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Skin excluding Basal and Squamous	0.0	0.0	121.4	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Non-Epithelial Skin	0.0	0.0	121.4	0	^	^	^	^
Breast	0.0	0.0	121.4	0	308.1	137.2	581.1	11
Female Genital System	0.0	0.0	121.4	0	130.9	56.1	283.8	8
Cervix Uteri	0.0	0.0	121.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	121.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	121.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Ovary	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Vagina	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Vulva	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Female Genital Organs	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Male Genital System	194.3	70.2	420.5	7	0.0	0.0	112.1	0
Prostate	168.4	53.9	387.5	6	0.0	0.0	112.1	0
Testis	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Penis	^	^	^	^	0.0	0.0	112.1	0
Other Male Genital Organs	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Urinary System	^	^	^	^	0.0	0.0	112.1	0
Urinary Bladder	^	^	^	^	0.0	0.0	112.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	112.1	0
Ureter	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Urinary Organs	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Eye and Orbit	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Brain and Other Nervous System	0.0	0.0	121.4	0	^	^	^	^
Brain	0.0	0.0	121.4	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Endocrine System	^	^	^	^	0.0	0.0	112.1	0
Thyroid	^	^	^	^	0.0	0.0	112.1	0
Other Endocrine including Thymus	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	112.1	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	112.1	0
Hodgkin - Extranodal	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	112.1	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Leukemia	^	^	^	^	0.0	0.0	112.1	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	112.1	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	112.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Lymphocytic Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Acute Myeloid Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Acute Monocytic Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Chronic Myeloid Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Other Acute Leukemia	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Mesothelioma	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Kaposi Sarcoma	0.0	0.0	121.4	0	0.0	0.0	112.1	0
Miscellaneous	0.0	0.0	121.4	0	0.0	0.0	112.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Lip	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Tongue	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Salivary Gland	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Floor of Mouth	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Gum and Other Mouth	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Nasopharynx	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Tonsil	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Oropharynx	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Hypopharynx	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Oral Cavity and Pharynx	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Digestive System	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Esophagus	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Stomach	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Small Intestine	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Colon and Rectum	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Colon excluding Rectum	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Cecum	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Appendix	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Ascending Colon	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Hepatic Flexure	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Transverse Colon	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Splenic Flexure	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Descending Colon	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Sigmoid Colon	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Large Intestine, NOS	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Rectosigmoid Junction	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Rectum	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Liver	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Intrahepatic Bile Duct	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Biliary	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Pancreas	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Retroperitoneum	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Digestive Organs	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Larynx	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Bones and Joints	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Soft Tissue including Heart	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Skin excluding Basal and Squamous	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Melanoma of the Skin	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Non-Epithelial Skin	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Breast	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Female Genital System	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Cervix Uteri	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Corpus and Uterus, NOS	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Corpus Uteri	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Uterus, NOS	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Ovary	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Vagina	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Vulva	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Female Genital Organs	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Male Genital System	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Prostate	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Testis	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Penis	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Male Genital Organs	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Urinary System	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Urinary Bladder	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Ureter	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Urinary Organs	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Eye and Orbit	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Brain and Other Nervous System	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Brain	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Cranial Nerves Other Nervous System	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Endocrine System	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Thyroid	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Endocrine including Thymus	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Lymphoma	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Hodgkin Lymphoma	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Hodgkin - Nodal	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Hodgkin - Extranodal	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Non-Hodgkin Lymphoma	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
NHL - Nodal	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
NHL - Extranodal	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Myeloma	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Leukemia	^	^	^	^	0.0	0.0	760.6	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	760.6	0
Acute Lymphocytic Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	760.6	0
Other Lymphocytic Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Acute Myeloid Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Acute Monocytic Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Chronic Myeloid Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Other Acute Leukemia	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Mesothelioma	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Kaposi Sarcoma	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0
Miscellaneous	0.0	0.0	1,067.7	0	0.0	0.0	760.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	750.7	603.3	920.9	119	577.1	462.3	710.2	102
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	29.5	0	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	0.0	0.0	29.5	0	^	^	^	^
Tonsil	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Oropharynx	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Hypopharynx	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Other Oral Cavity and Pharynx	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Digestive System	140.3	73.1	236.5	20	156.3	95.2	238.4	22
Esophagus	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Stomach	^	^	^	^	0.0	0.0	21.8	0
Small Intestine	0.0	0.0	29.5	0	^	^	^	^
Colon and Rectum	99.2	40.7	190.9	12	107.5	58.1	178.2	15
Colon excluding Rectum	84.6	29.7	175.5	9	68.0	31.0	126.1	10
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	21.8	0
Transverse Colon	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Splenic Flexure	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Descending Colon	^	^	^	^	0.0	0.0	21.8	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	21.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	29.5	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	29.5	0	0.0	0.0	21.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	0.0	0.0	29.5	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	21.8	0
Other Digestive Organs	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Respiratory System	137.1	82.1	214.1	22	44.6	18.5	89.6	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Larynx	^	^	^	^	0.0	0.0	21.8	0
Lung and Bronchus	128.7	75.1	204.8	20	44.6	18.5	89.6	8
Pleura	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Bones and Joints	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Soft Tissue including Heart	0.0	0.0	29.5	0	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	29.5	0	^	^	^	^
Breast	0.0	0.0	29.5	0	171.5	111.8	250.2	32
Female Genital System	0.0	0.0	29.5	0	75.8	40.6	128.8	15
Cervix Uteri	0.0	0.0	29.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	29.5	0	40.6	15.0	86.1	7
Corpus Uteri	0.0	0.0	29.5	0	40.6	15.0	86.1	7
Uterus, NOS	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Ovary	0.0	0.0	29.5	0	^	^	^	^
Vagina	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Vulva	0.0	0.0	29.5	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Male Genital System	236.5	156.9	339.7	35	0.0	0.0	21.8	0
Prostate	230.2	151.2	333.1	33	0.0	0.0	21.8	0
Testis	^	^	^	^	0.0	0.0	21.8	0
Penis	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Other Male Genital Organs	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Urinary System	101.7	53.6	173.3	15	^	^	^	^
Urinary Bladder	70.1	29.7	136.1	9	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	21.8	0
Other Urinary Organs	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Eye and Orbit	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	21.8	0
Brain	^	^	^	^	0.0	0.0	21.8	0
Cranial Nerves Other Nervous System	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Endocrine System	^	^	^	^	24.7	8.6	57.9	6
Thyroid	^	^	^	^	24.7	8.6	57.9	6
Other Endocrine including Thymus	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Hodgkin - Nodal	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Hodgkin - Extranodal	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	21.8	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	34.1	9.5	84.2	6	0.0	0.0	21.8	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	21.8	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	21.8	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	21.8	0
Other Lymphocytic Leukemia	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Acute Myeloid Leukemia	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Acute Monocytic Leukemia	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Chronic Myeloid Leukemia	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Other Leukemia	^	^	^	^	0.0	0.0	21.8	0
Other Acute Leukemia	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	21.8	0
Mesothelioma	^	^	^	^	0.0	0.0	21.8	0
Kaposi Sarcoma	0.0	0.0	29.5	0	0.0	0.0	21.8	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	445.9	204.3	820.8	13	628.7	354.2	1,020.6	17
Oral Cavity and Pharynx	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Lip	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Tongue	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Salivary Gland	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Floor of Mouth	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Gum and Other Mouth	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Nasopharynx	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Tonsil	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Oropharynx	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Hypopharynx	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Oral Cavity and Pharynx	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Digestive System	229.6	73.4	518.1	7	234.3	82.3	508.9	6
Esophagus	0.0	0.0	137.2	0	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	130.0	0
Small Intestine	0.0	0.0	137.2	0	^	^	^	^
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	137.2	0	^	^	^	^
Appendix	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Ascending Colon	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Hepatic Flexure	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Transverse Colon	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Splenic Flexure	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Descending Colon	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Sigmoid Colon	^	^	^	^	0.0	0.0	130.0	0
Large Intestine, NOS	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	137.2	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Rectum	0.0	0.0	137.2	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	137.2	0	0.0	0.0	130.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Biliary	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Pancreas	^	^	^	^	0.0	0.0	130.0	0
Retroperitoneum	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Digestive Organs	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Larynx	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Bones and Joints	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	130.0	0
Skin excluding Basal and Squamous	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Melanoma of the Skin	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Non-Epithelial Skin	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Breast	0.0	0.0	137.2	0	^	^	^	^
Female Genital System	0.0	0.0	137.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Corpus and Uterus, NOS	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Corpus Uteri	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Uterus, NOS	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Ovary	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Vagina	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Vulva	0.0	0.0	137.2	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Male Genital System	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Prostate	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Testis	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Penis	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Male Genital Organs	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Urinary System	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Urinary Bladder	0.0	0.0	137.2	0	0.0	0.0	130.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Ureter	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Urinary Organs	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Eye and Orbit	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Brain and Other Nervous System	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Brain	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Cranial Nerves Other Nervous System	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Endocrine System	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Thyroid	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Endocrine including Thymus	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Lymphoma	0.0	0.0	137.2	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Hodgkin - Nodal	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Hodgkin - Extranodal	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Non-Hodgkin Lymphoma	0.0	0.0	137.2	0	^	^	^	^
NHL - Nodal	0.0	0.0	137.2	0	0.0	0.0	130.0	0
NHL - Extranodal	0.0	0.0	137.2	0	^	^	^	^
Myeloma	0.0	0.0	137.2	0	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	130.0	0
Lymphocytic Leukemia	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Acute Lymphocytic Leukemia	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Lymphocytic Leukemia	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	130.0	0
Acute Myeloid Leukemia	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	130.0	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	130.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Leukemia	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Other Acute Leukemia	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Mesothelioma	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Kaposi Sarcoma	0.0	0.0	137.2	0	0.0	0.0	130.0	0
Miscellaneous	0.0	0.0	137.2	0	0.0	0.0	130.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	426.1	173.7	864.2	9
Oral Cavity and Pharynx	0.0	0.0	356.9	0	^	^	^	^
Lip	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Tongue	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Salivary Gland	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Floor of Mouth	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Gum and Other Mouth	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Nasopharynx	0.0	0.0	356.9	0	^	^	^	^
Tonsil	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Oropharynx	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Hypopharynx	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Oral Cavity and Pharynx	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Digestive System	0.0	0.0	356.9	0	^	^	^	^
Esophagus	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Stomach	0.0	0.0	356.9	0	^	^	^	^
Small Intestine	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Colon and Rectum	0.0	0.0	356.9	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	356.9	0	^	^	^	^
Cecum	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Appendix	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Ascending Colon	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Hepatic Flexure	0.0	0.0	356.9	0	^	^	^	^
Transverse Colon	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Splenic Flexure	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Descending Colon	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Sigmoid Colon	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Large Intestine, NOS	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	356.9	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Rectum	0.0	0.0	356.9	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Liver	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Intrahepatic Bile Duct	0.0	0.0	356.9	0	0.0	0.0	222.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Biliary	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Pancreas	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Retroperitoneum	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Digestive Organs	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Larynx	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Bones and Joints	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Soft Tissue including Heart	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Skin excluding Basal and Squamous	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Melanoma of the Skin	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Non-Epithelial Skin	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Breast	0.0	0.0	356.9	0	^	^	^	^
Female Genital System	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Cervix Uteri	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Corpus and Uterus, NOS	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Corpus Uteri	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Uterus, NOS	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Ovary	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Vagina	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Vulva	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Female Genital Organs	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Male Genital System	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Prostate	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Testis	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Penis	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Male Genital Organs	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Urinary System	^	^	^	^	0.0	0.0	222.4	0
Urinary Bladder	0.0	0.0	356.9	0	0.0	0.0	222.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	222.4	0
Ureter	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Urinary Organs	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Eye and Orbit	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	222.4	0
Brain	^	^	^	^	0.0	0.0	222.4	0
Cranial Nerves Other Nervous System	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Endocrine System	0.0	0.0	356.9	0	^	^	^	^
Thyroid	0.0	0.0	356.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Lymphoma	0.0	0.0	356.9	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	356.9	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	356.9	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Non-Hodgkin Lymphoma	0.0	0.0	356.9	0	0.0	0.0	222.4	0
NHL - Nodal	0.0	0.0	356.9	0	0.0	0.0	222.4	0
NHL - Extranodal	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Myeloma	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Lymphocytic Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Acute Lymphocytic Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Lymphocytic Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Acute Myeloid Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Acute Monocytic Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Chronic Myeloid Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Other Acute Leukemia	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Mesothelioma	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Kaposi Sarcoma	0.0	0.0	356.9	0	0.0	0.0	222.4	0
Miscellaneous	0.0	0.0	356.9	0	0.0	0.0	222.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	504.9	209.0	992.7	9	395.8	167.6	791.0	8
Oral Cavity and Pharynx	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Lip	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Tongue	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Salivary Gland	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Floor of Mouth	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Gum and Other Mouth	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Nasopharynx	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Tonsil	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Oropharynx	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Hypopharynx	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Oral Cavity and Pharynx	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Digestive System	^	^	^	^	314.4	113.0	689.6	6
Esophagus	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	205.5	0
Appendix	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Ascending Colon	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Hepatic Flexure	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Transverse Colon	0.0	0.0	207.7	0	^	^	^	^
Splenic Flexure	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Descending Colon	0.0	0.0	207.7	0	^	^	^	^
Sigmoid Colon	0.0	0.0	207.7	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	205.5	0
Rectosigmoid Junction	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Rectum	^	^	^	^	0.0	0.0	205.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Liver	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Intrahepatic Bile Duct	0.0	0.0	207.7	0	0.0	0.0	205.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Retroperitoneum	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Digestive Organs	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Respiratory System	^	^	^	^	0.0	0.0	205.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Larynx	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Lung and Bronchus	^	^	^	^	0.0	0.0	205.5	0
Pleura	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Bones and Joints	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Soft Tissue including Heart	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Skin excluding Basal and Squamous	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Melanoma of the Skin	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Non-Epithelial Skin	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Breast	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Female Genital System	0.0	0.0	207.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	207.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Corpus Uteri	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Uterus, NOS	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Ovary	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Vagina	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Vulva	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Female Genital Organs	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Male Genital System	^	^	^	^	0.0	0.0	205.5	0
Prostate	^	^	^	^	0.0	0.0	205.5	0
Testis	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Penis	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Male Genital Organs	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	207.7	0	0.0	0.0	205.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Urinary Organs	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Eye and Orbit	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Brain and Other Nervous System	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Brain	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Cranial Nerves Other Nervous System	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Endocrine System	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Thyroid	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Endocrine including Thymus	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Lymphoma	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Hodgkin Lymphoma	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Hodgkin - Nodal	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Hodgkin - Extranodal	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Non-Hodgkin Lymphoma	0.0	0.0	207.7	0	0.0	0.0	205.5	0
NHL - Nodal	0.0	0.0	207.7	0	0.0	0.0	205.5	0
NHL - Extranodal	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Myeloma	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Lymphocytic Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Acute Lymphocytic Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Lymphocytic Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Acute Myeloid Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Acute Monocytic Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Chronic Myeloid Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Other Acute Leukemia	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Mesothelioma	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Kaposi Sarcoma	0.0	0.0	207.7	0	0.0	0.0	205.5	0
Miscellaneous	0.0	0.0	207.7	0	0.0	0.0	205.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	710.6	298.1	1,371.7	12	733.6	309.5	1,417.3	10
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	272.6	0
Lip	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Tongue	^	^	^	^	0.0	0.0	272.6	0
Salivary Gland	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Floor of Mouth	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Gum and Other Mouth	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Nasopharynx	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Tonsil	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Oropharynx	^	^	^	^	0.0	0.0	272.6	0
Hypopharynx	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Oral Cavity and Pharynx	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Stomach	^	^	^	^	0.0	0.0	272.6	0
Small Intestine	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	272.6	0
Appendix	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Ascending Colon	0.0	0.0	261.8	0	^	^	^	^
Hepatic Flexure	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Transverse Colon	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Splenic Flexure	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Descending Colon	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Sigmoid Colon	0.0	0.0	261.8	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	0.0	0.0	272.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Liver	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Intrahepatic Bile Duct	0.0	0.0	261.8	0	0.0	0.0	272.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Biliary	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Pancreas	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Retroperitoneum	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Digestive Organs	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Larynx	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Bones and Joints	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Soft Tissue including Heart	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Skin excluding Basal and Squamous	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Melanoma of the Skin	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Non-Epithelial Skin	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Breast	0.0	0.0	261.8	0	^	^	^	^
Female Genital System	0.0	0.0	261.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	261.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Corpus Uteri	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Uterus, NOS	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Ovary	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Vagina	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Vulva	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Female Genital Organs	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Male Genital System	^	^	^	^	0.0	0.0	272.6	0
Prostate	^	^	^	^	0.0	0.0	272.6	0
Testis	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Penis	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Male Genital Organs	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Urinary System	^	^	^	^	0.0	0.0	272.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	272.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Ureter	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Urinary Organs	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Eye and Orbit	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Brain and Other Nervous System	0.0	0.0	261.8	0	^	^	^	^
Brain	0.0	0.0	261.8	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Endocrine System	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Thyroid	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Endocrine including Thymus	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Lymphoma	^	^	^	^	0.0	0.0	272.6	0
Hodgkin Lymphoma	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Hodgkin - Nodal	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Hodgkin - Extranodal	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	272.6	0
NHL - Nodal	0.0	0.0	261.8	0	0.0	0.0	272.6	0
NHL - Extranodal	^	^	^	^	0.0	0.0	272.6	0
Myeloma	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Lymphocytic Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Acute Lymphocytic Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Lymphocytic Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Acute Myeloid Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Acute Monocytic Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Chronic Myeloid Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Other Acute Leukemia	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Mesothelioma	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Kaposi Sarcoma	0.0	0.0	261.8	0	0.0	0.0	272.6	0
Miscellaneous	0.0	0.0	261.8	0	0.0	0.0	272.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	715.5	412.2	1,137.9	21	479.1	265.3	787.7	16
Oral Cavity and Pharynx	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Lip	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Tongue	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Salivary Gland	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Floor of Mouth	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Gum and Other Mouth	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Nasopharynx	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Tonsil	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Oropharynx	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Hypopharynx	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Oral Cavity and Pharynx	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Digestive System	268.8	78.5	612.4	6	^	^	^	^
Esophagus	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Ascending Colon	^	^	^	^	0.0	0.0	102.2	0
Hepatic Flexure	0.0	0.0	129.0	0	^	^	^	^
Transverse Colon	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Splenic Flexure	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Descending Colon	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Sigmoid Colon	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Large Intestine, NOS	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	129.0	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	129.0	0	^	^	^	^
Rectum	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Liver	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Intrahepatic Bile Duct	0.0	0.0	129.0	0	0.0	0.0	102.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Biliary	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Pancreas	^	^	^	^	0.0	0.0	102.2	0
Retroperitoneum	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Digestive Organs	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Respiratory System	193.5	73.5	417.5	7	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Larynx	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Lung and Bronchus	193.5	73.5	417.5	7	^	^	^	^
Pleura	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Bones and Joints	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Soft Tissue including Heart	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	102.2	0
Melanoma of the Skin	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	102.2	0
Breast	0.0	0.0	129.0	0	^	^	^	^
Female Genital System	0.0	0.0	129.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Corpus and Uterus, NOS	0.0	0.0	129.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	129.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Ovary	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Vagina	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Vulva	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Female Genital Organs	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Male Genital System	^	^	^	^	0.0	0.0	102.2	0
Prostate	^	^	^	^	0.0	0.0	102.2	0
Testis	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Penis	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Male Genital Organs	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	102.2	0
Ureter	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Urinary Organs	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Eye and Orbit	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Brain and Other Nervous System	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Brain	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Cranial Nerves Other Nervous System	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Endocrine System	0.0	0.0	129.0	0	^	^	^	^
Thyroid	0.0	0.0	129.0	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Lymphoma	^	^	^	^	0.0	0.0	102.2	0
Hodgkin Lymphoma	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Hodgkin - Nodal	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Hodgkin - Extranodal	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	102.2	0
NHL - Nodal	^	^	^	^	0.0	0.0	102.2	0
NHL - Extranodal	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Myeloma	0.0	0.0	129.0	0	^	^	^	^
Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Lymphocytic Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Acute Lymphocytic Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Lymphocytic Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Acute Myeloid Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Acute Monocytic Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Chronic Myeloid Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Other Acute Leukemia	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Mesothelioma	0.0	0.0	129.0	0	^	^	^	^
Kaposi Sarcoma	0.0	0.0	129.0	0	0.0	0.0	102.2	0
Miscellaneous	0.0	0.0	129.0	0	0.0	0.0	102.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Lip	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Tongue	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Salivary Gland	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Floor of Mouth	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Gum and Other Mouth	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Nasopharynx	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Tonsil	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Oropharynx	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Hypopharynx	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Oral Cavity and Pharynx	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Digestive System	^	^	^	^	0.0	0.0	308.8	0
Esophagus	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Stomach	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Small Intestine	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Colon and Rectum	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Colon excluding Rectum	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Cecum	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Appendix	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Ascending Colon	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Hepatic Flexure	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Transverse Colon	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Splenic Flexure	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Descending Colon	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Sigmoid Colon	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Large Intestine, NOS	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Rectosigmoid Junction	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Rectum	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Liver	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Intrahepatic Bile Duct	0.0	0.0	362.0	0	0.0	0.0	308.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Biliary	^	^	^	^	0.0	0.0	308.8	0
Pancreas	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Retroperitoneum	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Digestive Organs	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Respiratory System	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Larynx	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Lung and Bronchus	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Pleura	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Bones and Joints	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Soft Tissue including Heart	0.0	0.0	362.0	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Melanoma of the Skin	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Non-Epithelial Skin	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Breast	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Female Genital System	0.0	0.0	362.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	362.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Corpus Uteri	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Uterus, NOS	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Ovary	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Vagina	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Vulva	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Female Genital Organs	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Male Genital System	^	^	^	^	0.0	0.0	308.8	0
Prostate	^	^	^	^	0.0	0.0	308.8	0
Testis	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Penis	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Male Genital Organs	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Urinary System	0.0	0.0	362.0	0	^	^	^	^
Urinary Bladder	0.0	0.0	362.0	0	0.0	0.0	308.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	362.0	0	^	^	^	^
Ureter	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Urinary Organs	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Eye and Orbit	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Brain and Other Nervous System	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Brain	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Cranial Nerves Other Nervous System	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Endocrine System	0.0	0.0	362.0	0	^	^	^	^
Thyroid	0.0	0.0	362.0	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Lymphoma	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Hodgkin Lymphoma	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Hodgkin - Nodal	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Hodgkin - Extranodal	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Non-Hodgkin Lymphoma	0.0	0.0	362.0	0	0.0	0.0	308.8	0
NHL - Nodal	0.0	0.0	362.0	0	0.0	0.0	308.8	0
NHL - Extranodal	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Myeloma	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Lymphocytic Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Acute Lymphocytic Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Lymphocytic Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Acute Myeloid Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Acute Monocytic Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Chronic Myeloid Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Other Acute Leukemia	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Mesothelioma	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Kaposi Sarcoma	0.0	0.0	362.0	0	0.0	0.0	308.8	0
Miscellaneous	0.0	0.0	362.0	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	663.7	258.5	1,325.8	13	735.2	349.3	1,319.0	13
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	190.1	0
Lip	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Tongue	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Salivary Gland	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Floor of Mouth	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	190.1	0
Nasopharynx	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Tonsil	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Oropharynx	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Hypopharynx	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Oral Cavity and Pharynx	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Digestive System	^	^	^	^	0.0	0.0	190.1	0
Esophagus	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Stomach	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Small Intestine	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Colon and Rectum	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Colon excluding Rectum	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Cecum	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Appendix	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Ascending Colon	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Hepatic Flexure	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Transverse Colon	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Splenic Flexure	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Descending Colon	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Sigmoid Colon	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Large Intestine, NOS	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Rectosigmoid Junction	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Rectum	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	190.1	0
Liver	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	190.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Biliary	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Pancreas	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Retroperitoneum	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Digestive Organs	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Respiratory System	^	^	^	^	0.0	0.0	190.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Larynx	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Lung and Bronchus	^	^	^	^	0.0	0.0	190.1	0
Pleura	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Bones and Joints	^	^	^	^	0.0	0.0	190.1	0
Soft Tissue including Heart	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	190.1	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	190.1	0
Other Non-Epithelial Skin	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Breast	0.0	0.0	251.2	0	365.7	122.1	802.2	7
Female Genital System	0.0	0.0	251.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	251.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Corpus Uteri	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Uterus, NOS	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Ovary	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Vagina	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Vulva	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Female Genital Organs	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Male Genital System	^	^	^	^	0.0	0.0	190.1	0
Prostate	^	^	^	^	0.0	0.0	190.1	0
Testis	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Penis	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Male Genital Organs	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	251.2	0	0.0	0.0	190.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Urinary Organs	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Eye and Orbit	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	190.1	0
Brain	^	^	^	^	0.0	0.0	190.1	0
Cranial Nerves Other Nervous System	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Endocrine System	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Thyroid	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Endocrine including Thymus	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Lymphoma	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Hodgkin Lymphoma	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Hodgkin - Nodal	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Hodgkin - Extranodal	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Non-Hodgkin Lymphoma	0.0	0.0	251.2	0	0.0	0.0	190.1	0
NHL - Nodal	0.0	0.0	251.2	0	0.0	0.0	190.1	0
NHL - Extranodal	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Myeloma	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Leukemia	0.0	0.0	251.2	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	251.2	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	251.2	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	251.2	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Acute Myeloid Leukemia	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Acute Monocytic Leukemia	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Chronic Myeloid Leukemia	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Leukemia	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Other Acute Leukemia	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Mesothelioma	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Kaposi Sarcoma	0.0	0.0	251.2	0	0.0	0.0	190.1	0
Miscellaneous	0.0	0.0	251.2	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	498.8	251.7	863.9	15	647.3	370.5	1,036.7	21
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Tongue	0.0	0.0	121.0	0	^	^	^	^
Salivary Gland	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Floor of Mouth	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	123.4	0
Nasopharynx	0.0	0.0	121.0	0	^	^	^	^
Tonsil	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Oropharynx	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Hypopharynx	0.0	0.0	121.0	0	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	121.0	0	^	^	^	^
Stomach	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Small Intestine	^	^	^	^	0.0	0.0	123.4	0
Colon and Rectum	0.0	0.0	121.0	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	121.0	0	^	^	^	^
Cecum	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Appendix	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Ascending Colon	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Hepatic Flexure	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Transverse Colon	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Splenic Flexure	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Descending Colon	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Sigmoid Colon	0.0	0.0	121.0	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	121.0	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Rectum	0.0	0.0	121.0	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	121.0	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	123.4	0
Liver	^	^	^	^	0.0	0.0	123.4	0
Intrahepatic Bile Duct	0.0	0.0	121.0	0	0.0	0.0	123.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Biliary	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Pancreas	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Retroperitoneum	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Digestive Organs	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Larynx	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Bones and Joints	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Soft Tissue including Heart	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	123.4	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	123.4	0
Other Non-Epithelial Skin	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Breast	0.0	0.0	121.0	0	^	^	^	^
Female Genital System	0.0	0.0	121.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Corpus and Uterus, NOS	0.0	0.0	121.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	121.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Ovary	0.0	0.0	121.0	0	^	^	^	^
Vagina	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Vulva	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Female Genital Organs	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Male Genital System	^	^	^	^	0.0	0.0	123.4	0
Prostate	^	^	^	^	0.0	0.0	123.4	0
Testis	^	^	^	^	0.0	0.0	123.4	0
Penis	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Male Genital Organs	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	123.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	121.0	0	^	^	^	^
Ureter	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Urinary Organs	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Eye and Orbit	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Brain and Other Nervous System	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Brain	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Cranial Nerves Other Nervous System	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Endocrine System	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Thyroid	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Endocrine including Thymus	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Hodgkin - Nodal	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Hodgkin - Extranodal	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	123.4	0
NHL - Extranodal	0.0	0.0	121.0	0	^	^	^	^
Myeloma	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Lymphocytic Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Acute Lymphocytic Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Lymphocytic Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Acute Myeloid Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Acute Monocytic Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Chronic Myeloid Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Other Acute Leukemia	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Mesothelioma	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Kaposi Sarcoma	0.0	0.0	121.0	0	0.0	0.0	123.4	0
Miscellaneous	0.0	0.0	121.0	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	388.3	147.5	846.8	7	513.5	169.9	1,115.9	7
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	241.2	0
Lip	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Tongue	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Salivary Gland	^	^	^	^	0.0	0.0	241.2	0
Floor of Mouth	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Gum and Other Mouth	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Nasopharynx	^	^	^	^	0.0	0.0	241.2	0
Tonsil	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Oropharynx	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Hypopharynx	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Oral Cavity and Pharynx	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Digestive System	0.0	0.0	290.0	0	^	^	^	^
Esophagus	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Stomach	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Small Intestine	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Colon and Rectum	0.0	0.0	290.0	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	290.0	0	^	^	^	^
Cecum	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Appendix	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Ascending Colon	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Hepatic Flexure	0.0	0.0	290.0	0	^	^	^	^
Transverse Colon	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Splenic Flexure	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Descending Colon	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Sigmoid Colon	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Large Intestine, NOS	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Rectosigmoid Junction	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Rectum	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	290.0	0	^	^	^	^
Liver	0.0	0.0	290.0	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	290.0	0	0.0	0.0	241.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	290.0	0	^	^	^	^
Other Biliary	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Pancreas	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Retroperitoneum	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Digestive Organs	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Respiratory System	^	^	^	^	0.0	0.0	241.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Larynx	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Lung and Bronchus	^	^	^	^	0.0	0.0	241.2	0
Pleura	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Bones and Joints	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Soft Tissue including Heart	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Skin excluding Basal and Squamous	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Melanoma of the Skin	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Non-Epithelial Skin	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Breast	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Female Genital System	0.0	0.0	290.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	290.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Corpus Uteri	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Uterus, NOS	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Ovary	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Vagina	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Vulva	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Female Genital Organs	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Male Genital System	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Prostate	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Testis	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Penis	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Male Genital Organs	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Urinary System	0.0	0.0	290.0	0	^	^	^	^
Urinary Bladder	0.0	0.0	290.0	0	0.0	0.0	241.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	290.0	0	^	^	^	^
Ureter	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Urinary Organs	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Eye and Orbit	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Brain and Other Nervous System	0.0	0.0	290.0	0	^	^	^	^
Brain	0.0	0.0	290.0	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Endocrine System	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Thyroid	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Endocrine including Thymus	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Lymphoma	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Hodgkin Lymphoma	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Hodgkin - Nodal	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Hodgkin - Extranodal	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Non-Hodgkin Lymphoma	0.0	0.0	290.0	0	0.0	0.0	241.2	0
NHL - Nodal	0.0	0.0	290.0	0	0.0	0.0	241.2	0
NHL - Extranodal	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Myeloma	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Lymphocytic Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Acute Lymphocytic Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Lymphocytic Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Acute Myeloid Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Acute Monocytic Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Chronic Myeloid Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Other Acute Leukemia	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Mesothelioma	^	^	^	^	0.0	0.0	241.2	0
Kaposi Sarcoma	0.0	0.0	290.0	0	0.0	0.0	241.2	0
Miscellaneous	0.0	0.0	290.0	0	0.0	0.0	241.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	553.7	294.8	933.3	14	559.7	311.7	922.3	15
Oral Cavity and Pharynx	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Lip	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Tongue	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Salivary Gland	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Floor of Mouth	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Gum and Other Mouth	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Nasopharynx	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Tonsil	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Oropharynx	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Hypopharynx	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Oral Cavity and Pharynx	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Digestive System	^	^	^	^	0.0	0.0	131.1	0
Esophagus	^	^	^	^	0.0	0.0	131.1	0
Stomach	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Small Intestine	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Colon and Rectum	^	^	^	^	0.0	0.0	131.1	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	131.1	0
Cecum	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Appendix	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Ascending Colon	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Hepatic Flexure	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Transverse Colon	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Splenic Flexure	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Descending Colon	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Sigmoid Colon	^	^	^	^	0.0	0.0	131.1	0
Large Intestine, NOS	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Rectosigmoid Junction	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Rectum	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Liver	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Intrahepatic Bile Duct	0.0	0.0	126.7	0	0.0	0.0	131.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Biliary	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Pancreas	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Retroperitoneum	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Digestive Organs	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Larynx	^	^	^	^	0.0	0.0	131.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Bones and Joints	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Soft Tissue including Heart	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Skin excluding Basal and Squamous	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Melanoma of the Skin	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Non-Epithelial Skin	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Breast	0.0	0.0	126.7	0	^	^	^	^
Female Genital System	0.0	0.0	126.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	126.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	126.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	126.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Ovary	0.0	0.0	126.7	0	^	^	^	^
Vagina	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Vulva	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Female Genital Organs	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Male Genital System	^	^	^	^	0.0	0.0	131.1	0
Prostate	^	^	^	^	0.0	0.0	131.1	0
Testis	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Penis	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Male Genital Organs	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Urinary System	^	^	^	^	0.0	0.0	131.1	0
Urinary Bladder	^	^	^	^	0.0	0.0	131.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Ureter	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Urinary Organs	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Eye and Orbit	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Brain and Other Nervous System	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Brain	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Cranial Nerves Other Nervous System	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Endocrine System	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Thyroid	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Endocrine including Thymus	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Lymphoma	0.0	0.0	126.7	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Hodgkin - Nodal	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Hodgkin - Extranodal	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Non-Hodgkin Lymphoma	0.0	0.0	126.7	0	^	^	^	^
NHL - Nodal	0.0	0.0	126.7	0	0.0	0.0	131.1	0
NHL - Extranodal	0.0	0.0	126.7	0	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	131.1	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	131.1	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	131.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Lymphocytic Leukemia	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	131.1	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	131.1	0
Acute Monocytic Leukemia	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Chronic Myeloid Leukemia	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Leukemia	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Other Acute Leukemia	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Mesothelioma	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Kaposi Sarcoma	0.0	0.0	126.7	0	0.0	0.0	131.1	0
Miscellaneous	0.0	0.0	126.7	0	0.0	0.0	131.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Lip	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Tongue	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Salivary Gland	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Floor of Mouth	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Gum and Other Mouth	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Nasopharynx	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Tonsil	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Oropharynx	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Hypopharynx	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Oral Cavity and Pharynx	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Digestive System	^	^	^	^	0.0	0.0	1,400.7	0
Esophagus	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Stomach	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Small Intestine	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Colon and Rectum	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Colon excluding Rectum	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Cecum	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Appendix	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Ascending Colon	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Hepatic Flexure	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Transverse Colon	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Splenic Flexure	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Descending Colon	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Sigmoid Colon	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Large Intestine, NOS	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Rectosigmoid Junction	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Rectum	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	1,400.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Liver	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Intrahepatic Bile Duct	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Biliary	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Pancreas	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Retroperitoneum	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Digestive Organs	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Respiratory System	0.0	0.0	1,621.9	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Larynx	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Lung and Bronchus	0.0	0.0	1,621.9	0	^	^	^	^
Pleura	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Bones and Joints	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Soft Tissue including Heart	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Skin excluding Basal and Squamous	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Melanoma of the Skin	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Non-Epithelial Skin	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Breast	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Female Genital System	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Cervix Uteri	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Corpus and Uterus, NOS	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Corpus Uteri	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Uterus, NOS	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Ovary	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Vagina	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Vulva	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Female Genital Organs	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Male Genital System	^	^	^	^	0.0	0.0	1,400.7	0
Prostate	^	^	^	^	0.0	0.0	1,400.7	0
Testis	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Penis	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Male Genital Organs	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Urinary System	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Urinary Bladder	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Ureter	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Urinary Organs	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Eye and Orbit	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Brain and Other Nervous System	0.0	0.0	1,621.9	0	^	^	^	^
Brain	0.0	0.0	1,621.9	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Endocrine System	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Thyroid	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Endocrine including Thymus	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Lymphoma	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Hodgkin Lymphoma	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Hodgkin - Nodal	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Hodgkin - Extranodal	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Non-Hodgkin Lymphoma	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
NHL - Nodal	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
NHL - Extranodal	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Myeloma	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Lymphocytic Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Acute Lymphocytic Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Lymphocytic Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Acute Myeloid Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Acute Monocytic Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Chronic Myeloid Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Other Acute Leukemia	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Mesothelioma	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Kaposi Sarcoma	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0
Miscellaneous	0.0	0.0	1,621.9	0	0.0	0.0	1,400.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	406.1	182.8	765.4	10	895.8	489.7	1,473.8	16
Oral Cavity and Pharynx	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Lip	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Tongue	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Salivary Gland	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Floor of Mouth	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Gum and Other Mouth	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Nasopharynx	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Tonsil	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Oropharynx	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Hypopharynx	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Oral Cavity and Pharynx	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Digestive System	^	^	^	^	380.2	142.1	789.1	7
Esophagus	^	^	^	^	0.0	0.0	170.2	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Appendix	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Ascending Colon	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Hepatic Flexure	0.0	0.0	148.1	0	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	148.1	0	^	^	^	^
Descending Colon	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Sigmoid Colon	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Large Intestine, NOS	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	148.1	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	148.1	0	^	^	^	^
Rectum	0.0	0.0	148.1	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Liver	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Intrahepatic Bile Duct	0.0	0.0	148.1	0	0.0	0.0	170.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Biliary	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Digestive Organs	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Larynx	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Bones and Joints	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Soft Tissue including Heart	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Skin excluding Basal and Squamous	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Melanoma of the Skin	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Non-Epithelial Skin	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Breast	0.0	0.0	148.1	0	^	^	^	^
Female Genital System	0.0	0.0	148.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Corpus and Uterus, NOS	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Corpus Uteri	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Uterus, NOS	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Ovary	0.0	0.0	148.1	0	^	^	^	^
Vagina	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Vulva	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Female Genital Organs	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Male Genital System	^	^	^	^	0.0	0.0	170.2	0
Prostate	^	^	^	^	0.0	0.0	170.2	0
Testis	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Penis	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Male Genital Organs	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Urinary System	^	^	^	^	0.0	0.0	170.2	0
Urinary Bladder	0.0	0.0	148.1	0	0.0	0.0	170.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1998/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	170.2	0
Ureter	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Urinary Organs	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Eye and Orbit	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Brain and Other Nervous System	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Brain	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Cranial Nerves Other Nervous System	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Endocrine System	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Thyroid	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Endocrine including Thymus	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Lymphoma	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Hodgkin Lymphoma	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Hodgkin - Nodal	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Hodgkin - Extranodal	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Non-Hodgkin Lymphoma	0.0	0.0	148.1	0	0.0	0.0	170.2	0
NHL - Nodal	0.0	0.0	148.1	0	0.0	0.0	170.2	0
NHL - Extranodal	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Myeloma	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Leukemia	0.0	0.0	148.1	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	148.1	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	148.1	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Acute Myeloid Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Acute Monocytic Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Chronic Myeloid Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Other Acute Leukemia	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Mesothelioma	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Kaposi Sarcoma	0.0	0.0	148.1	0	0.0	0.0	170.2	0
Miscellaneous	^	^	^	^	0.0	0.0	170.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1,045.9	0
Lip	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Tongue	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Salivary Gland	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Floor of Mouth	^	^	^	^	0.0	0.0	1,045.9	0
Gum and Other Mouth	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Nasopharynx	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Tonsil	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Oropharynx	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Hypopharynx	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Oral Cavity and Pharynx	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Digestive System	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Esophagus	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Stomach	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Small Intestine	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Colon and Rectum	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Colon excluding Rectum	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Cecum	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Appendix	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Ascending Colon	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Hepatic Flexure	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Transverse Colon	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Splenic Flexure	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Descending Colon	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Sigmoid Colon	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Large Intestine, NOS	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Rectosigmoid Junction	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Rectum	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Liver	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Intrahepatic Bile Duct	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Biliary	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Pancreas	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Retroperitoneum	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Digestive Organs	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Respiratory System	^	^	^	^	0.0	0.0	1,045.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Larynx	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Lung and Bronchus	^	^	^	^	0.0	0.0	1,045.9	0
Pleura	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Bones and Joints	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Soft Tissue including Heart	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Skin excluding Basal and Squamous	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Melanoma of the Skin	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Non-Epithelial Skin	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Breast	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Female Genital System	0.0	0.0	383.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Corpus and Uterus, NOS	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Corpus Uteri	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Uterus, NOS	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Ovary	0.0	0.0	383.3	0	^	^	^	^
Vagina	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Vulva	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Female Genital Organs	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Male Genital System	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Prostate	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Testis	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Penis	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Male Genital Organs	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Urinary System	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Urinary Bladder	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Ureter	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Urinary Organs	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Eye and Orbit	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Brain and Other Nervous System	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Brain	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Cranial Nerves Other Nervous System	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Endocrine System	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Thyroid	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Endocrine including Thymus	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Lymphoma	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Hodgkin Lymphoma	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Hodgkin - Nodal	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Hodgkin - Extranodal	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Non-Hodgkin Lymphoma	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
NHL - Nodal	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
NHL - Extranodal	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Myeloma	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Leukemia	0.0	0.0	383.3	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	383.3	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	383.3	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Lymphocytic Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Acute Myeloid Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Acute Monocytic Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Chronic Myeloid Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Other Acute Leukemia	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Mesothelioma	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Kaposi Sarcoma	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0
Miscellaneous	0.0	0.0	383.3	0	0.0	0.0	1,045.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Tongue	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Salivary Gland	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Floor of Mouth	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Gum and Other Mouth	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Nasopharynx	0.0	0.0	716.5	0	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	700.8	0
Oropharynx	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Hypopharynx	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Oral Cavity and Pharynx	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Digestive System	0.0	0.0	716.5	0	^	^	^	^
Esophagus	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Stomach	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Small Intestine	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Colon and Rectum	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Colon excluding Rectum	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Cecum	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Appendix	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Ascending Colon	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Hepatic Flexure	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Transverse Colon	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Splenic Flexure	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Descending Colon	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Sigmoid Colon	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Large Intestine, NOS	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Rectosigmoid Junction	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Rectum	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Liver	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Intrahepatic Bile Duct	0.0	0.0	716.5	0	0.0	0.0	700.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Biliary	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Pancreas	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Retroperitoneum	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Digestive Organs	0.0	0.0	716.5	0	^	^	^	^
Respiratory System	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Larynx	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Lung and Bronchus	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Pleura	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Bones and Joints	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Soft Tissue including Heart	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Skin excluding Basal and Squamous	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Melanoma of the Skin	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Non-Epithelial Skin	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Breast	0.0	0.0	716.5	0	^	^	^	^
Female Genital System	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Cervix Uteri	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Corpus and Uterus, NOS	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Corpus Uteri	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Uterus, NOS	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Ovary	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Vagina	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Vulva	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Female Genital Organs	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Male Genital System	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Prostate	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Testis	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Penis	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Male Genital Organs	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Urinary System	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Urinary Bladder	0.0	0.0	716.5	0	0.0	0.0	700.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Ureter	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Urinary Organs	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Eye and Orbit	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Brain and Other Nervous System	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Brain	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Cranial Nerves Other Nervous System	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Endocrine System	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Thyroid	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Endocrine including Thymus	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Lymphoma	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Hodgkin Lymphoma	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Hodgkin - Nodal	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Hodgkin - Extranodal	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Non-Hodgkin Lymphoma	0.0	0.0	716.5	0	0.0	0.0	700.8	0
NHL - Nodal	0.0	0.0	716.5	0	0.0	0.0	700.8	0
NHL - Extranodal	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Myeloma	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Lymphocytic Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Acute Lymphocytic Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Lymphocytic Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Acute Myeloid Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Acute Monocytic Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Chronic Myeloid Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Other Acute Leukemia	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Mesothelioma	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Kaposi Sarcoma	0.0	0.0	716.5	0	0.0	0.0	700.8	0
Miscellaneous	0.0	0.0	716.5	0	0.0	0.0	700.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	559.9	497.3	627.6	390	427.5	382.1	476.5	378
Oral Cavity and Pharynx	14.4	7.1	26.2	13	^	^	^	^
Lip	^	^	^	^	0.0	0.0	4.2	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Gum and Other Mouth	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Nasopharynx	^	^	^	^	0.0	0.0	4.2	0
Tonsil	^	^	^	^	0.0	0.0	4.2	0
Oropharynx	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Hypopharynx	^	^	^	^	0.0	0.0	4.2	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	4.2	0
Digestive System	113.2	86.0	145.6	77	69.6	50.4	93.0	49
Esophagus	9.2	3.3	20.2	7	^	^	^	^
Stomach	11.2	4.0	24.2	8	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	69.0	47.6	95.9	43	37.8	23.7	56.2	25
Colon excluding Rectum	60.4	40.1	86.3	35	30.7	18.0	48.0	19
Cecum	8.5	2.4	20.4	6	^	^	^	^
Appendix	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Ascending Colon	14.5	5.5	29.4	7	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	0.0	0.0	4.2	0
Sigmoid Colon	22.7	10.9	40.5	12	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	8.7	3.3	18.9	8	7.1	2.3	15.8	6
Rectosigmoid Junction	0.0	0.0	6.2	0	^	^	^	^
Rectum	8.7	3.3	18.9	8	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.2	0	^	^	^	^
Liver and Intrahepatic Bile Duct	11.2	4.2	23.6	8	^	^	^	^
Liver	11.2	4.2	23.6	8	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.2	0	0.0	0.0	4.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	9.6	3.3	21.3	8	16.8	8.0	30.2	11
Retroperitoneum	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Other Digestive Organs	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Respiratory System	88.1	65.1	116.0	60	66.7	49.4	87.8	53
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.2	0	^	^	^	^
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	82.4	60.0	109.8	55	63.8	46.8	84.5	50
Pleura	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	4.2	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	0.0	0.0	6.2	0	^	^	^	^
Skin excluding Basal and Squamous	16.5	8.3	29.3	15	13.0	6.9	22.4	14
Melanoma of the Skin	10.1	4.3	20.6	10	10.9	5.4	19.7	12
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	6.2	0	134.0	110.2	161.2	130
Female Genital System	0.0	0.0	6.2	0	41.7	28.9	58.1	40
Cervix Uteri	0.0	0.0	6.2	0	9.3	3.6	19.0	8
Corpus and Uterus, NOS	0.0	0.0	6.2	0	12.2	6.4	21.2	14
Corpus Uteri	0.0	0.0	6.2	0	12.2	6.4	21.2	14
Uterus, NOS	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Ovary	0.0	0.0	6.2	0	15.4	8.1	26.3	14
Vagina	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Vulva	0.0	0.0	6.2	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	6.2	0	^	^	^	^
Male Genital System	187.8	151.4	229.5	120	0.0	0.0	4.2	0
Prostate	182.5	146.4	224.1	112	0.0	0.0	4.2	0
Testis	5.3	2.3	12.4	8	0.0	0.0	4.2	0
Penis	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Other Male Genital Organs	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Urinary System	60.5	40.7	85.8	42	21.7	11.8	35.7	16
Urinary Bladder	43.5	25.7	67.4	24	13.5	5.6	25.9	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	17.1	9.6	28.6	18	8.2	3.3	16.8	8
Ureter	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Other Urinary Organs	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Eye and Orbit	^	^	^	^	0.0	0.0	4.2	0
Brain and Other Nervous System	^	^	^	^	13.2	6.5	23.7	12
Brain	^	^	^	^	13.2	6.5	23.7	12
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	4.2	0
Endocrine System	9.8	4.3	19.8	11	8.4	4.1	15.7	11
Thyroid	9.2	3.9	19.1	10	8.4	4.1	15.7	11
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	4.2	0
Lymphoma	18.8	8.2	35.4	16	22.5	13.8	34.5	23
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Non-Hodgkin Lymphoma	16.1	6.1	32.7	12	21.0	12.6	32.8	21
NHL - Nodal	9.1	3.6	19.3	9	18.1	10.2	29.5	17
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	11.3	3.8	24.6	7	^	^	^	^
Leukemia	16.9	7.2	32.6	11	15.9	7.9	27.9	14
Lymphocytic Leukemia	8.7	2.3	21.0	6	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	7.9	3.2	16.3	9
Acute Myeloid Leukemia	^	^	^	^	5.9	1.8	13.9	6
Acute Monocytic Leukemia	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.2	0	^	^	^	^
Other Leukemia	^	^	^	^	0.0	0.0	4.2	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	4.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.2	0	0.0	0.0	4.2	0
Mesothelioma	^	^	^	^	0.0	0.0	4.2	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	4.2	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	492.5	266.7	808.3	17	318.9	163.3	551.9	15
Oral Cavity and Pharynx	0.0	0.0	81.0	0	^	^	^	^
Lip	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Tongue	0.0	0.0	81.0	0	^	^	^	^
Salivary Gland	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Floor of Mouth	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Gum and Other Mouth	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Nasopharynx	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Tonsil	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Oropharynx	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Hypopharynx	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Oral Cavity and Pharynx	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Digestive System	173.8	57.8	377.0	7	132.0	44.2	297.0	6
Esophagus	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Stomach	^	^	^	^	0.0	0.0	86.2	0
Small Intestine	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	81.0	0	^	^	^	^
Appendix	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Ascending Colon	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Hepatic Flexure	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Transverse Colon	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Splenic Flexure	^	^	^	^	0.0	0.0	86.2	0
Descending Colon	0.0	0.0	81.0	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Rectosigmoid Junction	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Rectum	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	81.0	0	^	^	^	^
Liver	0.0	0.0	81.0	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	81.0	0	0.0	0.0	86.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Biliary	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Pancreas	^	^	^	^	0.0	0.0	86.2	0
Retroperitoneum	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Digestive Organs	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Respiratory System	^	^	^	^	0.0	0.0	86.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Larynx	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Lung and Bronchus	^	^	^	^	0.0	0.0	86.2	0
Pleura	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Bones and Joints	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Soft Tissue including Heart	0.0	0.0	81.0	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Melanoma of the Skin	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Non-Epithelial Skin	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Breast	0.0	0.0	81.0	0	^	^	^	^
Female Genital System	0.0	0.0	81.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Corpus and Uterus, NOS	0.0	0.0	81.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	81.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Ovary	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Vagina	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Vulva	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Female Genital Organs	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Male Genital System	^	^	^	^	0.0	0.0	86.2	0
Prostate	^	^	^	^	0.0	0.0	86.2	0
Testis	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Penis	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Male Genital Organs	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Urinary System	^	^	^	^	0.0	0.0	86.2	0
Urinary Bladder	0.0	0.0	81.0	0	0.0	0.0	86.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	86.2	0
Ureter	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Urinary Organs	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Eye and Orbit	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Brain and Other Nervous System	0.0	0.0	81.0	0	^	^	^	^
Brain	0.0	0.0	81.0	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Endocrine System	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Thyroid	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Endocrine including Thymus	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Hodgkin - Nodal	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Hodgkin - Extranodal	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Leukemia	^	^	^	^	0.0	0.0	86.2	0
Lymphocytic Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Acute Lymphocytic Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Lymphocytic Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	86.2	0
Acute Myeloid Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Acute Monocytic Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	86.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Other Acute Leukemia	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Mesothelioma	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Kaposi Sarcoma	0.0	0.0	81.0	0	0.0	0.0	86.2	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	2,437.5	0
Oral Cavity and Pharynx	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Lip	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Tongue	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Salivary Gland	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Floor of Mouth	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Gum and Other Mouth	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Nasopharynx	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Tonsil	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Oropharynx	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Hypopharynx	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Oral Cavity and Pharynx	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Digestive System	^	^	^	^	0.0	0.0	2,437.5	0
Esophagus	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Stomach	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Small Intestine	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Colon and Rectum	^	^	^	^	0.0	0.0	2,437.5	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	2,437.5	0
Cecum	^	^	^	^	0.0	0.0	2,437.5	0
Appendix	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Ascending Colon	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Hepatic Flexure	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Transverse Colon	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Splenic Flexure	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Descending Colon	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Sigmoid Colon	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Large Intestine, NOS	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Rectosigmoid Junction	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Rectum	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Liver	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Intrahepatic Bile Duct	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Biliary	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Pancreas	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Retroperitoneum	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Digestive Organs	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Respiratory System	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Larynx	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Lung and Bronchus	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Pleura	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Bones and Joints	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Soft Tissue including Heart	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Skin excluding Basal and Squamous	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Melanoma of the Skin	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Non-Epithelial Skin	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Breast	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Female Genital System	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Cervix Uteri	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Corpus and Uterus, NOS	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Corpus Uteri	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Uterus, NOS	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Ovary	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Vagina	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Vulva	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Female Genital Organs	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Male Genital System	^	^	^	^	0.0	0.0	2,437.5	0
Prostate	^	^	^	^	0.0	0.0	2,437.5	0
Testis	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Penis	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Male Genital Organs	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Urinary System	^	^	^	^	0.0	0.0	2,437.5	0
Urinary Bladder	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	2,437.5	0
Ureter	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Urinary Organs	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Eye and Orbit	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Brain and Other Nervous System	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Brain	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Cranial Nerves Other Nervous System	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Endocrine System	^	^	^	^	0.0	0.0	2,437.5	0
Thyroid	^	^	^	^	0.0	0.0	2,437.5	0
Other Endocrine including Thymus	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Lymphoma	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Hodgkin Lymphoma	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Hodgkin - Nodal	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Hodgkin - Extranodal	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Non-Hodgkin Lymphoma	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
NHL - Nodal	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
NHL - Extranodal	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Myeloma	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Lymphocytic Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Acute Lymphocytic Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Lymphocytic Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Acute Myeloid Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Acute Monocytic Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Chronic Myeloid Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Other Acute Leukemia	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Mesothelioma	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Kaposi Sarcoma	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0
Miscellaneous	0.0	0.0	975.1	0	0.0	0.0	2,437.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Lip	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Tongue	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Salivary Gland	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Floor of Mouth	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Gum and Other Mouth	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Nasopharynx	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Tonsil	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Oropharynx	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Hypopharynx	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Oral Cavity and Pharynx	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Digestive System	^	^	^	^	0.0	0.0	1,347.5	0
Esophagus	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Stomach	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Small Intestine	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Colon and Rectum	^	^	^	^	0.0	0.0	1,347.5	0
Colon excluding Rectum	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Cecum	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Appendix	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Ascending Colon	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Hepatic Flexure	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Transverse Colon	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Splenic Flexure	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Descending Colon	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Sigmoid Colon	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Large Intestine, NOS	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,347.5	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,347.5	0
Rectum	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Liver	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Intrahepatic Bile Duct	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Biliary	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Pancreas	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Retroperitoneum	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Digestive Organs	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Respiratory System	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Larynx	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Lung and Bronchus	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Pleura	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Bones and Joints	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Soft Tissue including Heart	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Skin excluding Basal and Squamous	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Melanoma of the Skin	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Non-Epithelial Skin	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Breast	0.0	0.0	977.8	0	^	^	^	^
Female Genital System	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Cervix Uteri	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Corpus and Uterus, NOS	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Corpus Uteri	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Uterus, NOS	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Ovary	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Vagina	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Vulva	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Female Genital Organs	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Male Genital System	^	^	^	^	0.0	0.0	1,347.5	0
Prostate	^	^	^	^	0.0	0.0	1,347.5	0
Testis	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Penis	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Male Genital Organs	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Urinary System	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Urinary Bladder	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Ureter	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Urinary Organs	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Eye and Orbit	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Brain and Other Nervous System	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Brain	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Cranial Nerves Other Nervous System	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Endocrine System	^	^	^	^	0.0	0.0	1,347.5	0
Thyroid	^	^	^	^	0.0	0.0	1,347.5	0
Other Endocrine including Thymus	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Lymphoma	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Hodgkin Lymphoma	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Hodgkin - Nodal	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Hodgkin - Extranodal	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Non-Hodgkin Lymphoma	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
NHL - Nodal	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
NHL - Extranodal	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Lymphocytic Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Acute Lymphocytic Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Lymphocytic Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Acute Myeloid Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Acute Monocytic Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Chronic Myeloid Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Other Acute Leukemia	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Mesothelioma	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Kaposi Sarcoma	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0
Miscellaneous	0.0	0.0	977.8	0	0.0	0.0	1,347.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	704.0	319.9	1,321.1	10
Oral Cavity and Pharynx	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Lip	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Tongue	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Salivary Gland	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Floor of Mouth	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Gum and Other Mouth	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Nasopharynx	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Tonsil	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Oropharynx	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Hypopharynx	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Oral Cavity and Pharynx	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Stomach	0.0	0.0	247.1	0	^	^	^	^
Small Intestine	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Appendix	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Ascending Colon	^	^	^	^	0.0	0.0	262.5	0
Hepatic Flexure	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Transverse Colon	0.0	0.0	247.1	0	^	^	^	^
Splenic Flexure	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Descending Colon	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Sigmoid Colon	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Large Intestine, NOS	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Rectosigmoid Junction	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Rectum	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Liver	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Intrahepatic Bile Duct	0.0	0.0	247.1	0	0.0	0.0	262.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Biliary	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Pancreas	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Retroperitoneum	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Digestive Organs	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Larynx	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Bones and Joints	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Soft Tissue including Heart	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Skin excluding Basal and Squamous	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Melanoma of the Skin	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Non-Epithelial Skin	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Breast	0.0	0.0	247.1	0	^	^	^	^
Female Genital System	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Cervix Uteri	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Corpus and Uterus, NOS	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Corpus Uteri	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Uterus, NOS	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Ovary	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Vagina	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Vulva	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Female Genital Organs	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Male Genital System	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Prostate	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Testis	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Penis	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Male Genital Organs	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Urinary System	^	^	^	^	0.0	0.0	262.5	0
Urinary Bladder	^	^	^	^	0.0	0.0	262.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Ureter	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Urinary Organs	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Eye and Orbit	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Brain and Other Nervous System	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Brain	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Cranial Nerves Other Nervous System	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Endocrine System	^	^	^	^	0.0	0.0	262.5	0
Thyroid	^	^	^	^	0.0	0.0	262.5	0
Other Endocrine including Thymus	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Lymphoma	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Hodgkin Lymphoma	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Hodgkin - Nodal	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Hodgkin - Extranodal	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Non-Hodgkin Lymphoma	0.0	0.0	247.1	0	0.0	0.0	262.5	0
NHL - Nodal	0.0	0.0	247.1	0	0.0	0.0	262.5	0
NHL - Extranodal	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Myeloma	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Lymphocytic Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Acute Lymphocytic Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Lymphocytic Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Acute Myeloid Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Acute Monocytic Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Chronic Myeloid Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Other Acute Leukemia	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Mesothelioma	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Kaposi Sarcoma	0.0	0.0	247.1	0	0.0	0.0	262.5	0
Miscellaneous	0.0	0.0	247.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	554.4	446.1	678.8	122	455.4	365.8	558.7	107
Oral Cavity and Pharynx	18.8	6.0	46.2	6	^	^	^	^
Lip	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Tongue	^	^	^	^	0.0	0.0	15.4	0
Salivary Gland	^	^	^	^	0.0	0.0	15.4	0
Floor of Mouth	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Gum and Other Mouth	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Hypopharynx	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Other Oral Cavity and Pharynx	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Digestive System	91.7	53.1	146.0	20	94.4	53.3	151.3	17
Esophagus	^	^	^	^	0.0	0.0	15.4	0
Stomach	^	^	^	^	0.0	0.0	15.4	0
Small Intestine	0.0	0.0	19.1	0	^	^	^	^
Colon and Rectum	54.0	25.4	98.9	12	70.0	35.8	120.0	13
Colon excluding Rectum	44.3	18.1	87.7	9	33.6	11.0	73.2	6
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	19.1	0	^	^	^	^
Transverse Colon	0.0	0.0	19.1	0	^	^	^	^
Splenic Flexure	0.0	0.0	19.1	0	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	^	^	^	^	0.0	0.0	15.4	0
Large Intestine, NOS	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	36.4	14.3	73.6	7
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	15.4	0
Liver	^	^	^	^	0.0	0.0	15.4	0
Intrahepatic Bile Duct	0.0	0.0	19.1	0	0.0	0.0	15.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	19.1	0	^	^	^	^
Other Biliary	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	15.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Other Digestive Organs	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Respiratory System	63.1	32.4	109.4	14	63.7	31.6	111.2	12
Nose, Nasal Cavity and Middle Ear	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Larynx	^	^	^	^	0.0	0.0	15.4	0
Lung and Bronchus	55.7	26.9	100.5	12	63.7	31.6	111.2	12
Pleura	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Bones and Joints	0.0	0.0	19.1	0	^	^	^	^
Soft Tissue including Heart	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Skin excluding Basal and Squamous	29.7	10.8	64.4	8	^	^	^	^
Melanoma of the Skin	29.7	10.8	64.4	8	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	19.1	0	^	^	^	^
Breast	0.0	0.0	19.1	0	158.2	110.2	219.2	41
Female Genital System	0.0	0.0	19.1	0	33.0	12.3	68.6	7
Cervix Uteri	0.0	0.0	19.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	19.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	19.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Ovary	0.0	0.0	19.1	0	^	^	^	^
Vagina	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Vulva	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Other Female Genital Organs	0.0	0.0	19.1	0	^	^	^	^
Male Genital System	198.8	131.9	284.1	40	0.0	0.0	15.4	0
Prostate	188.4	122.5	272.9	36	0.0	0.0	15.4	0
Testis	^	^	^	^	0.0	0.0	15.4	0
Penis	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Other Male Genital Organs	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Urinary System	59.4	26.9	110.0	12	^	^	^	^
Urinary Bladder	42.2	15.6	87.6	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Other Urinary Organs	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	15.4	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Lymphoma	33.2	12.5	70.1	8	21.1	7.9	46.3	7
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Non-Hodgkin Lymphoma	31.0	10.9	67.7	7	19.0	6.6	43.9	6
NHL - Nodal	^	^	^	^	19.0	6.6	43.9	6
NHL - Extranodal	^	^	^	^	0.0	0.0	15.4	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Acute Myeloid Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Acute Monocytic Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Chronic Myeloid Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Other Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Other Acute Leukemia	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Mesothelioma	^	^	^	^	0.0	0.0	15.4	0
Kaposi Sarcoma	0.0	0.0	19.1	0	0.0	0.0	15.4	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	965.9	399.6	1,912.2	9	527.3	203.9	1,155.2	7
Oral Cavity and Pharynx	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Lip	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Tongue	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Salivary Gland	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Floor of Mouth	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Gum and Other Mouth	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Nasopharynx	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Tonsil	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Oropharynx	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Hypopharynx	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Oral Cavity and Pharynx	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Stomach	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Small Intestine	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Colon and Rectum	0.0	0.0	401.7	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	401.7	0	^	^	^	^
Cecum	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Appendix	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Ascending Colon	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Hepatic Flexure	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Transverse Colon	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Splenic Flexure	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Descending Colon	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Sigmoid Colon	0.0	0.0	401.7	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	401.7	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Rectum	0.0	0.0	401.7	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Liver	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Intrahepatic Bile Duct	0.0	0.0	401.7	0	0.0	0.0	383.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Biliary	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Pancreas	^	^	^	^	0.0	0.0	383.6	0
Retroperitoneum	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Digestive Organs	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Respiratory System	^	^	^	^	0.0	0.0	383.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Larynx	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	383.6	0
Pleura	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Bones and Joints	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Soft Tissue including Heart	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Skin excluding Basal and Squamous	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Melanoma of the Skin	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Non-Epithelial Skin	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Breast	0.0	0.0	401.7	0	^	^	^	^
Female Genital System	0.0	0.0	401.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Corpus and Uterus, NOS	0.0	0.0	401.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	401.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Ovary	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Vagina	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Vulva	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Female Genital Organs	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Male Genital System	^	^	^	^	0.0	0.0	383.6	0
Prostate	^	^	^	^	0.0	0.0	383.6	0
Testis	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Penis	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Male Genital Organs	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Urinary System	0.0	0.0	401.7	0	^	^	^	^
Urinary Bladder	0.0	0.0	401.7	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Ureter	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Urinary Organs	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Eye and Orbit	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Brain and Other Nervous System	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Brain	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Cranial Nerves Other Nervous System	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Endocrine System	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Thyroid	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Endocrine including Thymus	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Lymphoma	^	^	^	^	0.0	0.0	383.6	0
Hodgkin Lymphoma	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Hodgkin - Nodal	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Hodgkin - Extranodal	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	383.6	0
NHL - Nodal	^	^	^	^	0.0	0.0	383.6	0
NHL - Extranodal	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Myeloma	^	^	^	^	0.0	0.0	383.6	0
Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Lymphocytic Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Acute Lymphocytic Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Lymphocytic Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Acute Myeloid Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Acute Monocytic Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Chronic Myeloid Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Other Acute Leukemia	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Mesothelioma	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Kaposi Sarcoma	0.0	0.0	401.7	0	0.0	0.0	383.6	0
Miscellaneous	0.0	0.0	401.7	0	0.0	0.0	383.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	666.9	493.0	877.5	63	529.7	395.4	692.5	59
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	31.9	0
Lip	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Tongue	^	^	^	^	0.0	0.0	31.9	0
Salivary Gland	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Floor of Mouth	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Gum and Other Mouth	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Nasopharynx	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Tonsil	^	^	^	^	0.0	0.0	31.9	0
Oropharynx	^	^	^	^	0.0	0.0	31.9	0
Hypopharynx	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Oral Cavity and Pharynx	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Digestive System	187.8	94.9	323.6	15	59.0	19.9	129.9	6
Esophagus	^	^	^	^	0.0	0.0	31.9	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	31.9	0
Colon and Rectum	98.9	36.4	204.5	8	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	31.9	0
Appendix	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	31.9	0
Transverse Colon	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Splenic Flexure	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Descending Colon	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Sigmoid Colon	0.0	0.0	41.0	0	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	31.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	31.9	0
Liver	^	^	^	^	0.0	0.0	31.9	0
Intrahepatic Bile Duct	0.0	0.0	41.0	0	0.0	0.0	31.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Biliary	^	^	^	^	0.0	0.0	31.9	0
Pancreas	^	^	^	^	0.0	0.0	31.9	0
Retroperitoneum	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Digestive Organs	0.0	0.0	41.0	0	^	^	^	^
Respiratory System	87.4	35.4	175.9	9	131.5	64.7	231.5	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Larynx	^	^	^	^	0.0	0.0	31.9	0
Lung and Bronchus	80.7	30.6	168.2	8	131.5	64.7	231.5	11
Pleura	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Bones and Joints	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Soft Tissue including Heart	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Skin excluding Basal and Squamous	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Melanoma of the Skin	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Non-Epithelial Skin	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Breast	0.0	0.0	41.0	0	147.2	85.7	235.3	19
Female Genital System	0.0	0.0	41.0	0	51.5	19.5	110.6	7
Cervix Uteri	0.0	0.0	41.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	41.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	41.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Ovary	0.0	0.0	41.0	0	^	^	^	^
Vagina	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Vulva	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Female Genital Organs	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Male Genital System	295.5	182.5	446.7	25	0.0	0.0	31.9	0
Prostate	288.6	176.5	439.2	24	0.0	0.0	31.9	0
Testis	^	^	^	^	0.0	0.0	31.9	0
Penis	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Male Genital Organs	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Urinary Organs	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Eye and Orbit	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Myeloma	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	41.0	0	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	41.0	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	41.0	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Chronic Myeloid Leukemia	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Leukemia	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Other Acute Leukemia	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Mesothelioma	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Kaposi Sarcoma	0.0	0.0	41.0	0	0.0	0.0	31.9	0
Miscellaneous	0.0	0.0	41.0	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	461.0	370.9	567.7	99	448.1	352.6	560.7	86
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	20.7	0
Lip	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Tongue	^	^	^	^	0.0	0.0	20.7	0
Salivary Gland	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Floor of Mouth	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Gum and Other Mouth	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Nasopharynx	^	^	^	^	0.0	0.0	20.7	0
Tonsil	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Oropharynx	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Hypopharynx	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Other Oral Cavity and Pharynx	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Digestive System	61.9	31.7	110.8	13	104.2	56.8	171.9	16
Esophagus	^	^	^	^	0.0	0.0	20.7	0
Stomach	0.0	0.0	26.2	0	^	^	^	^
Small Intestine	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Colon and Rectum	40.4	16.7	84.0	8	40.9	16.0	84.5	7
Colon excluding Rectum	31.6	10.9	73.1	6	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Ascending Colon	^	^	^	^	0.0	0.0	20.7	0
Hepatic Flexure	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Transverse Colon	^	^	^	^	0.0	0.0	20.7	0
Splenic Flexure	0.0	0.0	26.2	0	^	^	^	^
Descending Colon	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	0.0	0.0	26.2	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	20.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	26.2	0	^	^	^	^
Other Biliary	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	116.8	72.3	179.8	23	91.4	50.9	150.1	16
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	20.7	0
Larynx	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Lung and Bronchus	113.6	69.5	176.2	22	85.3	46.3	142.4	15
Pleura	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	26.2	0	^	^	^	^
Bones and Joints	^	^	^	^	0.0	0.0	20.7	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	20.7	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Breast	^	^	^	^	139.2	92.5	201.8	30
Female Genital System	0.0	0.0	26.2	0	58.3	29.2	104.5	12
Cervix Uteri	0.0	0.0	26.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	26.2	0	28.4	10.2	63.6	6
Corpus Uteri	0.0	0.0	26.2	0	28.4	10.2	63.6	6
Uterus, NOS	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Ovary	0.0	0.0	26.2	0	^	^	^	^
Vagina	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Vulva	0.0	0.0	26.2	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Male Genital System	123.6	78.8	186.2	26	0.0	0.0	20.7	0
Prostate	111.3	68.3	172.6	22	0.0	0.0	20.7	0
Testis	^	^	^	^	0.0	0.0	20.7	0
Penis	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Other Male Genital Organs	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Urinary System	47.0	22.0	90.6	10	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	20.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	32.0	12.5	70.9	7	^	^	^	^
Ureter	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Other Urinary Organs	^	^	^	^	0.0	0.0	20.7	0
Eye and Orbit	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Endocrine System	0.0	0.0	26.2	0	^	^	^	^
Thyroid	0.0	0.0	26.2	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Lymphoma	46.8	23.5	87.6	12	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	20.7	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	20.7	0
Hodgkin - Extranodal	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Non-Hodgkin Lymphoma	40.5	18.8	80.3	10	^	^	^	^
NHL - Nodal	35.3	15.6	73.3	9	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	20.7	0
Acute Lymphocytic Leukemia	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	20.7	0
Other Lymphocytic Leukemia	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	26.2	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Acute Monocytic Leukemia	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Chronic Myeloid Leukemia	0.0	0.0	26.2	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Other Leukemia	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Other Acute Leukemia	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Mesothelioma	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Kaposi Sarcoma	0.0	0.0	26.2	0	0.0	0.0	20.7	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	591.7	381.8	867.0	29	764.4	544.8	1,039.3	42
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Tongue	^	^	^	^	0.0	0.0	62.6	0
Salivary Gland	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Floor of Mouth	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Gum and Other Mouth	0.0	0.0	68.6	0	^	^	^	^
Nasopharynx	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Tonsil	^	^	^	^	0.0	0.0	62.6	0
Oropharynx	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Hypopharynx	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Oral Cavity and Pharynx	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Digestive System	181.3	72.4	361.0	8	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	62.6	0
Stomach	^	^	^	^	0.0	0.0	62.6	0
Small Intestine	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Colon and Rectum	113.4	38.5	252.2	6	^	^	^	^
Colon excluding Rectum	113.4	38.5	252.2	6	^	^	^	^
Cecum	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Appendix	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	62.6	0
Transverse Colon	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Splenic Flexure	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Descending Colon	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	62.6	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	62.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	68.6	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Rectum	0.0	0.0	68.6	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Liver	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Intrahepatic Bile Duct	0.0	0.0	68.6	0	0.0	0.0	62.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	68.6	0	^	^	^	^
Other Biliary	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Pancreas	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Retroperitoneum	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Digestive Organs	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Respiratory System	^	^	^	^	134.2	52.5	275.2	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Larynx	0.0	0.0	68.6	0	^	^	^	^
Lung and Bronchus	^	^	^	^	113.3	40.1	245.9	6
Pleura	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Bones and Joints	^	^	^	^	0.0	0.0	62.6	0
Soft Tissue including Heart	0.0	0.0	68.6	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	68.6	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Non-Epithelial Skin	0.0	0.0	68.6	0	^	^	^	^
Breast	0.0	0.0	68.6	0	332.7	197.3	522.9	19
Female Genital System	0.0	0.0	68.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Corpus and Uterus, NOS	0.0	0.0	68.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	68.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Ovary	0.0	0.0	68.6	0	^	^	^	^
Vagina	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Vulva	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Female Genital Organs	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Male Genital System	165.0	67.5	328.0	8	0.0	0.0	62.6	0
Prostate	165.0	67.5	328.0	8	0.0	0.0	62.6	0
Testis	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Penis	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Male Genital Organs	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Urinary System	^	^	^	^	0.0	0.0	62.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	62.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Ureter	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Urinary Organs	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Eye and Orbit	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Brain and Other Nervous System	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Brain	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Cranial Nerves Other Nervous System	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Endocrine System	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Thyroid	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Endocrine including Thymus	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Hodgkin - Nodal	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Hodgkin - Extranodal	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	68.6	0	^	^	^	^
Myeloma	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Acute Lymphocytic Leukemia	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Lymphocytic Leukemia	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	62.6	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	62.6	0
Acute Monocytic Leukemia	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Chronic Myeloid Leukemia	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Other Leukemia	0.0	0.0	68.6	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	68.6	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	68.6	0	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	62.6	0
Kaposi Sarcoma	0.0	0.0	68.6	0	0.0	0.0	62.6	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	432.8	235.6	722.4	17	440.4	205.7	794.2	12
Oral Cavity and Pharynx	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Lip	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Tongue	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Salivary Gland	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Floor of Mouth	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Gum and Other Mouth	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Nasopharynx	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Tonsil	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Oropharynx	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Hypopharynx	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Oral Cavity and Pharynx	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Stomach	0.0	0.0	116.7	0	^	^	^	^
Small Intestine	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	111.4	0
Cecum	^	^	^	^	0.0	0.0	111.4	0
Appendix	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Ascending Colon	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Hepatic Flexure	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Transverse Colon	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Splenic Flexure	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Descending Colon	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Sigmoid Colon	^	^	^	^	0.0	0.0	111.4	0
Large Intestine, NOS	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	111.4	0
Liver	^	^	^	^	0.0	0.0	111.4	0
Intrahepatic Bile Duct	0.0	0.0	116.7	0	0.0	0.0	111.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Biliary	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Pancreas	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Retroperitoneum	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Digestive Organs	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Larynx	^	^	^	^	0.0	0.0	111.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Bones and Joints	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Soft Tissue including Heart	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	111.4	0
Melanoma of the Skin	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	111.4	0
Breast	0.0	0.0	116.7	0	^	^	^	^
Female Genital System	0.0	0.0	116.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Corpus and Uterus, NOS	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Corpus Uteri	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Uterus, NOS	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Ovary	0.0	0.0	116.7	0	^	^	^	^
Vagina	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Vulva	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Female Genital Organs	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Male Genital System	252.9	99.5	511.6	8	0.0	0.0	111.4	0
Prostate	242.2	91.2	500.8	7	0.0	0.0	111.4	0
Testis	^	^	^	^	0.0	0.0	111.4	0
Penis	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Male Genital Organs	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Urinary System	^	^	^	^	0.0	0.0	111.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	111.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Ureter	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Urinary Organs	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Eye and Orbit	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Brain and Other Nervous System	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Brain	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Cranial Nerves Other Nervous System	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Endocrine System	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Thyroid	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Endocrine including Thymus	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Lymphoma	0.0	0.0	116.7	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Hodgkin - Nodal	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Hodgkin - Extranodal	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Non-Hodgkin Lymphoma	0.0	0.0	116.7	0	^	^	^	^
NHL - Nodal	0.0	0.0	116.7	0	^	^	^	^
NHL - Extranodal	0.0	0.0	116.7	0	^	^	^	^
Myeloma	0.0	0.0	116.7	0	^	^	^	^
Leukemia	0.0	0.0	116.7	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Acute Lymphocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Lymphocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Acute Myeloid Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Acute Monocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Chronic Myeloid Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Other Leukemia	0.0	0.0	116.7	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	116.7	0	^	^	^	^
Mesothelioma	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Kaposi Sarcoma	0.0	0.0	116.7	0	0.0	0.0	111.4	0
Miscellaneous	0.0	0.0	116.7	0	0.0	0.0	111.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Lip	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Tongue	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Salivary Gland	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Floor of Mouth	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Gum and Other Mouth	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Nasopharynx	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Tonsil	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Oropharynx	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Hypopharynx	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Oral Cavity and Pharynx	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Digestive System	0.0	0.0	808.9	0	^	^	^	^
Esophagus	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Stomach	0.0	0.0	808.9	0	^	^	^	^
Small Intestine	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Colon and Rectum	0.0	0.0	808.9	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Cecum	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Appendix	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Ascending Colon	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Hepatic Flexure	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Transverse Colon	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Splenic Flexure	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Descending Colon	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Sigmoid Colon	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Large Intestine, NOS	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	808.9	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Rectum	0.0	0.0	808.9	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Liver	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Intrahepatic Bile Duct	0.0	0.0	808.9	0	0.0	0.0	758.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Biliary	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Pancreas	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Retroperitoneum	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Digestive Organs	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Respiratory System	^	^	^	^	0.0	0.0	758.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Larynx	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Lung and Bronchus	^	^	^	^	0.0	0.0	758.5	0
Pleura	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Bones and Joints	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Soft Tissue including Heart	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Skin excluding Basal and Squamous	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Melanoma of the Skin	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Non-Epithelial Skin	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Breast	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Female Genital System	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Cervix Uteri	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Corpus and Uterus, NOS	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Corpus Uteri	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Uterus, NOS	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Ovary	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Vagina	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Vulva	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Female Genital Organs	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Male Genital System	^	^	^	^	0.0	0.0	758.5	0
Prostate	^	^	^	^	0.0	0.0	758.5	0
Testis	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Penis	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Male Genital Organs	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Urinary System	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Urinary Bladder	0.0	0.0	808.9	0	0.0	0.0	758.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Ureter	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Urinary Organs	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Eye and Orbit	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Brain and Other Nervous System	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Brain	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Cranial Nerves Other Nervous System	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Endocrine System	0.0	0.0	808.9	0	^	^	^	^
Thyroid	0.0	0.0	808.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Lymphoma	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Hodgkin Lymphoma	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Hodgkin - Nodal	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Hodgkin - Extranodal	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Non-Hodgkin Lymphoma	0.0	0.0	808.9	0	0.0	0.0	758.5	0
NHL - Nodal	0.0	0.0	808.9	0	0.0	0.0	758.5	0
NHL - Extranodal	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Myeloma	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Lymphocytic Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Acute Lymphocytic Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Lymphocytic Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Acute Myeloid Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Acute Monocytic Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Chronic Myeloid Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Other Acute Leukemia	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Mesothelioma	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Kaposi Sarcoma	0.0	0.0	808.9	0	0.0	0.0	758.5	0
Miscellaneous	0.0	0.0	808.9	0	0.0	0.0	758.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	677.5	532.4	846.3	114	467.0	365.7	585.9	89
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Tongue	^	^	^	^	0.0	0.0	20.5	0
Salivary Gland	^	^	^	^	0.0	0.0	20.5	0
Floor of Mouth	0.0	0.0	27.8	0	^	^	^	^
Gum and Other Mouth	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Nasopharynx	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Tonsil	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Oropharynx	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Hypopharynx	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Other Oral Cavity and Pharynx	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Digestive System	118.3	58.1	206.7	20	88.3	44.6	152.7	13
Esophagus	^	^	^	^	0.0	0.0	20.5	0
Stomach	^	^	^	^	0.0	0.0	20.5	0
Small Intestine	^	^	^	^	0.0	0.0	20.5	0
Colon and Rectum	42.7	14.4	95.2	7	73.2	34.6	132.2	11
Colon excluding Rectum	^	^	^	^	73.2	34.6	132.2	11
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Ascending Colon	^	^	^	^	0.0	0.0	20.5	0
Hepatic Flexure	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	27.8	0	^	^	^	^
Descending Colon	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	20.5	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	20.5	0
Rectum	^	^	^	^	0.0	0.0	20.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	27.8	0	0.0	0.0	20.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	20.5	0
Other Biliary	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Other Digestive Organs	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Respiratory System	101.5	55.7	168.9	16	89.0	48.0	148.7	16
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	20.5	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	82.3	41.9	144.5	13	86.2	45.6	145.7	15
Pleura	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Bones and Joints	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	20.5	0
Skin excluding Basal and Squamous	66.9	20.6	147.1	9	^	^	^	^
Melanoma of the Skin	66.9	20.6	147.1	9	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Breast	0.0	0.0	27.8	0	115.9	69.2	180.5	24
Female Genital System	0.0	0.0	27.8	0	78.4	42.4	131.7	16
Cervix Uteri	0.0	0.0	27.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	27.8	0	37.0	13.7	78.6	7
Corpus Uteri	0.0	0.0	27.8	0	37.0	13.7	78.6	7
Uterus, NOS	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Ovary	0.0	0.0	27.8	0	^	^	^	^
Vagina	0.0	0.0	27.8	0	^	^	^	^
Vulva	0.0	0.0	27.8	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Male Genital System	210.8	137.0	307.4	38	0.0	0.0	20.5	0
Prostate	195.6	123.3	291.4	33	0.0	0.0	20.5	0
Testis	^	^	^	^	0.0	0.0	20.5	0
Penis	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Other Male Genital Organs	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Urinary System	109.2	54.7	189.6	14	^	^	^	^
Urinary Bladder	63.9	24.7	129.4	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	^	^	^	^	0.0	0.0	20.5	0
Other Urinary Organs	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Eye and Orbit	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Lymphoma	26.4	9.1	64.0	6	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Hodgkin - Nodal	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Hodgkin - Extranodal	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Non-Hodgkin Lymphoma	26.4	9.1	64.0	6	^	^	^	^
NHL - Nodal	26.4	9.1	64.0	6	^	^	^	^
NHL - Extranodal	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	20.5	0
Acute Lymphocytic Leukemia	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	20.5	0
Other Lymphocytic Leukemia	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Acute Myeloid Leukemia	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Acute Monocytic Leukemia	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Chronic Myeloid Leukemia	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Other Leukemia	0.0	0.0	27.8	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	27.8	0	^	^	^	^
Mesothelioma	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Kaposi Sarcoma	0.0	0.0	27.8	0	0.0	0.0	20.5	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	651.1	385.4	1,023.4	20	518.7	264.3	896.0	13
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Tongue	0.0	0.0	128.4	0	^	^	^	^
Salivary Gland	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Floor of Mouth	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Gum and Other Mouth	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Nasopharynx	^	^	^	^	0.0	0.0	125.5	0
Tonsil	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Oropharynx	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Hypopharynx	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Oral Cavity and Pharynx	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Digestive System	416.2	208.3	734.8	12	307.8	116.5	630.6	7
Esophagus	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Colon and Rectum	201.3	70.6	443.9	6	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	125.5	0
Appendix	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Ascending Colon	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Hepatic Flexure	^	^	^	^	0.0	0.0	125.5	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	128.4	0	^	^	^	^
Descending Colon	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	125.5	0
Liver	^	^	^	^	0.0	0.0	125.5	0
Intrahepatic Bile Duct	0.0	0.0	128.4	0	0.0	0.0	125.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	128.4	0	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	125.5	0
Pancreas	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Retroperitoneum	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Digestive Organs	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Larynx	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Bones and Joints	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Soft Tissue including Heart	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Skin excluding Basal and Squamous	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Melanoma of the Skin	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Non-Epithelial Skin	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Breast	0.0	0.0	128.4	0	^	^	^	^
Female Genital System	0.0	0.0	128.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Corpus and Uterus, NOS	0.0	0.0	128.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	128.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Ovary	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Vagina	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Vulva	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Female Genital Organs	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Male Genital System	^	^	^	^	0.0	0.0	125.5	0
Prostate	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Testis	^	^	^	^	0.0	0.0	125.5	0
Penis	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Male Genital Organs	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Urinary System	^	^	^	^	0.0	0.0	125.5	0
Urinary Bladder	^	^	^	^	0.0	0.0	125.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	125.5	0
Ureter	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Urinary Organs	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Eye and Orbit	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	125.5	0
Brain	^	^	^	^	0.0	0.0	125.5	0
Cranial Nerves Other Nervous System	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Endocrine System	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Thyroid	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Endocrine including Thymus	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Lymphoma	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Hodgkin Lymphoma	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Hodgkin - Nodal	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Hodgkin - Extranodal	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Non-Hodgkin Lymphoma	0.0	0.0	128.4	0	0.0	0.0	125.5	0
NHL - Nodal	0.0	0.0	128.4	0	0.0	0.0	125.5	0
NHL - Extranodal	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Myeloma	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Lymphocytic Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Acute Lymphocytic Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Lymphocytic Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Acute Myeloid Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Acute Monocytic Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Chronic Myeloid Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Other Acute Leukemia	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Mesothelioma	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Kaposi Sarcoma	0.0	0.0	128.4	0	0.0	0.0	125.5	0
Miscellaneous	0.0	0.0	128.4	0	0.0	0.0	125.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	935.4	421.4	1,754.3	14	450.4	170.2	926.7	9
Oral Cavity and Pharynx	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Lip	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Tongue	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Salivary Gland	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Floor of Mouth	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Gum and Other Mouth	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Nasopharynx	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Tonsil	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Oropharynx	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Hypopharynx	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Oral Cavity and Pharynx	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Stomach	0.0	0.0	378.6	0	^	^	^	^
Small Intestine	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Appendix	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Ascending Colon	0.0	0.0	378.6	0	^	^	^	^
Hepatic Flexure	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Transverse Colon	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Splenic Flexure	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Descending Colon	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Sigmoid Colon	^	^	^	^	0.0	0.0	200.5	0
Large Intestine, NOS	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Rectosigmoid Junction	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Rectum	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Liver	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Intrahepatic Bile Duct	0.0	0.0	378.6	0	0.0	0.0	200.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Biliary	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Pancreas	^	^	^	^	0.0	0.0	200.5	0
Retroperitoneum	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Digestive Organs	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Respiratory System	400.4	109.0	1,005.2	6	0.0	0.0	200.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Larynx	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Lung and Bronchus	400.4	109.0	1,005.2	6	0.0	0.0	200.5	0
Pleura	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Bones and Joints	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Soft Tissue including Heart	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Skin excluding Basal and Squamous	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Melanoma of the Skin	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Non-Epithelial Skin	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Breast	0.0	0.0	378.6	0	^	^	^	^
Female Genital System	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Cervix Uteri	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Corpus and Uterus, NOS	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Corpus Uteri	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Uterus, NOS	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Ovary	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Vagina	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Vulva	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Female Genital Organs	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Male Genital System	^	^	^	^	0.0	0.0	200.5	0
Prostate	^	^	^	^	0.0	0.0	200.5	0
Testis	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Penis	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Male Genital Organs	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Urinary System	0.0	0.0	378.6	0	^	^	^	^
Urinary Bladder	0.0	0.0	378.6	0	0.0	0.0	200.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	378.6	0	^	^	^	^
Ureter	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Urinary Organs	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Eye and Orbit	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Brain and Other Nervous System	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Brain	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Cranial Nerves Other Nervous System	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Endocrine System	^	^	^	^	0.0	0.0	200.5	0
Thyroid	^	^	^	^	0.0	0.0	200.5	0
Other Endocrine including Thymus	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Lymphoma	^	^	^	^	0.0	0.0	200.5	0
Hodgkin Lymphoma	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Hodgkin - Nodal	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Hodgkin - Extranodal	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	200.5	0
NHL - Nodal	^	^	^	^	0.0	0.0	200.5	0
NHL - Extranodal	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Myeloma	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Lymphocytic Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Acute Lymphocytic Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Lymphocytic Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Acute Myeloid Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Acute Monocytic Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Chronic Myeloid Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Other Acute Leukemia	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Mesothelioma	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Kaposi Sarcoma	0.0	0.0	378.6	0	0.0	0.0	200.5	0
Miscellaneous	0.0	0.0	378.6	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Lip	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Tongue	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Salivary Gland	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Floor of Mouth	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Gum and Other Mouth	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Nasopharynx	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Tonsil	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Oropharynx	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Hypopharynx	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Oral Cavity and Pharynx	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Digestive System	^	^	^	^	0.0	0.0	209.6	0
Esophagus	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Stomach	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Small Intestine	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Colon and Rectum	^	^	^	^	0.0	0.0	209.6	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	209.6	0
Cecum	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Appendix	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Ascending Colon	^	^	^	^	0.0	0.0	209.6	0
Hepatic Flexure	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Transverse Colon	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Splenic Flexure	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Descending Colon	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	209.6	0
Large Intestine, NOS	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Rectosigmoid Junction	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Rectum	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Liver	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Intrahepatic Bile Duct	0.0	0.0	216.0	0	0.0	0.0	209.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Biliary	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Pancreas	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Retroperitoneum	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Digestive Organs	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	216.0	0	^	^	^	^
Larynx	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	209.6	0
Pleura	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Bones and Joints	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Soft Tissue including Heart	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Skin excluding Basal and Squamous	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Melanoma of the Skin	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Non-Epithelial Skin	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Breast	0.0	0.0	216.0	0	^	^	^	^
Female Genital System	0.0	0.0	216.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	216.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Corpus Uteri	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Uterus, NOS	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Ovary	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Vagina	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Vulva	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Female Genital Organs	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Male Genital System	^	^	^	^	0.0	0.0	209.6	0
Prostate	^	^	^	^	0.0	0.0	209.6	0
Testis	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Penis	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Male Genital Organs	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Urinary System	0.0	0.0	216.0	0	^	^	^	^
Urinary Bladder	0.0	0.0	216.0	0	0.0	0.0	209.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	216.0	0	^	^	^	^
Ureter	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Urinary Organs	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Eye and Orbit	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Brain and Other Nervous System	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Brain	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Cranial Nerves Other Nervous System	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Endocrine System	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Thyroid	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Endocrine including Thymus	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Lymphoma	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Hodgkin Lymphoma	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Hodgkin - Nodal	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Hodgkin - Extranodal	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Non-Hodgkin Lymphoma	0.0	0.0	216.0	0	0.0	0.0	209.6	0
NHL - Nodal	0.0	0.0	216.0	0	0.0	0.0	209.6	0
NHL - Extranodal	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Myeloma	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	216.0	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	216.0	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Lymphocytic Leukemia	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	209.6	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	209.6	0
Acute Monocytic Leukemia	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Chronic Myeloid Leukemia	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Leukemia	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Other Acute Leukemia	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Mesothelioma	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Kaposi Sarcoma	0.0	0.0	216.0	0	0.0	0.0	209.6	0
Miscellaneous	0.0	0.0	216.0	0	0.0	0.0	209.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	604.3	247.7	1,199.0	12	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Lip	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Tongue	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Salivary Gland	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Floor of Mouth	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Gum and Other Mouth	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Nasopharynx	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Tonsil	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Oropharynx	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Hypopharynx	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Oral Cavity and Pharynx	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	283.1	0
Stomach	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Small Intestine	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Colon and Rectum	0.0	0.0	278.7	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	278.7	0	^	^	^	^
Cecum	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Appendix	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Ascending Colon	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Hepatic Flexure	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Transverse Colon	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Splenic Flexure	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Descending Colon	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Sigmoid Colon	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Large Intestine, NOS	0.0	0.0	278.7	0	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Rectosigmoid Junction	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Rectum	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Liver	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Intrahepatic Bile Duct	0.0	0.0	278.7	0	0.0	0.0	283.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Biliary	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Pancreas	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Retroperitoneum	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Digestive Organs	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Larynx	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Bones and Joints	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Soft Tissue including Heart	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	283.1	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	283.1	0
Other Non-Epithelial Skin	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Breast	0.0	0.0	278.7	0	^	^	^	^
Female Genital System	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Cervix Uteri	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Corpus and Uterus, NOS	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Corpus Uteri	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Uterus, NOS	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Ovary	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Vagina	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Vulva	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Female Genital Organs	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Male Genital System	^	^	^	^	0.0	0.0	283.1	0
Prostate	^	^	^	^	0.0	0.0	283.1	0
Testis	^	^	^	^	0.0	0.0	283.1	0
Penis	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Male Genital Organs	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Urinary System	^	^	^	^	0.0	0.0	283.1	0
Urinary Bladder	0.0	0.0	278.7	0	0.0	0.0	283.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	283.1	0
Ureter	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Urinary Organs	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Eye and Orbit	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Brain and Other Nervous System	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Brain	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Cranial Nerves Other Nervous System	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Endocrine System	0.0	0.0	278.7	0	^	^	^	^
Thyroid	0.0	0.0	278.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Lymphoma	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Hodgkin Lymphoma	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Hodgkin - Nodal	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Hodgkin - Extranodal	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Non-Hodgkin Lymphoma	0.0	0.0	278.7	0	0.0	0.0	283.1	0
NHL - Nodal	0.0	0.0	278.7	0	0.0	0.0	283.1	0
NHL - Extranodal	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Myeloma	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Lymphocytic Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Acute Lymphocytic Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Lymphocytic Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Acute Myeloid Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Acute Monocytic Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Chronic Myeloid Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Other Acute Leukemia	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Mesothelioma	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Kaposi Sarcoma	0.0	0.0	278.7	0	0.0	0.0	283.1	0
Miscellaneous	0.0	0.0	278.7	0	0.0	0.0	283.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	317.2	151.6	584.1	11	651.4	399.2	995.9	22
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	100.7	0
Lip	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Tongue	^	^	^	^	0.0	0.0	100.7	0
Salivary Gland	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Floor of Mouth	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Gum and Other Mouth	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Nasopharynx	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Tonsil	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Oropharynx	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Hypopharynx	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Oral Cavity and Pharynx	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Digestive System	166.7	57.0	380.2	6	^	^	^	^
Esophagus	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Stomach	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Small Intestine	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Colon and Rectum	166.7	57.0	380.2	6	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Appendix	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Ascending Colon	^	^	^	^	0.0	0.0	100.7	0
Hepatic Flexure	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Transverse Colon	^	^	^	^	0.0	0.0	100.7	0
Splenic Flexure	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Descending Colon	0.0	0.0	124.3	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	100.7	0
Rectosigmoid Junction	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Rectum	^	^	^	^	0.0	0.0	100.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	124.3	0	^	^	^	^
Liver	0.0	0.0	124.3	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	124.3	0	0.0	0.0	100.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Biliary	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Pancreas	0.0	0.0	124.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Digestive Organs	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Respiratory System	0.0	0.0	124.3	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Larynx	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Lung and Bronchus	0.0	0.0	124.3	0	^	^	^	^
Pleura	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Bones and Joints	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Soft Tissue including Heart	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Skin excluding Basal and Squamous	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Melanoma of the Skin	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Non-Epithelial Skin	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Breast	0.0	0.0	124.3	0	^	^	^	^
Female Genital System	0.0	0.0	124.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Corpus and Uterus, NOS	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Corpus Uteri	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Uterus, NOS	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Ovary	0.0	0.0	124.3	0	^	^	^	^
Vagina	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Vulva	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Female Genital Organs	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Male Genital System	^	^	^	^	0.0	0.0	100.7	0
Prostate	^	^	^	^	0.0	0.0	100.7	0
Testis	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Penis	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Male Genital Organs	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	124.3	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Urinary Organs	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Eye and Orbit	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Brain and Other Nervous System	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Brain	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Cranial Nerves Other Nervous System	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Endocrine System	0.0	0.0	124.3	0	^	^	^	^
Thyroid	0.0	0.0	124.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Lymphoma	0.0	0.0	124.3	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Hodgkin - Nodal	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Hodgkin - Extranodal	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Non-Hodgkin Lymphoma	0.0	0.0	124.3	0	^	^	^	^
NHL - Nodal	0.0	0.0	124.3	0	^	^	^	^
NHL - Extranodal	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Myeloma	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Leukemia	0.0	0.0	124.3	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	124.3	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	124.3	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Acute Myeloid Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Acute Monocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Chronic Myeloid Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Other Acute Leukemia	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Mesothelioma	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Kaposi Sarcoma	0.0	0.0	124.3	0	0.0	0.0	100.7	0
Miscellaneous	0.0	0.0	124.3	0	0.0	0.0	100.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	360.1	143.4	798.4	7
Oral Cavity and Pharynx	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Lip	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Tongue	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Salivary Gland	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Floor of Mouth	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Gum and Other Mouth	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Nasopharynx	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Tonsil	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Oropharynx	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Hypopharynx	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Oral Cavity and Pharynx	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	293.7	0
Stomach	0.0	0.0	357.7	0	^	^	^	^
Small Intestine	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Colon and Rectum	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Colon excluding Rectum	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Cecum	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Appendix	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Ascending Colon	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Hepatic Flexure	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Transverse Colon	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Splenic Flexure	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Descending Colon	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Sigmoid Colon	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Large Intestine, NOS	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Rectosigmoid Junction	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Rectum	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Liver	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Intrahepatic Bile Duct	0.0	0.0	357.7	0	0.0	0.0	293.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Biliary	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Pancreas	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Retroperitoneum	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Digestive Organs	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Respiratory System	^	^	^	^	0.0	0.0	293.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Larynx	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Lung and Bronchus	^	^	^	^	0.0	0.0	293.7	0
Pleura	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Bones and Joints	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Soft Tissue including Heart	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Skin excluding Basal and Squamous	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Melanoma of the Skin	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Non-Epithelial Skin	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Breast	0.0	0.0	357.7	0	^	^	^	^
Female Genital System	0.0	0.0	357.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Corpus and Uterus, NOS	0.0	0.0	357.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	357.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Ovary	0.0	0.0	357.7	0	^	^	^	^
Vagina	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Vulva	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Female Genital Organs	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Male Genital System	^	^	^	^	0.0	0.0	293.7	0
Prostate	^	^	^	^	0.0	0.0	293.7	0
Testis	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Penis	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Male Genital Organs	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Urinary System	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Urinary Bladder	0.0	0.0	357.7	0	0.0	0.0	293.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Ureter	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Urinary Organs	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Eye and Orbit	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Brain and Other Nervous System	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Brain	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Cranial Nerves Other Nervous System	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Endocrine System	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Thyroid	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Endocrine including Thymus	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Lymphoma	^	^	^	^	0.0	0.0	293.7	0
Hodgkin Lymphoma	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Hodgkin - Nodal	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Hodgkin - Extranodal	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	293.7	0
NHL - Nodal	0.0	0.0	357.7	0	0.0	0.0	293.7	0
NHL - Extranodal	^	^	^	^	0.0	0.0	293.7	0
Myeloma	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Leukemia	0.0	0.0	357.7	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Acute Lymphocytic Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Lymphocytic Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	357.7	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	357.7	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Chronic Myeloid Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Other Acute Leukemia	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Mesothelioma	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Kaposi Sarcoma	0.0	0.0	357.7	0	0.0	0.0	293.7	0
Miscellaneous	0.0	0.0	357.7	0	0.0	0.0	293.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	1,236.8	549.7	2,262.5	17	437.7	175.8	881.1	9
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	196.4	0
Lip	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Tongue	^	^	^	^	0.0	0.0	196.4	0
Salivary Gland	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Floor of Mouth	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Gum and Other Mouth	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Nasopharynx	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Tonsil	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Oropharynx	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Hypopharynx	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Oral Cavity and Pharynx	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Stomach	0.0	0.0	270.3	0	^	^	^	^
Small Intestine	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	196.4	0
Appendix	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Ascending Colon	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Hepatic Flexure	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Transverse Colon	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Splenic Flexure	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Descending Colon	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Sigmoid Colon	0.0	0.0	270.3	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Rectosigmoid Junction	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Rectum	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Liver	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Intrahepatic Bile Duct	0.0	0.0	270.3	0	0.0	0.0	196.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Biliary	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Pancreas	0.0	0.0	270.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Digestive Organs	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Larynx	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Bones and Joints	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Soft Tissue including Heart	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Skin excluding Basal and Squamous	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Melanoma of the Skin	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Non-Epithelial Skin	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Breast	0.0	0.0	270.3	0	^	^	^	^
Female Genital System	0.0	0.0	270.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Corpus and Uterus, NOS	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Corpus Uteri	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Uterus, NOS	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Ovary	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Vagina	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Vulva	0.0	0.0	270.3	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Male Genital System	366.4	145.5	784.4	8	0.0	0.0	196.4	0
Prostate	366.4	145.5	784.4	8	0.0	0.0	196.4	0
Testis	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Penis	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Male Genital Organs	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	196.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	270.3	0	^	^	^	^
Ureter	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Urinary Organs	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Eye and Orbit	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Brain and Other Nervous System	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Brain	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Cranial Nerves Other Nervous System	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Endocrine System	^	^	^	^	0.0	0.0	196.4	0
Thyroid	^	^	^	^	0.0	0.0	196.4	0
Other Endocrine including Thymus	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Lymphoma	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Hodgkin Lymphoma	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Hodgkin - Nodal	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Hodgkin - Extranodal	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Non-Hodgkin Lymphoma	0.0	0.0	270.3	0	0.0	0.0	196.4	0
NHL - Nodal	0.0	0.0	270.3	0	0.0	0.0	196.4	0
NHL - Extranodal	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Myeloma	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Leukemia	^	^	^	^	0.0	0.0	196.4	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	196.4	0
Acute Lymphocytic Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	196.4	0
Other Lymphocytic Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Acute Myeloid Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Acute Monocytic Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Chronic Myeloid Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Other Acute Leukemia	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Mesothelioma	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Kaposi Sarcoma	0.0	0.0	270.3	0	0.0	0.0	196.4	0
Miscellaneous	^	^	^	^	0.0	0.0	196.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	597.5	346.3	950.2	21	434.8	226.1	748.9	17
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	^	^	^	^	0.0	0.0	121.0	0
Tongue	^	^	^	^	0.0	0.0	121.0	0
Salivary Gland	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Floor of Mouth	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Gum and Other Mouth	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Nasopharynx	0.0	0.0	115.6	0	^	^	^	^
Tonsil	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Oropharynx	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Hypopharynx	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Oral Cavity and Pharynx	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Small Intestine	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	115.6	0	^	^	^	^
Cecum	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Appendix	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Ascending Colon	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Hepatic Flexure	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Transverse Colon	0.0	0.0	115.6	0	^	^	^	^
Splenic Flexure	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Descending Colon	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Sigmoid Colon	0.0	0.0	115.6	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	121.0	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	121.0	0
Rectum	^	^	^	^	0.0	0.0	121.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Liver	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Intrahepatic Bile Duct	0.0	0.0	115.6	0	0.0	0.0	121.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Biliary	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Pancreas	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Retroperitoneum	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Digestive Organs	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Respiratory System	173.8	66.0	375.1	7	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	143.8	49.0	332.5	6	^	^	^	^
Pleura	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Bones and Joints	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Soft Tissue including Heart	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Skin excluding Basal and Squamous	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Melanoma of the Skin	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Non-Epithelial Skin	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Breast	0.0	0.0	115.6	0	^	^	^	^
Female Genital System	0.0	0.0	115.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Corpus and Uterus, NOS	0.0	0.0	115.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	115.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Ovary	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Vagina	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Vulva	0.0	0.0	115.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Male Genital System	172.2	56.1	392.7	6	0.0	0.0	121.0	0
Prostate	172.2	56.1	392.7	6	0.0	0.0	121.0	0
Testis	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Penis	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Male Genital Organs	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Urinary System	^	^	^	^	0.0	0.0	121.0	0
Urinary Bladder	0.0	0.0	115.6	0	0.0	0.0	121.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	121.0	0
Ureter	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Urinary Organs	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Eye and Orbit	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Brain and Other Nervous System	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Brain	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Cranial Nerves Other Nervous System	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Endocrine System	0.0	0.0	115.6	0	^	^	^	^
Thyroid	0.0	0.0	115.6	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Hodgkin - Nodal	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Hodgkin - Extranodal	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	121.0	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Lymphocytic Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Acute Lymphocytic Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Lymphocytic Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Acute Myeloid Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Acute Monocytic Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Chronic Myeloid Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Other Acute Leukemia	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Mesothelioma	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Kaposi Sarcoma	0.0	0.0	115.6	0	0.0	0.0	121.0	0
Miscellaneous	0.0	0.0	115.6	0	0.0	0.0	121.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	641.1	272.9	1,256.6	9	436.5	152.2	938.9	7
Oral Cavity and Pharynx	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Lip	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Tongue	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Salivary Gland	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Floor of Mouth	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Gum and Other Mouth	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Nasopharynx	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Tonsil	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Oropharynx	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Hypopharynx	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Oral Cavity and Pharynx	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Stomach	^	^	^	^	0.0	0.0	223.6	0
Small Intestine	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Appendix	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Splenic Flexure	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Descending Colon	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Sigmoid Colon	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Large Intestine, NOS	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Rectosigmoid Junction	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Rectum	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Liver	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Intrahepatic Bile Duct	0.0	0.0	308.7	0	0.0	0.0	223.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	308.7	0	^	^	^	^
Other Biliary	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Pancreas	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Retroperitoneum	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Digestive Organs	^	^	^	^	0.0	0.0	223.6	0
Respiratory System	^	^	^	^	0.0	0.0	223.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Larynx	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	223.6	0
Pleura	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Bones and Joints	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Soft Tissue including Heart	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Skin excluding Basal and Squamous	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Melanoma of the Skin	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Non-Epithelial Skin	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Breast	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Female Genital System	0.0	0.0	308.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	308.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	308.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	308.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Ovary	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Vagina	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Vulva	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Female Genital Organs	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Male Genital System	^	^	^	^	0.0	0.0	223.6	0
Prostate	^	^	^	^	0.0	0.0	223.6	0
Testis	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Penis	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Male Genital Organs	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Urinary System	^	^	^	^	0.0	0.0	223.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	223.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Ureter	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Urinary Organs	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Eye and Orbit	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Brain and Other Nervous System	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Brain	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Cranial Nerves Other Nervous System	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Endocrine System	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Thyroid	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Endocrine including Thymus	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Hodgkin - Nodal	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Hodgkin - Extranodal	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	0.0	0.0	308.7	0	0.0	0.0	223.6	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Leukemia	^	^	^	^	0.0	0.0	223.6	0
Lymphocytic Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Acute Lymphocytic Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Lymphocytic Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	223.6	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	223.6	0
Acute Monocytic Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Chronic Myeloid Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Other Acute Leukemia	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Mesothelioma	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Kaposi Sarcoma	0.0	0.0	308.7	0	0.0	0.0	223.6	0
Miscellaneous	0.0	0.0	308.7	0	0.0	0.0	223.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	343.3	163.9	631.5	11	461.9	244.9	791.6	13
Oral Cavity and Pharynx	0.0	0.0	126.3	0	^	^	^	^
Lip	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Tongue	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Salivary Gland	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Floor of Mouth	0.0	0.0	126.3	0	^	^	^	^
Gum and Other Mouth	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Nasopharynx	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Tonsil	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Oropharynx	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Hypopharynx	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Oral Cavity and Pharynx	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Stomach	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Small Intestine	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	126.3	0	^	^	^	^
Appendix	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Ascending Colon	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Hepatic Flexure	^	^	^	^	0.0	0.0	132.2	0
Transverse Colon	^	^	^	^	0.0	0.0	132.2	0
Splenic Flexure	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Descending Colon	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Sigmoid Colon	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Large Intestine, NOS	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Rectosigmoid Junction	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Rectum	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Liver	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Intrahepatic Bile Duct	0.0	0.0	126.3	0	0.0	0.0	132.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	132.2	0
Other Biliary	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Pancreas	0.0	0.0	126.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Digestive Organs	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Larynx	0.0	0.0	126.3	0	^	^	^	^
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Bones and Joints	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Soft Tissue including Heart	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Skin excluding Basal and Squamous	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Melanoma of the Skin	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Non-Epithelial Skin	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Breast	0.0	0.0	126.3	0	^	^	^	^
Female Genital System	0.0	0.0	126.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Corpus and Uterus, NOS	0.0	0.0	126.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	126.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Ovary	0.0	0.0	126.3	0	^	^	^	^
Vagina	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Vulva	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Female Genital Organs	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Male Genital System	^	^	^	^	0.0	0.0	132.2	0
Prostate	^	^	^	^	0.0	0.0	132.2	0
Testis	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Penis	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Male Genital Organs	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Urinary System	^	^	^	^	0.0	0.0	132.2	0
Urinary Bladder	^	^	^	^	0.0	0.0	132.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	132.2	0
Ureter	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Urinary Organs	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Eye and Orbit	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	132.2	0
Brain	^	^	^	^	0.0	0.0	132.2	0
Cranial Nerves Other Nervous System	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Endocrine System	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Thyroid	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Endocrine including Thymus	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Lymphoma	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Hodgkin Lymphoma	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Hodgkin - Nodal	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Hodgkin - Extranodal	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Non-Hodgkin Lymphoma	0.0	0.0	126.3	0	0.0	0.0	132.2	0
NHL - Nodal	0.0	0.0	126.3	0	0.0	0.0	132.2	0
NHL - Extranodal	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Myeloma	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Lymphocytic Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Acute Lymphocytic Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Lymphocytic Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Acute Myeloid Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Acute Monocytic Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Chronic Myeloid Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Other Acute Leukemia	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Mesothelioma	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Kaposi Sarcoma	0.0	0.0	126.3	0	0.0	0.0	132.2	0
Miscellaneous	^	^	^	^	0.0	0.0	132.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	1,402.7	0
Oral Cavity and Pharynx	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Lip	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Tongue	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Salivary Gland	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Floor of Mouth	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Gum and Other Mouth	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Nasopharynx	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Tonsil	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Oropharynx	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Hypopharynx	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Oral Cavity and Pharynx	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Digestive System	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Esophagus	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Stomach	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Small Intestine	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Colon and Rectum	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Colon excluding Rectum	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Cecum	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Appendix	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Ascending Colon	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Hepatic Flexure	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Transverse Colon	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Splenic Flexure	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Descending Colon	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Sigmoid Colon	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Large Intestine, NOS	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Rectosigmoid Junction	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Rectum	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Liver	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Intrahepatic Bile Duct	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Biliary	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Pancreas	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Retroperitoneum	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Digestive Organs	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Respiratory System	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Larynx	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Lung and Bronchus	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Pleura	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Bones and Joints	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Soft Tissue including Heart	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Skin excluding Basal and Squamous	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Melanoma of the Skin	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Non-Epithelial Skin	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Breast	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Female Genital System	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Cervix Uteri	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Corpus and Uterus, NOS	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Corpus Uteri	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Uterus, NOS	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Ovary	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Vagina	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Vulva	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Female Genital Organs	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Male Genital System	^	^	^	^	0.0	0.0	1,402.7	0
Prostate	^	^	^	^	0.0	0.0	1,402.7	0
Testis	^	^	^	^	0.0	0.0	1,402.7	0
Penis	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Male Genital Organs	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Urinary System	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Urinary Bladder	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Ureter	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Urinary Organs	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Eye and Orbit	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Brain and Other Nervous System	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Brain	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Cranial Nerves Other Nervous System	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Endocrine System	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Thyroid	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Endocrine including Thymus	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Lymphoma	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Hodgkin Lymphoma	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Hodgkin - Nodal	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Hodgkin - Extranodal	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Non-Hodgkin Lymphoma	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
NHL - Nodal	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
NHL - Extranodal	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Myeloma	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Lymphocytic Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Acute Lymphocytic Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Lymphocytic Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Acute Myeloid Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Acute Monocytic Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Chronic Myeloid Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Other Acute Leukemia	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Mesothelioma	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Kaposi Sarcoma	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0
Miscellaneous	0.0	0.0	1,626.1	0	0.0	0.0	1,402.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	748.5	421.0	1,213.7	18	379.6	152.0	764.8	8
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	165.1	0
Lip	^	^	^	^	0.0	0.0	165.1	0
Tongue	^	^	^	^	0.0	0.0	165.1	0
Salivary Gland	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Floor of Mouth	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Gum and Other Mouth	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Nasopharynx	^	^	^	^	0.0	0.0	165.1	0
Tonsil	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Oropharynx	^	^	^	^	0.0	0.0	165.1	0
Hypopharynx	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Oral Cavity and Pharynx	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Stomach	0.0	0.0	148.3	0	^	^	^	^
Small Intestine	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	148.3	0	^	^	^	^
Appendix	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Ascending Colon	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Hepatic Flexure	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Transverse Colon	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Splenic Flexure	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Descending Colon	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Sigmoid Colon	^	^	^	^	0.0	0.0	165.1	0
Large Intestine, NOS	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	165.1	0
Rectosigmoid Junction	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Rectum	^	^	^	^	0.0	0.0	165.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Liver	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Intrahepatic Bile Duct	0.0	0.0	148.3	0	0.0	0.0	165.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Biliary	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Pancreas	^	^	^	^	0.0	0.0	165.1	0
Retroperitoneum	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Digestive Organs	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Larynx	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Bones and Joints	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Soft Tissue including Heart	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Skin excluding Basal and Squamous	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Melanoma of the Skin	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Non-Epithelial Skin	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Breast	0.0	0.0	148.3	0	^	^	^	^
Female Genital System	0.0	0.0	148.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	148.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Corpus Uteri	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Uterus, NOS	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Ovary	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Vagina	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Vulva	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Female Genital Organs	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Male Genital System	^	^	^	^	0.0	0.0	165.1	0
Prostate	^	^	^	^	0.0	0.0	165.1	0
Testis	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Penis	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Male Genital Organs	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Urinary System	^	^	^	^	0.0	0.0	165.1	0
Urinary Bladder	0.0	0.0	148.3	0	0.0	0.0	165.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

1999/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	165.1	0
Ureter	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Urinary Organs	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Eye and Orbit	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Brain and Other Nervous System	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Brain	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Cranial Nerves Other Nervous System	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Endocrine System	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Thyroid	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Endocrine including Thymus	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Lymphoma	^	^	^	^	0.0	0.0	165.1	0
Hodgkin Lymphoma	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Hodgkin - Nodal	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Hodgkin - Extranodal	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	165.1	0
NHL - Nodal	^	^	^	^	0.0	0.0	165.1	0
NHL - Extranodal	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Myeloma	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Lymphocytic Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Acute Lymphocytic Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Lymphocytic Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Acute Myeloid Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Acute Monocytic Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Chronic Myeloid Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Other Acute Leukemia	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Mesothelioma	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Kaposi Sarcoma	0.0	0.0	148.3	0	0.0	0.0	165.1	0
Miscellaneous	^	^	^	^	0.0	0.0	165.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Lip	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Tongue	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Salivary Gland	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Floor of Mouth	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Gum and Other Mouth	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Nasopharynx	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Tonsil	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Oropharynx	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Hypopharynx	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Oral Cavity and Pharynx	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Digestive System	0.0	0.0	1,353.0	0	^	^	^	^
Esophagus	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Stomach	0.0	0.0	1,353.0	0	^	^	^	^
Small Intestine	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Colon and Rectum	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Colon excluding Rectum	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Cecum	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Appendix	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Ascending Colon	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Hepatic Flexure	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Transverse Colon	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Splenic Flexure	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Descending Colon	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Sigmoid Colon	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Large Intestine, NOS	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Rectosigmoid Junction	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Rectum	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Liver	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Intrahepatic Bile Duct	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Biliary	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Pancreas	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Retroperitoneum	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Digestive Organs	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Larynx	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Bones and Joints	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	920.4	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	920.4	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	920.4	0
Other Non-Epithelial Skin	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Breast	0.0	0.0	1,353.0	0	^	^	^	^
Female Genital System	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Cervix Uteri	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Corpus and Uterus, NOS	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Corpus Uteri	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Uterus, NOS	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Ovary	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Vagina	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Vulva	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Female Genital Organs	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Male Genital System	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Prostate	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Testis	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Penis	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Male Genital Organs	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Urinary System	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Urinary Bladder	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Ureter	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Urinary Organs	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Eye and Orbit	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Brain and Other Nervous System	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Brain	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Cranial Nerves Other Nervous System	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Endocrine System	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Thyroid	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Endocrine including Thymus	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Lymphoma	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Hodgkin Lymphoma	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Hodgkin - Nodal	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Hodgkin - Extranodal	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Non-Hodgkin Lymphoma	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
NHL - Nodal	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
NHL - Extranodal	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Myeloma	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Lymphocytic Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Acute Lymphocytic Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Lymphocytic Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Acute Myeloid Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Acute Monocytic Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Chronic Myeloid Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Other Acute Leukemia	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Mesothelioma	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Kaposi Sarcoma	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0
Miscellaneous	0.0	0.0	1,353.0	0	0.0	0.0	920.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	512.6	151.4	1,291.7	6
Oral Cavity and Pharynx	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Lip	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Tongue	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Salivary Gland	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Floor of Mouth	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Gum and Other Mouth	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Nasopharynx	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Tonsil	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Oropharynx	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Hypopharynx	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Oral Cavity and Pharynx	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Stomach	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Small Intestine	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Ascending Colon	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Hepatic Flexure	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Transverse Colon	0.0	0.0	694.7	0	^	^	^	^
Splenic Flexure	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Descending Colon	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Sigmoid Colon	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Large Intestine, NOS	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	528.4	0
Rectosigmoid Junction	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Rectum	^	^	^	^	0.0	0.0	528.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Liver	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Intrahepatic Bile Duct	0.0	0.0	694.7	0	0.0	0.0	528.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Biliary	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Pancreas	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Retroperitoneum	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Digestive Organs	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Larynx	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Bones and Joints	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Soft Tissue including Heart	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Skin excluding Basal and Squamous	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Melanoma of the Skin	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Non-Epithelial Skin	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Breast	0.0	0.0	694.7	0	^	^	^	^
Female Genital System	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Cervix Uteri	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Corpus and Uterus, NOS	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Corpus Uteri	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Uterus, NOS	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Ovary	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Vagina	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Vulva	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Female Genital Organs	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Male Genital System	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Prostate	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Testis	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Penis	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Male Genital Organs	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Urinary System	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Urinary Bladder	0.0	0.0	694.7	0	0.0	0.0	528.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Ureter	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Urinary Organs	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Eye and Orbit	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Brain and Other Nervous System	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Brain	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Cranial Nerves Other Nervous System	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Endocrine System	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Thyroid	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Endocrine including Thymus	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Lymphoma	^	^	^	^	0.0	0.0	528.4	0
Hodgkin Lymphoma	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Hodgkin - Nodal	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Hodgkin - Extranodal	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	528.4	0
NHL - Nodal	^	^	^	^	0.0	0.0	528.4	0
NHL - Extranodal	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Myeloma	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Lymphocytic Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Acute Lymphocytic Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Lymphocytic Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Acute Myeloid Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Acute Monocytic Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Chronic Myeloid Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Other Acute Leukemia	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Mesothelioma	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Kaposi Sarcoma	0.0	0.0	694.7	0	0.0	0.0	528.4	0
Miscellaneous	0.0	0.0	694.7	0	0.0	0.0	528.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	668.0	598.8	742.2	463	469.4	423.4	518.8	431
Oral Cavity and Pharynx	18.1	8.9	32.1	13	7.2	2.6	15.6	6
Lip	^	^	^	^	0.0	0.0	4.0	0
Tongue	8.3	2.5	19.5	6	^	^	^	^
Salivary Gland	0.0	0.0	5.7	0	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	4.0	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	5.7	0	^	^	^	^
Oropharynx	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Hypopharynx	^	^	^	^	0.0	0.0	4.0	0
Other Oral Cavity and Pharynx	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Digestive System	147.5	117.0	182.8	104	75.0	56.2	97.6	59
Esophagus	11.1	4.4	22.6	8	0.0	0.0	4.0	0
Stomach	19.2	9.3	34.3	12	7.3	2.5	15.9	6
Small Intestine	^	^	^	^	0.0	0.0	4.0	0
Colon and Rectum	81.1	58.5	108.8	57	49.2	34.1	68.3	38
Colon excluding Rectum	57.7	37.8	83.2	35	29.7	18.1	45.4	22
Cecum	14.4	5.7	28.7	8	8.0	2.7	17.3	6
Appendix	0.0	0.0	5.7	0	^	^	^	^
Ascending Colon	8.3	2.8	18.8	6	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	24.8	11.6	44.4	13	13.3	6.0	24.7	10
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	23.4	14.0	37.0	22	19.5	10.7	32.1	16
Rectosigmoid Junction	6.6	2.2	15.6	6	^	^	^	^
Rectum	16.8	9.0	28.8	16	14.6	7.4	25.5	13
Anus, Anal Canal and Anorectum	0.0	0.0	5.7	0	^	^	^	^
Liver and Intrahepatic Bile Duct	20.5	10.7	35.1	15	^	^	^	^
Liver	18.3	9.0	32.5	13	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	5.7	0	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	8.0	2.3	19.0	6	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	4.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Other Digestive Organs	^	^	^	^	0.0	0.0	4.0	0
Respiratory System	107.7	79.6	141.3	65	54.1	38.7	73.1	44
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Larynx	8.2	2.4	19.3	6	0.0	0.0	4.0	0
Lung and Bronchus	99.4	72.4	132.2	59	53.2	37.9	72.1	43
Pleura	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.7	0	^	^	^	^
Bones and Joints	^	^	^	^	0.0	0.0	4.0	0
Soft Tissue including Heart	7.4	2.0	18.2	6	^	^	^	^
Skin excluding Basal and Squamous	15.7	8.3	27.3	16	12.9	6.4	22.9	13
Melanoma of the Skin	15.0	7.7	26.5	15	12.9	6.4	22.9	13
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	4.0	0
Breast	^	^	^	^	165.6	139.8	194.6	164
Female Genital System	0.0	0.0	5.7	0	50.7	37.0	67.6	51
Cervix Uteri	0.0	0.0	5.7	0	6.4	2.7	13.2	8
Corpus and Uterus, NOS	0.0	0.0	5.7	0	19.9	12.0	31.0	21
Corpus Uteri	0.0	0.0	5.7	0	19.9	12.0	31.0	21
Uterus, NOS	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Ovary	0.0	0.0	5.7	0	23.2	13.9	36.1	21
Vagina	0.0	0.0	5.7	0	^	^	^	^
Vulva	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Other Female Genital Organs	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Male Genital System	213.8	175.6	256.9	139	0.0	0.0	4.0	0
Prostate	208.9	171.1	251.8	134	0.0	0.0	4.0	0
Testis	^	^	^	^	0.0	0.0	4.0	0
Penis	^	^	^	^	0.0	0.0	4.0	0
Other Male Genital Organs	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Urinary System	72.3	48.1	102.9	44	24.1	13.7	38.6	17
Urinary Bladder	56.5	34.9	84.7	31	9.4	3.4	19.8	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	15.8	6.6	30.7	13	14.7	7.0	26.4	11
Ureter	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Other Urinary Organs	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Eye and Orbit	0.0	0.0	5.7	0	^	^	^	^
Brain and Other Nervous System	7.3	3.2	15.3	9	8.9	3.9	17.2	9
Brain	7.3	3.2	15.3	9	8.9	3.9	17.2	9
Cranial Nerves Other Nervous System	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Endocrine System	^	^	^	^	14.6	8.4	23.8	18
Thyroid	^	^	^	^	14.6	8.4	23.8	18
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	4.0	0
Lymphoma	25.8	15.5	40.3	25	15.6	8.3	26.6	14
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Non-Hodgkin Lymphoma	20.0	11.3	33.0	20	14.9	7.7	25.8	13
NHL - Nodal	12.2	5.2	23.8	11	9.2	3.8	18.2	8
NHL - Extranodal	7.9	3.4	16.4	9	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	22.0	11.7	37.1	18	20.0	11.5	32.0	19
Lymphocytic Leukemia	14.7	6.9	27.3	13	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	12.7	5.3	25.1	10	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^	12.9	6.4	22.8	13
Acute Myeloid Leukemia	^	^	^	^	8.5	3.3	17.4	8
Acute Monocytic Leukemia	0.0	0.0	5.7	0	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.7	0	^	^	^	^
Other Leukemia	0.0	0.0	5.7	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.7	0	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	4.0	0
Kaposi Sarcoma	0.0	0.0	5.7	0	0.0	0.0	4.0	0
Miscellaneous	11.7	4.5	23.9	9	11.4	4.9	21.8	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	506.0	294.5	794.8	20	278.0	140.8	485.7	13
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	79.0	0
Lip	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Tongue	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Salivary Gland	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Floor of Mouth	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Gum and Other Mouth	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Nasopharynx	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Tonsil	^	^	^	^	0.0	0.0	79.0	0
Oropharynx	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Hypopharynx	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Oral Cavity and Pharynx	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Digestive System	^	^	^	^	122.4	43.0	270.6	6
Esophagus	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Colon and Rectum	0.0	0.0	75.3	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	75.3	0	^	^	^	^
Cecum	0.0	0.0	75.3	0	^	^	^	^
Appendix	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Ascending Colon	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Hepatic Flexure	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Transverse Colon	0.0	0.0	75.3	0	^	^	^	^
Splenic Flexure	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Descending Colon	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Sigmoid Colon	0.0	0.0	75.3	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	75.3	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Rectum	0.0	0.0	75.3	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	79.0	0
Liver	^	^	^	^	0.0	0.0	79.0	0
Intrahepatic Bile Duct	0.0	0.0	75.3	0	0.0	0.0	79.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Biliary	^	^	^	^	0.0	0.0	79.0	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Digestive Organs	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Respiratory System	318.5	155.7	560.3	12	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Larynx	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Lung and Bronchus	318.5	155.7	560.3	12	^	^	^	^
Pleura	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Bones and Joints	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Soft Tissue including Heart	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Skin excluding Basal and Squamous	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Melanoma of the Skin	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Non-Epithelial Skin	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Breast	0.0	0.0	75.3	0	^	^	^	^
Female Genital System	0.0	0.0	75.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	75.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Corpus Uteri	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Uterus, NOS	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Ovary	0.0	0.0	75.3	0	^	^	^	^
Vagina	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Vulva	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Female Genital Organs	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Male Genital System	^	^	^	^	0.0	0.0	79.0	0
Prostate	^	^	^	^	0.0	0.0	79.0	0
Testis	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Penis	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Male Genital Organs	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Urinary System	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Urinary Bladder	0.0	0.0	75.3	0	0.0	0.0	79.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Ureter	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Urinary Organs	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Eye and Orbit	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Brain and Other Nervous System	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Brain	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Cranial Nerves Other Nervous System	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Endocrine System	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Thyroid	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Endocrine including Thymus	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Lymphoma	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Hodgkin Lymphoma	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Hodgkin - Nodal	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Hodgkin - Extranodal	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Non-Hodgkin Lymphoma	0.0	0.0	75.3	0	0.0	0.0	79.0	0
NHL - Nodal	0.0	0.0	75.3	0	0.0	0.0	79.0	0
NHL - Extranodal	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Myeloma	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Lymphocytic Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Acute Lymphocytic Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Lymphocytic Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Acute Myeloid Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Acute Monocytic Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Chronic Myeloid Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Other Acute Leukemia	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Mesothelioma	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Kaposi Sarcoma	0.0	0.0	75.3	0	0.0	0.0	79.0	0
Miscellaneous	^	^	^	^	0.0	0.0	79.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	2,208.1	0
Lip	^	^	^	^	0.0	0.0	2,208.1	0
Tongue	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Salivary Gland	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Floor of Mouth	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Gum and Other Mouth	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Nasopharynx	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Tonsil	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Oropharynx	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Hypopharynx	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Digestive System	^	^	^	^	0.0	0.0	2,208.1	0
Esophagus	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Stomach	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Small Intestine	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Colon and Rectum	^	^	^	^	0.0	0.0	2,208.1	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	2,208.1	0
Cecum	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Appendix	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Ascending Colon	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Hepatic Flexure	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Transverse Colon	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Splenic Flexure	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Descending Colon	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Sigmoid Colon	^	^	^	^	0.0	0.0	2,208.1	0
Large Intestine, NOS	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Rectosigmoid Junction	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Rectum	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Liver	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Intrahepatic Bile Duct	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Biliary	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Pancreas	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Retroperitoneum	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Digestive Organs	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Respiratory System	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Larynx	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Lung and Bronchus	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Pleura	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Bones and Joints	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Soft Tissue including Heart	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Melanoma of the Skin	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Non-Epithelial Skin	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Breast	0.0	0.0	1,092.2	0	^	^	^	^
Female Genital System	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Cervix Uteri	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Corpus and Uterus, NOS	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Corpus Uteri	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Uterus, NOS	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Ovary	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Vagina	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Vulva	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Female Genital Organs	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Male Genital System	^	^	^	^	0.0	0.0	2,208.1	0
Prostate	^	^	^	^	0.0	0.0	2,208.1	0
Testis	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Penis	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Male Genital Organs	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Urinary System	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Urinary Bladder	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Ureter	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Urinary Organs	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Eye and Orbit	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Brain and Other Nervous System	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Brain	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Endocrine System	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Thyroid	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Endocrine including Thymus	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Lymphoma	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Hodgkin Lymphoma	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Hodgkin - Nodal	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Hodgkin - Extranodal	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
NHL - Nodal	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
NHL - Extranodal	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Myeloma	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Lymphocytic Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Lymphocytic Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Acute Myeloid Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Acute Monocytic Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Other Acute Leukemia	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Mesothelioma	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Kaposi Sarcoma	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0
Miscellaneous	0.0	0.0	1,092.2	0	0.0	0.0	2,208.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	1,412.4	0
Oral Cavity and Pharynx	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Lip	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Tongue	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Salivary Gland	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Floor of Mouth	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Gum and Other Mouth	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Nasopharynx	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Tonsil	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Oropharynx	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Hypopharynx	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Oral Cavity and Pharynx	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Digestive System	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Esophagus	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Stomach	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Small Intestine	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Colon and Rectum	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Colon excluding Rectum	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Cecum	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Appendix	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Ascending Colon	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Hepatic Flexure	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Transverse Colon	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Splenic Flexure	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Descending Colon	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Sigmoid Colon	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Large Intestine, NOS	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Rectosigmoid Junction	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Rectum	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Liver	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Intrahepatic Bile Duct	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Biliary	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Pancreas	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Retroperitoneum	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Digestive Organs	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Respiratory System	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Larynx	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Lung and Bronchus	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Pleura	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Bones and Joints	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Soft Tissue including Heart	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Skin excluding Basal and Squamous	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Melanoma of the Skin	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Non-Epithelial Skin	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Breast	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Female Genital System	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Cervix Uteri	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Corpus and Uterus, NOS	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Corpus Uteri	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Uterus, NOS	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Ovary	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Vagina	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Vulva	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Female Genital Organs	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Male Genital System	^	^	^	^	0.0	0.0	1,412.4	0
Prostate	^	^	^	^	0.0	0.0	1,412.4	0
Testis	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Penis	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Male Genital Organs	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Urinary System	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Urinary Bladder	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Ureter	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Urinary Organs	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Eye and Orbit	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Brain and Other Nervous System	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Brain	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Cranial Nerves Other Nervous System	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Endocrine System	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Thyroid	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Endocrine including Thymus	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Lymphoma	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Hodgkin Lymphoma	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Hodgkin - Nodal	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Hodgkin - Extranodal	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Non-Hodgkin Lymphoma	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
NHL - Nodal	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
NHL - Extranodal	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Myeloma	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Lymphocytic Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Acute Lymphocytic Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Lymphocytic Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Acute Myeloid Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Acute Monocytic Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Chronic Myeloid Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Other Acute Leukemia	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Mesothelioma	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Kaposi Sarcoma	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0
Miscellaneous	0.0	0.0	911.2	0	0.0	0.0	1,412.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	624.8	243.0	1,257.4	8	632.8	243.2	1,277.3	7
Oral Cavity and Pharynx	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Lip	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Tongue	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Salivary Gland	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Floor of Mouth	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Gum and Other Mouth	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Nasopharynx	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Tonsil	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Oropharynx	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Hypopharynx	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Oral Cavity and Pharynx	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Stomach	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Small Intestine	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	233.0	0
Cecum	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Appendix	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Ascending Colon	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Hepatic Flexure	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Transverse Colon	^	^	^	^	0.0	0.0	233.0	0
Splenic Flexure	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Descending Colon	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Sigmoid Colon	^	^	^	^	0.0	0.0	233.0	0
Large Intestine, NOS	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Liver	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Intrahepatic Bile Duct	0.0	0.0	241.0	0	0.0	0.0	233.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	241.0	0	^	^	^	^
Other Biliary	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Pancreas	0.0	0.0	241.0	0	^	^	^	^
Retroperitoneum	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Digestive Organs	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	233.0	0
Larynx	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Bones and Joints	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Soft Tissue including Heart	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Skin excluding Basal and Squamous	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Melanoma of the Skin	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Non-Epithelial Skin	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Breast	0.0	0.0	241.0	0	^	^	^	^
Female Genital System	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Cervix Uteri	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Corpus and Uterus, NOS	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Corpus Uteri	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Uterus, NOS	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Ovary	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Vagina	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Vulva	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Female Genital Organs	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Male Genital System	^	^	^	^	0.0	0.0	233.0	0
Prostate	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Testis	^	^	^	^	0.0	0.0	233.0	0
Penis	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Male Genital Organs	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Urinary System	0.0	0.0	241.0	0	^	^	^	^
Urinary Bladder	0.0	0.0	241.0	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Ureter	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Urinary Organs	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Eye and Orbit	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Brain and Other Nervous System	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Brain	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Cranial Nerves Other Nervous System	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Endocrine System	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Thyroid	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Endocrine including Thymus	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Lymphoma	^	^	^	^	0.0	0.0	233.0	0
Hodgkin Lymphoma	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Hodgkin - Nodal	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Hodgkin - Extranodal	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	233.0	0
NHL - Nodal	0.0	0.0	241.0	0	0.0	0.0	233.0	0
NHL - Extranodal	^	^	^	^	0.0	0.0	233.0	0
Myeloma	^	^	^	^	0.0	0.0	233.0	0
Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Lymphocytic Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Acute Lymphocytic Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Lymphocytic Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Acute Myeloid Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Acute Monocytic Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Chronic Myeloid Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Other Acute Leukemia	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Mesothelioma	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Kaposi Sarcoma	0.0	0.0	241.0	0	0.0	0.0	233.0	0
Miscellaneous	0.0	0.0	241.0	0	0.0	0.0	233.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	532.5	429.4	650.9	117	466.9	375.8	571.6	112
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	^	^	^	^	^	^	^	^
Tongue	^	^	^	^	0.0	0.0	15.1	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Gum and Other Mouth	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Nasopharynx	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Tonsil	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Oropharynx	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Hypopharynx	^	^	^	^	0.0	0.0	15.1	0
Other Oral Cavity and Pharynx	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Digestive System	124.1	74.9	190.4	24	56.2	27.0	100.4	12
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	15.1	0
Small Intestine	0.0	0.0	18.5	0	^	^	^	^
Colon and Rectum	69.5	34.2	122.4	13	43.8	17.7	86.2	8
Colon excluding Rectum	57.9	25.5	108.6	10	33.3	11.0	72.3	6
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	15.1	0
Transverse Colon	^	^	^	^	0.0	0.0	15.1	0
Splenic Flexure	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	15.1	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	18.5	0	0.0	0.0	15.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Other Biliary	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Other Digestive Organs	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Respiratory System	107.5	63.0	168.8	21	46.3	21.3	85.7	10
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	15.1	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	91.7	51.3	148.6	18	40.2	17.5	77.0	9
Pleura	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	15.1	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Breast	0.0	0.0	18.5	0	179.8	128.5	243.8	48
Female Genital System	0.0	0.0	18.5	0	58.9	29.1	103.6	13
Cervix Uteri	0.0	0.0	18.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	18.5	0	42.8	17.9	83.0	9
Corpus Uteri	0.0	0.0	18.5	0	42.8	17.9	83.0	9
Uterus, NOS	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Ovary	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Vagina	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Vulva	0.0	0.0	18.5	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Male Genital System	163.7	112.6	229.2	38	0.0	0.0	15.1	0
Prostate	157.5	106.9	222.5	35	0.0	0.0	15.1	0
Testis	^	^	^	^	0.0	0.0	15.1	0
Penis	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Other Male Genital Organs	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Urinary System	33.2	12.9	69.0	8	^	^	^	^
Urinary Bladder	27.1	8.8	61.7	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Other Urinary Organs	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Eye and Orbit	0.0	0.0	18.5	0	^	^	^	^
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Endocrine System	0.0	0.0	18.5	0	^	^	^	^
Thyroid	0.0	0.0	18.5	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Lymphoma	27.2	9.2	61.2	8	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Hodgkin - Nodal	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Hodgkin - Extranodal	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Non-Hodgkin Lymphoma	27.2	9.2	61.2	8	^	^	^	^
NHL - Nodal	22.2	5.8	55.5	6	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	18.5	0	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	15.1	0
Other Lymphocytic Leukemia	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	15.1	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	15.1	0
Acute Monocytic Leukemia	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	15.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Other Leukemia	0.0	0.0	18.5	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	18.5	0	^	^	^	^
Mesothelioma	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Kaposi Sarcoma	0.0	0.0	18.5	0	0.0	0.0	15.1	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	609.9	231.6	1,314.2	7	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Lip	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Tongue	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Salivary Gland	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Floor of Mouth	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Gum and Other Mouth	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Nasopharynx	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Tonsil	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Oropharynx	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Hypopharynx	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Oral Cavity and Pharynx	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Digestive System	^	^	^	^	0.0	0.0	366.2	0
Esophagus	^	^	^	^	0.0	0.0	366.2	0
Stomach	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Small Intestine	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Colon and Rectum	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Colon excluding Rectum	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Cecum	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Appendix	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Ascending Colon	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Hepatic Flexure	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Transverse Colon	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Splenic Flexure	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Descending Colon	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Sigmoid Colon	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Large Intestine, NOS	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Rectosigmoid Junction	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Rectum	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Liver	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Intrahepatic Bile Duct	0.0	0.0	388.0	0	0.0	0.0	366.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Biliary	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Pancreas	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Retroperitoneum	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Digestive Organs	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Larynx	0.0	0.0	388.0	0	^	^	^	^
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Bones and Joints	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Soft Tissue including Heart	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Skin excluding Basal and Squamous	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Melanoma of the Skin	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Non-Epithelial Skin	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Breast	0.0	0.0	388.0	0	^	^	^	^
Female Genital System	0.0	0.0	388.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Corpus and Uterus, NOS	0.0	0.0	388.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	388.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Ovary	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Vagina	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Vulva	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Female Genital Organs	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Male Genital System	^	^	^	^	0.0	0.0	366.2	0
Prostate	^	^	^	^	0.0	0.0	366.2	0
Testis	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Penis	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Male Genital Organs	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Urinary System	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Urinary Bladder	0.0	0.0	388.0	0	0.0	0.0	366.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Ureter	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Urinary Organs	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Eye and Orbit	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Brain and Other Nervous System	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Brain	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Cranial Nerves Other Nervous System	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Endocrine System	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Thyroid	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Endocrine including Thymus	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Lymphoma	0.0	0.0	388.0	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Hodgkin - Nodal	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Hodgkin - Extranodal	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Non-Hodgkin Lymphoma	0.0	0.0	388.0	0	^	^	^	^
NHL - Nodal	0.0	0.0	388.0	0	^	^	^	^
NHL - Extranodal	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Myeloma	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Leukemia	^	^	^	^	0.0	0.0	366.2	0
Lymphocytic Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Acute Lymphocytic Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Lymphocytic Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	366.2	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	366.2	0
Acute Monocytic Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Chronic Myeloid Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Other Acute Leukemia	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Mesothelioma	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Kaposi Sarcoma	0.0	0.0	388.0	0	0.0	0.0	366.2	0
Miscellaneous	0.0	0.0	388.0	0	0.0	0.0	366.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	669.4	504.8	867.3	70	450.7	328.0	601.7	50
Oral Cavity and Pharynx	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Lip	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Tongue	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Salivary Gland	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Floor of Mouth	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Gum and Other Mouth	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Nasopharynx	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Tonsil	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Oropharynx	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Hypopharynx	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Other Oral Cavity and Pharynx	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Digestive System	135.0	67.0	238.5	15	168.4	92.2	276.6	15
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	31.1	0
Colon and Rectum	37.8	15.0	88.5	7	108.5	48.5	202.0	9
Colon excluding Rectum	37.8	15.0	88.5	7	79.4	29.0	164.6	6
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	31.1	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Transverse Colon	^	^	^	^	0.0	0.0	31.1	0
Splenic Flexure	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Descending Colon	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	31.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	39.2	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Rectum	0.0	0.0	39.2	0	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	31.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Liver	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Intrahepatic Bile Duct	0.0	0.0	39.2	0	0.0	0.0	31.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Other Biliary	0.0	0.0	39.2	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Other Digestive Organs	^	^	^	^	0.0	0.0	31.1	0
Respiratory System	66.7	22.2	148.5	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Larynx	^	^	^	^	0.0	0.0	31.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Bones and Joints	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Soft Tissue including Heart	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	31.1	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	31.1	0
Other Non-Epithelial Skin	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Breast	0.0	0.0	39.2	0	144.1	83.5	230.9	19
Female Genital System	0.0	0.0	39.2	0	47.3	16.3	106.1	6
Cervix Uteri	0.0	0.0	39.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	39.2	0	^	^	^	^
Corpus Uteri	0.0	0.0	39.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Ovary	0.0	0.0	39.2	0	^	^	^	^
Vagina	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Vulva	0.0	0.0	39.2	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Male Genital System	313.1	200.7	461.3	28	0.0	0.0	31.1	0
Prostate	313.1	200.7	461.3	28	0.0	0.0	31.1	0
Testis	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Penis	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Other Male Genital Organs	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Urinary System	69.8	24.7	151.1	8	0.0	0.0	31.1	0
Urinary Bladder	^	^	^	^	0.0	0.0	31.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	31.1	0
Ureter	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Other Urinary Organs	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Eye and Orbit	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	31.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Hodgkin - Nodal	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Hodgkin - Extranodal	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Myeloma	0.0	0.0	39.2	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	39.2	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	39.2	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	39.2	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	31.1	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	31.1	0
Acute Monocytic Leukemia	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Chronic Myeloid Leukemia	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	31.1	0
Other Leukemia	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Other Acute Leukemia	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Mesothelioma	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Kaposi Sarcoma	0.0	0.0	39.2	0	0.0	0.0	31.1	0
Miscellaneous	^	^	^	^	0.0	0.0	31.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	620.6	484.5	779.5	104	485.9	385.9	603.1	92
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	20.2	0
Lip	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Tongue	^	^	^	^	0.0	0.0	20.2	0
Salivary Gland	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Floor of Mouth	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Gum and Other Mouth	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Nasopharynx	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Tonsil	^	^	^	^	0.0	0.0	20.2	0
Oropharynx	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Hypopharynx	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Other Oral Cavity and Pharynx	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Digestive System	115.8	66.4	186.1	21	105.6	58.1	173.0	16
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	20.2	0
Small Intestine	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Colon and Rectum	47.5	17.7	99.7	8	61.7	26.9	117.3	9
Colon excluding Rectum	^	^	^	^	56.4	23.1	110.8	8
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Ascending Colon	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Hepatic Flexure	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Transverse Colon	0.0	0.0	24.9	0	^	^	^	^
Splenic Flexure	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Descending Colon	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	24.9	0	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	0.0	0.0	20.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	20.2	0
Liver	^	^	^	^	0.0	0.0	20.2	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	20.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	24.9	0	^	^	^	^
Other Biliary	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Other Digestive Organs	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Respiratory System	75.8	32.4	144.8	14	86.1	50.0	138.4	18
Nose, Nasal Cavity and Middle Ear	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Larynx	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Lung and Bronchus	75.8	32.4	144.8	14	86.1	50.0	138.4	18
Pleura	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Bones and Joints	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	20.2	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Breast	^	^	^	^	164.2	108.9	236.8	32
Female Genital System	0.0	0.0	24.9	0	51.8	23.8	97.3	10
Cervix Uteri	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Corpus and Uterus, NOS	0.0	0.0	24.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	24.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	24.9	0	^	^	^	^
Ovary	0.0	0.0	24.9	0	^	^	^	^
Vagina	0.0	0.0	24.9	0	^	^	^	^
Vulva	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Other Female Genital Organs	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Male Genital System	176.1	109.4	265.3	29	0.0	0.0	20.2	0
Prostate	169.1	103.2	257.9	27	0.0	0.0	20.2	0
Testis	^	^	^	^	0.0	0.0	20.2	0
Penis	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Other Male Genital Organs	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Urinary System	96.4	44.3	175.3	13	^	^	^	^
Urinary Bladder	64.4	20.7	139.3	7	0.0	0.0	20.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	32.0	11.3	72.5	6	^	^	^	^
Ureter	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Other Urinary Organs	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Eye and Orbit	0.0	0.0	24.9	0	^	^	^	^
Brain and Other Nervous System	^	^	^	^	0.0	0.0	20.2	0
Brain	^	^	^	^	0.0	0.0	20.2	0
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	20.2	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	20.2	0
Myeloma	^	^	^	^	0.0	0.0	20.2	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	24.9	0	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	20.2	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	20.2	0
Acute Monocytic Leukemia	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Chronic Myeloid Leukemia	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Other Leukemia	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Other Acute Leukemia	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Mesothelioma	^	^	^	^	0.0	0.0	20.2	0
Kaposi Sarcoma	0.0	0.0	24.9	0	0.0	0.0	20.2	0
Miscellaneous	45.6	12.0	108.7	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	406.4	249.4	622.1	23	456.3	290.2	678.5	25
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	62.0	0
Lip	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Tongue	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Salivary Gland	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Floor of Mouth	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	62.0	0
Nasopharynx	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Tonsil	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Oropharynx	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Hypopharynx	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Oral Cavity and Pharynx	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Stomach	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Small Intestine	^	^	^	^	0.0	0.0	62.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	68.2	0	^	^	^	^
Appendix	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Ascending Colon	^	^	^	^	0.0	0.0	62.0	0
Hepatic Flexure	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Transverse Colon	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Splenic Flexure	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Descending Colon	^	^	^	^	0.0	0.0	62.0	0
Sigmoid Colon	^	^	^	^	0.0	0.0	62.0	0
Large Intestine, NOS	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	68.2	0	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Liver	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Intrahepatic Bile Duct	0.0	0.0	68.2	0	0.0	0.0	62.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Biliary	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Pancreas	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Retroperitoneum	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Digestive Organs	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Respiratory System	0.0	0.0	68.2	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Larynx	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Lung and Bronchus	0.0	0.0	68.2	0	^	^	^	^
Pleura	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Bones and Joints	^	^	^	^	0.0	0.0	62.0	0
Soft Tissue including Heart	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Breast	0.0	0.0	68.2	0	^	^	^	^
Female Genital System	0.0	0.0	68.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	68.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Corpus Uteri	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Uterus, NOS	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Ovary	0.0	0.0	68.2	0	^	^	^	^
Vagina	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Vulva	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Female Genital Organs	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Male Genital System	144.3	55.0	298.9	7	0.0	0.0	62.0	0
Prostate	132.8	46.8	285.8	6	0.0	0.0	62.0	0
Testis	^	^	^	^	0.0	0.0	62.0	0
Penis	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Male Genital Organs	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	68.2	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	62.0	0
Ureter	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Urinary Organs	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Eye and Orbit	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Brain and Other Nervous System	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Brain	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Cranial Nerves Other Nervous System	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Endocrine System	^	^	^	^	0.0	0.0	62.0	0
Thyroid	^	^	^	^	0.0	0.0	62.0	0
Other Endocrine including Thymus	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Hodgkin - Nodal	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Hodgkin - Extranodal	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	62.0	0
NHL - Extranodal	0.0	0.0	68.2	0	^	^	^	^
Myeloma	0.0	0.0	68.2	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Acute Lymphocytic Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Lymphocytic Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Chronic Myeloid Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Other Acute Leukemia	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Mesothelioma	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Kaposi Sarcoma	0.0	0.0	68.2	0	0.0	0.0	62.0	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	271.5	130.5	495.0	13	495.8	278.6	803.4	20
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Tongue	0.0	0.0	101.8	0	^	^	^	^
Salivary Gland	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Floor of Mouth	^	^	^	^	0.0	0.0	99.4	0
Gum and Other Mouth	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Nasopharynx	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Tonsil	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Oropharynx	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Hypopharynx	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Oral Cavity and Pharynx	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Digestive System	0.0	0.0	101.8	0	^	^	^	^
Esophagus	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Stomach	0.0	0.0	101.8	0	^	^	^	^
Small Intestine	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Colon and Rectum	0.0	0.0	101.8	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	101.8	0	^	^	^	^
Cecum	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Appendix	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Ascending Colon	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Hepatic Flexure	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Transverse Colon	0.0	0.0	101.8	0	^	^	^	^
Splenic Flexure	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Descending Colon	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Sigmoid Colon	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Large Intestine, NOS	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Rectosigmoid Junction	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Rectum	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Liver	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Intrahepatic Bile Duct	0.0	0.0	101.8	0	0.0	0.0	99.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Biliary	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Pancreas	0.0	0.0	101.8	0	^	^	^	^
Retroperitoneum	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Digestive Organs	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Larynx	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Bones and Joints	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Soft Tissue including Heart	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Breast	0.0	0.0	101.8	0	194.9	74.1	405.9	8
Female Genital System	0.0	0.0	101.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	101.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Corpus Uteri	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Uterus, NOS	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Ovary	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Vagina	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Vulva	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Female Genital Organs	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Male Genital System	^	^	^	^	0.0	0.0	99.4	0
Prostate	^	^	^	^	0.0	0.0	99.4	0
Testis	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Penis	^	^	^	^	0.0	0.0	99.4	0
Other Male Genital Organs	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Urinary System	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Urinary Bladder	0.0	0.0	101.8	0	0.0	0.0	99.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Ureter	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Urinary Organs	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Eye and Orbit	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Brain and Other Nervous System	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Brain	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Cranial Nerves Other Nervous System	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Endocrine System	^	^	^	^	0.0	0.0	99.4	0
Thyroid	^	^	^	^	0.0	0.0	99.4	0
Other Endocrine including Thymus	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Lymphoma	^	^	^	^	0.0	0.0	99.4	0
Hodgkin Lymphoma	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Hodgkin - Nodal	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Hodgkin - Extranodal	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	99.4	0
NHL - Nodal	^	^	^	^	0.0	0.0	99.4	0
NHL - Extranodal	^	^	^	^	0.0	0.0	99.4	0
Myeloma	0.0	0.0	101.8	0	^	^	^	^
Leukemia	0.0	0.0	101.8	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	101.8	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	101.8	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Lymphocytic Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Acute Myeloid Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Acute Monocytic Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Chronic Myeloid Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Other Acute Leukemia	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Mesothelioma	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Kaposi Sarcoma	0.0	0.0	101.8	0	0.0	0.0	99.4	0
Miscellaneous	0.0	0.0	101.8	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Lip	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Tongue	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Salivary Gland	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Floor of Mouth	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Gum and Other Mouth	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Nasopharynx	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Tonsil	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Oropharynx	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Hypopharynx	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Oral Cavity and Pharynx	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Digestive System	0.0	0.0	787.6	0	^	^	^	^
Esophagus	0.0	0.0	787.6	0	^	^	^	^
Stomach	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Small Intestine	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Colon and Rectum	0.0	0.0	787.6	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	787.6	0	^	^	^	^
Cecum	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Appendix	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Ascending Colon	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Hepatic Flexure	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Transverse Colon	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Splenic Flexure	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Descending Colon	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Sigmoid Colon	0.0	0.0	787.6	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Rectosigmoid Junction	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Rectum	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Liver	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Intrahepatic Bile Duct	0.0	0.0	787.6	0	0.0	0.0	787.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Biliary	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Pancreas	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Retroperitoneum	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Digestive Organs	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Respiratory System	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Larynx	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Lung and Bronchus	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Pleura	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Bones and Joints	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Soft Tissue including Heart	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Breast	0.0	0.0	787.6	0	^	^	^	^
Female Genital System	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Cervix Uteri	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Corpus and Uterus, NOS	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Corpus Uteri	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Uterus, NOS	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Ovary	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Vagina	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Vulva	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Female Genital Organs	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Male Genital System	^	^	^	^	0.0	0.0	787.2	0
Prostate	^	^	^	^	0.0	0.0	787.2	0
Testis	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Penis	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Male Genital Organs	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Urinary System	^	^	^	^	0.0	0.0	787.2	0
Urinary Bladder	0.0	0.0	787.6	0	0.0	0.0	787.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	787.2	0
Ureter	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Urinary Organs	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Eye and Orbit	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Brain and Other Nervous System	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Brain	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Cranial Nerves Other Nervous System	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Endocrine System	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Thyroid	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Endocrine including Thymus	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Lymphoma	^	^	^	^	0.0	0.0	787.2	0
Hodgkin Lymphoma	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Hodgkin - Nodal	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Hodgkin - Extranodal	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	787.2	0
NHL - Nodal	^	^	^	^	0.0	0.0	787.2	0
NHL - Extranodal	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Myeloma	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Leukemia	0.0	0.0	787.6	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Acute Lymphocytic Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Lymphocytic Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	787.6	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	787.6	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Chronic Myeloid Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Other Acute Leukemia	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Mesothelioma	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Kaposi Sarcoma	0.0	0.0	787.6	0	0.0	0.0	787.2	0
Miscellaneous	0.0	0.0	787.6	0	0.0	0.0	787.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	581.3	449.9	735.3	103	473.2	374.5	588.5	95
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Tongue	^	^	^	^	0.0	0.0	19.4	0
Salivary Gland	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Floor of Mouth	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	19.4	0
Nasopharynx	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Tonsil	^	^	^	^	0.0	0.0	19.4	0
Oropharynx	0.0	0.0	26.3	0	^	^	^	^
Hypopharynx	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Other Oral Cavity and Pharynx	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Digestive System	81.5	40.2	144.7	14	66.1	34.4	114.3	13
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	26.3	0	^	^	^	^
Colon and Rectum	54.3	21.3	110.3	9	49.7	22.1	94.6	9
Colon excluding Rectum	^	^	^	^	49.7	22.1	94.6	9
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	19.4	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Transverse Colon	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Splenic Flexure	0.0	0.0	26.3	0	^	^	^	^
Descending Colon	0.0	0.0	26.3	0	^	^	^	^
Sigmoid Colon	^	^	^	^	0.0	0.0	19.4	0
Large Intestine, NOS	0.0	0.0	26.3	0	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	19.4	0
Rectosigmoid Junction	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Rectum	^	^	^	^	0.0	0.0	19.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	19.4	0
Liver	^	^	^	^	0.0	0.0	19.4	0
Intrahepatic Bile Duct	0.0	0.0	26.3	0	0.0	0.0	19.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Other Biliary	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Pancreas	0.0	0.0	26.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Other Digestive Organs	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Respiratory System	118.6	67.2	191.7	19	62.4	29.3	114.1	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Larynx	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Lung and Bronchus	118.6	67.2	191.7	19	62.4	29.3	114.1	11
Pleura	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Bones and Joints	0.0	0.0	26.3	0	^	^	^	^
Soft Tissue including Heart	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	26.3	0	^	^	^	^
Breast	0.0	0.0	26.3	0	159.8	106.5	229.3	34
Female Genital System	0.0	0.0	26.3	0	50.0	23.8	92.3	12
Cervix Uteri	0.0	0.0	26.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	26.3	0	21.3	7.5	50.3	6
Corpus Uteri	0.0	0.0	26.3	0	21.3	7.5	50.3	6
Uterus, NOS	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Ovary	0.0	0.0	26.3	0	^	^	^	^
Vagina	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Vulva	0.0	0.0	26.3	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	26.3	0	^	^	^	^
Male Genital System	245.5	160.1	355.2	43	0.0	0.0	19.4	0
Prostate	234.1	149.9	343.2	40	0.0	0.0	19.4	0
Testis	^	^	^	^	0.0	0.0	19.4	0
Penis	^	^	^	^	0.0	0.0	19.4	0
Other Male Genital Organs	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Urinary System	43.8	8.3	115.2	6	^	^	^	^
Urinary Bladder	43.8	8.3	115.2	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	26.3	0	^	^	^	^
Ureter	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Other Urinary Organs	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Eye and Orbit	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Lymphoma	^	^	^	^	30.2	9.1	70.5	6
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	26.3	0	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	19.4	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	19.4	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	19.4	0
Other Lymphocytic Leukemia	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Chronic Myeloid Leukemia	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Other Leukemia	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Other Acute Leukemia	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Mesothelioma	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Kaposi Sarcoma	0.0	0.0	26.3	0	0.0	0.0	19.4	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	467.0	230.0	823.5	12	565.0	298.5	951.5	14
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	119.0	0
Lip	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Tongue	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Salivary Gland	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Floor of Mouth	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Gum and Other Mouth	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Nasopharynx	^	^	^	^	0.0	0.0	119.0	0
Tonsil	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Oropharynx	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Hypopharynx	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Oral Cavity and Pharynx	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Digestive System	^	^	^	^	318.4	124.2	640.3	7
Esophagus	^	^	^	^	0.0	0.0	119.0	0
Stomach	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Small Intestine	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	124.4	0	^	^	^	^
Appendix	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Ascending Colon	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Hepatic Flexure	^	^	^	^	0.0	0.0	119.0	0
Transverse Colon	0.0	0.0	124.4	0	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	119.0	0
Descending Colon	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	124.4	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Rectum	0.0	0.0	124.4	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Liver	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Intrahepatic Bile Duct	0.0	0.0	124.4	0	0.0	0.0	119.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	124.4	0	^	^	^	^
Other Biliary	0.0	0.0	124.4	0	^	^	^	^
Pancreas	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Retroperitoneum	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Digestive Organs	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Respiratory System	^	^	^	^	0.0	0.0	119.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Larynx	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Lung and Bronchus	^	^	^	^	0.0	0.0	119.0	0
Pleura	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Bones and Joints	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Soft Tissue including Heart	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Skin excluding Basal and Squamous	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Melanoma of the Skin	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Non-Epithelial Skin	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Breast	0.0	0.0	124.4	0	^	^	^	^
Female Genital System	0.0	0.0	124.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	124.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Corpus Uteri	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Uterus, NOS	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Ovary	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Vagina	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Vulva	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Female Genital Organs	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Male Genital System	^	^	^	^	0.0	0.0	119.0	0
Prostate	^	^	^	^	0.0	0.0	119.0	0
Testis	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Penis	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Male Genital Organs	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Urinary System	^	^	^	^	0.0	0.0	119.0	0
Urinary Bladder	^	^	^	^	0.0	0.0	119.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	119.0	0
Ureter	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Urinary Organs	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Eye and Orbit	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Brain and Other Nervous System	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Brain	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Cranial Nerves Other Nervous System	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Endocrine System	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Thyroid	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Endocrine including Thymus	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	124.4	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	124.4	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Myeloma	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Lymphocytic Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Acute Lymphocytic Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Lymphocytic Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Acute Myeloid Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Acute Monocytic Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Chronic Myeloid Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Other Acute Leukemia	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Mesothelioma	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Kaposi Sarcoma	0.0	0.0	124.4	0	0.0	0.0	119.0	0
Miscellaneous	^	^	^	^	0.0	0.0	119.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	555.0	209.4	1,153.9	9	331.6	144.7	654.9	9
Oral Cavity and Pharynx	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Lip	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Tongue	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Salivary Gland	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Floor of Mouth	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Gum and Other Mouth	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Nasopharynx	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Tonsil	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Oropharynx	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Hypopharynx	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Oral Cavity and Pharynx	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Colon and Rectum	^	^	^	^	0.0	0.0	169.6	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	169.6	0
Cecum	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Appendix	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Ascending Colon	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Hepatic Flexure	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Transverse Colon	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Splenic Flexure	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Descending Colon	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	169.6	0
Large Intestine, NOS	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	169.6	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	169.6	0
Rectum	^	^	^	^	0.0	0.0	169.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Liver	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Intrahepatic Bile Duct	0.0	0.0	293.6	0	0.0	0.0	169.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Biliary	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Pancreas	^	^	^	^	0.0	0.0	169.6	0
Retroperitoneum	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Digestive Organs	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Respiratory System	^	^	^	^	0.0	0.0	169.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Larynx	^	^	^	^	0.0	0.0	169.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	169.6	0
Pleura	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Bones and Joints	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Soft Tissue including Heart	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Skin excluding Basal and Squamous	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Melanoma of the Skin	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Non-Epithelial Skin	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Breast	0.0	0.0	293.6	0	^	^	^	^
Female Genital System	0.0	0.0	293.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	293.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	293.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	293.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Ovary	0.0	0.0	293.6	0	^	^	^	^
Vagina	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Vulva	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Female Genital Organs	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Male Genital System	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Prostate	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Testis	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Penis	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Male Genital Organs	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Urinary System	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Urinary Bladder	0.0	0.0	293.6	0	0.0	0.0	169.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Ureter	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Urinary Organs	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Eye and Orbit	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Brain and Other Nervous System	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Brain	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Cranial Nerves Other Nervous System	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Endocrine System	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Thyroid	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Endocrine including Thymus	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Lymphoma	^	^	^	^	0.0	0.0	169.6	0
Hodgkin Lymphoma	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Hodgkin - Nodal	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Hodgkin - Extranodal	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	169.6	0
NHL - Nodal	^	^	^	^	0.0	0.0	169.6	0
NHL - Extranodal	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Myeloma	0.0	0.0	293.6	0	^	^	^	^
Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Lymphocytic Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Acute Lymphocytic Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Lymphocytic Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Acute Myeloid Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Acute Monocytic Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Chronic Myeloid Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Other Acute Leukemia	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Mesothelioma	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Kaposi Sarcoma	0.0	0.0	293.6	0	0.0	0.0	169.6	0
Miscellaneous	0.0	0.0	293.6	0	0.0	0.0	169.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	998.4	525.2	1,680.2	16
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	213.0	0
Lip	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Tongue	^	^	^	^	0.0	0.0	213.0	0
Salivary Gland	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Floor of Mouth	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Gum and Other Mouth	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Nasopharynx	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Tonsil	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Oropharynx	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Hypopharynx	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Oral Cavity and Pharynx	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Stomach	^	^	^	^	0.0	0.0	213.0	0
Small Intestine	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	207.3	0	^	^	^	^
Cecum	0.0	0.0	207.3	0	^	^	^	^
Appendix	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Ascending Colon	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Hepatic Flexure	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Transverse Colon	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Splenic Flexure	0.0	0.0	207.3	0	^	^	^	^
Descending Colon	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Sigmoid Colon	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Large Intestine, NOS	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Liver	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Intrahepatic Bile Duct	0.0	0.0	207.3	0	0.0	0.0	213.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Biliary	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Pancreas	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Retroperitoneum	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Digestive Organs	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Respiratory System	0.0	0.0	207.3	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Larynx	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Lung and Bronchus	0.0	0.0	207.3	0	^	^	^	^
Pleura	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Bones and Joints	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Soft Tissue including Heart	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Skin excluding Basal and Squamous	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Melanoma of the Skin	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Non-Epithelial Skin	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Breast	0.0	0.0	207.3	0	^	^	^	^
Female Genital System	0.0	0.0	207.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Corpus and Uterus, NOS	0.0	0.0	207.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	207.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Ovary	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Vagina	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Vulva	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Female Genital Organs	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Male Genital System	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Prostate	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Testis	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Penis	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Male Genital Organs	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	207.3	0	0.0	0.0	213.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Urinary Organs	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Eye and Orbit	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Brain and Other Nervous System	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Brain	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Cranial Nerves Other Nervous System	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Endocrine System	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Thyroid	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Endocrine including Thymus	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Lymphoma	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Hodgkin Lymphoma	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Hodgkin - Nodal	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Hodgkin - Extranodal	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Non-Hodgkin Lymphoma	0.0	0.0	207.3	0	0.0	0.0	213.0	0
NHL - Nodal	0.0	0.0	207.3	0	0.0	0.0	213.0	0
NHL - Extranodal	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Myeloma	0.0	0.0	207.3	0	^	^	^	^
Leukemia	0.0	0.0	207.3	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	207.3	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	207.3	0	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Lymphocytic Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Acute Myeloid Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Acute Monocytic Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Chronic Myeloid Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Other Acute Leukemia	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Mesothelioma	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Kaposi Sarcoma	0.0	0.0	207.3	0	0.0	0.0	213.0	0
Miscellaneous	0.0	0.0	207.3	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	862.1	315.6	1,745.0	12	388.0	127.9	870.8	7
Oral Cavity and Pharynx	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Lip	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Tongue	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Salivary Gland	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Floor of Mouth	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Gum and Other Mouth	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Nasopharynx	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Tonsil	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Oropharynx	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Hypopharynx	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Oral Cavity and Pharynx	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Digestive System	^	^	^	^	0.0	0.0	244.6	0
Esophagus	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Stomach	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Small Intestine	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Colon and Rectum	^	^	^	^	0.0	0.0	244.6	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	244.6	0
Cecum	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Appendix	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Ascending Colon	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Hepatic Flexure	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Transverse Colon	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Splenic Flexure	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Descending Colon	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	244.6	0
Large Intestine, NOS	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	244.6	0
Rectosigmoid Junction	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Rectum	^	^	^	^	0.0	0.0	244.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Liver	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Intrahepatic Bile Duct	0.0	0.0	270.9	0	0.0	0.0	244.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Biliary	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Pancreas	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Retroperitoneum	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Digestive Organs	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Respiratory System	0.0	0.0	270.9	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	270.9	0	^	^	^	^
Larynx	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Lung and Bronchus	0.0	0.0	270.9	0	^	^	^	^
Pleura	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Bones and Joints	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Soft Tissue including Heart	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	244.6	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	244.6	0
Other Non-Epithelial Skin	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Breast	0.0	0.0	270.9	0	^	^	^	^
Female Genital System	0.0	0.0	270.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Corpus and Uterus, NOS	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Corpus Uteri	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Uterus, NOS	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Ovary	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Vagina	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Vulva	0.0	0.0	270.9	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Male Genital System	^	^	^	^	0.0	0.0	244.6	0
Prostate	^	^	^	^	0.0	0.0	244.6	0
Testis	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Penis	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Male Genital Organs	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Urinary System	^	^	^	^	0.0	0.0	244.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	244.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Ureter	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Urinary Organs	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Eye and Orbit	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Brain and Other Nervous System	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Brain	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Cranial Nerves Other Nervous System	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Endocrine System	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Thyroid	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Endocrine including Thymus	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Lymphoma	^	^	^	^	0.0	0.0	244.6	0
Hodgkin Lymphoma	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Hodgkin - Nodal	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Hodgkin - Extranodal	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	244.6	0
NHL - Nodal	0.0	0.0	270.9	0	0.0	0.0	244.6	0
NHL - Extranodal	^	^	^	^	0.0	0.0	244.6	0
Myeloma	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Lymphocytic Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Acute Lymphocytic Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Lymphocytic Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Acute Myeloid Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Acute Monocytic Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Chronic Myeloid Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Other Acute Leukemia	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Mesothelioma	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Kaposi Sarcoma	0.0	0.0	270.9	0	0.0	0.0	244.6	0
Miscellaneous	^	^	^	^	0.0	0.0	244.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	467.2	221.7	838.4	12	250.5	124.4	454.6	11
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	96.5	0
Lip	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Tongue	^	^	^	^	0.0	0.0	96.5	0
Salivary Gland	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Floor of Mouth	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	96.5	0
Nasopharynx	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Tonsil	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Oropharynx	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Hypopharynx	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Oral Cavity and Pharynx	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Digestive System	^	^	^	^	0.0	0.0	96.5	0
Esophagus	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Stomach	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Small Intestine	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Colon and Rectum	^	^	^	^	0.0	0.0	96.5	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	96.5	0
Cecum	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Appendix	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Ascending Colon	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Hepatic Flexure	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Transverse Colon	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Splenic Flexure	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Descending Colon	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Sigmoid Colon	^	^	^	^	0.0	0.0	96.5	0
Large Intestine, NOS	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	96.5	0
Rectosigmoid Junction	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Rectum	^	^	^	^	0.0	0.0	96.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Liver	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Intrahepatic Bile Duct	0.0	0.0	121.2	0	0.0	0.0	96.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Biliary	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Pancreas	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Retroperitoneum	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Digestive Organs	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Respiratory System	^	^	^	^	0.0	0.0	96.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Larynx	^	^	^	^	0.0	0.0	96.5	0
Lung and Bronchus	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Pleura	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Bones and Joints	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Soft Tissue including Heart	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	96.5	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	96.5	0
Other Non-Epithelial Skin	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Breast	0.0	0.0	121.2	0	133.2	48.5	298.2	6
Female Genital System	0.0	0.0	121.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Corpus and Uterus, NOS	0.0	0.0	121.2	0	^	^	^	^
Corpus Uteri	0.0	0.0	121.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Ovary	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Vagina	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Vulva	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Female Genital Organs	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Male Genital System	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Prostate	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Testis	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Penis	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Male Genital Organs	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	121.2	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	96.5	0
Ureter	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Urinary Organs	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Eye and Orbit	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Brain and Other Nervous System	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Brain	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Cranial Nerves Other Nervous System	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Endocrine System	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Thyroid	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Endocrine including Thymus	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Hodgkin - Nodal	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Hodgkin - Extranodal	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	96.5	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	96.5	0
Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Lymphocytic Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Acute Lymphocytic Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Lymphocytic Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Acute Myeloid Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Acute Monocytic Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Chronic Myeloid Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Other Acute Leukemia	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Mesothelioma	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Kaposi Sarcoma	0.0	0.0	121.2	0	0.0	0.0	96.5	0
Miscellaneous	0.0	0.0	121.2	0	0.0	0.0	96.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	588.4	224.3	1,224.1	7
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	286.7	0
Lip	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Tongue	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Salivary Gland	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Floor of Mouth	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	286.7	0
Nasopharynx	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Tonsil	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Oropharynx	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Hypopharynx	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Oral Cavity and Pharynx	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Stomach	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Small Intestine	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Colon and Rectum	0.0	0.0	351.3	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	351.3	0	^	^	^	^
Cecum	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Appendix	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Ascending Colon	0.0	0.0	351.3	0	^	^	^	^
Hepatic Flexure	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Transverse Colon	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Splenic Flexure	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Descending Colon	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Sigmoid Colon	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Large Intestine, NOS	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Rectosigmoid Junction	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Rectum	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Liver	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Intrahepatic Bile Duct	0.0	0.0	351.3	0	0.0	0.0	286.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Biliary	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Pancreas	^	^	^	^	0.0	0.0	286.7	0
Retroperitoneum	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Digestive Organs	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Respiratory System	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Larynx	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Lung and Bronchus	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Pleura	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Bones and Joints	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Soft Tissue including Heart	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	286.7	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	286.7	0
Other Non-Epithelial Skin	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Breast	0.0	0.0	351.3	0	^	^	^	^
Female Genital System	0.0	0.0	351.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Corpus and Uterus, NOS	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Corpus Uteri	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Uterus, NOS	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Ovary	0.0	0.0	351.3	0	^	^	^	^
Vagina	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Vulva	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Female Genital Organs	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Male Genital System	^	^	^	^	0.0	0.0	286.7	0
Prostate	^	^	^	^	0.0	0.0	286.7	0
Testis	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Penis	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Male Genital Organs	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Urinary System	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Urinary Bladder	0.0	0.0	351.3	0	0.0	0.0	286.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Ureter	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Urinary Organs	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Eye and Orbit	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Brain and Other Nervous System	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Brain	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Cranial Nerves Other Nervous System	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Endocrine System	0.0	0.0	351.3	0	^	^	^	^
Thyroid	0.0	0.0	351.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Lymphoma	0.0	0.0	351.3	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Hodgkin - Nodal	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Hodgkin - Extranodal	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Non-Hodgkin Lymphoma	0.0	0.0	351.3	0	^	^	^	^
NHL - Nodal	0.0	0.0	351.3	0	0.0	0.0	286.7	0
NHL - Extranodal	0.0	0.0	351.3	0	^	^	^	^
Myeloma	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Lymphocytic Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Acute Lymphocytic Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Lymphocytic Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Acute Myeloid Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Acute Monocytic Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Chronic Myeloid Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Other Acute Leukemia	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Mesothelioma	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Kaposi Sarcoma	0.0	0.0	351.3	0	0.0	0.0	286.7	0
Miscellaneous	0.0	0.0	351.3	0	0.0	0.0	286.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	741.4	270.0	1,517.2	12	499.3	187.8	1,020.6	9
Oral Cavity and Pharynx	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Lip	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Tongue	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Salivary Gland	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Floor of Mouth	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Gum and Other Mouth	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Nasopharynx	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Tonsil	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Oropharynx	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Hypopharynx	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Oral Cavity and Pharynx	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Stomach	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Small Intestine	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	270.2	0	^	^	^	^
Appendix	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Ascending Colon	^	^	^	^	0.0	0.0	197.6	0
Hepatic Flexure	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Transverse Colon	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Splenic Flexure	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Descending Colon	^	^	^	^	0.0	0.0	197.6	0
Sigmoid Colon	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Large Intestine, NOS	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	270.2	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Rectum	0.0	0.0	270.2	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Liver	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Intrahepatic Bile Duct	0.0	0.0	270.2	0	0.0	0.0	197.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Biliary	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Pancreas	0.0	0.0	270.2	0	^	^	^	^
Retroperitoneum	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Digestive Organs	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Respiratory System	0.0	0.0	270.2	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Larynx	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Lung and Bronchus	0.0	0.0	270.2	0	^	^	^	^
Pleura	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Bones and Joints	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Soft Tissue including Heart	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Skin excluding Basal and Squamous	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Melanoma of the Skin	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Non-Epithelial Skin	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Breast	0.0	0.0	270.2	0	^	^	^	^
Female Genital System	0.0	0.0	270.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Corpus and Uterus, NOS	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Corpus Uteri	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Uterus, NOS	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Ovary	0.0	0.0	270.2	0	^	^	^	^
Vagina	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Vulva	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Female Genital Organs	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Male Genital System	430.8	72.7	1,170.4	6	0.0	0.0	197.6	0
Prostate	430.8	72.7	1,170.4	6	0.0	0.0	197.6	0
Testis	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Penis	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Male Genital Organs	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Urinary System	^	^	^	^	0.0	0.0	197.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	197.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Ureter	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Urinary Organs	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Eye and Orbit	^	^	^	^	0.0	0.0	197.6	0
Brain and Other Nervous System	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Brain	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Cranial Nerves Other Nervous System	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Endocrine System	0.0	0.0	270.2	0	^	^	^	^
Thyroid	0.0	0.0	270.2	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Hodgkin - Nodal	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Hodgkin - Extranodal	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	0.0	0.0	270.2	0	0.0	0.0	197.6	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Lymphocytic Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Acute Lymphocytic Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Lymphocytic Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Acute Myeloid Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Acute Monocytic Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Chronic Myeloid Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Other Acute Leukemia	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Mesothelioma	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Kaposi Sarcoma	0.0	0.0	270.2	0	0.0	0.0	197.6	0
Miscellaneous	0.0	0.0	270.2	0	0.0	0.0	197.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	649.4	359.8	1,054.0	19	391.5	196.9	688.9	14
Oral Cavity and Pharynx	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Lip	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Tongue	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Salivary Gland	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Floor of Mouth	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Gum and Other Mouth	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Nasopharynx	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Tonsil	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Oropharynx	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Hypopharynx	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Oral Cavity and Pharynx	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	115.9	0
Stomach	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Small Intestine	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Appendix	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Ascending Colon	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Hepatic Flexure	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Transverse Colon	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Splenic Flexure	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Descending Colon	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Sigmoid Colon	0.0	0.0	109.3	0	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	115.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	109.3	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Rectum	0.0	0.0	109.3	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Liver	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Intrahepatic Bile Duct	0.0	0.0	109.3	0	0.0	0.0	115.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Biliary	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Pancreas	^	^	^	^	0.0	0.0	115.9	0
Retroperitoneum	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Digestive Organs	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Respiratory System	^	^	^	^	0.0	0.0	115.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Larynx	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Lung and Bronchus	^	^	^	^	0.0	0.0	115.9	0
Pleura	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Bones and Joints	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	115.9	0
Skin excluding Basal and Squamous	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Melanoma of the Skin	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Non-Epithelial Skin	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Breast	0.0	0.0	109.3	0	196.6	84.2	399.0	9
Female Genital System	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Cervix Uteri	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Corpus and Uterus, NOS	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Corpus Uteri	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Uterus, NOS	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Ovary	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Vagina	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Vulva	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Female Genital Organs	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Male Genital System	242.6	77.8	532.8	6	0.0	0.0	115.9	0
Prostate	242.6	77.8	532.8	6	0.0	0.0	115.9	0
Testis	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Penis	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Male Genital Organs	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Urinary System	^	^	^	^	0.0	0.0	115.9	0
Urinary Bladder	^	^	^	^	0.0	0.0	115.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Ureter	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Urinary Organs	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Eye and Orbit	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Brain and Other Nervous System	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Brain	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Cranial Nerves Other Nervous System	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Endocrine System	0.0	0.0	109.3	0	^	^	^	^
Thyroid	0.0	0.0	109.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Lymphoma	^	^	^	^	0.0	0.0	115.9	0
Hodgkin Lymphoma	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Hodgkin - Nodal	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Hodgkin - Extranodal	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	115.9	0
NHL - Nodal	^	^	^	^	0.0	0.0	115.9	0
NHL - Extranodal	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Myeloma	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Lymphocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Acute Lymphocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Lymphocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Acute Myeloid Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Acute Monocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Chronic Myeloid Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Other Acute Leukemia	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Mesothelioma	0.0	0.0	109.3	0	^	^	^	^
Kaposi Sarcoma	0.0	0.0	109.3	0	0.0	0.0	115.9	0
Miscellaneous	^	^	^	^	0.0	0.0	115.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	314.8	110.2	727.9	6	528.9	206.7	1,061.9	8
Oral Cavity and Pharynx	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Lip	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Tongue	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Salivary Gland	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Floor of Mouth	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Gum and Other Mouth	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Nasopharynx	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Tonsil	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Oropharynx	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Hypopharynx	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Oral Cavity and Pharynx	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Stomach	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Small Intestine	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Appendix	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Ascending Colon	0.0	0.0	277.8	0	^	^	^	^
Hepatic Flexure	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Transverse Colon	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Splenic Flexure	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Descending Colon	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Sigmoid Colon	^	^	^	^	0.0	0.0	204.3	0
Large Intestine, NOS	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	204.3	0
Rectosigmoid Junction	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Rectum	^	^	^	^	0.0	0.0	204.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Liver	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Intrahepatic Bile Duct	0.0	0.0	277.8	0	0.0	0.0	204.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Biliary	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Pancreas	0.0	0.0	277.8	0	^	^	^	^
Retroperitoneum	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Digestive Organs	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Larynx	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Bones and Joints	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Soft Tissue including Heart	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Skin excluding Basal and Squamous	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Melanoma of the Skin	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Non-Epithelial Skin	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Breast	0.0	0.0	277.8	0	^	^	^	^
Female Genital System	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Cervix Uteri	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Corpus and Uterus, NOS	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Corpus Uteri	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Uterus, NOS	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Ovary	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Vagina	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Vulva	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Female Genital Organs	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Male Genital System	^	^	^	^	0.0	0.0	204.3	0
Prostate	^	^	^	^	0.0	0.0	204.3	0
Testis	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Penis	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Male Genital Organs	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Urinary System	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Urinary Bladder	0.0	0.0	277.8	0	0.0	0.0	204.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Ureter	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Urinary Organs	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Eye and Orbit	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Brain and Other Nervous System	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Brain	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Cranial Nerves Other Nervous System	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Endocrine System	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Thyroid	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Endocrine including Thymus	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Lymphoma	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Hodgkin Lymphoma	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Hodgkin - Nodal	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Hodgkin - Extranodal	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Non-Hodgkin Lymphoma	0.0	0.0	277.8	0	0.0	0.0	204.3	0
NHL - Nodal	0.0	0.0	277.8	0	0.0	0.0	204.3	0
NHL - Extranodal	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Myeloma	0.0	0.0	277.8	0	^	^	^	^
Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Lymphocytic Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Acute Lymphocytic Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Lymphocytic Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Acute Myeloid Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Acute Monocytic Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Chronic Myeloid Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Other Acute Leukemia	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Mesothelioma	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Kaposi Sarcoma	0.0	0.0	277.8	0	0.0	0.0	204.3	0
Miscellaneous	0.0	0.0	277.8	0	0.0	0.0	204.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	562.7	312.4	926.8	16	193.3	69.0	428.9	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	127.7	0
Lip	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Tongue	^	^	^	^	0.0	0.0	127.7	0
Salivary Gland	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Floor of Mouth	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Gum and Other Mouth	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Nasopharynx	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Tonsil	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Oropharynx	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Hypopharynx	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Oral Cavity and Pharynx	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Stomach	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Small Intestine	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	127.7	0
Appendix	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Ascending Colon	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Hepatic Flexure	0.0	0.0	127.4	0	^	^	^	^
Transverse Colon	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Splenic Flexure	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Descending Colon	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Sigmoid Colon	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Large Intestine, NOS	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	127.7	0
Liver	^	^	^	^	0.0	0.0	127.7	0
Intrahepatic Bile Duct	0.0	0.0	127.4	0	0.0	0.0	127.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Biliary	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Pancreas	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Retroperitoneum	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Digestive Organs	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Larynx	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Bones and Joints	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Soft Tissue including Heart	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Skin excluding Basal and Squamous	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Melanoma of the Skin	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Non-Epithelial Skin	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Breast	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Female Genital System	0.0	0.0	127.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Corpus and Uterus, NOS	0.0	0.0	127.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	127.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Ovary	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Vagina	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Vulva	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Female Genital Organs	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Male Genital System	^	^	^	^	0.0	0.0	127.7	0
Prostate	^	^	^	^	0.0	0.0	127.7	0
Testis	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Penis	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Male Genital Organs	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Urinary System	^	^	^	^	0.0	0.0	127.7	0
Urinary Bladder	0.0	0.0	127.4	0	0.0	0.0	127.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	127.7	0
Ureter	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Urinary Organs	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Eye and Orbit	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Brain and Other Nervous System	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Brain	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Cranial Nerves Other Nervous System	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Endocrine System	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Thyroid	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Endocrine including Thymus	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Lymphoma	^	^	^	^	0.0	0.0	127.7	0
Hodgkin Lymphoma	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Hodgkin - Nodal	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Hodgkin - Extranodal	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	127.7	0
NHL - Nodal	0.0	0.0	127.4	0	0.0	0.0	127.7	0
NHL - Extranodal	^	^	^	^	0.0	0.0	127.7	0
Myeloma	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Leukemia	0.0	0.0	127.4	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Acute Lymphocytic Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Lymphocytic Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.4	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	127.4	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Chronic Myeloid Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Other Acute Leukemia	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Mesothelioma	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Kaposi Sarcoma	0.0	0.0	127.4	0	0.0	0.0	127.7	0
Miscellaneous	^	^	^	^	0.0	0.0	127.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	2,064.3	0
Lip	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Tongue	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Salivary Gland	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Floor of Mouth	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Gum and Other Mouth	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Nasopharynx	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Tonsil	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Oropharynx	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Hypopharynx	^	^	^	^	0.0	0.0	2,064.3	0
Other Oral Cavity and Pharynx	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Digestive System	0.0	0.0	1,398.0	0	^	^	^	^
Esophagus	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Stomach	0.0	0.0	1,398.0	0	^	^	^	^
Small Intestine	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Colon and Rectum	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Colon excluding Rectum	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Cecum	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Appendix	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Ascending Colon	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Hepatic Flexure	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Transverse Colon	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Splenic Flexure	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Descending Colon	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Sigmoid Colon	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Large Intestine, NOS	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Rectosigmoid Junction	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Rectum	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Liver	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Intrahepatic Bile Duct	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Biliary	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Pancreas	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Retroperitoneum	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Digestive Organs	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Respiratory System	^	^	^	^	0.0	0.0	2,064.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Larynx	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Lung and Bronchus	^	^	^	^	0.0	0.0	2,064.3	0
Pleura	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Bones and Joints	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Soft Tissue including Heart	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Skin excluding Basal and Squamous	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Melanoma of the Skin	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Non-Epithelial Skin	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Breast	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Female Genital System	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Cervix Uteri	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Corpus and Uterus, NOS	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Corpus Uteri	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Uterus, NOS	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Ovary	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Vagina	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Vulva	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Female Genital Organs	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Male Genital System	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Prostate	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Testis	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Penis	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Male Genital Organs	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Urinary System	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Urinary Bladder	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Ureter	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Urinary Organs	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Eye and Orbit	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Brain and Other Nervous System	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Brain	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Cranial Nerves Other Nervous System	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Endocrine System	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Thyroid	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Endocrine including Thymus	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Lymphoma	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Hodgkin Lymphoma	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Hodgkin - Nodal	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Hodgkin - Extranodal	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Non-Hodgkin Lymphoma	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
NHL - Nodal	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
NHL - Extranodal	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Myeloma	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Lymphocytic Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Acute Lymphocytic Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Lymphocytic Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Acute Myeloid Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Acute Monocytic Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Chronic Myeloid Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Other Acute Leukemia	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Mesothelioma	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Kaposi Sarcoma	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0
Miscellaneous	0.0	0.0	1,398.0	0	0.0	0.0	2,064.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	364.4	158.4	703.7	10	247.1	89.8	544.4	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	164.9	0
Lip	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Tongue	^	^	^	^	0.0	0.0	164.9	0
Salivary Gland	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Floor of Mouth	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Gum and Other Mouth	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Nasopharynx	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Tonsil	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Oropharynx	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Hypopharynx	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Oral Cavity and Pharynx	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Stomach	^	^	^	^	0.0	0.0	164.9	0
Small Intestine	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Colon and Rectum	0.0	0.0	146.8	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	146.8	0	^	^	^	^
Cecum	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Appendix	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Ascending Colon	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Hepatic Flexure	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Transverse Colon	0.0	0.0	146.8	0	^	^	^	^
Splenic Flexure	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Descending Colon	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Sigmoid Colon	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Large Intestine, NOS	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Rectosigmoid Junction	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Rectum	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	164.9	0
Liver	^	^	^	^	0.0	0.0	164.9	0
Intrahepatic Bile Duct	0.0	0.0	146.8	0	0.0	0.0	164.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Biliary	0.0	0.0	146.8	0	^	^	^	^
Pancreas	0.0	0.0	146.8	0	^	^	^	^
Retroperitoneum	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Digestive Organs	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Respiratory System	^	^	^	^	0.0	0.0	164.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Larynx	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Lung and Bronchus	^	^	^	^	0.0	0.0	164.9	0
Pleura	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Bones and Joints	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Soft Tissue including Heart	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Skin excluding Basal and Squamous	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Melanoma of the Skin	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Non-Epithelial Skin	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Breast	0.0	0.0	146.8	0	^	^	^	^
Female Genital System	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Cervix Uteri	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Corpus and Uterus, NOS	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Corpus Uteri	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Uterus, NOS	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Ovary	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Vagina	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Vulva	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Female Genital Organs	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Male Genital System	^	^	^	^	0.0	0.0	164.9	0
Prostate	^	^	^	^	0.0	0.0	164.9	0
Testis	^	^	^	^	0.0	0.0	164.9	0
Penis	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Male Genital Organs	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Urinary System	^	^	^	^	0.0	0.0	164.9	0
Urinary Bladder	^	^	^	^	0.0	0.0	164.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2000/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	164.9	0
Ureter	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Urinary Organs	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Eye and Orbit	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Brain and Other Nervous System	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Brain	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Cranial Nerves Other Nervous System	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Endocrine System	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Thyroid	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Endocrine including Thymus	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	146.8	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	146.8	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	164.9	0
NHL - Nodal	^	^	^	^	0.0	0.0	164.9	0
NHL - Extranodal	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Myeloma	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Lymphocytic Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Acute Lymphocytic Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Lymphocytic Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Acute Myeloid Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Acute Monocytic Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Chronic Myeloid Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Other Acute Leukemia	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Mesothelioma	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Kaposi Sarcoma	0.0	0.0	146.8	0	0.0	0.0	164.9	0
Miscellaneous	0.0	0.0	146.8	0	0.0	0.0	164.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Lip	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Tongue	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Salivary Gland	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Floor of Mouth	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Gum and Other Mouth	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Nasopharynx	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Tonsil	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Oropharynx	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Hypopharynx	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Oral Cavity and Pharynx	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Digestive System	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Esophagus	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Stomach	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Small Intestine	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Colon and Rectum	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Colon excluding Rectum	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Cecum	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Appendix	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Ascending Colon	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Hepatic Flexure	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Transverse Colon	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Splenic Flexure	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Descending Colon	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Sigmoid Colon	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Large Intestine, NOS	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Rectosigmoid Junction	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Rectum	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Liver	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Intrahepatic Bile Duct	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Biliary	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Pancreas	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Retroperitoneum	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Digestive Organs	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Respiratory System	^	^	^	^	0.0	0.0	994.7	0
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	994.7	0
Larynx	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Lung and Bronchus	^	^	^	^	0.0	0.0	994.7	0
Pleura	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Bones and Joints	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Soft Tissue including Heart	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Skin excluding Basal and Squamous	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Melanoma of the Skin	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Non-Epithelial Skin	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Breast	0.0	0.0	1,361.7	0	^	^	^	^
Female Genital System	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Cervix Uteri	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Corpus and Uterus, NOS	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Corpus Uteri	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Uterus, NOS	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Ovary	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Vagina	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Vulva	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Female Genital Organs	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Male Genital System	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Prostate	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Testis	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Penis	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Male Genital Organs	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Urinary System	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Urinary Bladder	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Ureter	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Urinary Organs	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Eye and Orbit	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Brain and Other Nervous System	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Brain	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Cranial Nerves Other Nervous System	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Endocrine System	0.0	0.0	1,361.7	0	^	^	^	^
Thyroid	0.0	0.0	1,361.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Lymphoma	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Hodgkin Lymphoma	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Hodgkin - Nodal	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Hodgkin - Extranodal	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Non-Hodgkin Lymphoma	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
NHL - Nodal	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
NHL - Extranodal	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Myeloma	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Leukemia	^	^	^	^	0.0	0.0	994.7	0
Lymphocytic Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Acute Lymphocytic Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Lymphocytic Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Acute Myeloid Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Acute Monocytic Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Chronic Myeloid Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Other Leukemia	^	^	^	^	0.0	0.0	994.7	0
Other Acute Leukemia	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	994.7	0
Mesothelioma	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Kaposi Sarcoma	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0
Miscellaneous	0.0	0.0	1,361.7	0	0.0	0.0	994.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	267.3	73.8	1,085.9	6	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Lip	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Tongue	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Salivary Gland	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Floor of Mouth	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Gum and Other Mouth	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Nasopharynx	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Tonsil	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Oropharynx	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Hypopharynx	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Oral Cavity and Pharynx	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Stomach	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Small Intestine	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	830.5	0	^	^	^	^
Cecum	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Appendix	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Ascending Colon	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Hepatic Flexure	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Transverse Colon	0.0	0.0	830.5	0	^	^	^	^
Splenic Flexure	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Descending Colon	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Sigmoid Colon	0.0	0.0	830.5	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	774.8	0
Rectosigmoid Junction	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Rectum	^	^	^	^	0.0	0.0	774.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Liver	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Intrahepatic Bile Duct	0.0	0.0	830.5	0	0.0	0.0	774.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Biliary	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Pancreas	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Retroperitoneum	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Digestive Organs	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Respiratory System	^	^	^	^	0.0	0.0	774.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Larynx	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Lung and Bronchus	^	^	^	^	0.0	0.0	774.8	0
Pleura	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Bones and Joints	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Soft Tissue including Heart	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	774.8	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	774.8	0
Other Non-Epithelial Skin	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Breast	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Female Genital System	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Cervix Uteri	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Corpus and Uterus, NOS	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Corpus Uteri	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Uterus, NOS	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Ovary	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Vagina	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Vulva	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Female Genital Organs	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Male Genital System	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Prostate	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Testis	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Penis	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Male Genital Organs	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Urinary System	^	^	^	^	0.0	0.0	774.8	0
Urinary Bladder	0.0	0.0	830.5	0	0.0	0.0	774.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	774.8	0
Ureter	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Urinary Organs	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Eye and Orbit	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Brain and Other Nervous System	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Brain	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Cranial Nerves Other Nervous System	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Endocrine System	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Thyroid	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Endocrine including Thymus	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Lymphoma	^	^	^	^	0.0	0.0	774.8	0
Hodgkin Lymphoma	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Hodgkin - Nodal	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Hodgkin - Extranodal	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	774.8	0
NHL - Nodal	^	^	^	^	0.0	0.0	774.8	0
NHL - Extranodal	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Myeloma	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Lymphocytic Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Acute Lymphocytic Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Lymphocytic Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Acute Myeloid Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Acute Monocytic Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Chronic Myeloid Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Other Acute Leukemia	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Mesothelioma	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Kaposi Sarcoma	0.0	0.0	830.5	0	0.0	0.0	774.8	0
Miscellaneous	0.0	0.0	830.5	0	0.0	0.0	774.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	638.7	574.2	707.8	484	452.7	408.0	500.8	427
Oral Cavity and Pharynx	15.5	7.4	28.2	13	5.6	2.0	12.4	6
Lip	^	^	^	^	0.0	0.0	3.8	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	5.4	0	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	3.8	0
Oropharynx	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Hypopharynx	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Other Oral Cavity and Pharynx	0.0	0.0	5.4	0	^	^	^	^
Digestive System	94.4	71.7	121.4	80	96.7	75.6	121.4	79
Esophagus	6.1	1.5	15.7	6	^	^	^	^
Stomach	12.7	4.5	26.7	10	12.5	5.4	23.8	8
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	44.1	28.4	64.8	31	56.6	40.8	76.0	47
Colon excluding Rectum	31.3	17.9	49.8	20	39.5	26.2	56.5	30
Cecum	^	^	^	^	17.9	9.3	30.5	13
Appendix	^	^	^	^	0.0	0.0	3.8	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Sigmoid Colon	^	^	^	^	9.9	4.1	19.6	8
Large Intestine, NOS	0.0	0.0	5.4	0	^	^	^	^
Rectum and Rectosigmoid Junction	12.8	5.7	24.4	11	17.1	9.6	28.1	17
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	12.0	5.1	23.5	10	14.9	7.8	25.6	14
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	15.7	9.0	26.0	18	^	^	^	^
Liver	12.6	6.6	22.4	14	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	3.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	0.0	0.0	5.4	0	^	^	^	^
Pancreas	7.4	3.0	15.8	8	10.8	4.7	20.5	9
Retroperitoneum	^	^	^	^	0.0	0.0	3.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.4	0	^	^	^	^
Other Digestive Organs	^	^	^	^	0.0	0.0	3.8	0
Respiratory System	84.4	63.2	109.8	67	63.0	46.2	83.4	51
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	8.4	3.1	18.1	7	^	^	^	^
Lung and Bronchus	73.6	53.8	97.8	58	61.3	44.7	81.6	49
Pleura	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	16.7	8.3	29.5	15	14.5	7.4	25.1	14
Melanoma of the Skin	16.7	8.3	29.5	15	14.5	7.4	25.1	14
Other Non-Epithelial Skin	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Breast	0.0	0.0	5.4	0	151.7	127.7	178.9	159
Female Genital System	0.0	0.0	5.4	0	49.3	35.4	66.6	47
Cervix Uteri	0.0	0.0	5.4	0	9.0	4.1	17.2	10
Corpus and Uterus, NOS	0.0	0.0	5.4	0	31.8	20.8	46.3	30
Corpus Uteri	0.0	0.0	5.4	0	30.1	19.5	44.0	29
Uterus, NOS	0.0	0.0	5.4	0	^	^	^	^
Ovary	0.0	0.0	5.4	0	^	^	^	^
Vagina	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Vulva	0.0	0.0	5.4	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Male Genital System	216.5	178.9	258.8	153	0.0	0.0	3.8	0
Prostate	209.4	172.1	251.5	143	0.0	0.0	3.8	0
Testis	6.1	2.8	13.0	9	0.0	0.0	3.8	0
Penis	^	^	^	^	0.0	0.0	3.8	0
Other Male Genital Organs	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Urinary System	83.2	61.0	110.0	58	16.1	8.4	27.4	14
Urinary Bladder	50.0	32.9	72.1	34	8.5	3.1	17.7	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	29.5	17.6	46.1	22	6.0	2.1	13.3	6
Ureter	^	^	^	^	0.0	0.0	3.8	0
Other Urinary Organs	^	^	^	^	^	^	^	^
Eye and Orbit	^	^	^	^	0.0	0.0	3.8	0
Brain and Other Nervous System	12.7	4.3	26.9	9	^	^	^	^
Brain	12.7	4.3	26.9	9	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	5.4	0	^	^	^	^
Endocrine System	6.4	2.6	14.0	8	14.7	7.9	24.7	16
Thyroid	5.0	2.0	11.9	7	10.5	5.4	18.8	13
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	32.2	20.5	47.9	30	13.6	6.6	24.1	12
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	3.8	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	3.8	0
Hodgkin - Extranodal	0.0	0.0	5.4	0	0.0	0.0	3.8	0
Non-Hodgkin Lymphoma	28.4	17.4	43.6	26	13.6	6.6	24.1	12
NHL - Nodal	17.2	9.2	29.2	17	8.2	3.2	16.6	8
NHL - Extranodal	11.3	4.6	22.6	9	^	^	^	^
Myeloma	11.4	4.5	23.2	8	^	^	^	^
Leukemia	13.6	5.9	26.1	11	9.9	5.0	17.7	12
Lymphocytic Leukemia	10.5	3.8	22.3	8	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	9.1	2.8	20.7	6	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	3.8	0
Myeloid and Monocytic Leukemia	^	^	^	^	6.6	2.8	13.5	8
Acute Myeloid Leukemia	0.0	0.0	5.4	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.4	0	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.4	0	^	^	^	^
Other Leukemia	^	^	^	^	0.0	0.0	3.8	0
Other Acute Leukemia	^	^	^	^	0.0	0.0	3.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	3.8	0
Mesothelioma	^	^	^	^	0.0	0.0	3.8	0
Kaposi Sarcoma	0.0	0.0	5.4	0	^	^	^	^
Miscellaneous	38.0	20.7	61.7	20	8.8	3.1	18.7	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	434.1	245.4	696.6	18	392.6	219.6	637.1	18
Oral Cavity and Pharynx	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Lip	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Tongue	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Salivary Gland	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Floor of Mouth	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Gum and Other Mouth	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Nasopharynx	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Tonsil	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Oropharynx	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Hypopharynx	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Oral Cavity and Pharynx	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Digestive System	229.5	99.1	435.7	9	273.2	129.1	492.9	11
Esophagus	^	^	^	^	0.0	0.0	74.4	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	73.8	0	^	^	^	^
Colon and Rectum	^	^	^	^	150.1	50.6	326.7	6
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	73.8	0	^	^	^	^
Appendix	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Ascending Colon	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Hepatic Flexure	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Transverse Colon	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Splenic Flexure	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Descending Colon	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	74.4	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Liver	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Intrahepatic Bile Duct	0.0	0.0	73.8	0	0.0	0.0	74.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Biliary	0.0	0.0	73.8	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Digestive Organs	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Respiratory System	^	^	^	^	0.0	0.0	74.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Larynx	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Lung and Bronchus	^	^	^	^	0.0	0.0	74.4	0
Pleura	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Bones and Joints	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	74.4	0
Skin excluding Basal and Squamous	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Melanoma of the Skin	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Non-Epithelial Skin	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Breast	0.0	0.0	73.8	0	^	^	^	^
Female Genital System	0.0	0.0	73.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	73.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	73.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	73.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Ovary	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Vagina	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Vulva	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Female Genital Organs	0.0	0.0	73.8	0	^	^	^	^
Male Genital System	^	^	^	^	0.0	0.0	74.4	0
Prostate	^	^	^	^	0.0	0.0	74.4	0
Testis	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Penis	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Male Genital Organs	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Urinary System	^	^	^	^	0.0	0.0	74.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	74.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	74.4	0
Ureter	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Urinary Organs	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Eye and Orbit	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Brain and Other Nervous System	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Brain	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Cranial Nerves Other Nervous System	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Endocrine System	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Thyroid	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Endocrine including Thymus	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Lymphoma	0.0	0.0	73.8	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Hodgkin - Nodal	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Hodgkin - Extranodal	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Non-Hodgkin Lymphoma	0.0	0.0	73.8	0	^	^	^	^
NHL - Nodal	0.0	0.0	73.8	0	^	^	^	^
NHL - Extranodal	0.0	0.0	73.8	0	^	^	^	^
Myeloma	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Leukemia	^	^	^	^	0.0	0.0	74.4	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	74.4	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	74.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Lymphocytic Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Acute Myeloid Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Acute Monocytic Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Chronic Myeloid Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Other Acute Leukemia	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Mesothelioma	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Kaposi Sarcoma	0.0	0.0	73.8	0	0.0	0.0	74.4	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	0.0	0.0	1,730.2	0	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Lip	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Tongue	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Salivary Gland	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Floor of Mouth	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Gum and Other Mouth	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Nasopharynx	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Tonsil	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Oropharynx	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Hypopharynx	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Oral Cavity and Pharynx	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Digestive System	0.0	0.0	1,730.2	0	^	^	^	^
Esophagus	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Stomach	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Small Intestine	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Colon and Rectum	0.0	0.0	1,730.2	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Cecum	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Appendix	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Ascending Colon	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Hepatic Flexure	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Transverse Colon	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Splenic Flexure	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Descending Colon	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Sigmoid Colon	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Large Intestine, NOS	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,730.2	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Rectum	0.0	0.0	1,730.2	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,730.2	0	^	^	^	^
Liver	0.0	0.0	1,730.2	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Biliary	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Pancreas	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Retroperitoneum	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Digestive Organs	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Respiratory System	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Larynx	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Lung and Bronchus	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Pleura	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Bones and Joints	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Soft Tissue including Heart	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Skin excluding Basal and Squamous	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Melanoma of the Skin	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Non-Epithelial Skin	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Breast	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Female Genital System	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Cervix Uteri	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Corpus and Uterus, NOS	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Corpus Uteri	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Uterus, NOS	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Ovary	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Vagina	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Vulva	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Female Genital Organs	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Male Genital System	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Prostate	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Testis	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Penis	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Male Genital Organs	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Urinary System	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Urinary Bladder	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Ureter	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Urinary Organs	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Eye and Orbit	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Brain and Other Nervous System	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Brain	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Cranial Nerves Other Nervous System	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Endocrine System	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Thyroid	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Endocrine including Thymus	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Lymphoma	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Hodgkin Lymphoma	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Hodgkin - Nodal	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Hodgkin - Extranodal	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Non-Hodgkin Lymphoma	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
NHL - Nodal	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
NHL - Extranodal	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Myeloma	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Lymphocytic Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Acute Lymphocytic Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Lymphocytic Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Acute Myeloid Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Acute Monocytic Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Chronic Myeloid Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Other Acute Leukemia	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Mesothelioma	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Kaposi Sarcoma	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0
Miscellaneous	0.0	0.0	1,730.2	0	0.0	0.0	1,980.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Lip	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Tongue	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Salivary Gland	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Floor of Mouth	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Gum and Other Mouth	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Nasopharynx	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Tonsil	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Oropharynx	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Hypopharynx	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Oral Cavity and Pharynx	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Digestive System	0.0	0.0	858.8	0	^	^	^	^
Esophagus	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Stomach	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Small Intestine	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Colon and Rectum	0.0	0.0	858.8	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	858.8	0	^	^	^	^
Cecum	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Appendix	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Ascending Colon	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Hepatic Flexure	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Transverse Colon	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Splenic Flexure	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Descending Colon	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Sigmoid Colon	0.0	0.0	858.8	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Rectosigmoid Junction	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Rectum	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Liver	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Intrahepatic Bile Duct	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Biliary	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Pancreas	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Retroperitoneum	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Digestive Organs	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Respiratory System	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Larynx	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Lung and Bronchus	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Pleura	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Bones and Joints	^	^	^	^	0.0	0.0	1,960.9	0
Soft Tissue including Heart	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Skin excluding Basal and Squamous	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Melanoma of the Skin	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Non-Epithelial Skin	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Breast	0.0	0.0	858.8	0	^	^	^	^
Female Genital System	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Cervix Uteri	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Corpus and Uterus, NOS	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Corpus Uteri	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Uterus, NOS	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Ovary	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Vagina	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Vulva	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Female Genital Organs	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Male Genital System	^	^	^	^	0.0	0.0	1,960.9	0
Prostate	^	^	^	^	0.0	0.0	1,960.9	0
Testis	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Penis	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Male Genital Organs	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Urinary System	0.0	0.0	858.8	0	^	^	^	^
Urinary Bladder	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	858.8	0	^	^	^	^
Ureter	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Urinary Organs	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Eye and Orbit	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Brain and Other Nervous System	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Brain	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Cranial Nerves Other Nervous System	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Endocrine System	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Thyroid	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Endocrine including Thymus	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Lymphoma	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Hodgkin Lymphoma	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Hodgkin - Nodal	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Hodgkin - Extranodal	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Non-Hodgkin Lymphoma	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
NHL - Nodal	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
NHL - Extranodal	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Myeloma	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Lymphocytic Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Acute Lymphocytic Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Lymphocytic Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Acute Myeloid Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Acute Monocytic Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Chronic Myeloid Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Other Acute Leukemia	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Mesothelioma	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Kaposi Sarcoma	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0
Miscellaneous	0.0	0.0	858.8	0	0.0	0.0	1,960.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Lip	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Tongue	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Salivary Gland	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Floor of Mouth	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Gum and Other Mouth	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Nasopharynx	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Tonsil	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Oropharynx	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Hypopharynx	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Oral Cavity and Pharynx	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Stomach	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Small Intestine	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Colon and Rectum	0.0	0.0	269.9	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	269.9	0	^	^	^	^
Cecum	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Appendix	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Ascending Colon	0.0	0.0	269.9	0	^	^	^	^
Hepatic Flexure	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Transverse Colon	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Splenic Flexure	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Descending Colon	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Sigmoid Colon	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Large Intestine, NOS	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Rectosigmoid Junction	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Rectum	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	218.3	0
Liver	^	^	^	^	0.0	0.0	218.3	0
Intrahepatic Bile Duct	0.0	0.0	269.9	0	0.0	0.0	218.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Biliary	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Pancreas	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Retroperitoneum	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Digestive Organs	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Respiratory System	^	^	^	^	0.0	0.0	218.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Larynx	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Lung and Bronchus	^	^	^	^	0.0	0.0	218.3	0
Pleura	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Bones and Joints	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Soft Tissue including Heart	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Skin excluding Basal and Squamous	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Melanoma of the Skin	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Non-Epithelial Skin	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Breast	0.0	0.0	269.9	0	^	^	^	^
Female Genital System	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Cervix Uteri	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Corpus and Uterus, NOS	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Corpus Uteri	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Uterus, NOS	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Ovary	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Vagina	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Vulva	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Female Genital Organs	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Male Genital System	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Prostate	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Testis	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Penis	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Male Genital Organs	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Urinary System	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Urinary Bladder	0.0	0.0	269.9	0	0.0	0.0	218.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Ureter	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Urinary Organs	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Eye and Orbit	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Brain and Other Nervous System	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Brain	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Cranial Nerves Other Nervous System	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Endocrine System	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Thyroid	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Endocrine including Thymus	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Lymphoma	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Hodgkin Lymphoma	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Hodgkin - Nodal	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Hodgkin - Extranodal	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Non-Hodgkin Lymphoma	0.0	0.0	269.9	0	0.0	0.0	218.3	0
NHL - Nodal	0.0	0.0	269.9	0	0.0	0.0	218.3	0
NHL - Extranodal	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Myeloma	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Lymphocytic Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Acute Lymphocytic Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Lymphocytic Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Acute Myeloid Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Acute Monocytic Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Chronic Myeloid Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Other Acute Leukemia	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Mesothelioma	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Kaposi Sarcoma	0.0	0.0	269.9	0	0.0	0.0	218.3	0
Miscellaneous	0.0	0.0	269.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	679.2	560.1	813.7	156	477.3	391.3	575.4	128
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Tongue	0.0	0.0	17.1	0	^	^	^	^
Salivary Gland	0.0	0.0	17.1	0	^	^	^	^
Floor of Mouth	0.0	0.0	17.1	0	^	^	^	^
Gum and Other Mouth	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Nasopharynx	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Tonsil	^	^	^	^	0.0	0.0	14.0	0
Oropharynx	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Hypopharynx	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Other Oral Cavity and Pharynx	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Digestive System	124.4	74.8	190.9	24	110.4	67.4	167.9	22
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	14.0	0
Small Intestine	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Colon and Rectum	74.1	39.4	124.3	15	61.4	31.3	105.7	13
Colon excluding Rectum	56.8	27.1	102.2	11	41.8	18.1	79.5	9
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	14.0	0
Transverse Colon	^	^	^	^	0.0	0.0	14.0	0
Splenic Flexure	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Descending Colon	0.0	0.0	17.1	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	14.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	14.0	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	17.1	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	17.1	0	0.0	0.0	14.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Other Biliary	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Other Digestive Organs	^	^	^	^	0.0	0.0	14.0	0
Respiratory System	87.2	48.5	141.7	20	69.9	38.8	114.3	17
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	14.0	0
Larynx	0.0	0.0	17.1	0	^	^	^	^
Lung and Bronchus	84.0	45.7	138.4	18	67.6	36.8	111.8	16
Pleura	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	14.0	0
Bones and Joints	^	^	^	^	0.0	0.0	14.0	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	14.0	0
Breast	0.0	0.0	17.1	0	149.2	104.6	205.6	44
Female Genital System	0.0	0.0	17.1	0	44.5	24.8	74.7	16
Cervix Uteri	0.0	0.0	17.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	17.1	0	18.8	7.5	40.8	7
Corpus Uteri	0.0	0.0	17.1	0	18.8	7.5	40.8	7
Uterus, NOS	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Ovary	0.0	0.0	17.1	0	^	^	^	^
Vagina	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Vulva	0.0	0.0	17.1	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Male Genital System	260.2	189.9	345.8	57	0.0	0.0	14.0	0
Prostate	251.4	181.7	336.5	53	0.0	0.0	14.0	0
Testis	^	^	^	^	0.0	0.0	14.0	0
Penis	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Other Male Genital Organs	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Urinary System	78.0	37.5	137.7	15	^	^	^	^
Urinary Bladder	63.0	28.9	114.9	13	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Other Urinary Organs	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Eye and Orbit	^	^	^	^	0.0	0.0	14.0	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	14.0	0
Brain	^	^	^	^	0.0	0.0	14.0	0
Cranial Nerves Other Nervous System	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Endocrine System	^	^	^	^	18.7	6.4	42.8	6
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	17.1	0	^	^	^	^
Lymphoma	30.0	13.4	59.2	10	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Non-Hodgkin Lymphoma	28.4	12.2	57.4	9	^	^	^	^
NHL - Nodal	18.8	6.3	44.6	6	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	14.0	0
Myeloma	^	^	^	^	0.0	0.0	14.0	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	14.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	17.1	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Chronic Myeloid Leukemia	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Other Leukemia	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Other Acute Leukemia	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Mesothelioma	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Kaposi Sarcoma	0.0	0.0	17.1	0	0.0	0.0	14.0	0
Miscellaneous	21.6	6.1	52.5	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	700.4	240.1	1,550.6	6	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Lip	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Tongue	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Salivary Gland	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Floor of Mouth	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Gum and Other Mouth	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Nasopharynx	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Tonsil	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Oropharynx	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Hypopharynx	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Oral Cavity and Pharynx	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Digestive System	^	^	^	^	0.0	0.0	378.3	0
Esophagus	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Stomach	^	^	^	^	0.0	0.0	378.3	0
Small Intestine	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Colon and Rectum	^	^	^	^	0.0	0.0	378.3	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	378.3	0
Cecum	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Appendix	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Ascending Colon	^	^	^	^	0.0	0.0	378.3	0
Hepatic Flexure	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Transverse Colon	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Splenic Flexure	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Descending Colon	^	^	^	^	0.0	0.0	378.3	0
Sigmoid Colon	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Large Intestine, NOS	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Rectosigmoid Junction	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Rectum	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Liver	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Intrahepatic Bile Duct	0.0	0.0	418.2	0	0.0	0.0	378.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Biliary	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Pancreas	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Retroperitoneum	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Digestive Organs	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Respiratory System	^	^	^	^	0.0	0.0	378.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Larynx	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Lung and Bronchus	^	^	^	^	0.0	0.0	378.3	0
Pleura	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Bones and Joints	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Soft Tissue including Heart	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Skin excluding Basal and Squamous	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Melanoma of the Skin	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Non-Epithelial Skin	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Breast	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Female Genital System	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Cervix Uteri	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Corpus and Uterus, NOS	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Corpus Uteri	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Uterus, NOS	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Ovary	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Vagina	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Vulva	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Female Genital Organs	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Male Genital System	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Prostate	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Testis	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Penis	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Male Genital Organs	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Urinary System	^	^	^	^	0.0	0.0	378.3	0
Urinary Bladder	^	^	^	^	0.0	0.0	378.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Ureter	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Urinary Organs	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Eye and Orbit	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Brain and Other Nervous System	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Brain	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Cranial Nerves Other Nervous System	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Endocrine System	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Thyroid	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Endocrine including Thymus	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Lymphoma	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Hodgkin Lymphoma	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Hodgkin - Nodal	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Hodgkin - Extranodal	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Non-Hodgkin Lymphoma	0.0	0.0	418.2	0	0.0	0.0	378.3	0
NHL - Nodal	0.0	0.0	418.2	0	0.0	0.0	378.3	0
NHL - Extranodal	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Myeloma	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Leukemia	0.0	0.0	418.2	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Acute Lymphocytic Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Lymphocytic Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	418.2	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	418.2	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Chronic Myeloid Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Other Acute Leukemia	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Mesothelioma	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Kaposi Sarcoma	0.0	0.0	418.2	0	0.0	0.0	378.3	0
Miscellaneous	0.0	0.0	418.2	0	0.0	0.0	378.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	629.0	456.2	839.3	55	528.9	401.2	682.9	65
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Tongue	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Salivary Gland	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Floor of Mouth	0.0	0.0	38.5	0	^	^	^	^
Gum and Other Mouth	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Nasopharynx	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Hypopharynx	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	30.8	0
Digestive System	96.7	47.7	175.7	12	101.4	48.6	183.4	11
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	30.8	0
Small Intestine	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Colon and Rectum	54.9	21.2	119.0	7	^	^	^	^
Colon excluding Rectum	47.5	16.5	109.4	6	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Ascending Colon	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	0.0	0.0	30.8	0
Splenic Flexure	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Descending Colon	0.0	0.0	38.5	0	^	^	^	^
Sigmoid Colon	^	^	^	^	0.0	0.0	30.8	0
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	30.8	0
Rectosigmoid Junction	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Rectum	^	^	^	^	0.0	0.0	30.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	38.5	0	0.0	0.0	30.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Biliary	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Digestive Organs	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Respiratory System	111.6	42.3	225.4	7	55.8	20.8	118.8	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Larynx	^	^	^	^	0.0	0.0	30.8	0
Lung and Bronchus	94.4	32.0	201.6	6	55.8	20.8	118.8	7
Pleura	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Bones and Joints	^	^	^	^	0.0	0.0	30.8	0
Soft Tissue including Heart	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Skin excluding Basal and Squamous	0.0	0.0	38.5	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	38.5	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	38.5	0	^	^	^	^
Breast	0.0	0.0	38.5	0	195.1	122.0	294.7	25
Female Genital System	0.0	0.0	38.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Corpus and Uterus, NOS	0.0	0.0	38.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	38.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Ovary	0.0	0.0	38.5	0	^	^	^	^
Vagina	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Vulva	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Female Genital Organs	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Male Genital System	258.4	153.2	401.7	22	0.0	0.0	30.8	0
Prostate	250.6	146.6	393.1	21	0.0	0.0	30.8	0
Testis	^	^	^	^	0.0	0.0	30.8	0
Penis	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Male Genital Organs	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Urinary System	^	^	^	^	0.0	0.0	30.8	0
Urinary Bladder	0.0	0.0	38.5	0	0.0	0.0	30.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	30.8	0
Ureter	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Urinary Organs	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Eye and Orbit	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Brain and Other Nervous System	0.0	0.0	38.5	0	^	^	^	^
Brain	0.0	0.0	38.5	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Endocrine System	0.0	0.0	38.5	0	^	^	^	^
Thyroid	0.0	0.0	38.5	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Hodgkin - Nodal	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Hodgkin - Extranodal	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	38.5	0	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	30.8	0
Lymphocytic Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Acute Lymphocytic Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Lymphocytic Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	30.8	0
Acute Myeloid Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Acute Monocytic Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	30.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Other Acute Leukemia	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Mesothelioma	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Kaposi Sarcoma	0.0	0.0	38.5	0	0.0	0.0	30.8	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	672.1	546.7	816.1	125	499.1	404.1	609.4	106
Oral Cavity and Pharynx	31.7	9.7	74.6	6	^	^	^	^
Lip	^	^	^	^	0.0	0.0	19.2	0
Tongue	^	^	^	^	0.0	0.0	19.2	0
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	19.2	0
Nasopharynx	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Tonsil	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Oropharynx	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Hypopharynx	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	19.2	0
Digestive System	129.8	79.2	199.5	23	71.1	35.2	125.5	12
Esophagus	^	^	^	^	0.0	0.0	19.2	0
Stomach	^	^	^	^	0.0	0.0	19.2	0
Small Intestine	^	^	^	^	0.0	0.0	19.2	0
Colon and Rectum	97.2	53.6	160.6	17	44.2	18.1	88.2	8
Colon excluding Rectum	52.8	21.4	105.4	9	33.7	11.5	74.2	6
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Transverse Colon	^	^	^	^	0.0	0.0	19.2	0
Splenic Flexure	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	19.2	0
Rectum and Rectosigmoid Junction	44.5	18.4	89.9	8	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	19.2	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	23.5	0	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Liver	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Intrahepatic Bile Duct	0.0	0.0	23.5	0	0.0	0.0	19.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Other Biliary	0.0	0.0	23.5	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Other Digestive Organs	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Respiratory System	140.7	81.0	223.0	22	92.2	54.5	145.8	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Larynx	0.0	0.0	23.5	0	^	^	^	^
Lung and Bronchus	140.7	81.0	223.0	22	83.9	47.9	136.1	17
Pleura	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Bones and Joints	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Soft Tissue including Heart	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	23.5	0	^	^	^	^
Breast	0.0	0.0	23.5	0	150.4	102.3	213.7	34
Female Genital System	0.0	0.0	23.5	0	45.0	21.6	83.8	11
Cervix Uteri	0.0	0.0	23.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	23.5	0	30.4	11.5	65.4	7
Corpus Uteri	0.0	0.0	23.5	0	30.4	11.5	65.4	7
Uterus, NOS	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Ovary	0.0	0.0	23.5	0	^	^	^	^
Vagina	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Vulva	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Other Female Genital Organs	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Male Genital System	180.4	121.0	258.0	36	0.0	0.0	19.2	0
Prostate	170.8	112.9	247.2	34	0.0	0.0	19.2	0
Testis	^	^	^	^	0.0	0.0	19.2	0
Penis	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Other Male Genital Organs	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Urinary System	85.4	47.2	142.0	17	^	^	^	^
Urinary Bladder	54.0	23.8	103.9	10	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	31.5	12.0	69.0	7	^	^	^	^
Ureter	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Other Urinary Organs	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Eye and Orbit	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	23.5	0	^	^	^	^
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	42.7	14.4	93.4	7	33.3	12.6	70.8	7
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	19.2	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	19.2	0
Hodgkin - Extranodal	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Non-Hodgkin Lymphoma	39.9	12.5	90.6	6	33.3	12.6	70.8	7
NHL - Nodal	^	^	^	^	33.3	12.6	70.8	7
NHL - Extranodal	^	^	^	^	0.0	0.0	19.2	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	19.2	0
Acute Lymphocytic Leukemia	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	19.2	0
Other Lymphocytic Leukemia	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	19.2	0
Acute Monocytic Leukemia	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Chronic Myeloid Leukemia	0.0	0.0	23.5	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Other Leukemia	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Other Acute Leukemia	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Mesothelioma	^	^	^	^	0.0	0.0	19.2	0
Kaposi Sarcoma	0.0	0.0	23.5	0	0.0	0.0	19.2	0
Miscellaneous	0.0	0.0	23.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	734.3	508.7	1,020.5	39	646.5	454.9	890.9	39
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	67.8	0	^	^	^	^
Floor of Mouth	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Tonsil	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Oropharynx	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Hypopharynx	^	^	^	^	0.0	0.0	63.3	0
Other Oral Cavity and Pharynx	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Digestive System	185.8	73.2	371.5	7	136.6	53.8	279.3	7
Esophagus	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Stomach	^	^	^	^	0.0	0.0	63.3	0
Small Intestine	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Colon and Rectum	164.6	59.2	344.5	6	114.1	40.8	247.0	6
Colon excluding Rectum	164.6	59.2	344.5	6	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	63.3	0
Appendix	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Transverse Colon	^	^	^	^	0.0	0.0	63.3	0
Splenic Flexure	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Descending Colon	^	^	^	^	0.0	0.0	63.3	0
Sigmoid Colon	^	^	^	^	0.0	0.0	63.3	0
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	67.8	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Rectum	0.0	0.0	67.8	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Liver	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Intrahepatic Bile Duct	0.0	0.0	67.8	0	0.0	0.0	63.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Biliary	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Pancreas	0.0	0.0	67.8	0	^	^	^	^
Retroperitoneum	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Digestive Organs	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Larynx	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Bones and Joints	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Soft Tissue including Heart	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Breast	0.0	0.0	67.8	0	197.6	103.4	343.9	13
Female Genital System	0.0	0.0	67.8	0	77.2	28.3	176.4	6
Cervix Uteri	0.0	0.0	67.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	67.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	67.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Ovary	0.0	0.0	67.8	0	^	^	^	^
Vagina	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Vulva	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Female Genital Organs	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Male Genital System	282.5	153.2	472.4	16	0.0	0.0	63.3	0
Prostate	282.5	153.2	472.4	16	0.0	0.0	63.3	0
Testis	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Penis	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Male Genital Organs	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	63.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Urinary Organs	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Eye and Orbit	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Brain and Other Nervous System	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Brain	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Cranial Nerves Other Nervous System	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Endocrine System	0.0	0.0	67.8	0	^	^	^	^
Thyroid	0.0	0.0	67.8	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Hodgkin - Nodal	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Hodgkin - Extranodal	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Myeloma	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Lymphocytic Leukemia	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	63.3	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	63.3	0
Acute Monocytic Leukemia	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Chronic Myeloid Leukemia	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Leukemia	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Other Acute Leukemia	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Mesothelioma	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Kaposi Sarcoma	0.0	0.0	67.8	0	0.0	0.0	63.3	0
Miscellaneous	0.0	0.0	67.8	0	0.0	0.0	63.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	535.1	308.5	851.1	24	404.0	231.1	654.4	20
Oral Cavity and Pharynx	0.0	0.0	101.3	0	^	^	^	^
Lip	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Tongue	0.0	0.0	101.3	0	^	^	^	^
Salivary Gland	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Floor of Mouth	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Gum and Other Mouth	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Nasopharynx	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Tonsil	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Oropharynx	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Hypopharynx	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Oral Cavity and Pharynx	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	97.6	0
Stomach	^	^	^	^	0.0	0.0	97.6	0
Small Intestine	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Ascending Colon	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Hepatic Flexure	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Transverse Colon	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Splenic Flexure	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Descending Colon	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Sigmoid Colon	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Large Intestine, NOS	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	97.6	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	97.6	0
Rectum	^	^	^	^	0.0	0.0	97.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	101.3	0	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Liver	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Intrahepatic Bile Duct	0.0	0.0	101.3	0	0.0	0.0	97.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Biliary	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Pancreas	0.0	0.0	101.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Digestive Organs	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Larynx	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Bones and Joints	^	^	^	^	0.0	0.0	97.6	0
Soft Tissue including Heart	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Breast	0.0	0.0	101.3	0	90.3	32.7	219.4	6
Female Genital System	0.0	0.0	101.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	101.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	101.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	101.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Ovary	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Vagina	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Vulva	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Female Genital Organs	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Male Genital System	151.8	68.9	305.3	9	0.0	0.0	97.6	0
Prostate	151.8	68.9	305.3	9	0.0	0.0	97.6	0
Testis	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Penis	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Male Genital Organs	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Urinary System	^	^	^	^	0.0	0.0	97.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	97.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	97.6	0
Ureter	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Urinary Organs	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Eye and Orbit	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	97.6	0
Brain	^	^	^	^	0.0	0.0	97.6	0
Cranial Nerves Other Nervous System	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Endocrine System	0.0	0.0	101.3	0	^	^	^	^
Thyroid	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Endocrine including Thymus	0.0	0.0	101.3	0	^	^	^	^
Lymphoma	0.0	0.0	101.3	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Hodgkin - Nodal	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Hodgkin - Extranodal	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Non-Hodgkin Lymphoma	0.0	0.0	101.3	0	^	^	^	^
NHL - Nodal	0.0	0.0	101.3	0	^	^	^	^
NHL - Extranodal	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Myeloma	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Leukemia	0.0	0.0	101.3	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Acute Lymphocytic Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Lymphocytic Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	101.3	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Acute Monocytic Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Chronic Myeloid Leukemia	0.0	0.0	101.3	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Other Acute Leukemia	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Mesothelioma	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Kaposi Sarcoma	0.0	0.0	101.3	0	0.0	0.0	97.6	0
Miscellaneous	0.0	0.0	101.3	0	0.0	0.0	97.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Lip	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Tongue	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Salivary Gland	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Floor of Mouth	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Gum and Other Mouth	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Nasopharynx	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Tonsil	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Oropharynx	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Hypopharynx	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Oral Cavity and Pharynx	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Stomach	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Small Intestine	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	759.9	0
Cecum	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Appendix	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Ascending Colon	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Hepatic Flexure	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Transverse Colon	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Splenic Flexure	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Descending Colon	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Sigmoid Colon	^	^	^	^	0.0	0.0	759.9	0
Large Intestine, NOS	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	842.5	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Rectum	0.0	0.0	842.5	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Liver	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Intrahepatic Bile Duct	0.0	0.0	842.5	0	0.0	0.0	759.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Biliary	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Pancreas	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Retroperitoneum	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Digestive Organs	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Respiratory System	^	^	^	^	0.0	0.0	759.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Larynx	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Lung and Bronchus	^	^	^	^	0.0	0.0	759.9	0
Pleura	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Bones and Joints	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Soft Tissue including Heart	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Skin excluding Basal and Squamous	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Melanoma of the Skin	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Non-Epithelial Skin	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Breast	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Female Genital System	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Cervix Uteri	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Corpus and Uterus, NOS	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Corpus Uteri	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Uterus, NOS	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Ovary	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Vagina	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Vulva	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Female Genital Organs	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Male Genital System	^	^	^	^	0.0	0.0	759.9	0
Prostate	^	^	^	^	0.0	0.0	759.9	0
Testis	^	^	^	^	0.0	0.0	759.9	0
Penis	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Male Genital Organs	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Urinary System	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Urinary Bladder	0.0	0.0	842.5	0	0.0	0.0	759.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Ureter	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Urinary Organs	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Eye and Orbit	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Brain and Other Nervous System	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Brain	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Cranial Nerves Other Nervous System	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Endocrine System	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Thyroid	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Endocrine including Thymus	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Lymphoma	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Hodgkin Lymphoma	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Hodgkin - Nodal	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Hodgkin - Extranodal	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Non-Hodgkin Lymphoma	0.0	0.0	842.5	0	0.0	0.0	759.9	0
NHL - Nodal	0.0	0.0	842.5	0	0.0	0.0	759.9	0
NHL - Extranodal	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Myeloma	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Lymphocytic Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Acute Lymphocytic Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Lymphocytic Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Acute Myeloid Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Acute Monocytic Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Chronic Myeloid Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Other Acute Leukemia	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Mesothelioma	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Kaposi Sarcoma	0.0	0.0	842.5	0	0.0	0.0	759.9	0
Miscellaneous	0.0	0.0	842.5	0	0.0	0.0	759.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	530.9	425.6	653.5	118	337.1	261.3	427.4	78
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	17.9	0
Lip	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Tongue	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Salivary Gland	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Floor of Mouth	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Gum and Other Mouth	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Nasopharynx	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Tonsil	^	^	^	^	0.0	0.0	17.9	0
Oropharynx	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Hypopharynx	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Other Oral Cavity and Pharynx	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Digestive System	114.1	69.7	175.9	25	60.3	29.6	107.5	12
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Small Intestine	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Colon and Rectum	72.4	40.3	121.2	17	^	^	^	^
Colon excluding Rectum	38.5	17.8	75.7	10	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Ascending Colon	^	^	^	^	0.0	0.0	17.9	0
Hepatic Flexure	^	^	^	^	0.0	0.0	17.9	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	0.0	0.0	24.0	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	17.9	0
Rectum and Rectosigmoid Junction	33.9	12.3	74.6	7	0.0	0.0	17.9	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	17.9	0
Rectum	25.8	8.5	61.7	6	0.0	0.0	17.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	17.9	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	24.0	0	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Other Digestive Organs	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Respiratory System	86.5	46.9	144.9	18	46.5	20.8	88.3	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	82.9	44.0	140.9	17	43.3	18.4	84.6	9
Pleura	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Bones and Joints	0.0	0.0	24.0	0	^	^	^	^
Soft Tissue including Heart	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Breast	^	^	^	^	75.5	44.1	120.9	19
Female Genital System	0.0	0.0	24.0	0	65.0	35.2	109.6	15
Cervix Uteri	0.0	0.0	24.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	24.0	0	29.5	11.1	63.2	7
Corpus Uteri	0.0	0.0	24.0	0	29.5	11.1	63.2	7
Uterus, NOS	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Ovary	0.0	0.0	24.0	0	^	^	^	^
Vagina	0.0	0.0	24.0	0	^	^	^	^
Vulva	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Other Female Genital Organs	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Male Genital System	167.3	105.8	248.9	34	0.0	0.0	17.9	0
Prostate	157.9	97.5	238.8	31	0.0	0.0	17.9	0
Testis	^	^	^	^	0.0	0.0	17.9	0
Penis	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Other Male Genital Organs	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Urinary System	61.5	30.6	110.6	14	^	^	^	^
Urinary Bladder	47.0	19.7	93.6	10	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	17.9	0
Ureter	^	^	^	^	0.0	0.0	17.9	0
Other Urinary Organs	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Eye and Orbit	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Endocrine System	^	^	^	^	19.9	7.2	46.3	6
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	17.9	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	17.9	0
Hodgkin - Extranodal	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Myeloma	^	^	^	^	0.0	0.0	17.9	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	17.9	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	24.0	0	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	17.9	0
Chronic Myeloid Leukemia	0.0	0.0	24.0	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Other Leukemia	0.0	0.0	24.0	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	24.0	0	^	^	^	^
Mesothelioma	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Kaposi Sarcoma	0.0	0.0	24.0	0	0.0	0.0	17.9	0
Miscellaneous	24.7	8.0	60.0	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	508.2	264.8	866.8	14	238.8	85.7	507.4	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	115.3	0
Lip	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Tongue	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Salivary Gland	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Floor of Mouth	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Gum and Other Mouth	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Nasopharynx	^	^	^	^	0.0	0.0	115.3	0
Tonsil	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Oropharynx	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Hypopharynx	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Oral Cavity and Pharynx	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Stomach	0.0	0.0	124.6	0	^	^	^	^
Small Intestine	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Appendix	^	^	^	^	0.0	0.0	115.3	0
Ascending Colon	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Hepatic Flexure	0.0	0.0	124.6	0	^	^	^	^
Transverse Colon	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Splenic Flexure	0.0	0.0	124.6	0	^	^	^	^
Descending Colon	^	^	^	^	0.0	0.0	115.3	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Rectosigmoid Junction	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Rectum	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Liver	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Intrahepatic Bile Duct	0.0	0.0	124.6	0	0.0	0.0	115.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Biliary	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Pancreas	^	^	^	^	0.0	0.0	115.3	0
Retroperitoneum	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Digestive Organs	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Respiratory System	253.1	85.6	549.0	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Larynx	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Lung and Bronchus	253.1	85.6	549.0	6	^	^	^	^
Pleura	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Bones and Joints	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Soft Tissue including Heart	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Skin excluding Basal and Squamous	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Melanoma of the Skin	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Non-Epithelial Skin	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Breast	0.0	0.0	124.6	0	^	^	^	^
Female Genital System	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Cervix Uteri	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Corpus and Uterus, NOS	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Corpus Uteri	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Uterus, NOS	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Ovary	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Vagina	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Vulva	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Female Genital Organs	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Male Genital System	^	^	^	^	0.0	0.0	115.3	0
Prostate	^	^	^	^	0.0	0.0	115.3	0
Testis	^	^	^	^	0.0	0.0	115.3	0
Penis	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Male Genital Organs	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Urinary System	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Urinary Bladder	0.0	0.0	124.6	0	0.0	0.0	115.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Ureter	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Urinary Organs	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Eye and Orbit	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Brain and Other Nervous System	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Brain	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Cranial Nerves Other Nervous System	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Endocrine System	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Thyroid	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Endocrine including Thymus	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Lymphoma	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Hodgkin Lymphoma	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Hodgkin - Nodal	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Hodgkin - Extranodal	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Non-Hodgkin Lymphoma	0.0	0.0	124.6	0	0.0	0.0	115.3	0
NHL - Nodal	0.0	0.0	124.6	0	0.0	0.0	115.3	0
NHL - Extranodal	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Myeloma	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Lymphocytic Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Acute Lymphocytic Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Lymphocytic Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Acute Myeloid Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Acute Monocytic Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Chronic Myeloid Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Other Acute Leukemia	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Mesothelioma	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Kaposi Sarcoma	0.0	0.0	124.6	0	0.0	0.0	115.3	0
Miscellaneous	0.0	0.0	124.6	0	0.0	0.0	115.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	585.2	271.5	1,183.8	11	411.9	164.6	822.0	8
Oral Cavity and Pharynx	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Lip	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Tongue	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Salivary Gland	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Floor of Mouth	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Gum and Other Mouth	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Nasopharynx	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Tonsil	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Oropharynx	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Hypopharynx	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Oral Cavity and Pharynx	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	160.9	0
Stomach	^	^	^	^	0.0	0.0	160.9	0
Small Intestine	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Colon and Rectum	^	^	^	^	0.0	0.0	160.9	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	160.9	0
Cecum	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Appendix	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Ascending Colon	^	^	^	^	0.0	0.0	160.9	0
Hepatic Flexure	^	^	^	^	0.0	0.0	160.9	0
Transverse Colon	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Splenic Flexure	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Descending Colon	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Sigmoid Colon	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Large Intestine, NOS	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Rectosigmoid Junction	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Rectum	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Liver	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Intrahepatic Bile Duct	0.0	0.0	455.7	0	0.0	0.0	160.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Biliary	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Pancreas	^	^	^	^	0.0	0.0	160.9	0
Retroperitoneum	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	455.7	0	^	^	^	^
Other Digestive Organs	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Larynx	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Bones and Joints	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Soft Tissue including Heart	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	160.9	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	160.9	0
Other Non-Epithelial Skin	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Breast	0.0	0.0	455.7	0	^	^	^	^
Female Genital System	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Cervix Uteri	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Corpus and Uterus, NOS	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Corpus Uteri	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Uterus, NOS	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Ovary	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Vagina	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Vulva	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Female Genital Organs	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Male Genital System	^	^	^	^	0.0	0.0	160.9	0
Prostate	^	^	^	^	0.0	0.0	160.9	0
Testis	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Penis	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Male Genital Organs	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Urinary System	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Urinary Bladder	0.0	0.0	455.7	0	0.0	0.0	160.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Ureter	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Urinary Organs	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Eye and Orbit	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Brain and Other Nervous System	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Brain	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Cranial Nerves Other Nervous System	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Endocrine System	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Thyroid	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Endocrine including Thymus	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Lymphoma	0.0	0.0	455.7	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	455.7	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	455.7	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Non-Hodgkin Lymphoma	0.0	0.0	455.7	0	0.0	0.0	160.9	0
NHL - Nodal	0.0	0.0	455.7	0	0.0	0.0	160.9	0
NHL - Extranodal	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Myeloma	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Lymphocytic Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Acute Lymphocytic Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Lymphocytic Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Acute Myeloid Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Acute Monocytic Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Chronic Myeloid Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Other Acute Leukemia	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Mesothelioma	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Kaposi Sarcoma	0.0	0.0	455.7	0	0.0	0.0	160.9	0
Miscellaneous	0.0	0.0	455.7	0	0.0	0.0	160.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	477.4	197.9	943.5	8	372.9	154.8	752.1	8
Oral Cavity and Pharynx	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Lip	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Tongue	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Salivary Gland	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Floor of Mouth	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Gum and Other Mouth	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Nasopharynx	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Tonsil	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Oropharynx	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Hypopharynx	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Oral Cavity and Pharynx	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Stomach	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Small Intestine	0.0	0.0	213.2	0	^	^	^	^
Colon and Rectum	^	^	^	^	0.0	0.0	194.7	0
Colon excluding Rectum	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Cecum	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Appendix	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Ascending Colon	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Hepatic Flexure	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Transverse Colon	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Splenic Flexure	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Descending Colon	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Sigmoid Colon	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Large Intestine, NOS	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	194.7	0
Rectosigmoid Junction	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Rectum	^	^	^	^	0.0	0.0	194.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Liver	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Intrahepatic Bile Duct	0.0	0.0	213.2	0	0.0	0.0	194.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	194.7	0
Other Biliary	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Pancreas	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Retroperitoneum	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Digestive Organs	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Larynx	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Bones and Joints	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Soft Tissue including Heart	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Skin excluding Basal and Squamous	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Melanoma of the Skin	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Non-Epithelial Skin	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Breast	0.0	0.0	213.2	0	^	^	^	^
Female Genital System	0.0	0.0	213.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Corpus and Uterus, NOS	0.0	0.0	213.2	0	^	^	^	^
Corpus Uteri	0.0	0.0	213.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Ovary	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Vagina	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Vulva	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Female Genital Organs	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Male Genital System	^	^	^	^	0.0	0.0	194.7	0
Prostate	^	^	^	^	0.0	0.0	194.7	0
Testis	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Penis	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Male Genital Organs	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Urinary System	^	^	^	^	0.0	0.0	194.7	0
Urinary Bladder	^	^	^	^	0.0	0.0	194.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	194.7	0
Ureter	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Urinary Organs	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Eye and Orbit	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Brain and Other Nervous System	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Brain	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Cranial Nerves Other Nervous System	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Endocrine System	0.0	0.0	213.2	0	^	^	^	^
Thyroid	0.0	0.0	213.2	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Lymphoma	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Hodgkin Lymphoma	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Hodgkin - Nodal	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Hodgkin - Extranodal	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Non-Hodgkin Lymphoma	0.0	0.0	213.2	0	0.0	0.0	194.7	0
NHL - Nodal	0.0	0.0	213.2	0	0.0	0.0	194.7	0
NHL - Extranodal	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Myeloma	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Lymphocytic Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Acute Lymphocytic Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Lymphocytic Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Acute Myeloid Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Acute Monocytic Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Chronic Myeloid Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Other Acute Leukemia	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Mesothelioma	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Kaposi Sarcoma	0.0	0.0	213.2	0	0.0	0.0	194.7	0
Miscellaneous	0.0	0.0	213.2	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	458.1	153.5	991.0	9	518.4	166.4	1,137.6	8
Oral Cavity and Pharynx	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Lip	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Tongue	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Salivary Gland	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Floor of Mouth	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Gum and Other Mouth	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Nasopharynx	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Tonsil	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Oropharynx	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Hypopharynx	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Oral Cavity and Pharynx	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Stomach	^	^	^	^	0.0	0.0	238.8	0
Small Intestine	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Colon and Rectum	^	^	^	^	0.0	0.0	238.8	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	238.8	0
Cecum	^	^	^	^	0.0	0.0	238.8	0
Appendix	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Ascending Colon	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Hepatic Flexure	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Transverse Colon	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Splenic Flexure	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Descending Colon	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Sigmoid Colon	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Large Intestine, NOS	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Rectosigmoid Junction	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Rectum	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	238.8	0
Liver	^	^	^	^	0.0	0.0	238.8	0
Intrahepatic Bile Duct	0.0	0.0	218.0	0	0.0	0.0	238.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	238.8	0
Other Biliary	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Pancreas	0.0	0.0	218.0	0	^	^	^	^
Retroperitoneum	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Digestive Organs	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Respiratory System	0.0	0.0	218.0	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Larynx	0.0	0.0	218.0	0	^	^	^	^
Lung and Bronchus	0.0	0.0	218.0	0	^	^	^	^
Pleura	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Bones and Joints	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Soft Tissue including Heart	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Skin excluding Basal and Squamous	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Melanoma of the Skin	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Non-Epithelial Skin	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Breast	0.0	0.0	218.0	0	^	^	^	^
Female Genital System	0.0	0.0	218.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	218.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Corpus Uteri	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Uterus, NOS	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Ovary	0.0	0.0	218.0	0	^	^	^	^
Vagina	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Vulva	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Female Genital Organs	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Male Genital System	^	^	^	^	0.0	0.0	238.8	0
Prostate	^	^	^	^	0.0	0.0	238.8	0
Testis	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Penis	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Male Genital Organs	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Urinary System	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Urinary Bladder	0.0	0.0	218.0	0	0.0	0.0	238.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Ureter	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Urinary Organs	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Eye and Orbit	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Brain and Other Nervous System	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Brain	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Cranial Nerves Other Nervous System	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Endocrine System	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Thyroid	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Endocrine including Thymus	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Lymphoma	^	^	^	^	0.0	0.0	238.8	0
Hodgkin Lymphoma	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Hodgkin - Nodal	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Hodgkin - Extranodal	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	238.8	0
NHL - Nodal	^	^	^	^	0.0	0.0	238.8	0
NHL - Extranodal	^	^	^	^	0.0	0.0	238.8	0
Myeloma	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Lymphocytic Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Acute Lymphocytic Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Lymphocytic Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Acute Myeloid Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Acute Monocytic Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Chronic Myeloid Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Other Acute Leukemia	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Mesothelioma	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Kaposi Sarcoma	0.0	0.0	218.0	0	0.0	0.0	238.8	0
Miscellaneous	0.0	0.0	218.0	0	0.0	0.0	238.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	415.2	192.4	757.7	12	332.6	171.7	578.6	13
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	97.8	0
Lip	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Tongue	^	^	^	^	0.0	0.0	97.8	0
Salivary Gland	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Floor of Mouth	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Gum and Other Mouth	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Nasopharynx	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Tonsil	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Oropharynx	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Hypopharynx	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Oral Cavity and Pharynx	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Stomach	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Small Intestine	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	116.5	0	^	^	^	^
Appendix	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Ascending Colon	^	^	^	^	0.0	0.0	97.8	0
Hepatic Flexure	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Transverse Colon	^	^	^	^	0.0	0.0	97.8	0
Splenic Flexure	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Descending Colon	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	97.8	0
Rectosigmoid Junction	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Rectum	^	^	^	^	0.0	0.0	97.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Liver	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Intrahepatic Bile Duct	0.0	0.0	116.5	0	0.0	0.0	97.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Biliary	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Pancreas	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Retroperitoneum	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Digestive Organs	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Larynx	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Bones and Joints	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Soft Tissue including Heart	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Breast	0.0	0.0	116.5	0	^	^	^	^
Female Genital System	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Cervix Uteri	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Corpus and Uterus, NOS	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Corpus Uteri	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Uterus, NOS	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Ovary	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Vagina	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Vulva	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Female Genital Organs	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Male Genital System	^	^	^	^	0.0	0.0	97.8	0
Prostate	^	^	^	^	0.0	0.0	97.8	0
Testis	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Penis	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Male Genital Organs	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Urinary System	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Urinary Bladder	0.0	0.0	116.5	0	0.0	0.0	97.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Ureter	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Urinary Organs	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Eye and Orbit	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Brain and Other Nervous System	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Brain	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Cranial Nerves Other Nervous System	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Endocrine System	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Thyroid	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Endocrine including Thymus	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Lymphoma	0.0	0.0	116.5	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	116.5	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	116.5	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Non-Hodgkin Lymphoma	0.0	0.0	116.5	0	0.0	0.0	97.8	0
NHL - Nodal	0.0	0.0	116.5	0	0.0	0.0	97.8	0
NHL - Extranodal	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Myeloma	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Lymphocytic Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Acute Lymphocytic Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Lymphocytic Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Acute Myeloid Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Acute Monocytic Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Chronic Myeloid Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Other Acute Leukemia	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Mesothelioma	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Kaposi Sarcoma	0.0	0.0	116.5	0	0.0	0.0	97.8	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	483.7	184.9	1,039.5	7
Oral Cavity and Pharynx	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Lip	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Tongue	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Salivary Gland	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Floor of Mouth	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Gum and Other Mouth	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Nasopharynx	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Tonsil	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Oropharynx	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Hypopharynx	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Oral Cavity and Pharynx	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Digestive System	0.0	0.0	319.1	0	^	^	^	^
Esophagus	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Stomach	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Small Intestine	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Colon and Rectum	0.0	0.0	319.1	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Cecum	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Appendix	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Ascending Colon	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Hepatic Flexure	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Transverse Colon	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Splenic Flexure	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Descending Colon	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Sigmoid Colon	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Large Intestine, NOS	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	319.1	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Rectum	0.0	0.0	319.1	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Liver	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Intrahepatic Bile Duct	0.0	0.0	319.1	0	0.0	0.0	307.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Biliary	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Pancreas	0.0	0.0	319.1	0	^	^	^	^
Retroperitoneum	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Digestive Organs	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Respiratory System	0.0	0.0	319.1	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Larynx	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Lung and Bronchus	0.0	0.0	319.1	0	^	^	^	^
Pleura	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Bones and Joints	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Soft Tissue including Heart	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Skin excluding Basal and Squamous	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Melanoma of the Skin	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Non-Epithelial Skin	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Breast	0.0	0.0	319.1	0	^	^	^	^
Female Genital System	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Cervix Uteri	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Corpus and Uterus, NOS	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Corpus Uteri	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Uterus, NOS	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Ovary	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Vagina	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Vulva	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Female Genital Organs	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Male Genital System	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Prostate	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Testis	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Penis	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Male Genital Organs	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Urinary System	^	^	^	^	0.0	0.0	307.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	307.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Ureter	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Urinary Organs	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Eye and Orbit	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	307.6	0
Brain	^	^	^	^	0.0	0.0	307.6	0
Cranial Nerves Other Nervous System	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Lymphoma	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Hodgkin Lymphoma	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Hodgkin - Nodal	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Hodgkin - Extranodal	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Non-Hodgkin Lymphoma	0.0	0.0	319.1	0	0.0	0.0	307.6	0
NHL - Nodal	0.0	0.0	319.1	0	0.0	0.0	307.6	0
NHL - Extranodal	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Myeloma	0.0	0.0	319.1	0	^	^	^	^
Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Lymphocytic Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Acute Lymphocytic Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Lymphocytic Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Acute Myeloid Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Acute Monocytic Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Chronic Myeloid Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Other Acute Leukemia	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Mesothelioma	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Kaposi Sarcoma	0.0	0.0	319.1	0	0.0	0.0	307.6	0
Miscellaneous	0.0	0.0	319.1	0	0.0	0.0	307.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	650.2	344.0	1,135.1	14	380.5	120.2	847.2	6
Oral Cavity and Pharynx	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Lip	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Tongue	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Salivary Gland	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Floor of Mouth	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Gum and Other Mouth	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Nasopharynx	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Tonsil	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Oropharynx	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Hypopharynx	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Oral Cavity and Pharynx	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	256.0	0	^	^	^	^
Stomach	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Small Intestine	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Colon and Rectum	^	^	^	^	0.0	0.0	186.4	0
Colon excluding Rectum	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Cecum	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Appendix	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Ascending Colon	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Hepatic Flexure	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Transverse Colon	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Splenic Flexure	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Descending Colon	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Sigmoid Colon	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Large Intestine, NOS	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	186.4	0
Rectosigmoid Junction	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Rectum	^	^	^	^	0.0	0.0	186.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Liver	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Intrahepatic Bile Duct	0.0	0.0	256.0	0	0.0	0.0	186.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Biliary	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Pancreas	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Retroperitoneum	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Digestive Organs	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Larynx	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Bones and Joints	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Soft Tissue including Heart	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Skin excluding Basal and Squamous	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Melanoma of the Skin	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Non-Epithelial Skin	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Breast	0.0	0.0	256.0	0	^	^	^	^
Female Genital System	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Cervix Uteri	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Corpus and Uterus, NOS	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Corpus Uteri	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Uterus, NOS	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Ovary	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Vagina	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Vulva	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Female Genital Organs	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Male Genital System	214.0	75.7	535.5	6	0.0	0.0	186.4	0
Prostate	^	^	^	^	0.0	0.0	186.4	0
Testis	^	^	^	^	0.0	0.0	186.4	0
Penis	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Male Genital Organs	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Urinary System	^	^	^	^	0.0	0.0	186.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	186.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	186.4	0
Ureter	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Urinary Organs	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Eye and Orbit	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Brain and Other Nervous System	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Brain	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Cranial Nerves Other Nervous System	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Endocrine System	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Thyroid	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Endocrine including Thymus	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Hodgkin - Nodal	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Hodgkin - Extranodal	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	0.0	0.0	256.0	0	0.0	0.0	186.4	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Leukemia	0.0	0.0	256.0	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	256.0	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	256.0	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Acute Myeloid Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Acute Monocytic Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Chronic Myeloid Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Other Acute Leukemia	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Mesothelioma	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Kaposi Sarcoma	0.0	0.0	256.0	0	0.0	0.0	186.4	0
Miscellaneous	^	^	^	^	0.0	0.0	186.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	397.8	204.8	688.4	16	518.8	301.6	829.7	20
Oral Cavity and Pharynx	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Lip	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Tongue	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Salivary Gland	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Floor of Mouth	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Gum and Other Mouth	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Nasopharynx	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Tonsil	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Oropharynx	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Hypopharynx	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Oral Cavity and Pharynx	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	113.4	0
Stomach	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Small Intestine	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Colon and Rectum	0.0	0.0	112.0	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	112.0	0	^	^	^	^
Cecum	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Appendix	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Ascending Colon	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Hepatic Flexure	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Transverse Colon	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Splenic Flexure	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Descending Colon	0.0	0.0	112.0	0	^	^	^	^
Sigmoid Colon	0.0	0.0	112.0	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Rectosigmoid Junction	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Rectum	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Liver	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Intrahepatic Bile Duct	0.0	0.0	112.0	0	0.0	0.0	113.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Biliary	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Pancreas	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Retroperitoneum	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Digestive Organs	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Larynx	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Bones and Joints	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Soft Tissue including Heart	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	0.0	0.0	112.0	0	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	113.4	0
Breast	0.0	0.0	112.0	0	165.9	62.6	361.5	7
Female Genital System	0.0	0.0	112.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	112.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Corpus Uteri	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Uterus, NOS	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Ovary	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Vagina	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Vulva	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Female Genital Organs	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Male Genital System	^	^	^	^	0.0	0.0	113.4	0
Prostate	^	^	^	^	0.0	0.0	113.4	0
Testis	^	^	^	^	0.0	0.0	113.4	0
Penis	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Male Genital Organs	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Urinary System	^	^	^	^	0.0	0.0	113.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	113.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Ureter	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Urinary Organs	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Eye and Orbit	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	113.4	0
Brain	^	^	^	^	0.0	0.0	113.4	0
Cranial Nerves Other Nervous System	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Endocrine System	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Thyroid	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Endocrine including Thymus	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Hodgkin - Nodal	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Hodgkin - Extranodal	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Myeloma	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Lymphocytic Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Acute Lymphocytic Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Lymphocytic Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Acute Myeloid Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Acute Monocytic Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Chronic Myeloid Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Other Acute Leukemia	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Mesothelioma	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Kaposi Sarcoma	0.0	0.0	112.0	0	0.0	0.0	113.4	0
Miscellaneous	0.0	0.0	112.0	0	0.0	0.0	113.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	488.0	184.9	992.0	7
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Tongue	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Salivary Gland	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Floor of Mouth	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Gum and Other Mouth	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Oropharynx	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Hypopharynx	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Oral Cavity and Pharynx	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Stomach	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Small Intestine	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Appendix	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Ascending Colon	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Hepatic Flexure	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Transverse Colon	^	^	^	^	0.0	0.0	184.7	0
Splenic Flexure	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Descending Colon	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Sigmoid Colon	0.0	0.0	228.9	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	184.7	0
Rectosigmoid Junction	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Rectum	^	^	^	^	0.0	0.0	184.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Liver	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Intrahepatic Bile Duct	0.0	0.0	228.9	0	0.0	0.0	184.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Biliary	0.0	0.0	228.9	0	^	^	^	^
Pancreas	^	^	^	^	0.0	0.0	184.7	0
Retroperitoneum	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Digestive Organs	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Respiratory System	0.0	0.0	228.9	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Larynx	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Lung and Bronchus	0.0	0.0	228.9	0	^	^	^	^
Pleura	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Bones and Joints	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Soft Tissue including Heart	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Skin excluding Basal and Squamous	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Melanoma of the Skin	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Non-Epithelial Skin	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Breast	0.0	0.0	228.9	0	^	^	^	^
Female Genital System	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Cervix Uteri	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Corpus and Uterus, NOS	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Corpus Uteri	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Uterus, NOS	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Ovary	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Vagina	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Vulva	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Female Genital Organs	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Male Genital System	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Prostate	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Testis	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Penis	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Male Genital Organs	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Urinary System	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Urinary Bladder	0.0	0.0	228.9	0	0.0	0.0	184.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Ureter	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Urinary Organs	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Eye and Orbit	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Brain and Other Nervous System	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Brain	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Cranial Nerves Other Nervous System	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Endocrine System	^	^	^	^	0.0	0.0	184.7	0
Thyroid	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	184.7	0
Lymphoma	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Hodgkin Lymphoma	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Hodgkin - Nodal	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Hodgkin - Extranodal	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Non-Hodgkin Lymphoma	0.0	0.0	228.9	0	0.0	0.0	184.7	0
NHL - Nodal	0.0	0.0	228.9	0	0.0	0.0	184.7	0
NHL - Extranodal	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Myeloma	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Lymphocytic Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Acute Lymphocytic Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Lymphocytic Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Acute Myeloid Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Acute Monocytic Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Chronic Myeloid Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Other Acute Leukemia	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Mesothelioma	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Kaposi Sarcoma	0.0	0.0	228.9	0	0.0	0.0	184.7	0
Miscellaneous	0.0	0.0	228.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	519.4	297.6	843.4	17	643.7	380.9	1,016.4	19
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	128.8	0
Lip	^	^	^	^	0.0	0.0	128.8	0
Tongue	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Salivary Gland	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Floor of Mouth	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Gum and Other Mouth	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Nasopharynx	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Tonsil	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Oropharynx	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Hypopharynx	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Oral Cavity and Pharynx	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Digestive System	^	^	^	^	197.6	69.8	439.1	6
Esophagus	0.0	0.0	124.3	0	^	^	^	^
Stomach	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Small Intestine	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Appendix	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Ascending Colon	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Hepatic Flexure	^	^	^	^	0.0	0.0	128.8	0
Transverse Colon	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Splenic Flexure	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Descending Colon	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	128.8	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	128.8	0
Rectum	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	124.3	0	^	^	^	^
Liver	0.0	0.0	124.3	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	124.3	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Biliary	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Pancreas	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Retroperitoneum	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Digestive Organs	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Larynx	^	^	^	^	0.0	0.0	128.8	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Bones and Joints	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Soft Tissue including Heart	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	128.8	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	128.8	0
Other Non-Epithelial Skin	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Breast	0.0	0.0	124.3	0	218.7	77.3	479.1	6
Female Genital System	0.0	0.0	124.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	124.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Corpus Uteri	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Uterus, NOS	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Ovary	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Vagina	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Vulva	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Female Genital Organs	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Male Genital System	^	^	^	^	0.0	0.0	128.8	0
Prostate	^	^	^	^	0.0	0.0	128.8	0
Testis	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Penis	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Male Genital Organs	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	124.3	0	^	^	^	^
Ureter	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Urinary Organs	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Eye and Orbit	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Endocrine System	0.0	0.0	124.3	0	^	^	^	^
Thyroid	0.0	0.0	124.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Lymphoma	^	^	^	^	0.0	0.0	128.8	0
Hodgkin Lymphoma	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Hodgkin - Nodal	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Hodgkin - Extranodal	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	128.8	0
NHL - Nodal	^	^	^	^	0.0	0.0	128.8	0
NHL - Extranodal	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Myeloma	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Lymphocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Acute Lymphocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Lymphocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Acute Myeloid Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Acute Monocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Chronic Myeloid Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Other Acute Leukemia	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Mesothelioma	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Kaposi Sarcoma	0.0	0.0	124.3	0	0.0	0.0	128.8	0
Miscellaneous	0.0	0.0	124.3	0	0.0	0.0	128.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Lip	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Tongue	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Salivary Gland	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Floor of Mouth	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Gum and Other Mouth	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Nasopharynx	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Tonsil	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Oropharynx	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Hypopharynx	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Oral Cavity and Pharynx	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Digestive System	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Esophagus	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Stomach	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Small Intestine	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Colon and Rectum	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Colon excluding Rectum	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Cecum	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Appendix	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Ascending Colon	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Hepatic Flexure	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Transverse Colon	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Splenic Flexure	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Descending Colon	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Sigmoid Colon	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Large Intestine, NOS	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Rectosigmoid Junction	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Rectum	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Liver	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Intrahepatic Bile Duct	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Biliary	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Pancreas	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Retroperitoneum	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Digestive Organs	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Respiratory System	^	^	^	^	0.0	0.0	2,003.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Larynx	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Lung and Bronchus	^	^	^	^	0.0	0.0	2,003.5	0
Pleura	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Bones and Joints	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Soft Tissue including Heart	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Skin excluding Basal and Squamous	0.0	0.0	2,001.2	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	2,001.2	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Breast	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Female Genital System	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Cervix Uteri	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Corpus and Uterus, NOS	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Corpus Uteri	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Uterus, NOS	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Ovary	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Vagina	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Vulva	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Female Genital Organs	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Male Genital System	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Prostate	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Testis	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Penis	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Male Genital Organs	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Urinary System	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Urinary Bladder	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Ureter	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Urinary Organs	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Eye and Orbit	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Brain and Other Nervous System	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Brain	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Cranial Nerves Other Nervous System	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Endocrine System	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Thyroid	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Endocrine including Thymus	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Lymphoma	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Hodgkin Lymphoma	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Hodgkin - Nodal	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Hodgkin - Extranodal	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Non-Hodgkin Lymphoma	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
NHL - Nodal	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
NHL - Extranodal	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Myeloma	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Lymphocytic Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Acute Lymphocytic Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Lymphocytic Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Acute Myeloid Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Acute Monocytic Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Chronic Myeloid Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Other Acute Leukemia	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Mesothelioma	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Kaposi Sarcoma	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0
Miscellaneous	0.0	0.0	2,001.2	0	0.0	0.0	2,003.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	634.8	321.1	1,099.2	14	274.5	96.5	601.1	6
Oral Cavity and Pharynx	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Lip	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Tongue	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Salivary Gland	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Floor of Mouth	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Gum and Other Mouth	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Nasopharynx	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Tonsil	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Oropharynx	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Hypopharynx	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Oral Cavity and Pharynx	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Stomach	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Small Intestine	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Colon and Rectum	^	^	^	^	0.0	0.0	160.5	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	160.5	0
Cecum	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Appendix	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Ascending Colon	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Hepatic Flexure	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Transverse Colon	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Splenic Flexure	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Descending Colon	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Sigmoid Colon	^	^	^	^	0.0	0.0	160.5	0
Large Intestine, NOS	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	160.5	0
Rectosigmoid Junction	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Rectum	^	^	^	^	0.0	0.0	160.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	149.8	0	^	^	^	^
Liver	0.0	0.0	149.8	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	149.8	0	0.0	0.0	160.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Biliary	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Pancreas	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Retroperitoneum	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Digestive Organs	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Larynx	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Bones and Joints	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Soft Tissue including Heart	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Skin excluding Basal and Squamous	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Melanoma of the Skin	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Non-Epithelial Skin	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Breast	0.0	0.0	149.8	0	^	^	^	^
Female Genital System	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Cervix Uteri	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Corpus and Uterus, NOS	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Corpus Uteri	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Uterus, NOS	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Ovary	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Vagina	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Vulva	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Female Genital Organs	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Male Genital System	^	^	^	^	0.0	0.0	160.5	0
Prostate	^	^	^	^	0.0	0.0	160.5	0
Testis	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Penis	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Male Genital Organs	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Urinary System	0.0	0.0	149.8	0	^	^	^	^
Urinary Bladder	0.0	0.0	149.8	0	0.0	0.0	160.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2001/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	149.8	0	^	^	^	^
Ureter	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Urinary Organs	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Eye and Orbit	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Brain and Other Nervous System	0.0	0.0	149.8	0	^	^	^	^
Brain	0.0	0.0	149.8	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Endocrine System	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Thyroid	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Endocrine including Thymus	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Lymphoma	^	^	^	^	0.0	0.0	160.5	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	160.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	160.5	0
Hodgkin - Extranodal	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Non-Hodgkin Lymphoma	0.0	0.0	149.8	0	0.0	0.0	160.5	0
NHL - Nodal	0.0	0.0	149.8	0	0.0	0.0	160.5	0
NHL - Extranodal	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Myeloma	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Leukemia	^	^	^	^	0.0	0.0	160.5	0
Lymphocytic Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Acute Lymphocytic Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Lymphocytic Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	160.5	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	160.5	0
Acute Monocytic Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Chronic Myeloid Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Other Acute Leukemia	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Mesothelioma	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Kaposi Sarcoma	0.0	0.0	149.8	0	0.0	0.0	160.5	0
Miscellaneous	0.0	0.0	149.8	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	812.9	0
Lip	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Tongue	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Salivary Gland	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Floor of Mouth	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	812.9	0
Nasopharynx	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Tonsil	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Oropharynx	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Hypopharynx	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Oral Cavity and Pharynx	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Digestive System	^	^	^	^	0.0	0.0	812.9	0
Esophagus	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Stomach	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Small Intestine	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Colon and Rectum	^	^	^	^	0.0	0.0	812.9	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	812.9	0
Cecum	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Appendix	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Ascending Colon	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Hepatic Flexure	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Transverse Colon	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Splenic Flexure	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Descending Colon	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Sigmoid Colon	^	^	^	^	0.0	0.0	812.9	0
Large Intestine, NOS	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Rectosigmoid Junction	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Rectum	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Liver	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Intrahepatic Bile Duct	0.0	0.0	861.6	0	0.0	0.0	812.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Biliary	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Pancreas	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Retroperitoneum	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Digestive Organs	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Respiratory System	0.0	0.0	861.6	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Larynx	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Lung and Bronchus	0.0	0.0	861.6	0	^	^	^	^
Pleura	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Bones and Joints	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Soft Tissue including Heart	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Skin excluding Basal and Squamous	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Melanoma of the Skin	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Non-Epithelial Skin	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Breast	0.0	0.0	861.6	0	^	^	^	^
Female Genital System	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Cervix Uteri	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Corpus and Uterus, NOS	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Corpus Uteri	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Uterus, NOS	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Ovary	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Vagina	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Vulva	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Female Genital Organs	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Male Genital System	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Prostate	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Testis	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Penis	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Male Genital Organs	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Urinary System	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Urinary Bladder	0.0	0.0	861.6	0	0.0	0.0	812.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Ureter	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Urinary Organs	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Eye and Orbit	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	812.9	0
Brain	^	^	^	^	0.0	0.0	812.9	0
Cranial Nerves Other Nervous System	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Endocrine System	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Thyroid	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Endocrine including Thymus	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Lymphoma	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Hodgkin Lymphoma	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Hodgkin - Nodal	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Hodgkin - Extranodal	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Non-Hodgkin Lymphoma	0.0	0.0	861.6	0	0.0	0.0	812.9	0
NHL - Nodal	0.0	0.0	861.6	0	0.0	0.0	812.9	0
NHL - Extranodal	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Myeloma	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Lymphocytic Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Acute Lymphocytic Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Lymphocytic Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Acute Myeloid Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Acute Monocytic Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Chronic Myeloid Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Other Acute Leukemia	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Mesothelioma	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Kaposi Sarcoma	0.0	0.0	861.6	0	0.0	0.0	812.9	0
Miscellaneous	0.0	0.0	861.6	0	0.0	0.0	812.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	842.8	267.4	1,900.6	10
Oral Cavity and Pharynx	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Lip	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Tongue	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Salivary Gland	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Floor of Mouth	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Gum and Other Mouth	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Nasopharynx	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Tonsil	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Oropharynx	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Hypopharynx	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Oral Cavity and Pharynx	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Stomach	0.0	0.0	740.0	0	^	^	^	^
Small Intestine	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	510.2	0
Cecum	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Appendix	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Ascending Colon	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Hepatic Flexure	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Transverse Colon	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Splenic Flexure	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Descending Colon	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Sigmoid Colon	^	^	^	^	0.0	0.0	510.2	0
Large Intestine, NOS	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	740.0	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Rectum	0.0	0.0	740.0	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	510.2	0
Liver	^	^	^	^	0.0	0.0	510.2	0
Intrahepatic Bile Duct	0.0	0.0	740.0	0	0.0	0.0	510.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Biliary	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Pancreas	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Retroperitoneum	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Digestive Organs	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Respiratory System	0.0	0.0	740.0	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Larynx	0.0	0.0	740.0	0	^	^	^	^
Lung and Bronchus	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Pleura	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Bones and Joints	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Soft Tissue including Heart	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Skin excluding Basal and Squamous	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Melanoma of the Skin	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Non-Epithelial Skin	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Breast	0.0	0.0	740.0	0	^	^	^	^
Female Genital System	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Cervix Uteri	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Corpus and Uterus, NOS	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Corpus Uteri	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Uterus, NOS	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Ovary	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Vagina	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Vulva	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Female Genital Organs	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Male Genital System	^	^	^	^	0.0	0.0	510.2	0
Prostate	^	^	^	^	0.0	0.0	510.2	0
Testis	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Penis	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Male Genital Organs	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Urinary System	0.0	0.0	740.0	0	^	^	^	^
Urinary Bladder	0.0	0.0	740.0	0	0.0	0.0	510.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	740.0	0	^	^	^	^
Ureter	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Urinary Organs	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Eye and Orbit	^	^	^	^	0.0	0.0	510.2	0
Brain and Other Nervous System	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Brain	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Cranial Nerves Other Nervous System	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Endocrine System	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Thyroid	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Endocrine including Thymus	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Lymphoma	0.0	0.0	740.0	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Hodgkin - Nodal	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Hodgkin - Extranodal	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Non-Hodgkin Lymphoma	0.0	0.0	740.0	0	^	^	^	^
NHL - Nodal	0.0	0.0	740.0	0	^	^	^	^
NHL - Extranodal	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Myeloma	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Lymphocytic Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Acute Lymphocytic Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Lymphocytic Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Acute Myeloid Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Acute Monocytic Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Chronic Myeloid Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Other Acute Leukemia	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Mesothelioma	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Kaposi Sarcoma	0.0	0.0	740.0	0	0.0	0.0	510.2	0
Miscellaneous	^	^	^	^	0.0	0.0	510.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	641.8	578.3	709.8	509	425.2	383.7	469.9	436
Oral Cavity and Pharynx	18.8	10.3	31.3	18	^	^	^	^
Lip	^	^	^	^	0.0	0.0	3.7	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	^	^	^	^	0.0	0.0	3.7	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	3.7	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	3.7	0
Oropharynx	^	^	^	^	0.0	0.0	3.7	0
Hypopharynx	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	3.7	0
Digestive System	97.1	73.0	125.9	75	80.2	62.0	101.7	74
Esophagus	8.5	2.7	19.2	6	0.0	0.0	3.7	0
Stomach	^	^	^	^	10.2	4.5	19.4	9
Small Intestine	0.0	0.0	5.1	0	^	^	^	^
Colon and Rectum	48.4	32.4	68.7	39	36.9	24.9	52.2	34
Colon excluding Rectum	28.1	15.9	45.1	20	25.3	15.7	38.2	24
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	3.7	0
Ascending Colon	8.6	2.9	18.9	6	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Sigmoid Colon	^	^	^	^	9.0	4.1	17.1	10
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	20.3	11.1	33.6	19	11.6	5.3	21.5	10
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	14.7	7.4	26.0	15	9.8	4.1	19.4	8
Anus, Anal Canal and Anorectum	0.0	0.0	5.1	0	^	^	^	^
Liver and Intrahepatic Bile Duct	12.1	4.1	25.9	8	^	^	^	^
Liver	11.4	3.6	25.1	7	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	3.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	14.5	7.1	26.2	13	13.5	6.7	24.0	12
Retroperitoneum	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	96.9	72.7	125.7	67	65.5	48.7	85.8	55
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.1	0	^	^	^	^
Larynx	^	^	^	^	0.0	0.0	3.7	0
Lung and Bronchus	90.2	66.9	118.2	62	63.6	47.0	83.7	53
Pleura	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Bones and Joints	0.0	0.0	5.1	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	16.6	9.6	27.1	20	15.9	9.0	25.8	19
Melanoma of the Skin	15.2	8.5	25.6	18	15.1	8.4	24.9	18
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	131.3	109.7	155.7	146
Female Genital System	0.0	0.0	5.1	0	46.7	34.0	62.5	51
Cervix Uteri	0.0	0.0	5.1	0	7.0	3.3	13.3	10
Corpus and Uterus, NOS	0.0	0.0	5.1	0	19.7	11.6	31.0	20
Corpus Uteri	0.0	0.0	5.1	0	18.0	10.5	28.7	19
Uterus, NOS	0.0	0.0	5.1	0	^	^	^	^
Ovary	0.0	0.0	5.1	0	11.8	5.7	21.2	12
Vagina	0.0	0.0	5.1	0	^	^	^	^
Vulva	0.0	0.0	5.1	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	5.1	0	^	^	^	^
Male Genital System	210.6	176.0	249.5	171	0.0	0.0	3.7	0
Prostate	200.4	166.2	239.0	156	0.0	0.0	3.7	0
Testis	9.5	5.2	17.1	14	0.0	0.0	3.7	0
Penis	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	3.7	0
Urinary System	97.5	71.9	128.2	65	14.9	7.4	26.2	12
Urinary Bladder	70.7	48.2	98.7	40	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	26.8	16.0	41.8	25	8.2	3.0	17.0	7
Ureter	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Other Urinary Organs	0.0	0.0	5.1	0	^	^	^	^
Eye and Orbit	^	^	^	^	0.0	0.0	3.7	0
Brain and Other Nervous System	12.4	6.4	21.9	14	^	^	^	^
Brain	11.7	5.9	21.2	13	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	3.7	0
Endocrine System	6.2	2.6	13.4	8	17.5	11.0	26.6	24
Thyroid	6.2	2.6	13.4	8	15.3	9.2	24.1	21
Other Endocrine including Thymus	0.0	0.0	5.1	0	^	^	^	^
Lymphoma	36.7	20.7	58.4	25	19.6	11.8	30.4	22
Hodgkin Lymphoma	^	^	^	^	4.0	1.5	9.4	6
Hodgkin - Nodal	^	^	^	^	4.0	1.5	9.4	6
Hodgkin - Extranodal	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Non-Hodgkin Lymphoma	33.9	18.3	55.5	21	15.6	8.5	25.9	16
NHL - Nodal	24.9	12.1	43.5	16	11.7	5.5	21.3	11
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	18.1	10.5	29.3	20	11.8	5.4	21.8	10
Lymphocytic Leukemia	7.6	3.1	16.0	8	8.7	3.4	17.8	7
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	5.1	0	^	^	^	^
Myeloid and Monocytic Leukemia	9.8	4.5	19.0	11	^	^	^	^
Acute Myeloid Leukemia	4.9	1.7	12.0	6	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.1	0	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Other Leukemia	^	^	^	^	0.0	0.0	3.7	0
Other Acute Leukemia	0.0	0.0	5.1	0	0.0	0.0	3.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	3.7	0
Mesothelioma	0.0	0.0	5.1	0	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	3.7	0
Miscellaneous	19.3	8.8	35.2	14	8.3	3.4	16.7	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	381.3	211.9	620.5	19	270.4	128.3	487.1	13
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Tongue	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Salivary Gland	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Floor of Mouth	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Gum and Other Mouth	0.0	0.0	72.8	0	^	^	^	^
Nasopharynx	^	^	^	^	0.0	0.0	74.4	0
Tonsil	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Oropharynx	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Hypopharynx	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Oral Cavity and Pharynx	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Digestive System	181.7	64.4	380.3	7	^	^	^	^
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	74.4	0
Small Intestine	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	72.8	0	^	^	^	^
Appendix	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Ascending Colon	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Hepatic Flexure	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Transverse Colon	^	^	^	^	0.0	0.0	74.4	0
Splenic Flexure	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Descending Colon	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Sigmoid Colon	0.0	0.0	72.8	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Rectosigmoid Junction	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Rectum	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	74.4	0
Liver	^	^	^	^	0.0	0.0	74.4	0
Intrahepatic Bile Duct	0.0	0.0	72.8	0	0.0	0.0	74.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Biliary	^	^	^	^	0.0	0.0	74.4	0
Pancreas	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Retroperitoneum	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Digestive Organs	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Respiratory System	^	^	^	^	0.0	0.0	74.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Larynx	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Lung and Bronchus	^	^	^	^	0.0	0.0	74.4	0
Pleura	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Bones and Joints	^	^	^	^	0.0	0.0	74.4	0
Soft Tissue including Heart	0.0	0.0	72.8	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Melanoma of the Skin	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Non-Epithelial Skin	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Breast	0.0	0.0	72.8	0	^	^	^	^
Female Genital System	0.0	0.0	72.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Corpus and Uterus, NOS	0.0	0.0	72.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	72.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Ovary	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Vagina	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Vulva	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Female Genital Organs	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Male Genital System	^	^	^	^	0.0	0.0	74.4	0
Prostate	^	^	^	^	0.0	0.0	74.4	0
Testis	^	^	^	^	0.0	0.0	74.4	0
Penis	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Male Genital Organs	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Urinary System	^	^	^	^	0.0	0.0	74.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	74.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	74.4	0
Ureter	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Urinary Organs	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Eye and Orbit	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Brain and Other Nervous System	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Brain	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Cranial Nerves Other Nervous System	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Endocrine System	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Thyroid	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Endocrine including Thymus	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Lymphoma	^	^	^	^	0.0	0.0	74.4	0
Hodgkin Lymphoma	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Hodgkin - Nodal	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Hodgkin - Extranodal	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	74.4	0
NHL - Nodal	^	^	^	^	0.0	0.0	74.4	0
NHL - Extranodal	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Myeloma	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Leukemia	^	^	^	^	0.0	0.0	74.4	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	74.4	0
Acute Lymphocytic Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	74.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Acute Myeloid Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Acute Monocytic Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Chronic Myeloid Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Other Acute Leukemia	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Mesothelioma	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Kaposi Sarcoma	0.0	0.0	72.8	0	0.0	0.0	74.4	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	1,928.8	0
Oral Cavity and Pharynx	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Lip	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Tongue	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Salivary Gland	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Floor of Mouth	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Gum and Other Mouth	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Nasopharynx	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Tonsil	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Oropharynx	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Hypopharynx	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Oral Cavity and Pharynx	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Digestive System	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Esophagus	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Stomach	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Small Intestine	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Colon and Rectum	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Colon excluding Rectum	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Cecum	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Appendix	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Ascending Colon	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Hepatic Flexure	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Transverse Colon	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Splenic Flexure	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Descending Colon	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Sigmoid Colon	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Large Intestine, NOS	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Rectosigmoid Junction	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Rectum	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Liver	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Intrahepatic Bile Duct	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Biliary	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Pancreas	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Retroperitoneum	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Digestive Organs	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Respiratory System	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Larynx	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Lung and Bronchus	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Pleura	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Bones and Joints	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Soft Tissue including Heart	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Skin excluding Basal and Squamous	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Melanoma of the Skin	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Non-Epithelial Skin	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Breast	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Female Genital System	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Cervix Uteri	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Corpus and Uterus, NOS	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Corpus Uteri	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Uterus, NOS	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Ovary	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Vagina	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Vulva	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Female Genital Organs	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Male Genital System	^	^	^	^	0.0	0.0	1,928.8	0
Prostate	^	^	^	^	0.0	0.0	1,928.8	0
Testis	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Penis	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Male Genital Organs	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Urinary System	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Urinary Bladder	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Ureter	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Urinary Organs	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Eye and Orbit	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Brain and Other Nervous System	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Brain	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Cranial Nerves Other Nervous System	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Endocrine System	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Thyroid	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Endocrine including Thymus	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Lymphoma	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Hodgkin Lymphoma	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Hodgkin - Nodal	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Hodgkin - Extranodal	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Non-Hodgkin Lymphoma	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
NHL - Nodal	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
NHL - Extranodal	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Myeloma	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Lymphocytic Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Acute Lymphocytic Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Lymphocytic Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Acute Myeloid Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Acute Monocytic Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Chronic Myeloid Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Other Acute Leukemia	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Mesothelioma	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Kaposi Sarcoma	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0
Miscellaneous	0.0	0.0	1,749.3	0	0.0	0.0	1,928.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Lip	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Tongue	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Salivary Gland	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Floor of Mouth	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Gum and Other Mouth	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Nasopharynx	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Tonsil	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Oropharynx	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Hypopharynx	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Oral Cavity and Pharynx	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Digestive System	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Esophagus	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Stomach	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Small Intestine	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Colon and Rectum	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Colon excluding Rectum	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Cecum	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Appendix	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Ascending Colon	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Hepatic Flexure	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Transverse Colon	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Splenic Flexure	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Descending Colon	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Sigmoid Colon	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Large Intestine, NOS	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Rectosigmoid Junction	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Rectum	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Liver	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Intrahepatic Bile Duct	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Biliary	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Pancreas	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Retroperitoneum	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Digestive Organs	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Respiratory System	^	^	^	^	0.0	0.0	1,506.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Larynx	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Lung and Bronchus	^	^	^	^	0.0	0.0	1,506.8	0
Pleura	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Bones and Joints	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Soft Tissue including Heart	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Skin excluding Basal and Squamous	0.0	0.0	803.0	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	803.0	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Breast	0.0	0.0	803.0	0	^	^	^	^
Female Genital System	0.0	0.0	803.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Corpus and Uterus, NOS	0.0	0.0	803.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	803.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Ovary	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Vagina	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Vulva	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Female Genital Organs	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Male Genital System	^	^	^	^	0.0	0.0	1,506.8	0
Prostate	^	^	^	^	0.0	0.0	1,506.8	0
Testis	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Penis	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Male Genital Organs	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Urinary System	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Urinary Bladder	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Ureter	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Urinary Organs	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Eye and Orbit	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	1,506.8	0
Brain	^	^	^	^	0.0	0.0	1,506.8	0
Cranial Nerves Other Nervous System	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Endocrine System	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Thyroid	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Endocrine including Thymus	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Lymphoma	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Hodgkin Lymphoma	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Hodgkin - Nodal	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Hodgkin - Extranodal	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Non-Hodgkin Lymphoma	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
NHL - Nodal	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
NHL - Extranodal	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Myeloma	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Leukemia	0.0	0.0	803.0	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	803.0	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	803.0	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Acute Myeloid Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Acute Monocytic Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Chronic Myeloid Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Other Acute Leukemia	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Mesothelioma	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Kaposi Sarcoma	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0
Miscellaneous	0.0	0.0	803.0	0	0.0	0.0	1,506.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	611.3	303.4	1,104.7	12	407.2	138.4	891.3	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	215.7	0
Lip	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Tongue	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Salivary Gland	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Floor of Mouth	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	215.7	0
Nasopharynx	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Tonsil	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Oropharynx	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Hypopharynx	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Oral Cavity and Pharynx	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Digestive System	327.9	109.9	749.1	6	^	^	^	^
Esophagus	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Stomach	^	^	^	^	0.0	0.0	215.7	0
Small Intestine	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Appendix	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Ascending Colon	^	^	^	^	0.0	0.0	215.7	0
Hepatic Flexure	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Transverse Colon	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Splenic Flexure	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Descending Colon	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	215.7	0
Liver	^	^	^	^	0.0	0.0	215.7	0
Intrahepatic Bile Duct	0.0	0.0	237.6	0	0.0	0.0	215.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Biliary	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Pancreas	0.0	0.0	237.6	0	^	^	^	^
Retroperitoneum	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Digestive Organs	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Larynx	^	^	^	^	0.0	0.0	215.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Bones and Joints	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Soft Tissue including Heart	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Skin excluding Basal and Squamous	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Melanoma of the Skin	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Non-Epithelial Skin	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Breast	0.0	0.0	237.6	0	^	^	^	^
Female Genital System	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Cervix Uteri	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Corpus and Uterus, NOS	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Corpus Uteri	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Uterus, NOS	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Ovary	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Vagina	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Vulva	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Female Genital Organs	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Male Genital System	^	^	^	^	0.0	0.0	215.7	0
Prostate	^	^	^	^	0.0	0.0	215.7	0
Testis	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Penis	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Male Genital Organs	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Urinary System	^	^	^	^	0.0	0.0	215.7	0
Urinary Bladder	0.0	0.0	237.6	0	0.0	0.0	215.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	215.7	0
Ureter	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Urinary Organs	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Eye and Orbit	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Brain and Other Nervous System	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Brain	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Cranial Nerves Other Nervous System	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Endocrine System	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Thyroid	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Endocrine including Thymus	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Lymphoma	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Hodgkin Lymphoma	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Hodgkin - Nodal	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Hodgkin - Extranodal	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Non-Hodgkin Lymphoma	0.0	0.0	237.6	0	0.0	0.0	215.7	0
NHL - Nodal	0.0	0.0	237.6	0	0.0	0.0	215.7	0
NHL - Extranodal	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Myeloma	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Lymphocytic Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Acute Lymphocytic Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Lymphocytic Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Acute Myeloid Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Acute Monocytic Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Chronic Myeloid Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Other Acute Leukemia	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Mesothelioma	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Kaposi Sarcoma	0.0	0.0	237.6	0	0.0	0.0	215.7	0
Miscellaneous	0.0	0.0	237.6	0	0.0	0.0	215.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	725.6	607.3	858.3	176	422.6	344.7	511.9	118
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Tongue	^	^	^	^	0.0	0.0	13.3	0
Salivary Gland	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Floor of Mouth	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Gum and Other Mouth	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Nasopharynx	0.0	0.0	16.4	0	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	13.3	0
Oropharynx	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Hypopharynx	^	^	^	^	0.0	0.0	13.3	0
Other Oral Cavity and Pharynx	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Digestive System	108.2	67.3	163.1	26	81.5	48.9	126.1	22
Esophagus	^	^	^	^	0.0	0.0	13.3	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Colon and Rectum	74.9	40.3	124.6	16	56.9	30.4	95.8	15
Colon excluding Rectum	56.8	26.5	103.1	11	40.9	18.5	76.2	10
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	16.4	0	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	13.3	0
Descending Colon	^	^	^	^	0.0	0.0	13.3	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	16.4	0	0.0	0.0	13.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Other Biliary	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Other Digestive Organs	0.0	0.0	16.4	0	^	^	^	^
Respiratory System	97.3	58.7	150.0	24	60.3	31.8	101.7	14
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	13.3	0
Larynx	^	^	^	^	0.0	0.0	13.3	0
Lung and Bronchus	91.1	53.3	143.3	21	60.3	31.8	101.7	14
Pleura	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	13.3	0
Bones and Joints	^	^	^	^	0.0	0.0	13.3	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	17.5	6.0	40.0	6
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	16.4	0	100.3	66.2	145.4	30
Female Genital System	0.0	0.0	16.4	0	45.1	22.9	79.0	13
Cervix Uteri	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Corpus and Uterus, NOS	0.0	0.0	16.4	0	26.9	10.0	56.5	7
Corpus Uteri	0.0	0.0	16.4	0	26.9	10.0	56.5	7
Uterus, NOS	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Ovary	0.0	0.0	16.4	0	18.2	6.3	41.1	6
Vagina	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Vulva	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Other Female Genital Organs	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Male Genital System	331.7	251.0	427.4	76	0.0	0.0	13.3	0
Prostate	329.8	249.3	425.5	75	0.0	0.0	13.3	0
Testis	^	^	^	^	0.0	0.0	13.3	0
Penis	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Other Male Genital Organs	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Urinary System	47.4	24.1	83.5	13	^	^	^	^
Urinary Bladder	33.8	14.0	67.4	8	0.0	0.0	13.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	16.4	0	^	^	^	^
Other Urinary Organs	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Eye and Orbit	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Endocrine System	0.0	0.0	16.4	0	15.1	4.9	36.1	6
Thyroid	0.0	0.0	16.4	0	15.1	4.9	36.1	6
Other Endocrine including Thymus	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Lymphoma	50.9	22.5	95.5	13	28.9	11.6	58.6	8
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Non-Hodgkin Lymphoma	49.0	21.0	93.4	12	24.8	8.6	54.0	6
NHL - Nodal	34.3	11.5	74.3	8	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Chronic Myeloid Leukemia	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Other Leukemia	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Other Acute Leukemia	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Mesothelioma	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Kaposi Sarcoma	0.0	0.0	16.4	0	0.0	0.0	13.3	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	961.2	332.9	2,054.7	8	663.4	276.0	1,381.1	8
Oral Cavity and Pharynx	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Lip	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Tongue	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Salivary Gland	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Floor of Mouth	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Gum and Other Mouth	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Nasopharynx	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Tonsil	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Oropharynx	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Hypopharynx	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Oral Cavity and Pharynx	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Small Intestine	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	425.1	0
Cecum	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Appendix	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Ascending Colon	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Hepatic Flexure	^	^	^	^	0.0	0.0	425.1	0
Transverse Colon	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Splenic Flexure	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Descending Colon	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Sigmoid Colon	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Large Intestine, NOS	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	431.9	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Rectum	0.0	0.0	431.9	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Liver	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Intrahepatic Bile Duct	0.0	0.0	431.9	0	0.0	0.0	425.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Biliary	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Pancreas	0.0	0.0	431.9	0	^	^	^	^
Retroperitoneum	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Digestive Organs	0.0	0.0	431.9	0	^	^	^	^
Respiratory System	^	^	^	^	0.0	0.0	425.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Larynx	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Lung and Bronchus	^	^	^	^	0.0	0.0	425.1	0
Pleura	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Bones and Joints	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Soft Tissue including Heart	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Breast	0.0	0.0	431.9	0	^	^	^	^
Female Genital System	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Cervix Uteri	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Corpus and Uterus, NOS	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Corpus Uteri	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Uterus, NOS	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Ovary	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Vagina	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Vulva	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Female Genital Organs	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Male Genital System	^	^	^	^	0.0	0.0	425.1	0
Prostate	^	^	^	^	0.0	0.0	425.1	0
Testis	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Penis	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Male Genital Organs	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Urinary System	^	^	^	^	0.0	0.0	425.1	0
Urinary Bladder	^	^	^	^	0.0	0.0	425.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Ureter	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Urinary Organs	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Eye and Orbit	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Brain and Other Nervous System	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Brain	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Cranial Nerves Other Nervous System	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Endocrine System	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Thyroid	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Endocrine including Thymus	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Lymphoma	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Hodgkin Lymphoma	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Hodgkin - Nodal	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Hodgkin - Extranodal	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Non-Hodgkin Lymphoma	0.0	0.0	431.9	0	0.0	0.0	425.1	0
NHL - Nodal	0.0	0.0	431.9	0	0.0	0.0	425.1	0
NHL - Extranodal	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Myeloma	0.0	0.0	431.9	0	^	^	^	^
Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Lymphocytic Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Acute Lymphocytic Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Lymphocytic Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Acute Myeloid Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Acute Monocytic Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Chronic Myeloid Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Other Acute Leukemia	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Mesothelioma	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Kaposi Sarcoma	0.0	0.0	431.9	0	0.0	0.0	425.1	0
Miscellaneous	0.0	0.0	431.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	424.2	297.0	583.9	46	387.5	283.1	517.0	51
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	29.6	0
Lip	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Tongue	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Salivary Gland	^	^	^	^	0.0	0.0	29.6	0
Floor of Mouth	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Gum and Other Mouth	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Nasopharynx	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Tonsil	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Oropharynx	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Hypopharynx	^	^	^	^	0.0	0.0	29.6	0
Other Oral Cavity and Pharynx	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Digestive System	115.4	49.4	219.8	11	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	29.6	0
Stomach	^	^	^	^	0.0	0.0	29.6	0
Small Intestine	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Ascending Colon	0.0	0.0	36.3	0	^	^	^	^
Hepatic Flexure	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Transverse Colon	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Splenic Flexure	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Descending Colon	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	0.0	0.0	36.3	0	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	29.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Liver	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Intrahepatic Bile Duct	0.0	0.0	36.3	0	0.0	0.0	29.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Biliary	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Pancreas	^	^	^	^	0.0	0.0	29.6	0
Retroperitoneum	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Digestive Organs	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Respiratory System	^	^	^	^	33.7	12.1	78.6	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Larynx	^	^	^	^	0.0	0.0	29.6	0
Lung and Bronchus	^	^	^	^	33.7	12.1	78.6	6
Pleura	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Bones and Joints	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Soft Tissue including Heart	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	29.6	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	29.6	0
Other Non-Epithelial Skin	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Breast	^	^	^	^	168.7	100.8	263.3	21
Female Genital System	0.0	0.0	36.3	0	50.2	19.1	107.1	7
Cervix Uteri	0.0	0.0	36.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	36.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	36.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Ovary	0.0	0.0	36.3	0	^	^	^	^
Vagina	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Vulva	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Female Genital Organs	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Male Genital System	140.8	77.4	234.4	17	0.0	0.0	29.6	0
Prostate	140.8	77.4	234.4	17	0.0	0.0	29.6	0
Testis	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Penis	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Male Genital Organs	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	29.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Urinary Organs	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Eye and Orbit	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Brain and Other Nervous System	0.0	0.0	36.3	0	^	^	^	^
Brain	0.0	0.0	36.3	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Endocrine System	0.0	0.0	36.3	0	^	^	^	^
Thyroid	0.0	0.0	36.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Lymphoma	^	^	^	^	0.0	0.0	29.6	0
Hodgkin Lymphoma	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Hodgkin - Nodal	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Hodgkin - Extranodal	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	29.6	0
NHL - Nodal	^	^	^	^	0.0	0.0	29.6	0
NHL - Extranodal	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Lymphocytic Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Acute Myeloid Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Acute Monocytic Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Chronic Myeloid Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Other Acute Leukemia	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Mesothelioma	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Kaposi Sarcoma	0.0	0.0	36.3	0	0.0	0.0	29.6	0
Miscellaneous	^	^	^	^	0.0	0.0	29.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	548.5	439.8	674.8	112	390.3	308.0	487.5	84
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	18.5	0
Lip	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Tongue	^	^	^	^	0.0	0.0	18.5	0
Salivary Gland	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Floor of Mouth	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Gum and Other Mouth	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Nasopharynx	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Tonsil	^	^	^	^	0.0	0.0	18.5	0
Oropharynx	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Hypopharynx	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Other Oral Cavity and Pharynx	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Digestive System	90.3	54.1	142.8	20	55.4	26.9	100.3	11
Esophagus	^	^	^	^	0.0	0.0	18.5	0
Stomach	^	^	^	^	0.0	0.0	18.5	0
Small Intestine	0.0	0.0	22.7	0	^	^	^	^
Colon and Rectum	51.9	25.4	95.3	11	47.7	21.2	91.1	9
Colon excluding Rectum	30.1	11.9	65.4	7	36.5	14.0	76.0	7
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Ascending Colon	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Descending Colon	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	18.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	18.5	0
Liver	^	^	^	^	0.0	0.0	18.5	0
Intrahepatic Bile Duct	0.0	0.0	22.7	0	0.0	0.0	18.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Other Biliary	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Other Digestive Organs	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Respiratory System	130.5	69.9	215.8	20	95.4	57.2	149.1	20
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	18.5	0
Larynx	^	^	^	^	0.0	0.0	18.5	0
Lung and Bronchus	119.0	60.6	202.8	18	95.4	57.2	149.1	20
Pleura	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Bones and Joints	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	28.5	10.7	63.7	7	^	^	^	^
Melanoma of the Skin	28.5	10.7	63.7	7	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Breast	0.0	0.0	22.7	0	99.9	61.6	153.3	23
Female Genital System	0.0	0.0	22.7	0	35.7	15.9	70.3	9
Cervix Uteri	0.0	0.0	22.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	22.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	22.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Ovary	0.0	0.0	22.7	0	^	^	^	^
Vagina	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Vulva	0.0	0.0	22.7	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	22.7	0	^	^	^	^
Male Genital System	181.8	125.6	254.7	38	0.0	0.0	18.5	0
Prostate	162.0	108.5	232.5	33	0.0	0.0	18.5	0
Testis	^	^	^	^	0.0	0.0	18.5	0
Penis	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Other Male Genital Organs	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Urinary System	25.2	8.6	59.5	6	39.3	14.9	81.7	7
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	22.7	0	^	^	^	^
Other Urinary Organs	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Eye and Orbit	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Brain and Other Nervous System	0.0	0.0	22.7	0	^	^	^	^
Brain	0.0	0.0	22.7	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Endocrine System	0.0	0.0	22.7	0	^	^	^	^
Thyroid	0.0	0.0	22.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Lymphoma	30.2	10.5	68.5	6	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	22.7	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	22.7	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Non-Hodgkin Lymphoma	30.2	10.5	68.5	6	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	18.5	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	22.7	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	18.5	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	18.5	0
Acute Monocytic Leukemia	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	18.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Other Leukemia	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Other Acute Leukemia	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Mesothelioma	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Kaposi Sarcoma	0.0	0.0	22.7	0	0.0	0.0	18.5	0
Miscellaneous	26.3	8.1	63.6	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	512.1	344.5	733.4	34	393.6	250.8	588.2	25
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Tongue	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Salivary Gland	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Floor of Mouth	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Gum and Other Mouth	0.0	0.0	67.6	0	^	^	^	^
Nasopharynx	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Tonsil	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Oropharynx	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Hypopharynx	^	^	^	^	0.0	0.0	62.2	0
Other Oral Cavity and Pharynx	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Digestive System	86.1	29.8	198.3	6	129.0	50.6	265.3	7
Esophagus	^	^	^	^	0.0	0.0	62.2	0
Stomach	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Small Intestine	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	67.6	0	^	^	^	^
Appendix	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Ascending Colon	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Hepatic Flexure	0.0	0.0	67.6	0	^	^	^	^
Transverse Colon	^	^	^	^	0.0	0.0	62.2	0
Splenic Flexure	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Descending Colon	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	67.6	0	0.0	0.0	62.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Biliary	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Pancreas	0.0	0.0	67.6	0	^	^	^	^
Retroperitoneum	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Digestive Organs	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Respiratory System	^	^	^	^	0.0	0.0	62.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Larynx	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Lung and Bronchus	^	^	^	^	0.0	0.0	62.2	0
Pleura	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Bones and Joints	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Soft Tissue including Heart	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Breast	0.0	0.0	67.6	0	157.4	76.6	289.1	11
Female Genital System	0.0	0.0	67.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	67.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	67.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	67.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Ovary	0.0	0.0	67.6	0	^	^	^	^
Vagina	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Vulva	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Female Genital Organs	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Male Genital System	115.2	41.0	251.3	7	0.0	0.0	62.2	0
Prostate	100.8	31.8	233.3	6	0.0	0.0	62.2	0
Testis	^	^	^	^	0.0	0.0	62.2	0
Penis	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Male Genital Organs	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Urinary System	96.0	33.3	216.8	6	0.0	0.0	62.2	0
Urinary Bladder	^	^	^	^	0.0	0.0	62.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	62.2	0
Ureter	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Urinary Organs	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Eye and Orbit	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	62.2	0
Brain	^	^	^	^	0.0	0.0	62.2	0
Cranial Nerves Other Nervous System	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Endocrine System	0.0	0.0	67.6	0	^	^	^	^
Thyroid	0.0	0.0	67.6	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Lymphoma	^	^	^	^	0.0	0.0	62.2	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	62.2	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	62.2	0
Hodgkin - Extranodal	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	62.2	0
NHL - Nodal	^	^	^	^	0.0	0.0	62.2	0
NHL - Extranodal	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Myeloma	^	^	^	^	0.0	0.0	62.2	0
Leukemia	^	^	^	^	0.0	0.0	62.2	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	62.2	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	62.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Lymphocytic Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Acute Myeloid Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Acute Monocytic Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Chronic Myeloid Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Other Acute Leukemia	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Mesothelioma	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Kaposi Sarcoma	0.0	0.0	67.6	0	0.0	0.0	62.2	0
Miscellaneous	^	^	^	^	0.0	0.0	62.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	553.5	326.5	865.3	25	655.3	397.6	1,002.3	26
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	91.3	0
Lip	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Tongue	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Salivary Gland	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Floor of Mouth	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Gum and Other Mouth	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Nasopharynx	^	^	^	^	0.0	0.0	91.3	0
Tonsil	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Oropharynx	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Hypopharynx	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Oral Cavity and Pharynx	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	91.3	0
Stomach	^	^	^	^	0.0	0.0	91.3	0
Small Intestine	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Colon and Rectum	0.0	0.0	92.6	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	92.6	0	^	^	^	^
Cecum	0.0	0.0	92.6	0	^	^	^	^
Appendix	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Ascending Colon	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Hepatic Flexure	0.0	0.0	92.6	0	^	^	^	^
Transverse Colon	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Splenic Flexure	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Descending Colon	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Sigmoid Colon	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Large Intestine, NOS	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Rectosigmoid Junction	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Rectum	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	91.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Liver	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Intrahepatic Bile Duct	0.0	0.0	92.6	0	0.0	0.0	91.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Biliary	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Pancreas	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Retroperitoneum	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Digestive Organs	0.0	0.0	92.6	0	^	^	^	^
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Larynx	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Bones and Joints	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Soft Tissue including Heart	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Skin excluding Basal and Squamous	0.0	0.0	92.6	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	92.6	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	92.6	0	^	^	^	^
Breast	0.0	0.0	92.6	0	252.1	111.4	478.0	11
Female Genital System	0.0	0.0	92.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	92.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	92.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Uterus, NOS	0.0	0.0	92.6	0	^	^	^	^
Ovary	0.0	0.0	92.6	0	^	^	^	^
Vagina	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Vulva	0.0	0.0	92.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Male Genital System	253.2	97.7	508.4	9	0.0	0.0	91.3	0
Prostate	241.7	88.9	496.5	8	0.0	0.0	91.3	0
Testis	^	^	^	^	0.0	0.0	91.3	0
Penis	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Male Genital Organs	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Urinary System	^	^	^	^	0.0	0.0	91.3	0
Urinary Bladder	^	^	^	^	0.0	0.0	91.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	91.3	0
Ureter	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Urinary Organs	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Eye and Orbit	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	91.3	0
Brain	^	^	^	^	0.0	0.0	91.3	0
Cranial Nerves Other Nervous System	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Endocrine System	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Thyroid	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Endocrine including Thymus	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Hodgkin - Nodal	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Hodgkin - Extranodal	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	91.3	0
Myeloma	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Leukemia	^	^	^	^	0.0	0.0	91.3	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	91.3	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	91.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Lymphocytic Leukemia	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	91.3	0
Acute Myeloid Leukemia	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Acute Monocytic Leukemia	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	91.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Leukemia	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Other Acute Leukemia	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Mesothelioma	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Kaposi Sarcoma	0.0	0.0	92.6	0	0.0	0.0	91.3	0
Miscellaneous	0.0	0.0	92.6	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Lip	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Tongue	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Salivary Gland	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Floor of Mouth	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Gum and Other Mouth	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Nasopharynx	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Tonsil	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Oropharynx	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Hypopharynx	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Oral Cavity and Pharynx	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Digestive System	^	^	^	^	0.0	0.0	807.4	0
Esophagus	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Stomach	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Small Intestine	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Colon and Rectum	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Colon excluding Rectum	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Cecum	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Appendix	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Ascending Colon	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Hepatic Flexure	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Transverse Colon	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Splenic Flexure	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Descending Colon	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Sigmoid Colon	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Large Intestine, NOS	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Rectosigmoid Junction	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Rectum	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	807.4	0
Liver	^	^	^	^	0.0	0.0	807.4	0
Intrahepatic Bile Duct	0.0	0.0	899.2	0	0.0	0.0	807.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Biliary	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Pancreas	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Retroperitoneum	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Digestive Organs	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Respiratory System	^	^	^	^	0.0	0.0	807.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Larynx	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Lung and Bronchus	^	^	^	^	0.0	0.0	807.4	0
Pleura	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Bones and Joints	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Soft Tissue including Heart	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Skin excluding Basal and Squamous	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Melanoma of the Skin	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Non-Epithelial Skin	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Breast	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Female Genital System	0.0	0.0	899.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Corpus and Uterus, NOS	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Corpus Uteri	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Uterus, NOS	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Ovary	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Vagina	0.0	0.0	899.2	0	^	^	^	^
Vulva	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Female Genital Organs	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Male Genital System	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Prostate	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Testis	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Penis	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Male Genital Organs	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Urinary System	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Urinary Bladder	0.0	0.0	899.2	0	0.0	0.0	807.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Ureter	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Urinary Organs	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Eye and Orbit	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Brain and Other Nervous System	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Brain	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Cranial Nerves Other Nervous System	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Endocrine System	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Thyroid	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Endocrine including Thymus	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Lymphoma	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Hodgkin Lymphoma	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Hodgkin - Nodal	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Hodgkin - Extranodal	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Non-Hodgkin Lymphoma	0.0	0.0	899.2	0	0.0	0.0	807.4	0
NHL - Nodal	0.0	0.0	899.2	0	0.0	0.0	807.4	0
NHL - Extranodal	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Myeloma	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Lymphocytic Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Acute Lymphocytic Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Lymphocytic Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Acute Myeloid Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Acute Monocytic Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Chronic Myeloid Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Other Acute Leukemia	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Mesothelioma	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Kaposi Sarcoma	0.0	0.0	899.2	0	0.0	0.0	807.4	0
Miscellaneous	^	^	^	^	0.0	0.0	807.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	617.6	500.5	751.9	134	386.1	305.6	480.5	93
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Tongue	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Salivary Gland	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Floor of Mouth	^	^	^	^	0.0	0.0	16.7	0
Gum and Other Mouth	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Nasopharynx	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Tonsil	^	^	^	^	0.0	0.0	16.7	0
Oropharynx	0.0	0.0	21.2	0	^	^	^	^
Hypopharynx	^	^	^	^	0.0	0.0	16.7	0
Other Oral Cavity and Pharynx	0.0	0.0	21.2	0	^	^	^	^
Digestive System	120.6	70.3	190.0	26	59.4	28.9	106.0	12
Esophagus	^	^	^	^	0.0	0.0	16.7	0
Stomach	^	^	^	^	0.0	0.0	16.7	0
Small Intestine	^	^	^	^	0.0	0.0	16.7	0
Colon and Rectum	74.0	34.1	135.0	15	46.1	20.0	88.2	9
Colon excluding Rectum	56.9	21.3	115.5	11	35.1	13.6	72.3	7
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	16.7	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Transverse Colon	^	^	^	^	0.0	0.0	16.7	0
Splenic Flexure	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Descending Colon	^	^	^	^	0.0	0.0	16.7	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	16.7	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	16.7	0
Liver	^	^	^	^	0.0	0.0	16.7	0
Intrahepatic Bile Duct	0.0	0.0	21.2	0	0.0	0.0	16.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	21.2	0	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Retroperitoneum	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Other Digestive Organs	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Respiratory System	103.4	57.2	168.8	22	49.5	24.3	89.1	12
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	16.7	0
Larynx	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Lung and Bronchus	98.9	53.6	163.7	21	49.5	24.3	89.1	12
Pleura	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	0.0	0.0	16.7	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Breast	0.0	0.0	21.2	0	137.3	92.4	195.8	35
Female Genital System	0.0	0.0	21.2	0	37.6	15.7	74.5	9
Cervix Uteri	0.0	0.0	21.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	21.2	0	^	^	^	^
Corpus Uteri	0.0	0.0	21.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Ovary	0.0	0.0	21.2	0	^	^	^	^
Vagina	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Vulva	0.0	0.0	21.2	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Male Genital System	239.0	166.3	330.0	46	0.0	0.0	16.7	0
Prostate	235.2	162.9	325.9	45	0.0	0.0	16.7	0
Testis	^	^	^	^	0.0	0.0	16.7	0
Penis	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Other Male Genital Organs	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Urinary System	77.3	42.7	128.3	17	26.2	8.7	59.1	6
Urinary Bladder	59.9	30.1	106.4	13	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	21.2	0	^	^	^	^
Other Urinary Organs	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Eye and Orbit	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	16.7	0
Lymphoma	21.1	7.3	50.6	6	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	21.2	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	21.2	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Non-Hodgkin Lymphoma	21.1	7.3	50.6	6	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	16.7	0
Myeloma	0.0	0.0	21.2	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	16.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	21.2	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	16.7	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	16.7	0
Acute Monocytic Leukemia	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Chronic Myeloid Leukemia	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Other Leukemia	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Other Acute Leukemia	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Mesothelioma	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Kaposi Sarcoma	0.0	0.0	21.2	0	0.0	0.0	16.7	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	696.0	413.8	1,087.8	22	341.7	157.6	632.7	10
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Tongue	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Salivary Gland	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Floor of Mouth	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Gum and Other Mouth	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Oropharynx	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Hypopharynx	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Oral Cavity and Pharynx	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Stomach	^	^	^	^	0.0	0.0	113.1	0
Small Intestine	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Appendix	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Transverse Colon	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Splenic Flexure	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Descending Colon	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Sigmoid Colon	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Large Intestine, NOS	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	113.1	0
Rectum	0.0	0.0	127.9	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Liver	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Intrahepatic Bile Duct	0.0	0.0	127.9	0	0.0	0.0	113.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Biliary	^	^	^	^	0.0	0.0	113.1	0
Pancreas	^	^	^	^	0.0	0.0	113.1	0
Retroperitoneum	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Digestive Organs	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Respiratory System	220.2	73.2	488.9	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Larynx	^	^	^	^	0.0	0.0	113.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Bones and Joints	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Soft Tissue including Heart	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Skin excluding Basal and Squamous	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Melanoma of the Skin	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Non-Epithelial Skin	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Breast	0.0	0.0	127.9	0	^	^	^	^
Female Genital System	0.0	0.0	127.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Corpus and Uterus, NOS	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Corpus Uteri	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Uterus, NOS	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Ovary	0.0	0.0	127.9	0	^	^	^	^
Vagina	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Vulva	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Female Genital Organs	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Male Genital System	^	^	^	^	0.0	0.0	113.1	0
Prostate	^	^	^	^	0.0	0.0	113.1	0
Testis	^	^	^	^	0.0	0.0	113.1	0
Penis	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Male Genital Organs	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	127.9	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	113.1	0
Ureter	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Urinary Organs	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Eye and Orbit	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Brain and Other Nervous System	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Brain	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Cranial Nerves Other Nervous System	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Endocrine System	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Thyroid	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Endocrine including Thymus	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Hodgkin - Nodal	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Hodgkin - Extranodal	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Myeloma	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Leukemia	^	^	^	^	0.0	0.0	113.1	0
Lymphocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Acute Lymphocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Lymphocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	113.1	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	113.1	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	113.1	0
Chronic Myeloid Leukemia	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Leukemia	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Other Acute Leukemia	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Mesothelioma	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Kaposi Sarcoma	0.0	0.0	127.9	0	0.0	0.0	113.1	0
Miscellaneous	0.0	0.0	127.9	0	0.0	0.0	113.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	459.3	180.2	1,033.8	10	406.2	186.0	763.8	10
Oral Cavity and Pharynx	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Lip	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Tongue	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Salivary Gland	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Floor of Mouth	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Gum and Other Mouth	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Nasopharynx	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Tonsil	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Oropharynx	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Hypopharynx	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Oral Cavity and Pharynx	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Stomach	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Small Intestine	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Appendix	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Ascending Colon	^	^	^	^	0.0	0.0	157.7	0
Hepatic Flexure	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Transverse Colon	0.0	0.0	443.5	0	^	^	^	^
Splenic Flexure	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Descending Colon	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Sigmoid Colon	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Large Intestine, NOS	0.0	0.0	443.5	0	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	443.5	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Rectum	0.0	0.0	443.5	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	443.5	0	^	^	^	^
Liver	0.0	0.0	443.5	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	443.5	0	0.0	0.0	157.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	157.7	0
Other Biliary	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Pancreas	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Retroperitoneum	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Digestive Organs	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Larynx	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Bones and Joints	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Soft Tissue including Heart	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Skin excluding Basal and Squamous	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Melanoma of the Skin	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Non-Epithelial Skin	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Breast	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Female Genital System	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Cervix Uteri	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Corpus and Uterus, NOS	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Corpus Uteri	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Uterus, NOS	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Ovary	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Vagina	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Vulva	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Female Genital Organs	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Male Genital System	^	^	^	^	0.0	0.0	157.7	0
Prostate	^	^	^	^	0.0	0.0	157.7	0
Testis	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Penis	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Male Genital Organs	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Urinary System	^	^	^	^	0.0	0.0	157.7	0
Urinary Bladder	0.0	0.0	443.5	0	0.0	0.0	157.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	157.7	0
Ureter	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Urinary Organs	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Eye and Orbit	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Brain and Other Nervous System	0.0	0.0	443.5	0	^	^	^	^
Brain	0.0	0.0	443.5	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Endocrine System	0.0	0.0	443.5	0	^	^	^	^
Thyroid	0.0	0.0	443.5	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Lymphoma	^	^	^	^	0.0	0.0	157.7	0
Hodgkin Lymphoma	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Hodgkin - Nodal	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Hodgkin - Extranodal	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	157.7	0
NHL - Nodal	^	^	^	^	0.0	0.0	157.7	0
NHL - Extranodal	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Myeloma	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Lymphocytic Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Acute Lymphocytic Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Lymphocytic Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Acute Myeloid Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Acute Monocytic Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Chronic Myeloid Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Other Acute Leukemia	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Mesothelioma	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Kaposi Sarcoma	0.0	0.0	443.5	0	0.0	0.0	157.7	0
Miscellaneous	0.0	0.0	443.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	340.1	107.9	769.5	6	401.0	132.0	871.8	6
Oral Cavity and Pharynx	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Lip	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Tongue	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Salivary Gland	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Floor of Mouth	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Gum and Other Mouth	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Nasopharynx	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Tonsil	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Oropharynx	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Hypopharynx	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Oral Cavity and Pharynx	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	209.4	0	^	^	^	^
Appendix	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Ascending Colon	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Hepatic Flexure	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Transverse Colon	^	^	^	^	0.0	0.0	180.6	0
Splenic Flexure	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Descending Colon	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Sigmoid Colon	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Large Intestine, NOS	0.0	0.0	209.4	0	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Rectosigmoid Junction	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Rectum	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Liver	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Intrahepatic Bile Duct	0.0	0.0	209.4	0	0.0	0.0	180.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Biliary	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Pancreas	^	^	^	^	0.0	0.0	180.6	0
Retroperitoneum	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Digestive Organs	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Respiratory System	^	^	^	^	0.0	0.0	180.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Larynx	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	180.6	0
Pleura	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Bones and Joints	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Soft Tissue including Heart	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Skin excluding Basal and Squamous	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Melanoma of the Skin	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Non-Epithelial Skin	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Breast	0.0	0.0	209.4	0	^	^	^	^
Female Genital System	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Cervix Uteri	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Corpus and Uterus, NOS	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Corpus Uteri	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Uterus, NOS	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Ovary	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Vagina	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Vulva	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Female Genital Organs	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Male Genital System	^	^	^	^	0.0	0.0	180.6	0
Prostate	^	^	^	^	0.0	0.0	180.6	0
Testis	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Penis	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Male Genital Organs	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Urinary System	0.0	0.0	209.4	0	^	^	^	^
Urinary Bladder	0.0	0.0	209.4	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Ureter	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Urinary Organs	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Eye and Orbit	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	180.6	0
Brain	^	^	^	^	0.0	0.0	180.6	0
Cranial Nerves Other Nervous System	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Endocrine System	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Thyroid	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Endocrine including Thymus	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Lymphoma	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Hodgkin Lymphoma	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Hodgkin - Nodal	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Hodgkin - Extranodal	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Non-Hodgkin Lymphoma	0.0	0.0	209.4	0	0.0	0.0	180.6	0
NHL - Nodal	0.0	0.0	209.4	0	0.0	0.0	180.6	0
NHL - Extranodal	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Myeloma	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Lymphocytic Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Acute Lymphocytic Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Lymphocytic Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Acute Myeloid Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Acute Monocytic Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Chronic Myeloid Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Other Acute Leukemia	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Mesothelioma	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Kaposi Sarcoma	0.0	0.0	209.4	0	0.0	0.0	180.6	0
Miscellaneous	0.0	0.0	209.4	0	0.0	0.0	180.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	439.3	217.0	812.9	13	729.5	347.3	1,324.3	11
Oral Cavity and Pharynx	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Lip	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Tongue	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Salivary Gland	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Floor of Mouth	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Gum and Other Mouth	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Nasopharynx	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Tonsil	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Oropharynx	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Hypopharynx	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Oral Cavity and Pharynx	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	237.9	0
Stomach	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Small Intestine	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Appendix	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Ascending Colon	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Hepatic Flexure	0.0	0.0	212.1	0	^	^	^	^
Transverse Colon	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Splenic Flexure	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Descending Colon	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Sigmoid Colon	^	^	^	^	0.0	0.0	237.9	0
Large Intestine, NOS	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	237.9	0
Rectum	0.0	0.0	212.1	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Liver	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Intrahepatic Bile Duct	0.0	0.0	212.1	0	0.0	0.0	237.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Biliary	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Pancreas	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Retroperitoneum	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Digestive Organs	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Respiratory System	^	^	^	^	0.0	0.0	237.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Larynx	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Lung and Bronchus	^	^	^	^	0.0	0.0	237.9	0
Pleura	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Bones and Joints	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Soft Tissue including Heart	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Skin excluding Basal and Squamous	0.0	0.0	212.1	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	212.1	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Breast	0.0	0.0	212.1	0	^	^	^	^
Female Genital System	0.0	0.0	212.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Corpus and Uterus, NOS	0.0	0.0	212.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	212.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Ovary	0.0	0.0	212.1	0	^	^	^	^
Vagina	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Vulva	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Female Genital Organs	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Male Genital System	^	^	^	^	0.0	0.0	237.9	0
Prostate	^	^	^	^	0.0	0.0	237.9	0
Testis	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Penis	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Male Genital Organs	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	237.9	0
Ureter	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Urinary Organs	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Eye and Orbit	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Brain and Other Nervous System	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Brain	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Cranial Nerves Other Nervous System	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Endocrine System	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Thyroid	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Endocrine including Thymus	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Lymphoma	^	^	^	^	0.0	0.0	237.9	0
Hodgkin Lymphoma	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Hodgkin - Nodal	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Hodgkin - Extranodal	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	237.9	0
NHL - Nodal	0.0	0.0	212.1	0	0.0	0.0	237.9	0
NHL - Extranodal	^	^	^	^	0.0	0.0	237.9	0
Myeloma	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Lymphocytic Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Acute Lymphocytic Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Lymphocytic Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Acute Myeloid Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Acute Monocytic Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Chronic Myeloid Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Other Acute Leukemia	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Mesothelioma	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Kaposi Sarcoma	0.0	0.0	212.1	0	0.0	0.0	237.9	0
Miscellaneous	0.0	0.0	212.1	0	0.0	0.0	237.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	532.7	306.6	853.7	19	357.9	179.9	627.2	13
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	96.1	0
Lip	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Tongue	^	^	^	^	0.0	0.0	96.1	0
Salivary Gland	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Floor of Mouth	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	96.1	0
Nasopharynx	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Tonsil	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Oropharynx	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Hypopharynx	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Oral Cavity and Pharynx	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	96.1	0
Stomach	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Small Intestine	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Colon and Rectum	^	^	^	^	0.0	0.0	96.1	0
Colon excluding Rectum	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Cecum	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Appendix	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Ascending Colon	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Hepatic Flexure	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Transverse Colon	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Splenic Flexure	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Descending Colon	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Sigmoid Colon	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Large Intestine, NOS	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	96.1	0
Rectosigmoid Junction	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Rectum	^	^	^	^	0.0	0.0	96.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Liver	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Intrahepatic Bile Duct	0.0	0.0	107.3	0	0.0	0.0	96.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Biliary	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Digestive Organs	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Larynx	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Bones and Joints	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Soft Tissue including Heart	0.0	0.0	107.3	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Melanoma of the Skin	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Non-Epithelial Skin	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Breast	0.0	0.0	107.3	0	180.7	65.7	386.6	7
Female Genital System	0.0	0.0	107.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Corpus and Uterus, NOS	0.0	0.0	107.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	107.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Ovary	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Vagina	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Vulva	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Female Genital Organs	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Male Genital System	^	^	^	^	0.0	0.0	96.1	0
Prostate	^	^	^	^	0.0	0.0	96.1	0
Testis	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Penis	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Male Genital Organs	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Urinary System	^	^	^	^	0.0	0.0	96.1	0
Urinary Bladder	0.0	0.0	107.3	0	0.0	0.0	96.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	96.1	0
Ureter	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Urinary Organs	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Eye and Orbit	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Brain and Other Nervous System	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Brain	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Cranial Nerves Other Nervous System	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Endocrine System	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Thyroid	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Endocrine including Thymus	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	107.3	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	107.3	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	96.1	0
NHL - Extranodal	0.0	0.0	107.3	0	^	^	^	^
Myeloma	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Lymphocytic Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Acute Lymphocytic Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Lymphocytic Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Acute Myeloid Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Acute Monocytic Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Chronic Myeloid Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Other Acute Leukemia	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Mesothelioma	^	^	^	^	0.0	0.0	96.1	0
Kaposi Sarcoma	0.0	0.0	107.3	0	0.0	0.0	96.1	0
Miscellaneous	0.0	0.0	107.3	0	0.0	0.0	96.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Lip	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Tongue	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Salivary Gland	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Floor of Mouth	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Gum and Other Mouth	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Nasopharynx	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Tonsil	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Oropharynx	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Hypopharynx	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Oral Cavity and Pharynx	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Digestive System	^	^	^	^	0.0	0.0	301.2	0
Esophagus	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Stomach	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Small Intestine	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Colon and Rectum	^	^	^	^	0.0	0.0	301.2	0
Colon excluding Rectum	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Cecum	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Appendix	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Ascending Colon	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Hepatic Flexure	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Transverse Colon	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Splenic Flexure	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Descending Colon	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Sigmoid Colon	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Large Intestine, NOS	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	301.2	0
Rectosigmoid Junction	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Rectum	^	^	^	^	0.0	0.0	301.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Liver	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Intrahepatic Bile Duct	0.0	0.0	351.5	0	0.0	0.0	301.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Biliary	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Pancreas	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Retroperitoneum	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Digestive Organs	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Respiratory System	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Larynx	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Lung and Bronchus	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Pleura	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Bones and Joints	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Soft Tissue including Heart	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Skin excluding Basal and Squamous	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Melanoma of the Skin	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Non-Epithelial Skin	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Breast	0.0	0.0	351.5	0	^	^	^	^
Female Genital System	0.0	0.0	351.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Corpus and Uterus, NOS	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Corpus Uteri	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Uterus, NOS	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Ovary	0.0	0.0	351.5	0	^	^	^	^
Vagina	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Vulva	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Female Genital Organs	0.0	0.0	351.5	0	^	^	^	^
Male Genital System	^	^	^	^	0.0	0.0	301.2	0
Prostate	^	^	^	^	0.0	0.0	301.2	0
Testis	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Penis	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Male Genital Organs	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Urinary System	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Urinary Bladder	0.0	0.0	351.5	0	0.0	0.0	301.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Ureter	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Urinary Organs	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Eye and Orbit	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Brain and Other Nervous System	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Brain	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Cranial Nerves Other Nervous System	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Endocrine System	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Thyroid	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Endocrine including Thymus	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Lymphoma	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Hodgkin Lymphoma	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Hodgkin - Nodal	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Hodgkin - Extranodal	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Non-Hodgkin Lymphoma	0.0	0.0	351.5	0	0.0	0.0	301.2	0
NHL - Nodal	0.0	0.0	351.5	0	0.0	0.0	301.2	0
NHL - Extranodal	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Myeloma	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Lymphocytic Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Acute Lymphocytic Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Lymphocytic Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Acute Myeloid Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Acute Monocytic Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Chronic Myeloid Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Other Acute Leukemia	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Mesothelioma	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Kaposi Sarcoma	0.0	0.0	351.5	0	0.0	0.0	301.2	0
Miscellaneous	0.0	0.0	351.5	0	0.0	0.0	301.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	762.6	415.6	1,283.2	20	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Lip	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Tongue	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Salivary Gland	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Floor of Mouth	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Gum and Other Mouth	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Nasopharynx	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Tonsil	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Oropharynx	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Hypopharynx	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Oral Cavity and Pharynx	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Digestive System	^	^	^	^	0.0	0.0	178.7	0
Esophagus	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Stomach	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Small Intestine	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Colon and Rectum	^	^	^	^	0.0	0.0	178.7	0
Colon excluding Rectum	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Cecum	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Appendix	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Ascending Colon	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Hepatic Flexure	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Transverse Colon	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Splenic Flexure	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Descending Colon	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Sigmoid Colon	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Large Intestine, NOS	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	178.7	0
Rectosigmoid Junction	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Rectum	^	^	^	^	0.0	0.0	178.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Liver	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Intrahepatic Bile Duct	0.0	0.0	225.8	0	0.0	0.0	178.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Biliary	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Pancreas	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Retroperitoneum	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Digestive Organs	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Larynx	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Bones and Joints	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Soft Tissue including Heart	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	178.7	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	178.7	0
Other Non-Epithelial Skin	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Breast	0.0	0.0	225.8	0	^	^	^	^
Female Genital System	0.0	0.0	225.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	225.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Corpus Uteri	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Uterus, NOS	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Ovary	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Vagina	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Vulva	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Female Genital Organs	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Male Genital System	273.7	111.1	598.7	8	0.0	0.0	178.7	0
Prostate	250.3	94.5	572.1	7	0.0	0.0	178.7	0
Testis	^	^	^	^	0.0	0.0	178.7	0
Penis	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Male Genital Organs	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Urinary System	^	^	^	^	0.0	0.0	178.7	0
Urinary Bladder	0.0	0.0	225.8	0	0.0	0.0	178.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	178.7	0
Ureter	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Urinary Organs	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Eye and Orbit	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Brain and Other Nervous System	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Brain	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Cranial Nerves Other Nervous System	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Endocrine System	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Thyroid	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Endocrine including Thymus	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Hodgkin - Nodal	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Hodgkin - Extranodal	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	178.7	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Lymphocytic Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Acute Lymphocytic Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Lymphocytic Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Acute Myeloid Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Acute Monocytic Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Chronic Myeloid Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Other Acute Leukemia	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Mesothelioma	^	^	^	^	0.0	0.0	178.7	0
Kaposi Sarcoma	0.0	0.0	225.8	0	0.0	0.0	178.7	0
Miscellaneous	0.0	0.0	225.8	0	0.0	0.0	178.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	449.9	243.1	752.8	18	491.4	275.9	803.0	18
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	111.1	0
Lip	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Tongue	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Salivary Gland	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Floor of Mouth	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	111.1	0
Nasopharynx	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Tonsil	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Oropharynx	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Hypopharynx	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Oral Cavity and Pharynx	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Stomach	^	^	^	^	0.0	0.0	111.1	0
Small Intestine	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	109.3	0	^	^	^	^
Cecum	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Appendix	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Ascending Colon	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Hepatic Flexure	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Transverse Colon	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Splenic Flexure	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Descending Colon	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Sigmoid Colon	0.0	0.0	109.3	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	111.1	0
Rectosigmoid Junction	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Rectum	^	^	^	^	0.0	0.0	111.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	111.1	0
Liver	^	^	^	^	0.0	0.0	111.1	0
Intrahepatic Bile Duct	0.0	0.0	109.3	0	0.0	0.0	111.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Biliary	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Pancreas	0.0	0.0	109.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Digestive Organs	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Larynx	0.0	0.0	109.3	0	^	^	^	^
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Bones and Joints	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Soft Tissue including Heart	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Skin excluding Basal and Squamous	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Melanoma of the Skin	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Non-Epithelial Skin	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Breast	0.0	0.0	109.3	0	129.9	44.0	305.9	6
Female Genital System	0.0	0.0	109.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Corpus and Uterus, NOS	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Corpus Uteri	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Uterus, NOS	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Ovary	0.0	0.0	109.3	0	^	^	^	^
Vagina	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Vulva	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Female Genital Organs	0.0	0.0	109.3	0	^	^	^	^
Male Genital System	175.3	65.2	377.8	8	0.0	0.0	111.1	0
Prostate	162.4	56.0	363.7	7	0.0	0.0	111.1	0
Testis	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Penis	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	111.1	0
Urinary System	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Urinary Bladder	0.0	0.0	109.3	0	0.0	0.0	111.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Ureter	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Urinary Organs	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Eye and Orbit	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Brain and Other Nervous System	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Brain	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Cranial Nerves Other Nervous System	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Endocrine System	0.0	0.0	109.3	0	^	^	^	^
Thyroid	0.0	0.0	109.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Hodgkin - Nodal	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Hodgkin - Extranodal	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	111.1	0
Myeloma	^	^	^	^	0.0	0.0	111.1	0
Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Lymphocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Acute Lymphocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Lymphocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Acute Myeloid Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Acute Monocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Chronic Myeloid Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Other Acute Leukemia	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Mesothelioma	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Kaposi Sarcoma	0.0	0.0	109.3	0	0.0	0.0	111.1	0
Miscellaneous	0.0	0.0	109.3	0	0.0	0.0	111.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	721.8	318.3	1,351.4	10	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Lip	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Tongue	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Salivary Gland	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Floor of Mouth	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Gum and Other Mouth	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Nasopharynx	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Tonsil	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Oropharynx	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Hypopharynx	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Oral Cavity and Pharynx	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Digestive System	578.8	220.1	1,173.0	7	^	^	^	^
Esophagus	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Stomach	^	^	^	^	0.0	0.0	186.3	0
Small Intestine	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Colon and Rectum	0.0	0.0	228.1	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	228.1	0	^	^	^	^
Cecum	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Appendix	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Ascending Colon	0.0	0.0	228.1	0	^	^	^	^
Hepatic Flexure	0.0	0.0	228.1	0	^	^	^	^
Transverse Colon	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Splenic Flexure	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Descending Colon	0.0	0.0	228.1	0	^	^	^	^
Sigmoid Colon	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Large Intestine, NOS	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Rectosigmoid Junction	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Rectum	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	186.3	0
Liver	^	^	^	^	0.0	0.0	186.3	0
Intrahepatic Bile Duct	0.0	0.0	228.1	0	0.0	0.0	186.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Biliary	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Pancreas	^	^	^	^	0.0	0.0	186.3	0
Retroperitoneum	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Digestive Organs	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Larynx	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Bones and Joints	^	^	^	^	0.0	0.0	186.3	0
Soft Tissue including Heart	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Skin excluding Basal and Squamous	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Melanoma of the Skin	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Non-Epithelial Skin	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Breast	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Female Genital System	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Cervix Uteri	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Corpus and Uterus, NOS	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Corpus Uteri	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Uterus, NOS	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Ovary	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Vagina	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Vulva	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Female Genital Organs	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Male Genital System	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Prostate	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Testis	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Penis	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Male Genital Organs	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Urinary System	^	^	^	^	0.0	0.0	186.3	0
Urinary Bladder	^	^	^	^	0.0	0.0	186.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Ureter	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Urinary Organs	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Eye and Orbit	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Brain and Other Nervous System	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Brain	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Cranial Nerves Other Nervous System	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Endocrine System	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Thyroid	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Endocrine including Thymus	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Lymphoma	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Hodgkin Lymphoma	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Hodgkin - Nodal	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Hodgkin - Extranodal	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Non-Hodgkin Lymphoma	0.0	0.0	228.1	0	0.0	0.0	186.3	0
NHL - Nodal	0.0	0.0	228.1	0	0.0	0.0	186.3	0
NHL - Extranodal	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Myeloma	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Lymphocytic Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Acute Lymphocytic Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Lymphocytic Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Acute Myeloid Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Acute Monocytic Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Chronic Myeloid Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Other Acute Leukemia	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Mesothelioma	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Kaposi Sarcoma	0.0	0.0	228.1	0	0.0	0.0	186.3	0
Miscellaneous	0.0	0.0	228.1	0	0.0	0.0	186.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	707.3	430.0	1,093.5	21	303.6	136.9	584.5	9
Oral Cavity and Pharynx	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Lip	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Tongue	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Salivary Gland	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Floor of Mouth	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Gum and Other Mouth	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Nasopharynx	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Tonsil	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Oropharynx	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Hypopharynx	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Oral Cavity and Pharynx	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	135.9	0
Stomach	0.0	0.0	128.1	0	^	^	^	^
Small Intestine	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Colon and Rectum	^	^	^	^	0.0	0.0	135.9	0
Colon excluding Rectum	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Cecum	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Appendix	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Ascending Colon	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Hepatic Flexure	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Transverse Colon	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Splenic Flexure	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Descending Colon	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Sigmoid Colon	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Large Intestine, NOS	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	135.9	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	135.9	0
Rectum	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Liver	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Intrahepatic Bile Duct	0.0	0.0	128.1	0	0.0	0.0	135.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Biliary	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Pancreas	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Retroperitoneum	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Digestive Organs	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Larynx	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Bones and Joints	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Soft Tissue including Heart	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	135.9	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	135.9	0
Other Non-Epithelial Skin	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Breast	0.0	0.0	128.1	0	^	^	^	^
Female Genital System	0.0	0.0	128.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Corpus and Uterus, NOS	0.0	0.0	128.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	128.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Ovary	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Vagina	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Vulva	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Female Genital Organs	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Male Genital System	260.0	109.9	520.1	8	0.0	0.0	135.9	0
Prostate	260.0	109.9	520.1	8	0.0	0.0	135.9	0
Testis	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Penis	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Male Genital Organs	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Urinary System	^	^	^	^	0.0	0.0	135.9	0
Urinary Bladder	^	^	^	^	0.0	0.0	135.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	135.9	0
Ureter	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Urinary Organs	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Eye and Orbit	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Brain and Other Nervous System	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Brain	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Cranial Nerves Other Nervous System	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Endocrine System	0.0	0.0	128.1	0	^	^	^	^
Thyroid	0.0	0.0	128.1	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Lymphoma	^	^	^	^	0.0	0.0	135.9	0
Hodgkin Lymphoma	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Hodgkin - Nodal	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Hodgkin - Extranodal	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	135.9	0
NHL - Nodal	0.0	0.0	128.1	0	0.0	0.0	135.9	0
NHL - Extranodal	^	^	^	^	0.0	0.0	135.9	0
Myeloma	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Lymphocytic Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Acute Lymphocytic Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Lymphocytic Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Acute Myeloid Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Acute Monocytic Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Chronic Myeloid Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Other Acute Leukemia	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Mesothelioma	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Kaposi Sarcoma	0.0	0.0	128.1	0	0.0	0.0	135.9	0
Miscellaneous	0.0	0.0	128.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	0.0	0.0	2,002.7	0	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Lip	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Tongue	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Salivary Gland	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Floor of Mouth	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Gum and Other Mouth	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Nasopharynx	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Tonsil	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Oropharynx	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Hypopharynx	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Oral Cavity and Pharynx	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Digestive System	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Esophagus	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Stomach	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Small Intestine	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Colon and Rectum	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Colon excluding Rectum	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Cecum	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Appendix	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Ascending Colon	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Hepatic Flexure	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Transverse Colon	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Splenic Flexure	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Descending Colon	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Sigmoid Colon	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Large Intestine, NOS	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Rectosigmoid Junction	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Rectum	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Liver	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Intrahepatic Bile Duct	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Biliary	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Pancreas	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Retroperitoneum	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Digestive Organs	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Respiratory System	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Larynx	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Lung and Bronchus	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Pleura	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Bones and Joints	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Soft Tissue including Heart	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Skin excluding Basal and Squamous	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Melanoma of the Skin	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Non-Epithelial Skin	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Breast	0.0	0.0	2,002.7	0	^	^	^	^
Female Genital System	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Cervix Uteri	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Corpus and Uterus, NOS	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Corpus Uteri	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Uterus, NOS	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Ovary	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Vagina	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Vulva	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Female Genital Organs	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Male Genital System	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Prostate	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Testis	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Penis	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Male Genital Organs	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Urinary System	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Urinary Bladder	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Ureter	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Urinary Organs	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Eye and Orbit	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Brain and Other Nervous System	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Brain	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Cranial Nerves Other Nervous System	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Endocrine System	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Thyroid	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Endocrine including Thymus	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Lymphoma	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Hodgkin Lymphoma	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Hodgkin - Nodal	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Hodgkin - Extranodal	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Non-Hodgkin Lymphoma	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
NHL - Nodal	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
NHL - Extranodal	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Myeloma	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Lymphocytic Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Acute Lymphocytic Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Lymphocytic Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Acute Myeloid Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Acute Monocytic Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Chronic Myeloid Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Other Acute Leukemia	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Mesothelioma	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Kaposi Sarcoma	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0
Miscellaneous	0.0	0.0	2,002.7	0	0.0	0.0	2,091.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	397.3	193.5	722.5	12	567.5	295.8	977.1	13
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	154.6	0
Lip	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Tongue	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Salivary Gland	^	^	^	^	0.0	0.0	154.6	0
Floor of Mouth	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Gum and Other Mouth	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Nasopharynx	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Tonsil	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Oropharynx	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Hypopharynx	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Oral Cavity and Pharynx	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Stomach	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Small Intestine	0.0	0.0	145.0	0	^	^	^	^
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	145.0	0	^	^	^	^
Appendix	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Ascending Colon	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Hepatic Flexure	^	^	^	^	0.0	0.0	154.6	0
Transverse Colon	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Splenic Flexure	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Descending Colon	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	154.6	0
Rectosigmoid Junction	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Rectum	^	^	^	^	0.0	0.0	154.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	145.0	0	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Liver	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Intrahepatic Bile Duct	0.0	0.0	145.0	0	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Biliary	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Pancreas	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Retroperitoneum	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Digestive Organs	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Larynx	^	^	^	^	0.0	0.0	154.6	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Bones and Joints	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Soft Tissue including Heart	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Skin excluding Basal and Squamous	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Melanoma of the Skin	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Non-Epithelial Skin	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Breast	0.0	0.0	145.0	0	^	^	^	^
Female Genital System	0.0	0.0	145.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	145.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	145.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	145.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Ovary	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Vagina	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Vulva	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Female Genital Organs	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Male Genital System	^	^	^	^	0.0	0.0	154.6	0
Prostate	^	^	^	^	0.0	0.0	154.6	0
Testis	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Penis	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Male Genital Organs	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Urinary System	^	^	^	^	0.0	0.0	154.6	0
Urinary Bladder	0.0	0.0	145.0	0	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2002/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	154.6	0
Ureter	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Urinary Organs	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Eye and Orbit	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Brain and Other Nervous System	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Brain	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Cranial Nerves Other Nervous System	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Endocrine System	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Thyroid	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Endocrine including Thymus	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Lymphoma	0.0	0.0	145.0	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Hodgkin - Nodal	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Hodgkin - Extranodal	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Non-Hodgkin Lymphoma	0.0	0.0	145.0	0	^	^	^	^
NHL - Nodal	0.0	0.0	145.0	0	0.0	0.0	154.6	0
NHL - Extranodal	0.0	0.0	145.0	0	^	^	^	^
Myeloma	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Lymphocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Acute Lymphocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Lymphocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Acute Myeloid Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Acute Monocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Chronic Myeloid Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Other Acute Leukemia	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Mesothelioma	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Kaposi Sarcoma	0.0	0.0	145.0	0	0.0	0.0	154.6	0
Miscellaneous	0.0	0.0	145.0	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	785.3	0
Oral Cavity and Pharynx	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Lip	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Tongue	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Salivary Gland	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Floor of Mouth	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Gum and Other Mouth	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Nasopharynx	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Tonsil	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Oropharynx	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Hypopharynx	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Oral Cavity and Pharynx	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Digestive System	^	^	^	^	0.0	0.0	785.3	0
Esophagus	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Stomach	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Small Intestine	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Colon and Rectum	^	^	^	^	0.0	0.0	785.3	0
Colon excluding Rectum	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Cecum	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Appendix	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Ascending Colon	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Hepatic Flexure	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Transverse Colon	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Splenic Flexure	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Descending Colon	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Sigmoid Colon	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Large Intestine, NOS	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	785.3	0
Rectosigmoid Junction	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Rectum	^	^	^	^	0.0	0.0	785.3	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	785.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Liver	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Intrahepatic Bile Duct	0.0	0.0	729.4	0	0.0	0.0	785.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Biliary	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Pancreas	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Retroperitoneum	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Digestive Organs	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Respiratory System	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Larynx	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Lung and Bronchus	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Pleura	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Bones and Joints	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Soft Tissue including Heart	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Skin excluding Basal and Squamous	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Melanoma of the Skin	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Non-Epithelial Skin	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Breast	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Female Genital System	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Cervix Uteri	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Corpus and Uterus, NOS	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Corpus Uteri	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Uterus, NOS	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Ovary	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Vagina	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Vulva	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Female Genital Organs	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Male Genital System	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Prostate	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Testis	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Penis	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Male Genital Organs	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Urinary System	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Urinary Bladder	0.0	0.0	729.4	0	0.0	0.0	785.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Ureter	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Urinary Organs	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Eye and Orbit	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Brain and Other Nervous System	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Brain	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Cranial Nerves Other Nervous System	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Endocrine System	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Thyroid	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Endocrine including Thymus	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Lymphoma	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Hodgkin Lymphoma	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Hodgkin - Nodal	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Hodgkin - Extranodal	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Non-Hodgkin Lymphoma	0.0	0.0	729.4	0	0.0	0.0	785.3	0
NHL - Nodal	0.0	0.0	729.4	0	0.0	0.0	785.3	0
NHL - Extranodal	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Myeloma	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Lymphocytic Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Acute Lymphocytic Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Lymphocytic Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Acute Myeloid Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Acute Monocytic Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Chronic Myeloid Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Other Acute Leukemia	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Mesothelioma	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Kaposi Sarcoma	0.0	0.0	729.4	0	0.0	0.0	785.3	0
Miscellaneous	0.0	0.0	729.4	0	0.0	0.0	785.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	877.1	247.4	2,129.9	9	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	488.1	0
Lip	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Tongue	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Salivary Gland	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Floor of Mouth	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	488.1	0
Nasopharynx	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Tonsil	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Oropharynx	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Hypopharynx	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Oral Cavity and Pharynx	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Digestive System	^	^	^	^	0.0	0.0	488.1	0
Esophagus	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Stomach	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Small Intestine	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Colon and Rectum	^	^	^	^	0.0	0.0	488.1	0
Colon excluding Rectum	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Cecum	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Appendix	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Ascending Colon	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Hepatic Flexure	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Transverse Colon	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Splenic Flexure	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Descending Colon	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Sigmoid Colon	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Large Intestine, NOS	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	488.1	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	488.1	0
Rectum	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Liver	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Intrahepatic Bile Duct	0.0	0.0	738.0	0	0.0	0.0	488.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Biliary	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Pancreas	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Retroperitoneum	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Digestive Organs	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Respiratory System	^	^	^	^	0.0	0.0	488.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Larynx	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Lung and Bronchus	^	^	^	^	0.0	0.0	488.1	0
Pleura	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Bones and Joints	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Soft Tissue including Heart	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	488.1	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	488.1	0
Other Non-Epithelial Skin	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Breast	0.0	0.0	738.0	0	^	^	^	^
Female Genital System	0.0	0.0	738.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Corpus and Uterus, NOS	0.0	0.0	738.0	0	^	^	^	^
Corpus Uteri	0.0	0.0	738.0	0	^	^	^	^
Uterus, NOS	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Ovary	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Vagina	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Vulva	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Female Genital Organs	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Male Genital System	^	^	^	^	0.0	0.0	488.1	0
Prostate	^	^	^	^	0.0	0.0	488.1	0
Testis	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Penis	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Male Genital Organs	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Urinary System	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Urinary Bladder	0.0	0.0	738.0	0	0.0	0.0	488.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Ureter	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Urinary Organs	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Eye and Orbit	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Brain and Other Nervous System	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Brain	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Cranial Nerves Other Nervous System	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Endocrine System	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Thyroid	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Endocrine including Thymus	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Lymphoma	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Hodgkin Lymphoma	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Hodgkin - Nodal	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Hodgkin - Extranodal	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Non-Hodgkin Lymphoma	0.0	0.0	738.0	0	0.0	0.0	488.1	0
NHL - Nodal	0.0	0.0	738.0	0	0.0	0.0	488.1	0
NHL - Extranodal	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Myeloma	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Lymphocytic Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Acute Lymphocytic Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Lymphocytic Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Acute Myeloid Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Acute Monocytic Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Chronic Myeloid Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Other Acute Leukemia	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Mesothelioma	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Kaposi Sarcoma	0.0	0.0	738.0	0	0.0	0.0	488.1	0
Miscellaneous	^	^	^	^	0.0	0.0	488.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	576.6	517.6	639.9	474	416.8	375.7	461.0	428
Oral Cavity and Pharynx	16.7	8.0	30.0	15	7.7	2.7	16.5	6
Lip	^	^	^	^	0.0	0.0	3.6	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	3.6	0
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	3.6	0
Oropharynx	^	^	^	^	0.0	0.0	3.6	0
Hypopharynx	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	3.6	0
Digestive System	102.8	78.0	132.2	81	56.8	42.2	74.7	56
Esophagus	^	^	^	^	^	^	^	^
Stomach	5.6	1.9	13.3	6	^	^	^	^
Small Intestine	0.0	0.0	4.9	0	^	^	^	^
Colon and Rectum	47.5	31.6	68.0	38	30.3	19.9	43.9	30
Colon excluding Rectum	35.3	21.8	53.4	26	20.9	12.1	33.1	18
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	11.7	4.8	23.2	8	^	^	^	^
Hepatic Flexure	0.0	0.0	4.9	0	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Descending Colon	^	^	^	^	0.0	0.0	3.6	0
Sigmoid Colon	11.0	3.6	24.0	7	7.7	2.9	15.9	7
Large Intestine, NOS	^	^	^	^	0.0	0.0	3.6	0
Rectum and Rectosigmoid Junction	12.2	5.0	24.1	12	9.4	4.7	17.1	12
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	5.6	2.4	12.1	8	7.5	3.5	14.5	10
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	14.7	7.1	26.7	14	^	^	^	^
Liver	14.7	7.1	26.7	14	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.9	0	0.0	0.0	3.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	3.6	0
Other Biliary	^	^	^	^	0.0	0.0	3.6	0
Pancreas	12.2	4.4	25.3	9	7.6	3.1	15.3	8
Retroperitoneum	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.9	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	107.1	81.3	137.5	74	62.1	45.8	81.9	52
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	3.6	0
Larynx	10.1	3.7	21.1	7	^	^	^	^
Lung and Bronchus	95.7	71.2	124.9	65	61.2	45.0	81.0	51
Pleura	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	3.6	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	26.7	16.0	41.6	28	9.8	4.6	18.1	11
Melanoma of the Skin	22.6	13.1	36.1	25	8.4	3.8	16.1	10
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	^	^	^	^	150.6	127.3	176.8	168
Female Genital System	0.0	0.0	4.9	0	44.5	32.0	60.1	47
Cervix Uteri	0.0	0.0	4.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	4.9	0	22.2	13.7	33.9	23
Corpus Uteri	0.0	0.0	4.9	0	22.2	13.7	33.9	23
Uterus, NOS	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Ovary	0.0	0.0	4.9	0	15.6	8.7	25.6	17
Vagina	0.0	0.0	4.9	0	^	^	^	^
Vulva	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Other Female Genital Organs	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Male Genital System	172.4	141.8	207.2	142	0.0	0.0	3.6	0
Prostate	165.6	135.3	200.1	132	0.0	0.0	3.6	0
Testis	5.5	2.4	12.0	8	0.0	0.0	3.6	0
Penis	^	^	^	^	0.0	0.0	3.6	0
Other Male Genital Organs	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Urinary System	61.6	42.9	84.9	47	20.6	12.0	32.7	19
Urinary Bladder	46.0	29.7	67.2	30	12.2	5.6	22.5	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	15.6	7.6	27.8	17	7.2	2.9	14.7	8
Ureter	0.0	0.0	4.9	0	^	^	^	^
Other Urinary Organs	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Eye and Orbit	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Brain and Other Nervous System	8.4	3.0	18.1	8	^	^	^	^
Brain	7.7	2.5	17.4	7	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	7.3	3.4	14.5	10	18.0	10.9	28.1	22
Thyroid	6.4	2.8	13.4	9	15.8	9.3	25.1	20
Other Endocrine including Thymus	^	^	^	^	^	^	^	^
Lymphoma	18.2	10.5	29.6	21	19.2	11.3	30.4	20
Hodgkin Lymphoma	7.8	2.9	16.9	9	^	^	^	^
Hodgkin - Nodal	7.8	2.9	16.9	9	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Non-Hodgkin Lymphoma	10.4	5.1	19.3	12	17.0	9.4	27.8	17
NHL - Nodal	7.2	2.9	15.2	8	9.7	4.6	17.9	11
NHL - Extranodal	^	^	^	^	7.3	2.5	15.8	6
Myeloma	^	^	^	^	^	^	^	^
Leukemia	10.4	5.3	18.8	13	8.4	3.1	17.2	7
Lymphocytic Leukemia	5.3	1.8	12.6	6	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	3.6	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	3.6	0
Myeloid and Monocytic Leukemia	5.1	2.0	11.6	7	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.9	0	^	^	^	^
Other Leukemia	0.0	0.0	4.9	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	4.9	0	0.0	0.0	3.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.9	0	^	^	^	^
Mesothelioma	^	^	^	^	0.0	0.0	3.6	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	3.6	0
Miscellaneous	24.8	12.7	42.3	17	7.3	2.9	15.0	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	461.8	264.2	734.2	19	419.3	230.6	684.0	17
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Tongue	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Salivary Gland	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Floor of Mouth	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Gum and Other Mouth	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Nasopharynx	0.0	0.0	73.3	0	^	^	^	^
Tonsil	^	^	^	^	0.0	0.0	72.0	0
Oropharynx	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Hypopharynx	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Other Oral Cavity and Pharynx	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Digestive System	149.4	54.8	314.2	7	264.5	120.0	486.4	10
Esophagus	^	^	^	^	0.0	0.0	72.0	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Colon and Rectum	^	^	^	^	172.1	59.4	365.7	6
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Ascending Colon	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Hepatic Flexure	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Transverse Colon	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Splenic Flexure	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Descending Colon	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Sigmoid Colon	0.0	0.0	73.3	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	73.3	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	72.0	0
Liver	^	^	^	^	0.0	0.0	72.0	0
Intrahepatic Bile Duct	0.0	0.0	73.3	0	0.0	0.0	72.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	73.3	0	^	^	^	^
Other Biliary	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Pancreas	^	^	^	^	0.0	0.0	72.0	0
Retroperitoneum	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Other Digestive Organs	0.0	0.0	73.3	0	^	^	^	^
Respiratory System	193.9	67.2	407.8	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Larynx	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Lung and Bronchus	193.9	67.2	407.8	6	^	^	^	^
Pleura	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Bones and Joints	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Soft Tissue including Heart	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	72.0	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	72.0	0
Other Non-Epithelial Skin	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Breast	0.0	0.0	73.3	0	^	^	^	^
Female Genital System	0.0	0.0	73.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	73.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Corpus Uteri	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Uterus, NOS	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Ovary	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Vagina	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Vulva	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Other Female Genital Organs	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Male Genital System	^	^	^	^	0.0	0.0	72.0	0
Prostate	^	^	^	^	0.0	0.0	72.0	0
Testis	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Penis	^	^	^	^	0.0	0.0	72.0	0
Other Male Genital Organs	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Urinary System	^	^	^	^	0.0	0.0	72.0	0
Urinary Bladder	0.0	0.0	73.3	0	0.0	0.0	72.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	72.0	0
Ureter	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Other Urinary Organs	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Eye and Orbit	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Brain and Other Nervous System	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Brain	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Cranial Nerves Other Nervous System	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Endocrine System	0.0	0.0	73.3	0	^	^	^	^
Thyroid	0.0	0.0	73.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Lymphoma	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Hodgkin Lymphoma	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Hodgkin - Nodal	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Hodgkin - Extranodal	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Non-Hodgkin Lymphoma	0.0	0.0	73.3	0	0.0	0.0	72.0	0
NHL - Nodal	0.0	0.0	73.3	0	0.0	0.0	72.0	0
NHL - Extranodal	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Myeloma	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Lymphocytic Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Acute Lymphocytic Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Other Lymphocytic Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Acute Myeloid Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Acute Monocytic Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Chronic Myeloid Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Other Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Other Acute Leukemia	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Mesothelioma	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Kaposi Sarcoma	0.0	0.0	73.3	0	0.0	0.0	72.0	0
Miscellaneous	^	^	^	^	0.0	0.0	72.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	1,437.8	0
Oral Cavity and Pharynx	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Lip	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Tongue	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Salivary Gland	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Floor of Mouth	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Gum and Other Mouth	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Nasopharynx	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Tonsil	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Oropharynx	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Hypopharynx	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Oral Cavity and Pharynx	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Digestive System	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Esophagus	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Stomach	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Small Intestine	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Colon and Rectum	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Colon excluding Rectum	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Cecum	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Appendix	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Ascending Colon	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Hepatic Flexure	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Transverse Colon	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Splenic Flexure	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Descending Colon	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Sigmoid Colon	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Large Intestine, NOS	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Rectosigmoid Junction	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Rectum	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Liver	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Intrahepatic Bile Duct	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Biliary	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Pancreas	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Retroperitoneum	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Digestive Organs	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Respiratory System	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Larynx	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Lung and Bronchus	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Pleura	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Bones and Joints	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Soft Tissue including Heart	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Skin excluding Basal and Squamous	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Melanoma of the Skin	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Non-Epithelial Skin	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Breast	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Female Genital System	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Cervix Uteri	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Corpus and Uterus, NOS	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Corpus Uteri	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Uterus, NOS	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Ovary	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Vagina	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Vulva	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Female Genital Organs	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Male Genital System	^	^	^	^	0.0	0.0	1,437.8	0
Prostate	^	^	^	^	0.0	0.0	1,437.8	0
Testis	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Penis	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Male Genital Organs	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Urinary System	^	^	^	^	0.0	0.0	1,437.8	0
Urinary Bladder	^	^	^	^	0.0	0.0	1,437.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Ureter	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Urinary Organs	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Eye and Orbit	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Brain and Other Nervous System	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Brain	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Cranial Nerves Other Nervous System	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Endocrine System	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Thyroid	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Endocrine including Thymus	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Lymphoma	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Hodgkin Lymphoma	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Hodgkin - Nodal	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Hodgkin - Extranodal	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Non-Hodgkin Lymphoma	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
NHL - Nodal	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
NHL - Extranodal	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Myeloma	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Lymphocytic Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Acute Lymphocytic Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Lymphocytic Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Acute Myeloid Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Acute Monocytic Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Chronic Myeloid Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Other Acute Leukemia	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Mesothelioma	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Kaposi Sarcoma	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0
Miscellaneous	0.0	0.0	1,781.4	0	0.0	0.0	1,437.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Lip	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Tongue	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Salivary Gland	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Floor of Mouth	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Gum and Other Mouth	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Nasopharynx	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Tonsil	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Oropharynx	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Hypopharynx	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Oral Cavity and Pharynx	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Digestive System	0.0	0.0	808.5	0	^	^	^	^
Esophagus	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Stomach	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Small Intestine	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Colon and Rectum	0.0	0.0	808.5	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	808.5	0	^	^	^	^
Cecum	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Appendix	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Ascending Colon	0.0	0.0	808.5	0	^	^	^	^
Hepatic Flexure	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Transverse Colon	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Splenic Flexure	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Descending Colon	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Sigmoid Colon	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Large Intestine, NOS	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Rectosigmoid Junction	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Rectum	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Liver	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Intrahepatic Bile Duct	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Biliary	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Pancreas	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Retroperitoneum	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Digestive Organs	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Respiratory System	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Larynx	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Lung and Bronchus	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Pleura	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Bones and Joints	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Soft Tissue including Heart	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	1,272.3	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	1,272.3	0
Other Non-Epithelial Skin	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Breast	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Female Genital System	0.0	0.0	808.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Corpus and Uterus, NOS	0.0	0.0	808.5	0	^	^	^	^
Corpus Uteri	0.0	0.0	808.5	0	^	^	^	^
Uterus, NOS	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Ovary	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Vagina	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Vulva	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Female Genital Organs	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Male Genital System	^	^	^	^	0.0	0.0	1,272.3	0
Prostate	^	^	^	^	0.0	0.0	1,272.3	0
Testis	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Penis	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Male Genital Organs	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Urinary System	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Urinary Bladder	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Ureter	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Urinary Organs	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Eye and Orbit	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Brain and Other Nervous System	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Brain	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Cranial Nerves Other Nervous System	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Endocrine System	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Thyroid	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Endocrine including Thymus	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Lymphoma	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Hodgkin Lymphoma	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Hodgkin - Nodal	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Hodgkin - Extranodal	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Non-Hodgkin Lymphoma	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
NHL - Nodal	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
NHL - Extranodal	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Myeloma	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Lymphocytic Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Acute Lymphocytic Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Lymphocytic Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Acute Myeloid Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Acute Monocytic Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Chronic Myeloid Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Other Acute Leukemia	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Mesothelioma	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Kaposi Sarcoma	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0
Miscellaneous	0.0	0.0	808.5	0	0.0	0.0	1,272.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	741.4	371.0	1,309.6	13	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Lip	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Tongue	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Salivary Gland	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Floor of Mouth	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Gum and Other Mouth	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Nasopharynx	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Tonsil	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Oropharynx	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Hypopharynx	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Oral Cavity and Pharynx	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Digestive System	388.0	139.7	839.4	7	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	211.7	0
Stomach	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Small Intestine	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Appendix	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Ascending Colon	0.0	0.0	227.8	0	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	211.7	0
Transverse Colon	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Splenic Flexure	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Descending Colon	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Sigmoid Colon	^	^	^	^	0.0	0.0	211.7	0
Large Intestine, NOS	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Rectosigmoid Junction	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Rectum	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	211.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Liver	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Intrahepatic Bile Duct	0.0	0.0	227.8	0	0.0	0.0	211.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Biliary	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Pancreas	^	^	^	^	0.0	0.0	211.7	0
Retroperitoneum	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Digestive Organs	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Larynx	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Bones and Joints	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Soft Tissue including Heart	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Skin excluding Basal and Squamous	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Melanoma of the Skin	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Non-Epithelial Skin	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Breast	0.0	0.0	227.8	0	^	^	^	^
Female Genital System	0.0	0.0	227.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Corpus and Uterus, NOS	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Corpus Uteri	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Uterus, NOS	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Ovary	0.0	0.0	227.8	0	^	^	^	^
Vagina	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Vulva	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Female Genital Organs	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Male Genital System	^	^	^	^	0.0	0.0	211.7	0
Prostate	^	^	^	^	0.0	0.0	211.7	0
Testis	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Penis	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Male Genital Organs	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Urinary System	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Urinary Bladder	0.0	0.0	227.8	0	0.0	0.0	211.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Ureter	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Urinary Organs	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Eye and Orbit	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	211.7	0
Brain	^	^	^	^	0.0	0.0	211.7	0
Cranial Nerves Other Nervous System	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Endocrine System	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Thyroid	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Endocrine including Thymus	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Lymphoma	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Hodgkin Lymphoma	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Hodgkin - Nodal	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Hodgkin - Extranodal	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Non-Hodgkin Lymphoma	0.0	0.0	227.8	0	0.0	0.0	211.7	0
NHL - Nodal	0.0	0.0	227.8	0	0.0	0.0	211.7	0
NHL - Extranodal	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Myeloma	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Leukemia	0.0	0.0	227.8	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Acute Lymphocytic Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Lymphocytic Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	227.8	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	227.8	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Chronic Myeloid Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Other Acute Leukemia	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Mesothelioma	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Kaposi Sarcoma	0.0	0.0	227.8	0	0.0	0.0	211.7	0
Miscellaneous	^	^	^	^	0.0	0.0	211.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	572.1	468.6	689.6	140	449.2	369.9	539.5	134
Oral Cavity and Pharynx	38.0	13.4	79.8	8	0.0	0.0	12.5	0
Lip	^	^	^	^	0.0	0.0	12.5	0
Tongue	^	^	^	^	0.0	0.0	12.5	0
Salivary Gland	^	^	^	^	0.0	0.0	12.5	0
Floor of Mouth	^	^	^	^	0.0	0.0	12.5	0
Gum and Other Mouth	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Nasopharynx	^	^	^	^	0.0	0.0	12.5	0
Tonsil	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Oropharynx	^	^	^	^	0.0	0.0	12.5	0
Hypopharynx	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Other Oral Cavity and Pharynx	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Digestive System	108.5	64.0	168.5	24	46.6	24.8	79.1	15
Esophagus	^	^	^	^	0.0	0.0	12.5	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	12.5	0
Colon and Rectum	42.6	18.3	81.6	10	29.2	12.5	57.0	9
Colon excluding Rectum	^	^	^	^	18.8	6.1	42.7	6
Cecum	0.0	0.0	15.4	0	^	^	^	^
Appendix	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Transverse Colon	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Splenic Flexure	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Descending Colon	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	12.5	0
Rectum and Rectosigmoid Junction	25.8	9.3	55.8	7	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	15.4	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.4	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Other Biliary	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Other Digestive Organs	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Respiratory System	79.0	42.1	131.4	17	98.9	60.0	151.0	22
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Larynx	^	^	^	^	0.0	0.0	12.5	0
Lung and Bronchus	76.7	40.2	129.0	16	98.9	60.0	151.0	22
Pleura	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Bones and Joints	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Breast	0.0	0.0	15.4	0	146.5	104.4	199.0	47
Female Genital System	0.0	0.0	15.4	0	53.9	29.5	89.4	17
Cervix Uteri	0.0	0.0	15.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	15.4	0	27.9	12.0	54.7	9
Corpus Uteri	0.0	0.0	15.4	0	27.9	12.0	54.7	9
Uterus, NOS	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Ovary	0.0	0.0	15.4	0	^	^	^	^
Vagina	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Vulva	0.0	0.0	15.4	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Male Genital System	202.4	145.7	272.3	52	0.0	0.0	12.5	0
Prostate	196.6	140.3	266.2	49	0.0	0.0	12.5	0
Testis	^	^	^	^	0.0	0.0	12.5	0
Penis	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Other Male Genital Organs	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Urinary System	54.5	27.3	95.5	13	30.2	13.6	57.6	10
Urinary Bladder	40.7	16.7	79.7	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	17.4	5.8	39.8	6
Ureter	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Other Urinary Organs	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Eye and Orbit	^	^	^	^	0.0	0.0	12.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	12.5	0
Lymphoma	32.6	12.4	67.2	9	23.4	7.9	51.5	6
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	12.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	12.5	0
Hodgkin - Extranodal	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Non-Hodgkin Lymphoma	30.2	10.6	64.6	8	23.4	7.9	51.5	6
NHL - Nodal	21.0	6.2	50.0	6	23.4	7.9	51.5	6
NHL - Extranodal	^	^	^	^	0.0	0.0	12.5	0
Myeloma	^	^	^	^	0.0	0.0	12.5	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	15.4	0	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	12.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Acute Monocytic Leukemia	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Other Leukemia	0.0	0.0	15.4	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.4	0	^	^	^	^
Mesothelioma	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Kaposi Sarcoma	0.0	0.0	15.4	0	0.0	0.0	12.5	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Lip	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Tongue	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Salivary Gland	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Floor of Mouth	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Gum and Other Mouth	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Nasopharynx	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Tonsil	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Oropharynx	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Hypopharynx	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Oral Cavity and Pharynx	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Stomach	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Small Intestine	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Colon and Rectum	0.0	0.0	433.8	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	433.8	0	^	^	^	^
Cecum	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Appendix	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Ascending Colon	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Hepatic Flexure	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Transverse Colon	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Splenic Flexure	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Descending Colon	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Sigmoid Colon	0.0	0.0	433.8	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Rectosigmoid Junction	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Rectum	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Liver	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Intrahepatic Bile Duct	0.0	0.0	433.8	0	0.0	0.0	370.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Biliary	^	^	^	^	0.0	0.0	370.0	0
Pancreas	^	^	^	^	0.0	0.0	370.0	0
Retroperitoneum	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Digestive Organs	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Respiratory System	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Larynx	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Lung and Bronchus	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Pleura	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Bones and Joints	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Soft Tissue including Heart	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Skin excluding Basal and Squamous	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Melanoma of the Skin	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Non-Epithelial Skin	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Breast	0.0	0.0	433.8	0	^	^	^	^
Female Genital System	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Cervix Uteri	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Corpus and Uterus, NOS	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Corpus Uteri	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Uterus, NOS	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Ovary	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Vagina	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Vulva	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Female Genital Organs	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Male Genital System	^	^	^	^	0.0	0.0	370.0	0
Prostate	^	^	^	^	0.0	0.0	370.0	0
Testis	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Penis	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Male Genital Organs	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Urinary System	0.0	0.0	433.8	0	^	^	^	^
Urinary Bladder	0.0	0.0	433.8	0	0.0	0.0	370.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	433.8	0	^	^	^	^
Ureter	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Urinary Organs	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Eye and Orbit	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Brain and Other Nervous System	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Brain	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Cranial Nerves Other Nervous System	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Endocrine System	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Thyroid	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Endocrine including Thymus	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	433.8	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	433.8	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	370.0	0
NHL - Nodal	^	^	^	^	0.0	0.0	370.0	0
NHL - Extranodal	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Myeloma	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Lymphocytic Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Acute Lymphocytic Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Lymphocytic Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Acute Myeloid Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Acute Monocytic Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Chronic Myeloid Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Other Acute Leukemia	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Mesothelioma	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Kaposi Sarcoma	0.0	0.0	433.8	0	0.0	0.0	370.0	0
Miscellaneous	0.0	0.0	433.8	0	0.0	0.0	370.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	466.9	333.7	631.9	52	321.8	228.9	439.1	45
Oral Cavity and Pharynx	0.0	0.0	35.1	0	^	^	^	^
Lip	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Tongue	0.0	0.0	35.1	0	^	^	^	^
Salivary Gland	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Floor of Mouth	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Gum and Other Mouth	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Nasopharynx	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Tonsil	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Oropharynx	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Hypopharynx	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Oral Cavity and Pharynx	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Digestive System	147.6	78.4	249.0	17	67.8	28.0	134.8	8
Esophagus	^	^	^	^	0.0	0.0	29.1	0
Stomach	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Small Intestine	^	^	^	^	0.0	0.0	29.1	0
Colon and Rectum	93.6	41.1	178.7	10	50.5	17.4	111.3	6
Colon excluding Rectum	77.7	29.2	161.1	7	50.5	17.4	111.3	6
Cecum	0.0	0.0	35.1	0	^	^	^	^
Appendix	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Ascending Colon	^	^	^	^	0.0	0.0	29.1	0
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Splenic Flexure	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Descending Colon	^	^	^	^	0.0	0.0	29.1	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	29.1	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	29.1	0
Rectum	^	^	^	^	0.0	0.0	29.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	29.1	0
Liver	^	^	^	^	0.0	0.0	29.1	0
Intrahepatic Bile Duct	0.0	0.0	35.1	0	0.0	0.0	29.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Digestive Organs	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Respiratory System	85.6	33.7	172.4	8	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	29.1	0
Larynx	^	^	^	^	0.0	0.0	29.1	0
Lung and Bronchus	74.7	25.8	160.5	6	^	^	^	^
Pleura	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Bones and Joints	^	^	^	^	0.0	0.0	29.1	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	29.1	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	35.1	0	^	^	^	^
Breast	0.0	0.0	35.1	0	80.1	40.7	142.8	13
Female Genital System	0.0	0.0	35.1	0	45.4	16.4	99.8	7
Cervix Uteri	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Corpus and Uterus, NOS	0.0	0.0	35.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	35.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Ovary	0.0	0.0	35.1	0	^	^	^	^
Vagina	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Vulva	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Female Genital Organs	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Male Genital System	130.3	64.6	229.3	14	0.0	0.0	29.1	0
Prostate	114.3	52.6	210.4	12	0.0	0.0	29.1	0
Testis	^	^	^	^	0.0	0.0	29.1	0
Penis	^	^	^	^	0.0	0.0	29.1	0
Other Male Genital Organs	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	35.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	29.1	0
Ureter	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Urinary Organs	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Eye and Orbit	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Brain and Other Nervous System	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Brain	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Cranial Nerves Other Nervous System	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Hodgkin - Nodal	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Hodgkin - Extranodal	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Myeloma	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Leukemia	^	^	^	^	0.0	0.0	29.1	0
Lymphocytic Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Acute Lymphocytic Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Lymphocytic Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	29.1	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	29.1	0
Acute Monocytic Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Chronic Myeloid Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Other Acute Leukemia	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Mesothelioma	0.0	0.0	35.1	0	0.0	0.0	29.1	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	29.1	0
Miscellaneous	^	^	^	^	0.0	0.0	29.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	508.5	407.2	626.6	111	421.8	335.3	523.3	90
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Tongue	0.0	0.0	21.2	0	^	^	^	^
Salivary Gland	0.0	0.0	21.2	0	^	^	^	^
Floor of Mouth	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	18.1	0
Nasopharynx	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Tonsil	^	^	^	^	0.0	0.0	18.1	0
Oropharynx	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Hypopharynx	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Other Oral Cavity and Pharynx	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Digestive System	127.4	76.0	197.9	26	50.9	24.0	93.9	10
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	18.1	0
Small Intestine	^	^	^	^	0.0	0.0	18.1	0
Colon and Rectum	61.6	26.2	118.3	13	^	^	^	^
Colon excluding Rectum	43.4	12.7	99.1	7	^	^	^	^
Cecum	0.0	0.0	21.2	0	^	^	^	^
Appendix	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Ascending Colon	^	^	^	^	0.0	0.0	18.1	0
Hepatic Flexure	0.0	0.0	21.2	0	^	^	^	^
Transverse Colon	^	^	^	^	0.0	0.0	18.1	0
Splenic Flexure	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Descending Colon	^	^	^	^	0.0	0.0	18.1	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Rectum and Rectosigmoid Junction	18.2	6.6	45.1	6	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	21.2	0	0.0	0.0	18.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Other Biliary	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Other Digestive Organs	^	^	^	^	0.0	0.0	18.1	0
Respiratory System	90.2	52.3	144.9	20	106.7	62.8	167.8	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Larynx	^	^	^	^	0.0	0.0	18.1	0
Lung and Bronchus	84.1	47.2	138.0	18	103.6	60.1	164.4	18
Pleura	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	21.2	0	^	^	^	^
Bones and Joints	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	18.1	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	21.2	0	^	^	^	^
Breast	0.0	0.0	21.2	0	130.9	87.2	189.1	31
Female Genital System	0.0	0.0	21.2	0	32.3	14.1	64.7	9
Cervix Uteri	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Corpus and Uterus, NOS	0.0	0.0	21.2	0	22.4	7.6	52.2	6
Corpus Uteri	0.0	0.0	21.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	21.2	0	^	^	^	^
Ovary	0.0	0.0	21.2	0	^	^	^	^
Vagina	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Vulva	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Other Female Genital Organs	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Male Genital System	109.9	69.1	166.4	25	0.0	0.0	18.1	0
Prostate	102.5	63.1	157.9	23	0.0	0.0	18.1	0
Testis	^	^	^	^	0.0	0.0	18.1	0
Penis	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Other Male Genital Organs	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Urinary System	68.2	38.0	113.9	16	^	^	^	^
Urinary Bladder	34.5	14.3	71.2	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	33.6	14.0	69.6	8	^	^	^	^
Ureter	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Other Urinary Organs	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Eye and Orbit	0.0	0.0	21.2	0	^	^	^	^
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Lymphoma	37.7	16.4	75.4	9	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	18.1	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	18.1	0
Hodgkin - Extranodal	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Non-Hodgkin Lymphoma	30.0	11.2	65.7	7	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	18.1	0
Myeloma	^	^	^	^	0.0	0.0	18.1	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	21.2	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	21.2	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	18.1	0
Acute Myeloid Leukemia	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Acute Monocytic Leukemia	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	18.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Other Leukemia	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Other Acute Leukemia	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Mesothelioma	^	^	^	^	0.0	0.0	18.1	0
Kaposi Sarcoma	0.0	0.0	21.2	0	0.0	0.0	18.1	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	620.2	429.2	866.4	38	641.4	446.6	890.3	37
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	63.1	0
Lip	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Tongue	^	^	^	^	0.0	0.0	63.1	0
Salivary Gland	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Floor of Mouth	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Gum and Other Mouth	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Nasopharynx	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Tonsil	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Oropharynx	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Hypopharynx	^	^	^	^	0.0	0.0	63.1	0
Other Oral Cavity and Pharynx	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Digestive System	152.0	65.1	298.5	9	220.2	108.9	391.1	11
Esophagus	0.0	0.0	66.9	0	^	^	^	^
Stomach	0.0	0.0	66.9	0	^	^	^	^
Small Intestine	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Colon and Rectum	128.4	48.1	270.9	7	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Appendix	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Ascending Colon	0.0	0.0	66.9	0	^	^	^	^
Hepatic Flexure	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Transverse Colon	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Splenic Flexure	^	^	^	^	0.0	0.0	63.1	0
Descending Colon	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	66.9	0	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	63.1	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	66.9	0	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Liver	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Intrahepatic Bile Duct	0.0	0.0	66.9	0	0.0	0.0	63.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	63.1	0
Other Biliary	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Pancreas	0.0	0.0	66.9	0	^	^	^	^
Retroperitoneum	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Other Digestive Organs	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Respiratory System	150.6	61.3	302.4	8	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Larynx	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Lung and Bronchus	150.6	61.3	302.4	8	^	^	^	^
Pleura	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Bones and Joints	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Soft Tissue including Heart	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	0.0	0.0	63.1	0
Other Non-Epithelial Skin	0.0	0.0	66.9	0	^	^	^	^
Breast	0.0	0.0	66.9	0	159.6	74.2	299.3	10
Female Genital System	0.0	0.0	66.9	0	103.6	40.3	220.2	7
Cervix Uteri	0.0	0.0	66.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	66.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	66.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Ovary	0.0	0.0	66.9	0	^	^	^	^
Vagina	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Vulva	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Other Female Genital Organs	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Male Genital System	89.3	31.4	203.1	6	0.0	0.0	63.1	0
Prostate	^	^	^	^	0.0	0.0	63.1	0
Testis	^	^	^	^	0.0	0.0	63.1	0
Penis	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Other Male Genital Organs	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Ureter	^	^	^	^	0.0	0.0	63.1	0
Other Urinary Organs	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Eye and Orbit	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Brain and Other Nervous System	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Brain	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Cranial Nerves Other Nervous System	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Endocrine System	0.0	0.0	66.9	0	^	^	^	^
Thyroid	0.0	0.0	66.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Hodgkin - Nodal	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Hodgkin - Extranodal	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	63.1	0
Myeloma	0.0	0.0	66.9	0	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	63.1	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	63.1	0
Acute Lymphocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	63.1	0
Other Lymphocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Acute Myeloid Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Acute Monocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Chronic Myeloid Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Other Leukemia	^	^	^	^	0.0	0.0	63.1	0
Other Acute Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	63.1	0
Mesothelioma	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Kaposi Sarcoma	0.0	0.0	66.9	0	0.0	0.0	63.1	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	315.7	153.2	562.5	12	387.3	202.0	658.2	15
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	87.7	0
Lip	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Tongue	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Salivary Gland	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Floor of Mouth	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Gum and Other Mouth	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Nasopharynx	^	^	^	^	0.0	0.0	87.7	0
Tonsil	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Oropharynx	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Hypopharynx	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Oral Cavity and Pharynx	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Stomach	0.0	0.0	88.7	0	^	^	^	^
Small Intestine	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	87.7	0
Appendix	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Ascending Colon	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Hepatic Flexure	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Transverse Colon	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Splenic Flexure	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Descending Colon	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	87.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	87.7	0
Rectosigmoid Junction	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Rectum	^	^	^	^	0.0	0.0	87.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Liver	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Intrahepatic Bile Duct	0.0	0.0	88.7	0	0.0	0.0	87.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Biliary	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Pancreas	0.0	0.0	88.7	0	^	^	^	^
Retroperitoneum	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Digestive Organs	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Larynx	^	^	^	^	0.0	0.0	87.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Bones and Joints	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	87.7	0
Skin excluding Basal and Squamous	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Melanoma of the Skin	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Non-Epithelial Skin	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Breast	0.0	0.0	88.7	0	^	^	^	^
Female Genital System	0.0	0.0	88.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Corpus and Uterus, NOS	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Corpus Uteri	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Uterus, NOS	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Ovary	0.0	0.0	88.7	0	^	^	^	^
Vagina	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Vulva	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Female Genital Organs	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Male Genital System	^	^	^	^	0.0	0.0	87.7	0
Prostate	^	^	^	^	0.0	0.0	87.7	0
Testis	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Penis	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Male Genital Organs	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	87.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Urinary Organs	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Eye and Orbit	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Brain and Other Nervous System	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Brain	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Cranial Nerves Other Nervous System	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Endocrine System	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Thyroid	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Endocrine including Thymus	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Lymphoma	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Hodgkin Lymphoma	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Hodgkin - Nodal	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Hodgkin - Extranodal	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Non-Hodgkin Lymphoma	0.0	0.0	88.7	0	0.0	0.0	87.7	0
NHL - Nodal	0.0	0.0	88.7	0	0.0	0.0	87.7	0
NHL - Extranodal	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Myeloma	0.0	0.0	88.7	0	^	^	^	^
Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Lymphocytic Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Acute Lymphocytic Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Lymphocytic Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Acute Myeloid Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Acute Monocytic Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Chronic Myeloid Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Other Acute Leukemia	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Mesothelioma	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Kaposi Sarcoma	0.0	0.0	88.7	0	0.0	0.0	87.7	0
Miscellaneous	0.0	0.0	88.7	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	797.5	0
Lip	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Tongue	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Salivary Gland	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Floor of Mouth	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Gum and Other Mouth	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Nasopharynx	^	^	^	^	0.0	0.0	797.5	0
Tonsil	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Oropharynx	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Hypopharynx	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Oral Cavity and Pharynx	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Digestive System	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Esophagus	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Stomach	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Small Intestine	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Colon and Rectum	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Colon excluding Rectum	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Cecum	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Appendix	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Ascending Colon	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Hepatic Flexure	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Transverse Colon	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Splenic Flexure	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Descending Colon	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Sigmoid Colon	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Large Intestine, NOS	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Rectosigmoid Junction	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Rectum	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Liver	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Intrahepatic Bile Duct	0.0	0.0	756.7	0	0.0	0.0	797.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Biliary	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Pancreas	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Retroperitoneum	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Digestive Organs	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Respiratory System	0.0	0.0	756.7	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Larynx	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Lung and Bronchus	0.0	0.0	756.7	0	^	^	^	^
Pleura	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Bones and Joints	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Soft Tissue including Heart	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Skin excluding Basal and Squamous	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Melanoma of the Skin	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Non-Epithelial Skin	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Breast	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Female Genital System	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Cervix Uteri	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Corpus and Uterus, NOS	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Corpus Uteri	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Uterus, NOS	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Ovary	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Vagina	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Vulva	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Female Genital Organs	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Male Genital System	^	^	^	^	0.0	0.0	797.5	0
Prostate	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Testis	^	^	^	^	0.0	0.0	797.5	0
Penis	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Male Genital Organs	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Urinary System	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Urinary Bladder	0.0	0.0	756.7	0	0.0	0.0	797.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Ureter	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Urinary Organs	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Eye and Orbit	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Brain and Other Nervous System	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Brain	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Cranial Nerves Other Nervous System	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Endocrine System	0.0	0.0	756.7	0	^	^	^	^
Thyroid	0.0	0.0	756.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Lymphoma	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Hodgkin Lymphoma	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Hodgkin - Nodal	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Hodgkin - Extranodal	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Non-Hodgkin Lymphoma	0.0	0.0	756.7	0	0.0	0.0	797.5	0
NHL - Nodal	0.0	0.0	756.7	0	0.0	0.0	797.5	0
NHL - Extranodal	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Myeloma	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Lymphocytic Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Acute Lymphocytic Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Lymphocytic Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Acute Myeloid Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Acute Monocytic Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Chronic Myeloid Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Other Acute Leukemia	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Mesothelioma	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Kaposi Sarcoma	0.0	0.0	756.7	0	0.0	0.0	797.5	0
Miscellaneous	0.0	0.0	756.7	0	0.0	0.0	797.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	610.3	500.2	735.7	152	399.6	322.0	489.7	106
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	15.5	0
Lip	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Tongue	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Salivary Gland	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Floor of Mouth	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	15.5	0
Nasopharynx	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Tonsil	^	^	^	^	0.0	0.0	15.5	0
Oropharynx	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Hypopharynx	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Other Oral Cavity and Pharynx	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Digestive System	120.9	74.6	183.4	30	66.3	35.5	111.3	15
Esophagus	^	^	^	^	0.0	0.0	15.5	0
Stomach	^	^	^	^	0.0	0.0	15.5	0
Small Intestine	^	^	^	^	0.0	0.0	15.5	0
Colon and Rectum	80.2	41.0	137.4	17	43.2	19.6	80.9	10
Colon excluding Rectum	60.1	25.5	114.4	11	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Ascending Colon	^	^	^	^	0.0	0.0	15.5	0
Hepatic Flexure	^	^	^	^	0.0	0.0	15.5	0
Transverse Colon	^	^	^	^	0.0	0.0	15.5	0
Splenic Flexure	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Descending Colon	^	^	^	^	0.0	0.0	15.5	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	15.5	0
Rectum and Rectosigmoid Junction	20.1	6.4	48.6	6	26.7	9.3	58.6	6
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	18.3	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	15.5	0
Liver	^	^	^	^	0.0	0.0	15.5	0
Intrahepatic Bile Duct	0.0	0.0	18.3	0	0.0	0.0	15.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Other Biliary	^	^	^	^	0.0	0.0	15.5	0
Pancreas	0.0	0.0	18.3	0	^	^	^	^
Retroperitoneum	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	18.3	0	^	^	^	^
Other Digestive Organs	^	^	^	^	0.0	0.0	15.5	0
Respiratory System	105.5	62.0	165.4	24	39.2	18.6	72.7	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Larynx	^	^	^	^	0.0	0.0	15.5	0
Lung and Bronchus	97.3	55.3	156.1	22	39.2	18.6	72.7	11
Pleura	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Bones and Joints	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	26.8	12.7	53.2	10	^	^	^	^
Melanoma of the Skin	21.8	9.3	47.0	8	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	15.5	0
Breast	0.0	0.0	18.3	0	133.0	90.1	188.9	35
Female Genital System	0.0	0.0	18.3	0	32.2	15.0	61.7	10
Cervix Uteri	0.0	0.0	18.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	18.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	18.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Ovary	0.0	0.0	18.3	0	^	^	^	^
Vagina	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Vulva	0.0	0.0	18.3	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Male Genital System	193.1	131.4	271.1	45	0.0	0.0	15.5	0
Prostate	187.5	126.5	265.3	43	0.0	0.0	15.5	0
Testis	^	^	^	^	0.0	0.0	15.5	0
Penis	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Other Male Genital Organs	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Urinary System	52.7	21.4	103.0	11	24.8	8.6	55.1	6
Urinary Bladder	39.0	11.7	87.7	7	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Other Urinary Organs	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Eye and Orbit	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	15.5	0
Endocrine System	^	^	^	^	25.7	11.6	51.5	9
Thyroid	^	^	^	^	25.7	11.6	51.5	9
Other Endocrine including Thymus	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Lymphoma	41.4	18.5	79.3	11	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	15.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	15.5	0
Hodgkin - Extranodal	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Non-Hodgkin Lymphoma	35.2	14.1	71.9	9	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	15.5	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	15.5	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	15.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Acute Myeloid Leukemia	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Acute Monocytic Leukemia	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Chronic Myeloid Leukemia	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Other Leukemia	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Other Acute Leukemia	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Mesothelioma	^	^	^	^	0.0	0.0	15.5	0
Kaposi Sarcoma	0.0	0.0	18.3	0	0.0	0.0	15.5	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	647.6	352.3	1,067.1	17	435.1	233.1	734.2	14
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	108.9	0
Lip	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Tongue	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Salivary Gland	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Floor of Mouth	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Gum and Other Mouth	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Nasopharynx	^	^	^	^	0.0	0.0	108.9	0
Tonsil	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Oropharynx	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Hypopharynx	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Oral Cavity and Pharynx	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Stomach	^	^	^	^	0.0	0.0	108.9	0
Small Intestine	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Appendix	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Ascending Colon	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Hepatic Flexure	^	^	^	^	0.0	0.0	108.9	0
Transverse Colon	^	^	^	^	0.0	0.0	108.9	0
Splenic Flexure	0.0	0.0	126.2	0	^	^	^	^
Descending Colon	0.0	0.0	126.2	0	^	^	^	^
Sigmoid Colon	0.0	0.0	126.2	0	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	108.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	126.2	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Rectum	0.0	0.0	126.2	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Liver	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Intrahepatic Bile Duct	0.0	0.0	126.2	0	0.0	0.0	108.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Biliary	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Pancreas	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Retroperitoneum	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Digestive Organs	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Respiratory System	182.5	61.9	411.8	6	0.0	0.0	108.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Larynx	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Lung and Bronchus	182.5	61.9	411.8	6	0.0	0.0	108.9	0
Pleura	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Bones and Joints	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Soft Tissue including Heart	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Skin excluding Basal and Squamous	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Melanoma of the Skin	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Non-Epithelial Skin	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Breast	0.0	0.0	126.2	0	196.8	78.7	407.5	7
Female Genital System	0.0	0.0	126.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Corpus and Uterus, NOS	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Corpus Uteri	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Uterus, NOS	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Ovary	0.0	0.0	126.2	0	^	^	^	^
Vagina	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Vulva	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Female Genital Organs	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Male Genital System	^	^	^	^	0.0	0.0	108.9	0
Prostate	^	^	^	^	0.0	0.0	108.9	0
Testis	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Penis	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Male Genital Organs	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Urinary System	^	^	^	^	0.0	0.0	108.9	0
Urinary Bladder	^	^	^	^	0.0	0.0	108.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Ureter	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Urinary Organs	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Eye and Orbit	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Brain and Other Nervous System	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Brain	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Cranial Nerves Other Nervous System	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Endocrine System	0.0	0.0	126.2	0	^	^	^	^
Thyroid	0.0	0.0	126.2	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Lymphoma	^	^	^	^	0.0	0.0	108.9	0
Hodgkin Lymphoma	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Hodgkin - Nodal	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Hodgkin - Extranodal	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	108.9	0
NHL - Nodal	^	^	^	^	0.0	0.0	108.9	0
NHL - Extranodal	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Myeloma	0.0	0.0	126.2	0	^	^	^	^
Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Lymphocytic Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Acute Lymphocytic Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Lymphocytic Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Acute Myeloid Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Acute Monocytic Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Chronic Myeloid Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Other Acute Leukemia	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Mesothelioma	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Kaposi Sarcoma	0.0	0.0	126.2	0	0.0	0.0	108.9	0
Miscellaneous	^	^	^	^	0.0	0.0	108.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	1,517.6	777.3	2,572.8	20	173.3	62.5	406.6	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	160.1	0
Lip	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Tongue	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Salivary Gland	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Floor of Mouth	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Gum and Other Mouth	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Nasopharynx	^	^	^	^	0.0	0.0	160.1	0
Tonsil	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Oropharynx	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Hypopharynx	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Oral Cavity and Pharynx	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Digestive System	407.7	135.3	927.3	7	0.0	0.0	160.1	0
Esophagus	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Stomach	^	^	^	^	0.0	0.0	160.1	0
Small Intestine	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Colon and Rectum	^	^	^	^	0.0	0.0	160.1	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	160.1	0
Cecum	^	^	^	^	0.0	0.0	160.1	0
Appendix	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Ascending Colon	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Hepatic Flexure	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Transverse Colon	^	^	^	^	0.0	0.0	160.1	0
Splenic Flexure	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Descending Colon	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Sigmoid Colon	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Large Intestine, NOS	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	160.1	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	160.1	0
Rectum	^	^	^	^	0.0	0.0	160.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Liver	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Intrahepatic Bile Duct	0.0	0.0	305.3	0	0.0	0.0	160.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Biliary	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Pancreas	^	^	^	^	0.0	0.0	160.1	0
Retroperitoneum	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Digestive Organs	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Larynx	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Bones and Joints	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Soft Tissue including Heart	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	160.1	0
Melanoma of the Skin	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	160.1	0
Breast	0.0	0.0	305.3	0	^	^	^	^
Female Genital System	0.0	0.0	305.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	305.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	305.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	305.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Ovary	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Vagina	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Vulva	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Female Genital Organs	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Male Genital System	^	^	^	^	0.0	0.0	160.1	0
Prostate	^	^	^	^	0.0	0.0	160.1	0
Testis	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Penis	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Male Genital Organs	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Urinary System	^	^	^	^	0.0	0.0	160.1	0
Urinary Bladder	^	^	^	^	0.0	0.0	160.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	160.1	0
Ureter	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Urinary Organs	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Eye and Orbit	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Brain and Other Nervous System	0.0	0.0	305.3	0	^	^	^	^
Brain	0.0	0.0	305.3	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Endocrine System	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Thyroid	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Endocrine including Thymus	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Lymphoma	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Hodgkin Lymphoma	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Hodgkin - Nodal	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Hodgkin - Extranodal	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Non-Hodgkin Lymphoma	0.0	0.0	305.3	0	0.0	0.0	160.1	0
NHL - Nodal	0.0	0.0	305.3	0	0.0	0.0	160.1	0
NHL - Extranodal	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Myeloma	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Lymphocytic Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Acute Lymphocytic Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Lymphocytic Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Acute Myeloid Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Acute Monocytic Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Chronic Myeloid Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Other Acute Leukemia	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Mesothelioma	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Kaposi Sarcoma	0.0	0.0	305.3	0	0.0	0.0	160.1	0
Miscellaneous	0.0	0.0	305.3	0	0.0	0.0	160.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	276.2	103.8	605.5	7	622.6	323.1	1,074.0	13
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	176.0	0
Lip	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Tongue	^	^	^	^	0.0	0.0	176.0	0
Salivary Gland	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Floor of Mouth	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Gum and Other Mouth	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Nasopharynx	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Tonsil	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Oropharynx	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Hypopharynx	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Oral Cavity and Pharynx	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	203.1	0	^	^	^	^
Appendix	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Ascending Colon	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Hepatic Flexure	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Transverse Colon	0.0	0.0	203.1	0	^	^	^	^
Splenic Flexure	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Descending Colon	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Rectosigmoid Junction	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Rectum	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Liver	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Intrahepatic Bile Duct	0.0	0.0	203.1	0	0.0	0.0	176.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	203.1	0	^	^	^	^
Other Biliary	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Pancreas	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Retroperitoneum	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Digestive Organs	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Larynx	^	^	^	^	0.0	0.0	176.0	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Bones and Joints	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Soft Tissue including Heart	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Skin excluding Basal and Squamous	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Melanoma of the Skin	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Non-Epithelial Skin	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Breast	0.0	0.0	203.1	0	^	^	^	^
Female Genital System	0.0	0.0	203.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Corpus and Uterus, NOS	0.0	0.0	203.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	203.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Ovary	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Vagina	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Vulva	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Female Genital Organs	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Male Genital System	^	^	^	^	0.0	0.0	176.0	0
Prostate	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Testis	^	^	^	^	0.0	0.0	176.0	0
Penis	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Male Genital Organs	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Urinary System	0.0	0.0	203.1	0	^	^	^	^
Urinary Bladder	0.0	0.0	203.1	0	0.0	0.0	176.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	203.1	0	^	^	^	^
Ureter	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Urinary Organs	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Eye and Orbit	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Brain and Other Nervous System	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Brain	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Cranial Nerves Other Nervous System	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Endocrine System	0.0	0.0	203.1	0	^	^	^	^
Thyroid	0.0	0.0	203.1	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Lymphoma	0.0	0.0	203.1	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Hodgkin - Nodal	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Hodgkin - Extranodal	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Non-Hodgkin Lymphoma	0.0	0.0	203.1	0	^	^	^	^
NHL - Nodal	0.0	0.0	203.1	0	^	^	^	^
NHL - Extranodal	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Myeloma	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Lymphocytic Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Acute Lymphocytic Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Lymphocytic Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Acute Myeloid Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Acute Monocytic Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Chronic Myeloid Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Other Acute Leukemia	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Mesothelioma	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Kaposi Sarcoma	0.0	0.0	203.1	0	0.0	0.0	176.0	0
Miscellaneous	0.0	0.0	203.1	0	0.0	0.0	176.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	203.5	86.8	476.9	8	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Lip	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Tongue	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Salivary Gland	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Floor of Mouth	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Gum and Other Mouth	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Nasopharynx	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Tonsil	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Oropharynx	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Hypopharynx	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Oral Cavity and Pharynx	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Digestive System	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Esophagus	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Stomach	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Small Intestine	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Colon and Rectum	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Colon excluding Rectum	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Cecum	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Appendix	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Ascending Colon	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Hepatic Flexure	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Transverse Colon	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Splenic Flexure	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Descending Colon	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Sigmoid Colon	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Large Intestine, NOS	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Rectosigmoid Junction	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Rectum	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Liver	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Intrahepatic Bile Duct	0.0	0.0	233.5	0	0.0	0.0	234.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Biliary	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Pancreas	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Retroperitoneum	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Digestive Organs	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Larynx	^	^	^	^	0.0	0.0	234.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Bones and Joints	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Soft Tissue including Heart	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	234.7	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	234.7	0
Other Non-Epithelial Skin	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Breast	0.0	0.0	233.5	0	^	^	^	^
Female Genital System	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Cervix Uteri	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Corpus and Uterus, NOS	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Corpus Uteri	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Uterus, NOS	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Ovary	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Vagina	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Vulva	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Female Genital Organs	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Male Genital System	^	^	^	^	0.0	0.0	234.7	0
Prostate	^	^	^	^	0.0	0.0	234.7	0
Testis	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Penis	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Male Genital Organs	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Urinary System	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Urinary Bladder	0.0	0.0	233.5	0	0.0	0.0	234.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Ureter	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Urinary Organs	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Eye and Orbit	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Brain and Other Nervous System	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Brain	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Cranial Nerves Other Nervous System	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Endocrine System	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Thyroid	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Endocrine including Thymus	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Lymphoma	^	^	^	^	0.0	0.0	234.7	0
Hodgkin Lymphoma	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Hodgkin - Nodal	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Hodgkin - Extranodal	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	234.7	0
NHL - Nodal	^	^	^	^	0.0	0.0	234.7	0
NHL - Extranodal	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Myeloma	0.0	0.0	233.5	0	^	^	^	^
Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Lymphocytic Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Acute Lymphocytic Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Lymphocytic Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Acute Myeloid Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Acute Monocytic Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Chronic Myeloid Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Other Acute Leukemia	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Mesothelioma	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Kaposi Sarcoma	0.0	0.0	233.5	0	0.0	0.0	234.7	0
Miscellaneous	0.0	0.0	233.5	0	0.0	0.0	234.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	421.6	240.3	689.8	17	452.1	258.2	729.7	17
Oral Cavity and Pharynx	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Lip	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Tongue	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Salivary Gland	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Floor of Mouth	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Gum and Other Mouth	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Nasopharynx	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Tonsil	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Oropharynx	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Hypopharynx	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Oral Cavity and Pharynx	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Stomach	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Small Intestine	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Appendix	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Ascending Colon	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Hepatic Flexure	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Transverse Colon	^	^	^	^	0.0	0.0	93.8	0
Splenic Flexure	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Descending Colon	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Rectosigmoid Junction	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Rectum	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Liver	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Intrahepatic Bile Duct	0.0	0.0	112.1	0	0.0	0.0	93.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Biliary	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Pancreas	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Retroperitoneum	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Digestive Organs	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Larynx	^	^	^	^	0.0	0.0	93.8	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Bones and Joints	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	93.8	0
Skin excluding Basal and Squamous	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Melanoma of the Skin	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Non-Epithelial Skin	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Breast	0.0	0.0	112.1	0	196.0	82.5	391.2	8
Female Genital System	0.0	0.0	112.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	112.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Corpus Uteri	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Uterus, NOS	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Ovary	0.0	0.0	112.1	0	^	^	^	^
Vagina	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Vulva	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Female Genital Organs	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Male Genital System	^	^	^	^	0.0	0.0	93.8	0
Prostate	^	^	^	^	0.0	0.0	93.8	0
Testis	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Penis	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Male Genital Organs	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Urinary System	0.0	0.0	112.1	0	^	^	^	^
Urinary Bladder	0.0	0.0	112.1	0	0.0	0.0	93.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	112.1	0	^	^	^	^
Ureter	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Urinary Organs	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Eye and Orbit	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Brain and Other Nervous System	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Brain	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Cranial Nerves Other Nervous System	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Endocrine System	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Thyroid	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Endocrine including Thymus	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Lymphoma	^	^	^	^	0.0	0.0	93.8	0
Hodgkin Lymphoma	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Hodgkin - Nodal	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Hodgkin - Extranodal	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	93.8	0
NHL - Nodal	^	^	^	^	0.0	0.0	93.8	0
NHL - Extranodal	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Myeloma	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	93.8	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	93.8	0
Acute Monocytic Leukemia	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	93.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Leukemia	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Other Acute Leukemia	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Mesothelioma	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Kaposi Sarcoma	0.0	0.0	112.1	0	0.0	0.0	93.8	0
Miscellaneous	0.0	0.0	112.1	0	0.0	0.0	93.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	490.9	192.2	1,041.7	8
Oral Cavity and Pharynx	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Lip	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Tongue	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Salivary Gland	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Floor of Mouth	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Gum and Other Mouth	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Nasopharynx	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Tonsil	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Oropharynx	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Hypopharynx	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Oral Cavity and Pharynx	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Stomach	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Small Intestine	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Colon and Rectum	^	^	^	^	0.0	0.0	302.8	0
Colon excluding Rectum	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Cecum	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Appendix	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Ascending Colon	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Hepatic Flexure	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Transverse Colon	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Splenic Flexure	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Descending Colon	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Sigmoid Colon	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Large Intestine, NOS	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	302.8	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	302.8	0
Rectum	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Liver	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Intrahepatic Bile Duct	0.0	0.0	372.8	0	0.0	0.0	302.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	372.8	0	^	^	^	^
Other Biliary	0.0	0.0	372.8	0	^	^	^	^
Pancreas	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Retroperitoneum	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Digestive Organs	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Respiratory System	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Larynx	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Lung and Bronchus	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Pleura	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Bones and Joints	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Soft Tissue including Heart	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	302.8	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	302.8	0
Other Non-Epithelial Skin	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Breast	0.0	0.0	372.8	0	^	^	^	^
Female Genital System	0.0	0.0	372.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Corpus and Uterus, NOS	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Corpus Uteri	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Uterus, NOS	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Ovary	0.0	0.0	372.8	0	^	^	^	^
Vagina	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Vulva	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Female Genital Organs	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Male Genital System	^	^	^	^	0.0	0.0	302.8	0
Prostate	^	^	^	^	0.0	0.0	302.8	0
Testis	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Penis	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Male Genital Organs	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Urinary System	^	^	^	^	0.0	0.0	302.8	0
Urinary Bladder	^	^	^	^	0.0	0.0	302.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Ureter	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Urinary Organs	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Eye and Orbit	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Brain and Other Nervous System	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Brain	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Cranial Nerves Other Nervous System	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Endocrine System	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Thyroid	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Endocrine including Thymus	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Lymphoma	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Hodgkin Lymphoma	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Hodgkin - Nodal	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Hodgkin - Extranodal	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Non-Hodgkin Lymphoma	0.0	0.0	372.8	0	0.0	0.0	302.8	0
NHL - Nodal	0.0	0.0	372.8	0	0.0	0.0	302.8	0
NHL - Extranodal	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Myeloma	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Lymphocytic Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Acute Lymphocytic Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Lymphocytic Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Acute Myeloid Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Acute Monocytic Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Chronic Myeloid Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Other Acute Leukemia	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Mesothelioma	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Kaposi Sarcoma	0.0	0.0	372.8	0	0.0	0.0	302.8	0
Miscellaneous	0.0	0.0	372.8	0	0.0	0.0	302.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	595.0	265.7	1,122.1	13	653.9	317.5	1,165.4	12
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	178.5	0
Lip	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Tongue	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Salivary Gland	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Floor of Mouth	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Gum and Other Mouth	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Nasopharynx	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Tonsil	^	^	^	^	0.0	0.0	178.5	0
Oropharynx	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Hypopharynx	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Oral Cavity and Pharynx	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Stomach	^	^	^	^	0.0	0.0	178.5	0
Small Intestine	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	178.5	0
Cecum	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Appendix	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Ascending Colon	^	^	^	^	0.0	0.0	178.5	0
Hepatic Flexure	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Transverse Colon	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Splenic Flexure	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Descending Colon	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Sigmoid Colon	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Large Intestine, NOS	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	220.4	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Rectum	0.0	0.0	220.4	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Liver	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Intrahepatic Bile Duct	0.0	0.0	220.4	0	0.0	0.0	178.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Biliary	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Pancreas	^	^	^	^	0.0	0.0	178.5	0
Retroperitoneum	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Digestive Organs	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Larynx	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Bones and Joints	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Soft Tissue including Heart	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Skin excluding Basal and Squamous	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Melanoma of the Skin	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Non-Epithelial Skin	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Breast	0.0	0.0	220.4	0	^	^	^	^
Female Genital System	0.0	0.0	220.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	220.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	220.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	220.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Ovary	0.0	0.0	220.4	0	^	^	^	^
Vagina	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Vulva	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Female Genital Organs	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Male Genital System	^	^	^	^	0.0	0.0	178.5	0
Prostate	^	^	^	^	0.0	0.0	178.5	0
Testis	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Penis	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Male Genital Organs	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	178.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	220.4	0	^	^	^	^
Ureter	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Urinary Organs	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Eye and Orbit	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Brain and Other Nervous System	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Brain	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Cranial Nerves Other Nervous System	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Endocrine System	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Thyroid	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Endocrine including Thymus	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Lymphoma	^	^	^	^	0.0	0.0	178.5	0
Hodgkin Lymphoma	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Hodgkin - Nodal	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Hodgkin - Extranodal	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	178.5	0
NHL - Nodal	0.0	0.0	220.4	0	0.0	0.0	178.5	0
NHL - Extranodal	^	^	^	^	0.0	0.0	178.5	0
Myeloma	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Lymphocytic Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Acute Lymphocytic Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Lymphocytic Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Acute Myeloid Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Acute Monocytic Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Chronic Myeloid Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Other Acute Leukemia	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Mesothelioma	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Kaposi Sarcoma	0.0	0.0	220.4	0	0.0	0.0	178.5	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	728.9	432.1	1,132.8	22	392.2	192.1	696.9	13
Oral Cavity and Pharynx	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Lip	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Tongue	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Salivary Gland	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Floor of Mouth	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Gum and Other Mouth	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Nasopharynx	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Tonsil	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Oropharynx	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Hypopharynx	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Oral Cavity and Pharynx	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Digestive System	239.6	85.0	506.8	7	^	^	^	^
Esophagus	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Stomach	^	^	^	^	0.0	0.0	109.0	0
Small Intestine	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Colon and Rectum	^	^	^	^	0.0	0.0	109.0	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	109.0	0
Cecum	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Appendix	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Ascending Colon	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Hepatic Flexure	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Transverse Colon	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Splenic Flexure	^	^	^	^	0.0	0.0	109.0	0
Descending Colon	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Sigmoid Colon	^	^	^	^	0.0	0.0	109.0	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	109.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Rectosigmoid Junction	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Rectum	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	109.0	0
Liver	^	^	^	^	0.0	0.0	109.0	0
Intrahepatic Bile Duct	0.0	0.0	106.4	0	0.0	0.0	109.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Biliary	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Digestive Organs	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Larynx	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Bones and Joints	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Soft Tissue including Heart	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	109.0	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	109.0	0
Other Non-Epithelial Skin	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Breast	^	^	^	^	172.3	60.5	380.9	7
Female Genital System	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Cervix Uteri	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Corpus and Uterus, NOS	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Corpus Uteri	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Uterus, NOS	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Ovary	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Vagina	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Vulva	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Female Genital Organs	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Male Genital System	^	^	^	^	0.0	0.0	109.0	0
Prostate	^	^	^	^	0.0	0.0	109.0	0
Testis	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Penis	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Male Genital Organs	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	109.0	0
Ureter	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Urinary Organs	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Eye and Orbit	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Brain and Other Nervous System	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Brain	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Cranial Nerves Other Nervous System	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Endocrine System	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Thyroid	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Endocrine including Thymus	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Hodgkin - Nodal	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Hodgkin - Extranodal	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	109.0	0
NHL - Extranodal	0.0	0.0	106.4	0	^	^	^	^
Myeloma	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Leukemia	^	^	^	^	0.0	0.0	109.0	0
Lymphocytic Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Acute Lymphocytic Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Lymphocytic Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	109.0	0
Acute Myeloid Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Acute Monocytic Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	109.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Other Acute Leukemia	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Mesothelioma	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Kaposi Sarcoma	0.0	0.0	106.4	0	0.0	0.0	109.0	0
Miscellaneous	0.0	0.0	106.4	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	339.9	109.0	771.5	6	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Lip	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Tongue	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Salivary Gland	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Floor of Mouth	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Gum and Other Mouth	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Nasopharynx	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Tonsil	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Oropharynx	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Hypopharynx	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Oral Cavity and Pharynx	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Stomach	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Small Intestine	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	221.9	0	^	^	^	^
Cecum	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Appendix	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Ascending Colon	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Hepatic Flexure	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Transverse Colon	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Splenic Flexure	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Descending Colon	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Sigmoid Colon	0.0	0.0	221.9	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	177.1	0
Rectosigmoid Junction	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Rectum	^	^	^	^	0.0	0.0	177.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Liver	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Intrahepatic Bile Duct	0.0	0.0	221.9	0	0.0	0.0	177.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Biliary	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Pancreas	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Retroperitoneum	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Digestive Organs	^	^	^	^	0.0	0.0	177.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Larynx	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Bones and Joints	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Soft Tissue including Heart	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Skin excluding Basal and Squamous	0.0	0.0	221.9	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	221.9	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Breast	0.0	0.0	221.9	0	^	^	^	^
Female Genital System	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Cervix Uteri	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Corpus and Uterus, NOS	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Corpus Uteri	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Uterus, NOS	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Ovary	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Vagina	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Vulva	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Female Genital Organs	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Male Genital System	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Prostate	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Testis	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Penis	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Male Genital Organs	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Urinary System	^	^	^	^	0.0	0.0	177.1	0
Urinary Bladder	^	^	^	^	0.0	0.0	177.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	177.1	0
Ureter	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Urinary Organs	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Eye and Orbit	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Brain and Other Nervous System	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Brain	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Cranial Nerves Other Nervous System	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Endocrine System	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Thyroid	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Endocrine including Thymus	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Lymphoma	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Hodgkin Lymphoma	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Hodgkin - Nodal	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Hodgkin - Extranodal	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Non-Hodgkin Lymphoma	0.0	0.0	221.9	0	0.0	0.0	177.1	0
NHL - Nodal	0.0	0.0	221.9	0	0.0	0.0	177.1	0
NHL - Extranodal	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Myeloma	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Lymphocytic Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Acute Lymphocytic Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Lymphocytic Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Acute Myeloid Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Acute Monocytic Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Chronic Myeloid Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Other Acute Leukemia	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Mesothelioma	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Kaposi Sarcoma	0.0	0.0	221.9	0	0.0	0.0	177.1	0
Miscellaneous	^	^	^	^	0.0	0.0	177.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	488.5	262.3	829.3	15	375.7	190.4	672.7	12
Oral Cavity and Pharynx	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Lip	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Tongue	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Salivary Gland	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Floor of Mouth	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Gum and Other Mouth	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Nasopharynx	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Tonsil	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Oropharynx	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Hypopharynx	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Oral Cavity and Pharynx	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Small Intestine	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	136.1	0	^	^	^	^
Appendix	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Ascending Colon	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Hepatic Flexure	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Transverse Colon	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Splenic Flexure	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Descending Colon	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Sigmoid Colon	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	139.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Rectosigmoid Junction	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Rectum	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	136.1	0	0.0	0.0	139.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Biliary	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Pancreas	^	^	^	^	0.0	0.0	139.7	0
Retroperitoneum	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Digestive Organs	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Respiratory System	^	^	^	^	0.0	0.0	139.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Larynx	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Lung and Bronchus	^	^	^	^	0.0	0.0	139.7	0
Pleura	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Bones and Joints	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Soft Tissue including Heart	0.0	0.0	136.1	0	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	139.7	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	139.7	0
Other Non-Epithelial Skin	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Breast	0.0	0.0	136.1	0	^	^	^	^
Female Genital System	0.0	0.0	136.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Corpus and Uterus, NOS	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Corpus Uteri	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Uterus, NOS	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Ovary	0.0	0.0	136.1	0	^	^	^	^
Vagina	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Vulva	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Female Genital Organs	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Male Genital System	^	^	^	^	0.0	0.0	139.7	0
Prostate	^	^	^	^	0.0	0.0	139.7	0
Testis	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Penis	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Male Genital Organs	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Urinary System	^	^	^	^	0.0	0.0	139.7	0
Urinary Bladder	^	^	^	^	0.0	0.0	139.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Ureter	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Urinary Organs	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Eye and Orbit	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	139.7	0
Brain	^	^	^	^	0.0	0.0	139.7	0
Cranial Nerves Other Nervous System	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Endocrine System	0.0	0.0	136.1	0	^	^	^	^
Thyroid	0.0	0.0	136.1	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Lymphoma	^	^	^	^	0.0	0.0	139.7	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	139.7	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	139.7	0
Hodgkin - Extranodal	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	139.7	0
NHL - Nodal	^	^	^	^	0.0	0.0	139.7	0
NHL - Extranodal	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Myeloma	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Lymphocytic Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Acute Lymphocytic Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Lymphocytic Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Acute Myeloid Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Acute Monocytic Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Chronic Myeloid Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Other Acute Leukemia	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Mesothelioma	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Kaposi Sarcoma	0.0	0.0	136.1	0	0.0	0.0	139.7	0
Miscellaneous	0.0	0.0	136.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	1,631.2	0
Oral Cavity and Pharynx	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Lip	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Tongue	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Salivary Gland	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Floor of Mouth	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Gum and Other Mouth	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Nasopharynx	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Tonsil	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Oropharynx	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Hypopharynx	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Digestive System	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Esophagus	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Stomach	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Small Intestine	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Colon and Rectum	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Colon excluding Rectum	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Cecum	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Appendix	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Ascending Colon	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Hepatic Flexure	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Transverse Colon	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Splenic Flexure	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Descending Colon	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Sigmoid Colon	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Large Intestine, NOS	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Rectosigmoid Junction	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Rectum	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Liver	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Intrahepatic Bile Duct	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Biliary	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Pancreas	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Retroperitoneum	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Digestive Organs	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Respiratory System	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Larynx	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Lung and Bronchus	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Pleura	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Bones and Joints	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Soft Tissue including Heart	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Skin excluding Basal and Squamous	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Melanoma of the Skin	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Non-Epithelial Skin	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Breast	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Female Genital System	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Cervix Uteri	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Corpus and Uterus, NOS	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Corpus Uteri	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Uterus, NOS	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Ovary	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Vagina	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Vulva	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Female Genital Organs	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Male Genital System	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Prostate	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Testis	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Penis	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Male Genital Organs	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Urinary System	^	^	^	^	0.0	0.0	1,631.2	0
Urinary Bladder	^	^	^	^	0.0	0.0	1,631.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Ureter	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Urinary Organs	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Eye and Orbit	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Brain and Other Nervous System	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Brain	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Cranial Nerves Other Nervous System	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Endocrine System	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Thyroid	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Endocrine including Thymus	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Lymphoma	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Hodgkin Lymphoma	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Hodgkin - Nodal	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Hodgkin - Extranodal	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
NHL - Nodal	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
NHL - Extranodal	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Myeloma	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Lymphocytic Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Lymphocytic Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Acute Myeloid Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Acute Monocytic Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Other Acute Leukemia	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Mesothelioma	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Kaposi Sarcoma	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0
Miscellaneous	0.0	0.0	1,981.8	0	0.0	0.0	1,631.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	432.9	210.1	781.4	12	511.8	255.2	907.3	12
Oral Cavity and Pharynx	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Lip	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Tongue	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Salivary Gland	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Floor of Mouth	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Gum and Other Mouth	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Nasopharynx	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Tonsil	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Oropharynx	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Hypopharynx	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Oral Cavity and Pharynx	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	141.2	0	^	^	^	^
Stomach	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Small Intestine	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	141.2	0	^	^	^	^
Appendix	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Ascending Colon	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Hepatic Flexure	0.0	0.0	141.2	0	^	^	^	^
Transverse Colon	0.0	0.0	141.2	0	^	^	^	^
Splenic Flexure	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Descending Colon	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Rectosigmoid Junction	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Rectum	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Liver	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Intrahepatic Bile Duct	0.0	0.0	141.2	0	0.0	0.0	154.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Biliary	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Pancreas	^	^	^	^	0.0	0.0	154.0	0
Retroperitoneum	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Digestive Organs	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Larynx	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Bones and Joints	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Soft Tissue including Heart	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Skin excluding Basal and Squamous	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Melanoma of the Skin	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Non-Epithelial Skin	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Breast	0.0	0.0	141.2	0	^	^	^	^
Female Genital System	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Cervix Uteri	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Corpus and Uterus, NOS	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Corpus Uteri	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Uterus, NOS	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Ovary	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Vagina	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Vulva	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Female Genital Organs	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Male Genital System	^	^	^	^	0.0	0.0	154.0	0
Prostate	^	^	^	^	0.0	0.0	154.0	0
Testis	^	^	^	^	0.0	0.0	154.0	0
Penis	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Male Genital Organs	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	154.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2003/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Urinary Organs	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Eye and Orbit	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Brain and Other Nervous System	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Brain	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Cranial Nerves Other Nervous System	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Endocrine System	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Thyroid	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Endocrine including Thymus	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Lymphoma	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Hodgkin Lymphoma	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Hodgkin - Nodal	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Hodgkin - Extranodal	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Non-Hodgkin Lymphoma	0.0	0.0	141.2	0	0.0	0.0	154.0	0
NHL - Nodal	0.0	0.0	141.2	0	0.0	0.0	154.0	0
NHL - Extranodal	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Myeloma	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Lymphocytic Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Acute Lymphocytic Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Lymphocytic Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Acute Myeloid Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Acute Monocytic Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Chronic Myeloid Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Other Acute Leukemia	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Mesothelioma	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Kaposi Sarcoma	0.0	0.0	141.2	0	0.0	0.0	154.0	0
Miscellaneous	0.0	0.0	141.2	0	0.0	0.0	154.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Lip	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Tongue	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Salivary Gland	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Floor of Mouth	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Gum and Other Mouth	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Nasopharynx	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Tonsil	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Oropharynx	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Hypopharynx	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Oral Cavity and Pharynx	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Digestive System	^	^	^	^	0.0	0.0	799.3	0
Esophagus	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Stomach	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Small Intestine	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Colon and Rectum	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Colon excluding Rectum	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Cecum	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Appendix	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Ascending Colon	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Hepatic Flexure	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Transverse Colon	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Splenic Flexure	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Descending Colon	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Sigmoid Colon	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Large Intestine, NOS	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Rectosigmoid Junction	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Rectum	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	799.3	0
Liver	^	^	^	^	0.0	0.0	799.3	0
Intrahepatic Bile Duct	0.0	0.0	723.9	0	0.0	0.0	799.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Biliary	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Pancreas	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Retroperitoneum	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Digestive Organs	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Respiratory System	^	^	^	^	0.0	0.0	799.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Larynx	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Lung and Bronchus	^	^	^	^	0.0	0.0	799.3	0
Pleura	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Bones and Joints	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Soft Tissue including Heart	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Skin excluding Basal and Squamous	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Melanoma of the Skin	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Non-Epithelial Skin	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Breast	0.0	0.0	723.9	0	^	^	^	^
Female Genital System	0.0	0.0	723.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Corpus and Uterus, NOS	0.0	0.0	723.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	723.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Ovary	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Vagina	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Vulva	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Female Genital Organs	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Male Genital System	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Prostate	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Testis	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Penis	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Male Genital Organs	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Urinary System	0.0	0.0	723.9	0	^	^	^	^
Urinary Bladder	0.0	0.0	723.9	0	0.0	0.0	799.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	723.9	0	^	^	^	^
Ureter	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Urinary Organs	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Eye and Orbit	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Brain and Other Nervous System	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Brain	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Cranial Nerves Other Nervous System	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Endocrine System	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Thyroid	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Endocrine including Thymus	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Lymphoma	^	^	^	^	0.0	0.0	799.3	0
Hodgkin Lymphoma	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Hodgkin - Nodal	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Hodgkin - Extranodal	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	799.3	0
NHL - Nodal	0.0	0.0	723.9	0	0.0	0.0	799.3	0
NHL - Extranodal	^	^	^	^	0.0	0.0	799.3	0
Myeloma	^	^	^	^	0.0	0.0	799.3	0
Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Lymphocytic Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Acute Lymphocytic Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Lymphocytic Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Acute Myeloid Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Acute Monocytic Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Chronic Myeloid Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Other Acute Leukemia	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Mesothelioma	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Kaposi Sarcoma	0.0	0.0	723.9	0	0.0	0.0	799.3	0
Miscellaneous	0.0	0.0	723.9	0	0.0	0.0	799.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	673.6	231.8	1,492.8	8
Oral Cavity and Pharynx	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Lip	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Tongue	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Salivary Gland	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Floor of Mouth	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Gum and Other Mouth	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Nasopharynx	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Tonsil	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Oropharynx	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Hypopharynx	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	^	^	^	^
Stomach	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Small Intestine	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	1,233.2	0	^	^	^	^
Cecum	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Appendix	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Ascending Colon	0.0	0.0	1,233.2	0	^	^	^	^
Hepatic Flexure	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Transverse Colon	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Splenic Flexure	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Descending Colon	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Sigmoid Colon	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Large Intestine, NOS	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	431.1	0
Rectosigmoid Junction	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Rectum	^	^	^	^	0.0	0.0	431.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	431.1	0
Liver	^	^	^	^	0.0	0.0	431.1	0
Intrahepatic Bile Duct	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Biliary	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Pancreas	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Retroperitoneum	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Digestive Organs	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Respiratory System	0.0	0.0	1,233.2	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Larynx	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Lung and Bronchus	0.0	0.0	1,233.2	0	^	^	^	^
Pleura	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Bones and Joints	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Soft Tissue including Heart	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Melanoma of the Skin	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Non-Epithelial Skin	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Breast	0.0	0.0	1,233.2	0	^	^	^	^
Female Genital System	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Cervix Uteri	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Corpus and Uterus, NOS	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Corpus Uteri	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Uterus, NOS	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Ovary	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Vagina	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Vulva	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Female Genital Organs	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Male Genital System	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Prostate	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Testis	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Penis	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Male Genital Organs	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Urinary System	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Urinary Bladder	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Ureter	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Urinary Organs	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Eye and Orbit	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Brain and Other Nervous System	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Brain	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Endocrine System	0.0	0.0	1,233.2	0	^	^	^	^
Thyroid	0.0	0.0	1,233.2	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Lymphoma	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Hodgkin Lymphoma	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Hodgkin - Nodal	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Hodgkin - Extranodal	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
NHL - Nodal	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
NHL - Extranodal	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Myeloma	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Lymphocytic Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Lymphocytic Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Acute Myeloid Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Acute Monocytic Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Other Acute Leukemia	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Mesothelioma	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Kaposi Sarcoma	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0
Miscellaneous	0.0	0.0	1,233.2	0	0.0	0.0	431.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	578.5	521.0	640.0	487	438.9	397.6	483.2	469
Oral Cavity and Pharynx	18.2	8.7	32.5	13	5.1	1.8	11.3	6
Lip	^	^	^	^	0.0	0.0	3.5	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	^	^	^	^
Floor of Mouth	0.0	0.0	4.6	0	^	^	^	^
Gum and Other Mouth	^	^	^	^	0.0	0.0	3.5	0
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	^	^	^	^	0.0	0.0	3.5	0
Hypopharynx	^	^	^	^	0.0	0.0	3.5	0
Other Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	3.5	0
Digestive System	129.5	101.7	161.8	94	78.7	61.2	99.5	78
Esophagus	7.4	3.0	15.4	8	^	^	^	^
Stomach	12.3	4.4	25.3	7	5.4	1.8	12.2	6
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	60.1	41.8	82.9	45	43.3	30.6	59.1	43
Colon excluding Rectum	40.7	25.6	60.5	29	36.6	24.9	51.6	35
Cecum	^	^	^	^	8.4	3.0	17.5	6
Appendix	^	^	^	^	0.0	0.0	3.5	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	3.5	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	3.5	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	13.5	5.5	26.4	10	10.0	4.7	18.3	11
Large Intestine, NOS	^	^	^	^	6.6	2.3	14.2	6
Rectum and Rectosigmoid Junction	19.4	10.3	32.7	16	6.6	2.7	13.6	8
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	15.8	7.8	27.8	13	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	^	^	^	^
Liver and Intrahepatic Bile Duct	16.9	7.7	31.0	12	11.7	5.2	21.8	9
Liver	16.9	7.7	31.0	12	10.2	4.2	19.7	8
Intrahepatic Bile Duct	0.0	0.0	4.6	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	4.6	0	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	17.6	8.6	31.2	12	^	^	^	^
Retroperitoneum	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	4.6	0	^	^	^	^
Other Digestive Organs	^	^	^	^	0.0	0.0	3.5	0
Respiratory System	99.0	75.0	127.4	74	64.4	48.0	84.1	57
Nose, Nasal Cavity and Middle Ear	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Larynx	^	^	^	^	0.0	0.0	3.5	0
Lung and Bronchus	91.7	68.6	119.3	68	64.4	48.0	84.1	57
Pleura	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	3.5	0
Bones and Joints	0.0	0.0	4.6	0	^	^	^	^
Soft Tissue including Heart	5.7	1.6	13.9	6	^	^	^	^
Skin excluding Basal and Squamous	16.2	8.7	27.4	17	12.3	6.5	21.1	14
Melanoma of the Skin	13.6	6.7	24.2	14	10.6	5.2	18.9	12
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	4.6	0	137.8	115.8	162.8	156
Female Genital System	0.0	0.0	4.6	0	49.1	36.5	64.6	57
Cervix Uteri	0.0	0.0	4.6	0	7.6	3.6	14.3	10
Corpus and Uterus, NOS	0.0	0.0	4.6	0	21.2	13.0	32.5	23
Corpus Uteri	0.0	0.0	4.6	0	20.6	12.5	31.7	22
Uterus, NOS	0.0	0.0	4.6	0	^	^	^	^
Ovary	0.0	0.0	4.6	0	11.0	6.0	18.6	15
Vagina	0.0	0.0	4.6	0	^	^	^	^
Vulva	0.0	0.0	4.6	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	4.6	0	^	^	^	^
Male Genital System	143.3	118.0	172.1	142	0.0	0.0	3.5	0
Prostate	138.0	113.0	166.6	134	0.0	0.0	3.5	0
Testis	4.5	1.8	10.4	7	0.0	0.0	3.5	0
Penis	^	^	^	^	0.0	0.0	3.5	0
Other Male Genital Organs	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Urinary System	71.5	51.6	95.9	53	18.0	10.2	29.1	17
Urinary Bladder	45.6	29.9	65.7	33	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	24.2	13.2	39.7	18	10.2	4.7	18.9	10
Ureter	^	^	^	^	^	^	^	^
Other Urinary Organs	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	9.9	4.5	18.9	11	^	^	^	^
Brain	9.1	3.9	17.9	10	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^
Endocrine System	^	^	^	^	20.4	13.4	30.0	28
Thyroid	^	^	^	^	19.7	12.9	29.2	27
Other Endocrine including Thymus	0.0	0.0	4.6	0	^	^	^	^
Lymphoma	26.9	16.7	40.7	27	17.5	9.6	28.8	16
Hodgkin Lymphoma	5.2	2.0	11.7	7	^	^	^	^
Hodgkin - Nodal	5.2	2.0	11.7	7	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Non-Hodgkin Lymphoma	21.7	12.4	34.9	20	15.5	8.0	26.6	13
NHL - Nodal	16.6	8.7	28.3	16	10.5	4.6	19.9	9
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	11.1	4.9	21.3	10	7.0	2.8	14.2	8
Leukemia	20.5	11.0	34.3	19	7.4	3.0	15.0	8
Lymphocytic Leukemia	15.8	7.3	28.9	13	6.0	2.0	13.2	6
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	11.3	4.0	23.8	8	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	3.5	0
Myeloid and Monocytic Leukemia	4.7	1.5	11.6	6	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	3.5	0
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Other Leukemia	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Other Acute Leukemia	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.6	0	0.0	0.0	3.5	0
Mesothelioma	^	^	^	^	0.0	0.0	3.5	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	3.5	0
Miscellaneous	18.0	8.3	32.6	12	10.7	5.1	19.5	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	539.8	331.1	818.1	24	489.4	302.0	742.3	24
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	71.8	0
Lip	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Tongue	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Salivary Gland	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Floor of Mouth	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Gum and Other Mouth	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Nasopharynx	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Tonsil	^	^	^	^	0.0	0.0	71.8	0
Oropharynx	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Hypopharynx	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Oral Cavity and Pharynx	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Digestive System	180.1	64.8	374.0	6	235.0	106.7	435.0	10
Esophagus	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Stomach	^	^	^	^	0.0	0.0	71.8	0
Small Intestine	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Colon and Rectum	^	^	^	^	171.0	69.5	340.4	8
Colon excluding Rectum	^	^	^	^	171.0	69.5	340.4	8
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Transverse Colon	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Splenic Flexure	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Descending Colon	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Rectosigmoid Junction	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Rectum	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	69.9	0	0.0	0.0	71.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Biliary	0.0	0.0	69.9	0	^	^	^	^
Pancreas	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Retroperitoneum	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Digestive Organs	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Respiratory System	183.6	70.8	370.4	7	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Larynx	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Lung and Bronchus	183.6	70.8	370.4	7	^	^	^	^
Pleura	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Bones and Joints	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Soft Tissue including Heart	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	71.8	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	71.8	0
Other Non-Epithelial Skin	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Breast	0.0	0.0	69.9	0	112.8	43.8	240.1	7
Female Genital System	0.0	0.0	69.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Corpus and Uterus, NOS	0.0	0.0	69.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	69.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Ovary	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Vagina	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Vulva	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Female Genital Organs	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Male Genital System	^	^	^	^	0.0	0.0	71.8	0
Prostate	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Testis	^	^	^	^	0.0	0.0	71.8	0
Penis	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Male Genital Organs	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	71.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	69.9	0	^	^	^	^
Ureter	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Urinary Organs	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Eye and Orbit	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	0.0	0.0	71.8	0
Cranial Nerves Other Nervous System	0.0	0.0	69.9	0	^	^	^	^
Endocrine System	^	^	^	^	0.0	0.0	71.8	0
Thyroid	^	^	^	^	0.0	0.0	71.8	0
Other Endocrine including Thymus	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Lymphoma	0.0	0.0	69.9	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Hodgkin - Nodal	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Hodgkin - Extranodal	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Non-Hodgkin Lymphoma	0.0	0.0	69.9	0	^	^	^	^
NHL - Nodal	0.0	0.0	69.9	0	^	^	^	^
NHL - Extranodal	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Myeloma	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Lymphocytic Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Acute Lymphocytic Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Lymphocytic Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Acute Myeloid Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Acute Monocytic Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Chronic Myeloid Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Other Acute Leukemia	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Mesothelioma	^	^	^	^	0.0	0.0	71.8	0
Kaposi Sarcoma	0.0	0.0	69.9	0	0.0	0.0	71.8	0
Miscellaneous	^	^	^	^	0.0	0.0	71.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Lip	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Tongue	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Salivary Gland	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Floor of Mouth	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Gum and Other Mouth	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Nasopharynx	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Tonsil	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Oropharynx	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Hypopharynx	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Oral Cavity and Pharynx	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Digestive System	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Esophagus	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Stomach	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Small Intestine	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Colon and Rectum	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Colon excluding Rectum	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Cecum	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Appendix	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Ascending Colon	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Hepatic Flexure	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Transverse Colon	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Splenic Flexure	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Descending Colon	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Sigmoid Colon	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Large Intestine, NOS	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Rectosigmoid Junction	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Rectum	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Liver	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Intrahepatic Bile Duct	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Biliary	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Pancreas	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Retroperitoneum	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Digestive Organs	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Respiratory System	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Larynx	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Lung and Bronchus	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Pleura	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Bones and Joints	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Soft Tissue including Heart	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Skin excluding Basal and Squamous	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Melanoma of the Skin	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Non-Epithelial Skin	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Breast	0.0	0.0	1,248.4	0	^	^	^	^
Female Genital System	0.0	0.0	1,248.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Corpus and Uterus, NOS	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Corpus Uteri	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Uterus, NOS	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Ovary	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Vagina	0.0	0.0	1,248.4	0	^	^	^	^
Vulva	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Female Genital Organs	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Male Genital System	^	^	^	^	0.0	0.0	1,346.9	0
Prostate	^	^	^	^	0.0	0.0	1,346.9	0
Testis	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Penis	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Male Genital Organs	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Urinary System	^	^	^	^	0.0	0.0	1,346.9	0
Urinary Bladder	^	^	^	^	0.0	0.0	1,346.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Ureter	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Urinary Organs	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Eye and Orbit	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Brain and Other Nervous System	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Brain	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Cranial Nerves Other Nervous System	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Endocrine System	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Thyroid	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Endocrine including Thymus	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Lymphoma	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Hodgkin Lymphoma	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Hodgkin - Nodal	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Hodgkin - Extranodal	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Non-Hodgkin Lymphoma	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
NHL - Nodal	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
NHL - Extranodal	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Myeloma	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Lymphocytic Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Acute Lymphocytic Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Lymphocytic Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Acute Myeloid Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Acute Monocytic Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Chronic Myeloid Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Other Acute Leukemia	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Mesothelioma	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Kaposi Sarcoma	0.0	0.0	1,248.4	0	0.0	0.0	1,346.9	0
Miscellaneous	^	^	^	^	0.0	0.0	1,346.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	780.2	185.2	2,069.6	6	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Lip	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Tongue	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Salivary Gland	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Floor of Mouth	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Gum and Other Mouth	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Nasopharynx	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Tonsil	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Oropharynx	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Hypopharynx	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Oral Cavity and Pharynx	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Stomach	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Small Intestine	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	769.8	0	^	^	^	^
Cecum	0.0	0.0	769.8	0	^	^	^	^
Appendix	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Ascending Colon	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Hepatic Flexure	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Transverse Colon	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Splenic Flexure	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Descending Colon	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Sigmoid Colon	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Large Intestine, NOS	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,253.5	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,253.5	0
Rectum	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Liver	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Intrahepatic Bile Duct	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	1,253.5	0
Other Biliary	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Pancreas	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Retroperitoneum	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Digestive Organs	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Respiratory System	^	^	^	^	0.0	0.0	1,253.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Larynx	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Lung and Bronchus	^	^	^	^	0.0	0.0	1,253.5	0
Pleura	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Bones and Joints	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Soft Tissue including Heart	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	1,253.5	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	1,253.5	0
Other Non-Epithelial Skin	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Breast	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Female Genital System	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Cervix Uteri	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Corpus and Uterus, NOS	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Corpus Uteri	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Uterus, NOS	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Ovary	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Vagina	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Vulva	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Female Genital Organs	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Male Genital System	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Prostate	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Testis	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Penis	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Male Genital Organs	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Urinary System	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Urinary Bladder	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Ureter	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Urinary Organs	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Eye and Orbit	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Brain and Other Nervous System	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Brain	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Cranial Nerves Other Nervous System	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Endocrine System	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Thyroid	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Endocrine including Thymus	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Lymphoma	^	^	^	^	0.0	0.0	1,253.5	0
Hodgkin Lymphoma	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Hodgkin - Nodal	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Hodgkin - Extranodal	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	1,253.5	0
NHL - Nodal	^	^	^	^	0.0	0.0	1,253.5	0
NHL - Extranodal	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Myeloma	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Lymphocytic Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Acute Lymphocytic Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Lymphocytic Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Acute Myeloid Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Acute Monocytic Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Chronic Myeloid Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Other Acute Leukemia	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Mesothelioma	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Kaposi Sarcoma	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0
Miscellaneous	0.0	0.0	769.8	0	0.0	0.0	1,253.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	524.0	219.8	1,031.9	8	570.0	194.5	1,210.2	7
Oral Cavity and Pharynx	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Lip	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Tongue	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Salivary Gland	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Floor of Mouth	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Gum and Other Mouth	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Nasopharynx	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Tonsil	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Oropharynx	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Hypopharynx	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Oral Cavity and Pharynx	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	227.4	0	^	^	^	^
Stomach	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Small Intestine	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Appendix	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Ascending Colon	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Splenic Flexure	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Descending Colon	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Rectosigmoid Junction	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Rectum	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Liver	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Intrahepatic Bile Duct	0.0	0.0	227.4	0	0.0	0.0	220.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Biliary	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Pancreas	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Retroperitoneum	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Digestive Organs	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Respiratory System	^	^	^	^	0.0	0.0	220.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Larynx	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	220.6	0
Pleura	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Bones and Joints	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Soft Tissue including Heart	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Skin excluding Basal and Squamous	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Melanoma of the Skin	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Non-Epithelial Skin	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Breast	0.0	0.0	227.4	0	^	^	^	^
Female Genital System	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Cervix Uteri	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Corpus and Uterus, NOS	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Corpus Uteri	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Uterus, NOS	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Ovary	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Vagina	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Vulva	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Female Genital Organs	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Male Genital System	^	^	^	^	0.0	0.0	220.6	0
Prostate	^	^	^	^	0.0	0.0	220.6	0
Testis	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Penis	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Male Genital Organs	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Urinary System	^	^	^	^	0.0	0.0	220.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	220.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Ureter	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Urinary Organs	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Eye and Orbit	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Brain and Other Nervous System	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Brain	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Cranial Nerves Other Nervous System	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Endocrine System	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Thyroid	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Endocrine including Thymus	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Lymphoma	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Hodgkin Lymphoma	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Hodgkin - Nodal	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Hodgkin - Extranodal	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Non-Hodgkin Lymphoma	0.0	0.0	227.4	0	0.0	0.0	220.6	0
NHL - Nodal	0.0	0.0	227.4	0	0.0	0.0	220.6	0
NHL - Extranodal	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Myeloma	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Lymphocytic Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Acute Lymphocytic Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Lymphocytic Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Acute Myeloid Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Acute Monocytic Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Chronic Myeloid Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Other Acute Leukemia	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Mesothelioma	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Kaposi Sarcoma	0.0	0.0	227.4	0	0.0	0.0	220.6	0
Miscellaneous	^	^	^	^	0.0	0.0	220.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	606.4	507.3	717.7	167	490.5	408.1	583.7	144
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	^	^	^	^	0.0	0.0	11.9	0
Floor of Mouth	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Tonsil	^	^	^	^	0.0	0.0	11.9	0
Oropharynx	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Hypopharynx	0.0	0.0	14.0	0	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Digestive System	102.0	64.1	152.5	29	85.0	50.8	131.3	21
Esophagus	^	^	^	^	0.0	0.0	11.9	0
Stomach	^	^	^	^	0.0	0.0	11.9	0
Small Intestine	^	^	^	^	0.0	0.0	11.9	0
Colon and Rectum	53.6	25.6	95.9	13	57.7	30.1	97.8	14
Colon excluding Rectum	39.2	14.5	80.0	7	48.6	23.2	86.8	11
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Transverse Colon	0.0	0.0	14.0	0	^	^	^	^
Splenic Flexure	0.0	0.0	14.0	0	^	^	^	^
Descending Colon	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	11.9	0
Rectum and Rectosigmoid Junction	14.4	5.0	34.5	6	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	11.9	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	11.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	14.0	0	0.0	0.0	11.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Other Biliary	^	^	^	^	0.0	0.0	11.9	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	14.0	0	^	^	^	^
Other Digestive Organs	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Respiratory System	48.7	23.4	87.1	12	74.4	43.4	117.2	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	45.9	21.2	83.9	11	71.4	40.9	113.8	18
Pleura	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Bones and Joints	0.0	0.0	14.0	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	24.4	10.4	48.5	9
Melanoma of the Skin	^	^	^	^	22.1	8.8	45.7	8
Other Non-Epithelial Skin	^	^	^	^	^	^	^	^
Breast	0.0	0.0	14.0	0	126.4	88.1	175.0	40
Female Genital System	0.0	0.0	14.0	0	46.9	25.2	79.1	15
Cervix Uteri	0.0	0.0	14.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	14.0	0	23.5	9.8	47.3	8
Corpus Uteri	0.0	0.0	14.0	0	23.5	9.8	47.3	8
Uterus, NOS	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Ovary	0.0	0.0	14.0	0	^	^	^	^
Vagina	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Vulva	0.0	0.0	14.0	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Male Genital System	298.0	228.4	380.3	77	0.0	0.0	11.9	0
Prostate	285.2	217.2	365.9	73	0.0	0.0	11.9	0
Testis	^	^	^	^	0.0	0.0	11.9	0
Penis	^	^	^	^	0.0	0.0	11.9	0
Other Male Genital Organs	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Urinary System	38.8	17.0	73.5	10	25.2	8.8	54.0	6
Urinary Bladder	36.4	15.2	70.9	9	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Other Urinary Organs	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Eye and Orbit	0.0	0.0	14.0	0	^	^	^	^
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	14.0	0	^	^	^	^
Endocrine System	^	^	^	^	21.4	10.3	41.2	10
Thyroid	^	^	^	^	19.2	8.7	38.3	9
Other Endocrine including Thymus	0.0	0.0	14.0	0	^	^	^	^
Lymphoma	28.5	14.3	52.5	12	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	11.9	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	11.9	0
Hodgkin - Extranodal	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Non-Hodgkin Lymphoma	26.8	13.0	50.5	11	^	^	^	^
NHL - Nodal	22.0	9.7	44.5	9	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	11.9	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	11.9	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	11.9	0
Acute Myeloid Leukemia	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Acute Monocytic Leukemia	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	11.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Other Leukemia	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Other Acute Leukemia	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	0.0	0.0	14.0	0	0.0	0.0	11.9	0
Miscellaneous	^	^	^	^	25.3	8.5	54.8	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	540.4	211.2	1,174.1	7
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	383.6	0
Lip	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Tongue	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Salivary Gland	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Floor of Mouth	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Gum and Other Mouth	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Nasopharynx	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Tonsil	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Oropharynx	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Hypopharynx	^	^	^	^	0.0	0.0	383.6	0
Other Oral Cavity and Pharynx	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Digestive System	^	^	^	^	0.0	0.0	383.6	0
Esophagus	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Stomach	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Small Intestine	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Colon and Rectum	^	^	^	^	0.0	0.0	383.6	0
Colon excluding Rectum	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Cecum	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Appendix	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Ascending Colon	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Hepatic Flexure	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Transverse Colon	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Splenic Flexure	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Descending Colon	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Sigmoid Colon	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Large Intestine, NOS	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	383.6	0
Rectosigmoid Junction	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Rectum	^	^	^	^	0.0	0.0	383.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Liver	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Intrahepatic Bile Duct	0.0	0.0	438.8	0	0.0	0.0	383.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Biliary	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Pancreas	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Retroperitoneum	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Digestive Organs	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Larynx	^	^	^	^	0.0	0.0	383.6	0
Lung and Bronchus	0.0	0.0	438.8	0	^	^	^	^
Pleura	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Bones and Joints	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Soft Tissue including Heart	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Breast	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Female Genital System	0.0	0.0	438.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Corpus and Uterus, NOS	0.0	0.0	438.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	438.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Ovary	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Vagina	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Vulva	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Female Genital Organs	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Male Genital System	^	^	^	^	0.0	0.0	383.6	0
Prostate	^	^	^	^	0.0	0.0	383.6	0
Testis	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Penis	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Male Genital Organs	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Urinary System	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Urinary Bladder	0.0	0.0	438.8	0	0.0	0.0	383.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Ureter	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Urinary Organs	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Eye and Orbit	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Brain and Other Nervous System	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Brain	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Cranial Nerves Other Nervous System	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Endocrine System	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Thyroid	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Endocrine including Thymus	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Lymphoma	0.0	0.0	438.8	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Hodgkin - Nodal	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Hodgkin - Extranodal	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Non-Hodgkin Lymphoma	0.0	0.0	438.8	0	^	^	^	^
NHL - Nodal	0.0	0.0	438.8	0	^	^	^	^
NHL - Extranodal	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Myeloma	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Lymphocytic Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Acute Lymphocytic Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Lymphocytic Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Acute Myeloid Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Acute Monocytic Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Chronic Myeloid Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Other Acute Leukemia	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Mesothelioma	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Kaposi Sarcoma	0.0	0.0	438.8	0	0.0	0.0	383.6	0
Miscellaneous	0.0	0.0	438.8	0	0.0	0.0	383.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	551.4	403.4	731.5	59	435.8	327.3	568.2	63
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	^	^	^	^	0.0	0.0	29.2	0
Tongue	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Salivary Gland	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Floor of Mouth	0.0	0.0	34.4	0	^	^	^	^
Gum and Other Mouth	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Nasopharynx	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Tonsil	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Oropharynx	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Hypopharynx	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Oral Cavity and Pharynx	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Digestive System	152.1	84.0	250.8	19	82.0	35.4	157.5	9
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	29.2	0
Small Intestine	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Colon and Rectum	50.5	16.2	116.2	6	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Ascending Colon	^	^	^	^	0.0	0.0	29.2	0
Hepatic Flexure	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Transverse Colon	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Splenic Flexure	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Descending Colon	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Sigmoid Colon	^	^	^	^	0.0	0.0	29.2	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	29.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	29.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	34.4	0	0.0	0.0	29.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Biliary	^	^	^	^	0.0	0.0	29.2	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	29.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Digestive Organs	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Respiratory System	127.5	57.5	235.2	10	44.6	15.2	100.5	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Larynx	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Lung and Bronchus	127.5	57.5	235.2	10	44.6	15.2	100.5	6
Pleura	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Bones and Joints	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	29.2	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	29.2	0
Breast	0.0	0.0	34.4	0	143.0	88.9	219.5	24
Female Genital System	0.0	0.0	34.4	0	45.8	17.1	99.5	7
Cervix Uteri	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Corpus and Uterus, NOS	0.0	0.0	34.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	34.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Ovary	0.0	0.0	34.4	0	^	^	^	^
Vagina	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Vulva	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Female Genital Organs	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Male Genital System	^	^	^	^	0.0	0.0	29.2	0
Prostate	^	^	^	^	0.0	0.0	29.2	0
Testis	^	^	^	^	0.0	0.0	29.2	0
Penis	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Male Genital Organs	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Urinary System	94.8	43.7	176.6	12	^	^	^	^
Urinary Bladder	48.5	14.3	115.3	6	0.0	0.0	29.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	46.3	14.5	108.7	6	^	^	^	^
Ureter	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Urinary Organs	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Eye and Orbit	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	29.2	0
Brain	^	^	^	^	0.0	0.0	29.2	0
Cranial Nerves Other Nervous System	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Hodgkin - Nodal	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Hodgkin - Extranodal	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	29.2	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Lymphocytic Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Acute Lymphocytic Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Lymphocytic Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Acute Myeloid Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Acute Monocytic Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Chronic Myeloid Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Other Acute Leukemia	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Mesothelioma	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Kaposi Sarcoma	0.0	0.0	34.4	0	0.0	0.0	29.2	0
Miscellaneous	0.0	0.0	34.4	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	526.1	424.9	643.4	119	348.7	274.1	437.3	82
Oral Cavity and Pharynx	21.4	8.4	49.4	7	0.0	0.0	17.5	0
Lip	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Tongue	^	^	^	^	0.0	0.0	17.5	0
Salivary Gland	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Floor of Mouth	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Gum and Other Mouth	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Nasopharynx	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Tonsil	^	^	^	^	0.0	0.0	17.5	0
Oropharynx	^	^	^	^	0.0	0.0	17.5	0
Hypopharynx	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Oral Cavity and Pharynx	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Digestive System	100.0	61.8	153.8	24	57.6	29.0	101.8	13
Esophagus	0.0	0.0	21.1	0	^	^	^	^
Stomach	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Small Intestine	0.0	0.0	21.1	0	^	^	^	^
Colon and Rectum	70.2	37.6	119.4	15	20.8	7.3	48.5	6
Colon excluding Rectum	57.0	28.0	103.1	12	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	17.5	0
Appendix	^	^	^	^	^	^	^	^
Ascending Colon	^	^	^	^	0.0	0.0	17.5	0
Hepatic Flexure	0.0	0.0	21.1	0	^	^	^	^
Transverse Colon	0.0	0.0	21.1	0	^	^	^	^
Splenic Flexure	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Descending Colon	^	^	^	^	0.0	0.0	17.5	0
Sigmoid Colon	28.2	9.8	63.9	6	^	^	^	^
Large Intestine, NOS	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	17.5	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	17.5	0
Liver	^	^	^	^	0.0	0.0	17.5	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	17.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Biliary	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	75.7	35.4	137.3	14	41.6	18.3	80.4	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Larynx	^	^	^	^	0.0	0.0	17.5	0
Lung and Bronchus	70.3	31.4	130.9	13	41.6	18.3	80.4	9
Pleura	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Bones and Joints	0.0	0.0	21.1	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	17.5	0
Breast	0.0	0.0	21.1	0	77.5	46.6	122.0	20
Female Genital System	0.0	0.0	21.1	0	42.5	19.3	80.8	10
Cervix Uteri	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Corpus and Uterus, NOS	0.0	0.0	21.1	0	27.5	10.5	59.0	7
Corpus Uteri	0.0	0.0	21.1	0	27.5	10.5	59.0	7
Uterus, NOS	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Ovary	0.0	0.0	21.1	0	^	^	^	^
Vagina	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Vulva	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Female Genital Organs	0.0	0.0	21.1	0	^	^	^	^
Male Genital System	152.2	103.0	216.9	34	0.0	0.0	17.5	0
Prostate	148.4	99.8	212.6	33	0.0	0.0	17.5	0
Testis	^	^	^	^	0.0	0.0	17.5	0
Penis	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Male Genital Organs	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Urinary System	65.4	36.1	110.3	16	25.1	8.8	56.5	6
Urinary Bladder	51.1	25.3	93.0	12	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Urinary Organs	0.0	0.0	21.1	0	^	^	^	^
Eye and Orbit	^	^	^	^	^	^	^	^
Brain and Other Nervous System	^	^	^	^	0.0	0.0	17.5	0
Brain	^	^	^	^	0.0	0.0	17.5	0
Cranial Nerves Other Nervous System	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Endocrine System	0.0	0.0	21.1	0	40.8	19.8	75.7	11
Thyroid	0.0	0.0	21.1	0	40.8	19.8	75.7	11
Other Endocrine including Thymus	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Lymphoma	36.9	15.1	75.6	8	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	17.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	17.5	0
Hodgkin - Extranodal	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Non-Hodgkin Lymphoma	28.9	9.9	65.5	6	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	21.1	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	21.1	0	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	17.5	0
Other Lymphocytic Leukemia	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	17.5	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	17.5	0
Acute Monocytic Leukemia	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Chronic Myeloid Leukemia	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Leukemia	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Other Acute Leukemia	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	0.0	0.0	21.1	0	0.0	0.0	17.5	0
Miscellaneous	^	^	^	^	0.0	0.0	17.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	533.3	350.8	773.8	31	405.5	259.7	603.6	26
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Tongue	0.0	0.0	66.9	0	^	^	^	^
Salivary Gland	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Floor of Mouth	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Gum and Other Mouth	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Nasopharynx	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Tonsil	^	^	^	^	^	^	^	^
Oropharynx	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Hypopharynx	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Oral Cavity and Pharynx	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Digestive System	171.5	70.6	338.7	8	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	63.7	0
Stomach	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Small Intestine	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	63.7	0
Appendix	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Ascending Colon	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Hepatic Flexure	0.0	0.0	66.9	0	^	^	^	^
Transverse Colon	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Splenic Flexure	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Descending Colon	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Sigmoid Colon	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Large Intestine, NOS	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	66.9	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	66.9	0	^	^	^	^
Rectum	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	63.7	0
Liver	^	^	^	^	0.0	0.0	63.7	0
Intrahepatic Bile Duct	0.0	0.0	66.9	0	0.0	0.0	63.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Biliary	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Pancreas	^	^	^	^	0.0	0.0	63.7	0
Retroperitoneum	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Digestive Organs	^	^	^	^	0.0	0.0	63.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Larynx	^	^	^	^	0.0	0.0	63.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Bones and Joints	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Soft Tissue including Heart	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Breast	0.0	0.0	66.9	0	76.0	27.8	174.6	6
Female Genital System	0.0	0.0	66.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	66.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	66.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	66.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Ovary	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Vagina	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Vulva	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Female Genital Organs	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Male Genital System	108.8	40.0	236.2	7	0.0	0.0	63.7	0
Prostate	108.8	40.0	236.2	7	0.0	0.0	63.7	0
Testis	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Penis	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Male Genital Organs	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	63.7	0
Ureter	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Urinary Organs	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Eye and Orbit	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Brain and Other Nervous System	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Brain	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Cranial Nerves Other Nervous System	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Endocrine System	0.0	0.0	66.9	0	^	^	^	^
Thyroid	0.0	0.0	66.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Lymphoma	0.0	0.0	66.9	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Hodgkin - Nodal	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Hodgkin - Extranodal	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Non-Hodgkin Lymphoma	0.0	0.0	66.9	0	^	^	^	^
NHL - Nodal	0.0	0.0	66.9	0	^	^	^	^
NHL - Extranodal	0.0	0.0	66.9	0	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	63.7	0
Leukemia	^	^	^	^	0.0	0.0	63.7	0
Lymphocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Acute Lymphocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Lymphocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	63.7	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	63.7	0
Acute Monocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Chronic Myeloid Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Other Acute Leukemia	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Mesothelioma	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Kaposi Sarcoma	0.0	0.0	66.9	0	0.0	0.0	63.7	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	406.8	235.0	650.6	21	332.5	179.7	560.1	16
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	89.4	0
Lip	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Tongue	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Salivary Gland	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Floor of Mouth	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Gum and Other Mouth	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Nasopharynx	^	^	^	^	0.0	0.0	89.4	0
Tonsil	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Oropharynx	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Hypopharynx	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Oral Cavity and Pharynx	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Stomach	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Small Intestine	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	89.4	0
Appendix	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Ascending Colon	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Hepatic Flexure	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Transverse Colon	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Splenic Flexure	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Descending Colon	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Sigmoid Colon	0.0	0.0	85.4	0	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	89.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	89.4	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	89.4	0
Rectum	^	^	^	^	0.0	0.0	89.4	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	89.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Liver	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Intrahepatic Bile Duct	0.0	0.0	85.4	0	0.0	0.0	89.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Biliary	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Pancreas	0.0	0.0	85.4	0	^	^	^	^
Retroperitoneum	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Digestive Organs	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Larynx	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Bones and Joints	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Soft Tissue including Heart	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Skin excluding Basal and Squamous	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Melanoma of the Skin	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Non-Epithelial Skin	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Breast	0.0	0.0	85.4	0	128.0	47.8	280.7	7
Female Genital System	0.0	0.0	85.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Corpus and Uterus, NOS	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Corpus Uteri	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Uterus, NOS	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Ovary	0.0	0.0	85.4	0	^	^	^	^
Vagina	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Vulva	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Female Genital Organs	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Male Genital System	^	^	^	^	0.0	0.0	89.4	0
Prostate	^	^	^	^	0.0	0.0	89.4	0
Testis	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Penis	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Male Genital Organs	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Urinary System	^	^	^	^	0.0	0.0	89.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	89.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	89.4	0
Ureter	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Urinary Organs	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Eye and Orbit	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Lymphoma	^	^	^	^	0.0	0.0	89.4	0
Hodgkin Lymphoma	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Hodgkin - Nodal	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Hodgkin - Extranodal	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	89.4	0
NHL - Nodal	0.0	0.0	85.4	0	0.0	0.0	89.4	0
NHL - Extranodal	^	^	^	^	0.0	0.0	89.4	0
Myeloma	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Lymphocytic Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Acute Lymphocytic Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Lymphocytic Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Acute Myeloid Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Acute Monocytic Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Chronic Myeloid Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Other Acute Leukemia	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Mesothelioma	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Kaposi Sarcoma	0.0	0.0	85.4	0	0.0	0.0	89.4	0
Miscellaneous	0.0	0.0	85.4	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Oral Cavity and Pharynx	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Lip	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Tongue	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Salivary Gland	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Floor of Mouth	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Gum and Other Mouth	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Nasopharynx	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Tonsil	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Oropharynx	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Hypopharynx	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Oral Cavity and Pharynx	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Digestive System	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Esophagus	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Stomach	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Small Intestine	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Colon and Rectum	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Colon excluding Rectum	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Cecum	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Appendix	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Ascending Colon	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Hepatic Flexure	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Transverse Colon	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Splenic Flexure	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Descending Colon	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Sigmoid Colon	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Large Intestine, NOS	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Rectosigmoid Junction	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Rectum	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Liver	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Intrahepatic Bile Duct	0.0	0.0	754.8	0	0.0	0.0	737.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Biliary	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Pancreas	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Retroperitoneum	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Digestive Organs	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Respiratory System	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Larynx	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Lung and Bronchus	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Pleura	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Bones and Joints	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Soft Tissue including Heart	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Skin excluding Basal and Squamous	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Melanoma of the Skin	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Non-Epithelial Skin	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Breast	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Female Genital System	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Cervix Uteri	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Corpus and Uterus, NOS	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Corpus Uteri	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Uterus, NOS	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Ovary	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Vagina	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Vulva	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Female Genital Organs	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Male Genital System	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Prostate	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Testis	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Penis	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Male Genital Organs	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Urinary System	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Urinary Bladder	0.0	0.0	754.8	0	0.0	0.0	737.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Ureter	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Urinary Organs	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Eye and Orbit	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Brain and Other Nervous System	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Brain	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Cranial Nerves Other Nervous System	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Endocrine System	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Thyroid	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Endocrine including Thymus	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Lymphoma	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Hodgkin Lymphoma	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Hodgkin - Nodal	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Hodgkin - Extranodal	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Non-Hodgkin Lymphoma	0.0	0.0	754.8	0	0.0	0.0	737.2	0
NHL - Nodal	0.0	0.0	754.8	0	0.0	0.0	737.2	0
NHL - Extranodal	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Myeloma	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Lymphocytic Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Acute Lymphocytic Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Lymphocytic Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Acute Myeloid Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Acute Monocytic Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Chronic Myeloid Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Other Acute Leukemia	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Mesothelioma	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Kaposi Sarcoma	0.0	0.0	754.8	0	0.0	0.0	737.2	0
Miscellaneous	0.0	0.0	754.8	0	0.0	0.0	737.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	580.7	482.7	691.8	155	384.9	307.3	475.0	99
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	14.3	0
Lip	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Tongue	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Salivary Gland	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Floor of Mouth	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Gum and Other Mouth	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Nasopharynx	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Tonsil	^	^	^	^	0.0	0.0	14.3	0
Oropharynx	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Hypopharynx	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Other Oral Cavity and Pharynx	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Digestive System	93.5	60.4	138.5	28	61.4	32.8	103.2	14
Esophagus	^	^	^	^	0.0	0.0	14.3	0
Stomach	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Small Intestine	0.0	0.0	16.3	0	^	^	^	^
Colon and Rectum	50.0	28.3	83.2	17	28.8	10.9	60.0	7
Colon excluding Rectum	29.7	13.0	58.8	9	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	14.3	0
Appendix	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Transverse Colon	0.0	0.0	16.3	0	^	^	^	^
Splenic Flexure	0.0	0.0	16.3	0	^	^	^	^
Descending Colon	^	^	^	^	0.0	0.0	14.3	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	20.3	8.5	43.8	8	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	14.3	0
Rectum	15.4	5.4	37.5	6	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	14.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	14.3	0
Liver	^	^	^	^	0.0	0.0	14.3	0
Intrahepatic Bile Duct	0.0	0.0	16.3	0	0.0	0.0	14.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	16.3	0	^	^	^	^
Other Biliary	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	16.3	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	107.2	65.9	163.0	26	68.7	37.5	113.6	16
Nose, Nasal Cavity and Middle Ear	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Larynx	^	^	^	^	0.0	0.0	14.3	0
Lung and Bronchus	96.1	57.0	149.8	23	61.0	32.8	102.3	15
Pleura	0.0	0.0	16.3	0	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Bones and Joints	0.0	0.0	16.3	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	0.0	0.0	14.3	0
Skin excluding Basal and Squamous	17.4	6.3	40.7	6	0.0	0.0	14.3	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	14.3	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	14.3	0
Breast	0.0	0.0	16.3	0	107.9	70.9	156.9	32
Female Genital System	0.0	0.0	16.3	0	45.9	21.9	83.2	11
Cervix Uteri	0.0	0.0	16.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	16.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	16.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Ovary	0.0	0.0	16.3	0	^	^	^	^
Vagina	0.0	0.0	16.3	0	^	^	^	^
Vulva	0.0	0.0	16.3	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Male Genital System	214.6	154.3	288.9	54	0.0	0.0	14.3	0
Prostate	202.4	143.4	275.7	50	0.0	0.0	14.3	0
Testis	^	^	^	^	0.0	0.0	14.3	0
Penis	^	^	^	^	0.0	0.0	14.3	0
Other Male Genital Organs	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Urinary System	76.0	42.3	124.2	18	32.1	12.8	64.7	8
Urinary Bladder	38.0	17.6	71.5	11	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	38.0	14.1	78.4	7	^	^	^	^
Ureter	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Other Urinary Organs	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Eye and Orbit	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Lymphoma	23.6	8.6	52.0	7	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	16.3	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	16.3	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Non-Hodgkin Lymphoma	23.6	8.6	52.0	7	^	^	^	^
NHL - Nodal	19.8	6.4	46.7	6	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	14.3	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	16.3	0	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	14.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	16.3	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Acute Monocytic Leukemia	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Chronic Myeloid Leukemia	0.0	0.0	16.3	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Other Leukemia	^	^	^	^	0.0	0.0	14.3	0
Other Acute Leukemia	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	14.3	0
Mesothelioma	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Kaposi Sarcoma	0.0	0.0	16.3	0	0.0	0.0	14.3	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	404.5	201.1	714.8	13	299.8	138.1	558.9	10
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	107.7	0
Lip	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Tongue	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Salivary Gland	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Floor of Mouth	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Gum and Other Mouth	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Nasopharynx	^	^	^	^	0.0	0.0	107.7	0
Tonsil	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Oropharynx	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Hypopharynx	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Oral Cavity and Pharynx	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Stomach	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Small Intestine	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	107.7	0
Appendix	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Ascending Colon	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Hepatic Flexure	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Transverse Colon	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Splenic Flexure	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Descending Colon	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Sigmoid Colon	0.0	0.0	120.3	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	120.3	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Rectum	0.0	0.0	120.3	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	0.0	0.0	107.7	0
Intrahepatic Bile Duct	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Biliary	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Pancreas	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Retroperitoneum	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Digestive Organs	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Respiratory System	239.2	81.3	519.1	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Larynx	^	^	^	^	0.0	0.0	107.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Bones and Joints	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Soft Tissue including Heart	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Skin excluding Basal and Squamous	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Melanoma of the Skin	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Non-Epithelial Skin	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Breast	0.0	0.0	120.3	0	^	^	^	^
Female Genital System	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Cervix Uteri	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Corpus and Uterus, NOS	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Corpus Uteri	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Uterus, NOS	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Ovary	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Vagina	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Vulva	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Female Genital Organs	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Male Genital System	^	^	^	^	0.0	0.0	107.7	0
Prostate	^	^	^	^	0.0	0.0	107.7	0
Testis	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Penis	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Male Genital Organs	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Urinary System	^	^	^	^	0.0	0.0	107.7	0
Urinary Bladder	0.0	0.0	120.3	0	0.0	0.0	107.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	107.7	0
Ureter	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Urinary Organs	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Eye and Orbit	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Brain and Other Nervous System	0.0	0.0	120.3	0	^	^	^	^
Brain	0.0	0.0	120.3	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Endocrine System	^	^	^	^	0.0	0.0	107.7	0
Thyroid	^	^	^	^	0.0	0.0	107.7	0
Other Endocrine including Thymus	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Lymphoma	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Hodgkin Lymphoma	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Hodgkin - Nodal	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Hodgkin - Extranodal	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Non-Hodgkin Lymphoma	0.0	0.0	120.3	0	0.0	0.0	107.7	0
NHL - Nodal	0.0	0.0	120.3	0	0.0	0.0	107.7	0
NHL - Extranodal	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Myeloma	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Lymphocytic Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Acute Lymphocytic Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Lymphocytic Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Acute Myeloid Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Acute Monocytic Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Chronic Myeloid Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Other Acute Leukemia	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Mesothelioma	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Kaposi Sarcoma	0.0	0.0	120.3	0	0.0	0.0	107.7	0
Miscellaneous	0.0	0.0	120.3	0	0.0	0.0	107.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	462.7	157.3	999.5	7	349.3	112.5	768.5	6
Oral Cavity and Pharynx	0.0	0.0	235.6	0	^	^	^	^
Lip	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Tongue	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Salivary Gland	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Floor of Mouth	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Gum and Other Mouth	0.0	0.0	235.6	0	^	^	^	^
Nasopharynx	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Tonsil	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Oropharynx	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Hypopharynx	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Oral Cavity and Pharynx	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Stomach	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Small Intestine	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Appendix	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Ascending Colon	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Hepatic Flexure	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Transverse Colon	0.0	0.0	235.6	0	^	^	^	^
Splenic Flexure	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Descending Colon	0.0	0.0	235.6	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Rectosigmoid Junction	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Rectum	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Liver	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Intrahepatic Bile Duct	0.0	0.0	235.6	0	0.0	0.0	162.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Biliary	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Pancreas	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Retroperitoneum	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Digestive Organs	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Respiratory System	^	^	^	^	0.0	0.0	162.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Larynx	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Lung and Bronchus	^	^	^	^	0.0	0.0	162.7	0
Pleura	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Bones and Joints	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Soft Tissue including Heart	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Skin excluding Basal and Squamous	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Melanoma of the Skin	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Non-Epithelial Skin	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Breast	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Female Genital System	0.0	0.0	235.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Corpus and Uterus, NOS	0.0	0.0	235.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	235.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Ovary	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Vagina	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Vulva	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Female Genital Organs	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Male Genital System	^	^	^	^	0.0	0.0	162.7	0
Prostate	^	^	^	^	0.0	0.0	162.7	0
Testis	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Penis	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Male Genital Organs	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Urinary System	^	^	^	^	0.0	0.0	162.7	0
Urinary Bladder	0.0	0.0	235.6	0	0.0	0.0	162.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	162.7	0
Ureter	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Urinary Organs	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Eye and Orbit	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Brain and Other Nervous System	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Brain	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Cranial Nerves Other Nervous System	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Endocrine System	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Thyroid	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Endocrine including Thymus	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Lymphoma	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Hodgkin Lymphoma	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Hodgkin - Nodal	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Hodgkin - Extranodal	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Non-Hodgkin Lymphoma	0.0	0.0	235.6	0	0.0	0.0	162.7	0
NHL - Nodal	0.0	0.0	235.6	0	0.0	0.0	162.7	0
NHL - Extranodal	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Myeloma	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Leukemia	^	^	^	^	0.0	0.0	162.7	0
Lymphocytic Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Acute Lymphocytic Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Lymphocytic Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	162.7	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	162.7	0
Acute Monocytic Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Chronic Myeloid Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Other Acute Leukemia	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Mesothelioma	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Kaposi Sarcoma	0.0	0.0	235.6	0	0.0	0.0	162.7	0
Miscellaneous	0.0	0.0	235.6	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	270.9	120.3	553.7	9	302.8	109.1	649.2	6
Oral Cavity and Pharynx	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Lip	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Tongue	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Salivary Gland	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Floor of Mouth	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Gum and Other Mouth	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Nasopharynx	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Tonsil	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Oropharynx	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Hypopharynx	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Oral Cavity and Pharynx	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Digestive System	162.9	59.7	400.6	6	^	^	^	^
Esophagus	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Appendix	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Ascending Colon	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Hepatic Flexure	^	^	^	^	0.0	0.0	164.2	0
Transverse Colon	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Splenic Flexure	0.0	0.0	188.0	0	^	^	^	^
Descending Colon	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Sigmoid Colon	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	164.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Rectosigmoid Junction	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Rectum	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	164.2	0
Liver	^	^	^	^	0.0	0.0	164.2	0
Intrahepatic Bile Duct	0.0	0.0	188.0	0	0.0	0.0	164.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Biliary	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Pancreas	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Retroperitoneum	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Digestive Organs	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Respiratory System	0.0	0.0	188.0	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Larynx	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Lung and Bronchus	0.0	0.0	188.0	0	^	^	^	^
Pleura	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Bones and Joints	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Soft Tissue including Heart	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Skin excluding Basal and Squamous	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Melanoma of the Skin	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Non-Epithelial Skin	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Breast	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Female Genital System	0.0	0.0	188.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Corpus and Uterus, NOS	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Corpus Uteri	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Uterus, NOS	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Ovary	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Vagina	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Vulva	0.0	0.0	188.0	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Male Genital System	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Prostate	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Testis	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Penis	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Male Genital Organs	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	188.0	0	0.0	0.0	164.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Urinary Organs	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Eye and Orbit	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Brain and Other Nervous System	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Brain	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Cranial Nerves Other Nervous System	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Endocrine System	^	^	^	^	0.0	0.0	164.2	0
Thyroid	^	^	^	^	0.0	0.0	164.2	0
Other Endocrine including Thymus	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Lymphoma	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Hodgkin Lymphoma	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Hodgkin - Nodal	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Hodgkin - Extranodal	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Non-Hodgkin Lymphoma	0.0	0.0	188.0	0	0.0	0.0	164.2	0
NHL - Nodal	0.0	0.0	188.0	0	0.0	0.0	164.2	0
NHL - Extranodal	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Myeloma	^	^	^	^	0.0	0.0	164.2	0
Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Lymphocytic Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Acute Lymphocytic Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Lymphocytic Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Acute Myeloid Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Acute Monocytic Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Chronic Myeloid Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Other Acute Leukemia	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Mesothelioma	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Kaposi Sarcoma	0.0	0.0	188.0	0	0.0	0.0	164.2	0
Miscellaneous	0.0	0.0	188.0	0	0.0	0.0	164.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	834.0	421.0	1,444.6	18	374.2	147.4	774.0	8
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	196.3	0
Lip	^	^	^	^	0.0	0.0	196.3	0
Tongue	^	^	^	^	0.0	0.0	196.3	0
Salivary Gland	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Floor of Mouth	^	^	^	^	0.0	0.0	196.3	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	196.3	0
Nasopharynx	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Tonsil	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Oropharynx	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Hypopharynx	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Oral Cavity and Pharynx	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Stomach	0.0	0.0	205.6	0	^	^	^	^
Small Intestine	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	205.6	0	^	^	^	^
Appendix	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Ascending Colon	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Hepatic Flexure	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Transverse Colon	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Splenic Flexure	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Descending Colon	^	^	^	^	0.0	0.0	196.3	0
Sigmoid Colon	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Large Intestine, NOS	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Rectosigmoid Junction	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Rectum	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Liver	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Intrahepatic Bile Duct	0.0	0.0	205.6	0	0.0	0.0	196.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Biliary	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Pancreas	^	^	^	^	0.0	0.0	196.3	0
Retroperitoneum	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Digestive Organs	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Larynx	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Bones and Joints	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Soft Tissue including Heart	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Skin excluding Basal and Squamous	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Melanoma of the Skin	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Non-Epithelial Skin	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Breast	0.0	0.0	205.6	0	^	^	^	^
Female Genital System	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Cervix Uteri	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Corpus and Uterus, NOS	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Corpus Uteri	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Uterus, NOS	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Ovary	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Vagina	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Vulva	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Female Genital Organs	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Male Genital System	^	^	^	^	0.0	0.0	196.3	0
Prostate	^	^	^	^	0.0	0.0	196.3	0
Testis	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Penis	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Male Genital Organs	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Ureter	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Urinary Organs	^	^	^	^	0.0	0.0	196.3	0
Eye and Orbit	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Brain and Other Nervous System	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Brain	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Cranial Nerves Other Nervous System	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Endocrine System	^	^	^	^	0.0	0.0	196.3	0
Thyroid	^	^	^	^	0.0	0.0	196.3	0
Other Endocrine including Thymus	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Lymphoma	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Hodgkin Lymphoma	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Hodgkin - Nodal	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Hodgkin - Extranodal	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Non-Hodgkin Lymphoma	0.0	0.0	205.6	0	0.0	0.0	196.3	0
NHL - Nodal	0.0	0.0	205.6	0	0.0	0.0	196.3	0
NHL - Extranodal	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Myeloma	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Lymphocytic Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Acute Lymphocytic Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Lymphocytic Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Acute Myeloid Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Acute Monocytic Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Chronic Myeloid Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Other Acute Leukemia	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Mesothelioma	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Kaposi Sarcoma	0.0	0.0	205.6	0	0.0	0.0	196.3	0
Miscellaneous	^	^	^	^	0.0	0.0	196.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	343.2	187.0	585.5	15	445.0	254.2	718.4	17
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	92.5	0
Lip	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Tongue	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Salivary Gland	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Floor of Mouth	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Gum and Other Mouth	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Nasopharynx	^	^	^	^	0.0	0.0	92.5	0
Tonsil	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Oropharynx	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Hypopharynx	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Oral Cavity and Pharynx	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	92.5	0
Stomach	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Small Intestine	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Colon and Rectum	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Colon excluding Rectum	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Cecum	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Appendix	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Ascending Colon	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Hepatic Flexure	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Transverse Colon	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Splenic Flexure	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Descending Colon	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Sigmoid Colon	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Large Intestine, NOS	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Rectosigmoid Junction	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Rectum	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	116.7	0	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Liver	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Intrahepatic Bile Duct	0.0	0.0	116.7	0	0.0	0.0	92.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Biliary	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Digestive Organs	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Larynx	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Bones and Joints	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Soft Tissue including Heart	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Skin excluding Basal and Squamous	0.0	0.0	116.7	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	116.7	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Breast	0.0	0.0	116.7	0	^	^	^	^
Female Genital System	0.0	0.0	116.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	116.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	116.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	116.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Ovary	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Vagina	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Vulva	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Female Genital Organs	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Male Genital System	^	^	^	^	0.0	0.0	92.5	0
Prostate	^	^	^	^	0.0	0.0	92.5	0
Testis	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Penis	^	^	^	^	0.0	0.0	92.5	0
Other Male Genital Organs	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	116.7	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	92.5	0
Ureter	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Urinary Organs	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Eye and Orbit	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Brain and Other Nervous System	0.0	0.0	116.7	0	^	^	^	^
Brain	0.0	0.0	116.7	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Endocrine System	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Thyroid	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Endocrine including Thymus	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	116.7	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	116.7	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	92.5	0
NHL - Nodal	^	^	^	^	0.0	0.0	92.5	0
NHL - Extranodal	^	^	^	^	0.0	0.0	92.5	0
Myeloma	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Acute Lymphocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Lymphocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Acute Monocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Other Acute Leukemia	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Mesothelioma	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Kaposi Sarcoma	0.0	0.0	116.7	0	0.0	0.0	92.5	0
Miscellaneous	0.0	0.0	116.7	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Lip	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Tongue	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Salivary Gland	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Floor of Mouth	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Gum and Other Mouth	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Nasopharynx	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Tonsil	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Oropharynx	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Hypopharynx	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Oral Cavity and Pharynx	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Digestive System	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Esophagus	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Stomach	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Small Intestine	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Colon and Rectum	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Colon excluding Rectum	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Cecum	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Appendix	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Ascending Colon	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Hepatic Flexure	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Transverse Colon	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Splenic Flexure	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Descending Colon	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Sigmoid Colon	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Large Intestine, NOS	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Rectosigmoid Junction	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Rectum	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Liver	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Intrahepatic Bile Duct	0.0	0.0	381.4	0	0.0	0.0	295.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Biliary	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Pancreas	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Retroperitoneum	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Digestive Organs	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Respiratory System	^	^	^	^	0.0	0.0	295.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Larynx	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Lung and Bronchus	^	^	^	^	0.0	0.0	295.2	0
Pleura	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Bones and Joints	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Soft Tissue including Heart	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Skin excluding Basal and Squamous	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Melanoma of the Skin	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Non-Epithelial Skin	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Breast	0.0	0.0	381.4	0	^	^	^	^
Female Genital System	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Cervix Uteri	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Corpus and Uterus, NOS	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Corpus Uteri	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Uterus, NOS	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Ovary	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Vagina	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Vulva	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Female Genital Organs	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Male Genital System	^	^	^	^	0.0	0.0	295.2	0
Prostate	^	^	^	^	0.0	0.0	295.2	0
Testis	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Penis	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Male Genital Organs	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Urinary System	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Urinary Bladder	0.0	0.0	381.4	0	0.0	0.0	295.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Ureter	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Urinary Organs	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Eye and Orbit	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Brain and Other Nervous System	0.0	0.0	381.4	0	^	^	^	^
Brain	0.0	0.0	381.4	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Endocrine System	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Thyroid	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Endocrine including Thymus	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Lymphoma	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Hodgkin Lymphoma	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Hodgkin - Nodal	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Hodgkin - Extranodal	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Non-Hodgkin Lymphoma	0.0	0.0	381.4	0	0.0	0.0	295.2	0
NHL - Nodal	0.0	0.0	381.4	0	0.0	0.0	295.2	0
NHL - Extranodal	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Myeloma	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Lymphocytic Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Acute Lymphocytic Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Lymphocytic Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Acute Myeloid Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Acute Monocytic Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Chronic Myeloid Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Other Acute Leukemia	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Mesothelioma	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Kaposi Sarcoma	0.0	0.0	381.4	0	0.0	0.0	295.2	0
Miscellaneous	0.0	0.0	381.4	0	0.0	0.0	295.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	1,131.6	585.8	1,908.6	19	605.5	289.6	1,092.4	14
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	182.2	0
Lip	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Tongue	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Salivary Gland	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Floor of Mouth	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	182.2	0
Nasopharynx	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Tonsil	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Oropharynx	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Hypopharynx	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Oral Cavity and Pharynx	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Stomach	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Small Intestine	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Appendix	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Ascending Colon	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Hepatic Flexure	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Transverse Colon	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Splenic Flexure	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Descending Colon	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	182.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Rectosigmoid Junction	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Rectum	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Liver	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Intrahepatic Bile Duct	0.0	0.0	203.9	0	0.0	0.0	182.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Biliary	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Pancreas	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Retroperitoneum	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Digestive Organs	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Larynx	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Bones and Joints	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Soft Tissue including Heart	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Skin excluding Basal and Squamous	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Melanoma of the Skin	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Non-Epithelial Skin	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Breast	0.0	0.0	203.9	0	^	^	^	^
Female Genital System	0.0	0.0	203.9	0	^	^	^	^
Cervix Uteri	0.0	0.0	203.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	203.9	0	^	^	^	^
Corpus Uteri	0.0	0.0	203.9	0	^	^	^	^
Uterus, NOS	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Ovary	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Vagina	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Vulva	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Female Genital Organs	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Male Genital System	276.6	112.6	591.1	8	0.0	0.0	182.2	0
Prostate	276.6	112.6	591.1	8	0.0	0.0	182.2	0
Testis	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Penis	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Male Genital Organs	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Urinary System	^	^	^	^	0.0	0.0	182.2	0
Urinary Bladder	^	^	^	^	0.0	0.0	182.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	182.2	0
Ureter	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Urinary Organs	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Eye and Orbit	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Brain and Other Nervous System	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Brain	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Cranial Nerves Other Nervous System	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Endocrine System	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Thyroid	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Endocrine including Thymus	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Lymphoma	0.0	0.0	203.9	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Hodgkin - Nodal	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Hodgkin - Extranodal	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Non-Hodgkin Lymphoma	0.0	0.0	203.9	0	^	^	^	^
NHL - Nodal	0.0	0.0	203.9	0	^	^	^	^
NHL - Extranodal	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Myeloma	0.0	0.0	203.9	0	^	^	^	^
Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Lymphocytic Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Acute Lymphocytic Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Lymphocytic Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Acute Myeloid Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Acute Monocytic Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Chronic Myeloid Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Other Acute Leukemia	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Mesothelioma	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Kaposi Sarcoma	0.0	0.0	203.9	0	0.0	0.0	182.2	0
Miscellaneous	0.0	0.0	203.9	0	0.0	0.0	182.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	605.1	379.1	914.5	29	231.4	104.6	448.0	11
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	111.9	0
Lip	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Tongue	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Salivary Gland	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Floor of Mouth	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	111.9	0
Nasopharynx	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Tonsil	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Oropharynx	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Hypopharynx	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Oral Cavity and Pharynx	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Digestive System	124.2	42.6	288.8	7	^	^	^	^
Esophagus	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Stomach	^	^	^	^	0.0	0.0	111.9	0
Small Intestine	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Ascending Colon	^	^	^	^	0.0	0.0	111.9	0
Hepatic Flexure	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Transverse Colon	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Splenic Flexure	0.0	0.0	102.2	0	^	^	^	^
Descending Colon	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Sigmoid Colon	^	^	^	^	0.0	0.0	111.9	0
Large Intestine, NOS	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Rectosigmoid Junction	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Rectum	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	102.2	0	0.0	0.0	111.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Biliary	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Pancreas	0.0	0.0	102.2	0	^	^	^	^
Retroperitoneum	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Digestive Organs	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Respiratory System	167.5	58.9	368.0	7	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Larynx	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Lung and Bronchus	167.5	58.9	368.0	7	^	^	^	^
Pleura	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Bones and Joints	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Soft Tissue including Heart	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Skin excluding Basal and Squamous	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Melanoma of the Skin	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Non-Epithelial Skin	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Breast	0.0	0.0	102.2	0	^	^	^	^
Female Genital System	0.0	0.0	102.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Corpus and Uterus, NOS	0.0	0.0	102.2	0	^	^	^	^
Corpus Uteri	0.0	0.0	102.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Ovary	0.0	0.0	102.2	0	^	^	^	^
Vagina	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Vulva	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Female Genital Organs	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Male Genital System	117.1	43.6	268.8	7	0.0	0.0	111.9	0
Prostate	117.1	43.6	268.8	7	0.0	0.0	111.9	0
Testis	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Penis	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Male Genital Organs	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	111.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Urinary Organs	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Eye and Orbit	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Brain and Other Nervous System	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Brain	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Cranial Nerves Other Nervous System	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Endocrine System	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Thyroid	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Endocrine including Thymus	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Lymphoma	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Hodgkin Lymphoma	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Hodgkin - Nodal	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Hodgkin - Extranodal	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Non-Hodgkin Lymphoma	0.0	0.0	102.2	0	0.0	0.0	111.9	0
NHL - Nodal	0.0	0.0	102.2	0	0.0	0.0	111.9	0
NHL - Extranodal	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Myeloma	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Leukemia	^	^	^	^	0.0	0.0	111.9	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	111.9	0
Acute Lymphocytic Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	111.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Acute Myeloid Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Acute Monocytic Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Chronic Myeloid Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Other Acute Leukemia	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Mesothelioma	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Kaposi Sarcoma	0.0	0.0	102.2	0	0.0	0.0	111.9	0
Miscellaneous	^	^	^	^	0.0	0.0	111.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	733.4	275.3	1,472.7	10	855.1	491.8	1,366.4	17
Oral Cavity and Pharynx	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Lip	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Tongue	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Salivary Gland	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Floor of Mouth	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Gum and Other Mouth	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Nasopharynx	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Tonsil	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Oropharynx	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Hypopharynx	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Oral Cavity and Pharynx	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Digestive System	639.1	207.2	1,370.6	8	297.0	106.9	638.4	6
Esophagus	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Stomach	^	^	^	^	0.0	0.0	164.2	0
Small Intestine	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	236.7	0	^	^	^	^
Appendix	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Ascending Colon	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Hepatic Flexure	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Transverse Colon	0.0	0.0	236.7	0	^	^	^	^
Splenic Flexure	0.0	0.0	236.7	0	^	^	^	^
Descending Colon	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	164.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	236.7	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Rectum	0.0	0.0	236.7	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	164.2	0
Liver	^	^	^	^	0.0	0.0	164.2	0
Intrahepatic Bile Duct	0.0	0.0	236.7	0	0.0	0.0	164.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	236.7	0	^	^	^	^
Other Biliary	^	^	^	^	0.0	0.0	164.2	0
Pancreas	^	^	^	^	0.0	0.0	164.2	0
Retroperitoneum	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Digestive Organs	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Respiratory System	^	^	^	^	348.8	126.6	734.8	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Larynx	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Lung and Bronchus	^	^	^	^	348.8	126.6	734.8	6
Pleura	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Bones and Joints	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Soft Tissue including Heart	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Skin excluding Basal and Squamous	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Melanoma of the Skin	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Non-Epithelial Skin	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Breast	0.0	0.0	236.7	0	^	^	^	^
Female Genital System	0.0	0.0	236.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	236.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Corpus Uteri	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Uterus, NOS	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Ovary	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Vagina	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Vulva	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Female Genital Organs	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Male Genital System	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Prostate	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Testis	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Penis	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Male Genital Organs	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Urinary System	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Urinary Bladder	0.0	0.0	236.7	0	0.0	0.0	164.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Ureter	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Urinary Organs	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Eye and Orbit	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Brain and Other Nervous System	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Brain	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Cranial Nerves Other Nervous System	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Endocrine System	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Thyroid	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Endocrine including Thymus	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Lymphoma	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Hodgkin Lymphoma	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Hodgkin - Nodal	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Hodgkin - Extranodal	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Non-Hodgkin Lymphoma	0.0	0.0	236.7	0	0.0	0.0	164.2	0
NHL - Nodal	0.0	0.0	236.7	0	0.0	0.0	164.2	0
NHL - Extranodal	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Myeloma	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Leukemia	0.0	0.0	236.7	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Acute Lymphocytic Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Lymphocytic Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	236.7	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Acute Monocytic Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Chronic Myeloid Leukemia	0.0	0.0	236.7	0	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Other Acute Leukemia	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Mesothelioma	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Kaposi Sarcoma	0.0	0.0	236.7	0	0.0	0.0	164.2	0
Miscellaneous	0.0	0.0	236.7	0	0.0	0.0	164.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	593.2	348.8	945.7	19	247.4	97.3	516.4	7
Oral Cavity and Pharynx	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Lip	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Tongue	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Salivary Gland	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Floor of Mouth	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Gum and Other Mouth	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Nasopharynx	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Tonsil	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Oropharynx	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Hypopharynx	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Oral Cavity and Pharynx	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Digestive System	192.0	74.0	417.9	7	^	^	^	^
Esophagus	0.0	0.0	133.7	0	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	136.0	0
Small Intestine	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Colon and Rectum	^	^	^	^	0.0	0.0	136.0	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	136.0	0
Cecum	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Appendix	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Ascending Colon	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Hepatic Flexure	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Transverse Colon	^	^	^	^	0.0	0.0	136.0	0
Splenic Flexure	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Descending Colon	^	^	^	^	0.0	0.0	136.0	0
Sigmoid Colon	^	^	^	^	0.0	0.0	136.0	0
Large Intestine, NOS	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	136.0	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	136.0	0
Rectum	^	^	^	^	0.0	0.0	136.0	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	136.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	133.7	0	^	^	^	^
Liver	0.0	0.0	133.7	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	133.7	0	0.0	0.0	136.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Biliary	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Pancreas	0.0	0.0	133.7	0	^	^	^	^
Retroperitoneum	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Digestive Organs	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Respiratory System	^	^	^	^	0.0	0.0	136.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Larynx	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Lung and Bronchus	^	^	^	^	0.0	0.0	136.0	0
Pleura	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Bones and Joints	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Soft Tissue including Heart	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Skin excluding Basal and Squamous	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Melanoma of the Skin	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Non-Epithelial Skin	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Breast	0.0	0.0	133.7	0	^	^	^	^
Female Genital System	0.0	0.0	133.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Corpus and Uterus, NOS	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Corpus Uteri	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Uterus, NOS	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Ovary	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Vagina	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Vulva	0.0	0.0	133.7	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Male Genital System	176.3	61.0	404.2	6	0.0	0.0	136.0	0
Prostate	176.3	61.0	404.2	6	0.0	0.0	136.0	0
Testis	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Penis	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Male Genital Organs	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Urinary System	^	^	^	^	0.0	0.0	136.0	0
Urinary Bladder	^	^	^	^	0.0	0.0	136.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	136.0	0
Ureter	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Urinary Organs	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Eye and Orbit	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Brain and Other Nervous System	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Brain	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Cranial Nerves Other Nervous System	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Endocrine System	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Thyroid	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Endocrine including Thymus	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Lymphoma	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Hodgkin Lymphoma	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Hodgkin - Nodal	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Hodgkin - Extranodal	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Non-Hodgkin Lymphoma	0.0	0.0	133.7	0	0.0	0.0	136.0	0
NHL - Nodal	0.0	0.0	133.7	0	0.0	0.0	136.0	0
NHL - Extranodal	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Myeloma	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Lymphocytic Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Acute Lymphocytic Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Lymphocytic Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Acute Myeloid Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Acute Monocytic Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Chronic Myeloid Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Other Acute Leukemia	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Mesothelioma	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Kaposi Sarcoma	0.0	0.0	133.7	0	0.0	0.0	136.0	0
Miscellaneous	0.0	0.0	133.7	0	0.0	0.0	136.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	0.0	0.0	1,679.7	0
Oral Cavity and Pharynx	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Lip	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Tongue	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Salivary Gland	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Floor of Mouth	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Gum and Other Mouth	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Nasopharynx	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Tonsil	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Oropharynx	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Hypopharynx	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Oral Cavity and Pharynx	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Digestive System	^	^	^	^	0.0	0.0	1,679.7	0
Esophagus	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Stomach	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Small Intestine	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Colon and Rectum	^	^	^	^	0.0	0.0	1,679.7	0
Colon excluding Rectum	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Cecum	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Appendix	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Ascending Colon	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Hepatic Flexure	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Transverse Colon	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Splenic Flexure	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Descending Colon	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Sigmoid Colon	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Large Intestine, NOS	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,679.7	0
Rectosigmoid Junction	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Rectum	^	^	^	^	0.0	0.0	1,679.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Liver	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Intrahepatic Bile Duct	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Biliary	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Pancreas	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Retroperitoneum	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Digestive Organs	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Respiratory System	^	^	^	^	0.0	0.0	1,679.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Larynx	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Lung and Bronchus	^	^	^	^	0.0	0.0	1,679.7	0
Pleura	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Bones and Joints	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Soft Tissue including Heart	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Skin excluding Basal and Squamous	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Melanoma of the Skin	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Non-Epithelial Skin	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Breast	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Female Genital System	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Cervix Uteri	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Corpus and Uterus, NOS	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Corpus Uteri	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Uterus, NOS	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Ovary	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Vagina	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Vulva	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Female Genital Organs	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Male Genital System	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Prostate	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Testis	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Penis	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Male Genital Organs	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Urinary System	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Urinary Bladder	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Ureter	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Urinary Organs	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Eye and Orbit	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Brain and Other Nervous System	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Brain	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Cranial Nerves Other Nervous System	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Endocrine System	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Thyroid	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Endocrine including Thymus	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Lymphoma	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Hodgkin Lymphoma	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Hodgkin - Nodal	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Hodgkin - Extranodal	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Non-Hodgkin Lymphoma	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
NHL - Nodal	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
NHL - Extranodal	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Myeloma	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Lymphocytic Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Acute Lymphocytic Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Lymphocytic Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Acute Myeloid Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Acute Monocytic Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Chronic Myeloid Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Other Acute Leukemia	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Mesothelioma	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Kaposi Sarcoma	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0
Miscellaneous	0.0	0.0	1,953.7	0	0.0	0.0	1,679.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	758.7	431.4	1,221.6	19	489.4	253.1	854.8	13
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	153.9	0
Lip	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Tongue	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Salivary Gland	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Floor of Mouth	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	153.9	0
Nasopharynx	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Tonsil	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Oropharynx	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Hypopharynx	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Oral Cavity and Pharynx	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Digestive System	205.1	70.0	466.1	6	^	^	^	^
Esophagus	0.0	0.0	145.6	0	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	153.9	0
Small Intestine	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	145.6	0	^	^	^	^
Appendix	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Ascending Colon	^	^	^	^	0.0	0.0	153.9	0
Hepatic Flexure	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Transverse Colon	0.0	0.0	145.6	0	^	^	^	^
Splenic Flexure	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Descending Colon	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Sigmoid Colon	^	^	^	^	0.0	0.0	153.9	0
Large Intestine, NOS	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	153.9	0
Rectosigmoid Junction	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Rectum	^	^	^	^	0.0	0.0	153.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Liver	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Intrahepatic Bile Duct	0.0	0.0	145.6	0	0.0	0.0	153.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Biliary	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Pancreas	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Retroperitoneum	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Digestive Organs	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Larynx	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Bones and Joints	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Soft Tissue including Heart	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Skin excluding Basal and Squamous	0.0	0.0	145.6	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	145.6	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Breast	0.0	0.0	145.6	0	^	^	^	^
Female Genital System	0.0	0.0	145.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Corpus and Uterus, NOS	0.0	0.0	145.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	145.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Ovary	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Vagina	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Vulva	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Female Genital Organs	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Male Genital System	340.6	127.7	703.4	7	0.0	0.0	153.9	0
Prostate	311.0	107.0	669.2	6	0.0	0.0	153.9	0
Testis	^	^	^	^	0.0	0.0	153.9	0
Penis	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Male Genital Organs	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	153.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2004/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	145.6	0	^	^	^	^
Ureter	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Urinary Organs	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Eye and Orbit	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Brain and Other Nervous System	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Brain	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Cranial Nerves Other Nervous System	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Endocrine System	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Thyroid	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Endocrine including Thymus	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Lymphoma	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Hodgkin Lymphoma	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Hodgkin - Nodal	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Hodgkin - Extranodal	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Non-Hodgkin Lymphoma	0.0	0.0	145.6	0	0.0	0.0	153.9	0
NHL - Nodal	0.0	0.0	145.6	0	0.0	0.0	153.9	0
NHL - Extranodal	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Myeloma	^	^	^	^	0.0	0.0	153.9	0
Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Lymphocytic Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Acute Lymphocytic Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Lymphocytic Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Acute Myeloid Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Acute Monocytic Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Chronic Myeloid Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Other Acute Leukemia	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Mesothelioma	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Kaposi Sarcoma	0.0	0.0	145.6	0	0.0	0.0	153.9	0
Miscellaneous	0.0	0.0	145.6	0	0.0	0.0	153.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	691.4	0
Lip	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Tongue	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Salivary Gland	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Floor of Mouth	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	691.4	0
Nasopharynx	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Tonsil	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Oropharynx	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Hypopharynx	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Oral Cavity and Pharynx	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Digestive System	0.0	0.0	691.0	0	^	^	^	^
Esophagus	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Stomach	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Small Intestine	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Colon and Rectum	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Colon excluding Rectum	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Cecum	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Appendix	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Ascending Colon	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Hepatic Flexure	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Transverse Colon	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Splenic Flexure	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Descending Colon	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Sigmoid Colon	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Large Intestine, NOS	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Rectosigmoid Junction	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Rectum	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	691.0	0	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Liver	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Intrahepatic Bile Duct	0.0	0.0	691.0	0	0.0	0.0	691.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Biliary	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Pancreas	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Retroperitoneum	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Digestive Organs	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Respiratory System	0.0	0.0	691.0	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Larynx	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Lung and Bronchus	0.0	0.0	691.0	0	^	^	^	^
Pleura	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Bones and Joints	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Soft Tissue including Heart	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Skin excluding Basal and Squamous	0.0	0.0	691.0	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Non-Epithelial Skin	0.0	0.0	691.0	0	^	^	^	^
Breast	0.0	0.0	691.0	0	^	^	^	^
Female Genital System	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Cervix Uteri	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Corpus and Uterus, NOS	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Corpus Uteri	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Uterus, NOS	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Ovary	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Vagina	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Vulva	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Female Genital Organs	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Male Genital System	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Prostate	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Testis	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Penis	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Male Genital Organs	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Urinary System	0.0	0.0	691.0	0	^	^	^	^
Urinary Bladder	0.0	0.0	691.0	0	0.0	0.0	691.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	691.0	0	^	^	^	^
Ureter	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Urinary Organs	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Eye and Orbit	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Brain and Other Nervous System	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Brain	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Cranial Nerves Other Nervous System	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Endocrine System	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Thyroid	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Endocrine including Thymus	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Lymphoma	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Hodgkin Lymphoma	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Hodgkin - Nodal	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Hodgkin - Extranodal	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Non-Hodgkin Lymphoma	0.0	0.0	691.0	0	0.0	0.0	691.4	0
NHL - Nodal	0.0	0.0	691.0	0	0.0	0.0	691.4	0
NHL - Extranodal	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Myeloma	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Leukemia	^	^	^	^	0.0	0.0	691.4	0
Lymphocytic Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Acute Lymphocytic Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Lymphocytic Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	691.4	0
Acute Myeloid Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Acute Monocytic Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	691.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Other Acute Leukemia	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Mesothelioma	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Kaposi Sarcoma	0.0	0.0	691.0	0	0.0	0.0	691.4	0
Miscellaneous	0.0	0.0	691.0	0	0.0	0.0	691.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	558.7	184.8	1,280.2	7
Oral Cavity and Pharynx	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Lip	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Tongue	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Salivary Gland	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Floor of Mouth	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Gum and Other Mouth	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Nasopharynx	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Tonsil	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Oropharynx	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Hypopharynx	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Oral Cavity and Pharynx	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Digestive System	^	^	^	^	0.0	0.0	407.5	0
Esophagus	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Stomach	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Small Intestine	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Colon and Rectum	^	^	^	^	0.0	0.0	407.5	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	407.5	0
Cecum	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Appendix	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Ascending Colon	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Hepatic Flexure	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Transverse Colon	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Splenic Flexure	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Descending Colon	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Sigmoid Colon	^	^	^	^	0.0	0.0	407.5	0
Large Intestine, NOS	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	407.5	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	407.5	0
Rectum	^	^	^	^	0.0	0.0	407.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Liver	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Intrahepatic Bile Duct	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Biliary	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Pancreas	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Retroperitoneum	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Digestive Organs	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Respiratory System	0.0	0.0	1,217.9	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,217.9	0	^	^	^	^
Larynx	0.0	0.0	1,217.9	0	^	^	^	^
Lung and Bronchus	0.0	0.0	1,217.9	0	^	^	^	^
Pleura	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Bones and Joints	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Soft Tissue including Heart	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	407.5	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	407.5	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	407.5	0
Breast	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Female Genital System	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Cervix Uteri	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Corpus and Uterus, NOS	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Corpus Uteri	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Uterus, NOS	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Ovary	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Vagina	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Vulva	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Female Genital Organs	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Male Genital System	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Prostate	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Testis	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Penis	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Male Genital Organs	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Urinary System	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Urinary Bladder	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Ureter	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Urinary Organs	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Eye and Orbit	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Brain and Other Nervous System	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Brain	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Cranial Nerves Other Nervous System	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Endocrine System	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Thyroid	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Endocrine including Thymus	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Lymphoma	0.0	0.0	1,217.9	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Hodgkin - Nodal	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Hodgkin - Extranodal	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Non-Hodgkin Lymphoma	0.0	0.0	1,217.9	0	^	^	^	^
NHL - Nodal	0.0	0.0	1,217.9	0	^	^	^	^
NHL - Extranodal	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Myeloma	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Leukemia	0.0	0.0	1,217.9	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	1,217.9	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,217.9	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Acute Myeloid Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Acute Monocytic Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Chronic Myeloid Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Other Acute Leukemia	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Mesothelioma	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Kaposi Sarcoma	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0
Miscellaneous	0.0	0.0	1,217.9	0	0.0	0.0	407.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	493.8	442.9	548.4	451	460.1	417.7	505.4	487
Oral Cavity and Pharynx	14.2	7.4	24.4	15	7.2	3.1	14.1	9
Lip	^	^	^	^	^	^	^	^
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	4.4	0	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Tonsil	^	^	^	^	0.0	0.0	3.4	0
Oropharynx	^	^	^	^	0.0	0.0	3.4	0
Hypopharynx	^	^	^	^	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Digestive System	109.5	85.3	137.9	93	85.8	67.3	107.5	81
Esophagus	6.4	2.3	14.3	7	^	^	^	^
Stomach	8.5	3.3	17.4	9	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	55.5	38.2	77.2	44	50.6	36.6	67.9	47
Colon excluding Rectum	37.3	23.7	55.2	32	41.1	28.3	57.2	36
Cecum	12.1	4.0	25.7	7	14.0	7.1	24.3	12
Appendix	0.0	0.0	4.4	0	^	^	^	^
Ascending Colon	^	^	^	^	10.2	4.3	19.7	8
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Descending Colon	^	^	^	^	0.0	0.0	3.4	0
Sigmoid Colon	14.8	7.6	25.7	14	6.1	2.0	13.6	6
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	18.2	8.6	32.4	12	9.6	4.6	17.5	11
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	11.7	4.4	23.7	8	8.0	3.5	15.6	9
Anus, Anal Canal and Anorectum	0.0	0.0	4.4	0	^	^	^	^
Liver and Intrahepatic Bile Duct	13.6	5.6	26.3	11	^	^	^	^
Liver	13.6	5.6	26.3	11	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.4	0	0.0	0.0	3.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Other Biliary	0.0	0.0	4.4	0	^	^	^	^
Pancreas	14.7	6.8	26.9	12	12.0	5.8	21.5	11
Retroperitoneum	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.4	0	^	^	^	^
Other Digestive Organs	9.1	3.8	18.1	8	^	^	^	^
Respiratory System	87.6	66.9	112.2	75	77.4	59.3	98.9	66
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	^	^	^	^	0.0	0.0	3.4	0
Lung and Bronchus	86.1	65.5	110.6	73	75.5	57.6	96.7	64
Pleura	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	7.6	2.8	16.2	8	^	^	^	^
Skin excluding Basal and Squamous	12.5	5.8	23.3	13	^	^	^	^
Melanoma of the Skin	7.3	3.4	14.2	10	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	3.4	0
Breast	^	^	^	^	138.1	116.1	162.9	157
Female Genital System	0.0	0.0	4.4	0	43.7	32.1	57.9	53
Cervix Uteri	0.0	0.0	4.4	0	9.5	4.9	16.8	13
Corpus and Uterus, NOS	0.0	0.0	4.4	0	18.1	11.4	27.5	24
Corpus Uteri	0.0	0.0	4.4	0	18.1	11.4	27.5	24
Uterus, NOS	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Ovary	0.0	0.0	4.4	0	14.3	7.5	24.3	14
Vagina	0.0	0.0	4.4	0	^	^	^	^
Vulva	0.0	0.0	4.4	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Male Genital System	109.2	88.1	133.7	114	0.0	0.0	3.4	0
Prostate	100.6	80.0	124.5	101	0.0	0.0	3.4	0
Testis	8.7	4.6	15.7	13	0.0	0.0	3.4	0
Penis	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Other Male Genital Organs	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Urinary System	64.9	47.1	86.7	55	18.2	10.6	28.9	19
Urinary Bladder	40.4	26.1	58.9	31	8.3	3.4	16.4	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	24.5	14.8	37.9	24	8.6	3.8	16.3	10
Ureter	0.0	0.0	4.4	0	^	^	^	^
Other Urinary Organs	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Eye and Orbit	^	^	^	^	0.0	0.0	3.4	0
Brain and Other Nervous System	^	^	^	^	7.4	3.1	14.6	9
Brain	^	^	^	^	7.4	3.1	14.6	9
Cranial Nerves Other Nervous System	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Endocrine System	8.1	3.9	15.5	11	21.2	14.1	31.0	29
Thyroid	8.1	3.9	15.5	11	21.2	14.1	31.0	29
Other Endocrine including Thymus	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Lymphoma	24.1	13.9	38.2	22	29.3	19.2	42.5	30
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Non-Hodgkin Lymphoma	20.0	10.5	33.7	17	27.2	17.6	40.0	28
NHL - Nodal	13.3	5.9	24.9	12	18.8	10.9	29.8	19
NHL - Extranodal	^	^	^	^	8.4	3.6	16.4	9
Myeloma	8.9	3.5	18.1	8	^	^	^	^
Leukemia	19.4	9.5	33.8	14	12.8	6.7	22.0	14
Lymphocytic Leukemia	13.8	5.5	27.1	9	5.6	2.1	12.0	7
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	13.2	5.0	26.4	8	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	5.9	2.0	13.0	6
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	3.4	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Other Leukemia	0.0	0.0	4.4	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	4.4	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	4.4	0	0.0	0.0	3.4	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	^	^	^	^	0.0	0.0	3.4	0
Miscellaneous	18.1	7.9	33.7	12	7.1	2.7	14.7	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	549.5	338.7	829.4	25	406.4	238.0	640.3	21
Oral Cavity and Pharynx	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Lip	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Tongue	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Salivary Gland	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Floor of Mouth	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Gum and Other Mouth	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Nasopharynx	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Tonsil	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Oropharynx	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Hypopharynx	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Oral Cavity and Pharynx	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Digestive System	200.4	83.5	388.3	9	101.9	35.7	228.7	6
Esophagus	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Stomach	^	^	^	^	0.0	0.0	72.1	0
Small Intestine	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Appendix	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Transverse Colon	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Splenic Flexure	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Descending Colon	0.0	0.0	68.7	0	^	^	^	^
Sigmoid Colon	0.0	0.0	68.7	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	68.7	0	^	^	^	^
Rectum	^	^	^	^	0.0	0.0	72.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Liver	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Intrahepatic Bile Duct	0.0	0.0	68.7	0	0.0	0.0	72.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Biliary	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Digestive Organs	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Larynx	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Bones and Joints	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Soft Tissue including Heart	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Skin excluding Basal and Squamous	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Melanoma of the Skin	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Non-Epithelial Skin	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Breast	0.0	0.0	68.7	0	^	^	^	^
Female Genital System	0.0	0.0	68.7	0	^	^	^	^
Cervix Uteri	0.0	0.0	68.7	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	68.7	0	^	^	^	^
Corpus Uteri	0.0	0.0	68.7	0	^	^	^	^
Uterus, NOS	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Ovary	0.0	0.0	68.7	0	^	^	^	^
Vagina	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Vulva	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Female Genital Organs	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Male Genital System	^	^	^	^	0.0	0.0	72.1	0
Prostate	^	^	^	^	0.0	0.0	72.1	0
Testis	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Penis	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Male Genital Organs	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Urinary Organs	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Eye and Orbit	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	0.0	0.0	72.1	0
Cranial Nerves Other Nervous System	0.0	0.0	68.7	0	^	^	^	^
Endocrine System	^	^	^	^	0.0	0.0	72.1	0
Thyroid	^	^	^	^	0.0	0.0	72.1	0
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	72.1	0
Lymphoma	0.0	0.0	68.7	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Hodgkin - Nodal	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Hodgkin - Extranodal	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Non-Hodgkin Lymphoma	0.0	0.0	68.7	0	^	^	^	^
NHL - Nodal	0.0	0.0	68.7	0	^	^	^	^
NHL - Extranodal	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Myeloma	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Acute Lymphocytic Leukemia	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Lymphocytic Leukemia	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	72.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Leukemia	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Other Acute Leukemia	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Mesothelioma	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Kaposi Sarcoma	0.0	0.0	68.7	0	0.0	0.0	72.1	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	2,182.0	795.7	4,665.9	8	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1,519.1	0
Lip	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Tongue	^	^	^	^	0.0	0.0	1,519.1	0
Salivary Gland	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Floor of Mouth	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Gum and Other Mouth	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Nasopharynx	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Tonsil	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Oropharynx	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Hypopharynx	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	1,519.1	0
Stomach	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Small Intestine	^	^	^	^	0.0	0.0	1,519.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	1,252.7	0	^	^	^	^
Appendix	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Ascending Colon	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Hepatic Flexure	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Transverse Colon	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Splenic Flexure	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Descending Colon	^	^	^	^	0.0	0.0	1,519.1	0
Sigmoid Colon	^	^	^	^	0.0	0.0	1,519.1	0
Large Intestine, NOS	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,519.1	0
Rectosigmoid Junction	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Rectum	^	^	^	^	0.0	0.0	1,519.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Liver	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Intrahepatic Bile Duct	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Biliary	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Pancreas	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Retroperitoneum	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Digestive Organs	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Respiratory System	^	^	^	^	0.0	0.0	1,519.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Larynx	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Lung and Bronchus	^	^	^	^	0.0	0.0	1,519.1	0
Pleura	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Bones and Joints	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	1,519.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Melanoma of the Skin	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Non-Epithelial Skin	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Breast	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Female Genital System	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Cervix Uteri	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Corpus and Uterus, NOS	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Corpus Uteri	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Uterus, NOS	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Ovary	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Vagina	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Vulva	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Female Genital Organs	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Male Genital System	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Prostate	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Testis	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Penis	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Male Genital Organs	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Urinary System	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Urinary Bladder	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Ureter	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Urinary Organs	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Eye and Orbit	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Brain and Other Nervous System	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Brain	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Endocrine System	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Thyroid	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Endocrine including Thymus	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Lymphoma	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Hodgkin Lymphoma	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Hodgkin - Nodal	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Hodgkin - Extranodal	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
NHL - Nodal	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
NHL - Extranodal	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Myeloma	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Lymphocytic Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Lymphocytic Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Acute Myeloid Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Acute Monocytic Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Other Acute Leukemia	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Mesothelioma	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Kaposi Sarcoma	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0
Miscellaneous	0.0	0.0	1,252.7	0	0.0	0.0	1,519.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	915.5	270.1	2,207.5	6	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Lip	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Tongue	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Salivary Gland	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Floor of Mouth	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Gum and Other Mouth	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Nasopharynx	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Tonsil	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Oropharynx	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Hypopharynx	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Oral Cavity and Pharynx	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Digestive System	^	^	^	^	0.0	0.0	1,593.0	0
Esophagus	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Stomach	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Small Intestine	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Colon and Rectum	^	^	^	^	0.0	0.0	1,593.0	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	1,593.0	0
Cecum	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Appendix	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Ascending Colon	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Hepatic Flexure	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Transverse Colon	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Splenic Flexure	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Descending Colon	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Sigmoid Colon	^	^	^	^	0.0	0.0	1,593.0	0
Large Intestine, NOS	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	1,593.0	0
Rectosigmoid Junction	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Rectum	^	^	^	^	0.0	0.0	1,593.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Liver	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Intrahepatic Bile Duct	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Biliary	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Pancreas	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Retroperitoneum	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Digestive Organs	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Respiratory System	^	^	^	^	0.0	0.0	1,593.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Larynx	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Lung and Bronchus	^	^	^	^	0.0	0.0	1,593.0	0
Pleura	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Bones and Joints	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Soft Tissue including Heart	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Skin excluding Basal and Squamous	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Melanoma of the Skin	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Non-Epithelial Skin	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Breast	0.0	0.0	740.1	0	^	^	^	^
Female Genital System	0.0	0.0	740.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	740.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Corpus Uteri	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Uterus, NOS	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Ovary	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Vagina	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Vulva	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Female Genital Organs	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Male Genital System	^	^	^	^	0.0	0.0	1,593.0	0
Prostate	^	^	^	^	0.0	0.0	1,593.0	0
Testis	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Penis	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Male Genital Organs	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Urinary System	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Urinary Bladder	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Ureter	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Urinary Organs	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Eye and Orbit	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Brain and Other Nervous System	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Brain	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Cranial Nerves Other Nervous System	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Endocrine System	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Thyroid	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Endocrine including Thymus	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Lymphoma	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Hodgkin Lymphoma	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Hodgkin - Nodal	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Hodgkin - Extranodal	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Non-Hodgkin Lymphoma	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
NHL - Nodal	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
NHL - Extranodal	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Myeloma	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Leukemia	0.0	0.0	740.1	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	740.1	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	740.1	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Acute Myeloid Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Acute Monocytic Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Chronic Myeloid Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Other Acute Leukemia	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Mesothelioma	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Kaposi Sarcoma	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0
Miscellaneous	0.0	0.0	740.1	0	0.0	0.0	1,593.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	416.2	181.2	825.9	9	441.7	182.6	880.8	8
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	197.0	0
Lip	^	^	^	^	0.0	0.0	197.0	0
Tongue	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Salivary Gland	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Floor of Mouth	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Gum and Other Mouth	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Nasopharynx	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Tonsil	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Oropharynx	^	^	^	^	0.0	0.0	197.0	0
Hypopharynx	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Oral Cavity and Pharynx	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	197.0	0
Stomach	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Small Intestine	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Appendix	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Ascending Colon	0.0	0.0	221.1	0	^	^	^	^
Hepatic Flexure	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Transverse Colon	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Splenic Flexure	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Descending Colon	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Sigmoid Colon	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	197.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	221.1	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Rectum	0.0	0.0	221.1	0	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	197.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	0.0	0.0	197.0	0
Intrahepatic Bile Duct	0.0	0.0	221.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Biliary	0.0	0.0	221.1	0	^	^	^	^
Pancreas	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Retroperitoneum	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Digestive Organs	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Respiratory System	^	^	^	^	0.0	0.0	197.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Larynx	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Lung and Bronchus	^	^	^	^	0.0	0.0	197.0	0
Pleura	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Bones and Joints	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Soft Tissue including Heart	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Skin excluding Basal and Squamous	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Melanoma of the Skin	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Non-Epithelial Skin	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Breast	0.0	0.0	221.1	0	^	^	^	^
Female Genital System	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Cervix Uteri	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Corpus and Uterus, NOS	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Corpus Uteri	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Uterus, NOS	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Ovary	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Vagina	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Vulva	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Female Genital Organs	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Male Genital System	^	^	^	^	0.0	0.0	197.0	0
Prostate	^	^	^	^	0.0	0.0	197.0	0
Testis	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Penis	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Male Genital Organs	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Urinary System	0.0	0.0	221.1	0	^	^	^	^
Urinary Bladder	0.0	0.0	221.1	0	0.0	0.0	197.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	221.1	0	^	^	^	^
Ureter	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Urinary Organs	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Eye and Orbit	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Brain and Other Nervous System	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Brain	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Cranial Nerves Other Nervous System	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Endocrine System	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Thyroid	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Endocrine including Thymus	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Lymphoma	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Hodgkin Lymphoma	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Hodgkin - Nodal	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Hodgkin - Extranodal	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Non-Hodgkin Lymphoma	0.0	0.0	221.1	0	0.0	0.0	197.0	0
NHL - Nodal	0.0	0.0	221.1	0	0.0	0.0	197.0	0
NHL - Extranodal	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Myeloma	0.0	0.0	221.1	0	^	^	^	^
Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Lymphocytic Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Acute Lymphocytic Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Lymphocytic Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Acute Myeloid Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Acute Monocytic Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Chronic Myeloid Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Other Acute Leukemia	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Mesothelioma	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Kaposi Sarcoma	0.0	0.0	221.1	0	0.0	0.0	197.0	0
Miscellaneous	0.0	0.0	221.1	0	0.0	0.0	197.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	532.2	439.1	637.3	146	471.3	390.1	563.1	137
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	11.5	0
Lip	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Tongue	^	^	^	^	0.0	0.0	11.5	0
Salivary Gland	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Floor of Mouth	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Gum and Other Mouth	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Nasopharynx	^	^	^	^	0.0	0.0	11.5	0
Tonsil	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Oropharynx	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Hypopharynx	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Other Oral Cavity and Pharynx	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Digestive System	76.7	45.0	120.6	21	62.9	34.0	104.0	15
Esophagus	^	^	^	^	0.0	0.0	11.5	0
Stomach	^	^	^	^	0.0	0.0	11.5	0
Small Intestine	0.0	0.0	13.2	0	^	^	^	^
Colon and Rectum	42.3	18.9	78.8	10	50.7	24.6	89.6	11
Colon excluding Rectum	38.6	16.3	74.3	9	43.2	19.3	80.1	9
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	13.2	0	^	^	^	^
Transverse Colon	0.0	0.0	13.2	0	^	^	^	^
Splenic Flexure	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Descending Colon	^	^	^	^	0.0	0.0	11.5	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	13.2	0	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	11.5	0
Liver	^	^	^	^	0.0	0.0	11.5	0
Intrahepatic Bile Duct	0.0	0.0	13.2	0	0.0	0.0	11.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Other Biliary	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Pancreas	0.0	0.0	13.2	0	^	^	^	^
Retroperitoneum	^	^	^	^	0.0	0.0	11.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Other Digestive Organs	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Respiratory System	78.5	44.3	126.1	19	90.1	56.1	135.5	24
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Larynx	0.0	0.0	13.2	0	^	^	^	^
Lung and Bronchus	78.5	44.3	126.1	19	87.2	53.6	132.2	23
Pleura	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Bones and Joints	^	^	^	^	0.0	0.0	11.5	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	11.5	0
Skin excluding Basal and Squamous	^	^	^	^	24.9	11.0	48.4	10
Melanoma of the Skin	^	^	^	^	21.0	8.2	43.8	8
Other Non-Epithelial Skin	0.0	0.0	13.2	0	^	^	^	^
Breast	^	^	^	^	151.6	107.6	206.3	45
Female Genital System	0.0	0.0	13.2	0	47.5	26.8	77.6	17
Cervix Uteri	0.0	0.0	13.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	13.2	0	^	^	^	^
Corpus Uteri	0.0	0.0	13.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Ovary	0.0	0.0	13.2	0	^	^	^	^
Vagina	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Vulva	0.0	0.0	13.2	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Male Genital System	199.6	144.7	266.6	56	0.0	0.0	11.5	0
Prostate	194.2	139.6	261.0	52	0.0	0.0	11.5	0
Testis	^	^	^	^	0.0	0.0	11.5	0
Penis	^	^	^	^	0.0	0.0	11.5	0
Other Male Genital Organs	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Urinary System	63.3	35.1	103.4	17	^	^	^	^
Urinary Bladder	55.4	28.5	95.0	13	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Other Urinary Organs	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Eye and Orbit	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Lymphoma	14.7	4.2	36.5	6	22.6	7.7	49.1	6
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	11.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	11.5	0
Hodgkin - Extranodal	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Non-Hodgkin Lymphoma	^	^	^	^	22.6	7.7	49.1	6
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	28.1	10.3	58.9	8	13.9	5.0	31.9	6
Lymphocytic Leukemia	25.2	8.1	55.8	6	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	11.5	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	13.2	0	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	11.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Other Leukemia	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Other Acute Leukemia	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Mesothelioma	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Kaposi Sarcoma	0.0	0.0	13.2	0	0.0	0.0	11.5	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	664.7	260.4	1,416.6	7	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Lip	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Tongue	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Salivary Gland	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Floor of Mouth	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Gum and Other Mouth	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Nasopharynx	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Tonsil	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Oropharynx	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Hypopharynx	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Oral Cavity and Pharynx	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Digestive System	0.0	0.0	426.3	0	^	^	^	^
Esophagus	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Stomach	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Small Intestine	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Colon and Rectum	0.0	0.0	426.3	0	^	^	^	^
Colon excluding Rectum	0.0	0.0	426.3	0	^	^	^	^
Cecum	0.0	0.0	426.3	0	^	^	^	^
Appendix	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Ascending Colon	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Hepatic Flexure	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Transverse Colon	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Splenic Flexure	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Descending Colon	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Sigmoid Colon	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Large Intestine, NOS	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Rectosigmoid Junction	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Rectum	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Liver	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Intrahepatic Bile Duct	0.0	0.0	426.3	0	0.0	0.0	391.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Biliary	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Pancreas	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Retroperitoneum	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Digestive Organs	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Respiratory System	^	^	^	^	0.0	0.0	391.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Larynx	^	^	^	^	0.0	0.0	391.3	0
Lung and Bronchus	^	^	^	^	0.0	0.0	391.3	0
Pleura	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Bones and Joints	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Soft Tissue including Heart	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Skin excluding Basal and Squamous	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Melanoma of the Skin	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Non-Epithelial Skin	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Breast	0.0	0.0	426.3	0	^	^	^	^
Female Genital System	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Cervix Uteri	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Corpus and Uterus, NOS	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Corpus Uteri	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Uterus, NOS	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Ovary	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Vagina	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Vulva	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Female Genital Organs	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Male Genital System	^	^	^	^	0.0	0.0	391.3	0
Prostate	^	^	^	^	0.0	0.0	391.3	0
Testis	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Penis	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Male Genital Organs	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Urinary System	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Urinary Bladder	0.0	0.0	426.3	0	0.0	0.0	391.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Ureter	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Urinary Organs	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Eye and Orbit	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Brain and Other Nervous System	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Brain	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Cranial Nerves Other Nervous System	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Endocrine System	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Thyroid	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Endocrine including Thymus	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Lymphoma	^	^	^	^	0.0	0.0	391.3	0
Hodgkin Lymphoma	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Hodgkin - Nodal	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Hodgkin - Extranodal	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	391.3	0
NHL - Nodal	^	^	^	^	0.0	0.0	391.3	0
NHL - Extranodal	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Myeloma	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Lymphocytic Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Acute Lymphocytic Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Lymphocytic Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Acute Myeloid Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Acute Monocytic Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Chronic Myeloid Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Other Acute Leukemia	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Mesothelioma	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Kaposi Sarcoma	0.0	0.0	426.3	0	0.0	0.0	391.3	0
Miscellaneous	0.0	0.0	426.3	0	0.0	0.0	391.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	500.8	362.7	670.2	57	427.6	316.1	564.2	56
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	29.0	0
Lip	^	^	^	^	0.0	0.0	29.0	0
Tongue	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Salivary Gland	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Floor of Mouth	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	29.0	0
Nasopharynx	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Tonsil	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Oropharynx	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Hypopharynx	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Oral Cavity and Pharynx	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Digestive System	123.9	57.6	225.5	10	69.1	26.6	141.3	7
Esophagus	^	^	^	^	0.0	0.0	29.0	0
Stomach	^	^	^	^	0.0	0.0	29.0	0
Small Intestine	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	34.2	0	^	^	^	^
Appendix	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Ascending Colon	^	^	^	^	0.0	0.0	29.0	0
Hepatic Flexure	0.0	0.0	34.2	0	^	^	^	^
Transverse Colon	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Splenic Flexure	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Descending Colon	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Sigmoid Colon	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	29.0	0
Liver	^	^	^	^	0.0	0.0	29.0	0
Intrahepatic Bile Duct	0.0	0.0	34.2	0	0.0	0.0	29.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Digestive Organs	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Respiratory System	75.0	26.4	159.5	8	86.8	38.3	164.1	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Larynx	^	^	^	^	0.0	0.0	29.0	0
Lung and Bronchus	69.4	22.4	153.3	7	86.8	38.3	164.1	9
Pleura	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Bones and Joints	0.0	0.0	34.2	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	0.0	0.0	29.0	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Breast	0.0	0.0	34.2	0	108.4	60.7	179.4	17
Female Genital System	0.0	0.0	34.2	0	39.8	15.5	87.0	7
Cervix Uteri	0.0	0.0	34.2	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	34.2	0	^	^	^	^
Corpus Uteri	0.0	0.0	34.2	0	^	^	^	^
Uterus, NOS	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Ovary	0.0	0.0	34.2	0	^	^	^	^
Vagina	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Vulva	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Female Genital Organs	0.0	0.0	34.2	0	^	^	^	^
Male Genital System	75.4	31.5	149.6	10	0.0	0.0	29.0	0
Prostate	68.2	26.6	140.8	9	0.0	0.0	29.0	0
Testis	^	^	^	^	0.0	0.0	29.0	0
Penis	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Male Genital Organs	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Urinary System	55.0	17.0	126.4	6	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Urinary Organs	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Eye and Orbit	^	^	^	^	0.0	0.0	29.0	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	0.0	0.0	34.2	0	^	^	^	^
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	29.0	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Lymphoma	50.0	14.2	119.5	6	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	29.0	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	29.0	0
Hodgkin - Extranodal	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	29.0	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	29.0	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	29.0	0
Acute Monocytic Leukemia	^	^	^	^	0.0	0.0	29.0	0
Chronic Myeloid Leukemia	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Leukemia	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Other Acute Leukemia	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Mesothelioma	^	^	^	^	0.0	0.0	29.0	0
Kaposi Sarcoma	0.0	0.0	34.2	0	0.0	0.0	29.0	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	445.3	352.4	554.3	104	401.7	322.2	494.8	95
Oral Cavity and Pharynx	20.7	7.4	49.1	6	0.0	0.0	17.1	0
Lip	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Tongue	^	^	^	^	0.0	0.0	17.1	0
Salivary Gland	^	^	^	^	0.0	0.0	17.1	0
Floor of Mouth	^	^	^	^	0.0	0.0	17.1	0
Gum and Other Mouth	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Nasopharynx	^	^	^	^	0.0	0.0	17.1	0
Tonsil	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Oropharynx	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Hypopharynx	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Other Oral Cavity and Pharynx	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Digestive System	121.0	68.6	193.5	23	36.0	15.1	72.0	8
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	17.1	0
Small Intestine	^	^	^	^	0.0	0.0	17.1	0
Colon and Rectum	42.2	19.1	81.2	10	^	^	^	^
Colon excluding Rectum	35.0	14.1	72.4	8	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	17.1	0
Ascending Colon	0.0	0.0	20.0	0	^	^	^	^
Hepatic Flexure	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Transverse Colon	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Splenic Flexure	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Descending Colon	^	^	^	^	0.0	0.0	17.1	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	0.0	0.0	17.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	17.1	0
Rectosigmoid Junction	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Rectum	^	^	^	^	0.0	0.0	17.1	0
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	17.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	17.1	0
Liver	^	^	^	^	0.0	0.0	17.1	0
Intrahepatic Bile Duct	0.0	0.0	20.0	0	0.0	0.0	17.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Other Biliary	^	^	^	^	0.0	0.0	17.1	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Peritoneum, Omentum and Mesentery	^	^	^	^	0.0	0.0	17.1	0
Other Digestive Organs	^	^	^	^	0.0	0.0	17.1	0
Respiratory System	42.8	22.3	77.1	13	59.0	30.8	102.2	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	35.6	17.3	67.8	11	55.0	27.8	97.3	12
Pleura	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Bones and Joints	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Soft Tissue including Heart	0.0	0.0	20.0	0	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	20.0	0	^	^	^	^
Breast	0.0	0.0	20.0	0	155.3	107.6	216.9	37
Female Genital System	0.0	0.0	20.0	0	45.8	22.9	82.6	12
Cervix Uteri	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Corpus and Uterus, NOS	0.0	0.0	20.0	0	33.7	14.0	68.2	8
Corpus Uteri	0.0	0.0	20.0	0	33.7	14.0	68.2	8
Uterus, NOS	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Ovary	0.0	0.0	20.0	0	^	^	^	^
Vagina	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Vulva	0.0	0.0	20.0	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Male Genital System	119.3	72.8	183.0	27	0.0	0.0	17.1	0
Prostate	116.9	70.7	180.4	26	0.0	0.0	17.1	0
Testis	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Penis	^	^	^	^	0.0	0.0	17.1	0
Other Male Genital Organs	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Urinary System	55.9	28.6	98.8	13	^	^	^	^
Urinary Bladder	32.0	12.2	68.5	7	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	23.9	8.2	55.6	6	^	^	^	^
Ureter	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Other Urinary Organs	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Eye and Orbit	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Endocrine System	0.0	0.0	20.0	0	22.2	7.7	51.0	6
Thyroid	0.0	0.0	20.0	0	22.2	7.7	51.0	6
Other Endocrine including Thymus	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Lymphoma	34.7	14.6	70.5	9	26.8	9.7	58.9	6
Hodgkin Lymphoma	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Hodgkin - Nodal	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Hodgkin - Extranodal	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Non-Hodgkin Lymphoma	34.7	14.6	70.5	9	26.8	9.7	58.9	6
NHL - Nodal	23.6	7.8	55.5	6	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	0.0	0.0	17.1	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	17.1	0
Acute Lymphocytic Leukemia	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	17.1	0
Other Lymphocytic Leukemia	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Chronic Myeloid Leukemia	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Other Leukemia	0.0	0.0	20.0	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	20.0	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Mesothelioma	^	^	^	^	0.0	0.0	17.1	0
Kaposi Sarcoma	0.0	0.0	20.0	0	0.0	0.0	17.1	0
Miscellaneous	^	^	^	^	0.0	0.0	17.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	513.8	332.7	753.9	30	405.2	257.9	605.4	25
Oral Cavity and Pharynx	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Lip	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Tongue	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Salivary Gland	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Floor of Mouth	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Gum and Other Mouth	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Nasopharynx	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Tonsil	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Oropharynx	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Hypopharynx	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Oral Cavity and Pharynx	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Digestive System	170.7	72.4	332.7	9	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	63.0	0
Stomach	^	^	^	^	0.0	0.0	63.0	0
Small Intestine	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Appendix	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Ascending Colon	0.0	0.0	66.4	0	^	^	^	^
Hepatic Flexure	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Descending Colon	^	^	^	^	0.0	0.0	63.0	0
Sigmoid Colon	^	^	^	^	0.0	0.0	63.0	0
Large Intestine, NOS	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	63.0	0
Rectosigmoid Junction	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Rectum	^	^	^	^	0.0	0.0	63.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	63.0	0
Liver	^	^	^	^	0.0	0.0	63.0	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	63.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Biliary	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Pancreas	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Retroperitoneum	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Larynx	^	^	^	^	0.0	0.0	63.0	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Bones and Joints	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Soft Tissue including Heart	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Skin excluding Basal and Squamous	0.0	0.0	66.4	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	66.4	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Breast	0.0	0.0	66.4	0	71.5	26.0	166.4	6
Female Genital System	0.0	0.0	66.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Corpus and Uterus, NOS	0.0	0.0	66.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	66.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Ovary	0.0	0.0	66.4	0	^	^	^	^
Vagina	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Vulva	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Female Genital Organs	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Male Genital System	112.8	41.5	243.1	7	0.0	0.0	63.0	0
Prostate	112.8	41.5	243.1	7	0.0	0.0	63.0	0
Testis	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Penis	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Male Genital Organs	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	63.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Urinary Organs	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Eye and Orbit	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Brain and Other Nervous System	0.0	0.0	66.4	0	^	^	^	^
Brain	0.0	0.0	66.4	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Hodgkin - Nodal	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Hodgkin - Extranodal	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	63.0	0
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Lymphocytic Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Acute Lymphocytic Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Lymphocytic Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Acute Myeloid Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Acute Monocytic Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Chronic Myeloid Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Other Acute Leukemia	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Mesothelioma	^	^	^	^	0.0	0.0	63.0	0
Kaposi Sarcoma	0.0	0.0	66.4	0	0.0	0.0	63.0	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	425.5	220.8	719.8	15	390.1	217.9	637.9	18
Oral Cavity and Pharynx	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Lip	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Tongue	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Salivary Gland	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Floor of Mouth	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Gum and Other Mouth	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Nasopharynx	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Tonsil	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Oropharynx	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Hypopharynx	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Oral Cavity and Pharynx	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Stomach	^	^	^	^	0.0	0.0	85.3	0
Small Intestine	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Appendix	^	^	^	^	0.0	0.0	85.3	0
Ascending Colon	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Hepatic Flexure	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Transverse Colon	0.0	0.0	81.8	0	^	^	^	^
Splenic Flexure	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Descending Colon	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Sigmoid Colon	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Large Intestine, NOS	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	85.3	0
Rectosigmoid Junction	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Rectum	^	^	^	^	0.0	0.0	85.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Liver	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Intrahepatic Bile Duct	0.0	0.0	81.8	0	0.0	0.0	85.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Biliary	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Pancreas	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Retroperitoneum	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Digestive Organs	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Larynx	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Bones and Joints	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Soft Tissue including Heart	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Skin excluding Basal and Squamous	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Melanoma of the Skin	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Non-Epithelial Skin	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Breast	0.0	0.0	81.8	0	^	^	^	^
Female Genital System	0.0	0.0	81.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Corpus and Uterus, NOS	0.0	0.0	81.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	81.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Ovary	0.0	0.0	81.8	0	^	^	^	^
Vagina	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Vulva	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Female Genital Organs	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Male Genital System	^	^	^	^	0.0	0.0	85.3	0
Prostate	^	^	^	^	0.0	0.0	85.3	0
Testis	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Penis	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Male Genital Organs	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	81.8	0	^	^	^	^
Ureter	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Urinary Organs	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Eye and Orbit	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Brain and Other Nervous System	0.0	0.0	81.8	0	^	^	^	^
Brain	0.0	0.0	81.8	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Endocrine System	^	^	^	^	0.0	0.0	85.3	0
Thyroid	^	^	^	^	0.0	0.0	85.3	0
Other Endocrine including Thymus	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Non-Hodgkin Lymphoma	0.0	0.0	81.8	0	^	^	^	^
NHL - Nodal	0.0	0.0	81.8	0	0.0	0.0	85.3	0
NHL - Extranodal	0.0	0.0	81.8	0	^	^	^	^
Myeloma	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	81.8	0	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	85.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Acute Myeloid Leukemia	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Acute Monocytic Leukemia	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Chronic Myeloid Leukemia	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Leukemia	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Other Acute Leukemia	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Mesothelioma	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Kaposi Sarcoma	0.0	0.0	81.8	0	0.0	0.0	85.3	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Lip	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Tongue	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Salivary Gland	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Floor of Mouth	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Gum and Other Mouth	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Nasopharynx	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Tonsil	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Oropharynx	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Hypopharynx	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Oral Cavity and Pharynx	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Digestive System	^	^	^	^	0.0	0.0	855.4	0
Esophagus	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Stomach	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Small Intestine	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Colon and Rectum	^	^	^	^	0.0	0.0	855.4	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	855.4	0
Cecum	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Appendix	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Ascending Colon	^	^	^	^	0.0	0.0	855.4	0
Hepatic Flexure	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Transverse Colon	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Splenic Flexure	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Descending Colon	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Sigmoid Colon	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Large Intestine, NOS	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Rectosigmoid Junction	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Rectum	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Liver	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Intrahepatic Bile Duct	0.0	0.0	846.2	0	0.0	0.0	855.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Biliary	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Pancreas	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Retroperitoneum	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Digestive Organs	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Respiratory System	0.0	0.0	846.2	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Larynx	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Lung and Bronchus	0.0	0.0	846.2	0	^	^	^	^
Pleura	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Bones and Joints	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Soft Tissue including Heart	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Skin excluding Basal and Squamous	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Melanoma of the Skin	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Non-Epithelial Skin	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Breast	0.0	0.0	846.2	0	^	^	^	^
Female Genital System	0.0	0.0	846.2	0	^	^	^	^
Cervix Uteri	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Corpus and Uterus, NOS	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Corpus Uteri	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Uterus, NOS	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Ovary	0.0	0.0	846.2	0	^	^	^	^
Vagina	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Vulva	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Female Genital Organs	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Male Genital System	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Prostate	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Testis	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Penis	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Male Genital Organs	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Urinary System	^	^	^	^	0.0	0.0	855.4	0
Urinary Bladder	^	^	^	^	0.0	0.0	855.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Ureter	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Urinary Organs	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Eye and Orbit	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Brain and Other Nervous System	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Brain	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Cranial Nerves Other Nervous System	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Endocrine System	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Thyroid	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Endocrine including Thymus	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Lymphoma	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Hodgkin Lymphoma	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Hodgkin - Nodal	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Hodgkin - Extranodal	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Non-Hodgkin Lymphoma	0.0	0.0	846.2	0	0.0	0.0	855.4	0
NHL - Nodal	0.0	0.0	846.2	0	0.0	0.0	855.4	0
NHL - Extranodal	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Myeloma	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Lymphocytic Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Acute Lymphocytic Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Lymphocytic Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Acute Myeloid Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Acute Monocytic Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Chronic Myeloid Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Other Acute Leukemia	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Mesothelioma	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Kaposi Sarcoma	0.0	0.0	846.2	0	0.0	0.0	855.4	0
Miscellaneous	0.0	0.0	846.2	0	0.0	0.0	855.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	516.6	432.5	611.9	162	504.0	418.6	600.8	142
Oral Cavity and Pharynx	15.5	5.5	36.5	6	^	^	^	^
Lip	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Tongue	^	^	^	^	0.0	0.0	13.3	0
Salivary Gland	0.0	0.0	14.6	0	^	^	^	^
Floor of Mouth	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	13.3	0
Nasopharynx	^	^	^	^	0.0	0.0	13.3	0
Tonsil	^	^	^	^	0.0	0.0	13.3	0
Oropharynx	^	^	^	^	0.0	0.0	13.3	0
Hypopharynx	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Other Oral Cavity and Pharynx	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Digestive System	116.6	76.3	169.5	35	80.3	47.0	126.3	20
Esophagus	16.6	5.4	39.7	6	0.0	0.0	13.3	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	13.3	0
Colon and Rectum	72.3	39.7	118.9	19	44.0	19.8	82.0	10
Colon excluding Rectum	60.4	30.2	105.2	15	28.8	9.7	62.5	6
Cecum	^	^	^	^	^	^	^	^
Appendix	^	^	^	^	0.0	0.0	13.3	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	13.3	0
Transverse Colon	0.0	0.0	14.6	0	^	^	^	^
Splenic Flexure	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	14.6	0	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	14.6	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	13.3	0
Liver	^	^	^	^	0.0	0.0	13.3	0
Intrahepatic Bile Duct	0.0	0.0	14.6	0	0.0	0.0	13.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	14.6	0	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	14.6	0	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Other Digestive Organs	0.0	0.0	14.6	0	^	^	^	^
Respiratory System	99.8	62.2	150.2	26	100.5	61.2	153.2	22
Nose, Nasal Cavity and Middle Ear	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	95.9	58.8	146.1	24	97.3	58.6	149.7	21
Pleura	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	0.0	0.0	13.3	0
Skin excluding Basal and Squamous	21.3	7.5	47.6	7	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	13.3	0
Breast	0.0	0.0	14.6	0	140.7	100.5	191.6	46
Female Genital System	0.0	0.0	14.6	0	55.7	30.7	92.3	16
Cervix Uteri	0.0	0.0	14.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	14.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	14.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Ovary	0.0	0.0	14.6	0	^	^	^	^
Vagina	0.0	0.0	14.6	0	^	^	^	^
Vulva	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Other Female Genital Organs	0.0	0.0	14.6	0	^	^	^	^
Male Genital System	131.7	94.3	179.4	45	0.0	0.0	13.3	0
Prostate	124.2	87.8	171.1	42	0.0	0.0	13.3	0
Testis	^	^	^	^	0.0	0.0	13.3	0
Penis	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Other Male Genital Organs	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Urinary System	71.5	42.5	112.4	21	35.5	15.6	68.0	9
Urinary Bladder	43.0	20.8	77.8	12	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	23.0	9.6	47.7	8	^	^	^	^
Ureter	0.0	0.0	14.6	0	^	^	^	^
Other Urinary Organs	^	^	^	^	0.0	0.0	13.3	0
Eye and Orbit	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	13.3	0
Lymphoma	^	^	^	^	35.3	16.3	66.1	11
Hodgkin Lymphoma	0.0	0.0	14.6	0	^	^	^	^
Hodgkin - Nodal	0.0	0.0	14.6	0	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Non-Hodgkin Lymphoma	^	^	^	^	32.1	14.0	62.0	10
NHL - Nodal	^	^	^	^	29.6	12.2	59.1	9
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	20.7	6.8	47.5	6	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	14.6	0	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	13.3	0
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	13.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	13.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Other Leukemia	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Other Acute Leukemia	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Mesothelioma	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Kaposi Sarcoma	0.0	0.0	14.6	0	0.0	0.0	13.3	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	208.8	86.6	424.6	8	362.5	171.4	658.5	11
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	108.4	0
Lip	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Tongue	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Salivary Gland	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Floor of Mouth	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Gum and Other Mouth	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Nasopharynx	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Tonsil	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Oropharynx	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Hypopharynx	^	^	^	^	0.0	0.0	108.4	0
Other Oral Cavity and Pharynx	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Digestive System	163.7	56.8	368.0	6	^	^	^	^
Esophagus	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	114.7	0	^	^	^	^
Appendix	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Ascending Colon	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Hepatic Flexure	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Transverse Colon	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Splenic Flexure	^	^	^	^	0.0	0.0	108.4	0
Descending Colon	^	^	^	^	0.0	0.0	108.4	0
Sigmoid Colon	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Large Intestine, NOS	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	108.4	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	108.4	0
Rectum	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	108.4	0
Liver	^	^	^	^	0.0	0.0	108.4	0
Intrahepatic Bile Duct	0.0	0.0	114.7	0	0.0	0.0	108.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	108.4	0
Other Biliary	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Pancreas	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Retroperitoneum	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Other Digestive Organs	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Respiratory System	0.0	0.0	114.7	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Larynx	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Lung and Bronchus	0.0	0.0	114.7	0	^	^	^	^
Pleura	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Bones and Joints	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Soft Tissue including Heart	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Skin excluding Basal and Squamous	0.0	0.0	114.7	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	114.7	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Breast	0.0	0.0	114.7	0	^	^	^	^
Female Genital System	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Cervix Uteri	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Corpus and Uterus, NOS	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Corpus Uteri	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Uterus, NOS	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Ovary	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Vagina	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Vulva	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Other Female Genital Organs	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Male Genital System	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Prostate	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Testis	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Penis	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Other Male Genital Organs	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Ureter	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Other Urinary Organs	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Eye and Orbit	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Brain and Other Nervous System	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Brain	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Cranial Nerves Other Nervous System	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Endocrine System	0.0	0.0	114.7	0	^	^	^	^
Thyroid	0.0	0.0	114.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Lymphoma	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Hodgkin Lymphoma	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Hodgkin - Nodal	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Hodgkin - Extranodal	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Non-Hodgkin Lymphoma	0.0	0.0	114.7	0	0.0	0.0	108.4	0
NHL - Nodal	0.0	0.0	114.7	0	0.0	0.0	108.4	0
NHL - Extranodal	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Myeloma	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Lymphocytic Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Acute Lymphocytic Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Other Lymphocytic Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Acute Myeloid Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Acute Monocytic Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Chronic Myeloid Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Other Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Other Acute Leukemia	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Mesothelioma	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Kaposi Sarcoma	0.0	0.0	114.7	0	0.0	0.0	108.4	0
Miscellaneous	0.0	0.0	114.7	0	0.0	0.0	108.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	575.0	282.4	1,043.0	14	272.2	83.6	628.7	6
Oral Cavity and Pharynx	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Lip	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Tongue	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Salivary Gland	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Floor of Mouth	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Gum and Other Mouth	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Nasopharynx	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Tonsil	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Oropharynx	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Hypopharynx	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Oral Cavity and Pharynx	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Stomach	0.0	0.0	232.8	0	^	^	^	^
Small Intestine	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	172.8	0
Appendix	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Ascending Colon	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Hepatic Flexure	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Transverse Colon	^	^	^	^	0.0	0.0	172.8	0
Splenic Flexure	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Descending Colon	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	172.8	0
Rectosigmoid Junction	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Rectum	^	^	^	^	0.0	0.0	172.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	232.8	0	^	^	^	^
Liver	0.0	0.0	232.8	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	232.8	0	0.0	0.0	172.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Biliary	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Pancreas	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Retroperitoneum	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Digestive Organs	^	^	^	^	0.0	0.0	172.8	0
Respiratory System	^	^	^	^	0.0	0.0	172.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Larynx	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Lung and Bronchus	^	^	^	^	0.0	0.0	172.8	0
Pleura	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Bones and Joints	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Soft Tissue including Heart	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Skin excluding Basal and Squamous	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Melanoma of the Skin	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Non-Epithelial Skin	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Breast	0.0	0.0	232.8	0	^	^	^	^
Female Genital System	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Cervix Uteri	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Corpus and Uterus, NOS	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Corpus Uteri	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Uterus, NOS	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Ovary	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Vagina	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Vulva	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Female Genital Organs	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Male Genital System	^	^	^	^	0.0	0.0	172.8	0
Prostate	^	^	^	^	0.0	0.0	172.8	0
Testis	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Penis	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Male Genital Organs	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Urinary System	0.0	0.0	232.8	0	^	^	^	^
Urinary Bladder	0.0	0.0	232.8	0	0.0	0.0	172.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	232.8	0	^	^	^	^
Ureter	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Urinary Organs	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Eye and Orbit	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	172.8	0
Brain	^	^	^	^	0.0	0.0	172.8	0
Cranial Nerves Other Nervous System	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Endocrine System	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Thyroid	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Endocrine including Thymus	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Lymphoma	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Hodgkin Lymphoma	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Hodgkin - Nodal	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Hodgkin - Extranodal	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Non-Hodgkin Lymphoma	0.0	0.0	232.8	0	0.0	0.0	172.8	0
NHL - Nodal	0.0	0.0	232.8	0	0.0	0.0	172.8	0
NHL - Extranodal	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Myeloma	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Leukemia	0.0	0.0	232.8	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Acute Lymphocytic Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Lymphocytic Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Acute Myeloid Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Acute Monocytic Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Chronic Myeloid Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Other Leukemia	0.0	0.0	232.8	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	232.8	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Mesothelioma	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Kaposi Sarcoma	0.0	0.0	232.8	0	0.0	0.0	172.8	0
Miscellaneous	0.0	0.0	232.8	0	0.0	0.0	172.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	469.2	185.6	936.4	10	424.6	201.5	782.7	10
Oral Cavity and Pharynx	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Lip	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Tongue	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Salivary Gland	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Floor of Mouth	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Gum and Other Mouth	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Nasopharynx	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Tonsil	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Oropharynx	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Hypopharynx	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Oral Cavity and Pharynx	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Digestive System	258.9	82.1	598.4	6	^	^	^	^
Esophagus	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	159.1	0
Appendix	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Transverse Colon	0.0	0.0	184.4	0	^	^	^	^
Splenic Flexure	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Descending Colon	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Sigmoid Colon	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Large Intestine, NOS	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	184.4	0	^	^	^	^
Rectum	^	^	^	^	0.0	0.0	159.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Liver	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Intrahepatic Bile Duct	0.0	0.0	184.4	0	0.0	0.0	159.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Biliary	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Pancreas	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Retroperitoneum	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Digestive Organs	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Respiratory System	0.0	0.0	184.4	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Larynx	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Lung and Bronchus	0.0	0.0	184.4	0	^	^	^	^
Pleura	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Bones and Joints	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Soft Tissue including Heart	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Skin excluding Basal and Squamous	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Melanoma of the Skin	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Non-Epithelial Skin	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Breast	0.0	0.0	184.4	0	^	^	^	^
Female Genital System	0.0	0.0	184.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Corpus and Uterus, NOS	0.0	0.0	184.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	184.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Ovary	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Vagina	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Vulva	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Female Genital Organs	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Male Genital System	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Prostate	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Testis	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Penis	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Male Genital Organs	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Urinary System	^	^	^	^	0.0	0.0	159.1	0
Urinary Bladder	0.0	0.0	184.4	0	0.0	0.0	159.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	159.1	0
Ureter	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Urinary Organs	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Eye and Orbit	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Brain and Other Nervous System	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Brain	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Cranial Nerves Other Nervous System	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Endocrine System	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Thyroid	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Endocrine including Thymus	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Lymphoma	^	^	^	^	0.0	0.0	159.1	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	159.1	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	159.1	0
Hodgkin - Extranodal	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Non-Hodgkin Lymphoma	0.0	0.0	184.4	0	0.0	0.0	159.1	0
NHL - Nodal	0.0	0.0	184.4	0	0.0	0.0	159.1	0
NHL - Extranodal	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Myeloma	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Lymphocytic Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Acute Lymphocytic Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Lymphocytic Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Acute Myeloid Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Acute Monocytic Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Chronic Myeloid Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Other Acute Leukemia	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Mesothelioma	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Kaposi Sarcoma	0.0	0.0	184.4	0	0.0	0.0	159.1	0
Miscellaneous	^	^	^	^	0.0	0.0	159.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	372.5	184.1	695.3	13	316.0	118.6	679.5	7
Oral Cavity and Pharynx	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Lip	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Tongue	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Salivary Gland	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Floor of Mouth	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Gum and Other Mouth	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Nasopharynx	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Tonsil	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Oropharynx	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Hypopharynx	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Oral Cavity and Pharynx	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Digestive System	224.8	91.6	494.8	8	0.0	0.0	193.6	0
Esophagus	^	^	^	^	0.0	0.0	193.6	0
Stomach	^	^	^	^	0.0	0.0	193.6	0
Small Intestine	^	^	^	^	0.0	0.0	193.6	0
Colon and Rectum	^	^	^	^	0.0	0.0	193.6	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	193.6	0
Cecum	^	^	^	^	0.0	0.0	193.6	0
Appendix	^	^	^	^	0.0	0.0	193.6	0
Ascending Colon	^	^	^	^	0.0	0.0	193.6	0
Hepatic Flexure	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Transverse Colon	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Splenic Flexure	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Descending Colon	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Sigmoid Colon	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	193.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Rectosigmoid Junction	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Rectum	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Liver	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Intrahepatic Bile Duct	0.0	0.0	189.7	0	0.0	0.0	193.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Biliary	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Pancreas	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Retroperitoneum	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Digestive Organs	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Larynx	^	^	^	^	0.0	0.0	193.6	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Bones and Joints	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Soft Tissue including Heart	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Skin excluding Basal and Squamous	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Melanoma of the Skin	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Non-Epithelial Skin	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Breast	0.0	0.0	189.7	0	^	^	^	^
Female Genital System	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Cervix Uteri	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Corpus and Uterus, NOS	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Corpus Uteri	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Uterus, NOS	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Ovary	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Vagina	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Vulva	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Female Genital Organs	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Male Genital System	^	^	^	^	0.0	0.0	193.6	0
Prostate	^	^	^	^	0.0	0.0	193.6	0
Testis	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Penis	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Male Genital Organs	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Urinary System	^	^	^	^	0.0	0.0	193.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	193.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Ureter	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Urinary Organs	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Eye and Orbit	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Brain and Other Nervous System	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Brain	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Cranial Nerves Other Nervous System	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Endocrine System	0.0	0.0	189.7	0	^	^	^	^
Thyroid	0.0	0.0	189.7	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Lymphoma	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Hodgkin Lymphoma	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Hodgkin - Nodal	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Hodgkin - Extranodal	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Non-Hodgkin Lymphoma	0.0	0.0	189.7	0	0.0	0.0	193.6	0
NHL - Nodal	0.0	0.0	189.7	0	0.0	0.0	193.6	0
NHL - Extranodal	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Myeloma	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Leukemia	0.0	0.0	189.7	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Acute Lymphocytic Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Lymphocytic Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	189.7	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	189.7	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Chronic Myeloid Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Other Acute Leukemia	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Mesothelioma	^	^	^	^	0.0	0.0	193.6	0
Kaposi Sarcoma	0.0	0.0	189.7	0	0.0	0.0	193.6	0
Miscellaneous	0.0	0.0	189.7	0	0.0	0.0	193.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	377.6	205.7	636.7	15	407.3	238.1	651.2	18
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Tongue	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Salivary Gland	^	^	^	^	0.0	0.0	89.9	0
Floor of Mouth	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Gum and Other Mouth	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Nasopharynx	0.0	0.0	109.8	0	^	^	^	^
Tonsil	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Oropharynx	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Hypopharynx	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Oral Cavity and Pharynx	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	109.8	0	^	^	^	^
Stomach	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Ascending Colon	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Hepatic Flexure	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Transverse Colon	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Splenic Flexure	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Descending Colon	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Sigmoid Colon	^	^	^	^	0.0	0.0	89.9	0
Large Intestine, NOS	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Rectosigmoid Junction	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Rectum	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	89.9	0
Liver	^	^	^	^	0.0	0.0	89.9	0
Intrahepatic Bile Duct	0.0	0.0	109.8	0	0.0	0.0	89.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Biliary	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Pancreas	^	^	^	^	0.0	0.0	89.9	0
Retroperitoneum	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Digestive Organs	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Larynx	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Bones and Joints	0.0	0.0	109.8	0	^	^	^	^
Soft Tissue including Heart	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Skin excluding Basal and Squamous	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Melanoma of the Skin	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Non-Epithelial Skin	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Breast	0.0	0.0	109.8	0	170.3	72.3	343.2	8
Female Genital System	0.0	0.0	109.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Corpus and Uterus, NOS	0.0	0.0	109.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	109.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Ovary	0.0	0.0	109.8	0	^	^	^	^
Vagina	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Vulva	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Female Genital Organs	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Male Genital System	^	^	^	^	0.0	0.0	89.9	0
Prostate	^	^	^	^	0.0	0.0	89.9	0
Testis	^	^	^	^	0.0	0.0	89.9	0
Penis	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Male Genital Organs	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Urinary System	^	^	^	^	0.0	0.0	89.9	0
Urinary Bladder	0.0	0.0	109.8	0	0.0	0.0	89.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	89.9	0
Ureter	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Urinary Organs	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Eye and Orbit	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	89.9	0
Brain	^	^	^	^	0.0	0.0	89.9	0
Cranial Nerves Other Nervous System	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Endocrine System	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Thyroid	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Endocrine including Thymus	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Lymphoma	^	^	^	^	0.0	0.0	89.9	0
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	89.9	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	89.9	0
Hodgkin - Extranodal	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	89.9	0
NHL - Nodal	0.0	0.0	109.8	0	0.0	0.0	89.9	0
NHL - Extranodal	^	^	^	^	0.0	0.0	89.9	0
Myeloma	0.0	0.0	109.8	0	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	89.9	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	89.9	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	89.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Lymphocytic Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Acute Myeloid Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Acute Monocytic Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Chronic Myeloid Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Other Acute Leukemia	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Mesothelioma	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Kaposi Sarcoma	0.0	0.0	109.8	0	0.0	0.0	89.9	0
Miscellaneous	0.0	0.0	109.8	0	0.0	0.0	89.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Lip	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Tongue	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Salivary Gland	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Floor of Mouth	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Gum and Other Mouth	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Nasopharynx	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Tonsil	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Oropharynx	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Hypopharynx	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Oral Cavity and Pharynx	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Digestive System	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Esophagus	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Stomach	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Small Intestine	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Colon and Rectum	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Colon excluding Rectum	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Cecum	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Appendix	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Ascending Colon	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Hepatic Flexure	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Transverse Colon	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Splenic Flexure	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Descending Colon	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Sigmoid Colon	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Large Intestine, NOS	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Rectosigmoid Junction	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Rectum	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Liver	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Intrahepatic Bile Duct	0.0	0.0	337.4	0	0.0	0.0	295.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Biliary	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Pancreas	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Retroperitoneum	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Digestive Organs	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Larynx	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Bones and Joints	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Soft Tissue including Heart	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Skin excluding Basal and Squamous	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Melanoma of the Skin	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Non-Epithelial Skin	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Breast	0.0	0.0	337.4	0	^	^	^	^
Female Genital System	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Cervix Uteri	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Corpus and Uterus, NOS	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Corpus Uteri	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Uterus, NOS	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Ovary	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Vagina	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Vulva	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Female Genital Organs	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Male Genital System	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Prostate	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Testis	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Penis	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Male Genital Organs	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Urinary System	^	^	^	^	0.0	0.0	295.3	0
Urinary Bladder	^	^	^	^	0.0	0.0	295.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Ureter	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Urinary Organs	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Eye and Orbit	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Brain and Other Nervous System	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Brain	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Cranial Nerves Other Nervous System	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Endocrine System	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Thyroid	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Endocrine including Thymus	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Lymphoma	0.0	0.0	337.4	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Hodgkin - Nodal	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Hodgkin - Extranodal	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Non-Hodgkin Lymphoma	0.0	0.0	337.4	0	^	^	^	^
NHL - Nodal	0.0	0.0	337.4	0	^	^	^	^
NHL - Extranodal	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Myeloma	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Lymphocytic Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Acute Lymphocytic Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Lymphocytic Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Acute Myeloid Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Acute Monocytic Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Chronic Myeloid Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Other Acute Leukemia	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Mesothelioma	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Kaposi Sarcoma	0.0	0.0	337.4	0	0.0	0.0	295.3	0
Miscellaneous	0.0	0.0	337.4	0	0.0	0.0	295.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	495.5	248.5	886.4	14	771.5	386.4	1,339.1	15
Oral Cavity and Pharynx	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Lip	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Tongue	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Salivary Gland	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Floor of Mouth	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Gum and Other Mouth	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Nasopharynx	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Tonsil	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Oropharynx	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Hypopharynx	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Oral Cavity and Pharynx	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Stomach	^	^	^	^	0.0	0.0	179.7	0
Small Intestine	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Appendix	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Ascending Colon	0.0	0.0	186.0	0	^	^	^	^
Hepatic Flexure	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Transverse Colon	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Splenic Flexure	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Descending Colon	^	^	^	^	0.0	0.0	179.7	0
Sigmoid Colon	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Large Intestine, NOS	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	179.7	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	179.7	0
Rectum	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Liver	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Intrahepatic Bile Duct	0.0	0.0	186.0	0	0.0	0.0	179.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Biliary	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Pancreas	0.0	0.0	186.0	0	^	^	^	^
Retroperitoneum	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Digestive Organs	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Respiratory System	0.0	0.0	186.0	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Larynx	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Lung and Bronchus	0.0	0.0	186.0	0	^	^	^	^
Pleura	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Bones and Joints	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Soft Tissue including Heart	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Skin excluding Basal and Squamous	0.0	0.0	186.0	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	186.0	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Breast	0.0	0.0	186.0	0	280.5	103.8	607.0	7
Female Genital System	0.0	0.0	186.0	0	^	^	^	^
Cervix Uteri	0.0	0.0	186.0	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Corpus Uteri	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Uterus, NOS	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Ovary	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Vagina	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Vulva	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Female Genital Organs	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Male Genital System	^	^	^	^	0.0	0.0	179.7	0
Prostate	^	^	^	^	0.0	0.0	179.7	0
Testis	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Penis	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Male Genital Organs	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	179.7	0
Ureter	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Urinary Organs	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Eye and Orbit	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	179.7	0
Brain	^	^	^	^	0.0	0.0	179.7	0
Cranial Nerves Other Nervous System	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Endocrine System	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Thyroid	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Endocrine including Thymus	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Lymphoma	^	^	^	^	0.0	0.0	179.7	0
Hodgkin Lymphoma	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Hodgkin - Nodal	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Hodgkin - Extranodal	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	179.7	0
NHL - Nodal	^	^	^	^	0.0	0.0	179.7	0
NHL - Extranodal	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Myeloma	^	^	^	^	^	^	^	^
Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Lymphocytic Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Acute Lymphocytic Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Lymphocytic Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Acute Myeloid Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Acute Monocytic Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Chronic Myeloid Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Other Acute Leukemia	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Mesothelioma	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Kaposi Sarcoma	0.0	0.0	186.0	0	0.0	0.0	179.7	0
Miscellaneous	0.0	0.0	186.0	0	0.0	0.0	179.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	578.2	335.9	915.3	21	401.8	202.6	701.3	14
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Tongue	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Salivary Gland	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Floor of Mouth	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Gum and Other Mouth	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Nasopharynx	^	^	^	^	0.0	0.0	104.8	0
Tonsil	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Oropharynx	0.0	0.0	99.8	0	^	^	^	^
Hypopharynx	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Oral Cavity and Pharynx	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Stomach	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Small Intestine	^	^	^	^	0.0	0.0	104.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Appendix	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Transverse Colon	0.0	0.0	99.8	0	^	^	^	^
Splenic Flexure	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Descending Colon	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Sigmoid Colon	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Large Intestine, NOS	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Rectosigmoid Junction	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Rectum	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Liver	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Intrahepatic Bile Duct	0.0	0.0	99.8	0	0.0	0.0	104.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Biliary	^	^	^	^	0.0	0.0	104.8	0
Pancreas	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Retroperitoneum	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Digestive Organs	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Larynx	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Bones and Joints	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Soft Tissue including Heart	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Skin excluding Basal and Squamous	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Melanoma of the Skin	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Non-Epithelial Skin	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Breast	0.0	0.0	99.8	0	118.2	37.8	285.6	6
Female Genital System	0.0	0.0	99.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Corpus and Uterus, NOS	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Corpus Uteri	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Uterus, NOS	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Ovary	0.0	0.0	99.8	0	^	^	^	^
Vagina	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Vulva	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Female Genital Organs	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Male Genital System	^	^	^	^	0.0	0.0	104.8	0
Prostate	^	^	^	^	0.0	0.0	104.8	0
Testis	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Penis	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Male Genital Organs	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Urinary System	^	^	^	^	0.0	0.0	104.8	0
Urinary Bladder	^	^	^	^	0.0	0.0	104.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	104.8	0
Ureter	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Urinary Organs	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Eye and Orbit	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Brain and Other Nervous System	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Brain	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Cranial Nerves Other Nervous System	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Lymphoma	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Hodgkin Lymphoma	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Hodgkin - Nodal	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Hodgkin - Extranodal	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Non-Hodgkin Lymphoma	0.0	0.0	99.8	0	0.0	0.0	104.8	0
NHL - Nodal	0.0	0.0	99.8	0	0.0	0.0	104.8	0
NHL - Extranodal	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Myeloma	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Leukemia	^	^	^	^	0.0	0.0	104.8	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	104.8	0
Acute Lymphocytic Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	104.8	0
Other Lymphocytic Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Acute Myeloid Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Acute Monocytic Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Chronic Myeloid Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Other Acute Leukemia	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Mesothelioma	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Kaposi Sarcoma	0.0	0.0	99.8	0	0.0	0.0	104.8	0
Miscellaneous	^	^	^	^	0.0	0.0	104.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	285.6	111.0	615.1	7	379.7	156.1	751.8	8
Oral Cavity and Pharynx	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Lip	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Tongue	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Salivary Gland	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Floor of Mouth	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Gum and Other Mouth	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Nasopharynx	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Tonsil	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Oropharynx	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Hypopharynx	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Oral Cavity and Pharynx	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Digestive System	^	^	^	^	0.0	0.0	155.8	0
Esophagus	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Stomach	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Small Intestine	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Colon and Rectum	^	^	^	^	0.0	0.0	155.8	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	155.8	0
Cecum	^	^	^	^	0.0	0.0	155.8	0
Appendix	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Ascending Colon	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Hepatic Flexure	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Transverse Colon	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Splenic Flexure	^	^	^	^	0.0	0.0	155.8	0
Descending Colon	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Sigmoid Colon	^	^	^	^	0.0	0.0	155.8	0
Large Intestine, NOS	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Rectosigmoid Junction	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Rectum	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Liver	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Intrahepatic Bile Duct	0.0	0.0	203.3	0	0.0	0.0	155.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Biliary	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Pancreas	^	^	^	^	0.0	0.0	155.8	0
Retroperitoneum	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Digestive Organs	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Larynx	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Bones and Joints	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Soft Tissue including Heart	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Skin excluding Basal and Squamous	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Melanoma of the Skin	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Non-Epithelial Skin	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Breast	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Female Genital System	0.0	0.0	203.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	203.3	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	203.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	203.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Ovary	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Vagina	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Vulva	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Female Genital Organs	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Male Genital System	^	^	^	^	0.0	0.0	155.8	0
Prostate	^	^	^	^	0.0	0.0	155.8	0
Testis	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Penis	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Male Genital Organs	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Urinary System	0.0	0.0	203.3	0	^	^	^	^
Urinary Bladder	0.0	0.0	203.3	0	0.0	0.0	155.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	203.3	0	^	^	^	^
Ureter	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Urinary Organs	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Eye and Orbit	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Brain and Other Nervous System	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Brain	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Cranial Nerves Other Nervous System	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Endocrine System	0.0	0.0	203.3	0	^	^	^	^
Thyroid	0.0	0.0	203.3	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Lymphoma	^	^	^	^	0.0	0.0	155.8	0
Hodgkin Lymphoma	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Hodgkin - Nodal	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Hodgkin - Extranodal	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	155.8	0
NHL - Nodal	0.0	0.0	203.3	0	0.0	0.0	155.8	0
NHL - Extranodal	^	^	^	^	0.0	0.0	155.8	0
Myeloma	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Lymphocytic Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Acute Lymphocytic Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Lymphocytic Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Acute Myeloid Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Acute Monocytic Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Chronic Myeloid Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Other Acute Leukemia	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Mesothelioma	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Kaposi Sarcoma	0.0	0.0	203.3	0	0.0	0.0	155.8	0
Miscellaneous	0.0	0.0	203.3	0	0.0	0.0	155.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	323.8	165.0	584.6	13	307.4	156.7	566.8	12
Oral Cavity and Pharynx	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Lip	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Tongue	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Salivary Gland	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Floor of Mouth	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Gum and Other Mouth	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Nasopharynx	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Tonsil	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Oropharynx	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Hypopharynx	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Oral Cavity and Pharynx	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Digestive System	^	^	^	^	0.0	0.0	152.4	0
Esophagus	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Stomach	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Small Intestine	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Colon and Rectum	^	^	^	^	0.0	0.0	152.4	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	152.4	0
Cecum	^	^	^	^	0.0	0.0	152.4	0
Appendix	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Ascending Colon	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Hepatic Flexure	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Transverse Colon	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Splenic Flexure	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Descending Colon	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Sigmoid Colon	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Large Intestine, NOS	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	152.4	0
Rectosigmoid Junction	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Rectum	^	^	^	^	0.0	0.0	152.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Liver	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Intrahepatic Bile Duct	0.0	0.0	134.1	0	0.0	0.0	152.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Biliary	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Pancreas	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Retroperitoneum	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Digestive Organs	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Larynx	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Bones and Joints	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Soft Tissue including Heart	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	152.4	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	152.4	0
Other Non-Epithelial Skin	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Breast	0.0	0.0	134.1	0	163.0	58.1	385.8	6
Female Genital System	0.0	0.0	134.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Corpus and Uterus, NOS	0.0	0.0	134.1	0	^	^	^	^
Corpus Uteri	0.0	0.0	134.1	0	^	^	^	^
Uterus, NOS	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Ovary	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Vagina	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Vulva	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Female Genital Organs	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Male Genital System	^	^	^	^	0.0	0.0	152.4	0
Prostate	^	^	^	^	0.0	0.0	152.4	0
Testis	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Penis	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Male Genital Organs	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	152.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	152.4	0
Ureter	0.0	0.0	134.1	0	^	^	^	^
Other Urinary Organs	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Eye and Orbit	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	152.4	0
Brain	^	^	^	^	0.0	0.0	152.4	0
Cranial Nerves Other Nervous System	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Endocrine System	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Thyroid	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Endocrine including Thymus	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Hodgkin - Nodal	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Hodgkin - Extranodal	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	0.0	0.0	134.1	0	^	^	^	^
NHL - Extranodal	^	^	^	^	0.0	0.0	152.4	0
Myeloma	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Leukemia	0.0	0.0	134.1	0	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Acute Lymphocytic Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Lymphocytic Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	134.1	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	134.1	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Chronic Myeloid Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Other Acute Leukemia	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Mesothelioma	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Kaposi Sarcoma	0.0	0.0	134.1	0	0.0	0.0	152.4	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Lip	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Tongue	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Salivary Gland	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Floor of Mouth	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Gum and Other Mouth	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Nasopharynx	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Tonsil	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Oropharynx	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Hypopharynx	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Oral Cavity and Pharynx	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Digestive System	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Esophagus	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Stomach	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Small Intestine	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Colon and Rectum	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Colon excluding Rectum	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Cecum	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Appendix	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Ascending Colon	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Hepatic Flexure	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Transverse Colon	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Splenic Flexure	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Descending Colon	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Sigmoid Colon	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Large Intestine, NOS	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Rectosigmoid Junction	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Rectum	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Liver	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Intrahepatic Bile Duct	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Biliary	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Pancreas	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Retroperitoneum	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Digestive Organs	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Respiratory System	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Larynx	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Lung and Bronchus	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Pleura	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Bones and Joints	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Soft Tissue including Heart	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Skin excluding Basal and Squamous	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Melanoma of the Skin	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Non-Epithelial Skin	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Breast	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Female Genital System	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Cervix Uteri	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Corpus and Uterus, NOS	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Corpus Uteri	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Uterus, NOS	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Ovary	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Vagina	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Vulva	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Female Genital Organs	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Male Genital System	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Prostate	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Testis	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Penis	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Male Genital Organs	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Urinary System	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Urinary Bladder	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Ureter	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Urinary Organs	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Eye and Orbit	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Brain and Other Nervous System	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Brain	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Cranial Nerves Other Nervous System	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Endocrine System	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Thyroid	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Endocrine including Thymus	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Lymphoma	0.0	0.0	1,849.5	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Hodgkin - Nodal	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Hodgkin - Extranodal	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Non-Hodgkin Lymphoma	0.0	0.0	1,849.5	0	^	^	^	^
NHL - Nodal	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
NHL - Extranodal	0.0	0.0	1,849.5	0	^	^	^	^
Myeloma	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Leukemia	^	^	^	^	0.0	0.0	1,499.3	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1,499.3	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	1,499.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Lymphocytic Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Acute Myeloid Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Acute Monocytic Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Chronic Myeloid Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Other Acute Leukemia	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Mesothelioma	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Kaposi Sarcoma	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0
Miscellaneous	0.0	0.0	1,849.5	0	0.0	0.0	1,499.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	870.6	518.4	1,357.6	21	406.3	178.0	781.1	9
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	158.1	0
Lip	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Tongue	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Salivary Gland	^	^	^	^	0.0	0.0	158.1	0
Floor of Mouth	^	^	^	^	0.0	0.0	158.1	0
Gum and Other Mouth	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Nasopharynx	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Tonsil	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Oropharynx	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Hypopharynx	^	^	^	^	0.0	0.0	158.1	0
Other Oral Cavity and Pharynx	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Digestive System	223.4	77.7	498.6	6	^	^	^	^
Esophagus	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Stomach	^	^	^	^	0.0	0.0	158.1	0
Small Intestine	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	158.1	0
Appendix	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Ascending Colon	0.0	0.0	146.5	0	^	^	^	^
Hepatic Flexure	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Transverse Colon	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Splenic Flexure	^	^	^	^	0.0	0.0	158.1	0
Descending Colon	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Sigmoid Colon	^	^	^	^	0.0	0.0	158.1	0
Large Intestine, NOS	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	146.5	0	^	^	^	^
Rectum	^	^	^	^	0.0	0.0	158.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Liver	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Intrahepatic Bile Duct	0.0	0.0	146.5	0	0.0	0.0	158.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Biliary	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Pancreas	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Retroperitoneum	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Digestive Organs	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Larynx	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Bones and Joints	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Soft Tissue including Heart	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Skin excluding Basal and Squamous	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Melanoma of the Skin	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Non-Epithelial Skin	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Breast	0.0	0.0	146.5	0	^	^	^	^
Female Genital System	0.0	0.0	146.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Corpus and Uterus, NOS	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Corpus Uteri	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Uterus, NOS	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Ovary	0.0	0.0	146.5	0	^	^	^	^
Vagina	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Vulva	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Female Genital Organs	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Male Genital System	299.8	110.5	631.6	7	0.0	0.0	158.1	0
Prostate	272.1	91.4	599.4	6	0.0	0.0	158.1	0
Testis	^	^	^	^	0.0	0.0	158.1	0
Penis	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Male Genital Organs	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Urinary System	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Urinary Bladder	0.0	0.0	146.5	0	0.0	0.0	158.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2005/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Ureter	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Urinary Organs	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Eye and Orbit	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Brain and Other Nervous System	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Brain	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Cranial Nerves Other Nervous System	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Endocrine System	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Thyroid	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Endocrine including Thymus	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Lymphoma	^	^	^	^	0.0	0.0	158.1	0
Hodgkin Lymphoma	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Hodgkin - Nodal	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Hodgkin - Extranodal	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	158.1	0
NHL - Nodal	^	^	^	^	0.0	0.0	158.1	0
NHL - Extranodal	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Myeloma	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Lymphocytic Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Acute Lymphocytic Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Lymphocytic Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Acute Myeloid Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Acute Monocytic Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Chronic Myeloid Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Other Acute Leukemia	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Mesothelioma	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Kaposi Sarcoma	0.0	0.0	146.5	0	0.0	0.0	158.1	0
Miscellaneous	0.0	0.0	146.5	0	0.0	0.0	158.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Lip	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Tongue	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Salivary Gland	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Floor of Mouth	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Gum and Other Mouth	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Nasopharynx	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Tonsil	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Oropharynx	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Hypopharynx	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Oral Cavity and Pharynx	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Digestive System	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Esophagus	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Stomach	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Small Intestine	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Colon and Rectum	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Colon excluding Rectum	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Cecum	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Appendix	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Ascending Colon	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Hepatic Flexure	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Transverse Colon	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Splenic Flexure	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Descending Colon	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Sigmoid Colon	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Large Intestine, NOS	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Rectosigmoid Junction	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Rectum	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Liver	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Intrahepatic Bile Duct	0.0	0.0	684.5	0	0.0	0.0	792.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Biliary	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Pancreas	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Retroperitoneum	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Digestive Organs	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Respiratory System	0.0	0.0	684.5	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Larynx	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Lung and Bronchus	0.0	0.0	684.5	0	^	^	^	^
Pleura	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Bones and Joints	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Soft Tissue including Heart	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Skin excluding Basal and Squamous	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Melanoma of the Skin	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Non-Epithelial Skin	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Breast	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Female Genital System	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Cervix Uteri	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Corpus and Uterus, NOS	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Corpus Uteri	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Uterus, NOS	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Ovary	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Vagina	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Vulva	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Female Genital Organs	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Male Genital System	^	^	^	^	0.0	0.0	792.3	0
Prostate	^	^	^	^	0.0	0.0	792.3	0
Testis	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Penis	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Male Genital Organs	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Urinary System	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Urinary Bladder	0.0	0.0	684.5	0	0.0	0.0	792.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Aleutians East Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Ureter	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Urinary Organs	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Eye and Orbit	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Brain and Other Nervous System	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Brain	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Cranial Nerves Other Nervous System	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Endocrine System	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Thyroid	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Endocrine including Thymus	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Lymphoma	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Hodgkin Lymphoma	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Hodgkin - Nodal	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Hodgkin - Extranodal	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Non-Hodgkin Lymphoma	0.0	0.0	684.5	0	0.0	0.0	792.3	0
NHL - Nodal	0.0	0.0	684.5	0	0.0	0.0	792.3	0
NHL - Extranodal	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Myeloma	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Lymphocytic Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Acute Lymphocytic Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Lymphocytic Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Acute Myeloid Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Acute Monocytic Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Chronic Myeloid Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Other Acute Leukemia	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Mesothelioma	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Kaposi Sarcoma	0.0	0.0	684.5	0	0.0	0.0	792.3	0
Miscellaneous	0.0	0.0	684.5	0	0.0	0.0	792.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Lip	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Tongue	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Salivary Gland	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Floor of Mouth	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Gum and Other Mouth	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Nasopharynx	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Tonsil	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Oropharynx	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Hypopharynx	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Oral Cavity and Pharynx	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Digestive System	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Esophagus	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Stomach	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Small Intestine	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Colon and Rectum	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Colon excluding Rectum	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Cecum	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Appendix	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Ascending Colon	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Hepatic Flexure	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Transverse Colon	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Splenic Flexure	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Descending Colon	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Sigmoid Colon	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Large Intestine, NOS	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Rectosigmoid Junction	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Rectum	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Liver	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Intrahepatic Bile Duct	0.0	0.0	486.3	0	0.0	0.0	429.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Biliary	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Pancreas	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Retroperitoneum	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Digestive Organs	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Respiratory System	^	^	^	^	0.0	0.0	429.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Larynx	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Lung and Bronchus	^	^	^	^	0.0	0.0	429.5	0
Pleura	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Bones and Joints	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Soft Tissue including Heart	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Skin excluding Basal and Squamous	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Melanoma of the Skin	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Non-Epithelial Skin	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Breast	0.0	0.0	486.3	0	^	^	^	^
Female Genital System	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Cervix Uteri	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Corpus and Uterus, NOS	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Corpus Uteri	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Uterus, NOS	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Ovary	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Vagina	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Vulva	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Female Genital Organs	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Male Genital System	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Prostate	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Testis	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Penis	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Male Genital Organs	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Urinary System	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Urinary Bladder	0.0	0.0	486.3	0	0.0	0.0	429.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Aleutians West Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Ureter	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Urinary Organs	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Eye and Orbit	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Brain and Other Nervous System	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Brain	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Cranial Nerves Other Nervous System	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Endocrine System	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Thyroid	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Endocrine including Thymus	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Lymphoma	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Hodgkin Lymphoma	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Hodgkin - Nodal	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Hodgkin - Extranodal	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Non-Hodgkin Lymphoma	0.0	0.0	486.3	0	0.0	0.0	429.5	0
NHL - Nodal	0.0	0.0	486.3	0	0.0	0.0	429.5	0
NHL - Extranodal	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Myeloma	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Lymphocytic Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Acute Lymphocytic Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Lymphocytic Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Acute Myeloid Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Acute Monocytic Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Chronic Myeloid Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Other Acute Leukemia	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Mesothelioma	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Kaposi Sarcoma	0.0	0.0	486.3	0	0.0	0.0	429.5	0
Miscellaneous	0.0	0.0	486.3	0	0.0	0.0	429.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	530.9	478.5	587.2	499	434.6	394.8	477.2	494
Oral Cavity and Pharynx	10.8	5.9	18.5	15	7.0	2.9	14.0	8
Lip	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Floor of Mouth	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Gum and Other Mouth	^	^	^	^	^	^	^	^
Nasopharynx	^	^	^	^	^	^	^	^
Tonsil	4.7	1.6	11.1	6	0.0	0.0	3.3	0
Oropharynx	^	^	^	^	^	^	^	^
Hypopharynx	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Other Oral Cavity and Pharynx	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Digestive System	100.1	76.7	127.6	85	78.1	60.9	98.2	79
Esophagus	7.5	2.5	16.7	7	^	^	^	^
Stomach	10.2	3.6	21.5	8	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	46.9	31.4	66.6	39	40.3	28.2	55.6	39
Colon excluding Rectum	34.6	21.2	52.4	26	33.9	22.7	48.2	32
Cecum	8.8	3.0	19.1	6	7.0	2.6	14.5	7
Appendix	^	^	^	^	0.0	0.0	3.3	0
Ascending Colon	^	^	^	^	9.2	3.8	17.9	8
Hepatic Flexure	0.0	0.0	4.3	0	^	^	^	^
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	^	^	^	^
Descending Colon	^	^	^	^	^	^	^	^
Sigmoid Colon	9.4	3.5	19.7	8	7.4	2.8	15.3	7
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	12.3	5.7	22.8	13	6.4	2.4	13.5	7
Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectum	11.1	4.8	21.5	11	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	4.0	1.5	9.2	6
Liver and Intrahepatic Bile Duct	11.6	4.9	22.5	12	4.4	1.8	9.6	7
Liver	11.6	4.9	22.5	12	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.3	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	^	^	^	^
Other Biliary	^	^	^	^	^	^	^	^
Pancreas	12.7	5.3	24.5	10	12.8	6.2	22.9	11
Retroperitoneum	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.3	0	^	^	^	^
Other Digestive Organs	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Respiratory System	100.7	78.5	126.9	90	67.0	51.0	86.1	65
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	^
Larynx	9.4	3.7	19.2	8	^	^	^	^
Lung and Bronchus	89.4	68.5	114.1	81	63.8	48.2	82.5	62
Pleura	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.3	0	^	^	^	^
Bones and Joints	^	^	^	^	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	10.1	4.7	18.8	12	11.5	5.9	20.0	13
Melanoma of the Skin	9.4	4.2	18.1	11	11.5	5.9	20.0	13
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	3.3	0
Breast	0.0	0.0	4.3	0	136.6	115.0	160.9	161
Female Genital System	0.0	0.0	4.3	0	54.0	41.3	69.2	68
Cervix Uteri	0.0	0.0	4.3	0	9.6	5.0	16.8	13
Corpus and Uterus, NOS	0.0	0.0	4.3	0	29.0	19.7	40.9	35
Corpus Uteri	0.0	0.0	4.3	0	29.0	19.7	40.9	35
Uterus, NOS	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Ovary	0.0	0.0	4.3	0	10.8	5.9	18.3	15
Vagina	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Vulva	0.0	0.0	4.3	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	4.3	0	^	^	^	^
Male Genital System	153.3	127.6	182.4	162	0.0	0.0	3.3	0
Prostate	144.3	119.2	172.9	150	0.0	0.0	3.3	0
Testis	6.4	3.0	12.6	10	0.0	0.0	3.3	0
Penis	^	^	^	^	0.0	0.0	3.3	0
Other Male Genital Organs	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Urinary System	67.6	48.5	90.9	54	15.2	8.6	24.6	18
Urinary Bladder	57.2	38.9	80.0	38	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Municipality of Anchorage

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	9.7	5.4	16.8	15	10.8	5.6	18.8	14
Ureter	^	^	^	^	0.0	0.0	3.3	0
Other Urinary Organs	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Eye and Orbit	^	^	^	^	0.0	0.0	3.3	0
Brain and Other Nervous System	^	^	^	^	4.6	1.6	10.5	6
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	4.3	0	^	^	^	^
Endocrine System	11.1	5.0	20.8	12	16.9	10.9	25.4	25
Thyroid	10.4	4.5	20.0	11	16.9	10.9	25.4	25
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	3.3	0
Lymphoma	28.8	17.6	43.8	27	13.0	7.3	21.3	17
Hodgkin Lymphoma	5.8	2.0	13.3	7	^	^	^	^
Hodgkin - Nodal	5.8	2.0	13.3	7	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Non-Hodgkin Lymphoma	22.9	12.9	37.0	20	12.3	6.8	20.4	16
NHL - Nodal	20.9	11.2	34.8	17	10.3	5.3	18.1	13
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	7.4	2.5	16.3	6	^	^	^	^
Leukemia	22.6	12.7	36.5	19	13.3	7.0	22.7	14
Lymphocytic Leukemia	12.0	5.6	22.3	11	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^	0.0	0.0	3.3	0
Myeloid and Monocytic Leukemia	10.6	4.0	21.7	8	10.7	5.1	19.4	11
Acute Myeloid Leukemia	^	^	^	^	6.6	2.3	14.2	6
Acute Monocytic Leukemia	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Chronic Myeloid Leukemia	^	^	^	^	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	3.3	0
Other Leukemia	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Other Acute Leukemia	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Mesothelioma	^	^	^	^	^	^	^	^
Kaposi Sarcoma	0.0	0.0	4.3	0	0.0	0.0	3.3	0
Miscellaneous	11.3	4.1	23.1	8	9.9	4.5	18.5	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	441.9	269.6	676.1	24	548.8	350.8	810.8	29
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Tongue	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Salivary Gland	0.0	0.0	70.6	0	^	^	^	^
Floor of Mouth	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Gum and Other Mouth	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Nasopharynx	^	^	^	^	0.0	0.0	72.0	0
Tonsil	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Oropharynx	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Hypopharynx	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Oral Cavity and Pharynx	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Digestive System	151.3	71.9	284.2	11	178.1	79.0	340.2	10
Esophagus	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	0.0	0.0	72.0	0
Colon and Rectum	102.1	37.5	224.1	7	^	^	^	^
Colon excluding Rectum	102.1	37.5	224.1	7	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Ascending Colon	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Hepatic Flexure	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Transverse Colon	^	^	^	^	^	^	^	^
Splenic Flexure	^	^	^	^	0.0	0.0	72.0	0
Descending Colon	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	70.6	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Rectum	0.0	0.0	70.6	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	70.6	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	72.0	0
Liver	^	^	^	^	0.0	0.0	72.0	0
Intrahepatic Bile Duct	0.0	0.0	70.6	0	0.0	0.0	72.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	70.6	0	^	^	^	^
Other Biliary	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Pancreas	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Retroperitoneum	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Digestive Organs	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Larynx	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Bones and Joints	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Soft Tissue including Heart	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	72.0	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	72.0	0
Other Non-Epithelial Skin	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Breast	0.0	0.0	70.6	0	146.4	54.7	305.9	7
Female Genital System	0.0	0.0	70.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	70.6	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	70.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	70.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Ovary	0.0	0.0	70.6	0	^	^	^	^
Vagina	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Vulva	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Female Genital Organs	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Male Genital System	^	^	^	^	0.0	0.0	72.0	0
Prostate	^	^	^	^	0.0	0.0	72.0	0
Testis	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Penis	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	72.0	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	70.6	0	0.0	0.0	72.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Bethel Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Urinary Organs	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Eye and Orbit	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Brain and Other Nervous System	0.0	0.0	70.6	0	^	^	^	^
Brain	0.0	0.0	70.6	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Endocrine System	0.0	0.0	70.6	0	^	^	^	^
Thyroid	0.0	0.0	70.6	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Lymphoma	0.0	0.0	70.6	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Hodgkin - Nodal	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Hodgkin - Extranodal	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Non-Hodgkin Lymphoma	0.0	0.0	70.6	0	^	^	^	^
NHL - Nodal	0.0	0.0	70.6	0	^	^	^	^
NHL - Extranodal	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Myeloma	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Leukemia	^	^	^	^	0.0	0.0	72.0	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	72.0	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	72.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Lymphocytic Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Acute Myeloid Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Acute Monocytic Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Chronic Myeloid Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Other Acute Leukemia	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Mesothelioma	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Kaposi Sarcoma	0.0	0.0	70.6	0	0.0	0.0	72.0	0
Miscellaneous	0.0	0.0	70.6	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Lip	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Tongue	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Salivary Gland	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Floor of Mouth	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Gum and Other Mouth	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Nasopharynx	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Tonsil	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Oropharynx	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Hypopharynx	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Oral Cavity and Pharynx	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Digestive System	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Esophagus	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Stomach	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Small Intestine	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Colon and Rectum	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Colon excluding Rectum	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Cecum	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Appendix	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Ascending Colon	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Hepatic Flexure	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Transverse Colon	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Splenic Flexure	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Descending Colon	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Sigmoid Colon	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Large Intestine, NOS	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Rectosigmoid Junction	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Rectum	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Liver	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Intrahepatic Bile Duct	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Biliary	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Pancreas	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Retroperitoneum	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Digestive Organs	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Respiratory System	0.0	0.0	1,200.7	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Larynx	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Lung and Bronchus	0.0	0.0	1,200.7	0	^	^	^	^
Pleura	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Bones and Joints	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Soft Tissue including Heart	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Skin excluding Basal and Squamous	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Melanoma of the Skin	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Non-Epithelial Skin	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Breast	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Female Genital System	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Cervix Uteri	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Corpus and Uterus, NOS	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Corpus Uteri	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Uterus, NOS	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Ovary	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Vagina	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Vulva	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Female Genital Organs	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Male Genital System	^	^	^	^	0.0	0.0	1,508.5	0
Prostate	^	^	^	^	0.0	0.0	1,508.5	0
Testis	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Penis	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Male Genital Organs	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Urinary System	^	^	^	^	0.0	0.0	1,508.5	0
Urinary Bladder	^	^	^	^	0.0	0.0	1,508.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Bristol Bay Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	1,508.5	0
Ureter	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Urinary Organs	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Eye and Orbit	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Brain and Other Nervous System	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Brain	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Cranial Nerves Other Nervous System	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Endocrine System	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Thyroid	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Endocrine including Thymus	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Lymphoma	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Hodgkin Lymphoma	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Hodgkin - Nodal	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Hodgkin - Extranodal	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Non-Hodgkin Lymphoma	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
NHL - Nodal	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
NHL - Extranodal	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Myeloma	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Lymphocytic Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Acute Lymphocytic Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Lymphocytic Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Acute Myeloid Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Acute Monocytic Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Chronic Myeloid Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Other Acute Leukemia	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Mesothelioma	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Kaposi Sarcoma	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0
Miscellaneous	0.0	0.0	1,200.7	0	0.0	0.0	1,508.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	1,165.0	0
Lip	^	^	^	^	0.0	0.0	1,165.0	0
Tongue	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Salivary Gland	^	^	^	^	0.0	0.0	1,165.0	0
Floor of Mouth	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Gum and Other Mouth	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Nasopharynx	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Tonsil	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Oropharynx	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Hypopharynx	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Oral Cavity and Pharynx	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	1,165.0	0
Stomach	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Small Intestine	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Colon and Rectum	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Colon excluding Rectum	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Cecum	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Appendix	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Ascending Colon	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Hepatic Flexure	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Transverse Colon	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Splenic Flexure	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Descending Colon	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Sigmoid Colon	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Large Intestine, NOS	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Rectosigmoid Junction	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Rectum	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	716.8	0	^	^	^	^
Liver	0.0	0.0	716.8	0	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Biliary	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Pancreas	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Retroperitoneum	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Digestive Organs	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Respiratory System	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Larynx	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Lung and Bronchus	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Pleura	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Bones and Joints	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Soft Tissue including Heart	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Skin excluding Basal and Squamous	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Melanoma of the Skin	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Non-Epithelial Skin	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Breast	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Female Genital System	0.0	0.0	716.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	716.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Corpus Uteri	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Uterus, NOS	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Ovary	0.0	0.0	716.8	0	^	^	^	^
Vagina	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Vulva	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Female Genital Organs	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Male Genital System	^	^	^	^	0.0	0.0	1,165.0	0
Prostate	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Testis	^	^	^	^	0.0	0.0	1,165.0	0
Penis	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Male Genital Organs	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Urinary System	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Urinary Bladder	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Denali Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Ureter	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Urinary Organs	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Eye and Orbit	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Brain and Other Nervous System	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Brain	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Cranial Nerves Other Nervous System	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Endocrine System	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Thyroid	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Endocrine including Thymus	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Lymphoma	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Hodgkin Lymphoma	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Hodgkin - Nodal	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Hodgkin - Extranodal	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Non-Hodgkin Lymphoma	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
NHL - Nodal	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
NHL - Extranodal	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Myeloma	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Lymphocytic Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Acute Lymphocytic Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Lymphocytic Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Acute Myeloid Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Acute Monocytic Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Chronic Myeloid Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Other Acute Leukemia	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Mesothelioma	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Kaposi Sarcoma	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0
Miscellaneous	0.0	0.0	716.8	0	0.0	0.0	1,165.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	465.2	192.6	919.6	8
Oral Cavity and Pharynx	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Lip	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Tongue	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Salivary Gland	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Floor of Mouth	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Gum and Other Mouth	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Nasopharynx	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Tonsil	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Oropharynx	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Hypopharynx	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Oral Cavity and Pharynx	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	211.8	0	^	^	^	^
Stomach	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Small Intestine	^	^	^	^	0.0	0.0	190.0	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	0.0	0.0	211.8	0	^	^	^	^
Cecum	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Appendix	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Ascending Colon	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Hepatic Flexure	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Transverse Colon	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Splenic Flexure	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Descending Colon	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Sigmoid Colon	0.0	0.0	211.8	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	190.0	0
Rectosigmoid Junction	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Rectum	^	^	^	^	0.0	0.0	190.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Liver	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Intrahepatic Bile Duct	0.0	0.0	211.8	0	0.0	0.0	190.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Biliary	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Pancreas	0.0	0.0	211.8	0	^	^	^	^
Retroperitoneum	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Digestive Organs	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Respiratory System	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Larynx	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Lung and Bronchus	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Pleura	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Bones and Joints	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Soft Tissue including Heart	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Skin excluding Basal and Squamous	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Melanoma of the Skin	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Non-Epithelial Skin	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Breast	0.0	0.0	211.8	0	^	^	^	^
Female Genital System	0.0	0.0	211.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Corpus and Uterus, NOS	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Corpus Uteri	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Uterus, NOS	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Ovary	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Vagina	0.0	0.0	211.8	0	^	^	^	^
Vulva	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Female Genital Organs	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Male Genital System	^	^	^	^	0.0	0.0	190.0	0
Prostate	^	^	^	^	0.0	0.0	190.0	0
Testis	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Penis	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Male Genital Organs	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Urinary System	^	^	^	^	0.0	0.0	190.0	0
Urinary Bladder	0.0	0.0	211.8	0	0.0	0.0	190.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Dillingham Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	190.0	0
Ureter	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Urinary Organs	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Eye and Orbit	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Brain and Other Nervous System	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Brain	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Cranial Nerves Other Nervous System	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Endocrine System	0.0	0.0	211.8	0	^	^	^	^
Thyroid	0.0	0.0	211.8	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Lymphoma	0.0	0.0	211.8	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Hodgkin - Nodal	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Hodgkin - Extranodal	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Non-Hodgkin Lymphoma	0.0	0.0	211.8	0	^	^	^	^
NHL - Nodal	0.0	0.0	211.8	0	^	^	^	^
NHL - Extranodal	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Myeloma	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Lymphocytic Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Acute Lymphocytic Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Lymphocytic Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Acute Myeloid Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Acute Monocytic Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Chronic Myeloid Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Other Acute Leukemia	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Mesothelioma	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Kaposi Sarcoma	0.0	0.0	211.8	0	0.0	0.0	190.0	0
Miscellaneous	0.0	0.0	211.8	0	0.0	0.0	190.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	522.5	433.4	623.0	158	356.5	287.3	436.1	108
Oral Cavity and Pharynx	23.1	7.1	52.6	6	^	^	^	^
Lip	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Tongue	^	^	^	^	0.0	0.0	11.3	0
Salivary Gland	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Floor of Mouth	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Gum and Other Mouth	^	^	^	^	0.0	0.0	11.3	0
Nasopharynx	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Tonsil	^	^	^	^	0.0	0.0	11.3	0
Oropharynx	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Hypopharynx	0.0	0.0	12.8	0	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Digestive System	84.6	50.0	131.6	25	91.0	55.8	137.9	23
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	0.0	0.0	12.8	0	^	^	^	^
Colon and Rectum	42.5	19.1	78.8	12	45.4	22.8	79.1	13
Colon excluding Rectum	25.5	7.8	57.4	6	43.3	21.1	76.8	12
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Ascending Colon	0.0	0.0	12.8	0	^	^	^	^
Hepatic Flexure	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Transverse Colon	^	^	^	^	0.0	0.0	11.3	0
Splenic Flexure	0.0	0.0	12.8	0	^	^	^	^
Descending Colon	0.0	0.0	12.8	0	^	^	^	^
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	17.0	4.9	40.8	6	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	11.3	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	12.8	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	12.8	0	0.0	0.0	11.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Other Biliary	0.0	0.0	12.8	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	12.8	0	^	^	^	^
Other Digestive Organs	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Respiratory System	91.5	56.9	137.8	27	78.2	47.9	119.0	23
Nose, Nasal Cavity and Middle Ear	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Larynx	^	^	^	^	0.0	0.0	11.3	0
Lung and Bronchus	83.0	50.3	127.3	25	76.1	46.1	116.7	22
Pleura	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	12.8	0	^	^	^	^
Bones and Joints	0.0	0.0	12.8	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Breast	0.0	0.0	12.8	0	78.4	50.5	115.8	29
Female Genital System	0.0	0.0	12.8	0	25.5	10.9	50.1	9
Cervix Uteri	0.0	0.0	12.8	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	12.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	12.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Ovary	0.0	0.0	12.8	0	^	^	^	^
Vagina	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Vulva	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Other Female Genital Organs	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Male Genital System	184.5	133.6	246.8	57	0.0	0.0	11.3	0
Prostate	177.7	127.3	239.7	53	0.0	0.0	11.3	0
Testis	^	^	^	^	0.0	0.0	11.3	0
Penis	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Other Male Genital Organs	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Urinary System	57.8	29.8	98.5	15	^	^	^	^
Urinary Bladder	35.2	13.6	70.7	8	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Fairbanks North Star Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	22.5	8.0	48.8	7	^	^	^	^
Ureter	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Other Urinary Organs	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Eye and Orbit	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	11.3	0
Brain	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Cranial Nerves Other Nervous System	^	^	^	^	0.0	0.0	11.3	0
Endocrine System	^	^	^	^	^	^	^	^
Thyroid	^	^	^	^	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Lymphoma	18.2	6.6	40.1	7	23.2	8.0	50.1	6
Hodgkin Lymphoma	^	^	^	^	^	^	^	^
Hodgkin - Nodal	^	^	^	^	^	^	^	^
Hodgkin - Extranodal	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Non-Hodgkin Lymphoma	16.0	5.2	37.5	6	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	19.6	6.2	44.9	6	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Chronic Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	11.3	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	11.3	0
Acute Monocytic Leukemia	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Chronic Myeloid Leukemia	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Other Myeloid/Monocytic Leukemia	^	^	^	^	0.0	0.0	11.3	0
Other Leukemia	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Other Acute Leukemia	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Mesothelioma	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Kaposi Sarcoma	0.0	0.0	12.8	0	0.0	0.0	11.3	0
Miscellaneous	16.6	5.2	39.0	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	708.7	318.5	1,415.8	10	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	400.3	0
Lip	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Tongue	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Salivary Gland	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Floor of Mouth	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Gum and Other Mouth	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Nasopharynx	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Tonsil	^	^	^	^	0.0	0.0	400.3	0
Oropharynx	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Hypopharynx	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Oral Cavity and Pharynx	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Digestive System	^	^	^	^	0.0	0.0	400.3	0
Esophagus	^	^	^	^	0.0	0.0	400.3	0
Stomach	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Small Intestine	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Colon and Rectum	^	^	^	^	0.0	0.0	400.3	0
Colon excluding Rectum	^	^	^	^	0.0	0.0	400.3	0
Cecum	^	^	^	^	0.0	0.0	400.3	0
Appendix	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Ascending Colon	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Hepatic Flexure	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Transverse Colon	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Splenic Flexure	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Descending Colon	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Sigmoid Colon	^	^	^	^	0.0	0.0	400.3	0
Large Intestine, NOS	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Rectosigmoid Junction	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Rectum	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Liver	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Intrahepatic Bile Duct	0.0	0.0	422.4	0	0.0	0.0	400.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Biliary	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Pancreas	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Retroperitoneum	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Digestive Organs	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Respiratory System	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Larynx	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Lung and Bronchus	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Pleura	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Bones and Joints	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Soft Tissue including Heart	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Skin excluding Basal and Squamous	0.0	0.0	422.4	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	422.4	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Breast	0.0	0.0	422.4	0	^	^	^	^
Female Genital System	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Cervix Uteri	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Corpus and Uterus, NOS	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Corpus Uteri	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Uterus, NOS	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Ovary	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Vagina	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Vulva	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Female Genital Organs	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Male Genital System	^	^	^	^	0.0	0.0	400.3	0
Prostate	^	^	^	^	0.0	0.0	400.3	0
Testis	^	^	^	^	0.0	0.0	400.3	0
Penis	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Male Genital Organs	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Urinary System	^	^	^	^	0.0	0.0	400.3	0
Urinary Bladder	^	^	^	^	0.0	0.0	400.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Haines Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Ureter	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Urinary Organs	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Eye and Orbit	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Brain and Other Nervous System	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Brain	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Cranial Nerves Other Nervous System	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Endocrine System	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Thyroid	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Endocrine including Thymus	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Lymphoma	0.0	0.0	422.4	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Hodgkin - Nodal	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Hodgkin - Extranodal	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Non-Hodgkin Lymphoma	0.0	0.0	422.4	0	^	^	^	^
NHL - Nodal	0.0	0.0	422.4	0	^	^	^	^
NHL - Extranodal	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Myeloma	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Lymphocytic Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Acute Lymphocytic Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Lymphocytic Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Acute Myeloid Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Acute Monocytic Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Chronic Myeloid Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Other Acute Leukemia	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Mesothelioma	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Kaposi Sarcoma	0.0	0.0	422.4	0	0.0	0.0	400.3	0
Miscellaneous	^	^	^	^	0.0	0.0	400.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	466.4	334.2	629.6	55	429.2	321.2	561.3	62
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	33.4	0	^	^	^	^
Tongue	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Salivary Gland	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Floor of Mouth	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Gum and Other Mouth	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Nasopharynx	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Tonsil	^	^	^	^	0.0	0.0	29.0	0
Oropharynx	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Hypopharynx	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Oral Cavity and Pharynx	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Digestive System	101.2	44.7	190.8	11	103.6	55.7	175.9	16
Esophagus	^	^	^	^	0.0	0.0	29.0	0
Stomach	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	87.8	34.2	176.6	8	78.5	37.8	143.8	12
Colon excluding Rectum	^	^	^	^	52.4	20.1	110.5	8
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Ascending Colon	^	^	^	^	0.0	0.0	29.0	0
Hepatic Flexure	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Transverse Colon	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Splenic Flexure	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Descending Colon	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	33.4	0	^	^	^	^
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Liver	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Intrahepatic Bile Duct	0.0	0.0	33.4	0	0.0	0.0	29.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Biliary	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Pancreas	0.0	0.0	33.4	0	^	^	^	^
Retroperitoneum	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Digestive Organs	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Respiratory System	^	^	^	^	72.9	30.0	144.2	8
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	29.0	0
Larynx	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Lung and Bronchus	^	^	^	^	72.9	30.0	144.2	8
Pleura	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Bones and Joints	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	29.0	0
Skin excluding Basal and Squamous	28.7	10.5	71.5	6	^	^	^	^
Melanoma of the Skin	28.7	10.5	71.5	6	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Breast	0.0	0.0	33.4	0	97.6	52.6	166.2	16
Female Genital System	0.0	0.0	33.4	0	^	^	^	^
Cervix Uteri	0.0	0.0	33.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	33.4	0	^	^	^	^
Corpus Uteri	0.0	0.0	33.4	0	^	^	^	^
Uterus, NOS	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Ovary	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Vagina	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Vulva	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Female Genital Organs	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Male Genital System	132.4	67.3	229.4	16	0.0	0.0	29.0	0
Prostate	132.4	67.3	229.4	16	0.0	0.0	29.0	0
Testis	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Penis	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Male Genital Organs	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Juneau Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Urinary Organs	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Eye and Orbit	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Endocrine System	0.0	0.0	33.4	0	^	^	^	^
Thyroid	0.0	0.0	33.4	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	29.0	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	29.0	0
Hodgkin - Extranodal	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	0.0	0.0	33.4	0	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	33.4	0	^	^	^	^
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	33.4	0	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	29.0	0
Other Lymphocytic Leukemia	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	33.4	0	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	33.4	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Chronic Myeloid Leukemia	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Leukemia	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Other Acute Leukemia	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Mesothelioma	^	^	^	^	0.0	0.0	29.0	0
Kaposi Sarcoma	0.0	0.0	33.4	0	0.0	0.0	29.0	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	487.8	396.5	593.4	119	385.6	310.8	473.3	100
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	^	^	^	^	^	^	^	^
Tongue	^	^	^	^	^	^	^	^
Salivary Gland	0.0	0.0	17.9	0	^	^	^	^
Floor of Mouth	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Gum and Other Mouth	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Nasopharynx	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Tonsil	^	^	^	^	0.0	0.0	16.7	0
Oropharynx	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Hypopharynx	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Other Oral Cavity and Pharynx	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Digestive System	102.6	62.9	157.3	26	63.6	35.5	105.4	17
Esophagus	^	^	^	^	^	^	^	^
Stomach	^	^	^	^	^	^	^	^
Small Intestine	^	^	^	^	^	^	^	^
Colon and Rectum	31.3	12.5	65.0	8	24.2	10.3	50.8	8
Colon excluding Rectum	^	^	^	^	18.6	6.7	43.6	6
Cecum	0.0	0.0	17.9	0	^	^	^	^
Appendix	0.0	0.0	17.9	0	^	^	^	^
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Transverse Colon	^	^	^	^	0.0	0.0	16.7	0
Splenic Flexure	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Descending Colon	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Sigmoid Colon	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Large Intestine, NOS	^	^	^	^	0.0	0.0	16.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	17.9	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	16.7	0
Liver	^	^	^	^	0.0	0.0	16.7	0
Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	16.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	17.9	0	^	^	^	^
Other Biliary	0.0	0.0	17.9	0	^	^	^	^
Pancreas	29.4	12.0	61.1	8	^	^	^	^
Retroperitoneum	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.9	0	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	^
Respiratory System	85.2	50.7	134.1	20	62.3	33.3	105.9	14
Nose, Nasal Cavity and Middle Ear	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Larynx	^	^	^	^	0.0	0.0	16.7	0
Lung and Bronchus	73.9	41.8	120.6	17	62.3	33.3	105.9	14
Pleura	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Bones and Joints	0.0	0.0	17.9	0	^	^	^	^
Soft Tissue including Heart	0.0	0.0	17.9	0	^	^	^	^
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Breast	0.0	0.0	17.9	0	112.5	75.3	162.5	31
Female Genital System	0.0	0.0	17.9	0	53.4	29.3	90.4	15
Cervix Uteri	0.0	0.0	17.9	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	17.9	0	35.5	16.0	68.8	9
Corpus Uteri	0.0	0.0	17.9	0	35.5	16.0	68.8	9
Uterus, NOS	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Ovary	0.0	0.0	17.9	0	^	^	^	^
Vagina	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Vulva	0.0	0.0	17.9	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Male Genital System	146.4	98.3	209.2	35	0.0	0.0	16.7	0
Prostate	137.2	90.3	199.0	32	0.0	0.0	16.7	0
Testis	^	^	^	^	0.0	0.0	16.7	0
Penis	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Other Male Genital Organs	^	^	^	^	0.0	0.0	16.7	0
Urinary System	38.5	20.1	69.5	13	^	^	^	^
Urinary Bladder	30.5	14.3	59.8	10	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Kenai Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	16.7	0
Ureter	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Other Urinary Organs	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Eye and Orbit	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Endocrine System	0.0	0.0	17.9	0	^	^	^	^
Thyroid	0.0	0.0	17.9	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Lymphoma	38.4	16.6	75.3	9	24.8	9.4	54.0	7
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	16.7	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	16.7	0
Hodgkin - Extranodal	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Non-Hodgkin Lymphoma	31.2	11.8	66.3	7	24.8	9.4	54.0	7
NHL - Nodal	28.3	9.8	62.9	6	20.4	7.0	47.8	6
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Leukemia	33.6	10.2	76.4	6	^	^	^	^
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	16.7	0
Acute Lymphocytic Leukemia	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	16.7	0
Other Lymphocytic Leukemia	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	16.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Other Leukemia	^	^	^	^	0.0	0.0	16.7	0
Other Acute Leukemia	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	16.7	0
Mesothelioma	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Kaposi Sarcoma	0.0	0.0	17.9	0	0.0	0.0	16.7	0
Miscellaneous	^	^	^	^	0.0	0.0	16.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	492.4	316.8	726.0	28	562.8	384.0	794.5	34
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	62.4	0
Lip	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Tongue	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Salivary Gland	^	^	^	^	0.0	0.0	62.4	0
Floor of Mouth	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Gum and Other Mouth	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Nasopharynx	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Tonsil	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Oropharynx	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Hypopharynx	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Oral Cavity and Pharynx	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Digestive System	90.3	29.8	208.5	6	101.5	35.5	224.5	6
Esophagus	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Stomach	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Small Intestine	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Appendix	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Ascending Colon	0.0	0.0	65.1	0	^	^	^	^
Hepatic Flexure	^	^	^	^	0.0	0.0	62.4	0
Transverse Colon	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Splenic Flexure	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Descending Colon	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Sigmoid Colon	^	^	^	^	0.0	0.0	62.4	0
Large Intestine, NOS	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^	0.0	0.0	62.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	^	^	^	^
Liver	^	^	^	^	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	65.1	0	0.0	0.0	62.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Biliary	0.0	0.0	65.1	0	^	^	^	^
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Digestive Organs	0.0	0.0	65.1	0	^	^	^	^
Respiratory System	137.9	50.9	289.4	7	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Larynx	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Lung and Bronchus	137.9	50.9	289.4	7	^	^	^	^
Pleura	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Bones and Joints	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Soft Tissue including Heart	0.0	0.0	65.1	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	65.1	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	65.1	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Breast	0.0	0.0	65.1	0	217.1	112.4	376.9	13
Female Genital System	0.0	0.0	65.1	0	^	^	^	^
Cervix Uteri	0.0	0.0	65.1	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Corpus Uteri	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Uterus, NOS	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Ovary	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Vagina	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Vulva	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Female Genital Organs	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Male Genital System	105.0	36.1	233.6	6	0.0	0.0	62.4	0
Prostate	^	^	^	^	0.0	0.0	62.4	0
Testis	^	^	^	^	0.0	0.0	62.4	0
Penis	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Male Genital Organs	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Ketchikan Gateway Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	62.4	0
Ureter	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Urinary Organs	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Eye and Orbit	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Brain and Other Nervous System	^	^	^	^	0.0	0.0	62.4	0
Brain	^	^	^	^	0.0	0.0	62.4	0
Cranial Nerves Other Nervous System	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Endocrine System	0.0	0.0	65.1	0	^	^	^	^
Thyroid	0.0	0.0	65.1	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	62.4	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	62.4	0
Hodgkin - Extranodal	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	65.1	0	^	^	^	^
Myeloma	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Leukemia	^	^	^	^	0.0	0.0	62.4	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	62.4	0
Acute Lymphocytic Leukemia	^	^	^	^	0.0	0.0	62.4	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	62.4	0
Other Lymphocytic Leukemia	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Acute Myeloid Leukemia	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Acute Monocytic Leukemia	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Chronic Myeloid Leukemia	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Leukemia	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Other Acute Leukemia	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Mesothelioma	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Kaposi Sarcoma	0.0	0.0	65.1	0	0.0	0.0	62.4	0
Miscellaneous	0.0	0.0	65.1	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	325.7	180.8	537.4	18	537.9	324.4	829.8	23
Oral Cavity and Pharynx	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Lip	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Tongue	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Salivary Gland	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Floor of Mouth	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Gum and Other Mouth	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Nasopharynx	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Tonsil	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Oropharynx	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Hypopharynx	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Oral Cavity and Pharynx	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Stomach	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Small Intestine	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	79.6	0	^	^	^	^
Appendix	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Ascending Colon	0.0	0.0	79.6	0	^	^	^	^
Hepatic Flexure	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Transverse Colon	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Splenic Flexure	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Descending Colon	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Sigmoid Colon	^	^	^	^	0.0	0.0	84.8	0
Large Intestine, NOS	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	84.8	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	84.8	0
Rectum	^	^	^	^	0.0	0.0	84.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Liver	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Intrahepatic Bile Duct	0.0	0.0	79.6	0	0.0	0.0	84.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Biliary	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Pancreas	^	^	^	^	0.0	0.0	84.8	0
Retroperitoneum	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Digestive Organs	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Larynx	^	^	^	^	^	^	^	^
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^	0.0	0.0	84.8	0
Bones and Joints	^	^	^	^	0.0	0.0	84.8	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	84.8	0
Skin excluding Basal and Squamous	0.0	0.0	79.6	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	79.6	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Breast	0.0	0.0	79.6	0	^	^	^	^
Female Genital System	0.0	0.0	79.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Corpus and Uterus, NOS	0.0	0.0	79.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	79.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Ovary	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Vagina	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Vulva	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Female Genital Organs	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Male Genital System	^	^	^	^	0.0	0.0	84.8	0
Prostate	^	^	^	^	0.0	0.0	84.8	0
Testis	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Penis	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Male Genital Organs	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Urinary System	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Urinary Bladder	0.0	0.0	79.6	0	0.0	0.0	84.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Kodiak Island Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Ureter	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Urinary Organs	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Eye and Orbit	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Brain and Other Nervous System	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Brain	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Cranial Nerves Other Nervous System	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Endocrine System	0.0	0.0	79.6	0	^	^	^	^
Thyroid	0.0	0.0	79.6	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Hodgkin - Nodal	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Hodgkin - Extranodal	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	79.6	0	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	0.0	0.0	84.8	0
Lymphocytic Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Acute Lymphocytic Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Lymphocytic Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	84.8	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	84.8	0
Acute Monocytic Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Chronic Myeloid Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Other Acute Leukemia	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Mesothelioma	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Kaposi Sarcoma	0.0	0.0	79.6	0	0.0	0.0	84.8	0
Miscellaneous	^	^	^	^	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	809.6	0
Lip	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Tongue	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Salivary Gland	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Floor of Mouth	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Gum and Other Mouth	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Nasopharynx	^	^	^	^	0.0	0.0	809.6	0
Tonsil	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Oropharynx	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Hypopharynx	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Oral Cavity and Pharynx	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Digestive System	^	^	^	^	0.0	0.0	809.6	0
Esophagus	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Stomach	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Small Intestine	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Colon and Rectum	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Colon excluding Rectum	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Cecum	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Appendix	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Ascending Colon	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Hepatic Flexure	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Transverse Colon	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Splenic Flexure	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Descending Colon	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Sigmoid Colon	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Large Intestine, NOS	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Rectosigmoid Junction	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Rectum	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	809.6	0
Liver	^	^	^	^	0.0	0.0	809.6	0
Intrahepatic Bile Duct	0.0	0.0	859.6	0	0.0	0.0	809.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Biliary	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Pancreas	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Retroperitoneum	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Digestive Organs	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Respiratory System	0.0	0.0	859.6	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Larynx	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Lung and Bronchus	0.0	0.0	859.6	0	^	^	^	^
Pleura	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Bones and Joints	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Soft Tissue including Heart	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Skin excluding Basal and Squamous	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Melanoma of the Skin	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Non-Epithelial Skin	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Breast	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Female Genital System	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Cervix Uteri	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Corpus and Uterus, NOS	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Corpus Uteri	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Uterus, NOS	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Ovary	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Vagina	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Vulva	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Female Genital Organs	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Male Genital System	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Prostate	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Testis	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Penis	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Male Genital Organs	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Urinary System	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Urinary Bladder	0.0	0.0	859.6	0	0.0	0.0	809.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Lake and Peninsula Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Ureter	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Urinary Organs	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Eye and Orbit	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Brain and Other Nervous System	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Brain	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Cranial Nerves Other Nervous System	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Endocrine System	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Thyroid	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Endocrine including Thymus	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Lymphoma	0.0	0.0	859.6	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Hodgkin - Nodal	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Hodgkin - Extranodal	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Non-Hodgkin Lymphoma	0.0	0.0	859.6	0	^	^	^	^
NHL - Nodal	0.0	0.0	859.6	0	0.0	0.0	809.6	0
NHL - Extranodal	0.0	0.0	859.6	0	^	^	^	^
Myeloma	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Lymphocytic Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Acute Lymphocytic Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Lymphocytic Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Acute Myeloid Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Acute Monocytic Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Chronic Myeloid Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Other Acute Leukemia	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Mesothelioma	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Kaposi Sarcoma	0.0	0.0	859.6	0	0.0	0.0	809.6	0
Miscellaneous	0.0	0.0	859.6	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	511.7	427.1	607.4	159	451.4	373.9	539.5	137
Oral Cavity and Pharynx	^	^	^	^	^	^	^	^
Lip	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Tongue	^	^	^	^	0.0	0.0	12.4	0
Salivary Gland	0.0	0.0	13.4	0	^	^	^	^
Floor of Mouth	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Gum and Other Mouth	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Nasopharynx	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Tonsil	^	^	^	^	0.0	0.0	12.4	0
Oropharynx	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Hypopharynx	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Other Oral Cavity and Pharynx	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Digestive System	121.0	80.6	173.3	35	40.2	18.0	75.0	10
Esophagus	^	^	^	^	0.0	0.0	12.4	0
Stomach	^	^	^	^	0.0	0.0	12.4	0
Small Intestine	^	^	^	^	0.0	0.0	12.4	0
Colon and Rectum	70.2	40.8	111.2	20	28.1	10.4	58.5	7
Colon excluding Rectum	61.6	34.1	101.1	17	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	12.4	0
Appendix	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Ascending Colon	^	^	^	^	^	^	^	^
Hepatic Flexure	^	^	^	^	^	^	^	^
Transverse Colon	^	^	^	^	0.0	0.0	12.4	0
Splenic Flexure	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Descending Colon	^	^	^	^	0.0	0.0	12.4	0
Sigmoid Colon	20.4	7.1	45.3	6	^	^	^	^
Large Intestine, NOS	^	^	^	^	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	13.4	0	^	^	^	^
Rectum	^	^	^	^	0.0	0.0	12.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	12.4	0
Liver	^	^	^	^	0.0	0.0	12.4	0
Intrahepatic Bile Duct	0.0	0.0	13.4	0	0.0	0.0	12.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Other Biliary	^	^	^	^	0.0	0.0	12.4	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	13.4	0	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Other Digestive Organs	^	^	^	^	0.0	0.0	12.4	0
Respiratory System	89.2	54.3	136.6	25	61.8	34.1	101.6	15
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Larynx	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Lung and Bronchus	89.2	54.3	136.6	25	61.8	34.1	101.6	15
Pleura	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Bones and Joints	0.0	0.0	13.4	0	^	^	^	^
Soft Tissue including Heart	^	^	^	^	0.0	0.0	12.4	0
Skin excluding Basal and Squamous	^	^	^	^	^	^	^	^
Melanoma of the Skin	^	^	^	^	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Breast	0.0	0.0	13.4	0	164.3	120.0	219.0	52
Female Genital System	0.0	0.0	13.4	0	52.6	29.2	86.8	17
Cervix Uteri	0.0	0.0	13.4	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	13.4	0	23.8	8.5	51.0	7
Corpus Uteri	0.0	0.0	13.4	0	23.8	8.5	51.0	7
Uterus, NOS	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Ovary	0.0	0.0	13.4	0	^	^	^	^
Vagina	0.0	0.0	13.4	0	^	^	^	^
Vulva	0.0	0.0	13.4	0	^	^	^	^
Other Female Genital Organs	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Male Genital System	124.2	86.0	173.1	40	0.0	0.0	12.4	0
Prostate	117.7	80.3	166.0	37	0.0	0.0	12.4	0
Testis	^	^	^	^	0.0	0.0	12.4	0
Penis	^	^	^	^	0.0	0.0	12.4	0
Other Male Genital Organs	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Urinary System	60.5	33.1	100.0	19	19.9	6.3	45.5	6
Urinary Bladder	44.0	19.9	81.5	12	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Matanuska-Susitna Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	16.5	6.6	36.5	7	^	^	^	^
Ureter	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Other Urinary Organs	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Eye and Orbit	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Brain and Other Nervous System	^	^	^	^	^	^	^	^
Brain	^	^	^	^	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Endocrine System	^	^	^	^	22.7	8.7	47.7	8
Thyroid	^	^	^	^	22.7	8.7	47.7	8
Other Endocrine including Thymus	^	^	^	^	0.0	0.0	12.4	0
Lymphoma	24.7	9.7	51.2	8	19.0	7.3	40.9	7
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	12.4	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	12.4	0
Hodgkin - Extranodal	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Non-Hodgkin Lymphoma	22.3	8.1	48.3	7	19.0	7.3	40.9	7
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	^	^	^	^	^	^	^	^
Myeloma	^	^	^	^	^	^	^	^
Leukemia	^	^	^	^	27.7	11.9	54.3	9
Lymphocytic Leukemia	^	^	^	^	18.9	6.4	42.6	6
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	13.4	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	13.4	0	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	13.4	0	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^	0.0	0.0	12.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Other Leukemia	0.0	0.0	13.4	0	^	^	^	^
Other Acute Leukemia	0.0	0.0	13.4	0	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	13.4	0	0.0	0.0	12.4	0
Mesothelioma	^	^	^	^	0.0	0.0	12.4	0
Kaposi Sarcoma	^	^	^	^	0.0	0.0	12.4	0
Miscellaneous	21.0	7.3	46.6	6	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	588.2	308.4	990.5	15	499.3	282.0	812.2	17
Oral Cavity and Pharynx	0.0	0.0	117.8	0	^	^	^	^
Lip	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Tongue	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Salivary Gland	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Floor of Mouth	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Gum and Other Mouth	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Nasopharynx	0.0	0.0	117.8	0	^	^	^	^
Tonsil	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Oropharynx	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Hypopharynx	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Oral Cavity and Pharynx	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	109.2	0
Stomach	0.0	0.0	117.8	0	^	^	^	^
Small Intestine	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	109.2	0
Cecum	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Appendix	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Ascending Colon	^	^	^	^	0.0	0.0	109.2	0
Hepatic Flexure	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Transverse Colon	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Splenic Flexure	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Descending Colon	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Sigmoid Colon	^	^	^	^	0.0	0.0	109.2	0
Large Intestine, NOS	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Rectum	^	^	^	^	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Liver	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Intrahepatic Bile Duct	0.0	0.0	117.8	0	0.0	0.0	109.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Biliary	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Pancreas	0.0	0.0	117.8	0	^	^	^	^
Retroperitoneum	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Digestive Organs	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Respiratory System	279.4	98.2	589.6	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Larynx	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Lung and Bronchus	279.4	98.2	589.6	6	^	^	^	^
Pleura	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Bones and Joints	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Soft Tissue including Heart	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Skin excluding Basal and Squamous	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Melanoma of the Skin	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Non-Epithelial Skin	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Breast	0.0	0.0	117.8	0	^	^	^	^
Female Genital System	0.0	0.0	117.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Corpus and Uterus, NOS	0.0	0.0	117.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	117.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Ovary	0.0	0.0	117.8	0	^	^	^	^
Vagina	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Vulva	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Female Genital Organs	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Male Genital System	^	^	^	^	0.0	0.0	109.2	0
Prostate	^	^	^	^	0.0	0.0	109.2	0
Testis	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Penis	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Male Genital Organs	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Urinary System	0.0	0.0	117.8	0	^	^	^	^
Urinary Bladder	0.0	0.0	117.8	0	0.0	0.0	109.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Nome Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	117.8	0	^	^	^	^
Ureter	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Urinary Organs	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Eye and Orbit	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Brain and Other Nervous System	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Brain	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Cranial Nerves Other Nervous System	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Endocrine System	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Thyroid	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Endocrine including Thymus	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Lymphoma	^	^	^	^	0.0	0.0	109.2	0
Hodgkin Lymphoma	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Hodgkin - Nodal	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Hodgkin - Extranodal	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	109.2	0
NHL - Nodal	0.0	0.0	117.8	0	0.0	0.0	109.2	0
NHL - Extranodal	^	^	^	^	0.0	0.0	109.2	0
Myeloma	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Leukemia	^	^	^	^	0.0	0.0	109.2	0
Lymphocytic Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Acute Lymphocytic Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Lymphocytic Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Acute Myeloid Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Acute Monocytic Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Chronic Myeloid Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Other Leukemia	^	^	^	^	0.0	0.0	109.2	0
Other Acute Leukemia	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^	0.0	0.0	109.2	0
Mesothelioma	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Kaposi Sarcoma	0.0	0.0	117.8	0	0.0	0.0	109.2	0
Miscellaneous	^	^	^	^	0.0	0.0	109.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	927.9	438.7	1,659.4	13	523.8	197.9	1,059.4	8
Oral Cavity and Pharynx	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Lip	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Tongue	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Salivary Gland	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Floor of Mouth	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Gum and Other Mouth	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Nasopharynx	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Tonsil	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Oropharynx	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Hypopharynx	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Oral Cavity and Pharynx	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	182.1	0
Stomach	0.0	0.0	231.8	0	^	^	^	^
Small Intestine	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Appendix	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Ascending Colon	0.0	0.0	231.8	0	^	^	^	^
Hepatic Flexure	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Transverse Colon	^	^	^	^	0.0	0.0	182.1	0
Splenic Flexure	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Descending Colon	^	^	^	^	0.0	0.0	182.1	0
Sigmoid Colon	^	^	^	^	^	^	^	^
Large Intestine, NOS	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Rectosigmoid Junction	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Rectum	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	231.8	0	^	^	^	^
Liver	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Intrahepatic Bile Duct	0.0	0.0	231.8	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Biliary	^	^	^	^	0.0	0.0	182.1	0
Pancreas	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Retroperitoneum	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Digestive Organs	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Respiratory System	^	^	^	^	0.0	0.0	182.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Larynx	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Lung and Bronchus	^	^	^	^	0.0	0.0	182.1	0
Pleura	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Bones and Joints	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	182.1	0
Skin excluding Basal and Squamous	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Melanoma of the Skin	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Non-Epithelial Skin	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Breast	0.0	0.0	231.8	0	^	^	^	^
Female Genital System	0.0	0.0	231.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Corpus and Uterus, NOS	0.0	0.0	231.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	231.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Ovary	0.0	0.0	231.8	0	^	^	^	^
Vagina	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Vulva	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Female Genital Organs	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Male Genital System	^	^	^	^	0.0	0.0	182.1	0
Prostate	^	^	^	^	0.0	0.0	182.1	0
Testis	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Penis	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Male Genital Organs	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Urinary System	^	^	^	^	0.0	0.0	182.1	0
Urinary Bladder	^	^	^	^	0.0	0.0	182.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/North Slope Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Ureter	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Urinary Organs	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Eye and Orbit	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Brain and Other Nervous System	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Brain	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Cranial Nerves Other Nervous System	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Endocrine System	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Thyroid	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Endocrine including Thymus	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Lymphoma	^	^	^	^	0.0	0.0	182.1	0
Hodgkin Lymphoma	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Hodgkin - Nodal	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Hodgkin - Extranodal	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	182.1	0
NHL - Nodal	0.0	0.0	231.8	0	0.0	0.0	182.1	0
NHL - Extranodal	^	^	^	^	0.0	0.0	182.1	0
Myeloma	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Lymphocytic Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Acute Lymphocytic Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Lymphocytic Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Acute Myeloid Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Acute Monocytic Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Chronic Myeloid Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Other Acute Leukemia	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Mesothelioma	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Kaposi Sarcoma	0.0	0.0	231.8	0	0.0	0.0	182.1	0
Miscellaneous	0.0	0.0	231.8	0	0.0	0.0	182.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	541.0	275.8	947.7	13	349.5	153.4	676.3	9
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	150.6	0
Lip	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Tongue	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Salivary Gland	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Floor of Mouth	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Gum and Other Mouth	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Nasopharynx	^	^	^	^	0.0	0.0	150.6	0
Tonsil	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Oropharynx	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Hypopharynx	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Oral Cavity and Pharynx	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Stomach	^	^	^	^	0.0	0.0	150.6	0
Small Intestine	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Appendix	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Ascending Colon	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Hepatic Flexure	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Transverse Colon	^	^	^	^	0.0	0.0	150.6	0
Splenic Flexure	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Descending Colon	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Sigmoid Colon	0.0	0.0	173.3	0	^	^	^	^
Large Intestine, NOS	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	150.6	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	150.6	0
Rectum	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	173.3	0	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^	0.0	0.0	150.6	0
Liver	^	^	^	^	0.0	0.0	150.6	0
Intrahepatic Bile Duct	0.0	0.0	173.3	0	0.0	0.0	150.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Biliary	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Pancreas	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Retroperitoneum	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Digestive Organs	0.0	0.0	173.3	0	^	^	^	^
Respiratory System	^	^	^	^	0.0	0.0	150.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Larynx	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Lung and Bronchus	^	^	^	^	0.0	0.0	150.6	0
Pleura	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Bones and Joints	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Soft Tissue including Heart	^	^	^	^	0.0	0.0	150.6	0
Skin excluding Basal and Squamous	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Melanoma of the Skin	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Non-Epithelial Skin	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Breast	0.0	0.0	173.3	0	^	^	^	^
Female Genital System	0.0	0.0	173.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Corpus and Uterus, NOS	0.0	0.0	173.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	173.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Ovary	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Vagina	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Vulva	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Female Genital Organs	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Male Genital System	^	^	^	^	0.0	0.0	150.6	0
Prostate	^	^	^	^	0.0	0.0	150.6	0
Testis	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Penis	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Male Genital Organs	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Urinary System	^	^	^	^	0.0	0.0	150.6	0
Urinary Bladder	^	^	^	^	0.0	0.0	150.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Northwest Arctic Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Ureter	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Urinary Organs	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Eye and Orbit	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Brain and Other Nervous System	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Brain	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Cranial Nerves Other Nervous System	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Endocrine System	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Thyroid	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Endocrine including Thymus	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Lymphoma	0.0	0.0	173.3	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Hodgkin - Nodal	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Hodgkin - Extranodal	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Non-Hodgkin Lymphoma	0.0	0.0	173.3	0	^	^	^	^
NHL - Nodal	0.0	0.0	173.3	0	0.0	0.0	150.6	0
NHL - Extranodal	0.0	0.0	173.3	0	^	^	^	^
Myeloma	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Lymphocytic Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Acute Lymphocytic Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Lymphocytic Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Acute Myeloid Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Acute Monocytic Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Chronic Myeloid Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Other Acute Leukemia	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Mesothelioma	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Kaposi Sarcoma	0.0	0.0	173.3	0	0.0	0.0	150.6	0
Miscellaneous	0.0	0.0	173.3	0	0.0	0.0	150.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	272.1	112.6	564.4	10	275.1	91.1	628.5	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	189.7	0
Lip	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Tongue	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Salivary Gland	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Floor of Mouth	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Gum and Other Mouth	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Nasopharynx	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Tonsil	^	^	^	^	0.0	0.0	189.7	0
Oropharynx	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Hypopharynx	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Oral Cavity and Pharynx	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Stomach	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Small Intestine	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	189.7	0
Cecum	^	^	^	^	0.0	0.0	189.7	0
Appendix	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Ascending Colon	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Hepatic Flexure	^	^	^	^	0.0	0.0	189.7	0
Transverse Colon	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Splenic Flexure	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Descending Colon	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Sigmoid Colon	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Large Intestine, NOS	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	169.2	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Rectum	0.0	0.0	169.2	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	169.2	0	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Liver	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Intrahepatic Bile Duct	0.0	0.0	169.2	0	0.0	0.0	189.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Biliary	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Pancreas	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Retroperitoneum	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Digestive Organs	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Larynx	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Bones and Joints	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Soft Tissue including Heart	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	189.7	0
Melanoma of the Skin	^	^	^	^	0.0	0.0	189.7	0
Other Non-Epithelial Skin	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Breast	0.0	0.0	169.2	0	^	^	^	^
Female Genital System	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Cervix Uteri	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Corpus and Uterus, NOS	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Corpus Uteri	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Uterus, NOS	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Ovary	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Vagina	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Vulva	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Female Genital Organs	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Male Genital System	^	^	^	^	0.0	0.0	189.7	0
Prostate	^	^	^	^	0.0	0.0	189.7	0
Testis	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Penis	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Male Genital Organs	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	0.0	0.0	169.2	0	0.0	0.0	189.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Prince of Wales-Outer Ketchikan Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Urinary Organs	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Eye and Orbit	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Brain and Other Nervous System	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Brain	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Cranial Nerves Other Nervous System	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Endocrine System	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Thyroid	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Endocrine including Thymus	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Hodgkin - Nodal	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Hodgkin - Extranodal	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	^	^	^	^
NHL - Extranodal	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Myeloma	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Lymphocytic Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Acute Lymphocytic Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Lymphocytic Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Acute Myeloid Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Acute Monocytic Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Chronic Myeloid Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Other Acute Leukemia	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Mesothelioma	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Kaposi Sarcoma	0.0	0.0	169.2	0	0.0	0.0	189.7	0
Miscellaneous	0.0	0.0	169.2	0	0.0	0.0	189.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	522.6	293.2	848.2	19	357.4	201.3	587.4	16
Oral Cavity and Pharynx	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Lip	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Tongue	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Salivary Gland	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Floor of Mouth	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Gum and Other Mouth	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Nasopharynx	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Tonsil	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Oropharynx	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Hypopharynx	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Oral Cavity and Pharynx	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Stomach	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Small Intestine	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	0.0	0.0	88.4	0
Cecum	^	^	^	^	0.0	0.0	88.4	0
Appendix	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Ascending Colon	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Hepatic Flexure	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Transverse Colon	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Splenic Flexure	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Descending Colon	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Sigmoid Colon	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Large Intestine, NOS	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	101.6	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	101.6	0	^	^	^	^
Rectum	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Liver	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Intrahepatic Bile Duct	0.0	0.0	101.6	0	0.0	0.0	88.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	88.4	0
Other Biliary	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Pancreas	^	^	^	^	0.0	0.0	88.4	0
Retroperitoneum	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Digestive Organs	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Larynx	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Bones and Joints	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Soft Tissue including Heart	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Skin excluding Basal and Squamous	^	^	^	^	0.0	0.0	88.4	0
Melanoma of the Skin	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Non-Epithelial Skin	^	^	^	^	0.0	0.0	88.4	0
Breast	0.0	0.0	101.6	0	^	^	^	^
Female Genital System	0.0	0.0	101.6	0	^	^	^	^
Cervix Uteri	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Corpus and Uterus, NOS	0.0	0.0	101.6	0	^	^	^	^
Corpus Uteri	0.0	0.0	101.6	0	^	^	^	^
Uterus, NOS	0.0	0.0	101.6	0	^	^	^	^
Ovary	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Vagina	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Vulva	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Female Genital Organs	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Male Genital System	^	^	^	^	0.0	0.0	88.4	0
Prostate	^	^	^	^	0.0	0.0	88.4	0
Testis	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Penis	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Male Genital Organs	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	88.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Sitka Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	^	^	^	^
Ureter	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Urinary Organs	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Eye and Orbit	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Brain and Other Nervous System	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Brain	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Cranial Nerves Other Nervous System	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Endocrine System	^	^	^	^	0.0	0.0	88.4	0
Thyroid	^	^	^	^	0.0	0.0	88.4	0
Other Endocrine including Thymus	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Hodgkin - Nodal	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Hodgkin - Extranodal	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	88.4	0
NHL - Extranodal	0.0	0.0	101.6	0	^	^	^	^
Myeloma	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Leukemia	^	^	^	^	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	101.6	0	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	101.6	0	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Myeloid and Monocytic Leukemia	^	^	^	^	0.0	0.0	88.4	0
Acute Myeloid Leukemia	^	^	^	^	0.0	0.0	88.4	0
Acute Monocytic Leukemia	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Chronic Myeloid Leukemia	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Leukemia	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Other Acute Leukemia	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Mesothelioma	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Kaposi Sarcoma	0.0	0.0	101.6	0	0.0	0.0	88.4	0
Miscellaneous	^	^	^	^	0.0	0.0	88.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	638.3	263.4	1,286.2	9	364.3	121.1	862.9	6
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	308.2	0
Lip	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Tongue	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Salivary Gland	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Floor of Mouth	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Gum and Other Mouth	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Nasopharynx	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Tonsil	^	^	^	^	0.0	0.0	308.2	0
Oropharynx	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Hypopharynx	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Oral Cavity and Pharynx	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Stomach	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Small Intestine	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Appendix	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Ascending Colon	0.0	0.0	317.8	0	^	^	^	^
Hepatic Flexure	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Transverse Colon	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Splenic Flexure	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Descending Colon	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Sigmoid Colon	^	^	^	^	0.0	0.0	308.2	0
Large Intestine, NOS	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	308.2	0
Rectosigmoid Junction	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Rectum	^	^	^	^	0.0	0.0	308.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Liver	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Intrahepatic Bile Duct	0.0	0.0	317.8	0	0.0	0.0	308.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Biliary	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Pancreas	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Retroperitoneum	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Digestive Organs	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Respiratory System	^	^	^	^	0.0	0.0	308.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Larynx	^	^	^	^	0.0	0.0	308.2	0
Lung and Bronchus	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Pleura	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Bones and Joints	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Soft Tissue including Heart	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Skin excluding Basal and Squamous	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Melanoma of the Skin	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Non-Epithelial Skin	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Breast	0.0	0.0	317.8	0	^	^	^	^
Female Genital System	0.0	0.0	317.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Corpus and Uterus, NOS	0.0	0.0	317.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	317.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Ovary	0.0	0.0	317.8	0	^	^	^	^
Vagina	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Vulva	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Female Genital Organs	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Male Genital System	^	^	^	^	0.0	0.0	308.2	0
Prostate	^	^	^	^	0.0	0.0	308.2	0
Testis	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Penis	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Male Genital Organs	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Urinary System	^	^	^	^	0.0	0.0	308.2	0
Urinary Bladder	^	^	^	^	0.0	0.0	308.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Skagway-Hoonah-Angoon Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Ureter	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Urinary Organs	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Eye and Orbit	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Brain and Other Nervous System	0.0	0.0	317.8	0	^	^	^	^
Brain	0.0	0.0	317.8	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Endocrine System	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Thyroid	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Endocrine including Thymus	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Lymphoma	0.0	0.0	317.8	0	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Hodgkin - Nodal	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Hodgkin - Extranodal	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Non-Hodgkin Lymphoma	0.0	0.0	317.8	0	^	^	^	^
NHL - Nodal	0.0	0.0	317.8	0	0.0	0.0	308.2	0
NHL - Extranodal	0.0	0.0	317.8	0	^	^	^	^
Myeloma	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Lymphocytic Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Acute Lymphocytic Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Lymphocytic Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Acute Myeloid Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Acute Monocytic Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Chronic Myeloid Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Other Acute Leukemia	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Mesothelioma	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Kaposi Sarcoma	0.0	0.0	317.8	0	0.0	0.0	308.2	0
Miscellaneous	^	^	^	^	0.0	0.0	308.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	720.3	353.9	1,263.5	14	255.4	106.9	525.3	8
Oral Cavity and Pharynx	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Lip	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Tongue	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Salivary Gland	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Floor of Mouth	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Gum and Other Mouth	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Nasopharynx	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Tonsil	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Oropharynx	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Hypopharynx	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Oral Cavity and Pharynx	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Stomach	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Small Intestine	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	172.3	0	^	^	^	^
Appendix	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Ascending Colon	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Hepatic Flexure	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Transverse Colon	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Splenic Flexure	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Descending Colon	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Sigmoid Colon	^	^	^	^	0.0	0.0	154.6	0
Large Intestine, NOS	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Rectosigmoid Junction	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Rectum	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Liver	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Intrahepatic Bile Duct	0.0	0.0	172.3	0	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Biliary	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Pancreas	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Retroperitoneum	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Digestive Organs	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Larynx	^	^	^	^	0.0	0.0	154.6	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Bones and Joints	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Soft Tissue including Heart	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Skin excluding Basal and Squamous	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Melanoma of the Skin	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Non-Epithelial Skin	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Breast	0.0	0.0	172.3	0	^	^	^	^
Female Genital System	0.0	0.0	172.3	0	^	^	^	^
Cervix Uteri	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Corpus and Uterus, NOS	0.0	0.0	172.3	0	^	^	^	^
Corpus Uteri	0.0	0.0	172.3	0	^	^	^	^
Uterus, NOS	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Ovary	0.0	0.0	172.3	0	^	^	^	^
Vagina	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Vulva	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Female Genital Organs	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Male Genital System	248.5	83.7	561.9	6	0.0	0.0	154.6	0
Prostate	248.5	83.7	561.9	6	0.0	0.0	154.6	0
Testis	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Penis	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Male Genital Organs	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Urinary System	^	^	^	^	0.0	0.0	154.6	0
Urinary Bladder	0.0	0.0	172.3	0	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Southeast Fairbanks Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	154.6	0
Ureter	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Urinary Organs	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Eye and Orbit	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Brain and Other Nervous System	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Brain	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Cranial Nerves Other Nervous System	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Endocrine System	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Thyroid	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Endocrine including Thymus	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Lymphoma	^	^	^	^	0.0	0.0	154.6	0
Hodgkin Lymphoma	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Hodgkin - Nodal	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Hodgkin - Extranodal	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	154.6	0
NHL - Nodal	^	^	^	^	0.0	0.0	154.6	0
NHL - Extranodal	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Myeloma	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Lymphocytic Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Acute Lymphocytic Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Lymphocytic Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Acute Myeloid Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Acute Monocytic Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Chronic Myeloid Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Other Acute Leukemia	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Mesothelioma	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Kaposi Sarcoma	0.0	0.0	172.3	0	0.0	0.0	154.6	0
Miscellaneous	0.0	0.0	172.3	0	0.0	0.0	154.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	315.6	158.1	558.5	14	427.0	239.7	701.2	19
Oral Cavity and Pharynx	^	^	^	^	0.0	0.0	103.5	0
Lip	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Tongue	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Salivary Gland	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Floor of Mouth	^	^	^	^	0.0	0.0	103.5	0
Gum and Other Mouth	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Nasopharynx	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Tonsil	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Oropharynx	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Hypopharynx	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Oral Cavity and Pharynx	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Digestive System	143.9	43.9	336.8	6	^	^	^	^
Esophagus	0.0	0.0	97.8	0	^	^	^	^
Stomach	^	^	^	^	0.0	0.0	103.5	0
Small Intestine	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	0.0	0.0	103.5	0
Appendix	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Ascending Colon	^	^	^	^	0.0	0.0	103.5	0
Hepatic Flexure	0.0	0.0	97.8	0	^	^	^	^
Transverse Colon	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Splenic Flexure	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Descending Colon	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Sigmoid Colon	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Large Intestine, NOS	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	103.5	0
Rectosigmoid Junction	^	^	^	^	0.0	0.0	103.5	0
Rectum	^	^	^	^	0.0	0.0	103.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Liver	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Intrahepatic Bile Duct	0.0	0.0	97.8	0	0.0	0.0	103.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Biliary	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Pancreas	^	^	^	^	^	^	^	^
Retroperitoneum	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Digestive Organs	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Respiratory System	^	^	^	^	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Larynx	^	^	^	^	0.0	0.0	103.5	0
Lung and Bronchus	0.0	0.0	97.8	0	^	^	^	^
Pleura	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Bones and Joints	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Soft Tissue including Heart	0.0	0.0	97.8	0	^	^	^	^
Skin excluding Basal and Squamous	0.0	0.0	97.8	0	^	^	^	^
Melanoma of the Skin	0.0	0.0	97.8	0	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Breast	0.0	0.0	97.8	0	^	^	^	^
Female Genital System	0.0	0.0	97.8	0	^	^	^	^
Cervix Uteri	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Corpus and Uterus, NOS	0.0	0.0	97.8	0	^	^	^	^
Corpus Uteri	0.0	0.0	97.8	0	^	^	^	^
Uterus, NOS	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Ovary	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Vagina	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Vulva	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Female Genital Organs	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Male Genital System	^	^	^	^	0.0	0.0	103.5	0
Prostate	^	^	^	^	0.0	0.0	103.5	0
Testis	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Penis	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Male Genital Organs	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Urinary System	^	^	^	^	^	^	^	^
Urinary Bladder	^	^	^	^	0.0	0.0	103.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Valdez-Cordova Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	97.8	0	^	^	^	^
Ureter	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Urinary Organs	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Eye and Orbit	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Brain and Other Nervous System	0.0	0.0	97.8	0	^	^	^	^
Brain	0.0	0.0	97.8	0	^	^	^	^
Cranial Nerves Other Nervous System	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Endocrine System	0.0	0.0	97.8	0	^	^	^	^
Thyroid	0.0	0.0	97.8	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	97.8	0	^	^	^	^
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	^	^	^	^	0.0	0.0	103.5	0
Hodgkin - Nodal	^	^	^	^	0.0	0.0	103.5	0
Hodgkin - Extranodal	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Non-Hodgkin Lymphoma	0.0	0.0	97.8	0	^	^	^	^
NHL - Nodal	0.0	0.0	97.8	0	0.0	0.0	103.5	0
NHL - Extranodal	0.0	0.0	97.8	0	^	^	^	^
Myeloma	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Lymphocytic Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Acute Lymphocytic Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Lymphocytic Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Acute Myeloid Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Acute Monocytic Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Chronic Myeloid Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Other Acute Leukemia	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Mesothelioma	^	^	^	^	0.0	0.0	103.5	0
Kaposi Sarcoma	0.0	0.0	97.8	0	0.0	0.0	103.5	0
Miscellaneous	^	^	^	^	0.0	0.0	103.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	275.6	96.7	599.8	6
Oral Cavity and Pharynx	0.0	0.0	202.5	0	^	^	^	^
Lip	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Tongue	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Salivary Gland	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Floor of Mouth	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Gum and Other Mouth	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Nasopharynx	0.0	0.0	202.5	0	^	^	^	^
Tonsil	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Oropharynx	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Hypopharynx	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Oral Cavity and Pharynx	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Stomach	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Small Intestine	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Appendix	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Ascending Colon	^	^	^	^	0.0	0.0	155.4	0
Hepatic Flexure	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Transverse Colon	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Splenic Flexure	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Descending Colon	0.0	0.0	202.5	0	^	^	^	^
Sigmoid Colon	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Large Intestine, NOS	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Rectum and Rectosigmoid Junction	^	^	^	^	0.0	0.0	155.4	0
Rectosigmoid Junction	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Rectum	^	^	^	^	0.0	0.0	155.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Liver	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Intrahepatic Bile Duct	0.0	0.0	202.5	0	0.0	0.0	155.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Biliary	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Pancreas	0.0	0.0	202.5	0	^	^	^	^
Retroperitoneum	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Digestive Organs	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Respiratory System	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Larynx	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Lung and Bronchus	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Pleura	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Bones and Joints	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Soft Tissue including Heart	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Skin excluding Basal and Squamous	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Melanoma of the Skin	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Non-Epithelial Skin	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Breast	0.0	0.0	202.5	0	^	^	^	^
Female Genital System	0.0	0.0	202.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	202.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Corpus Uteri	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Uterus, NOS	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Ovary	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Vagina	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Vulva	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Female Genital Organs	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Male Genital System	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Prostate	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Testis	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Penis	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Male Genital Organs	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Urinary System	0.0	0.0	202.5	0	^	^	^	^
Urinary Bladder	0.0	0.0	202.5	0	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Wade Hampton Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Ureter	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Urinary Organs	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Eye and Orbit	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Brain and Other Nervous System	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Brain	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Cranial Nerves Other Nervous System	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Endocrine System	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Thyroid	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Endocrine including Thymus	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Lymphoma	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Hodgkin Lymphoma	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Hodgkin - Nodal	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Hodgkin - Extranodal	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Non-Hodgkin Lymphoma	0.0	0.0	202.5	0	0.0	0.0	155.4	0
NHL - Nodal	0.0	0.0	202.5	0	0.0	0.0	155.4	0
NHL - Extranodal	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Myeloma	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Leukemia	^	^	^	^	0.0	0.0	155.4	0
Lymphocytic Leukemia	^	^	^	^	0.0	0.0	155.4	0
Acute Lymphocytic Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Chronic Lymphocytic Leukemia	^	^	^	^	0.0	0.0	155.4	0
Other Lymphocytic Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Acute Myeloid Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Acute Monocytic Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Chronic Myeloid Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Other Acute Leukemia	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Mesothelioma	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Kaposi Sarcoma	0.0	0.0	202.5	0	0.0	0.0	155.4	0
Miscellaneous	0.0	0.0	202.5	0	0.0	0.0	155.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	423.3	238.5	708.5	17	293.8	137.7	562.3	10
Oral Cavity and Pharynx	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Lip	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Tongue	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Salivary Gland	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Floor of Mouth	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Gum and Other Mouth	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Nasopharynx	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Tonsil	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Oropharynx	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Hypopharynx	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Oral Cavity and Pharynx	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Stomach	^	^	^	^	0.0	0.0	144.7	0
Small Intestine	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	135.5	0	^	^	^	^
Appendix	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Ascending Colon	0.0	0.0	135.5	0	^	^	^	^
Hepatic Flexure	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Transverse Colon	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Splenic Flexure	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Descending Colon	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Sigmoid Colon	^	^	^	^	0.0	0.0	144.7	0
Large Intestine, NOS	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Rectum and Rectosigmoid Junction	^	^	^	^	^	^	^	^
Rectosigmoid Junction	^	^	^	^	0.0	0.0	144.7	0
Rectum	0.0	0.0	135.5	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Liver	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Intrahepatic Bile Duct	0.0	0.0	135.5	0	0.0	0.0	144.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	^	^	^	^	0.0	0.0	144.7	0
Other Biliary	0.0	0.0	135.5	0	^	^	^	^
Pancreas	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Retroperitoneum	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Digestive Organs	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Respiratory System	163.2	53.9	386.0	6	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^	0.0	0.0	144.7	0
Larynx	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Lung and Bronchus	^	^	^	^	^	^	^	^
Pleura	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Bones and Joints	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Soft Tissue including Heart	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Skin excluding Basal and Squamous	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Melanoma of the Skin	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Non-Epithelial Skin	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Breast	0.0	0.0	135.5	0	^	^	^	^
Female Genital System	0.0	0.0	135.5	0	^	^	^	^
Cervix Uteri	0.0	0.0	135.5	0	^	^	^	^
Corpus and Uterus, NOS	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Corpus Uteri	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Uterus, NOS	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Ovary	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Vagina	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Vulva	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Female Genital Organs	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Male Genital System	^	^	^	^	0.0	0.0	144.7	0
Prostate	^	^	^	^	0.0	0.0	144.7	0
Testis	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Penis	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Male Genital Organs	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Urinary System	^	^	^	^	0.0	0.0	144.7	0
Urinary Bladder	0.0	0.0	135.5	0	0.0	0.0	144.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Wrangell-Petersburg Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	^	^	^	^	0.0	0.0	144.7	0
Ureter	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Urinary Organs	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Eye and Orbit	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Brain and Other Nervous System	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Brain	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Cranial Nerves Other Nervous System	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Endocrine System	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Thyroid	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Endocrine including Thymus	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Lymphoma	^	^	^	^	0.0	0.0	144.7	0
Hodgkin Lymphoma	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Hodgkin - Nodal	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Hodgkin - Extranodal	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Non-Hodgkin Lymphoma	^	^	^	^	0.0	0.0	144.7	0
NHL - Nodal	^	^	^	^	0.0	0.0	144.7	0
NHL - Extranodal	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Myeloma	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Lymphocytic Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Acute Lymphocytic Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Lymphocytic Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Acute Myeloid Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Acute Monocytic Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Chronic Myeloid Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Other Acute Leukemia	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Mesothelioma	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Kaposi Sarcoma	0.0	0.0	135.5	0	0.0	0.0	144.7	0
Miscellaneous	0.0	0.0	135.5	0	0.0	0.0	144.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	^	^	^	^	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Lip	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Tongue	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Salivary Gland	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Floor of Mouth	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Gum and Other Mouth	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Nasopharynx	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Tonsil	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Oropharynx	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Hypopharynx	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	0.0	0.0	1,535.2	0	^	^	^	^
Stomach	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Small Intestine	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	^	^	^	^	^	^	^	^
Appendix	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Ascending Colon	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Hepatic Flexure	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Transverse Colon	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Splenic Flexure	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Descending Colon	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Sigmoid Colon	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Large Intestine, NOS	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Rectosigmoid Junction	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Rectum	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Liver	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Intrahepatic Bile Duct	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Biliary	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Pancreas	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Retroperitoneum	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Digestive Organs	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Respiratory System	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Larynx	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Lung and Bronchus	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Pleura	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Bones and Joints	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Soft Tissue including Heart	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Skin excluding Basal and Squamous	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Melanoma of the Skin	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Non-Epithelial Skin	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Breast	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Female Genital System	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Cervix Uteri	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Corpus and Uterus, NOS	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Corpus Uteri	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Uterus, NOS	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Ovary	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Vagina	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Vulva	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Female Genital Organs	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Male Genital System	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Prostate	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Testis	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Penis	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Male Genital Organs	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Urinary System	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Urinary Bladder	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Yakutat Borough

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Ureter	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Urinary Organs	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Eye and Orbit	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Brain and Other Nervous System	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Brain	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Cranial Nerves Other Nervous System	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Endocrine System	0.0	0.0	1,535.2	0	^	^	^	^
Thyroid	0.0	0.0	1,535.2	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Lymphoma	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Hodgkin Lymphoma	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Hodgkin - Nodal	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Hodgkin - Extranodal	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
NHL - Nodal	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
NHL - Extranodal	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Myeloma	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Lymphocytic Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Lymphocytic Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Acute Myeloid Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Acute Monocytic Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Other Acute Leukemia	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Mesothelioma	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Kaposi Sarcoma	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0
Miscellaneous	0.0	0.0	1,535.2	0	0.0	0.0	1,498.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
All Sites	225.1	91.0	476.5	8	408.2	186.7	771.6	10
Oral Cavity and Pharynx	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Lip	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Tongue	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Salivary Gland	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Floor of Mouth	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Gum and Other Mouth	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Nasopharynx	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Tonsil	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Oropharynx	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Hypopharynx	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Oral Cavity and Pharynx	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Digestive System	^	^	^	^	^	^	^	^
Esophagus	^	^	^	^	0.0	0.0	163.3	0
Stomach	^	^	^	^	0.0	0.0	163.3	0
Small Intestine	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Colon and Rectum	^	^	^	^	^	^	^	^
Colon excluding Rectum	^	^	^	^	^	^	^	^
Cecum	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Appendix	^	^	^	^	0.0	0.0	163.3	0
Ascending Colon	0.0	0.0	148.4	0	^	^	^	^
Hepatic Flexure	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Transverse Colon	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Splenic Flexure	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Descending Colon	^	^	^	^	0.0	0.0	163.3	0
Sigmoid Colon	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Large Intestine, NOS	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	148.4	0	^	^	^	^
Rectosigmoid Junction	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Rectum	0.0	0.0	148.4	0	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Liver	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Intrahepatic Bile Duct	0.0	0.0	148.4	0	0.0	0.0	163.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Gallbladder	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Biliary	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Pancreas	0.0	0.0	148.4	0	^	^	^	^
Retroperitoneum	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Digestive Organs	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Respiratory System	0.0	0.0	148.4	0	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Larynx	0.0	0.0	148.4	0	^	^	^	^
Lung and Bronchus	0.0	0.0	148.4	0	^	^	^	^
Pleura	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Bones and Joints	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Soft Tissue including Heart	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Skin excluding Basal and Squamous	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Melanoma of the Skin	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Non-Epithelial Skin	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Breast	0.0	0.0	148.4	0	^	^	^	^
Female Genital System	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Cervix Uteri	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Corpus and Uterus, NOS	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Corpus Uteri	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Uterus, NOS	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Ovary	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Vagina	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Vulva	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Female Genital Organs	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Male Genital System	^	^	^	^	0.0	0.0	163.3	0
Prostate	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Testis	^	^	^	^	0.0	0.0	163.3	0
Penis	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Male Genital Organs	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Urinary System	^	^	^	^	0.0	0.0	163.3	0
Urinary Bladder	^	^	^	^	0.0	0.0	163.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.

Malignant Cancer Cases in Alaska, Diagnosis Years 1996 to 2006, by Borough/Census Area and Sex

2006/Yukon-Koyukuk Census Area

	Male				Female			
	Rate	Lower CI	Upper CI	Count	Rate	Lower CI	Upper CI	Count
Kidney and Renal Pelvis	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Ureter	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Urinary Organs	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Eye and Orbit	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Brain and Other Nervous System	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Brain	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Cranial Nerves Other Nervous System	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Endocrine System	0.0	0.0	148.4	0	^	^	^	^
Thyroid	0.0	0.0	148.4	0	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Lymphoma	^	^	^	^	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Hodgkin - Nodal	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Hodgkin - Extranodal	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Non-Hodgkin Lymphoma	^	^	^	^	^	^	^	^
NHL - Nodal	^	^	^	^	0.0	0.0	163.3	0
NHL - Extranodal	0.0	0.0	148.4	0	^	^	^	^
Myeloma	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Lymphocytic Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Acute Lymphocytic Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Lymphocytic Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Acute Myeloid Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Acute Monocytic Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Chronic Myeloid Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Other Acute Leukemia	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Mesothelioma	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Kaposi Sarcoma	0.0	0.0	148.4	0	0.0	0.0	163.3	0
Miscellaneous	^	^	^	^	0.0	0.0	163.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

& In the age-adjustment process, at least one rate for a specific age group could not be calculated due to a non-zero count with a zero population. For the calculation, the population was set to the count for this age group(s).

^ Statistic not displayed due to fewer than 6 cases.