Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Session Type: Rate

Suggested Citation

Software: Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.5.2.
Data: Alaska Bureau of Vital Status SEER*Stat Database - Mortality data for death years 1996 to 2006. Released February 2009. Alaska population data for rate calculations are from the SEER Program (http://www.seer.cancer.gov/popdata/) and include populations by borough/census area, expanded races, and Hispanic origin.

Data

Database: AK Mortality w/Borough, Race, & Hispanic Pops (1996-2006), May 2009

Statistic

Statistic: Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)
P-Values: .05
Options: Display Confidence Intervals (Tiwari mod) and Standard Errors

Selection

Select Only: Known Age, Male or Female Sex

Table

Page: Year of death
County Names [County]

Row: Cause of dth rec - Ca non-gender-specific [COD recode with Kaposi and mesothelioma]

Output

Title: Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area
Suppress: Statistics based on fewer than 6 cases
Display Rates as: Cases per 100,000
Precision: 1 decimal place (default)

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	180.9	94.7	303.8	23
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	35.7	0
Floor of Mouth	0.0	0.0	35.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	35.7	0
Oropharynx	0.0	0.0	35.7	0
Hypopharynx	0.0	0.0	35.7	0
Other Oral Cavity and Pharynx	0.0	0.0	35.7	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	35.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	35.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	35.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	35.7	0
Liver	0.0	0.0	35.7	0
Intrahepatic Bile Duct	0.0	0.0	35.7	0
Gallbladder	0.0	0.0	35.7	0
Other Biliary	0.0	0.0	35.7	0
Pancreas	0.0	0.0	35.7	0
Retroperitoneum	0.0	0.0	35.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.7	0
Other Digestive Organs	0.0	0.0	35.7	0
Respiratory System	66.1	16.7	159.1	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.7	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	35.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.7	0
Bones and Joints	0.0	0.0	35.7	0
Soft Tissue including Heart	0.0	0.0	35.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	35.7	0
Melanoma of the Skin	0.0	0.0	35.7	0
Other Non-Epithelial Skin	0.0	0.0	35.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	35.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	35.7	0
Other Urinary Organs	0.0	0.0	35.7	0
Eye and Orbit	0.0	0.0	35.7	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	35.7	0
Thyroid	0.0	0.0	35.7	0
Other Endocrine including Thymus	0.0	0.0	35.7	0
Lymphoma	0.0	0.0	35.7	0
Hodgkin Lymphoma	0.0	0.0	35.7	0
Non-Hodgkin Lymphoma	0.0	0.0	35.7	0
Myeloma	0.0	0.0	35.7	0
Leukemia	0.0	0.0	35.7	0
Lymphocytic Leukemia	0.0	0.0	35.7	0
Acute Lymphocytic Leukemia	0.0	0.0	35.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.7	0
Other Lymphocytic Leukemia	0.0	0.0	35.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	35.7	0
Acute Myeloid Leukemia	0.0	0.0	35.7	0
Acute Monocytic Leukemia	0.0	0.0	35.7	0
Chronic Myeloid Leukemia	0.0	0.0	35.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.7	0
Other Leukemia	0.0	0.0	35.7	0
Other Acute Leukemia	0.0	0.0	35.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	35.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	169.7	91.5	277.8	27
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	27.9	0
Tongue	0.0	0.0	27.9	0
Salivary Gland	0.0	0.0	27.9	0
Floor of Mouth	0.0	0.0	27.9	0
Gum and Other Mouth	0.0	0.0	27.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	27.9	0
Oropharynx	0.0	0.0	27.9	0
Hypopharynx	0.0	0.0	27.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	47.2	16.6	101.8	9
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	27.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	27.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	27.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	27.9	0
Gallbladder	0.0	0.0	27.9	0
Other Biliary	0.0	0.0	27.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	27.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	27.9	0
Other Digestive Organs	0.0	0.0	27.9	0
Respiratory System	41.5	13.6	93.2	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	27.9	0
Larynx	0.0	0.0	27.9	0
Lung and Bronchus	41.5	13.6	93.2	9
Pleura	0.0	0.0	27.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	27.9	0
Bones and Joints	0.0	0.0	27.9	0
Soft Tissue including Heart	0.0	0.0	27.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	27.9	0
Melanoma of the Skin	0.0	0.0	27.9	0
Other Non-Epithelial Skin	0.0	0.0	27.9	0
Urinary System	0.0	0.0	27.9	0
Urinary Bladder	0.0	0.0	27.9	0
Kidney and Renal Pelvis	0.0	0.0	27.9	0
Ureter	0.0	0.0	27.9	0
Other Urinary Organs	0.0	0.0	27.9	0
Eye and Orbit	0.0	0.0	27.9	0
Brain and Other Nervous System	0.0	0.0	27.9	0
Endocrine System	0.0	0.0	27.9	0
Thyroid	0.0	0.0	27.9	0
Other Endocrine including Thymus	0.0	0.0	27.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	27.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	27.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	27.9	0
Acute Lymphocytic Leukemia	0.0	0.0	27.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	27.9	0
Other Lymphocytic Leukemia	0.0	0.0	27.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	27.9	0
Chronic Myeloid Leukemia	0.0	0.0	27.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	27.9	0
Other Leukemia	0.0	0.0	27.9	0
Other Acute Leukemia	0.0	0.0	27.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	27.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	27.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	183.2	176.0	190.5	2,961
Oral Cavity and Pharynx	3.3	2.5	4.4	56
Lip	^	^	^	^
Tongue	0.6	0.3	1.2	10
Salivary Gland	0.5	0.2	1.1	7
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.5	0.2	1.0	9
Nasopharynx	0.7	0.4	1.2	14
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.4	0.1	0.8	7
Digestive System	43.0	39.5	46.6	690
Esophagus	4.1	3.1	5.3	72
Stomach	5.5	4.3	6.9	89
Small Intestine	0.5	0.2	1.0	8
Colon and Rectum	14.4	12.4	16.6	218
Colon excluding Rectum	12.0	10.1	14.0	176
Rectum and Rectosigmoid Junction	2.4	1.7	3.4	42
Anus, Anal Canal and Anorectum	0.3	0.1	0.7	7
Liver and Intrahepatic Bile Duct	6.9	5.6	8.3	119
Liver	5.8	4.6	7.2	98
Intrahepatic Bile Duct	1.0	0.6	1.6	21
Gallbladder	0.6	0.2	1.3	7
Other Biliary	^	^	^	^
Pancreas	10.0	8.4	11.8	160
Retroperitoneum	0.0	0.0	0.2	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	55.0	51.1	59.0	867
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.7	0.3	1.3	11
Lung and Bronchus	54.2	50.4	58.2	854
Pleura	0.0	0.0	0.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.2	0
Bones and Joints	0.3	0.1	0.6	8
Soft Tissue including Heart	1.7	1.1	2.4	36

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.6	1.9	3.5	54
Melanoma of the Skin	1.9	1.3	2.6	42
Other Non-Epithelial Skin	0.7	0.4	1.3	12
Urinary System	8.0	6.5	9.7	115
Urinary Bladder	4.3	3.2	5.6	54
Kidney and Renal Pelvis	3.8	2.8	4.9	61
Ureter	0.0	0.0	0.2	0
Other Urinary Organs	0.0	0.0	0.2	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.2	3.3	5.3	93
Endocrine System	0.6	0.3	1.2	11
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.2	0.1	0.5	6
Lymphoma	7.1	5.7	8.6	118
Hodgkin Lymphoma	0.5	0.3	1.0	11
Non-Hodgkin Lymphoma	6.5	5.2	8.0	107
Myeloma	3.2	2.3	4.3	48
Leukemia	7.7	6.2	9.3	119
Lymphocytic Leukemia	3.2	2.2	4.4	40
Acute Lymphocytic Leukemia	0.4	0.2	0.8	9
Chronic Lymphocytic Leukemia	2.6	1.7	3.7	29
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.2	2.3	4.2	61
Acute Myeloid Leukemia	2.0	1.3	2.8	41
Acute Monocytic Leukemia	0.0	0.0	0.2	0
Chronic Myeloid Leukemia	0.8	0.4	1.4	15
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	1.3	0.7	2.0	18
Other Acute Leukemia	0.5	0.2	1.1	6
Aleukemic, Subleukemic and NOS	0.8	0.4	1.3	12
Mesothelioma (ICD-10 only)	1.5	0.9	2.4	17
Miscellaneous Malignant Cancer	14.1	12.2	16.3	227

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	220.3	187.0	257.1	180
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	3.5	0
Tongue	0.0	0.0	3.5	0
Salivary Gland	0.0	0.0	3.5	0
Floor of Mouth	0.0	0.0	3.5	0
Gum and Other Mouth	0.0	0.0	3.5	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	3.5	0
Hypopharynx	0.0	0.0	3.5	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	82.0	62.1	105.6	65
Esophagus	^	^	^	^
Stomach	13.0	6.1	23.5	12
Small Intestine	0.0	0.0	3.5	0
Colon and Rectum	37.1	24.1	53.9	28
Colon excluding Rectum	35.3	22.5	51.8	26
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	3.5	0
Liver and Intrahepatic Bile Duct	7.2	2.6	15.2	7
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	3.5	0
Other Biliary	^	^	^	^
Pancreas	15.3	7.5	26.9	12
Retroperitoneum	0.0	0.0	3.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	3.5	0
Other Digestive Organs	0.0	0.0	3.5	0
Respiratory System	54.7	38.5	74.5	41
Nose, Nasal Cavity and Middle Ear	0.0	0.0	3.5	0
Larynx	0.0	0.0	3.5	0
Lung and Bronchus	54.7	38.5	74.5	41
Pleura	0.0	0.0	3.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	3.5	0
Bones and Joints	0.0	0.0	3.5	0
Soft Tissue including Heart	0.0	0.0	3.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	3.5	0
Urinary System	10.7	4.2	21.2	7
Urinary Bladder	0.0	0.0	3.5	0
Kidney and Renal Pelvis	10.7	4.2	21.2	7
Ureter	0.0	0.0	3.5	0
Other Urinary Organs	0.0	0.0	3.5	0
Eye and Orbit	0.0	0.0	3.5	0
Brain and Other Nervous System	0.0	0.0	3.5	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	3.5	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	6.8	2.6	14.1	8
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.3	2.2	13.5	7
Myeloma	0.0	0.0	3.5	0
Leukemia	6.0	2.1	13.0	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	3.5	0
Other Lymphocytic Leukemia	0.0	0.0	3.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	3.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	3.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	3.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	30.1	18.1	46.0	21

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	217.4	95.8	406.1	13
Oral Cavity and Pharynx	0.0	0.0	66.2	0
Lip	0.0	0.0	66.2	0
Tongue	0.0	0.0	66.2	0
Salivary Gland	0.0	0.0	66.2	0
Floor of Mouth	0.0	0.0	66.2	0
Gum and Other Mouth	0.0	0.0	66.2	0
Nasopharynx	0.0	0.0	66.2	0
Tonsil	0.0	0.0	66.2	0
Oropharynx	0.0	0.0	66.2	0
Hypopharynx	0.0	0.0	66.2	0
Other Oral Cavity and Pharynx	0.0	0.0	66.2	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	66.2	0
Small Intestine	0.0	0.0	66.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	66.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	66.2	0
Liver	0.0	0.0	66.2	0
Intrahepatic Bile Duct	0.0	0.0	66.2	0
Gallbladder	0.0	0.0	66.2	0
Other Biliary	0.0	0.0	66.2	0
Pancreas	0.0	0.0	66.2	0
Retroperitoneum	0.0	0.0	66.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.2	0
Other Digestive Organs	0.0	0.0	66.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.2	0
Larynx	0.0	0.0	66.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.2	0
Bones and Joints	0.0	0.0	66.2	0
Soft Tissue including Heart	0.0	0.0	66.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	66.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	66.2	0
Ureter	0.0	0.0	66.2	0
Other Urinary Organs	0.0	0.0	66.2	0
Eye and Orbit	0.0	0.0	66.2	0
Brain and Other Nervous System	0.0	0.0	66.2	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	66.2	0
Lymphoma	0.0	0.0	66.2	0
Hodgkin Lymphoma	0.0	0.0	66.2	0
Non-Hodgkin Lymphoma	0.0	0.0	66.2	0
Myeloma	0.0	0.0	66.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	66.2	0
Acute Lymphocytic Leukemia	0.0	0.0	66.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.2	0
Other Lymphocytic Leukemia	0.0	0.0	66.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	66.2	0
Chronic Myeloid Leukemia	0.0	0.0	66.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.2	0
Other Leukemia	0.0	0.0	66.2	0
Other Acute Leukemia	0.0	0.0	66.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	66.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	88.1	29.2	193.7	8
Oral Cavity and Pharynx	0.0	0.0	48.8	0
Lip	0.0	0.0	48.8	0
Tongue	0.0	0.0	48.8	0
Salivary Gland	0.0	0.0	48.8	0
Floor of Mouth	0.0	0.0	48.8	0
Gum and Other Mouth	0.0	0.0	48.8	0
Nasopharynx	0.0	0.0	48.8	0
Tonsil	0.0	0.0	48.8	0
Oropharynx	0.0	0.0	48.8	0
Hypopharynx	0.0	0.0	48.8	0
Other Oral Cavity and Pharynx	0.0	0.0	48.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	48.8	0
Small Intestine	0.0	0.0	48.8	0
Colon and Rectum	0.0	0.0	48.8	0
Colon excluding Rectum	0.0	0.0	48.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	48.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	48.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	48.8	0
Liver	0.0	0.0	48.8	0
Intrahepatic Bile Duct	0.0	0.0	48.8	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	48.8	0
Pancreas	0.0	0.0	48.8	0
Retroperitoneum	0.0	0.0	48.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	48.8	0
Other Digestive Organs	0.0	0.0	48.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	48.8	0
Larynx	0.0	0.0	48.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	48.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	48.8	0
Bones and Joints	0.0	0.0	48.8	0
Soft Tissue including Heart	0.0	0.0	48.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	48.8	0
Melanoma of the Skin	0.0	0.0	48.8	0
Other Non-Epithelial Skin	0.0	0.0	48.8	0
Urinary System	0.0	0.0	48.8	0
Urinary Bladder	0.0	0.0	48.8	0
Kidney and Renal Pelvis	0.0	0.0	48.8	0
Ureter	0.0	0.0	48.8	0
Other Urinary Organs	0.0	0.0	48.8	0
Eye and Orbit	0.0	0.0	48.8	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	48.8	0
Thyroid	0.0	0.0	48.8	0
Other Endocrine including Thymus	0.0	0.0	48.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	48.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	48.8	0
Leukemia	0.0	0.0	48.8	0
Lymphocytic Leukemia	0.0	0.0	48.8	0
Acute Lymphocytic Leukemia	0.0	0.0	48.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	48.8	0
Other Lymphocytic Leukemia	0.0	0.0	48.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	48.8	0
Acute Myeloid Leukemia	0.0	0.0	48.8	0
Acute Monocytic Leukemia	0.0	0.0	48.8	0
Chronic Myeloid Leukemia	0.0	0.0	48.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	48.8	0
Other Leukemia	0.0	0.0	48.8	0
Other Acute Leukemia	0.0	0.0	48.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	48.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	48.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	203.7	152.3	265.3	60
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	10.3	0
Tongue	0.0	0.0	10.3	0
Salivary Gland	0.0	0.0	10.3	0
Floor of Mouth	0.0	0.0	10.3	0
Gum and Other Mouth	0.0	0.0	10.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	10.3	0
Oropharynx	0.0	0.0	10.3	0
Hypopharynx	0.0	0.0	10.3	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	94.7	61.7	137.4	30
Esophagus	24.0	8.3	51.1	6
Stomach	^	^	^	^
Small Intestine	0.0	0.0	10.3	0
Colon and Rectum	38.2	18.0	69.1	11
Colon excluding Rectum	38.2	18.0	69.1	11
Rectum and Rectosigmoid Junction	0.0	0.0	10.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	10.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	10.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	10.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.3	0
Other Digestive Organs	0.0	0.0	10.3	0
Respiratory System	48.4	24.7	83.0	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	10.3	0
Larynx	0.0	0.0	10.3	0
Lung and Bronchus	48.4	24.7	83.0	13
Pleura	0.0	0.0	10.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.3	0
Bones and Joints	0.0	0.0	10.3	0
Soft Tissue including Heart	0.0	0.0	10.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	10.3	0
Melanoma of the Skin	0.0	0.0	10.3	0
Other Non-Epithelial Skin	0.0	0.0	10.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	10.3	0
Other Urinary Organs	0.0	0.0	10.3	0
Eye and Orbit	0.0	0.0	10.3	0
Brain and Other Nervous System	0.0	0.0	10.3	0
Endocrine System	0.0	0.0	10.3	0
Thyroid	0.0	0.0	10.3	0
Other Endocrine including Thymus	0.0	0.0	10.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	10.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	10.3	0
Lymphocytic Leukemia	0.0	0.0	10.3	0
Acute Lymphocytic Leukemia	0.0	0.0	10.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	10.3	0
Other Lymphocytic Leukemia	0.0	0.0	10.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	10.3	0
Acute Myeloid Leukemia	0.0	0.0	10.3	0
Acute Monocytic Leukemia	0.0	0.0	10.3	0
Chronic Myeloid Leukemia	0.0	0.0	10.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.3	0
Other Leukemia	0.0	0.0	10.3	0
Other Acute Leukemia	0.0	0.0	10.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	10.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	180.6	167.4	194.4	834
Oral Cavity and Pharynx	2.0	0.8	3.7	9
Lip	0.0	0.0	0.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	0.7	0
Floor of Mouth	0.0	0.0	0.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.7	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.7	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	41.4	35.3	48.2	193
Esophagus	3.9	2.2	6.1	21
Stomach	4.4	2.7	6.8	22
Small Intestine	^	^	^	^
Colon and Rectum	13.2	9.9	17.1	65
Colon excluding Rectum	8.9	6.1	12.3	41
Rectum and Rectosigmoid Junction	4.3	2.6	6.6	24
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	4.7	2.8	7.3	22
Liver	4.1	2.3	6.4	20
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	0.7	0
Pancreas	12.7	9.3	16.8	52
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	55.1	48.0	62.8	253
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	54.9	47.8	62.6	251
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.6	0.6	3.2	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	1.7	0.7	3.3	10
Melanoma of the Skin	1.5	0.5	3.1	8
Other Non-Epithelial Skin	^	^	^	^
Urinary System	9.7	6.7	13.4	40
Urinary Bladder	3.5	1.8	6.0	14
Kidney and Renal Pelvis	4.9	2.9	7.6	22
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	0.7	0
Brain and Other Nervous System	6.5	4.3	9.3	34
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	0.7	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	8.1	5.3	11.5	34
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	7.7	5.0	11.1	32
Myeloma	4.6	2.7	7.2	21
Leukemia	5.1	3.1	7.9	23
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.2	1.7	5.4	16
Acute Myeloid Leukemia	2.4	1.1	4.4	12
Acute Monocytic Leukemia	0.0	0.0	0.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	12.4	9.0	16.4	52

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	224.7	164.3	299.5	49
Oral Cavity and Pharynx	0.0	0.0	17.1	0
Lip	0.0	0.0	17.1	0
Tongue	0.0	0.0	17.1	0
Salivary Gland	0.0	0.0	17.1	0
Floor of Mouth	0.0	0.0	17.1	0
Gum and Other Mouth	0.0	0.0	17.1	0
Nasopharynx	0.0	0.0	17.1	0
Tonsil	0.0	0.0	17.1	0
Oropharynx	0.0	0.0	17.1	0
Hypopharynx	0.0	0.0	17.1	0
Other Oral Cavity and Pharynx	0.0	0.0	17.1	0
Digestive System	65.2	35.6	109.3	15
Esophagus	^	^	^	^
Stomach	0.0	0.0	17.1	0
Small Intestine	0.0	0.0	17.1	0
Colon and Rectum	25.0	8.8	55.9	6
Colon excluding Rectum	25.0	8.8	55.9	6
Rectum and Rectosigmoid Junction	0.0	0.0	17.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	17.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	17.1	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	17.1	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	17.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.1	0
Other Digestive Organs	0.0	0.0	17.1	0
Respiratory System	64.9	35.2	109.1	15
Nose, Nasal Cavity and Middle Ear	0.0	0.0	17.1	0
Larynx	0.0	0.0	17.1	0
Lung and Bronchus	64.9	35.2	109.1	15
Pleura	0.0	0.0	17.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	17.1	0
Bones and Joints	0.0	0.0	17.1	0
Soft Tissue including Heart	0.0	0.0	17.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	17.1	0
Melanoma of the Skin	0.0	0.0	17.1	0
Other Non-Epithelial Skin	0.0	0.0	17.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	17.1	0
Ureter	0.0	0.0	17.1	0
Other Urinary Organs	0.0	0.0	17.1	0
Eye and Orbit	0.0	0.0	17.1	0
Brain and Other Nervous System	0.0	0.0	17.1	0
Endocrine System	0.0	0.0	17.1	0
Thyroid	0.0	0.0	17.1	0
Other Endocrine including Thymus	0.0	0.0	17.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	17.1	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	17.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	17.1	0
Acute Myeloid Leukemia	0.0	0.0	17.1	0
Acute Monocytic Leukemia	0.0	0.0	17.1	0
Chronic Myeloid Leukemia	0.0	0.0	17.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.1	0
Other Leukemia	0.0	0.0	17.1	0
Other Acute Leukemia	0.0	0.0	17.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	17.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	186.7	167.2	207.5	386
Oral Cavity and Pharynx	4.2	1.8	8.1	9
Lip	0.0	0.0	1.5	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	1.5	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	1.5	0
Tonsil	0.0	0.0	1.5	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	1.5	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	46.8	37.4	57.8	97
Esophagus	3.6	1.4	7.3	7
Stomach	4.0	1.7	7.9	8
Small Intestine	^	^	^	^
Colon and Rectum	17.6	12.0	24.8	36
Colon excluding Rectum	14.4	9.4	20.9	30
Rectum and Rectosigmoid Junction	3.2	1.1	7.0	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	3.7	1.5	7.4	9
Liver	2.9	1.0	6.2	7
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	1.5	0
Other Biliary	^	^	^	^
Pancreas	15.4	10.3	22.0	33
Retroperitoneum	0.0	0.0	1.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.5	0
Other Digestive Organs	0.0	0.0	1.5	0
Respiratory System	50.1	40.3	61.3	101
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.5	0
Larynx	^	^	^	^
Lung and Bronchus	49.0	39.3	60.1	99
Pleura	0.0	0.0	1.5	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.0	0.0	1.5	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	7.1	3.7	12.0	14
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	4.4	1.8	8.5	9
Ureter	0.0	0.0	1.5	0
Other Urinary Organs	0.0	0.0	1.5	0
Eye and Orbit	0.0	0.0	1.5	0
Brain and Other Nervous System	6.1	3.1	10.5	13
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1.5	0
Lymphoma	12.2	7.5	18.5	23
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	11.9	7.2	18.2	22
Myeloma	6.7	3.4	11.4	14
Leukemia	6.2	3.0	10.9	12
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.5	0
Myeloid and Monocytic Leukemia	2.6	0.9	5.8	6
Acute Myeloid Leukemia	2.6	0.9	5.8	6
Acute Monocytic Leukemia	0.0	0.0	1.5	0
Chronic Myeloid Leukemia	0.0	0.0	1.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.6	10.3	22.3	31

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	197.6	182.6	213.4	769
Oral Cavity and Pharynx	1.6	0.7	3.3	8
Lip	0.0	0.0	0.9	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	0.9	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	0.9	0
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	45.4	38.1	53.5	167
Esophagus	4.3	2.5	6.8	19
Stomach	4.1	2.3	6.7	16
Small Intestine	^	^	^	^
Colon and Rectum	18.3	13.7	23.9	62
Colon excluding Rectum	17.1	12.6	22.4	58
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	0.9	0
Liver and Intrahepatic Bile Duct	4.6	2.7	7.3	20
Liver	3.1	1.6	5.5	14
Intrahepatic Bile Duct	1.5	0.5	3.2	6
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	11.0	7.6	15.2	43
Retroperitoneum	0.0	0.0	0.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	62.4	54.5	71.1	257
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.9	0
Larynx	1.6	0.6	3.5	7
Lung and Bronchus	60.8	53.0	69.3	250
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.0	0.4	2.4	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	4.1	2.1	7.0	16
Melanoma of the Skin	3.6	1.8	6.3	14
Other Non-Epithelial Skin	^	^	^	^
Urinary System	10.6	7.2	14.9	38
Urinary Bladder	7.2	4.3	11.0	22
Kidney and Renal Pelvis	3.4	1.9	5.7	16
Ureter	0.0	0.0	0.9	0
Other Urinary Organs	0.0	0.0	0.9	0
Eye and Orbit	0.0	0.0	0.9	0
Brain and Other Nervous System	5.1	3.3	7.6	26
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	9.1	6.1	12.9	35
Hodgkin Lymphoma	0.0	0.0	0.9	0
Non-Hodgkin Lymphoma	9.1	6.1	12.9	35
Myeloma	3.7	1.7	6.8	12
Leukemia	7.8	4.8	11.7	26
Lymphocytic Leukemia	4.4	2.1	7.8	12
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.5	0.9	5.1	7
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	2.5	1.1	4.8	10
Acute Myeloid Leukemia	1.6	0.5	3.6	6
Acute Monocytic Leukemia	0.0	0.0	0.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	0.9	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	18.0	13.5	23.4	68

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	212.9	185.7	242.8	238
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2.9	0
Tongue	0.0	0.0	2.9	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	2.9	0
Gum and Other Mouth	0.0	0.0	2.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	2.9	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	2.9	0
Other Oral Cavity and Pharynx	0.0	0.0	2.9	0
Digestive System	58.9	44.8	75.9	62
Esophagus	6.1	2.4	12.4	7
Stomach	^	^	^	^
Small Intestine	0.0	0.0	2.9	0
Colon and Rectum	30.8	20.6	43.7	31
Colon excluding Rectum	24.5	15.5	36.4	24
Rectum and Rectosigmoid Junction	6.3	2.4	12.9	7
Anus, Anal Canal and Anorectum	0.0	0.0	2.9	0
Liver and Intrahepatic Bile Duct	7.2	3.0	14.2	8
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	2.9	0
Pancreas	7.5	3.1	14.7	8
Retroperitoneum	0.0	0.0	2.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	57.6	44.0	73.7	66
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.9	0
Larynx	^	^	^	^
Lung and Bronchus	53.9	40.9	69.6	62
Pleura	0.0	0.0	2.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.0	0.0	2.9	0
Soft Tissue including Heart	0.0	0.0	2.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	8.6	3.9	16.0	10
Urinary Bladder	6.8	2.6	14.0	7
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	2.9	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	2.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	2.9	0
Thyroid	0.0	0.0	2.9	0
Other Endocrine including Thymus	0.0	0.0	2.9	0
Lymphoma	10.4	5.2	18.4	12
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	9.4	4.5	16.9	11
Myeloma	^	^	^	^
Leukemia	10.2	5.1	17.9	12
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.9	0
Myeloid and Monocytic Leukemia	6.7	2.8	13.3	8
Acute Myeloid Leukemia	6.7	2.8	13.3	8
Acute Monocytic Leukemia	0.0	0.0	2.9	0
Chronic Myeloid Leukemia	0.0	0.0	2.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.9	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.3	8.6	24.9	16

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	202.9	166.3	244.2	132
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	4.3	0
Tongue	0.0	0.0	4.3	0
Salivary Gland	0.0	0.0	4.3	0
Floor of Mouth	0.0	0.0	4.3	0
Gum and Other Mouth	0.0	0.0	4.3	0
Nasopharynx	0.0	0.0	4.3	0
Tonsil	0.0	0.0	4.3	0
Oropharynx	0.0	0.0	4.3	0
Hypopharynx	0.0	0.0	4.3	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	72.2	49.9	99.7	39
Esophagus	^	^	^	^
Stomach	13.8	4.9	28.5	6
Small Intestine	^	^	^	^
Colon and Rectum	35.3	20.2	55.6	19
Colon excluding Rectum	30.7	16.6	50.2	16
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	4.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.3	0
Gallbladder	0.0	0.0	4.3	0
Other Biliary	0.0	0.0	4.3	0
Pancreas	9.4	3.6	19.3	7
Retroperitoneum	0.0	0.0	4.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	49.6	33.2	70.4	36
Nose, Nasal Cavity and Middle Ear	0.0	0.0	4.3	0
Larynx	^	^	^	^
Lung and Bronchus	48.7	32.4	69.4	35
Pleura	0.0	0.0	4.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.3	0
Bones and Joints	0.0	0.0	4.3	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	4.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	4.3	0
Other Urinary Organs	0.0	0.0	4.3	0
Eye and Orbit	0.0	0.0	4.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	4.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	4.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	4.3	0
Acute Myeloid Leukemia	0.0	0.0	4.3	0
Acute Monocytic Leukemia	0.0	0.0	4.3	0
Chronic Myeloid Leukemia	0.0	0.0	4.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.3	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	4.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	4.3	0
Miscellaneous Malignant Cancer	22.9	11.8	38.8	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	223.5	137.5	339.3	24
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.4	0
Tongue	0.0	0.0	32.4	0
Salivary Gland	0.0	0.0	32.4	0
Floor of Mouth	0.0	0.0	32.4	0
Gum and Other Mouth	0.0	0.0	32.4	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	32.4	0
Oropharynx	0.0	0.0	32.4	0
Hypopharynx	0.0	0.0	32.4	0
Other Oral Cavity and Pharynx	0.0	0.0	32.4	0
Digestive System	64.9	26.8	130.8	8
Esophagus	0.0	0.0	32.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	32.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	32.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	32.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	32.4	0
Gallbladder	0.0	0.0	32.4	0
Other Biliary	0.0	0.0	32.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	32.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.4	0
Other Digestive Organs	0.0	0.0	32.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.4	0
Larynx	0.0	0.0	32.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	32.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.4	0
Bones and Joints	0.0	0.0	32.4	0
Soft Tissue including Heart	0.0	0.0	32.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.4	0
Urinary System	0.0	0.0	32.4	0
Urinary Bladder	0.0	0.0	32.4	0
Kidney and Renal Pelvis	0.0	0.0	32.4	0
Ureter	0.0	0.0	32.4	0
Other Urinary Organs	0.0	0.0	32.4	0
Eye and Orbit	0.0	0.0	32.4	0
Brain and Other Nervous System	0.0	0.0	32.4	0
Endocrine System	0.0	0.0	32.4	0
Thyroid	0.0	0.0	32.4	0
Other Endocrine including Thymus	0.0	0.0	32.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.4	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	32.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	32.4	0
Acute Lymphocytic Leukemia	0.0	0.0	32.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.4	0
Other Lymphocytic Leukemia	0.0	0.0	32.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.4	0
Chronic Myeloid Leukemia	0.0	0.0	32.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.4	0
Other Leukemia	0.0	0.0	32.4	0
Other Acute Leukemia	0.0	0.0	32.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	32.4	0
Miscellaneous Malignant Cancer	66.2	22.3	143.7	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	192.7	178.1	208.1	803
Oral Cavity and Pharynx	3.0	1.7	4.9	18
Lip	0.0	0.0	0.8	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.8	0
Other Oral Cavity and Pharynx	1.4	0.5	3.1	7
Digestive System	45.0	37.9	53.0	176
Esophagus	5.3	3.0	8.5	21
Stomach	2.3	1.1	4.1	13
Small Intestine	0.0	0.0	0.8	0
Colon and Rectum	20.4	15.6	26.1	73
Colon excluding Rectum	15.9	11.6	21.1	56
Rectum and Rectosigmoid Junction	4.5	2.6	7.3	17
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.2	3.8	9.4	25
Liver	4.4	2.4	7.2	17
Intrahepatic Bile Duct	1.7	0.6	3.6	8
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	8.5	5.7	12.1	35
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	54.7	47.4	62.6	243
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	^	^	^	^
Lung and Bronchus	53.4	46.3	61.2	240
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.9	0.3	2.1	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.8	2.3	6.0	22
Melanoma of the Skin	3.5	2.0	5.5	20
Other Non-Epithelial Skin	^	^	^	^
Urinary System	10.3	7.0	14.4	37
Urinary Bladder	7.4	4.5	11.1	23
Kidney and Renal Pelvis	2.3	1.1	4.2	12
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	0.8	0
Brain and Other Nervous System	3.9	2.4	6.0	23
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	0.8	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	7.4	4.9	10.7	34
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	7.2	4.7	10.4	32
Myeloma	3.8	2.0	6.4	15
Leukemia	9.4	6.3	13.3	38
Lymphocytic Leukemia	3.9	2.0	6.5	17
Acute Lymphocytic Leukemia	0.8	0.3	1.9	6
Chronic Lymphocytic Leukemia	2.4	0.9	4.9	8
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	2.6	1.2	4.7	11
Acute Myeloid Leukemia	2.1	1.0	4.1	10
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	2.9	1.2	5.6	10
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	2.3	0.8	4.7	8
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	13.0	9.3	17.7	50

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	229.3	189.7	273.9	130
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	5.2	0
Tongue	0.0	0.0	5.2	0
Salivary Gland	0.0	0.0	5.2	0
Floor of Mouth	0.0	0.0	5.2	0
Gum and Other Mouth	0.0	0.0	5.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	5.2	0
Oropharynx	0.0	0.0	5.2	0
Hypopharynx	0.0	0.0	5.2	0
Other Oral Cavity and Pharynx	0.0	0.0	5.2	0
Digestive System	82.4	59.5	110.6	47
Esophagus	^	^	^	^
Stomach	21.8	11.4	37.2	14
Small Intestine	0.0	0.0	5.2	0
Colon and Rectum	34.2	19.6	54.3	17
Colon excluding Rectum	29.8	16.3	48.8	15
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	5.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	5.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.2	0
Other Digestive Organs	0.0	0.0	5.2	0
Respiratory System	83.9	60.6	112.5	45
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.2	0
Larynx	^	^	^	^
Lung and Bronchus	81.7	58.7	109.9	44
Pleura	0.0	0.0	5.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.2	0
Bones and Joints	0.0	0.0	5.2	0
Soft Tissue including Heart	0.0	0.0	5.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	5.2	0
Urinary System	11.8	4.2	24.9	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	5.2	0
Other Urinary Organs	0.0	0.0	5.2	0
Eye and Orbit	0.0	0.0	5.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	5.2	0
Thyroid	0.0	0.0	5.2	0
Other Endocrine including Thymus	0.0	0.0	5.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	5.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	5.2	0
Other Lymphocytic Leukemia	0.0	0.0	5.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.2	0
Other Leukemia	0.0	0.0	5.2	0
Other Acute Leukemia	0.0	0.0	5.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	5.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	5.2	0
Miscellaneous Malignant Cancer	19.5	9.3	35.1	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	240.6	186.5	303.7	83
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.2	0
Tongue	0.0	0.0	9.2	0
Salivary Gland	0.0	0.0	9.2	0
Floor of Mouth	0.0	0.0	9.2	0
Gum and Other Mouth	0.0	0.0	9.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	9.2	0
Oropharynx	0.0	0.0	9.2	0
Hypopharynx	0.0	0.0	9.2	0
Other Oral Cavity and Pharynx	0.0	0.0	9.2	0
Digestive System	66.1	40.3	100.6	25
Esophagus	^	^	^	^
Stomach	17.7	6.5	37.4	8
Small Intestine	0.0	0.0	9.2	0
Colon and Rectum	20.4	7.7	42.2	8
Colon excluding Rectum	17.5	5.6	38.9	6
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	9.2	0
Liver	0.0	0.0	9.2	0
Intrahepatic Bile Duct	0.0	0.0	9.2	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	9.2	0
Pancreas	19.4	6.4	42.2	6
Retroperitoneum	0.0	0.0	9.2	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	9.2	0
Respiratory System	95.6	62.9	137.3	32
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.2	0
Larynx	0.0	0.0	9.2	0
Lung and Bronchus	95.6	62.9	137.3	32
Pleura	0.0	0.0	9.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.2	0
Bones and Joints	0.0	0.0	9.2	0
Soft Tissue including Heart	0.0	0.0	9.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	9.2	0
Melanoma of the Skin	0.0	0.0	9.2	0
Other Non-Epithelial Skin	0.0	0.0	9.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	9.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	9.2	0
Other Urinary Organs	0.0	0.0	9.2	0
Eye and Orbit	0.0	0.0	9.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	9.2	0
Thyroid	0.0	0.0	9.2	0
Other Endocrine including Thymus	0.0	0.0	9.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	9.2	0
Lymphocytic Leukemia	0.0	0.0	9.2	0
Acute Lymphocytic Leukemia	0.0	0.0	9.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	9.2	0
Other Lymphocytic Leukemia	0.0	0.0	9.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	9.2	0
Acute Myeloid Leukemia	0.0	0.0	9.2	0
Acute Monocytic Leukemia	0.0	0.0	9.2	0
Chronic Myeloid Leukemia	0.0	0.0	9.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.2	0
Other Leukemia	0.0	0.0	9.2	0
Other Acute Leukemia	0.0	0.0	9.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	9.2	0
Miscellaneous Malignant Cancer	42.2	20.5	74.1	14

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	234.7	184.7	292.7	90
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.3	0
Tongue	0.0	0.0	8.3	0
Salivary Gland	0.0	0.0	8.3	0
Floor of Mouth	0.0	0.0	8.3	0
Gum and Other Mouth	0.0	0.0	8.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	8.3	0
Oropharynx	0.0	0.0	8.3	0
Hypopharynx	0.0	0.0	8.3	0
Other Oral Cavity and Pharynx	0.0	0.0	8.3	0
Digestive System	103.8	71.1	144.9	39
Esophagus	^	^	^	^
Stomach	20.2	8.5	39.4	10
Small Intestine	0.0	0.0	8.3	0
Colon and Rectum	50.9	28.3	82.2	17
Colon excluding Rectum	35.3	17.4	61.8	12
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	8.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	8.3	0
Other Biliary	0.0	0.0	8.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	53.8	32.6	82.6	21
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.3	0
Larynx	0.0	0.0	8.3	0
Lung and Bronchus	53.8	32.6	82.6	21
Pleura	0.0	0.0	8.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.3	0
Bones and Joints	0.0	0.0	8.3	0
Soft Tissue including Heart	0.0	0.0	8.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	8.3	0
Melanoma of the Skin	0.0	0.0	8.3	0
Other Non-Epithelial Skin	0.0	0.0	8.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	8.3	0
Other Urinary Organs	0.0	0.0	8.3	0
Eye and Orbit	0.0	0.0	8.3	0
Brain and Other Nervous System	0.0	0.0	8.3	0
Endocrine System	0.0	0.0	8.3	0
Thyroid	0.0	0.0	8.3	0
Other Endocrine including Thymus	0.0	0.0	8.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	8.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	8.3	0
Other Lymphocytic Leukemia	0.0	0.0	8.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	8.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.3	0
Other Leukemia	0.0	0.0	8.3	0
Other Acute Leukemia	0.0	0.0	8.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	8.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	8.3	0
Miscellaneous Malignant Cancer	28.8	11.9	55.3	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	189.6	138.7	250.7	67
Oral Cavity and Pharynx	0.0	0.0	9.6	0
Lip	0.0	0.0	9.6	0
Tongue	0.0	0.0	9.6	0
Salivary Gland	0.0	0.0	9.6	0
Floor of Mouth	0.0	0.0	9.6	0
Gum and Other Mouth	0.0	0.0	9.6	0
Nasopharynx	0.0	0.0	9.6	0
Tonsil	0.0	0.0	9.6	0
Oropharynx	0.0	0.0	9.6	0
Hypopharynx	0.0	0.0	9.6	0
Other Oral Cavity and Pharynx	0.0	0.0	9.6	0
Digestive System	65.6	36.5	105.6	21
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	9.6	0
Colon and Rectum	43.2	19.0	79.6	12
Colon excluding Rectum	35.8	15.0	68.2	11
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	9.6	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	9.6	0
Other Biliary	0.0	0.0	9.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.6	0
Other Digestive Organs	0.0	0.0	9.6	0
Respiratory System	39.7	20.0	68.8	17
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.6	0
Larynx	0.0	0.0	9.6	0
Lung and Bronchus	39.7	20.0	68.8	17
Pleura	0.0	0.0	9.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.6	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	9.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	9.6	0
Other Urinary Organs	0.0	0.0	9.6	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	9.6	0
Thyroid	0.0	0.0	9.6	0
Other Endocrine including Thymus	0.0	0.0	9.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.6	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	9.6	0
Other Lymphocytic Leukemia	0.0	0.0	9.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	9.6	0
Acute Myeloid Leukemia	0.0	0.0	9.6	0
Acute Monocytic Leukemia	0.0	0.0	9.6	0
Chronic Myeloid Leukemia	0.0	0.0	9.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.6	0
Other Leukemia	0.0	0.0	9.6	0
Other Acute Leukemia	0.0	0.0	9.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	9.6	0
Miscellaneous Malignant Cancer	23.1	7.3	50.5	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	177.4	146.4	212.6	124
Oral Cavity and Pharynx	12.1	5.0	23.6	8
Lip	0.0	0.0	4.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	4.4	0
Floor of Mouth	0.0	0.0	4.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	4.4	0
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	4.4	0
Digestive System	48.6	33.1	68.3	33
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	4.4	0
Colon and Rectum	19.9	10.7	33.3	14
Colon excluding Rectum	12.7	5.7	24.0	9
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	4.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.4	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	4.4	0
Pancreas	13.9	6.2	26.1	9
Retroperitoneum	0.0	0.0	4.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.4	0
Other Digestive Organs	^	^	^	^
Respiratory System	51.7	35.4	72.3	35
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	4.4	0
Lung and Bronchus	49.9	34.0	70.2	34
Pleura	0.0	0.0	4.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	4.4	0
Urinary System	9.7	3.8	19.9	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	4.4	0
Other Urinary Organs	0.0	0.0	4.4	0
Eye and Orbit	0.0	0.0	4.4	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	4.4	0
Thyroid	0.0	0.0	4.4	0
Other Endocrine including Thymus	0.0	0.0	4.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	4.4	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	4.4	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	4.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	4.4	0
Chronic Myeloid Leukemia	0.0	0.0	4.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.4	0
Other Leukemia	0.0	0.0	4.4	0
Other Acute Leukemia	0.0	0.0	4.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	4.4	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	9.8	4.0	19.7	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	110.8	73.5	159.6	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	13.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	13.0	0
Floor of Mouth	0.0	0.0	13.0	0
Gum and Other Mouth	0.0	0.0	13.0	0
Nasopharynx	0.0	0.0	13.0	0
Tonsil	0.0	0.0	13.0	0
Oropharynx	0.0	0.0	13.0	0
Hypopharynx	0.0	0.0	13.0	0
Other Oral Cavity and Pharynx	0.0	0.0	13.0	0
Digestive System	35.6	15.8	67.7	9
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	13.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	13.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	13.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	13.0	0
Liver	0.0	0.0	13.0	0
Intrahepatic Bile Duct	0.0	0.0	13.0	0
Gallbladder	0.0	0.0	13.0	0
Other Biliary	0.0	0.0	13.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	13.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	13.0	0
Other Digestive Organs	0.0	0.0	13.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.0	0
Larynx	0.0	0.0	13.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	13.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	13.0	0
Bones and Joints	0.0	0.0	13.0	0
Soft Tissue including Heart	0.0	0.0	13.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	13.0	0
Melanoma of the Skin	0.0	0.0	13.0	0
Other Non-Epithelial Skin	0.0	0.0	13.0	0
Urinary System	0.0	0.0	13.0	0
Urinary Bladder	0.0	0.0	13.0	0
Kidney and Renal Pelvis	0.0	0.0	13.0	0
Ureter	0.0	0.0	13.0	0
Other Urinary Organs	0.0	0.0	13.0	0
Eye and Orbit	0.0	0.0	13.0	0
Brain and Other Nervous System	0.0	0.0	13.0	0
Endocrine System	0.0	0.0	13.0	0
Thyroid	0.0	0.0	13.0	0
Other Endocrine including Thymus	0.0	0.0	13.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	13.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	13.0	0
Acute Lymphocytic Leukemia	0.0	0.0	13.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	13.0	0
Other Lymphocytic Leukemia	0.0	0.0	13.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	13.0	0
Chronic Myeloid Leukemia	0.0	0.0	13.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.0	0
Other Leukemia	0.0	0.0	13.0	0
Other Acute Leukemia	0.0	0.0	13.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	13.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	13.0	0
Miscellaneous Malignant Cancer	30.8	12.2	62.3	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	224.8	173.0	285.5	85
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	8.5	0
Floor of Mouth	0.0	0.0	8.5	0
Gum and Other Mouth	0.0	0.0	8.5	0
Nasopharynx	0.0	0.0	8.5	0
Tonsil	0.0	0.0	8.5	0
Oropharynx	0.0	0.0	8.5	0
Hypopharynx	0.0	0.0	8.5	0
Other Oral Cavity and Pharynx	0.0	0.0	8.5	0
Digestive System	57.2	30.8	93.9	18
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	8.5	0
Colon and Rectum	32.5	13.8	61.5	10
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.5	0
Gallbladder	0.0	0.0	8.5	0
Other Biliary	0.0	0.0	8.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.5	0
Other Digestive Organs	0.0	0.0	8.5	0
Respiratory System	63.6	38.8	96.9	25
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.5	0
Larynx	0.0	0.0	8.5	0
Lung and Bronchus	63.6	38.8	96.9	25
Pleura	0.0	0.0	8.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.5	0
Bones and Joints	0.0	0.0	8.5	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	8.5	0
Urinary System	19.2	6.1	42.4	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	8.5	0
Other Urinary Organs	0.0	0.0	8.5	0
Eye and Orbit	0.0	0.0	8.5	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	8.5	0
Thyroid	0.0	0.0	8.5	0
Other Endocrine including Thymus	0.0	0.0	8.5	0
Lymphoma	21.0	7.7	43.4	8
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	16.1	5.4	35.1	7
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	8.5	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.5	0
Chronic Myeloid Leukemia	0.0	0.0	8.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	8.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	202.8	166.5	244.0	137
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	4.9	0
Tongue	0.0	0.0	4.9	0
Salivary Gland	0.0	0.0	4.9	0
Floor of Mouth	0.0	0.0	4.9	0
Gum and Other Mouth	0.0	0.0	4.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	4.9	0
Oropharynx	0.0	0.0	4.9	0
Hypopharynx	0.0	0.0	4.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	35.0	21.0	54.1	25
Esophagus	12.0	5.0	23.7	10
Stomach	^	^	^	^
Small Intestine	0.0	0.0	4.9	0
Colon and Rectum	13.0	4.9	26.6	8
Colon excluding Rectum	10.2	3.1	23.0	6
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	4.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	4.9	0
Gallbladder	0.0	0.0	4.9	0
Other Biliary	0.0	0.0	4.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	4.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	4.9	0
Other Digestive Organs	0.0	0.0	4.9	0
Respiratory System	68.3	48.7	92.7	47
Nose, Nasal Cavity and Middle Ear	0.0	0.0	4.9	0
Larynx	^	^	^	^
Lung and Bronchus	66.9	47.4	91.1	46
Pleura	0.0	0.0	4.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	4.9	0
Bones and Joints	0.0	0.0	4.9	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	4.9	0
Melanoma of the Skin	0.0	0.0	4.9	0
Other Non-Epithelial Skin	0.0	0.0	4.9	0
Urinary System	14.0	5.6	27.9	9
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	4.9	0
Other Urinary Organs	0.0	0.0	4.9	0
Eye and Orbit	0.0	0.0	4.9	0
Brain and Other Nervous System	0.0	0.0	4.9	0
Endocrine System	0.0	0.0	4.9	0
Thyroid	0.0	0.0	4.9	0
Other Endocrine including Thymus	0.0	0.0	4.9	0
Lymphoma	6.5	2.2	14.9	6
Hodgkin Lymphoma	0.0	0.0	4.9	0
Non-Hodgkin Lymphoma	6.5	2.2	14.9	6
Myeloma	^	^	^	^
Leukemia	10.5	3.4	23.1	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	4.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	4.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	4.9	0
Chronic Myeloid Leukemia	0.0	0.0	4.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	4.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	22.6	11.7	38.4	15

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	258.5	204.5	321.0	90
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.1	0
Tongue	0.0	0.0	9.1	0
Salivary Gland	0.0	0.0	9.1	0
Floor of Mouth	0.0	0.0	9.1	0
Gum and Other Mouth	0.0	0.0	9.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	9.1	0
Oropharynx	0.0	0.0	9.1	0
Hypopharynx	0.0	0.0	9.1	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	91.1	60.8	129.8	32
Esophagus	0.0	0.0	9.1	0
Stomach	17.6	7.5	35.1	8
Small Intestine	^	^	^	^
Colon and Rectum	33.9	16.1	60.9	11
Colon excluding Rectum	29.1	13.3	53.9	10
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.1	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	9.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	83.6	54.1	121.9	28
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.1	0
Larynx	0.0	0.0	9.1	0
Lung and Bronchus	83.6	54.1	121.9	28
Pleura	0.0	0.0	9.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.1	0
Bones and Joints	0.0	0.0	9.1	0
Soft Tissue including Heart	0.0	0.0	9.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	9.1	0
Urinary System	21.9	8.4	44.6	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	9.1	0
Other Urinary Organs	0.0	0.0	9.1	0
Eye and Orbit	0.0	0.0	9.1	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	9.1	0
Thyroid	0.0	0.0	9.1	0
Other Endocrine including Thymus	0.0	0.0	9.1	0
Lymphoma	0.0	0.0	9.1	0
Hodgkin Lymphoma	0.0	0.0	9.1	0
Non-Hodgkin Lymphoma	0.0	0.0	9.1	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	9.1	0
Acute Lymphocytic Leukemia	0.0	0.0	9.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	9.1	0
Other Lymphocytic Leukemia	0.0	0.0	9.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	9.1	0
Acute Myeloid Leukemia	0.0	0.0	9.1	0
Acute Monocytic Leukemia	0.0	0.0	9.1	0
Chronic Myeloid Leukemia	0.0	0.0	9.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	9.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	9.1	0
Miscellaneous Malignant Cancer	28.5	13.1	52.6	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	209.2	174.5	248.6	133
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	5.7	0
Tongue	0.0	0.0	5.7	0
Salivary Gland	0.0	0.0	5.7	0
Floor of Mouth	0.0	0.0	5.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	5.7	0
Tonsil	0.0	0.0	5.7	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	5.7	0
Other Oral Cavity and Pharynx	0.0	0.0	5.7	0
Digestive System	57.0	40.0	78.7	38
Esophagus	9.9	3.9	20.9	7
Stomach	^	^	^	^
Small Intestine	0.0	0.0	5.7	0
Colon and Rectum	28.2	16.5	44.8	18
Colon excluding Rectum	23.5	13.0	39.0	15
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	5.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	9.5	3.4	20.8	6
Retroperitoneum	0.0	0.0	5.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.7	0
Other Digestive Organs	0.0	0.0	5.7	0
Respiratory System	59.6	41.7	82.3	37
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.7	0
Larynx	^	^	^	^
Lung and Bronchus	57.8	40.2	80.2	36
Pleura	0.0	0.0	5.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	5.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	5.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	5.7	0
Other Urinary Organs	0.0	0.0	5.7	0
Eye and Orbit	0.0	0.0	5.7	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	5.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	5.7	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	5.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.7	0
Chronic Myeloid Leukemia	0.0	0.0	5.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	5.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	5.7	0
Miscellaneous Malignant Cancer	18.0	9.1	31.7	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	240.5	117.2	433.1	14
Oral Cavity and Pharynx	0.0	0.0	83.2	0
Lip	0.0	0.0	83.2	0
Tongue	0.0	0.0	83.2	0
Salivary Gland	0.0	0.0	83.2	0
Floor of Mouth	0.0	0.0	83.2	0
Gum and Other Mouth	0.0	0.0	83.2	0
Nasopharynx	0.0	0.0	83.2	0
Tonsil	0.0	0.0	83.2	0
Oropharynx	0.0	0.0	83.2	0
Hypopharynx	0.0	0.0	83.2	0
Other Oral Cavity and Pharynx	0.0	0.0	83.2	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	83.2	0
Colon and Rectum	0.0	0.0	83.2	0
Colon excluding Rectum	0.0	0.0	83.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	83.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	83.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	83.2	0
Liver	0.0	0.0	83.2	0
Intrahepatic Bile Duct	0.0	0.0	83.2	0
Gallbladder	0.0	0.0	83.2	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	83.2	0
Retroperitoneum	0.0	0.0	83.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	83.2	0
Other Digestive Organs	0.0	0.0	83.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	83.2	0
Larynx	0.0	0.0	83.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	83.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	83.2	0
Bones and Joints	0.0	0.0	83.2	0
Soft Tissue including Heart	0.0	0.0	83.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	83.2	0
Melanoma of the Skin	0.0	0.0	83.2	0
Other Non-Epithelial Skin	0.0	0.0	83.2	0
Urinary System	0.0	0.0	83.2	0
Urinary Bladder	0.0	0.0	83.2	0
Kidney and Renal Pelvis	0.0	0.0	83.2	0
Ureter	0.0	0.0	83.2	0
Other Urinary Organs	0.0	0.0	83.2	0
Eye and Orbit	0.0	0.0	83.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	83.2	0
Thyroid	0.0	0.0	83.2	0
Other Endocrine including Thymus	0.0	0.0	83.2	0
Lymphoma	0.0	0.0	83.2	0
Hodgkin Lymphoma	0.0	0.0	83.2	0
Non-Hodgkin Lymphoma	0.0	0.0	83.2	0
Myeloma	0.0	0.0	83.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	83.2	0
Other Lymphocytic Leukemia	0.0	0.0	83.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	83.2	0
Acute Monocytic Leukemia	0.0	0.0	83.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	83.2	0
Other Leukemia	0.0	0.0	83.2	0
Other Acute Leukemia	0.0	0.0	83.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	83.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	83.2	0
Miscellaneous Malignant Cancer	0.0	0.0	83.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	226.0	182.5	275.8	104
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	6.7	0
Tongue	0.0	0.0	6.7	0
Salivary Gland	0.0	0.0	6.7	0
Floor of Mouth	0.0	0.0	6.7	0
Gum and Other Mouth	0.0	0.0	6.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	6.7	0
Oropharynx	0.0	0.0	6.7	0
Hypopharynx	0.0	0.0	6.7	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	78.2	53.9	108.8	37
Esophagus	12.3	4.2	27.1	6
Stomach	10.1	3.6	22.4	6
Small Intestine	0.0	0.0	6.7	0
Colon and Rectum	28.7	14.0	50.5	11
Colon excluding Rectum	21.3	9.0	41.0	8
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.7	0
Gallbladder	0.0	0.0	6.7	0
Other Biliary	^	^	^	^
Pancreas	18.6	8.5	34.9	10
Retroperitoneum	0.0	0.0	6.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.7	0
Other Digestive Organs	0.0	0.0	6.7	0
Respiratory System	68.5	45.1	98.6	29
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.7	0
Larynx	^	^	^	^
Lung and Bronchus	66.9	43.7	96.8	28
Pleura	0.0	0.0	6.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.7	0
Bones and Joints	0.0	0.0	6.7	0
Soft Tissue including Heart	0.0	0.0	6.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

Total/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	6.7	0
Melanoma of the Skin	0.0	0.0	6.7	0
Other Non-Epithelial Skin	0.0	0.0	6.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	6.7	0
Other Urinary Organs	0.0	0.0	6.7	0
Eye and Orbit	0.0	0.0	6.7	0
Brain and Other Nervous System	0.0	0.0	6.7	0
Endocrine System	0.0	0.0	6.7	0
Thyroid	0.0	0.0	6.7	0
Other Endocrine including Thymus	0.0	0.0	6.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	6.7	0
Acute Lymphocytic Leukemia	0.0	0.0	6.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	6.7	0
Other Lymphocytic Leukemia	0.0	0.0	6.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.7	0
Other Leukemia	0.0	0.0	6.7	0
Other Acute Leukemia	0.0	0.0	6.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	6.7	0
Miscellaneous Malignant Cancer	12.7	4.7	26.8	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	624.3	0
Tongue	0.0	0.0	624.3	0
Salivary Gland	0.0	0.0	624.3	0
Floor of Mouth	0.0	0.0	624.3	0
Gum and Other Mouth	0.0	0.0	624.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	624.3	0
Oropharynx	0.0	0.0	624.3	0
Hypopharynx	0.0	0.0	624.3	0
Other Oral Cavity and Pharynx	0.0	0.0	624.3	0
Digestive System	0.0	0.0	624.3	0
Esophagus	0.0	0.0	624.3	0
Stomach	0.0	0.0	624.3	0
Small Intestine	0.0	0.0	624.3	0
Colon and Rectum	0.0	0.0	624.3	0
Colon excluding Rectum	0.0	0.0	624.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	624.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	624.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	624.3	0
Liver	0.0	0.0	624.3	0
Intrahepatic Bile Duct	0.0	0.0	624.3	0
Gallbladder	0.0	0.0	624.3	0
Other Biliary	0.0	0.0	624.3	0
Pancreas	0.0	0.0	624.3	0
Retroperitoneum	0.0	0.0	624.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	624.3	0
Other Digestive Organs	0.0	0.0	624.3	0
Respiratory System	0.0	0.0	624.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	624.3	0
Larynx	0.0	0.0	624.3	0
Lung and Bronchus	0.0	0.0	624.3	0
Pleura	0.0	0.0	624.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	624.3	0
Bones and Joints	0.0	0.0	624.3	0
Soft Tissue including Heart	0.0	0.0	624.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	624.3	0
Melanoma of the Skin	0.0	0.0	624.3	0
Other Non-Epithelial Skin	0.0	0.0	624.3	0
Urinary System	0.0	0.0	624.3	0
Urinary Bladder	0.0	0.0	624.3	0
Kidney and Renal Pelvis	0.0	0.0	624.3	0
Ureter	0.0	0.0	624.3	0
Other Urinary Organs	0.0	0.0	624.3	0
Eye and Orbit	0.0	0.0	624.3	0
Brain and Other Nervous System	0.0	0.0	624.3	0
Endocrine System	0.0	0.0	624.3	0
Thyroid	0.0	0.0	624.3	0
Other Endocrine including Thymus	0.0	0.0	624.3	0
Lymphoma	0.0	0.0	624.3	0
Hodgkin Lymphoma	0.0	0.0	624.3	0
Non-Hodgkin Lymphoma	0.0	0.0	624.3	0
Myeloma	0.0	0.0	624.3	0
Leukemia	0.0	0.0	624.3	0
Lymphocytic Leukemia	0.0	0.0	624.3	0
Acute Lymphocytic Leukemia	0.0	0.0	624.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	624.3	0
Other Lymphocytic Leukemia	0.0	0.0	624.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	624.3	0
Acute Myeloid Leukemia	0.0	0.0	624.3	0
Acute Monocytic Leukemia	0.0	0.0	624.3	0
Chronic Myeloid Leukemia	0.0	0.0	624.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	624.3	0
Other Leukemia	0.0	0.0	624.3	0
Other Acute Leukemia	0.0	0.0	624.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	624.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	624.3	0
Miscellaneous Malignant Cancer	0.0	0.0	624.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	707.1	0
Oral Cavity and Pharynx	0.0	0.0	707.1	0
Lip	0.0	0.0	707.1	0
Tongue	0.0	0.0	707.1	0
Salivary Gland	0.0	0.0	707.1	0
Floor of Mouth	0.0	0.0	707.1	0
Gum and Other Mouth	0.0	0.0	707.1	0
Nasopharynx	0.0	0.0	707.1	0
Tonsil	0.0	0.0	707.1	0
Oropharynx	0.0	0.0	707.1	0
Hypopharynx	0.0	0.0	707.1	0
Other Oral Cavity and Pharynx	0.0	0.0	707.1	0
Digestive System	0.0	0.0	707.1	0
Esophagus	0.0	0.0	707.1	0
Stomach	0.0	0.0	707.1	0
Small Intestine	0.0	0.0	707.1	0
Colon and Rectum	0.0	0.0	707.1	0
Colon excluding Rectum	0.0	0.0	707.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	707.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	707.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	707.1	0
Liver	0.0	0.0	707.1	0
Intrahepatic Bile Duct	0.0	0.0	707.1	0
Gallbladder	0.0	0.0	707.1	0
Other Biliary	0.0	0.0	707.1	0
Pancreas	0.0	0.0	707.1	0
Retroperitoneum	0.0	0.0	707.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	707.1	0
Other Digestive Organs	0.0	0.0	707.1	0
Respiratory System	0.0	0.0	707.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	707.1	0
Larynx	0.0	0.0	707.1	0
Lung and Bronchus	0.0	0.0	707.1	0
Pleura	0.0	0.0	707.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	707.1	0
Bones and Joints	0.0	0.0	707.1	0
Soft Tissue including Heart	0.0	0.0	707.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	707.1	0
Melanoma of the Skin	0.0	0.0	707.1	0
Other Non-Epithelial Skin	0.0	0.0	707.1	0
Urinary System	0.0	0.0	707.1	0
Urinary Bladder	0.0	0.0	707.1	0
Kidney and Renal Pelvis	0.0	0.0	707.1	0
Ureter	0.0	0.0	707.1	0
Other Urinary Organs	0.0	0.0	707.1	0
Eye and Orbit	0.0	0.0	707.1	0
Brain and Other Nervous System	0.0	0.0	707.1	0
Endocrine System	0.0	0.0	707.1	0
Thyroid	0.0	0.0	707.1	0
Other Endocrine including Thymus	0.0	0.0	707.1	0
Lymphoma	0.0	0.0	707.1	0
Hodgkin Lymphoma	0.0	0.0	707.1	0
Non-Hodgkin Lymphoma	0.0	0.0	707.1	0
Myeloma	0.0	0.0	707.1	0
Leukemia	0.0	0.0	707.1	0
Lymphocytic Leukemia	0.0	0.0	707.1	0
Acute Lymphocytic Leukemia	0.0	0.0	707.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	707.1	0
Other Lymphocytic Leukemia	0.0	0.0	707.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	707.1	0
Acute Myeloid Leukemia	0.0	0.0	707.1	0
Acute Monocytic Leukemia	0.0	0.0	707.1	0
Chronic Myeloid Leukemia	0.0	0.0	707.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	707.1	0
Other Leukemia	0.0	0.0	707.1	0
Other Acute Leukemia	0.0	0.0	707.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	707.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	707.1	0
Miscellaneous Malignant Cancer	0.0	0.0	707.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	242.0	210.3	276.6	273
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2.9	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	2.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	2.9	0
Tonsil	0.0	0.0	2.9	0
Oropharynx	0.0	0.0	2.9	0
Hypopharynx	0.0	0.0	2.9	0
Other Oral Cavity and Pharynx	0.0	0.0	2.9	0
Digestive System	70.4	53.3	90.6	75
Esophagus	^	^	^	^
Stomach	14.8	7.6	25.1	17
Small Intestine	^	^	^	^
Colon and Rectum	30.2	19.0	44.6	28
Colon excluding Rectum	24.2	14.3	37.5	22
Rectum and Rectosigmoid Junction	5.9	1.9	13.1	6
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	2.9	0
Other Biliary	0.0	0.0	2.9	0
Pancreas	15.3	8.0	25.8	17
Retroperitoneum	0.0	0.0	2.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.9	0
Other Digestive Organs	0.0	0.0	2.9	0
Respiratory System	64.8	49.6	82.8	71
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.9	0
Larynx	0.0	0.0	2.9	0
Lung and Bronchus	64.8	49.6	82.8	71
Pleura	0.0	0.0	2.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.9	0
Bones and Joints	0.0	0.0	2.9	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	7.6	2.8	15.7	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	5.4	1.6	12.5	6
Ureter	0.0	0.0	2.9	0
Other Urinary Organs	0.0	0.0	2.9	0
Eye and Orbit	0.0	0.0	2.9	0
Brain and Other Nervous System	2.6	0.9	6.6	6
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	2.9	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	12.0	6.0	20.9	14
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	11.4	5.5	20.2	13
Myeloma	^	^	^	^
Leukemia	11.3	4.6	21.7	10
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	2.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.9	0
Myeloid and Monocytic Leukemia	3.8	1.0	9.4	6
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	2.9	0
Miscellaneous Malignant Cancer	22.6	13.6	34.7	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	277.2	154.6	447.5	17
Oral Cavity and Pharynx	0.0	0.0	45.8	0
Lip	0.0	0.0	45.8	0
Tongue	0.0	0.0	45.8	0
Salivary Gland	0.0	0.0	45.8	0
Floor of Mouth	0.0	0.0	45.8	0
Gum and Other Mouth	0.0	0.0	45.8	0
Nasopharynx	0.0	0.0	45.8	0
Tonsil	0.0	0.0	45.8	0
Oropharynx	0.0	0.0	45.8	0
Hypopharynx	0.0	0.0	45.8	0
Other Oral Cavity and Pharynx	0.0	0.0	45.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	45.8	0
Stomach	0.0	0.0	45.8	0
Small Intestine	0.0	0.0	45.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	45.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	45.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	45.8	0
Liver	0.0	0.0	45.8	0
Intrahepatic Bile Duct	0.0	0.0	45.8	0
Gallbladder	0.0	0.0	45.8	0
Other Biliary	0.0	0.0	45.8	0
Pancreas	0.0	0.0	45.8	0
Retroperitoneum	0.0	0.0	45.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.8	0
Other Digestive Organs	0.0	0.0	45.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.8	0
Larynx	0.0	0.0	45.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	45.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.8	0
Bones and Joints	0.0	0.0	45.8	0
Soft Tissue including Heart	0.0	0.0	45.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	45.8	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	45.8	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	45.8	0
Other Urinary Organs	0.0	0.0	45.8	0
Eye and Orbit	0.0	0.0	45.8	0
Brain and Other Nervous System	0.0	0.0	45.8	0
Endocrine System	0.0	0.0	45.8	0
Thyroid	0.0	0.0	45.8	0
Other Endocrine including Thymus	0.0	0.0	45.8	0
Lymphoma	0.0	0.0	45.8	0
Hodgkin Lymphoma	0.0	0.0	45.8	0
Non-Hodgkin Lymphoma	0.0	0.0	45.8	0
Myeloma	0.0	0.0	45.8	0
Leukemia	0.0	0.0	45.8	0
Lymphocytic Leukemia	0.0	0.0	45.8	0
Acute Lymphocytic Leukemia	0.0	0.0	45.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	45.8	0
Other Lymphocytic Leukemia	0.0	0.0	45.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	45.8	0
Acute Myeloid Leukemia	0.0	0.0	45.8	0
Acute Monocytic Leukemia	0.0	0.0	45.8	0
Chronic Myeloid Leukemia	0.0	0.0	45.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.8	0
Other Leukemia	0.0	0.0	45.8	0
Other Acute Leukemia	0.0	0.0	45.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	45.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,077.2	0
Lip	0.0	0.0	1,077.2	0
Tongue	0.0	0.0	1,077.2	0
Salivary Gland	0.0	0.0	1,077.2	0
Floor of Mouth	0.0	0.0	1,077.2	0
Gum and Other Mouth	0.0	0.0	1,077.2	0
Nasopharynx	0.0	0.0	1,077.2	0
Tonsil	0.0	0.0	1,077.2	0
Oropharynx	0.0	0.0	1,077.2	0
Hypopharynx	0.0	0.0	1,077.2	0
Other Oral Cavity and Pharynx	0.0	0.0	1,077.2	0
Digestive System	0.0	0.0	1,077.2	0
Esophagus	0.0	0.0	1,077.2	0
Stomach	0.0	0.0	1,077.2	0
Small Intestine	0.0	0.0	1,077.2	0
Colon and Rectum	0.0	0.0	1,077.2	0
Colon excluding Rectum	0.0	0.0	1,077.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,077.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,077.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,077.2	0
Liver	0.0	0.0	1,077.2	0
Intrahepatic Bile Duct	0.0	0.0	1,077.2	0
Gallbladder	0.0	0.0	1,077.2	0
Other Biliary	0.0	0.0	1,077.2	0
Pancreas	0.0	0.0	1,077.2	0
Retroperitoneum	0.0	0.0	1,077.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,077.2	0
Other Digestive Organs	0.0	0.0	1,077.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,077.2	0
Larynx	0.0	0.0	1,077.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	1,077.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,077.2	0
Bones and Joints	0.0	0.0	1,077.2	0
Soft Tissue including Heart	0.0	0.0	1,077.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	1,077.2	0
Melanoma of the Skin	0.0	0.0	1,077.2	0
Other Non-Epithelial Skin	0.0	0.0	1,077.2	0
Urinary System	0.0	0.0	1,077.2	0
Urinary Bladder	0.0	0.0	1,077.2	0
Kidney and Renal Pelvis	0.0	0.0	1,077.2	0
Ureter	0.0	0.0	1,077.2	0
Other Urinary Organs	0.0	0.0	1,077.2	0
Eye and Orbit	0.0	0.0	1,077.2	0
Brain and Other Nervous System	0.0	0.0	1,077.2	0
Endocrine System	0.0	0.0	1,077.2	0
Thyroid	0.0	0.0	1,077.2	0
Other Endocrine including Thymus	0.0	0.0	1,077.2	0
Lymphoma	0.0	0.0	1,077.2	0
Hodgkin Lymphoma	0.0	0.0	1,077.2	0
Non-Hodgkin Lymphoma	0.0	0.0	1,077.2	0
Myeloma	0.0	0.0	1,077.2	0
Leukemia	0.0	0.0	1,077.2	0
Lymphocytic Leukemia	0.0	0.0	1,077.2	0
Acute Lymphocytic Leukemia	0.0	0.0	1,077.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,077.2	0
Other Lymphocytic Leukemia	0.0	0.0	1,077.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,077.2	0
Acute Myeloid Leukemia	0.0	0.0	1,077.2	0
Acute Monocytic Leukemia	0.0	0.0	1,077.2	0
Chronic Myeloid Leukemia	0.0	0.0	1,077.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,077.2	0
Other Leukemia	0.0	0.0	1,077.2	0
Other Acute Leukemia	0.0	0.0	1,077.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,077.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	1,077.2	0
Miscellaneous Malignant Cancer	0.0	0.0	1,077.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	469.7	0
Oral Cavity and Pharynx	0.0	0.0	469.7	0
Lip	0.0	0.0	469.7	0
Tongue	0.0	0.0	469.7	0
Salivary Gland	0.0	0.0	469.7	0
Floor of Mouth	0.0	0.0	469.7	0
Gum and Other Mouth	0.0	0.0	469.7	0
Nasopharynx	0.0	0.0	469.7	0
Tonsil	0.0	0.0	469.7	0
Oropharynx	0.0	0.0	469.7	0
Hypopharynx	0.0	0.0	469.7	0
Other Oral Cavity and Pharynx	0.0	0.0	469.7	0
Digestive System	0.0	0.0	469.7	0
Esophagus	0.0	0.0	469.7	0
Stomach	0.0	0.0	469.7	0
Small Intestine	0.0	0.0	469.7	0
Colon and Rectum	0.0	0.0	469.7	0
Colon excluding Rectum	0.0	0.0	469.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	469.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	469.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	469.7	0
Liver	0.0	0.0	469.7	0
Intrahepatic Bile Duct	0.0	0.0	469.7	0
Gallbladder	0.0	0.0	469.7	0
Other Biliary	0.0	0.0	469.7	0
Pancreas	0.0	0.0	469.7	0
Retroperitoneum	0.0	0.0	469.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	469.7	0
Other Digestive Organs	0.0	0.0	469.7	0
Respiratory System	0.0	0.0	469.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	469.7	0
Larynx	0.0	0.0	469.7	0
Lung and Bronchus	0.0	0.0	469.7	0
Pleura	0.0	0.0	469.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	469.7	0
Bones and Joints	0.0	0.0	469.7	0
Soft Tissue including Heart	0.0	0.0	469.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	469.7	0
Melanoma of the Skin	0.0	0.0	469.7	0
Other Non-Epithelial Skin	0.0	0.0	469.7	0
Urinary System	0.0	0.0	469.7	0
Urinary Bladder	0.0	0.0	469.7	0
Kidney and Renal Pelvis	0.0	0.0	469.7	0
Ureter	0.0	0.0	469.7	0
Other Urinary Organs	0.0	0.0	469.7	0
Eye and Orbit	0.0	0.0	469.7	0
Brain and Other Nervous System	0.0	0.0	469.7	0
Endocrine System	0.0	0.0	469.7	0
Thyroid	0.0	0.0	469.7	0
Other Endocrine including Thymus	0.0	0.0	469.7	0
Lymphoma	0.0	0.0	469.7	0
Hodgkin Lymphoma	0.0	0.0	469.7	0
Non-Hodgkin Lymphoma	0.0	0.0	469.7	0
Myeloma	0.0	0.0	469.7	0
Leukemia	0.0	0.0	469.7	0
Lymphocytic Leukemia	0.0	0.0	469.7	0
Acute Lymphocytic Leukemia	0.0	0.0	469.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	469.7	0
Other Lymphocytic Leukemia	0.0	0.0	469.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	469.7	0
Acute Myeloid Leukemia	0.0	0.0	469.7	0
Acute Monocytic Leukemia	0.0	0.0	469.7	0
Chronic Myeloid Leukemia	0.0	0.0	469.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	469.7	0
Other Leukemia	0.0	0.0	469.7	0
Other Acute Leukemia	0.0	0.0	469.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	469.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	469.7	0
Miscellaneous Malignant Cancer	0.0	0.0	469.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	141.4	0
Lip	0.0	0.0	141.4	0
Tongue	0.0	0.0	141.4	0
Salivary Gland	0.0	0.0	141.4	0
Floor of Mouth	0.0	0.0	141.4	0
Gum and Other Mouth	0.0	0.0	141.4	0
Nasopharynx	0.0	0.0	141.4	0
Tonsil	0.0	0.0	141.4	0
Oropharynx	0.0	0.0	141.4	0
Hypopharynx	0.0	0.0	141.4	0
Other Oral Cavity and Pharynx	0.0	0.0	141.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	141.4	0
Stomach	0.0	0.0	141.4	0
Small Intestine	0.0	0.0	141.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	141.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	141.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	141.4	0
Liver	0.0	0.0	141.4	0
Intrahepatic Bile Duct	0.0	0.0	141.4	0
Gallbladder	0.0	0.0	141.4	0
Other Biliary	0.0	0.0	141.4	0
Pancreas	0.0	0.0	141.4	0
Retroperitoneum	0.0	0.0	141.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	141.4	0
Other Digestive Organs	0.0	0.0	141.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	141.4	0
Larynx	0.0	0.0	141.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	141.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	141.4	0
Bones and Joints	0.0	0.0	141.4	0
Soft Tissue including Heart	0.0	0.0	141.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	141.4	0
Melanoma of the Skin	0.0	0.0	141.4	0
Other Non-Epithelial Skin	0.0	0.0	141.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	141.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	141.4	0
Other Urinary Organs	0.0	0.0	141.4	0
Eye and Orbit	0.0	0.0	141.4	0
Brain and Other Nervous System	0.0	0.0	141.4	0
Endocrine System	0.0	0.0	141.4	0
Thyroid	0.0	0.0	141.4	0
Other Endocrine including Thymus	0.0	0.0	141.4	0
Lymphoma	0.0	0.0	141.4	0
Hodgkin Lymphoma	0.0	0.0	141.4	0
Non-Hodgkin Lymphoma	0.0	0.0	141.4	0
Myeloma	0.0	0.0	141.4	0
Leukemia	0.0	0.0	141.4	0
Lymphocytic Leukemia	0.0	0.0	141.4	0
Acute Lymphocytic Leukemia	0.0	0.0	141.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	141.4	0
Other Lymphocytic Leukemia	0.0	0.0	141.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	141.4	0
Acute Myeloid Leukemia	0.0	0.0	141.4	0
Acute Monocytic Leukemia	0.0	0.0	141.4	0
Chronic Myeloid Leukemia	0.0	0.0	141.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	141.4	0
Other Leukemia	0.0	0.0	141.4	0
Other Acute Leukemia	0.0	0.0	141.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	141.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	141.4	0
Miscellaneous Malignant Cancer	0.0	0.0	141.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	209.3	158.4	269.6	71
Oral Cavity and Pharynx	0.0	0.0	9.7	0
Lip	0.0	0.0	9.7	0
Tongue	0.0	0.0	9.7	0
Salivary Gland	0.0	0.0	9.7	0
Floor of Mouth	0.0	0.0	9.7	0
Gum and Other Mouth	0.0	0.0	9.7	0
Nasopharynx	0.0	0.0	9.7	0
Tonsil	0.0	0.0	9.7	0
Oropharynx	0.0	0.0	9.7	0
Hypopharynx	0.0	0.0	9.7	0
Other Oral Cavity and Pharynx	0.0	0.0	9.7	0
Digestive System	46.2	23.5	79.1	14
Esophagus	0.0	0.0	9.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	9.7	0
Colon and Rectum	16.9	5.8	37.0	6
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.7	0
Gallbladder	0.0	0.0	9.7	0
Other Biliary	0.0	0.0	9.7	0
Pancreas	26.1	8.9	55.1	6
Retroperitoneum	0.0	0.0	9.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.7	0
Other Digestive Organs	0.0	0.0	9.7	0
Respiratory System	51.5	27.5	85.4	16
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.7	0
Larynx	0.0	0.0	9.7	0
Lung and Bronchus	51.5	27.5	85.4	16
Pleura	0.0	0.0	9.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.7	0
Bones and Joints	0.0	0.0	9.7	0
Soft Tissue including Heart	0.0	0.0	9.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	9.7	0
Urinary System	29.4	11.3	58.5	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	9.7	0
Eye and Orbit	0.0	0.0	9.7	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	9.7	0
Thyroid	0.0	0.0	9.7	0
Other Endocrine including Thymus	0.0	0.0	9.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	9.7	0
Other Lymphocytic Leukemia	0.0	0.0	9.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	9.7	0
Acute Monocytic Leukemia	0.0	0.0	9.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.7	0
Other Leukemia	0.0	0.0	9.7	0
Other Acute Leukemia	0.0	0.0	9.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	9.7	0
Miscellaneous Malignant Cancer	16.8	6.0	36.3	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	208.9	0
Oral Cavity and Pharynx	0.0	0.0	208.9	0
Lip	0.0	0.0	208.9	0
Tongue	0.0	0.0	208.9	0
Salivary Gland	0.0	0.0	208.9	0
Floor of Mouth	0.0	0.0	208.9	0
Gum and Other Mouth	0.0	0.0	208.9	0
Nasopharynx	0.0	0.0	208.9	0
Tonsil	0.0	0.0	208.9	0
Oropharynx	0.0	0.0	208.9	0
Hypopharynx	0.0	0.0	208.9	0
Other Oral Cavity and Pharynx	0.0	0.0	208.9	0
Digestive System	0.0	0.0	208.9	0
Esophagus	0.0	0.0	208.9	0
Stomach	0.0	0.0	208.9	0
Small Intestine	0.0	0.0	208.9	0
Colon and Rectum	0.0	0.0	208.9	0
Colon excluding Rectum	0.0	0.0	208.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	208.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	208.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	208.9	0
Liver	0.0	0.0	208.9	0
Intrahepatic Bile Duct	0.0	0.0	208.9	0
Gallbladder	0.0	0.0	208.9	0
Other Biliary	0.0	0.0	208.9	0
Pancreas	0.0	0.0	208.9	0
Retroperitoneum	0.0	0.0	208.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	208.9	0
Other Digestive Organs	0.0	0.0	208.9	0
Respiratory System	0.0	0.0	208.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	208.9	0
Larynx	0.0	0.0	208.9	0
Lung and Bronchus	0.0	0.0	208.9	0
Pleura	0.0	0.0	208.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	208.9	0
Bones and Joints	0.0	0.0	208.9	0
Soft Tissue including Heart	0.0	0.0	208.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	208.9	0
Melanoma of the Skin	0.0	0.0	208.9	0
Other Non-Epithelial Skin	0.0	0.0	208.9	0
Urinary System	0.0	0.0	208.9	0
Urinary Bladder	0.0	0.0	208.9	0
Kidney and Renal Pelvis	0.0	0.0	208.9	0
Ureter	0.0	0.0	208.9	0
Other Urinary Organs	0.0	0.0	208.9	0
Eye and Orbit	0.0	0.0	208.9	0
Brain and Other Nervous System	0.0	0.0	208.9	0
Endocrine System	0.0	0.0	208.9	0
Thyroid	0.0	0.0	208.9	0
Other Endocrine including Thymus	0.0	0.0	208.9	0
Lymphoma	0.0	0.0	208.9	0
Hodgkin Lymphoma	0.0	0.0	208.9	0
Non-Hodgkin Lymphoma	0.0	0.0	208.9	0
Myeloma	0.0	0.0	208.9	0
Leukemia	0.0	0.0	208.9	0
Lymphocytic Leukemia	0.0	0.0	208.9	0
Acute Lymphocytic Leukemia	0.0	0.0	208.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	208.9	0
Other Lymphocytic Leukemia	0.0	0.0	208.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	208.9	0
Acute Myeloid Leukemia	0.0	0.0	208.9	0
Acute Monocytic Leukemia	0.0	0.0	208.9	0
Chronic Myeloid Leukemia	0.0	0.0	208.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	208.9	0
Other Leukemia	0.0	0.0	208.9	0
Other Acute Leukemia	0.0	0.0	208.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	208.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	208.9	0
Miscellaneous Malignant Cancer	0.0	0.0	208.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	214.1	144.3	302.9	36
Oral Cavity and Pharynx	0.0	0.0	19.2	0
Lip	0.0	0.0	19.2	0
Tongue	0.0	0.0	19.2	0
Salivary Gland	0.0	0.0	19.2	0
Floor of Mouth	0.0	0.0	19.2	0
Gum and Other Mouth	0.0	0.0	19.2	0
Nasopharynx	0.0	0.0	19.2	0
Tonsil	0.0	0.0	19.2	0
Oropharynx	0.0	0.0	19.2	0
Hypopharynx	0.0	0.0	19.2	0
Other Oral Cavity and Pharynx	0.0	0.0	19.2	0
Digestive System	40.9	15.0	85.8	8
Esophagus	0.0	0.0	19.2	0
Stomach	0.0	0.0	19.2	0
Small Intestine	0.0	0.0	19.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	19.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	19.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	19.2	0
Gallbladder	0.0	0.0	19.2	0
Other Biliary	0.0	0.0	19.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	19.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	19.2	0
Other Digestive Organs	0.0	0.0	19.2	0
Respiratory System	63.2	29.0	116.3	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	19.2	0
Larynx	0.0	0.0	19.2	0
Lung and Bronchus	63.2	29.0	116.3	10
Pleura	0.0	0.0	19.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	19.2	0
Bones and Joints	0.0	0.0	19.2	0
Soft Tissue including Heart	0.0	0.0	19.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	19.2	0
Melanoma of the Skin	0.0	0.0	19.2	0
Other Non-Epithelial Skin	0.0	0.0	19.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	19.2	0
Other Urinary Organs	0.0	0.0	19.2	0
Eye and Orbit	0.0	0.0	19.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	19.2	0
Thyroid	0.0	0.0	19.2	0
Other Endocrine including Thymus	0.0	0.0	19.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	19.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	19.2	0
Acute Lymphocytic Leukemia	0.0	0.0	19.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	19.2	0
Other Lymphocytic Leukemia	0.0	0.0	19.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	19.2	0
Chronic Myeloid Leukemia	0.0	0.0	19.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	19.2	0
Other Leukemia	0.0	0.0	19.2	0
Other Acute Leukemia	0.0	0.0	19.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	19.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	19.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	247.7	187.3	319.9	73
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	13.2	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	13.2	0
Floor of Mouth	0.0	0.0	13.2	0
Gum and Other Mouth	0.0	0.0	13.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	13.2	0
Oropharynx	0.0	0.0	13.2	0
Hypopharynx	0.0	0.0	13.2	0
Other Oral Cavity and Pharynx	0.0	0.0	13.2	0
Digestive System	34.2	16.2	63.1	11
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	13.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	13.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	13.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	13.2	0
Liver	0.0	0.0	13.2	0
Intrahepatic Bile Duct	0.0	0.0	13.2	0
Gallbladder	0.0	0.0	13.2	0
Other Biliary	0.0	0.0	13.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	13.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	13.2	0
Other Digestive Organs	0.0	0.0	13.2	0
Respiratory System	88.8	53.5	136.4	24
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.2	0
Larynx	0.0	0.0	13.2	0
Lung and Bronchus	88.8	53.5	136.4	24
Pleura	0.0	0.0	13.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	13.2	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	13.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	13.2	0
Ureter	0.0	0.0	13.2	0
Other Urinary Organs	0.0	0.0	13.2	0
Eye and Orbit	0.0	0.0	13.2	0
Brain and Other Nervous System	11.9	4.3	29.1	6
Endocrine System	0.0	0.0	13.2	0
Thyroid	0.0	0.0	13.2	0
Other Endocrine including Thymus	0.0	0.0	13.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	13.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	13.2	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	13.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	13.2	0
Acute Myeloid Leukemia	0.0	0.0	13.2	0
Acute Monocytic Leukemia	0.0	0.0	13.2	0
Chronic Myeloid Leukemia	0.0	0.0	13.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	13.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	13.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	170.8	93.5	281.0	16
Oral Cavity and Pharynx	0.0	0.0	33.1	0
Lip	0.0	0.0	33.1	0
Tongue	0.0	0.0	33.1	0
Salivary Gland	0.0	0.0	33.1	0
Floor of Mouth	0.0	0.0	33.1	0
Gum and Other Mouth	0.0	0.0	33.1	0
Nasopharynx	0.0	0.0	33.1	0
Tonsil	0.0	0.0	33.1	0
Oropharynx	0.0	0.0	33.1	0
Hypopharynx	0.0	0.0	33.1	0
Other Oral Cavity and Pharynx	0.0	0.0	33.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	33.1	0
Stomach	0.0	0.0	33.1	0
Small Intestine	0.0	0.0	33.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	33.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	33.1	0
Liver	0.0	0.0	33.1	0
Intrahepatic Bile Duct	0.0	0.0	33.1	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	33.1	0
Pancreas	0.0	0.0	33.1	0
Retroperitoneum	0.0	0.0	33.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	33.1	0
Other Digestive Organs	0.0	0.0	33.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	33.1	0
Larynx	0.0	0.0	33.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	33.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.0	0.0	33.1	0
Soft Tissue including Heart	0.0	0.0	33.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	33.1	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	33.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	33.1	0
Other Urinary Organs	0.0	0.0	33.1	0
Eye and Orbit	0.0	0.0	33.1	0
Brain and Other Nervous System	0.0	0.0	33.1	0
Endocrine System	0.0	0.0	33.1	0
Thyroid	0.0	0.0	33.1	0
Other Endocrine including Thymus	0.0	0.0	33.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	33.1	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	33.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	33.1	0
Acute Lymphocytic Leukemia	0.0	0.0	33.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	33.1	0
Other Lymphocytic Leukemia	0.0	0.0	33.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	33.1	0
Chronic Myeloid Leukemia	0.0	0.0	33.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	33.1	0
Other Leukemia	0.0	0.0	33.1	0
Other Acute Leukemia	0.0	0.0	33.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	33.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	33.1	0
Miscellaneous Malignant Cancer	0.0	0.0	33.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	207.9	89.9	392.3	12
Oral Cavity and Pharynx	0.0	0.0	64.6	0
Lip	0.0	0.0	64.6	0
Tongue	0.0	0.0	64.6	0
Salivary Gland	0.0	0.0	64.6	0
Floor of Mouth	0.0	0.0	64.6	0
Gum and Other Mouth	0.0	0.0	64.6	0
Nasopharynx	0.0	0.0	64.6	0
Tonsil	0.0	0.0	64.6	0
Oropharynx	0.0	0.0	64.6	0
Hypopharynx	0.0	0.0	64.6	0
Other Oral Cavity and Pharynx	0.0	0.0	64.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	64.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	64.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	64.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	64.6	0
Gallbladder	0.0	0.0	64.6	0
Other Biliary	0.0	0.0	64.6	0
Pancreas	0.0	0.0	64.6	0
Retroperitoneum	0.0	0.0	64.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.6	0
Other Digestive Organs	0.0	0.0	64.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.6	0
Larynx	0.0	0.0	64.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.6	0
Bones and Joints	0.0	0.0	64.6	0
Soft Tissue including Heart	0.0	0.0	64.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	64.6	0
Melanoma of the Skin	0.0	0.0	64.6	0
Other Non-Epithelial Skin	0.0	0.0	64.6	0
Urinary System	0.0	0.0	64.6	0
Urinary Bladder	0.0	0.0	64.6	0
Kidney and Renal Pelvis	0.0	0.0	64.6	0
Ureter	0.0	0.0	64.6	0
Other Urinary Organs	0.0	0.0	64.6	0
Eye and Orbit	0.0	0.0	64.6	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	64.6	0
Thyroid	0.0	0.0	64.6	0
Other Endocrine including Thymus	0.0	0.0	64.6	0
Lymphoma	0.0	0.0	64.6	0
Hodgkin Lymphoma	0.0	0.0	64.6	0
Non-Hodgkin Lymphoma	0.0	0.0	64.6	0
Myeloma	0.0	0.0	64.6	0
Leukemia	0.0	0.0	64.6	0
Lymphocytic Leukemia	0.0	0.0	64.6	0
Acute Lymphocytic Leukemia	0.0	0.0	64.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.6	0
Other Lymphocytic Leukemia	0.0	0.0	64.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.6	0
Acute Myeloid Leukemia	0.0	0.0	64.6	0
Acute Monocytic Leukemia	0.0	0.0	64.6	0
Chronic Myeloid Leukemia	0.0	0.0	64.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.6	0
Other Leukemia	0.0	0.0	64.6	0
Other Acute Leukemia	0.0	0.0	64.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	64.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	384.4	0
Lip	0.0	0.0	384.4	0
Tongue	0.0	0.0	384.4	0
Salivary Gland	0.0	0.0	384.4	0
Floor of Mouth	0.0	0.0	384.4	0
Gum and Other Mouth	0.0	0.0	384.4	0
Nasopharynx	0.0	0.0	384.4	0
Tonsil	0.0	0.0	384.4	0
Oropharynx	0.0	0.0	384.4	0
Hypopharynx	0.0	0.0	384.4	0
Other Oral Cavity and Pharynx	0.0	0.0	384.4	0
Digestive System	0.0	0.0	384.4	0
Esophagus	0.0	0.0	384.4	0
Stomach	0.0	0.0	384.4	0
Small Intestine	0.0	0.0	384.4	0
Colon and Rectum	0.0	0.0	384.4	0
Colon excluding Rectum	0.0	0.0	384.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	384.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	384.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	384.4	0
Liver	0.0	0.0	384.4	0
Intrahepatic Bile Duct	0.0	0.0	384.4	0
Gallbladder	0.0	0.0	384.4	0
Other Biliary	0.0	0.0	384.4	0
Pancreas	0.0	0.0	384.4	0
Retroperitoneum	0.0	0.0	384.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	384.4	0
Other Digestive Organs	0.0	0.0	384.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	384.4	0
Larynx	0.0	0.0	384.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	384.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	384.4	0
Bones and Joints	0.0	0.0	384.4	0
Soft Tissue including Heart	0.0	0.0	384.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	384.4	0
Melanoma of the Skin	0.0	0.0	384.4	0
Other Non-Epithelial Skin	0.0	0.0	384.4	0
Urinary System	0.0	0.0	384.4	0
Urinary Bladder	0.0	0.0	384.4	0
Kidney and Renal Pelvis	0.0	0.0	384.4	0
Ureter	0.0	0.0	384.4	0
Other Urinary Organs	0.0	0.0	384.4	0
Eye and Orbit	0.0	0.0	384.4	0
Brain and Other Nervous System	0.0	0.0	384.4	0
Endocrine System	0.0	0.0	384.4	0
Thyroid	0.0	0.0	384.4	0
Other Endocrine including Thymus	0.0	0.0	384.4	0
Lymphoma	0.0	0.0	384.4	0
Hodgkin Lymphoma	0.0	0.0	384.4	0
Non-Hodgkin Lymphoma	0.0	0.0	384.4	0
Myeloma	0.0	0.0	384.4	0
Leukemia	0.0	0.0	384.4	0
Lymphocytic Leukemia	0.0	0.0	384.4	0
Acute Lymphocytic Leukemia	0.0	0.0	384.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	384.4	0
Other Lymphocytic Leukemia	0.0	0.0	384.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	384.4	0
Acute Myeloid Leukemia	0.0	0.0	384.4	0
Acute Monocytic Leukemia	0.0	0.0	384.4	0
Chronic Myeloid Leukemia	0.0	0.0	384.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	384.4	0
Other Leukemia	0.0	0.0	384.4	0
Other Acute Leukemia	0.0	0.0	384.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	384.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	384.4	0
Miscellaneous Malignant Cancer	0.0	0.0	384.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	232.2	169.6	307.9	63
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	13.6	0
Tongue	0.0	0.0	13.6	0
Salivary Gland	0.0	0.0	13.6	0
Floor of Mouth	0.0	0.0	13.6	0
Gum and Other Mouth	0.0	0.0	13.6	0
Nasopharynx	0.0	0.0	13.6	0
Tonsil	0.0	0.0	13.6	0
Oropharynx	0.0	0.0	13.6	0
Hypopharynx	0.0	0.0	13.6	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	55.8	23.6	105.5	11
Esophagus	^	^	^	^
Stomach	0.0	0.0	13.6	0
Small Intestine	0.0	0.0	13.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	13.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	13.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	13.6	0
Gallbladder	0.0	0.0	13.6	0
Other Biliary	0.0	0.0	13.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	13.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	13.6	0
Other Digestive Organs	0.0	0.0	13.6	0
Respiratory System	64.3	36.8	103.2	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	13.6	0
Larynx	0.0	0.0	13.6	0
Lung and Bronchus	64.3	36.8	103.2	19
Pleura	0.0	0.0	13.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	13.6	0
Bones and Joints	0.0	0.0	13.6	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	13.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	13.6	0
Ureter	0.0	0.0	13.6	0
Other Urinary Organs	0.0	0.0	13.6	0
Eye and Orbit	0.0	0.0	13.6	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	13.6	0
Thyroid	0.0	0.0	13.6	0
Other Endocrine including Thymus	0.0	0.0	13.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	13.6	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	21.1	6.3	49.0	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	13.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	13.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	13.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	13.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	13.6	0
Miscellaneous Malignant Cancer	17.9	5.9	41.4	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	167.7	73.0	322.6	9
Oral Cavity and Pharynx	0.0	0.0	66.5	0
Lip	0.0	0.0	66.5	0
Tongue	0.0	0.0	66.5	0
Salivary Gland	0.0	0.0	66.5	0
Floor of Mouth	0.0	0.0	66.5	0
Gum and Other Mouth	0.0	0.0	66.5	0
Nasopharynx	0.0	0.0	66.5	0
Tonsil	0.0	0.0	66.5	0
Oropharynx	0.0	0.0	66.5	0
Hypopharynx	0.0	0.0	66.5	0
Other Oral Cavity and Pharynx	0.0	0.0	66.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	66.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	66.5	0
Colon and Rectum	0.0	0.0	66.5	0
Colon excluding Rectum	0.0	0.0	66.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	66.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	66.5	0
Liver	0.0	0.0	66.5	0
Intrahepatic Bile Duct	0.0	0.0	66.5	0
Gallbladder	0.0	0.0	66.5	0
Other Biliary	0.0	0.0	66.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	66.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.5	0
Other Digestive Organs	0.0	0.0	66.5	0
Respiratory System	105.7	37.4	232.4	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.5	0
Larynx	0.0	0.0	66.5	0
Lung and Bronchus	105.7	37.4	232.4	6
Pleura	0.0	0.0	66.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.5	0
Bones and Joints	0.0	0.0	66.5	0
Soft Tissue including Heart	0.0	0.0	66.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	66.5	0
Melanoma of the Skin	0.0	0.0	66.5	0
Other Non-Epithelial Skin	0.0	0.0	66.5	0
Urinary System	0.0	0.0	66.5	0
Urinary Bladder	0.0	0.0	66.5	0
Kidney and Renal Pelvis	0.0	0.0	66.5	0
Ureter	0.0	0.0	66.5	0
Other Urinary Organs	0.0	0.0	66.5	0
Eye and Orbit	0.0	0.0	66.5	0
Brain and Other Nervous System	0.0	0.0	66.5	0
Endocrine System	0.0	0.0	66.5	0
Thyroid	0.0	0.0	66.5	0
Other Endocrine including Thymus	0.0	0.0	66.5	0
Lymphoma	0.0	0.0	66.5	0
Hodgkin Lymphoma	0.0	0.0	66.5	0
Non-Hodgkin Lymphoma	0.0	0.0	66.5	0
Myeloma	0.0	0.0	66.5	0
Leukemia	0.0	0.0	66.5	0
Lymphocytic Leukemia	0.0	0.0	66.5	0
Acute Lymphocytic Leukemia	0.0	0.0	66.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.5	0
Other Lymphocytic Leukemia	0.0	0.0	66.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.5	0
Acute Myeloid Leukemia	0.0	0.0	66.5	0
Acute Monocytic Leukemia	0.0	0.0	66.5	0
Chronic Myeloid Leukemia	0.0	0.0	66.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.5	0
Other Leukemia	0.0	0.0	66.5	0
Other Acute Leukemia	0.0	0.0	66.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	66.5	0
Miscellaneous Malignant Cancer	0.0	0.0	66.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	254.1	86.4	555.8	7
Oral Cavity and Pharynx	0.0	0.0	147.2	0
Lip	0.0	0.0	147.2	0
Tongue	0.0	0.0	147.2	0
Salivary Gland	0.0	0.0	147.2	0
Floor of Mouth	0.0	0.0	147.2	0
Gum and Other Mouth	0.0	0.0	147.2	0
Nasopharynx	0.0	0.0	147.2	0
Tonsil	0.0	0.0	147.2	0
Oropharynx	0.0	0.0	147.2	0
Hypopharynx	0.0	0.0	147.2	0
Other Oral Cavity and Pharynx	0.0	0.0	147.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	147.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	147.2	0
Colon and Rectum	0.0	0.0	147.2	0
Colon excluding Rectum	0.0	0.0	147.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	147.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	147.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	147.2	0
Liver	0.0	0.0	147.2	0
Intrahepatic Bile Duct	0.0	0.0	147.2	0
Gallbladder	0.0	0.0	147.2	0
Other Biliary	0.0	0.0	147.2	0
Pancreas	0.0	0.0	147.2	0
Retroperitoneum	0.0	0.0	147.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	147.2	0
Other Digestive Organs	0.0	0.0	147.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	147.2	0
Larynx	0.0	0.0	147.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	147.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	147.2	0
Bones and Joints	0.0	0.0	147.2	0
Soft Tissue including Heart	0.0	0.0	147.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	147.2	0
Melanoma of the Skin	0.0	0.0	147.2	0
Other Non-Epithelial Skin	0.0	0.0	147.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	147.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	147.2	0
Other Urinary Organs	0.0	0.0	147.2	0
Eye and Orbit	0.0	0.0	147.2	0
Brain and Other Nervous System	0.0	0.0	147.2	0
Endocrine System	0.0	0.0	147.2	0
Thyroid	0.0	0.0	147.2	0
Other Endocrine including Thymus	0.0	0.0	147.2	0
Lymphoma	0.0	0.0	147.2	0
Hodgkin Lymphoma	0.0	0.0	147.2	0
Non-Hodgkin Lymphoma	0.0	0.0	147.2	0
Myeloma	0.0	0.0	147.2	0
Leukemia	0.0	0.0	147.2	0
Lymphocytic Leukemia	0.0	0.0	147.2	0
Acute Lymphocytic Leukemia	0.0	0.0	147.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	147.2	0
Other Lymphocytic Leukemia	0.0	0.0	147.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	147.2	0
Acute Myeloid Leukemia	0.0	0.0	147.2	0
Acute Monocytic Leukemia	0.0	0.0	147.2	0
Chronic Myeloid Leukemia	0.0	0.0	147.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	147.2	0
Other Leukemia	0.0	0.0	147.2	0
Other Acute Leukemia	0.0	0.0	147.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	147.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	147.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	303.1	127.4	585.1	10
Oral Cavity and Pharynx	0.0	0.0	105.4	0
Lip	0.0	0.0	105.4	0
Tongue	0.0	0.0	105.4	0
Salivary Gland	0.0	0.0	105.4	0
Floor of Mouth	0.0	0.0	105.4	0
Gum and Other Mouth	0.0	0.0	105.4	0
Nasopharynx	0.0	0.0	105.4	0
Tonsil	0.0	0.0	105.4	0
Oropharynx	0.0	0.0	105.4	0
Hypopharynx	0.0	0.0	105.4	0
Other Oral Cavity and Pharynx	0.0	0.0	105.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	105.4	0
Stomach	0.0	0.0	105.4	0
Small Intestine	0.0	0.0	105.4	0
Colon and Rectum	0.0	0.0	105.4	0
Colon excluding Rectum	0.0	0.0	105.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	105.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	105.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	105.4	0
Liver	0.0	0.0	105.4	0
Intrahepatic Bile Duct	0.0	0.0	105.4	0
Gallbladder	0.0	0.0	105.4	0
Other Biliary	0.0	0.0	105.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	105.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	105.4	0
Other Digestive Organs	0.0	0.0	105.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	105.4	0
Larynx	0.0	0.0	105.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	105.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	105.4	0
Bones and Joints	0.0	0.0	105.4	0
Soft Tissue including Heart	0.0	0.0	105.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	105.4	0
Melanoma of the Skin	0.0	0.0	105.4	0
Other Non-Epithelial Skin	0.0	0.0	105.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	105.4	0
Ureter	0.0	0.0	105.4	0
Other Urinary Organs	0.0	0.0	105.4	0
Eye and Orbit	0.0	0.0	105.4	0
Brain and Other Nervous System	0.0	0.0	105.4	0
Endocrine System	0.0	0.0	105.4	0
Thyroid	0.0	0.0	105.4	0
Other Endocrine including Thymus	0.0	0.0	105.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	105.4	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	105.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	105.4	0
Acute Lymphocytic Leukemia	0.0	0.0	105.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	105.4	0
Other Lymphocytic Leukemia	0.0	0.0	105.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.0	0.0	105.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	105.4	0
Other Leukemia	0.0	0.0	105.4	0
Other Acute Leukemia	0.0	0.0	105.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	105.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	105.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	130.8	0
Lip	0.0	0.0	130.8	0
Tongue	0.0	0.0	130.8	0
Salivary Gland	0.0	0.0	130.8	0
Floor of Mouth	0.0	0.0	130.8	0
Gum and Other Mouth	0.0	0.0	130.8	0
Nasopharynx	0.0	0.0	130.8	0
Tonsil	0.0	0.0	130.8	0
Oropharynx	0.0	0.0	130.8	0
Hypopharynx	0.0	0.0	130.8	0
Other Oral Cavity and Pharynx	0.0	0.0	130.8	0
Digestive System	0.0	0.0	130.8	0
Esophagus	0.0	0.0	130.8	0
Stomach	0.0	0.0	130.8	0
Small Intestine	0.0	0.0	130.8	0
Colon and Rectum	0.0	0.0	130.8	0
Colon excluding Rectum	0.0	0.0	130.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	130.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	130.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	130.8	0
Liver	0.0	0.0	130.8	0
Intrahepatic Bile Duct	0.0	0.0	130.8	0
Gallbladder	0.0	0.0	130.8	0
Other Biliary	0.0	0.0	130.8	0
Pancreas	0.0	0.0	130.8	0
Retroperitoneum	0.0	0.0	130.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.8	0
Other Digestive Organs	0.0	0.0	130.8	0
Respiratory System	0.0	0.0	130.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	130.8	0
Larynx	0.0	0.0	130.8	0
Lung and Bronchus	0.0	0.0	130.8	0
Pleura	0.0	0.0	130.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.8	0
Bones and Joints	0.0	0.0	130.8	0
Soft Tissue including Heart	0.0	0.0	130.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	130.8	0
Melanoma of the Skin	0.0	0.0	130.8	0
Other Non-Epithelial Skin	0.0	0.0	130.8	0
Urinary System	0.0	0.0	130.8	0
Urinary Bladder	0.0	0.0	130.8	0
Kidney and Renal Pelvis	0.0	0.0	130.8	0
Ureter	0.0	0.0	130.8	0
Other Urinary Organs	0.0	0.0	130.8	0
Eye and Orbit	0.0	0.0	130.8	0
Brain and Other Nervous System	0.0	0.0	130.8	0
Endocrine System	0.0	0.0	130.8	0
Thyroid	0.0	0.0	130.8	0
Other Endocrine including Thymus	0.0	0.0	130.8	0
Lymphoma	0.0	0.0	130.8	0
Hodgkin Lymphoma	0.0	0.0	130.8	0
Non-Hodgkin Lymphoma	0.0	0.0	130.8	0
Myeloma	0.0	0.0	130.8	0
Leukemia	0.0	0.0	130.8	0
Lymphocytic Leukemia	0.0	0.0	130.8	0
Acute Lymphocytic Leukemia	0.0	0.0	130.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	130.8	0
Other Lymphocytic Leukemia	0.0	0.0	130.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	130.8	0
Acute Myeloid Leukemia	0.0	0.0	130.8	0
Acute Monocytic Leukemia	0.0	0.0	130.8	0
Chronic Myeloid Leukemia	0.0	0.0	130.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.8	0
Other Leukemia	0.0	0.0	130.8	0
Other Acute Leukemia	0.0	0.0	130.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	130.8	0
Miscellaneous Malignant Cancer	0.0	0.0	130.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.
~ Statistic could not be calculated.
^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	283.3	151.1	473.1	14
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	55.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	55.3	0
Floor of Mouth	0.0	0.0	55.3	0
Gum and Other Mouth	0.0	0.0	55.3	0
Nasopharynx	0.0	0.0	55.3	0
Tonsil	0.0	0.0	55.3	0
Oropharynx	0.0	0.0	55.3	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	55.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	55.3	0
Stomach	0.0	0.0	55.3	0
Small Intestine	0.0	0.0	55.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	55.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	55.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.3	0
Liver	0.0	0.0	55.3	0
Intrahepatic Bile Duct	0.0	0.0	55.3	0
Gallbladder	0.0	0.0	55.3	0
Other Biliary	0.0	0.0	55.3	0
Pancreas	0.0	0.0	55.3	0
Retroperitoneum	0.0	0.0	55.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.3	0
Other Digestive Organs	0.0	0.0	55.3	0
Respiratory System	145.1	52.6	300.8	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.3	0
Larynx	0.0	0.0	55.3	0
Lung and Bronchus	145.1	52.6	300.8	6
Pleura	0.0	0.0	55.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.3	0
Bones and Joints	0.0	0.0	55.3	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	55.3	0
Urinary System	0.0	0.0	55.3	0
Urinary Bladder	0.0	0.0	55.3	0
Kidney and Renal Pelvis	0.0	0.0	55.3	0
Ureter	0.0	0.0	55.3	0
Other Urinary Organs	0.0	0.0	55.3	0
Eye and Orbit	0.0	0.0	55.3	0
Brain and Other Nervous System	0.0	0.0	55.3	0
Endocrine System	0.0	0.0	55.3	0
Thyroid	0.0	0.0	55.3	0
Other Endocrine including Thymus	0.0	0.0	55.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	55.3	0
Leukemia	0.0	0.0	55.3	0
Lymphocytic Leukemia	0.0	0.0	55.3	0
Acute Lymphocytic Leukemia	0.0	0.0	55.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.3	0
Other Lymphocytic Leukemia	0.0	0.0	55.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	55.3	0
Acute Myeloid Leukemia	0.0	0.0	55.3	0
Acute Monocytic Leukemia	0.0	0.0	55.3	0
Chronic Myeloid Leukemia	0.0	0.0	55.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.3	0
Other Leukemia	0.0	0.0	55.3	0
Other Acute Leukemia	0.0	0.0	55.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	55.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	55.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	155.8	0
Lip	0.0	0.0	155.8	0
Tongue	0.0	0.0	155.8	0
Salivary Gland	0.0	0.0	155.8	0
Floor of Mouth	0.0	0.0	155.8	0
Gum and Other Mouth	0.0	0.0	155.8	0
Nasopharynx	0.0	0.0	155.8	0
Tonsil	0.0	0.0	155.8	0
Oropharynx	0.0	0.0	155.8	0
Hypopharynx	0.0	0.0	155.8	0
Other Oral Cavity and Pharynx	0.0	0.0	155.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	155.8	0
Stomach	0.0	0.0	155.8	0
Small Intestine	0.0	0.0	155.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	155.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	155.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	155.8	0
Liver	0.0	0.0	155.8	0
Intrahepatic Bile Duct	0.0	0.0	155.8	0
Gallbladder	0.0	0.0	155.8	0
Other Biliary	0.0	0.0	155.8	0
Pancreas	0.0	0.0	155.8	0
Retroperitoneum	0.0	0.0	155.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	155.8	0
Other Digestive Organs	0.0	0.0	155.8	0
Respiratory System	0.0	0.0	155.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	155.8	0
Larynx	0.0	0.0	155.8	0
Lung and Bronchus	0.0	0.0	155.8	0
Pleura	0.0	0.0	155.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	155.8	0
Bones and Joints	0.0	0.0	155.8	0
Soft Tissue including Heart	0.0	0.0	155.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	155.8	0
Melanoma of the Skin	0.0	0.0	155.8	0
Other Non-Epithelial Skin	0.0	0.0	155.8	0
Urinary System	0.0	0.0	155.8	0
Urinary Bladder	0.0	0.0	155.8	0
Kidney and Renal Pelvis	0.0	0.0	155.8	0
Ureter	0.0	0.0	155.8	0
Other Urinary Organs	0.0	0.0	155.8	0
Eye and Orbit	0.0	0.0	155.8	0
Brain and Other Nervous System	0.0	0.0	155.8	0
Endocrine System	0.0	0.0	155.8	0
Thyroid	0.0	0.0	155.8	0
Other Endocrine including Thymus	0.0	0.0	155.8	0
Lymphoma	0.0	0.0	155.8	0
Hodgkin Lymphoma	0.0	0.0	155.8	0
Non-Hodgkin Lymphoma	0.0	0.0	155.8	0
Myeloma	0.0	0.0	155.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	155.8	0
Acute Lymphocytic Leukemia	0.0	0.0	155.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	155.8	0
Other Lymphocytic Leukemia	0.0	0.0	155.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	155.8	0
Chronic Myeloid Leukemia	0.0	0.0	155.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	155.8	0
Other Leukemia	0.0	0.0	155.8	0
Other Acute Leukemia	0.0	0.0	155.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	155.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	155.8	0
Miscellaneous Malignant Cancer	0.0	0.0	155.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	288.7	101.3	603.2	7
Oral Cavity and Pharynx	0.0	0.0	107.6	0
Lip	0.0	0.0	107.6	0
Tongue	0.0	0.0	107.6	0
Salivary Gland	0.0	0.0	107.6	0
Floor of Mouth	0.0	0.0	107.6	0
Gum and Other Mouth	0.0	0.0	107.6	0
Nasopharynx	0.0	0.0	107.6	0
Tonsil	0.0	0.0	107.6	0
Oropharynx	0.0	0.0	107.6	0
Hypopharynx	0.0	0.0	107.6	0
Other Oral Cavity and Pharynx	0.0	0.0	107.6	0
Digestive System	0.0	0.0	107.6	0
Esophagus	0.0	0.0	107.6	0
Stomach	0.0	0.0	107.6	0
Small Intestine	0.0	0.0	107.6	0
Colon and Rectum	0.0	0.0	107.6	0
Colon excluding Rectum	0.0	0.0	107.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	107.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	107.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	107.6	0
Liver	0.0	0.0	107.6	0
Intrahepatic Bile Duct	0.0	0.0	107.6	0
Gallbladder	0.0	0.0	107.6	0
Other Biliary	0.0	0.0	107.6	0
Pancreas	0.0	0.0	107.6	0
Retroperitoneum	0.0	0.0	107.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	107.6	0
Other Digestive Organs	0.0	0.0	107.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	107.6	0
Larynx	0.0	0.0	107.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	107.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	107.6	0
Bones and Joints	0.0	0.0	107.6	0
Soft Tissue including Heart	0.0	0.0	107.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	107.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	107.6	0
Other Urinary Organs	0.0	0.0	107.6	0
Eye and Orbit	0.0	0.0	107.6	0
Brain and Other Nervous System	0.0	0.0	107.6	0
Endocrine System	0.0	0.0	107.6	0
Thyroid	0.0	0.0	107.6	0
Other Endocrine including Thymus	0.0	0.0	107.6	0
Lymphoma	0.0	0.0	107.6	0
Hodgkin Lymphoma	0.0	0.0	107.6	0
Non-Hodgkin Lymphoma	0.0	0.0	107.6	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	107.6	0
Lymphocytic Leukemia	0.0	0.0	107.6	0
Acute Lymphocytic Leukemia	0.0	0.0	107.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	107.6	0
Other Lymphocytic Leukemia	0.0	0.0	107.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	107.6	0
Acute Myeloid Leukemia	0.0	0.0	107.6	0
Acute Monocytic Leukemia	0.0	0.0	107.6	0
Chronic Myeloid Leukemia	0.0	0.0	107.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	107.6	0
Other Leukemia	0.0	0.0	107.6	0
Other Acute Leukemia	0.0	0.0	107.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	107.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	107.6	0
Miscellaneous Malignant Cancer	0.0	0.0	107.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	143.7	52.3	300.5	8
Oral Cavity and Pharynx	0.0	0.0	64.4	0
Lip	0.0	0.0	64.4	0
Tongue	0.0	0.0	64.4	0
Salivary Gland	0.0	0.0	64.4	0
Floor of Mouth	0.0	0.0	64.4	0
Gum and Other Mouth	0.0	0.0	64.4	0
Nasopharynx	0.0	0.0	64.4	0
Tonsil	0.0	0.0	64.4	0
Oropharynx	0.0	0.0	64.4	0
Hypopharynx	0.0	0.0	64.4	0
Other Oral Cavity and Pharynx	0.0	0.0	64.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	64.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	64.4	0
Colon and Rectum	0.0	0.0	64.4	0
Colon excluding Rectum	0.0	0.0	64.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	64.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	64.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	64.4	0
Liver	0.0	0.0	64.4	0
Intrahepatic Bile Duct	0.0	0.0	64.4	0
Gallbladder	0.0	0.0	64.4	0
Other Biliary	0.0	0.0	64.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	64.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.4	0
Other Digestive Organs	0.0	0.0	64.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.4	0
Larynx	0.0	0.0	64.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.4	0
Bones and Joints	0.0	0.0	64.4	0
Soft Tissue including Heart	0.0	0.0	64.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	64.4	0
Melanoma of the Skin	0.0	0.0	64.4	0
Other Non-Epithelial Skin	0.0	0.0	64.4	0
Urinary System	0.0	0.0	64.4	0
Urinary Bladder	0.0	0.0	64.4	0
Kidney and Renal Pelvis	0.0	0.0	64.4	0
Ureter	0.0	0.0	64.4	0
Other Urinary Organs	0.0	0.0	64.4	0
Eye and Orbit	0.0	0.0	64.4	0
Brain and Other Nervous System	0.0	0.0	64.4	0
Endocrine System	0.0	0.0	64.4	0
Thyroid	0.0	0.0	64.4	0
Other Endocrine including Thymus	0.0	0.0	64.4	0
Lymphoma	0.0	0.0	64.4	0
Hodgkin Lymphoma	0.0	0.0	64.4	0
Non-Hodgkin Lymphoma	0.0	0.0	64.4	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	64.4	0
Lymphocytic Leukemia	0.0	0.0	64.4	0
Acute Lymphocytic Leukemia	0.0	0.0	64.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.4	0
Other Lymphocytic Leukemia	0.0	0.0	64.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.4	0
Acute Myeloid Leukemia	0.0	0.0	64.4	0
Acute Monocytic Leukemia	0.0	0.0	64.4	0
Chronic Myeloid Leukemia	0.0	0.0	64.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.4	0
Other Leukemia	0.0	0.0	64.4	0
Other Acute Leukemia	0.0	0.0	64.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	64.4	0
Miscellaneous Malignant Cancer	0.0	0.0	64.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	125.6	0
Lip	0.0	0.0	125.6	0
Tongue	0.0	0.0	125.6	0
Salivary Gland	0.0	0.0	125.6	0
Floor of Mouth	0.0	0.0	125.6	0
Gum and Other Mouth	0.0	0.0	125.6	0
Nasopharynx	0.0	0.0	125.6	0
Tonsil	0.0	0.0	125.6	0
Oropharynx	0.0	0.0	125.6	0
Hypopharynx	0.0	0.0	125.6	0
Other Oral Cavity and Pharynx	0.0	0.0	125.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	125.6	0
Stomach	0.0	0.0	125.6	0
Small Intestine	0.0	0.0	125.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	125.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	125.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	125.6	0
Liver	0.0	0.0	125.6	0
Intrahepatic Bile Duct	0.0	0.0	125.6	0
Gallbladder	0.0	0.0	125.6	0
Other Biliary	0.0	0.0	125.6	0
Pancreas	0.0	0.0	125.6	0
Retroperitoneum	0.0	0.0	125.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	125.6	0
Other Digestive Organs	0.0	0.0	125.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	125.6	0
Larynx	0.0	0.0	125.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	125.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	125.6	0
Bones and Joints	0.0	0.0	125.6	0
Soft Tissue including Heart	0.0	0.0	125.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	125.6	0
Melanoma of the Skin	0.0	0.0	125.6	0
Other Non-Epithelial Skin	0.0	0.0	125.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	125.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	125.6	0
Other Urinary Organs	0.0	0.0	125.6	0
Eye and Orbit	0.0	0.0	125.6	0
Brain and Other Nervous System	0.0	0.0	125.6	0
Endocrine System	0.0	0.0	125.6	0
Thyroid	0.0	0.0	125.6	0
Other Endocrine including Thymus	0.0	0.0	125.6	0
Lymphoma	0.0	0.0	125.6	0
Hodgkin Lymphoma	0.0	0.0	125.6	0
Non-Hodgkin Lymphoma	0.0	0.0	125.6	0
Myeloma	0.0	0.0	125.6	0
Leukemia	0.0	0.0	125.6	0
Lymphocytic Leukemia	0.0	0.0	125.6	0
Acute Lymphocytic Leukemia	0.0	0.0	125.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	125.6	0
Other Lymphocytic Leukemia	0.0	0.0	125.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	125.6	0
Acute Myeloid Leukemia	0.0	0.0	125.6	0
Acute Monocytic Leukemia	0.0	0.0	125.6	0
Chronic Myeloid Leukemia	0.0	0.0	125.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	125.6	0
Other Leukemia	0.0	0.0	125.6	0
Other Acute Leukemia	0.0	0.0	125.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	125.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	125.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	262.4	132.3	457.2	12
Oral Cavity and Pharynx	0.0	0.0	66.1	0
Lip	0.0	0.0	66.1	0
Tongue	0.0	0.0	66.1	0
Salivary Gland	0.0	0.0	66.1	0
Floor of Mouth	0.0	0.0	66.1	0
Gum and Other Mouth	0.0	0.0	66.1	0
Nasopharynx	0.0	0.0	66.1	0
Tonsil	0.0	0.0	66.1	0
Oropharynx	0.0	0.0	66.1	0
Hypopharynx	0.0	0.0	66.1	0
Other Oral Cavity and Pharynx	0.0	0.0	66.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	66.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	66.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	66.1	0
Liver	0.0	0.0	66.1	0
Intrahepatic Bile Duct	0.0	0.0	66.1	0
Gallbladder	0.0	0.0	66.1	0
Other Biliary	0.0	0.0	66.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	66.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.1	0
Other Digestive Organs	0.0	0.0	66.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.1	0
Larynx	0.0	0.0	66.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.1	0
Bones and Joints	0.0	0.0	66.1	0
Soft Tissue including Heart	0.0	0.0	66.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	66.1	0
Melanoma of the Skin	0.0	0.0	66.1	0
Other Non-Epithelial Skin	0.0	0.0	66.1	0
Urinary System	0.0	0.0	66.1	0
Urinary Bladder	0.0	0.0	66.1	0
Kidney and Renal Pelvis	0.0	0.0	66.1	0
Ureter	0.0	0.0	66.1	0
Other Urinary Organs	0.0	0.0	66.1	0
Eye and Orbit	0.0	0.0	66.1	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	66.1	0
Thyroid	0.0	0.0	66.1	0
Other Endocrine including Thymus	0.0	0.0	66.1	0
Lymphoma	0.0	0.0	66.1	0
Hodgkin Lymphoma	0.0	0.0	66.1	0
Non-Hodgkin Lymphoma	0.0	0.0	66.1	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	66.1	0
Lymphocytic Leukemia	0.0	0.0	66.1	0
Acute Lymphocytic Leukemia	0.0	0.0	66.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.1	0
Other Lymphocytic Leukemia	0.0	0.0	66.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.1	0
Acute Myeloid Leukemia	0.0	0.0	66.1	0
Acute Monocytic Leukemia	0.0	0.0	66.1	0
Chronic Myeloid Leukemia	0.0	0.0	66.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.1	0
Other Leukemia	0.0	0.0	66.1	0
Other Acute Leukemia	0.0	0.0	66.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	66.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	613.9	0
Oral Cavity and Pharynx	0.0	0.0	613.9	0
Lip	0.0	0.0	613.9	0
Tongue	0.0	0.0	613.9	0
Salivary Gland	0.0	0.0	613.9	0
Floor of Mouth	0.0	0.0	613.9	0
Gum and Other Mouth	0.0	0.0	613.9	0
Nasopharynx	0.0	0.0	613.9	0
Tonsil	0.0	0.0	613.9	0
Oropharynx	0.0	0.0	613.9	0
Hypopharynx	0.0	0.0	613.9	0
Other Oral Cavity and Pharynx	0.0	0.0	613.9	0
Digestive System	0.0	0.0	613.9	0
Esophagus	0.0	0.0	613.9	0
Stomach	0.0	0.0	613.9	0
Small Intestine	0.0	0.0	613.9	0
Colon and Rectum	0.0	0.0	613.9	0
Colon excluding Rectum	0.0	0.0	613.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	613.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	613.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	613.9	0
Liver	0.0	0.0	613.9	0
Intrahepatic Bile Duct	0.0	0.0	613.9	0
Gallbladder	0.0	0.0	613.9	0
Other Biliary	0.0	0.0	613.9	0
Pancreas	0.0	0.0	613.9	0
Retroperitoneum	0.0	0.0	613.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	613.9	0
Other Digestive Organs	0.0	0.0	613.9	0
Respiratory System	0.0	0.0	613.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	613.9	0
Larynx	0.0	0.0	613.9	0
Lung and Bronchus	0.0	0.0	613.9	0
Pleura	0.0	0.0	613.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	613.9	0
Bones and Joints	0.0	0.0	613.9	0
Soft Tissue including Heart	0.0	0.0	613.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	613.9	0
Melanoma of the Skin	0.0	0.0	613.9	0
Other Non-Epithelial Skin	0.0	0.0	613.9	0
Urinary System	0.0	0.0	613.9	0
Urinary Bladder	0.0	0.0	613.9	0
Kidney and Renal Pelvis	0.0	0.0	613.9	0
Ureter	0.0	0.0	613.9	0
Other Urinary Organs	0.0	0.0	613.9	0
Eye and Orbit	0.0	0.0	613.9	0
Brain and Other Nervous System	0.0	0.0	613.9	0
Endocrine System	0.0	0.0	613.9	0
Thyroid	0.0	0.0	613.9	0
Other Endocrine including Thymus	0.0	0.0	613.9	0
Lymphoma	0.0	0.0	613.9	0
Hodgkin Lymphoma	0.0	0.0	613.9	0
Non-Hodgkin Lymphoma	0.0	0.0	613.9	0
Myeloma	0.0	0.0	613.9	0
Leukemia	0.0	0.0	613.9	0
Lymphocytic Leukemia	0.0	0.0	613.9	0
Acute Lymphocytic Leukemia	0.0	0.0	613.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	613.9	0
Other Lymphocytic Leukemia	0.0	0.0	613.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	613.9	0
Acute Myeloid Leukemia	0.0	0.0	613.9	0
Acute Monocytic Leukemia	0.0	0.0	613.9	0
Chronic Myeloid Leukemia	0.0	0.0	613.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	613.9	0
Other Leukemia	0.0	0.0	613.9	0
Other Acute Leukemia	0.0	0.0	613.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	613.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	613.9	0
Miscellaneous Malignant Cancer	0.0	0.0	613.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	149.5	60.0	306.3	7
Oral Cavity and Pharynx	0.0	0.0	77.0	0
Lip	0.0	0.0	77.0	0
Tongue	0.0	0.0	77.0	0
Salivary Gland	0.0	0.0	77.0	0
Floor of Mouth	0.0	0.0	77.0	0
Gum and Other Mouth	0.0	0.0	77.0	0
Nasopharynx	0.0	0.0	77.0	0
Tonsil	0.0	0.0	77.0	0
Oropharynx	0.0	0.0	77.0	0
Hypopharynx	0.0	0.0	77.0	0
Other Oral Cavity and Pharynx	0.0	0.0	77.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	77.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	77.0	0
Colon and Rectum	0.0	0.0	77.0	0
Colon excluding Rectum	0.0	0.0	77.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	77.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	77.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	77.0	0
Liver	0.0	0.0	77.0	0
Intrahepatic Bile Duct	0.0	0.0	77.0	0
Gallbladder	0.0	0.0	77.0	0
Other Biliary	0.0	0.0	77.0	0
Pancreas	0.0	0.0	77.0	0
Retroperitoneum	0.0	0.0	77.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	77.0	0
Other Digestive Organs	0.0	0.0	77.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	77.0	0
Larynx	0.0	0.0	77.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	77.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	77.0	0
Bones and Joints	0.0	0.0	77.0	0
Soft Tissue including Heart	0.0	0.0	77.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1996/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	77.0	0
Melanoma of the Skin	0.0	0.0	77.0	0
Other Non-Epithelial Skin	0.0	0.0	77.0	0
Urinary System	0.0	0.0	77.0	0
Urinary Bladder	0.0	0.0	77.0	0
Kidney and Renal Pelvis	0.0	0.0	77.0	0
Ureter	0.0	0.0	77.0	0
Other Urinary Organs	0.0	0.0	77.0	0
Eye and Orbit	0.0	0.0	77.0	0
Brain and Other Nervous System	0.0	0.0	77.0	0
Endocrine System	0.0	0.0	77.0	0
Thyroid	0.0	0.0	77.0	0
Other Endocrine including Thymus	0.0	0.0	77.0	0
Lymphoma	0.0	0.0	77.0	0
Hodgkin Lymphoma	0.0	0.0	77.0	0
Non-Hodgkin Lymphoma	0.0	0.0	77.0	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	77.0	0
Lymphocytic Leukemia	0.0	0.0	77.0	0
Acute Lymphocytic Leukemia	0.0	0.0	77.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	77.0	0
Other Lymphocytic Leukemia	0.0	0.0	77.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	77.0	0
Acute Myeloid Leukemia	0.0	0.0	77.0	0
Acute Monocytic Leukemia	0.0	0.0	77.0	0
Chronic Myeloid Leukemia	0.0	0.0	77.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	77.0	0
Other Leukemia	0.0	0.0	77.0	0
Other Acute Leukemia	0.0	0.0	77.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	77.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	77.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	478.3	0
Lip	0.0	0.0	478.3	0
Tongue	0.0	0.0	478.3	0
Salivary Gland	0.0	0.0	478.3	0
Floor of Mouth	0.0	0.0	478.3	0
Gum and Other Mouth	0.0	0.0	478.3	0
Nasopharynx	0.0	0.0	478.3	0
Tonsil	0.0	0.0	478.3	0
Oropharynx	0.0	0.0	478.3	0
Hypopharynx	0.0	0.0	478.3	0
Other Oral Cavity and Pharynx	0.0	0.0	478.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	478.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	478.3	0
Colon and Rectum	0.0	0.0	478.3	0
Colon excluding Rectum	0.0	0.0	478.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	478.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	478.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	478.3	0
Liver	0.0	0.0	478.3	0
Intrahepatic Bile Duct	0.0	0.0	478.3	0
Gallbladder	0.0	0.0	478.3	0
Other Biliary	0.0	0.0	478.3	0
Pancreas	0.0	0.0	478.3	0
Retroperitoneum	0.0	0.0	478.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	478.3	0
Other Digestive Organs	0.0	0.0	478.3	0
Respiratory System	0.0	0.0	478.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	478.3	0
Larynx	0.0	0.0	478.3	0
Lung and Bronchus	0.0	0.0	478.3	0
Pleura	0.0	0.0	478.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	478.3	0
Bones and Joints	0.0	0.0	478.3	0
Soft Tissue including Heart	0.0	0.0	478.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	478.3	0
Melanoma of the Skin	0.0	0.0	478.3	0
Other Non-Epithelial Skin	0.0	0.0	478.3	0
Urinary System	0.0	0.0	478.3	0
Urinary Bladder	0.0	0.0	478.3	0
Kidney and Renal Pelvis	0.0	0.0	478.3	0
Ureter	0.0	0.0	478.3	0
Other Urinary Organs	0.0	0.0	478.3	0
Eye and Orbit	0.0	0.0	478.3	0
Brain and Other Nervous System	0.0	0.0	478.3	0
Endocrine System	0.0	0.0	478.3	0
Thyroid	0.0	0.0	478.3	0
Other Endocrine including Thymus	0.0	0.0	478.3	0
Lymphoma	0.0	0.0	478.3	0
Hodgkin Lymphoma	0.0	0.0	478.3	0
Non-Hodgkin Lymphoma	0.0	0.0	478.3	0
Myeloma	0.0	0.0	478.3	0
Leukemia	0.0	0.0	478.3	0
Lymphocytic Leukemia	0.0	0.0	478.3	0
Acute Lymphocytic Leukemia	0.0	0.0	478.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	478.3	0
Other Lymphocytic Leukemia	0.0	0.0	478.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	478.3	0
Acute Myeloid Leukemia	0.0	0.0	478.3	0
Acute Monocytic Leukemia	0.0	0.0	478.3	0
Chronic Myeloid Leukemia	0.0	0.0	478.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	478.3	0
Other Leukemia	0.0	0.0	478.3	0
Other Acute Leukemia	0.0	0.0	478.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	478.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	478.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	738.9	0
Lip	0.0	0.0	738.9	0
Tongue	0.0	0.0	738.9	0
Salivary Gland	0.0	0.0	738.9	0
Floor of Mouth	0.0	0.0	738.9	0
Gum and Other Mouth	0.0	0.0	738.9	0
Nasopharynx	0.0	0.0	738.9	0
Tonsil	0.0	0.0	738.9	0
Oropharynx	0.0	0.0	738.9	0
Hypopharynx	0.0	0.0	738.9	0
Other Oral Cavity and Pharynx	0.0	0.0	738.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	738.9	0
Stomach	0.0	0.0	738.9	0
Small Intestine	0.0	0.0	738.9	0
Colon and Rectum	0.0	0.0	738.9	0
Colon excluding Rectum	0.0	0.0	738.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	738.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	738.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	738.9	0
Liver	0.0	0.0	738.9	0
Intrahepatic Bile Duct	0.0	0.0	738.9	0
Gallbladder	0.0	0.0	738.9	0
Other Biliary	0.0	0.0	738.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	738.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	738.9	0
Other Digestive Organs	0.0	0.0	738.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	738.9	0
Larynx	0.0	0.0	738.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	738.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	738.9	0
Bones and Joints	0.0	0.0	738.9	0
Soft Tissue including Heart	0.0	0.0	738.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	738.9	0
Melanoma of the Skin	0.0	0.0	738.9	0
Other Non-Epithelial Skin	0.0	0.0	738.9	0
Urinary System	0.0	0.0	738.9	0
Urinary Bladder	0.0	0.0	738.9	0
Kidney and Renal Pelvis	0.0	0.0	738.9	0
Ureter	0.0	0.0	738.9	0
Other Urinary Organs	0.0	0.0	738.9	0
Eye and Orbit	0.0	0.0	738.9	0
Brain and Other Nervous System	0.0	0.0	738.9	0
Endocrine System	0.0	0.0	738.9	0
Thyroid	0.0	0.0	738.9	0
Other Endocrine including Thymus	0.0	0.0	738.9	0
Lymphoma	0.0	0.0	738.9	0
Hodgkin Lymphoma	0.0	0.0	738.9	0
Non-Hodgkin Lymphoma	0.0	0.0	738.9	0
Myeloma	0.0	0.0	738.9	0
Leukemia	0.0	0.0	738.9	0
Lymphocytic Leukemia	0.0	0.0	738.9	0
Acute Lymphocytic Leukemia	0.0	0.0	738.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	738.9	0
Other Lymphocytic Leukemia	0.0	0.0	738.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	738.9	0
Acute Myeloid Leukemia	0.0	0.0	738.9	0
Acute Monocytic Leukemia	0.0	0.0	738.9	0
Chronic Myeloid Leukemia	0.0	0.0	738.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	738.9	0
Other Leukemia	0.0	0.0	738.9	0
Other Acute Leukemia	0.0	0.0	738.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	738.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	738.9	0
Miscellaneous Malignant Cancer	0.0	0.0	738.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	181.6	156.7	209.0	236
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	2.7	0
Floor of Mouth	0.0	0.0	2.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	2.7	0
Oropharynx	0.0	0.0	2.7	0
Hypopharynx	0.0	0.0	2.7	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	29.7	20.4	41.3	41
Esophagus	^	^	^	^
Stomach	4.9	2.0	10.2	8
Small Intestine	^	^	^	^
Colon and Rectum	7.5	3.8	13.4	12
Colon excluding Rectum	6.3	2.9	12.0	9
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	2.7	0
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	7.0	2.8	13.9	9
Retroperitoneum	0.0	0.0	2.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.7	0
Other Digestive Organs	0.0	0.0	2.7	0
Respiratory System	59.5	46.1	75.2	78
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.7	0
Larynx	^	^	^	^
Lung and Bronchus	56.6	43.7	71.8	75
Pleura	0.0	0.0	2.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	8.6	3.8	16.1	11
Urinary Bladder	6.7	2.4	14.0	7
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	2.7	0
Other Urinary Organs	0.0	0.0	2.7	0
Eye and Orbit	0.0	0.0	2.7	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	2.7	0
Lymphoma	6.9	2.8	13.5	10
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.5	2.5	13.1	9
Myeloma	^	^	^	^
Leukemia	4.7	1.3	11.0	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.7	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	2.7	0
Miscellaneous Malignant Cancer	12.4	6.6	20.7	15

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	199.9	102.0	343.2	14
Oral Cavity and Pharynx	0.0	0.0	45.2	0
Lip	0.0	0.0	45.2	0
Tongue	0.0	0.0	45.2	0
Salivary Gland	0.0	0.0	45.2	0
Floor of Mouth	0.0	0.0	45.2	0
Gum and Other Mouth	0.0	0.0	45.2	0
Nasopharynx	0.0	0.0	45.2	0
Tonsil	0.0	0.0	45.2	0
Oropharynx	0.0	0.0	45.2	0
Hypopharynx	0.0	0.0	45.2	0
Other Oral Cavity and Pharynx	0.0	0.0	45.2	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	45.2	0
Small Intestine	0.0	0.0	45.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	45.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	45.2	0
Liver	0.0	0.0	45.2	0
Intrahepatic Bile Duct	0.0	0.0	45.2	0
Gallbladder	0.0	0.0	45.2	0
Other Biliary	0.0	0.0	45.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	45.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.2	0
Other Digestive Organs	0.0	0.0	45.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.2	0
Larynx	0.0	0.0	45.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	45.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.2	0
Bones and Joints	0.0	0.0	45.2	0
Soft Tissue including Heart	0.0	0.0	45.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	45.2	0
Melanoma of the Skin	0.0	0.0	45.2	0
Other Non-Epithelial Skin	0.0	0.0	45.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	45.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	45.2	0
Other Urinary Organs	0.0	0.0	45.2	0
Eye and Orbit	0.0	0.0	45.2	0
Brain and Other Nervous System	0.0	0.0	45.2	0
Endocrine System	0.0	0.0	45.2	0
Thyroid	0.0	0.0	45.2	0
Other Endocrine including Thymus	0.0	0.0	45.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	45.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	45.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	45.2	0
Other Lymphocytic Leukemia	0.0	0.0	45.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	45.2	0
Acute Myeloid Leukemia	0.0	0.0	45.2	0
Acute Monocytic Leukemia	0.0	0.0	45.2	0
Chronic Myeloid Leukemia	0.0	0.0	45.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.2	0
Other Leukemia	0.0	0.0	45.2	0
Other Acute Leukemia	0.0	0.0	45.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	45.2	0
Miscellaneous Malignant Cancer	0.0	0.0	45.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,043.1	0
Lip	0.0	0.0	1,043.1	0
Tongue	0.0	0.0	1,043.1	0
Salivary Gland	0.0	0.0	1,043.1	0
Floor of Mouth	0.0	0.0	1,043.1	0
Gum and Other Mouth	0.0	0.0	1,043.1	0
Nasopharynx	0.0	0.0	1,043.1	0
Tonsil	0.0	0.0	1,043.1	0
Oropharynx	0.0	0.0	1,043.1	0
Hypopharynx	0.0	0.0	1,043.1	0
Other Oral Cavity and Pharynx	0.0	0.0	1,043.1	0
Digestive System	0.0	0.0	1,043.1	0
Esophagus	0.0	0.0	1,043.1	0
Stomach	0.0	0.0	1,043.1	0
Small Intestine	0.0	0.0	1,043.1	0
Colon and Rectum	0.0	0.0	1,043.1	0
Colon excluding Rectum	0.0	0.0	1,043.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,043.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,043.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,043.1	0
Liver	0.0	0.0	1,043.1	0
Intrahepatic Bile Duct	0.0	0.0	1,043.1	0
Gallbladder	0.0	0.0	1,043.1	0
Other Biliary	0.0	0.0	1,043.1	0
Pancreas	0.0	0.0	1,043.1	0
Retroperitoneum	0.0	0.0	1,043.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,043.1	0
Other Digestive Organs	0.0	0.0	1,043.1	0
Respiratory System	0.0	0.0	1,043.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,043.1	0
Larynx	0.0	0.0	1,043.1	0
Lung and Bronchus	0.0	0.0	1,043.1	0
Pleura	0.0	0.0	1,043.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,043.1	0
Bones and Joints	0.0	0.0	1,043.1	0
Soft Tissue including Heart	0.0	0.0	1,043.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	1,043.1	0
Melanoma of the Skin	0.0	0.0	1,043.1	0
Other Non-Epithelial Skin	0.0	0.0	1,043.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	1,043.1	0
Ureter	0.0	0.0	1,043.1	0
Other Urinary Organs	0.0	0.0	1,043.1	0
Eye and Orbit	0.0	0.0	1,043.1	0
Brain and Other Nervous System	0.0	0.0	1,043.1	0
Endocrine System	0.0	0.0	1,043.1	0
Thyroid	0.0	0.0	1,043.1	0
Other Endocrine including Thymus	0.0	0.0	1,043.1	0
Lymphoma	0.0	0.0	1,043.1	0
Hodgkin Lymphoma	0.0	0.0	1,043.1	0
Non-Hodgkin Lymphoma	0.0	0.0	1,043.1	0
Myeloma	0.0	0.0	1,043.1	0
Leukemia	0.0	0.0	1,043.1	0
Lymphocytic Leukemia	0.0	0.0	1,043.1	0
Acute Lymphocytic Leukemia	0.0	0.0	1,043.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,043.1	0
Other Lymphocytic Leukemia	0.0	0.0	1,043.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,043.1	0
Acute Myeloid Leukemia	0.0	0.0	1,043.1	0
Acute Monocytic Leukemia	0.0	0.0	1,043.1	0
Chronic Myeloid Leukemia	0.0	0.0	1,043.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,043.1	0
Other Leukemia	0.0	0.0	1,043.1	0
Other Acute Leukemia	0.0	0.0	1,043.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,043.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	1,043.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	607.4	0
Oral Cavity and Pharynx	0.0	0.0	607.4	0
Lip	0.0	0.0	607.4	0
Tongue	0.0	0.0	607.4	0
Salivary Gland	0.0	0.0	607.4	0
Floor of Mouth	0.0	0.0	607.4	0
Gum and Other Mouth	0.0	0.0	607.4	0
Nasopharynx	0.0	0.0	607.4	0
Tonsil	0.0	0.0	607.4	0
Oropharynx	0.0	0.0	607.4	0
Hypopharynx	0.0	0.0	607.4	0
Other Oral Cavity and Pharynx	0.0	0.0	607.4	0
Digestive System	0.0	0.0	607.4	0
Esophagus	0.0	0.0	607.4	0
Stomach	0.0	0.0	607.4	0
Small Intestine	0.0	0.0	607.4	0
Colon and Rectum	0.0	0.0	607.4	0
Colon excluding Rectum	0.0	0.0	607.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	607.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	607.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	607.4	0
Liver	0.0	0.0	607.4	0
Intrahepatic Bile Duct	0.0	0.0	607.4	0
Gallbladder	0.0	0.0	607.4	0
Other Biliary	0.0	0.0	607.4	0
Pancreas	0.0	0.0	607.4	0
Retroperitoneum	0.0	0.0	607.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	607.4	0
Other Digestive Organs	0.0	0.0	607.4	0
Respiratory System	0.0	0.0	607.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	607.4	0
Larynx	0.0	0.0	607.4	0
Lung and Bronchus	0.0	0.0	607.4	0
Pleura	0.0	0.0	607.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	607.4	0
Bones and Joints	0.0	0.0	607.4	0
Soft Tissue including Heart	0.0	0.0	607.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	607.4	0
Melanoma of the Skin	0.0	0.0	607.4	0
Other Non-Epithelial Skin	0.0	0.0	607.4	0
Urinary System	0.0	0.0	607.4	0
Urinary Bladder	0.0	0.0	607.4	0
Kidney and Renal Pelvis	0.0	0.0	607.4	0
Ureter	0.0	0.0	607.4	0
Other Urinary Organs	0.0	0.0	607.4	0
Eye and Orbit	0.0	0.0	607.4	0
Brain and Other Nervous System	0.0	0.0	607.4	0
Endocrine System	0.0	0.0	607.4	0
Thyroid	0.0	0.0	607.4	0
Other Endocrine including Thymus	0.0	0.0	607.4	0
Lymphoma	0.0	0.0	607.4	0
Hodgkin Lymphoma	0.0	0.0	607.4	0
Non-Hodgkin Lymphoma	0.0	0.0	607.4	0
Myeloma	0.0	0.0	607.4	0
Leukemia	0.0	0.0	607.4	0
Lymphocytic Leukemia	0.0	0.0	607.4	0
Acute Lymphocytic Leukemia	0.0	0.0	607.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	607.4	0
Other Lymphocytic Leukemia	0.0	0.0	607.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	607.4	0
Acute Myeloid Leukemia	0.0	0.0	607.4	0
Acute Monocytic Leukemia	0.0	0.0	607.4	0
Chronic Myeloid Leukemia	0.0	0.0	607.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	607.4	0
Other Leukemia	0.0	0.0	607.4	0
Other Acute Leukemia	0.0	0.0	607.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	607.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	607.4	0
Miscellaneous Malignant Cancer	0.0	0.0	607.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	138.3	0
Lip	0.0	0.0	138.3	0
Tongue	0.0	0.0	138.3	0
Salivary Gland	0.0	0.0	138.3	0
Floor of Mouth	0.0	0.0	138.3	0
Gum and Other Mouth	0.0	0.0	138.3	0
Nasopharynx	0.0	0.0	138.3	0
Tonsil	0.0	0.0	138.3	0
Oropharynx	0.0	0.0	138.3	0
Hypopharynx	0.0	0.0	138.3	0
Other Oral Cavity and Pharynx	0.0	0.0	138.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	138.3	0
Stomach	0.0	0.0	138.3	0
Small Intestine	0.0	0.0	138.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	138.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	138.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	138.3	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	138.3	0
Other Biliary	0.0	0.0	138.3	0
Pancreas	0.0	0.0	138.3	0
Retroperitoneum	0.0	0.0	138.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	138.3	0
Other Digestive Organs	0.0	0.0	138.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	138.3	0
Larynx	0.0	0.0	138.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	138.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	138.3	0
Bones and Joints	0.0	0.0	138.3	0
Soft Tissue including Heart	0.0	0.0	138.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	138.3	0
Melanoma of the Skin	0.0	0.0	138.3	0
Other Non-Epithelial Skin	0.0	0.0	138.3	0
Urinary System	0.0	0.0	138.3	0
Urinary Bladder	0.0	0.0	138.3	0
Kidney and Renal Pelvis	0.0	0.0	138.3	0
Ureter	0.0	0.0	138.3	0
Other Urinary Organs	0.0	0.0	138.3	0
Eye and Orbit	0.0	0.0	138.3	0
Brain and Other Nervous System	0.0	0.0	138.3	0
Endocrine System	0.0	0.0	138.3	0
Thyroid	0.0	0.0	138.3	0
Other Endocrine including Thymus	0.0	0.0	138.3	0
Lymphoma	0.0	0.0	138.3	0
Hodgkin Lymphoma	0.0	0.0	138.3	0
Non-Hodgkin Lymphoma	0.0	0.0	138.3	0
Myeloma	0.0	0.0	138.3	0
Leukemia	0.0	0.0	138.3	0
Lymphocytic Leukemia	0.0	0.0	138.3	0
Acute Lymphocytic Leukemia	0.0	0.0	138.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	138.3	0
Other Lymphocytic Leukemia	0.0	0.0	138.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	138.3	0
Acute Myeloid Leukemia	0.0	0.0	138.3	0
Acute Monocytic Leukemia	0.0	0.0	138.3	0
Chronic Myeloid Leukemia	0.0	0.0	138.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	138.3	0
Other Leukemia	0.0	0.0	138.3	0
Other Acute Leukemia	0.0	0.0	138.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	138.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	138.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	191.8	144.5	247.9	66
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	9.1	0
Floor of Mouth	0.0	0.0	9.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	9.1	0
Tonsil	0.0	0.0	9.1	0
Oropharynx	0.0	0.0	9.1	0
Hypopharynx	0.0	0.0	9.1	0
Other Oral Cavity and Pharynx	0.0	0.0	9.1	0
Digestive System	66.2	38.7	103.3	20
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	9.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	9.1	0
Other Biliary	0.0	0.0	9.1	0
Pancreas	20.3	7.1	43.1	6
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	9.1	0
Other Digestive Organs	0.0	0.0	9.1	0
Respiratory System	52.7	31.2	82.3	20
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.1	0
Larynx	0.0	0.0	9.1	0
Lung and Bronchus	52.7	31.2	82.3	20
Pleura	0.0	0.0	9.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.1	0
Bones and Joints	0.0	0.0	9.1	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	9.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	9.1	0
Other Urinary Organs	0.0	0.0	9.1	0
Eye and Orbit	0.0	0.0	9.1	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	9.1	0
Thyroid	0.0	0.0	9.1	0
Other Endocrine including Thymus	0.0	0.0	9.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	9.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	9.1	0
Acute Lymphocytic Leukemia	0.0	0.0	9.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	9.1	0
Other Lymphocytic Leukemia	0.0	0.0	9.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.1	0
Chronic Myeloid Leukemia	0.0	0.0	9.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.1	0
Other Leukemia	0.0	0.0	9.1	0
Other Acute Leukemia	0.0	0.0	9.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	9.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	208.7	0
Lip	0.0	0.0	208.7	0
Tongue	0.0	0.0	208.7	0
Salivary Gland	0.0	0.0	208.7	0
Floor of Mouth	0.0	0.0	208.7	0
Gum and Other Mouth	0.0	0.0	208.7	0
Nasopharynx	0.0	0.0	208.7	0
Tonsil	0.0	0.0	208.7	0
Oropharynx	0.0	0.0	208.7	0
Hypopharynx	0.0	0.0	208.7	0
Other Oral Cavity and Pharynx	0.0	0.0	208.7	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	208.7	0
Small Intestine	0.0	0.0	208.7	0
Colon and Rectum	0.0	0.0	208.7	0
Colon excluding Rectum	0.0	0.0	208.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	208.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	208.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	208.7	0
Liver	0.0	0.0	208.7	0
Intrahepatic Bile Duct	0.0	0.0	208.7	0
Gallbladder	0.0	0.0	208.7	0
Other Biliary	0.0	0.0	208.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	208.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	208.7	0
Other Digestive Organs	0.0	0.0	208.7	0
Respiratory System	0.0	0.0	208.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	208.7	0
Larynx	0.0	0.0	208.7	0
Lung and Bronchus	0.0	0.0	208.7	0
Pleura	0.0	0.0	208.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	208.7	0
Bones and Joints	0.0	0.0	208.7	0
Soft Tissue including Heart	0.0	0.0	208.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	208.7	0
Melanoma of the Skin	0.0	0.0	208.7	0
Other Non-Epithelial Skin	0.0	0.0	208.7	0
Urinary System	0.0	0.0	208.7	0
Urinary Bladder	0.0	0.0	208.7	0
Kidney and Renal Pelvis	0.0	0.0	208.7	0
Ureter	0.0	0.0	208.7	0
Other Urinary Organs	0.0	0.0	208.7	0
Eye and Orbit	0.0	0.0	208.7	0
Brain and Other Nervous System	0.0	0.0	208.7	0
Endocrine System	0.0	0.0	208.7	0
Thyroid	0.0	0.0	208.7	0
Other Endocrine including Thymus	0.0	0.0	208.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	208.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	208.7	0
Leukemia	0.0	0.0	208.7	0
Lymphocytic Leukemia	0.0	0.0	208.7	0
Acute Lymphocytic Leukemia	0.0	0.0	208.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	208.7	0
Other Lymphocytic Leukemia	0.0	0.0	208.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	208.7	0
Acute Myeloid Leukemia	0.0	0.0	208.7	0
Acute Monocytic Leukemia	0.0	0.0	208.7	0
Chronic Myeloid Leukemia	0.0	0.0	208.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	208.7	0
Other Leukemia	0.0	0.0	208.7	0
Other Acute Leukemia	0.0	0.0	208.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	208.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	208.7	0
Miscellaneous Malignant Cancer	0.0	0.0	208.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	186.7	123.7	267.6	32
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	18.4	0
Tongue	0.0	0.0	18.4	0
Salivary Gland	0.0	0.0	18.4	0
Floor of Mouth	0.0	0.0	18.4	0
Gum and Other Mouth	0.0	0.0	18.4	0
Nasopharynx	0.0	0.0	18.4	0
Tonsil	0.0	0.0	18.4	0
Oropharynx	0.0	0.0	18.4	0
Hypopharynx	0.0	0.0	18.4	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	25.7	7.8	60.7	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	18.4	0
Small Intestine	0.0	0.0	18.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	18.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	18.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	18.4	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	18.4	0
Other Biliary	0.0	0.0	18.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	18.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	18.4	0
Other Digestive Organs	0.0	0.0	18.4	0
Respiratory System	75.2	36.2	133.8	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	18.4	0
Larynx	^	^	^	^
Lung and Bronchus	64.6	30.0	117.8	10
Pleura	0.0	0.0	18.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	18.4	0
Bones and Joints	0.0	0.0	18.4	0
Soft Tissue including Heart	0.0	0.0	18.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	0.0	0.0	18.4	0
Urinary Bladder	0.0	0.0	18.4	0
Kidney and Renal Pelvis	0.0	0.0	18.4	0
Ureter	0.0	0.0	18.4	0
Other Urinary Organs	0.0	0.0	18.4	0
Eye and Orbit	0.0	0.0	18.4	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	18.4	0
Thyroid	0.0	0.0	18.4	0
Other Endocrine including Thymus	0.0	0.0	18.4	0
Lymphoma	0.0	0.0	18.4	0
Hodgkin Lymphoma	0.0	0.0	18.4	0
Non-Hodgkin Lymphoma	0.0	0.0	18.4	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	18.4	0
Acute Lymphocytic Leukemia	0.0	0.0	18.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	18.4	0
Other Lymphocytic Leukemia	0.0	0.0	18.4	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	18.4	0
Chronic Myeloid Leukemia	0.0	0.0	18.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	18.4	0
Other Leukemia	0.0	0.0	18.4	0
Other Acute Leukemia	0.0	0.0	18.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	18.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	18.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	249.0	185.7	324.7	69
Oral Cavity and Pharynx	0.0	0.0	12.3	0
Lip	0.0	0.0	12.3	0
Tongue	0.0	0.0	12.3	0
Salivary Gland	0.0	0.0	12.3	0
Floor of Mouth	0.0	0.0	12.3	0
Gum and Other Mouth	0.0	0.0	12.3	0
Nasopharynx	0.0	0.0	12.3	0
Tonsil	0.0	0.0	12.3	0
Oropharynx	0.0	0.0	12.3	0
Hypopharynx	0.0	0.0	12.3	0
Other Oral Cavity and Pharynx	0.0	0.0	12.3	0
Digestive System	66.1	34.1	112.0	16
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	12.3	0
Colon and Rectum	35.3	13.3	71.7	8
Colon excluding Rectum	35.3	13.3	71.7	8
Rectum and Rectosigmoid Junction	0.0	0.0	12.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	12.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	12.3	0
Gallbladder	0.0	0.0	12.3	0
Other Biliary	0.0	0.0	12.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	12.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	12.3	0
Other Digestive Organs	0.0	0.0	12.3	0
Respiratory System	77.3	47.8	117.2	25
Nose, Nasal Cavity and Middle Ear	0.0	0.0	12.3	0
Larynx	0.0	0.0	12.3	0
Lung and Bronchus	77.3	47.8	117.2	25
Pleura	0.0	0.0	12.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	12.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	12.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	12.3	0
Ureter	0.0	0.0	12.3	0
Other Urinary Organs	0.0	0.0	12.3	0
Eye and Orbit	0.0	0.0	12.3	0
Brain and Other Nervous System	0.0	0.0	12.3	0
Endocrine System	0.0	0.0	12.3	0
Thyroid	0.0	0.0	12.3	0
Other Endocrine including Thymus	0.0	0.0	12.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	12.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	12.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	12.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	12.3	0
Acute Myeloid Leukemia	0.0	0.0	12.3	0
Acute Monocytic Leukemia	0.0	0.0	12.3	0
Chronic Myeloid Leukemia	0.0	0.0	12.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	12.3	0
Other Leukemia	0.0	0.0	12.3	0
Other Acute Leukemia	0.0	0.0	12.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	12.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	12.3	0
Miscellaneous Malignant Cancer	20.7	8.4	42.7	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	149.9	82.4	247.6	17
Oral Cavity and Pharynx	0.0	0.0	32.6	0
Lip	0.0	0.0	32.6	0
Tongue	0.0	0.0	32.6	0
Salivary Gland	0.0	0.0	32.6	0
Floor of Mouth	0.0	0.0	32.6	0
Gum and Other Mouth	0.0	0.0	32.6	0
Nasopharynx	0.0	0.0	32.6	0
Tonsil	0.0	0.0	32.6	0
Oropharynx	0.0	0.0	32.6	0
Hypopharynx	0.0	0.0	32.6	0
Other Oral Cavity and Pharynx	0.0	0.0	32.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	32.6	0
Stomach	0.0	0.0	32.6	0
Small Intestine	0.0	0.0	32.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	32.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	32.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	32.6	0
Liver	0.0	0.0	32.6	0
Intrahepatic Bile Duct	0.0	0.0	32.6	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	32.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	32.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.6	0
Other Digestive Organs	0.0	0.0	32.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.6	0
Larynx	0.0	0.0	32.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	32.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.6	0
Bones and Joints	0.0	0.0	32.6	0
Soft Tissue including Heart	0.0	0.0	32.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.6	0
Urinary System	0.0	0.0	32.6	0
Urinary Bladder	0.0	0.0	32.6	0
Kidney and Renal Pelvis	0.0	0.0	32.6	0
Ureter	0.0	0.0	32.6	0
Other Urinary Organs	0.0	0.0	32.6	0
Eye and Orbit	0.0	0.0	32.6	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	32.6	0
Thyroid	0.0	0.0	32.6	0
Other Endocrine including Thymus	0.0	0.0	32.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.6	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	32.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	32.6	0
Other Lymphocytic Leukemia	0.0	0.0	32.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	32.6	0
Acute Myeloid Leukemia	0.0	0.0	32.6	0
Acute Monocytic Leukemia	0.0	0.0	32.6	0
Chronic Myeloid Leukemia	0.0	0.0	32.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.6	0
Other Leukemia	0.0	0.0	32.6	0
Other Acute Leukemia	0.0	0.0	32.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	32.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	149.4	52.7	312.5	8
Oral Cavity and Pharynx	0.0	0.0	60.3	0
Lip	0.0	0.0	60.3	0
Tongue	0.0	0.0	60.3	0
Salivary Gland	0.0	0.0	60.3	0
Floor of Mouth	0.0	0.0	60.3	0
Gum and Other Mouth	0.0	0.0	60.3	0
Nasopharynx	0.0	0.0	60.3	0
Tonsil	0.0	0.0	60.3	0
Oropharynx	0.0	0.0	60.3	0
Hypopharynx	0.0	0.0	60.3	0
Other Oral Cavity and Pharynx	0.0	0.0	60.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	60.3	0
Stomach	0.0	0.0	60.3	0
Small Intestine	0.0	0.0	60.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	60.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	60.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	60.3	0
Liver	0.0	0.0	60.3	0
Intrahepatic Bile Duct	0.0	0.0	60.3	0
Gallbladder	0.0	0.0	60.3	0
Other Biliary	0.0	0.0	60.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	60.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	60.3	0
Other Digestive Organs	0.0	0.0	60.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	60.3	0
Larynx	0.0	0.0	60.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	60.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	60.3	0
Bones and Joints	0.0	0.0	60.3	0
Soft Tissue including Heart	0.0	0.0	60.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	60.3	0
Melanoma of the Skin	0.0	0.0	60.3	0
Other Non-Epithelial Skin	0.0	0.0	60.3	0
Urinary System	0.0	0.0	60.3	0
Urinary Bladder	0.0	0.0	60.3	0
Kidney and Renal Pelvis	0.0	0.0	60.3	0
Ureter	0.0	0.0	60.3	0
Other Urinary Organs	0.0	0.0	60.3	0
Eye and Orbit	0.0	0.0	60.3	0
Brain and Other Nervous System	0.0	0.0	60.3	0
Endocrine System	0.0	0.0	60.3	0
Thyroid	0.0	0.0	60.3	0
Other Endocrine including Thymus	0.0	0.0	60.3	0
Lymphoma	0.0	0.0	60.3	0
Hodgkin Lymphoma	0.0	0.0	60.3	0
Non-Hodgkin Lymphoma	0.0	0.0	60.3	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	60.3	0
Lymphocytic Leukemia	0.0	0.0	60.3	0
Acute Lymphocytic Leukemia	0.0	0.0	60.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	60.3	0
Other Lymphocytic Leukemia	0.0	0.0	60.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	60.3	0
Acute Myeloid Leukemia	0.0	0.0	60.3	0
Acute Monocytic Leukemia	0.0	0.0	60.3	0
Chronic Myeloid Leukemia	0.0	0.0	60.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	60.3	0
Other Leukemia	0.0	0.0	60.3	0
Other Acute Leukemia	0.0	0.0	60.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	60.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	60.3	0
Miscellaneous Malignant Cancer	0.0	0.0	60.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	419.4	0
Lip	0.0	0.0	419.4	0
Tongue	0.0	0.0	419.4	0
Salivary Gland	0.0	0.0	419.4	0
Floor of Mouth	0.0	0.0	419.4	0
Gum and Other Mouth	0.0	0.0	419.4	0
Nasopharynx	0.0	0.0	419.4	0
Tonsil	0.0	0.0	419.4	0
Oropharynx	0.0	0.0	419.4	0
Hypopharynx	0.0	0.0	419.4	0
Other Oral Cavity and Pharynx	0.0	0.0	419.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	419.4	0
Stomach	0.0	0.0	419.4	0
Small Intestine	0.0	0.0	419.4	0
Colon and Rectum	0.0	0.0	419.4	0
Colon excluding Rectum	0.0	0.0	419.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	419.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	419.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	419.4	0
Liver	0.0	0.0	419.4	0
Intrahepatic Bile Duct	0.0	0.0	419.4	0
Gallbladder	0.0	0.0	419.4	0
Other Biliary	0.0	0.0	419.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	419.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	419.4	0
Other Digestive Organs	0.0	0.0	419.4	0
Respiratory System	0.0	0.0	419.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	419.4	0
Larynx	0.0	0.0	419.4	0
Lung and Bronchus	0.0	0.0	419.4	0
Pleura	0.0	0.0	419.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	419.4	0
Bones and Joints	0.0	0.0	419.4	0
Soft Tissue including Heart	0.0	0.0	419.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	419.4	0
Melanoma of the Skin	0.0	0.0	419.4	0
Other Non-Epithelial Skin	0.0	0.0	419.4	0
Urinary System	0.0	0.0	419.4	0
Urinary Bladder	0.0	0.0	419.4	0
Kidney and Renal Pelvis	0.0	0.0	419.4	0
Ureter	0.0	0.0	419.4	0
Other Urinary Organs	0.0	0.0	419.4	0
Eye and Orbit	0.0	0.0	419.4	0
Brain and Other Nervous System	0.0	0.0	419.4	0
Endocrine System	0.0	0.0	419.4	0
Thyroid	0.0	0.0	419.4	0
Other Endocrine including Thymus	0.0	0.0	419.4	0
Lymphoma	0.0	0.0	419.4	0
Hodgkin Lymphoma	0.0	0.0	419.4	0
Non-Hodgkin Lymphoma	0.0	0.0	419.4	0
Myeloma	0.0	0.0	419.4	0
Leukemia	0.0	0.0	419.4	0
Lymphocytic Leukemia	0.0	0.0	419.4	0
Acute Lymphocytic Leukemia	0.0	0.0	419.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	419.4	0
Other Lymphocytic Leukemia	0.0	0.0	419.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	419.4	0
Acute Myeloid Leukemia	0.0	0.0	419.4	0
Acute Monocytic Leukemia	0.0	0.0	419.4	0
Chronic Myeloid Leukemia	0.0	0.0	419.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	419.4	0
Other Leukemia	0.0	0.0	419.4	0
Other Acute Leukemia	0.0	0.0	419.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	419.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	419.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	163.2	119.5	216.9	56
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	12.8	0
Tongue	0.0	0.0	12.8	0
Salivary Gland	0.0	0.0	12.8	0
Floor of Mouth	0.0	0.0	12.8	0
Gum and Other Mouth	0.0	0.0	12.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	12.8	0
Oropharynx	0.0	0.0	12.8	0
Hypopharynx	0.0	0.0	12.8	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	29.2	12.8	56.5	10
Esophagus	0.0	0.0	12.8	0
Stomach	0.0	0.0	12.8	0
Small Intestine	0.0	0.0	12.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	12.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	12.8	0
Gallbladder	0.0	0.0	12.8	0
Other Biliary	0.0	0.0	12.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	12.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	12.8	0
Other Digestive Organs	0.0	0.0	12.8	0
Respiratory System	38.9	21.7	65.2	16
Nose, Nasal Cavity and Middle Ear	0.0	0.0	12.8	0
Larynx	^	^	^	^
Lung and Bronchus	36.8	20.1	62.8	15
Pleura	0.0	0.0	12.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	12.8	0
Bones and Joints	0.0	0.0	12.8	0
Soft Tissue including Heart	0.0	0.0	12.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	12.8	0
Melanoma of the Skin	0.0	0.0	12.8	0
Other Non-Epithelial Skin	0.0	0.0	12.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	12.8	0
Other Urinary Organs	0.0	0.0	12.8	0
Eye and Orbit	0.0	0.0	12.8	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	12.8	0
Thyroid	0.0	0.0	12.8	0
Other Endocrine including Thymus	0.0	0.0	12.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	12.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	12.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	12.8	0
Other Lymphocytic Leukemia	0.0	0.0	12.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	12.8	0
Chronic Myeloid Leukemia	0.0	0.0	12.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	12.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	12.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	12.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	257.4	124.4	457.5	11
Oral Cavity and Pharynx	0.0	0.0	66.3	0
Lip	0.0	0.0	66.3	0
Tongue	0.0	0.0	66.3	0
Salivary Gland	0.0	0.0	66.3	0
Floor of Mouth	0.0	0.0	66.3	0
Gum and Other Mouth	0.0	0.0	66.3	0
Nasopharynx	0.0	0.0	66.3	0
Tonsil	0.0	0.0	66.3	0
Oropharynx	0.0	0.0	66.3	0
Hypopharynx	0.0	0.0	66.3	0
Other Oral Cavity and Pharynx	0.0	0.0	66.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	66.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	66.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	66.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	66.3	0
Liver	0.0	0.0	66.3	0
Intrahepatic Bile Duct	0.0	0.0	66.3	0
Gallbladder	0.0	0.0	66.3	0
Other Biliary	0.0	0.0	66.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	66.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.3	0
Other Digestive Organs	0.0	0.0	66.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.3	0
Larynx	0.0	0.0	66.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.3	0
Bones and Joints	0.0	0.0	66.3	0
Soft Tissue including Heart	0.0	0.0	66.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	66.3	0
Melanoma of the Skin	0.0	0.0	66.3	0
Other Non-Epithelial Skin	0.0	0.0	66.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	66.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	66.3	0
Other Urinary Organs	0.0	0.0	66.3	0
Eye and Orbit	0.0	0.0	66.3	0
Brain and Other Nervous System	0.0	0.0	66.3	0
Endocrine System	0.0	0.0	66.3	0
Thyroid	0.0	0.0	66.3	0
Other Endocrine including Thymus	0.0	0.0	66.3	0
Lymphoma	0.0	0.0	66.3	0
Hodgkin Lymphoma	0.0	0.0	66.3	0
Non-Hodgkin Lymphoma	0.0	0.0	66.3	0
Myeloma	0.0	0.0	66.3	0
Leukemia	0.0	0.0	66.3	0
Lymphocytic Leukemia	0.0	0.0	66.3	0
Acute Lymphocytic Leukemia	0.0	0.0	66.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.3	0
Other Lymphocytic Leukemia	0.0	0.0	66.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.3	0
Acute Myeloid Leukemia	0.0	0.0	66.3	0
Acute Monocytic Leukemia	0.0	0.0	66.3	0
Chronic Myeloid Leukemia	0.0	0.0	66.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.3	0
Other Leukemia	0.0	0.0	66.3	0
Other Acute Leukemia	0.0	0.0	66.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	66.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	351.2	117.9	746.3	8
Oral Cavity and Pharynx	0.0	0.0	138.1	0
Lip	0.0	0.0	138.1	0
Tongue	0.0	0.0	138.1	0
Salivary Gland	0.0	0.0	138.1	0
Floor of Mouth	0.0	0.0	138.1	0
Gum and Other Mouth	0.0	0.0	138.1	0
Nasopharynx	0.0	0.0	138.1	0
Tonsil	0.0	0.0	138.1	0
Oropharynx	0.0	0.0	138.1	0
Hypopharynx	0.0	0.0	138.1	0
Other Oral Cavity and Pharynx	0.0	0.0	138.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	138.1	0
Stomach	0.0	0.0	138.1	0
Small Intestine	0.0	0.0	138.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	138.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	138.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	138.1	0
Liver	0.0	0.0	138.1	0
Intrahepatic Bile Duct	0.0	0.0	138.1	0
Gallbladder	0.0	0.0	138.1	0
Other Biliary	0.0	0.0	138.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	138.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	138.1	0
Other Digestive Organs	0.0	0.0	138.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	138.1	0
Larynx	0.0	0.0	138.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	138.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	138.1	0
Bones and Joints	0.0	0.0	138.1	0
Soft Tissue including Heart	0.0	0.0	138.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	138.1	0
Melanoma of the Skin	0.0	0.0	138.1	0
Other Non-Epithelial Skin	0.0	0.0	138.1	0
Urinary System	0.0	0.0	138.1	0
Urinary Bladder	0.0	0.0	138.1	0
Kidney and Renal Pelvis	0.0	0.0	138.1	0
Ureter	0.0	0.0	138.1	0
Other Urinary Organs	0.0	0.0	138.1	0
Eye and Orbit	0.0	0.0	138.1	0
Brain and Other Nervous System	0.0	0.0	138.1	0
Endocrine System	0.0	0.0	138.1	0
Thyroid	0.0	0.0	138.1	0
Other Endocrine including Thymus	0.0	0.0	138.1	0
Lymphoma	0.0	0.0	138.1	0
Hodgkin Lymphoma	0.0	0.0	138.1	0
Non-Hodgkin Lymphoma	0.0	0.0	138.1	0
Myeloma	0.0	0.0	138.1	0
Leukemia	0.0	0.0	138.1	0
Lymphocytic Leukemia	0.0	0.0	138.1	0
Acute Lymphocytic Leukemia	0.0	0.0	138.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	138.1	0
Other Lymphocytic Leukemia	0.0	0.0	138.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	138.1	0
Acute Myeloid Leukemia	0.0	0.0	138.1	0
Acute Monocytic Leukemia	0.0	0.0	138.1	0
Chronic Myeloid Leukemia	0.0	0.0	138.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	138.1	0
Other Leukemia	0.0	0.0	138.1	0
Other Acute Leukemia	0.0	0.0	138.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	138.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	138.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	103.0	0
Lip	0.0	0.0	103.0	0
Tongue	0.0	0.0	103.0	0
Salivary Gland	0.0	0.0	103.0	0
Floor of Mouth	0.0	0.0	103.0	0
Gum and Other Mouth	0.0	0.0	103.0	0
Nasopharynx	0.0	0.0	103.0	0
Tonsil	0.0	0.0	103.0	0
Oropharynx	0.0	0.0	103.0	0
Hypopharynx	0.0	0.0	103.0	0
Other Oral Cavity and Pharynx	0.0	0.0	103.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	103.0	0
Stomach	0.0	0.0	103.0	0
Small Intestine	0.0	0.0	103.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	103.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	103.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	103.0	0
Liver	0.0	0.0	103.0	0
Intrahepatic Bile Duct	0.0	0.0	103.0	0
Gallbladder	0.0	0.0	103.0	0
Other Biliary	0.0	0.0	103.0	0
Pancreas	0.0	0.0	103.0	0
Retroperitoneum	0.0	0.0	103.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	103.0	0
Other Digestive Organs	0.0	0.0	103.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	103.0	0
Larynx	0.0	0.0	103.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	103.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	103.0	0
Bones and Joints	0.0	0.0	103.0	0
Soft Tissue including Heart	0.0	0.0	103.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	103.0	0
Melanoma of the Skin	0.0	0.0	103.0	0
Other Non-Epithelial Skin	0.0	0.0	103.0	0
Urinary System	0.0	0.0	103.0	0
Urinary Bladder	0.0	0.0	103.0	0
Kidney and Renal Pelvis	0.0	0.0	103.0	0
Ureter	0.0	0.0	103.0	0
Other Urinary Organs	0.0	0.0	103.0	0
Eye and Orbit	0.0	0.0	103.0	0
Brain and Other Nervous System	0.0	0.0	103.0	0
Endocrine System	0.0	0.0	103.0	0
Thyroid	0.0	0.0	103.0	0
Other Endocrine including Thymus	0.0	0.0	103.0	0
Lymphoma	0.0	0.0	103.0	0
Hodgkin Lymphoma	0.0	0.0	103.0	0
Non-Hodgkin Lymphoma	0.0	0.0	103.0	0
Myeloma	0.0	0.0	103.0	0
Leukemia	0.0	0.0	103.0	0
Lymphocytic Leukemia	0.0	0.0	103.0	0
Acute Lymphocytic Leukemia	0.0	0.0	103.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	103.0	0
Other Lymphocytic Leukemia	0.0	0.0	103.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	103.0	0
Acute Myeloid Leukemia	0.0	0.0	103.0	0
Acute Monocytic Leukemia	0.0	0.0	103.0	0
Chronic Myeloid Leukemia	0.0	0.0	103.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	103.0	0
Other Leukemia	0.0	0.0	103.0	0
Other Acute Leukemia	0.0	0.0	103.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	103.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	103.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	221.9	79.5	477.8	9
Oral Cavity and Pharynx	0.0	0.0	130.3	0
Lip	0.0	0.0	130.3	0
Tongue	0.0	0.0	130.3	0
Salivary Gland	0.0	0.0	130.3	0
Floor of Mouth	0.0	0.0	130.3	0
Gum and Other Mouth	0.0	0.0	130.3	0
Nasopharynx	0.0	0.0	130.3	0
Tonsil	0.0	0.0	130.3	0
Oropharynx	0.0	0.0	130.3	0
Hypopharynx	0.0	0.0	130.3	0
Other Oral Cavity and Pharynx	0.0	0.0	130.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	130.3	0
Stomach	0.0	0.0	130.3	0
Small Intestine	0.0	0.0	130.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	130.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	130.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	130.3	0
Liver	0.0	0.0	130.3	0
Intrahepatic Bile Duct	0.0	0.0	130.3	0
Gallbladder	0.0	0.0	130.3	0
Other Biliary	0.0	0.0	130.3	0
Pancreas	0.0	0.0	130.3	0
Retroperitoneum	0.0	0.0	130.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.3	0
Other Digestive Organs	0.0	0.0	130.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	130.3	0
Larynx	0.0	0.0	130.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	130.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	130.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	130.3	0
Melanoma of the Skin	0.0	0.0	130.3	0
Other Non-Epithelial Skin	0.0	0.0	130.3	0
Urinary System	0.0	0.0	130.3	0
Urinary Bladder	0.0	0.0	130.3	0
Kidney and Renal Pelvis	0.0	0.0	130.3	0
Ureter	0.0	0.0	130.3	0
Other Urinary Organs	0.0	0.0	130.3	0
Eye and Orbit	0.0	0.0	130.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	130.3	0
Thyroid	0.0	0.0	130.3	0
Other Endocrine including Thymus	0.0	0.0	130.3	0
Lymphoma	0.0	0.0	130.3	0
Hodgkin Lymphoma	0.0	0.0	130.3	0
Non-Hodgkin Lymphoma	0.0	0.0	130.3	0
Myeloma	0.0	0.0	130.3	0
Leukemia	0.0	0.0	130.3	0
Lymphocytic Leukemia	0.0	0.0	130.3	0
Acute Lymphocytic Leukemia	0.0	0.0	130.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	130.3	0
Other Lymphocytic Leukemia	0.0	0.0	130.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	130.3	0
Acute Myeloid Leukemia	0.0	0.0	130.3	0
Acute Monocytic Leukemia	0.0	0.0	130.3	0
Chronic Myeloid Leukemia	0.0	0.0	130.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.3	0
Other Leukemia	0.0	0.0	130.3	0
Other Acute Leukemia	0.0	0.0	130.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	130.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	133.9	55.4	264.3	8
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	54.2	0
Tongue	0.0	0.0	54.2	0
Salivary Gland	0.0	0.0	54.2	0
Floor of Mouth	0.0	0.0	54.2	0
Gum and Other Mouth	0.0	0.0	54.2	0
Nasopharynx	0.0	0.0	54.2	0
Tonsil	0.0	0.0	54.2	0
Oropharynx	0.0	0.0	54.2	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.0	0.0	54.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	54.2	0
Stomach	0.0	0.0	54.2	0
Small Intestine	0.0	0.0	54.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	54.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	54.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	54.2	0
Liver	0.0	0.0	54.2	0
Intrahepatic Bile Duct	0.0	0.0	54.2	0
Gallbladder	0.0	0.0	54.2	0
Other Biliary	0.0	0.0	54.2	0
Pancreas	0.0	0.0	54.2	0
Retroperitoneum	0.0	0.0	54.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	54.2	0
Other Digestive Organs	0.0	0.0	54.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	54.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	54.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	54.2	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	54.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	54.2	0
Melanoma of the Skin	0.0	0.0	54.2	0
Other Non-Epithelial Skin	0.0	0.0	54.2	0
Urinary System	0.0	0.0	54.2	0
Urinary Bladder	0.0	0.0	54.2	0
Kidney and Renal Pelvis	0.0	0.0	54.2	0
Ureter	0.0	0.0	54.2	0
Other Urinary Organs	0.0	0.0	54.2	0
Eye and Orbit	0.0	0.0	54.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	54.2	0
Thyroid	0.0	0.0	54.2	0
Other Endocrine including Thymus	0.0	0.0	54.2	0
Lymphoma	0.0	0.0	54.2	0
Hodgkin Lymphoma	0.0	0.0	54.2	0
Non-Hodgkin Lymphoma	0.0	0.0	54.2	0
Myeloma	0.0	0.0	54.2	0
Leukemia	0.0	0.0	54.2	0
Lymphocytic Leukemia	0.0	0.0	54.2	0
Acute Lymphocytic Leukemia	0.0	0.0	54.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	54.2	0
Other Lymphocytic Leukemia	0.0	0.0	54.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	54.2	0
Acute Myeloid Leukemia	0.0	0.0	54.2	0
Acute Monocytic Leukemia	0.0	0.0	54.2	0
Chronic Myeloid Leukemia	0.0	0.0	54.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	54.2	0
Other Leukemia	0.0	0.0	54.2	0
Other Acute Leukemia	0.0	0.0	54.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	54.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	54.2	0
Miscellaneous Malignant Cancer	0.0	0.0	54.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	142.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	142.7	0
Floor of Mouth	0.0	0.0	142.7	0
Gum and Other Mouth	0.0	0.0	142.7	0
Nasopharynx	0.0	0.0	142.7	0
Tonsil	0.0	0.0	142.7	0
Oropharynx	0.0	0.0	142.7	0
Hypopharynx	0.0	0.0	142.7	0
Other Oral Cavity and Pharynx	0.0	0.0	142.7	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	142.7	0
Small Intestine	0.0	0.0	142.7	0
Colon and Rectum	0.0	0.0	142.7	0
Colon excluding Rectum	0.0	0.0	142.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	142.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	142.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	142.7	0
Liver	0.0	0.0	142.7	0
Intrahepatic Bile Duct	0.0	0.0	142.7	0
Gallbladder	0.0	0.0	142.7	0
Other Biliary	0.0	0.0	142.7	0
Pancreas	0.0	0.0	142.7	0
Retroperitoneum	0.0	0.0	142.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	142.7	0
Other Digestive Organs	0.0	0.0	142.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	142.7	0
Larynx	0.0	0.0	142.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	142.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	142.7	0
Bones and Joints	0.0	0.0	142.7	0
Soft Tissue including Heart	0.0	0.0	142.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	142.7	0
Melanoma of the Skin	0.0	0.0	142.7	0
Other Non-Epithelial Skin	0.0	0.0	142.7	0
Urinary System	0.0	0.0	142.7	0
Urinary Bladder	0.0	0.0	142.7	0
Kidney and Renal Pelvis	0.0	0.0	142.7	0
Ureter	0.0	0.0	142.7	0
Other Urinary Organs	0.0	0.0	142.7	0
Eye and Orbit	0.0	0.0	142.7	0
Brain and Other Nervous System	0.0	0.0	142.7	0
Endocrine System	0.0	0.0	142.7	0
Thyroid	0.0	0.0	142.7	0
Other Endocrine including Thymus	0.0	0.0	142.7	0
Lymphoma	0.0	0.0	142.7	0
Hodgkin Lymphoma	0.0	0.0	142.7	0
Non-Hodgkin Lymphoma	0.0	0.0	142.7	0
Myeloma	0.0	0.0	142.7	0
Leukemia	0.0	0.0	142.7	0
Lymphocytic Leukemia	0.0	0.0	142.7	0
Acute Lymphocytic Leukemia	0.0	0.0	142.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	142.7	0
Other Lymphocytic Leukemia	0.0	0.0	142.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	142.7	0
Acute Myeloid Leukemia	0.0	0.0	142.7	0
Acute Monocytic Leukemia	0.0	0.0	142.7	0
Chronic Myeloid Leukemia	0.0	0.0	142.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	142.7	0
Other Leukemia	0.0	0.0	142.7	0
Other Acute Leukemia	0.0	0.0	142.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	142.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	142.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	323.6	124.1	646.8	9
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	104.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	104.4	0
Floor of Mouth	0.0	0.0	104.4	0
Gum and Other Mouth	0.0	0.0	104.4	0
Nasopharynx	0.0	0.0	104.4	0
Tonsil	0.0	0.0	104.4	0
Oropharynx	0.0	0.0	104.4	0
Hypopharynx	0.0	0.0	104.4	0
Other Oral Cavity and Pharynx	0.0	0.0	104.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	104.4	0
Stomach	0.0	0.0	104.4	0
Small Intestine	0.0	0.0	104.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	104.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	104.4	0
Gallbladder	0.0	0.0	104.4	0
Other Biliary	0.0	0.0	104.4	0
Pancreas	0.0	0.0	104.4	0
Retroperitoneum	0.0	0.0	104.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	104.4	0
Other Digestive Organs	0.0	0.0	104.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	104.4	0
Larynx	0.0	0.0	104.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	104.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	104.4	0
Bones and Joints	0.0	0.0	104.4	0
Soft Tissue including Heart	0.0	0.0	104.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	104.4	0
Melanoma of the Skin	0.0	0.0	104.4	0
Other Non-Epithelial Skin	0.0	0.0	104.4	0
Urinary System	0.0	0.0	104.4	0
Urinary Bladder	0.0	0.0	104.4	0
Kidney and Renal Pelvis	0.0	0.0	104.4	0
Ureter	0.0	0.0	104.4	0
Other Urinary Organs	0.0	0.0	104.4	0
Eye and Orbit	0.0	0.0	104.4	0
Brain and Other Nervous System	0.0	0.0	104.4	0
Endocrine System	0.0	0.0	104.4	0
Thyroid	0.0	0.0	104.4	0
Other Endocrine including Thymus	0.0	0.0	104.4	0
Lymphoma	0.0	0.0	104.4	0
Hodgkin Lymphoma	0.0	0.0	104.4	0
Non-Hodgkin Lymphoma	0.0	0.0	104.4	0
Myeloma	0.0	0.0	104.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	104.4	0
Acute Lymphocytic Leukemia	0.0	0.0	104.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	104.4	0
Other Lymphocytic Leukemia	0.0	0.0	104.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	104.4	0
Acute Myeloid Leukemia	0.0	0.0	104.4	0
Acute Monocytic Leukemia	0.0	0.0	104.4	0
Chronic Myeloid Leukemia	0.0	0.0	104.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	104.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	104.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	104.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	325.1	159.8	564.9	13
Oral Cavity and Pharynx	0.0	0.0	61.7	0
Lip	0.0	0.0	61.7	0
Tongue	0.0	0.0	61.7	0
Salivary Gland	0.0	0.0	61.7	0
Floor of Mouth	0.0	0.0	61.7	0
Gum and Other Mouth	0.0	0.0	61.7	0
Nasopharynx	0.0	0.0	61.7	0
Tonsil	0.0	0.0	61.7	0
Oropharynx	0.0	0.0	61.7	0
Hypopharynx	0.0	0.0	61.7	0
Other Oral Cavity and Pharynx	0.0	0.0	61.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	61.7	0
Stomach	0.0	0.0	61.7	0
Small Intestine	0.0	0.0	61.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	61.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	61.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	61.7	0
Liver	0.0	0.0	61.7	0
Intrahepatic Bile Duct	0.0	0.0	61.7	0
Gallbladder	0.0	0.0	61.7	0
Other Biliary	0.0	0.0	61.7	0
Pancreas	0.0	0.0	61.7	0
Retroperitoneum	0.0	0.0	61.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	61.7	0
Other Digestive Organs	0.0	0.0	61.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	61.7	0
Larynx	0.0	0.0	61.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	61.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	61.7	0
Bones and Joints	0.0	0.0	61.7	0
Soft Tissue including Heart	0.0	0.0	61.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	61.7	0
Melanoma of the Skin	0.0	0.0	61.7	0
Other Non-Epithelial Skin	0.0	0.0	61.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	61.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	61.7	0
Other Urinary Organs	0.0	0.0	61.7	0
Eye and Orbit	0.0	0.0	61.7	0
Brain and Other Nervous System	0.0	0.0	61.7	0
Endocrine System	0.0	0.0	61.7	0
Thyroid	0.0	0.0	61.7	0
Other Endocrine including Thymus	0.0	0.0	61.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	61.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	61.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	61.7	0
Acute Lymphocytic Leukemia	0.0	0.0	61.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	61.7	0
Other Lymphocytic Leukemia	0.0	0.0	61.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	61.7	0
Acute Myeloid Leukemia	0.0	0.0	61.7	0
Acute Monocytic Leukemia	0.0	0.0	61.7	0
Chronic Myeloid Leukemia	0.0	0.0	61.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	61.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	61.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	61.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	400.2	200.8	705.2	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	127.4	0
Tongue	0.0	0.0	127.4	0
Salivary Gland	0.0	0.0	127.4	0
Floor of Mouth	0.0	0.0	127.4	0
Gum and Other Mouth	0.0	0.0	127.4	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	127.4	0
Oropharynx	0.0	0.0	127.4	0
Hypopharynx	0.0	0.0	127.4	0
Other Oral Cavity and Pharynx	0.0	0.0	127.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	127.4	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	127.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	127.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	127.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	127.4	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	127.4	0
Pancreas	0.0	0.0	127.4	0
Retroperitoneum	0.0	0.0	127.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.4	0
Other Digestive Organs	0.0	0.0	127.4	0
Respiratory System	202.5	71.1	443.9	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.4	0
Larynx	0.0	0.0	127.4	0
Lung and Bronchus	202.5	71.1	443.9	6
Pleura	0.0	0.0	127.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.4	0
Bones and Joints	0.0	0.0	127.4	0
Soft Tissue including Heart	0.0	0.0	127.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	127.4	0
Melanoma of the Skin	0.0	0.0	127.4	0
Other Non-Epithelial Skin	0.0	0.0	127.4	0
Urinary System	0.0	0.0	127.4	0
Urinary Bladder	0.0	0.0	127.4	0
Kidney and Renal Pelvis	0.0	0.0	127.4	0
Ureter	0.0	0.0	127.4	0
Other Urinary Organs	0.0	0.0	127.4	0
Eye and Orbit	0.0	0.0	127.4	0
Brain and Other Nervous System	0.0	0.0	127.4	0
Endocrine System	0.0	0.0	127.4	0
Thyroid	0.0	0.0	127.4	0
Other Endocrine including Thymus	0.0	0.0	127.4	0
Lymphoma	0.0	0.0	127.4	0
Hodgkin Lymphoma	0.0	0.0	127.4	0
Non-Hodgkin Lymphoma	0.0	0.0	127.4	0
Myeloma	0.0	0.0	127.4	0
Leukemia	0.0	0.0	127.4	0
Lymphocytic Leukemia	0.0	0.0	127.4	0
Acute Lymphocytic Leukemia	0.0	0.0	127.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.4	0
Other Lymphocytic Leukemia	0.0	0.0	127.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.4	0
Acute Myeloid Leukemia	0.0	0.0	127.4	0
Acute Monocytic Leukemia	0.0	0.0	127.4	0
Chronic Myeloid Leukemia	0.0	0.0	127.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.4	0
Other Leukemia	0.0	0.0	127.4	0
Other Acute Leukemia	0.0	0.0	127.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	127.4	0
Miscellaneous Malignant Cancer	0.0	0.0	127.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	215.1	105.5	384.4	11
Oral Cavity and Pharynx	0.0	0.0	64.5	0
Lip	0.0	0.0	64.5	0
Tongue	0.0	0.0	64.5	0
Salivary Gland	0.0	0.0	64.5	0
Floor of Mouth	0.0	0.0	64.5	0
Gum and Other Mouth	0.0	0.0	64.5	0
Nasopharynx	0.0	0.0	64.5	0
Tonsil	0.0	0.0	64.5	0
Oropharynx	0.0	0.0	64.5	0
Hypopharynx	0.0	0.0	64.5	0
Other Oral Cavity and Pharynx	0.0	0.0	64.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	64.5	0
Stomach	0.0	0.0	64.5	0
Small Intestine	0.0	0.0	64.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	64.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	64.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	64.5	0
Liver	0.0	0.0	64.5	0
Intrahepatic Bile Duct	0.0	0.0	64.5	0
Gallbladder	0.0	0.0	64.5	0
Other Biliary	0.0	0.0	64.5	0
Pancreas	0.0	0.0	64.5	0
Retroperitoneum	0.0	0.0	64.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.5	0
Other Digestive Organs	0.0	0.0	64.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.5	0
Larynx	0.0	0.0	64.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.5	0
Bones and Joints	0.0	0.0	64.5	0
Soft Tissue including Heart	0.0	0.0	64.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	64.5	0
Melanoma of the Skin	0.0	0.0	64.5	0
Other Non-Epithelial Skin	0.0	0.0	64.5	0
Urinary System	0.0	0.0	64.5	0
Urinary Bladder	0.0	0.0	64.5	0
Kidney and Renal Pelvis	0.0	0.0	64.5	0
Ureter	0.0	0.0	64.5	0
Other Urinary Organs	0.0	0.0	64.5	0
Eye and Orbit	0.0	0.0	64.5	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	64.5	0
Lymphoma	0.0	0.0	64.5	0
Hodgkin Lymphoma	0.0	0.0	64.5	0
Non-Hodgkin Lymphoma	0.0	0.0	64.5	0
Myeloma	0.0	0.0	64.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	64.5	0
Acute Lymphocytic Leukemia	0.0	0.0	64.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.5	0
Other Lymphocytic Leukemia	0.0	0.0	64.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.5	0
Acute Myeloid Leukemia	0.0	0.0	64.5	0
Acute Monocytic Leukemia	0.0	0.0	64.5	0
Chronic Myeloid Leukemia	0.0	0.0	64.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	64.5	0
Miscellaneous Malignant Cancer	0.0	0.0	64.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	617.6	0
Lip	0.0	0.0	617.6	0
Tongue	0.0	0.0	617.6	0
Salivary Gland	0.0	0.0	617.6	0
Floor of Mouth	0.0	0.0	617.6	0
Gum and Other Mouth	0.0	0.0	617.6	0
Nasopharynx	0.0	0.0	617.6	0
Tonsil	0.0	0.0	617.6	0
Oropharynx	0.0	0.0	617.6	0
Hypopharynx	0.0	0.0	617.6	0
Other Oral Cavity and Pharynx	0.0	0.0	617.6	0
Digestive System	0.0	0.0	617.6	0
Esophagus	0.0	0.0	617.6	0
Stomach	0.0	0.0	617.6	0
Small Intestine	0.0	0.0	617.6	0
Colon and Rectum	0.0	0.0	617.6	0
Colon excluding Rectum	0.0	0.0	617.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	617.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	617.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	617.6	0
Liver	0.0	0.0	617.6	0
Intrahepatic Bile Duct	0.0	0.0	617.6	0
Gallbladder	0.0	0.0	617.6	0
Other Biliary	0.0	0.0	617.6	0
Pancreas	0.0	0.0	617.6	0
Retroperitoneum	0.0	0.0	617.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	617.6	0
Other Digestive Organs	0.0	0.0	617.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	617.6	0
Larynx	0.0	0.0	617.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	617.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	617.6	0
Bones and Joints	0.0	0.0	617.6	0
Soft Tissue including Heart	0.0	0.0	617.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	617.6	0
Melanoma of the Skin	0.0	0.0	617.6	0
Other Non-Epithelial Skin	0.0	0.0	617.6	0
Urinary System	0.0	0.0	617.6	0
Urinary Bladder	0.0	0.0	617.6	0
Kidney and Renal Pelvis	0.0	0.0	617.6	0
Ureter	0.0	0.0	617.6	0
Other Urinary Organs	0.0	0.0	617.6	0
Eye and Orbit	0.0	0.0	617.6	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	617.6	0
Thyroid	0.0	0.0	617.6	0
Other Endocrine including Thymus	0.0	0.0	617.6	0
Lymphoma	0.0	0.0	617.6	0
Hodgkin Lymphoma	0.0	0.0	617.6	0
Non-Hodgkin Lymphoma	0.0	0.0	617.6	0
Myeloma	0.0	0.0	617.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	617.6	0
Acute Lymphocytic Leukemia	0.0	0.0	617.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	617.6	0
Other Lymphocytic Leukemia	0.0	0.0	617.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	617.6	0
Acute Monocytic Leukemia	0.0	0.0	617.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	617.6	0
Other Leukemia	0.0	0.0	617.6	0
Other Acute Leukemia	0.0	0.0	617.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	617.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	617.6	0
Miscellaneous Malignant Cancer	0.0	0.0	617.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	79.1	0
Lip	0.0	0.0	79.1	0
Tongue	0.0	0.0	79.1	0
Salivary Gland	0.0	0.0	79.1	0
Floor of Mouth	0.0	0.0	79.1	0
Gum and Other Mouth	0.0	0.0	79.1	0
Nasopharynx	0.0	0.0	79.1	0
Tonsil	0.0	0.0	79.1	0
Oropharynx	0.0	0.0	79.1	0
Hypopharynx	0.0	0.0	79.1	0
Other Oral Cavity and Pharynx	0.0	0.0	79.1	0
Digestive System	0.0	0.0	79.1	0
Esophagus	0.0	0.0	79.1	0
Stomach	0.0	0.0	79.1	0
Small Intestine	0.0	0.0	79.1	0
Colon and Rectum	0.0	0.0	79.1	0
Colon excluding Rectum	0.0	0.0	79.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	79.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	79.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	79.1	0
Liver	0.0	0.0	79.1	0
Intrahepatic Bile Duct	0.0	0.0	79.1	0
Gallbladder	0.0	0.0	79.1	0
Other Biliary	0.0	0.0	79.1	0
Pancreas	0.0	0.0	79.1	0
Retroperitoneum	0.0	0.0	79.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	79.1	0
Other Digestive Organs	0.0	0.0	79.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	79.1	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	79.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	79.1	0
Bones and Joints	0.0	0.0	79.1	0
Soft Tissue including Heart	0.0	0.0	79.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1997/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	79.1	0
Melanoma of the Skin	0.0	0.0	79.1	0
Other Non-Epithelial Skin	0.0	0.0	79.1	0
Urinary System	0.0	0.0	79.1	0
Urinary Bladder	0.0	0.0	79.1	0
Kidney and Renal Pelvis	0.0	0.0	79.1	0
Ureter	0.0	0.0	79.1	0
Other Urinary Organs	0.0	0.0	79.1	0
Eye and Orbit	0.0	0.0	79.1	0
Brain and Other Nervous System	0.0	0.0	79.1	0
Endocrine System	0.0	0.0	79.1	0
Thyroid	0.0	0.0	79.1	0
Other Endocrine including Thymus	0.0	0.0	79.1	0
Lymphoma	0.0	0.0	79.1	0
Hodgkin Lymphoma	0.0	0.0	79.1	0
Non-Hodgkin Lymphoma	0.0	0.0	79.1	0
Myeloma	0.0	0.0	79.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	79.1	0
Acute Lymphocytic Leukemia	0.0	0.0	79.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	79.1	0
Other Lymphocytic Leukemia	0.0	0.0	79.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	79.1	0
Acute Monocytic Leukemia	0.0	0.0	79.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	79.1	0
Other Leukemia	0.0	0.0	79.1	0
Other Acute Leukemia	0.0	0.0	79.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	79.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	79.1	0
Miscellaneous Malignant Cancer	0.0	0.0	79.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	757.4	0
Lip	0.0	0.0	757.4	0
Tongue	0.0	0.0	757.4	0
Salivary Gland	0.0	0.0	757.4	0
Floor of Mouth	0.0	0.0	757.4	0
Gum and Other Mouth	0.0	0.0	757.4	0
Nasopharynx	0.0	0.0	757.4	0
Tonsil	0.0	0.0	757.4	0
Oropharynx	0.0	0.0	757.4	0
Hypopharynx	0.0	0.0	757.4	0
Other Oral Cavity and Pharynx	0.0	0.0	757.4	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	757.4	0
Small Intestine	0.0	0.0	757.4	0
Colon and Rectum	0.0	0.0	757.4	0
Colon excluding Rectum	0.0	0.0	757.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	757.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	757.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	757.4	0
Liver	0.0	0.0	757.4	0
Intrahepatic Bile Duct	0.0	0.0	757.4	0
Gallbladder	0.0	0.0	757.4	0
Other Biliary	0.0	0.0	757.4	0
Pancreas	0.0	0.0	757.4	0
Retroperitoneum	0.0	0.0	757.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	757.4	0
Other Digestive Organs	0.0	0.0	757.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	757.4	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	757.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	757.4	0
Bones and Joints	0.0	0.0	757.4	0
Soft Tissue including Heart	0.0	0.0	757.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	757.4	0
Melanoma of the Skin	0.0	0.0	757.4	0
Other Non-Epithelial Skin	0.0	0.0	757.4	0
Urinary System	0.0	0.0	757.4	0
Urinary Bladder	0.0	0.0	757.4	0
Kidney and Renal Pelvis	0.0	0.0	757.4	0
Ureter	0.0	0.0	757.4	0
Other Urinary Organs	0.0	0.0	757.4	0
Eye and Orbit	0.0	0.0	757.4	0
Brain and Other Nervous System	0.0	0.0	757.4	0
Endocrine System	0.0	0.0	757.4	0
Thyroid	0.0	0.0	757.4	0
Other Endocrine including Thymus	0.0	0.0	757.4	0
Lymphoma	0.0	0.0	757.4	0
Hodgkin Lymphoma	0.0	0.0	757.4	0
Non-Hodgkin Lymphoma	0.0	0.0	757.4	0
Myeloma	0.0	0.0	757.4	0
Leukemia	0.0	0.0	757.4	0
Lymphocytic Leukemia	0.0	0.0	757.4	0
Acute Lymphocytic Leukemia	0.0	0.0	757.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	757.4	0
Other Lymphocytic Leukemia	0.0	0.0	757.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	757.4	0
Acute Myeloid Leukemia	0.0	0.0	757.4	0
Acute Monocytic Leukemia	0.0	0.0	757.4	0
Chronic Myeloid Leukemia	0.0	0.0	757.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	757.4	0
Other Leukemia	0.0	0.0	757.4	0
Other Acute Leukemia	0.0	0.0	757.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	757.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	757.4	0
Miscellaneous Malignant Cancer	0.0	0.0	757.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	681.2	0
Tongue	0.0	0.0	681.2	0
Salivary Gland	0.0	0.0	681.2	0
Floor of Mouth	0.0	0.0	681.2	0
Gum and Other Mouth	0.0	0.0	681.2	0
Nasopharynx	0.0	0.0	681.2	0
Tonsil	0.0	0.0	681.2	0
Oropharynx	0.0	0.0	681.2	0
Hypopharynx	0.0	0.0	681.2	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	0.0	0.0	681.2	0
Esophagus	0.0	0.0	681.2	0
Stomach	0.0	0.0	681.2	0
Small Intestine	0.0	0.0	681.2	0
Colon and Rectum	0.0	0.0	681.2	0
Colon excluding Rectum	0.0	0.0	681.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	681.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	681.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	681.2	0
Liver	0.0	0.0	681.2	0
Intrahepatic Bile Duct	0.0	0.0	681.2	0
Gallbladder	0.0	0.0	681.2	0
Other Biliary	0.0	0.0	681.2	0
Pancreas	0.0	0.0	681.2	0
Retroperitoneum	0.0	0.0	681.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	681.2	0
Other Digestive Organs	0.0	0.0	681.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	681.2	0
Larynx	0.0	0.0	681.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	681.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	681.2	0
Bones and Joints	0.0	0.0	681.2	0
Soft Tissue including Heart	0.0	0.0	681.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	681.2	0
Melanoma of the Skin	0.0	0.0	681.2	0
Other Non-Epithelial Skin	0.0	0.0	681.2	0
Urinary System	0.0	0.0	681.2	0
Urinary Bladder	0.0	0.0	681.2	0
Kidney and Renal Pelvis	0.0	0.0	681.2	0
Ureter	0.0	0.0	681.2	0
Other Urinary Organs	0.0	0.0	681.2	0
Eye and Orbit	0.0	0.0	681.2	0
Brain and Other Nervous System	0.0	0.0	681.2	0
Endocrine System	0.0	0.0	681.2	0
Thyroid	0.0	0.0	681.2	0
Other Endocrine including Thymus	0.0	0.0	681.2	0
Lymphoma	0.0	0.0	681.2	0
Hodgkin Lymphoma	0.0	0.0	681.2	0
Non-Hodgkin Lymphoma	0.0	0.0	681.2	0
Myeloma	0.0	0.0	681.2	0
Leukemia	0.0	0.0	681.2	0
Lymphocytic Leukemia	0.0	0.0	681.2	0
Acute Lymphocytic Leukemia	0.0	0.0	681.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	681.2	0
Other Lymphocytic Leukemia	0.0	0.0	681.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	681.2	0
Acute Myeloid Leukemia	0.0	0.0	681.2	0
Acute Monocytic Leukemia	0.0	0.0	681.2	0
Chronic Myeloid Leukemia	0.0	0.0	681.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	681.2	0
Other Leukemia	0.0	0.0	681.2	0
Other Acute Leukemia	0.0	0.0	681.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	681.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	681.2	0
Miscellaneous Malignant Cancer	0.0	0.0	681.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	182.2	157.7	209.1	245
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	2.5	0
Floor of Mouth	0.0	0.0	2.5	0
Gum and Other Mouth	0.0	0.0	2.5	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	2.5	0
Oropharynx	0.0	0.0	2.5	0
Hypopharynx	0.0	0.0	2.5	0
Other Oral Cavity and Pharynx	0.0	0.0	2.5	0
Digestive System	46.2	33.9	61.0	58
Esophagus	10.3	4.8	18.6	12
Stomach	7.6	3.2	14.7	9
Small Intestine	^	^	^	^
Colon and Rectum	14.8	8.2	24.1	18
Colon excluding Rectum	13.3	7.0	22.3	16
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.5	3.1	14.7	9
Liver	6.9	2.6	14.0	8
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	2.5	0
Other Biliary	0.0	0.0	2.5	0
Pancreas	5.1	2.1	10.2	8
Retroperitoneum	0.0	0.0	2.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.5	0
Other Digestive Organs	0.0	0.0	2.5	0
Respiratory System	54.7	41.9	69.8	74
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	51.0	38.8	65.4	70
Pleura	0.0	0.0	2.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.5	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.5	1.2	8.1	6
Melanoma of the Skin	3.5	1.2	8.1	6
Other Non-Epithelial Skin	0.0	0.0	2.5	0
Urinary System	8.8	4.1	16.0	11
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	4.1	1.3	9.2	6
Ureter	0.0	0.0	2.5	0
Other Urinary Organs	0.0	0.0	2.5	0
Eye and Orbit	0.0	0.0	2.5	0
Brain and Other Nervous System	5.5	2.5	10.6	10
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	2.5	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	8.9	4.5	15.6	14
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	8.0	3.9	14.4	13
Myeloma	^	^	^	^
Leukemia	4.6	1.5	10.1	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	2.5	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.5	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	2.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	2.5	0
Miscellaneous Malignant Cancer	12.1	6.5	20.2	15

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	216.1	110.8	368.4	13
Oral Cavity and Pharynx	0.0	0.0	43.8	0
Lip	0.0	0.0	43.8	0
Tongue	0.0	0.0	43.8	0
Salivary Gland	0.0	0.0	43.8	0
Floor of Mouth	0.0	0.0	43.8	0
Gum and Other Mouth	0.0	0.0	43.8	0
Nasopharynx	0.0	0.0	43.8	0
Tonsil	0.0	0.0	43.8	0
Oropharynx	0.0	0.0	43.8	0
Hypopharynx	0.0	0.0	43.8	0
Other Oral Cavity and Pharynx	0.0	0.0	43.8	0
Digestive System	101.8	35.4	215.8	6
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	43.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	43.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	43.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	43.8	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	43.8	0
Other Biliary	0.0	0.0	43.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	43.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	43.8	0
Other Digestive Organs	0.0	0.0	43.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	43.8	0
Larynx	0.0	0.0	43.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	43.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	43.8	0
Bones and Joints	0.0	0.0	43.8	0
Soft Tissue including Heart	0.0	0.0	43.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	43.8	0
Melanoma of the Skin	0.0	0.0	43.8	0
Other Non-Epithelial Skin	0.0	0.0	43.8	0
Urinary System	0.0	0.0	43.8	0
Urinary Bladder	0.0	0.0	43.8	0
Kidney and Renal Pelvis	0.0	0.0	43.8	0
Ureter	0.0	0.0	43.8	0
Other Urinary Organs	0.0	0.0	43.8	0
Eye and Orbit	0.0	0.0	43.8	0
Brain and Other Nervous System	0.0	0.0	43.8	0
Endocrine System	0.0	0.0	43.8	0
Thyroid	0.0	0.0	43.8	0
Other Endocrine including Thymus	0.0	0.0	43.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	43.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	43.8	0
Leukemia	0.0	0.0	43.8	0
Lymphocytic Leukemia	0.0	0.0	43.8	0
Acute Lymphocytic Leukemia	0.0	0.0	43.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	43.8	0
Other Lymphocytic Leukemia	0.0	0.0	43.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	43.8	0
Acute Myeloid Leukemia	0.0	0.0	43.8	0
Acute Monocytic Leukemia	0.0	0.0	43.8	0
Chronic Myeloid Leukemia	0.0	0.0	43.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	43.8	0
Other Leukemia	0.0	0.0	43.8	0
Other Acute Leukemia	0.0	0.0	43.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	43.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	43.8	0
Miscellaneous Malignant Cancer	0.0	0.0	43.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,493.6	0
Lip	0.0	0.0	1,493.6	0
Tongue	0.0	0.0	1,493.6	0
Salivary Gland	0.0	0.0	1,493.6	0
Floor of Mouth	0.0	0.0	1,493.6	0
Gum and Other Mouth	0.0	0.0	1,493.6	0
Nasopharynx	0.0	0.0	1,493.6	0
Tonsil	0.0	0.0	1,493.6	0
Oropharynx	0.0	0.0	1,493.6	0
Hypopharynx	0.0	0.0	1,493.6	0
Other Oral Cavity and Pharynx	0.0	0.0	1,493.6	0
Digestive System	0.0	0.0	1,493.6	0
Esophagus	0.0	0.0	1,493.6	0
Stomach	0.0	0.0	1,493.6	0
Small Intestine	0.0	0.0	1,493.6	0
Colon and Rectum	0.0	0.0	1,493.6	0
Colon excluding Rectum	0.0	0.0	1,493.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,493.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,493.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,493.6	0
Liver	0.0	0.0	1,493.6	0
Intrahepatic Bile Duct	0.0	0.0	1,493.6	0
Gallbladder	0.0	0.0	1,493.6	0
Other Biliary	0.0	0.0	1,493.6	0
Pancreas	0.0	0.0	1,493.6	0
Retroperitoneum	0.0	0.0	1,493.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,493.6	0
Other Digestive Organs	0.0	0.0	1,493.6	0
Respiratory System	0.0	0.0	1,493.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,493.6	0
Larynx	0.0	0.0	1,493.6	0
Lung and Bronchus	0.0	0.0	1,493.6	0
Pleura	0.0	0.0	1,493.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,493.6	0
Bones and Joints	0.0	0.0	1,493.6	0
Soft Tissue including Heart	0.0	0.0	1,493.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	1,493.6	0
Melanoma of the Skin	0.0	0.0	1,493.6	0
Other Non-Epithelial Skin	0.0	0.0	1,493.6	0
Urinary System	0.0	0.0	1,493.6	0
Urinary Bladder	0.0	0.0	1,493.6	0
Kidney and Renal Pelvis	0.0	0.0	1,493.6	0
Ureter	0.0	0.0	1,493.6	0
Other Urinary Organs	0.0	0.0	1,493.6	0
Eye and Orbit	0.0	0.0	1,493.6	0
Brain and Other Nervous System	0.0	0.0	1,493.6	0
Endocrine System	0.0	0.0	1,493.6	0
Thyroid	0.0	0.0	1,493.6	0
Other Endocrine including Thymus	0.0	0.0	1,493.6	0
Lymphoma	0.0	0.0	1,493.6	0
Hodgkin Lymphoma	0.0	0.0	1,493.6	0
Non-Hodgkin Lymphoma	0.0	0.0	1,493.6	0
Myeloma	0.0	0.0	1,493.6	0
Leukemia	0.0	0.0	1,493.6	0
Lymphocytic Leukemia	0.0	0.0	1,493.6	0
Acute Lymphocytic Leukemia	0.0	0.0	1,493.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,493.6	0
Other Lymphocytic Leukemia	0.0	0.0	1,493.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,493.6	0
Acute Myeloid Leukemia	0.0	0.0	1,493.6	0
Acute Monocytic Leukemia	0.0	0.0	1,493.6	0
Chronic Myeloid Leukemia	0.0	0.0	1,493.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,493.6	0
Other Leukemia	0.0	0.0	1,493.6	0
Other Acute Leukemia	0.0	0.0	1,493.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,493.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	1,493.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	600.9	0
Lip	0.0	0.0	600.9	0
Tongue	0.0	0.0	600.9	0
Salivary Gland	0.0	0.0	600.9	0
Floor of Mouth	0.0	0.0	600.9	0
Gum and Other Mouth	0.0	0.0	600.9	0
Nasopharynx	0.0	0.0	600.9	0
Tonsil	0.0	0.0	600.9	0
Oropharynx	0.0	0.0	600.9	0
Hypopharynx	0.0	0.0	600.9	0
Other Oral Cavity and Pharynx	0.0	0.0	600.9	0
Digestive System	0.0	0.0	600.9	0
Esophagus	0.0	0.0	600.9	0
Stomach	0.0	0.0	600.9	0
Small Intestine	0.0	0.0	600.9	0
Colon and Rectum	0.0	0.0	600.9	0
Colon excluding Rectum	0.0	0.0	600.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	600.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	600.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	600.9	0
Liver	0.0	0.0	600.9	0
Intrahepatic Bile Duct	0.0	0.0	600.9	0
Gallbladder	0.0	0.0	600.9	0
Other Biliary	0.0	0.0	600.9	0
Pancreas	0.0	0.0	600.9	0
Retroperitoneum	0.0	0.0	600.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	600.9	0
Other Digestive Organs	0.0	0.0	600.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	600.9	0
Larynx	0.0	0.0	600.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	600.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	600.9	0
Bones and Joints	0.0	0.0	600.9	0
Soft Tissue including Heart	0.0	0.0	600.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	600.9	0
Melanoma of the Skin	0.0	0.0	600.9	0
Other Non-Epithelial Skin	0.0	0.0	600.9	0
Urinary System	0.0	0.0	600.9	0
Urinary Bladder	0.0	0.0	600.9	0
Kidney and Renal Pelvis	0.0	0.0	600.9	0
Ureter	0.0	0.0	600.9	0
Other Urinary Organs	0.0	0.0	600.9	0
Eye and Orbit	0.0	0.0	600.9	0
Brain and Other Nervous System	0.0	0.0	600.9	0
Endocrine System	0.0	0.0	600.9	0
Thyroid	0.0	0.0	600.9	0
Other Endocrine including Thymus	0.0	0.0	600.9	0
Lymphoma	0.0	0.0	600.9	0
Hodgkin Lymphoma	0.0	0.0	600.9	0
Non-Hodgkin Lymphoma	0.0	0.0	600.9	0
Myeloma	0.0	0.0	600.9	0
Leukemia	0.0	0.0	600.9	0
Lymphocytic Leukemia	0.0	0.0	600.9	0
Acute Lymphocytic Leukemia	0.0	0.0	600.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	600.9	0
Other Lymphocytic Leukemia	0.0	0.0	600.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	600.9	0
Acute Myeloid Leukemia	0.0	0.0	600.9	0
Acute Monocytic Leukemia	0.0	0.0	600.9	0
Chronic Myeloid Leukemia	0.0	0.0	600.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	600.9	0
Other Leukemia	0.0	0.0	600.9	0
Other Acute Leukemia	0.0	0.0	600.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	600.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	600.9	0
Miscellaneous Malignant Cancer	0.0	0.0	600.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	131.8	0
Tongue	0.0	0.0	131.8	0
Salivary Gland	0.0	0.0	131.8	0
Floor of Mouth	0.0	0.0	131.8	0
Gum and Other Mouth	0.0	0.0	131.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	131.8	0
Oropharynx	0.0	0.0	131.8	0
Hypopharynx	0.0	0.0	131.8	0
Other Oral Cavity and Pharynx	0.0	0.0	131.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	131.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	131.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	131.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	131.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	131.8	0
Liver	0.0	0.0	131.8	0
Intrahepatic Bile Duct	0.0	0.0	131.8	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	131.8	0
Pancreas	0.0	0.0	131.8	0
Retroperitoneum	0.0	0.0	131.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	131.8	0
Other Digestive Organs	0.0	0.0	131.8	0
Respiratory System	0.0	0.0	131.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	131.8	0
Larynx	0.0	0.0	131.8	0
Lung and Bronchus	0.0	0.0	131.8	0
Pleura	0.0	0.0	131.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	131.8	0
Bones and Joints	0.0	0.0	131.8	0
Soft Tissue including Heart	0.0	0.0	131.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	131.8	0
Melanoma of the Skin	0.0	0.0	131.8	0
Other Non-Epithelial Skin	0.0	0.0	131.8	0
Urinary System	0.0	0.0	131.8	0
Urinary Bladder	0.0	0.0	131.8	0
Kidney and Renal Pelvis	0.0	0.0	131.8	0
Ureter	0.0	0.0	131.8	0
Other Urinary Organs	0.0	0.0	131.8	0
Eye and Orbit	0.0	0.0	131.8	0
Brain and Other Nervous System	0.0	0.0	131.8	0
Endocrine System	0.0	0.0	131.8	0
Thyroid	0.0	0.0	131.8	0
Other Endocrine including Thymus	0.0	0.0	131.8	0
Lymphoma	0.0	0.0	131.8	0
Hodgkin Lymphoma	0.0	0.0	131.8	0
Non-Hodgkin Lymphoma	0.0	0.0	131.8	0
Myeloma	0.0	0.0	131.8	0
Leukemia	0.0	0.0	131.8	0
Lymphocytic Leukemia	0.0	0.0	131.8	0
Acute Lymphocytic Leukemia	0.0	0.0	131.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	131.8	0
Other Lymphocytic Leukemia	0.0	0.0	131.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	131.8	0
Acute Myeloid Leukemia	0.0	0.0	131.8	0
Acute Monocytic Leukemia	0.0	0.0	131.8	0
Chronic Myeloid Leukemia	0.0	0.0	131.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	131.8	0
Other Leukemia	0.0	0.0	131.8	0
Other Acute Leukemia	0.0	0.0	131.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	131.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	131.8	0
Miscellaneous Malignant Cancer	0.0	0.0	131.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	149.6	110.0	197.4	60
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.6	0
Tongue	0.0	0.0	8.6	0
Salivary Gland	0.0	0.0	8.6	0
Floor of Mouth	0.0	0.0	8.6	0
Gum and Other Mouth	0.0	0.0	8.6	0
Nasopharynx	0.0	0.0	8.6	0
Tonsil	0.0	0.0	8.6	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	8.6	0
Other Oral Cavity and Pharynx	0.0	0.0	8.6	0
Digestive System	28.8	14.4	50.7	13
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	8.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.6	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	8.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.6	0
Other Digestive Organs	0.0	0.0	8.6	0
Respiratory System	48.1	26.5	78.2	17
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.6	0
Larynx	0.0	0.0	8.6	0
Lung and Bronchus	48.1	26.5	78.2	17
Pleura	0.0	0.0	8.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.6	0
Bones and Joints	0.0	0.0	8.6	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	8.6	0
Melanoma of the Skin	0.0	0.0	8.6	0
Other Non-Epithelial Skin	0.0	0.0	8.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	8.6	0
Other Urinary Organs	0.0	0.0	8.6	0
Eye and Orbit	0.0	0.0	8.6	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	8.6	0
Thyroid	0.0	0.0	8.6	0
Other Endocrine including Thymus	0.0	0.0	8.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	8.6	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	8.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	8.6	0
Acute Lymphocytic Leukemia	0.0	0.0	8.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	8.6	0
Other Lymphocytic Leukemia	0.0	0.0	8.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.6	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	8.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	8.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	366.7	136.3	778.1	7
Oral Cavity and Pharynx	0.0	0.0	195.9	0
Lip	0.0	0.0	195.9	0
Tongue	0.0	0.0	195.9	0
Salivary Gland	0.0	0.0	195.9	0
Floor of Mouth	0.0	0.0	195.9	0
Gum and Other Mouth	0.0	0.0	195.9	0
Nasopharynx	0.0	0.0	195.9	0
Tonsil	0.0	0.0	195.9	0
Oropharynx	0.0	0.0	195.9	0
Hypopharynx	0.0	0.0	195.9	0
Other Oral Cavity and Pharynx	0.0	0.0	195.9	0
Digestive System	0.0	0.0	195.9	0
Esophagus	0.0	0.0	195.9	0
Stomach	0.0	0.0	195.9	0
Small Intestine	0.0	0.0	195.9	0
Colon and Rectum	0.0	0.0	195.9	0
Colon excluding Rectum	0.0	0.0	195.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	195.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	195.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	195.9	0
Liver	0.0	0.0	195.9	0
Intrahepatic Bile Duct	0.0	0.0	195.9	0
Gallbladder	0.0	0.0	195.9	0
Other Biliary	0.0	0.0	195.9	0
Pancreas	0.0	0.0	195.9	0
Retroperitoneum	0.0	0.0	195.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	195.9	0
Other Digestive Organs	0.0	0.0	195.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	195.9	0
Larynx	0.0	0.0	195.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	195.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	195.9	0
Bones and Joints	0.0	0.0	195.9	0
Soft Tissue including Heart	0.0	0.0	195.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	195.9	0
Melanoma of the Skin	0.0	0.0	195.9	0
Other Non-Epithelial Skin	0.0	0.0	195.9	0
Urinary System	0.0	0.0	195.9	0
Urinary Bladder	0.0	0.0	195.9	0
Kidney and Renal Pelvis	0.0	0.0	195.9	0
Ureter	0.0	0.0	195.9	0
Other Urinary Organs	0.0	0.0	195.9	0
Eye and Orbit	0.0	0.0	195.9	0
Brain and Other Nervous System	0.0	0.0	195.9	0
Endocrine System	0.0	0.0	195.9	0
Thyroid	0.0	0.0	195.9	0
Other Endocrine including Thymus	0.0	0.0	195.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	195.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	195.9	0
Leukemia	0.0	0.0	195.9	0
Lymphocytic Leukemia	0.0	0.0	195.9	0
Acute Lymphocytic Leukemia	0.0	0.0	195.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	195.9	0
Other Lymphocytic Leukemia	0.0	0.0	195.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	195.9	0
Acute Myeloid Leukemia	0.0	0.0	195.9	0
Acute Monocytic Leukemia	0.0	0.0	195.9	0
Chronic Myeloid Leukemia	0.0	0.0	195.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	195.9	0
Other Leukemia	0.0	0.0	195.9	0
Other Acute Leukemia	0.0	0.0	195.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	195.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	195.9	0
Miscellaneous Malignant Cancer	0.0	0.0	195.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	199.6	134.8	282.0	34
Oral Cavity and Pharynx	0.0	0.0	17.9	0
Lip	0.0	0.0	17.9	0
Tongue	0.0	0.0	17.9	0
Salivary Gland	0.0	0.0	17.9	0
Floor of Mouth	0.0	0.0	17.9	0
Gum and Other Mouth	0.0	0.0	17.9	0
Nasopharynx	0.0	0.0	17.9	0
Tonsil	0.0	0.0	17.9	0
Oropharynx	0.0	0.0	17.9	0
Hypopharynx	0.0	0.0	17.9	0
Other Oral Cavity and Pharynx	0.0	0.0	17.9	0
Digestive System	48.2	20.6	93.1	9
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	17.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	17.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	17.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	17.9	0
Gallbladder	0.0	0.0	17.9	0
Other Biliary	0.0	0.0	17.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	17.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.9	0
Other Digestive Organs	0.0	0.0	17.9	0
Respiratory System	51.3	22.5	97.5	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	17.9	0
Larynx	0.0	0.0	17.9	0
Lung and Bronchus	51.3	22.5	97.5	9
Pleura	0.0	0.0	17.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	17.9	0
Bones and Joints	0.0	0.0	17.9	0
Soft Tissue including Heart	0.0	0.0	17.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	17.9	0
Melanoma of the Skin	0.0	0.0	17.9	0
Other Non-Epithelial Skin	0.0	0.0	17.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	17.9	0
Ureter	0.0	0.0	17.9	0
Other Urinary Organs	0.0	0.0	17.9	0
Eye and Orbit	0.0	0.0	17.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	17.9	0
Thyroid	0.0	0.0	17.9	0
Other Endocrine including Thymus	0.0	0.0	17.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	17.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	17.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	17.9	0
Acute Lymphocytic Leukemia	0.0	0.0	17.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	17.9	0
Other Lymphocytic Leukemia	0.0	0.0	17.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	17.9	0
Chronic Myeloid Leukemia	0.0	0.0	17.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.9	0
Other Leukemia	0.0	0.0	17.9	0
Other Acute Leukemia	0.0	0.0	17.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	17.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	248.1	188.6	318.8	74
Oral Cavity and Pharynx	0.0	0.0	11.5	0
Lip	0.0	0.0	11.5	0
Tongue	0.0	0.0	11.5	0
Salivary Gland	0.0	0.0	11.5	0
Floor of Mouth	0.0	0.0	11.5	0
Gum and Other Mouth	0.0	0.0	11.5	0
Nasopharynx	0.0	0.0	11.5	0
Tonsil	0.0	0.0	11.5	0
Oropharynx	0.0	0.0	11.5	0
Hypopharynx	0.0	0.0	11.5	0
Other Oral Cavity and Pharynx	0.0	0.0	11.5	0
Digestive System	61.2	34.4	99.0	19
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	11.5	0
Colon and Rectum	29.9	10.5	62.7	7
Colon excluding Rectum	29.9	10.5	62.7	7
Rectum and Rectosigmoid Junction	0.0	0.0	11.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	11.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	11.5	0
Other Biliary	0.0	0.0	11.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	11.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.5	0
Other Digestive Organs	0.0	0.0	11.5	0
Respiratory System	73.7	47.8	108.7	27
Nose, Nasal Cavity and Middle Ear	0.0	0.0	11.5	0
Larynx	^	^	^	^
Lung and Bronchus	65.6	41.3	98.8	24
Pleura	0.0	0.0	11.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.5	0
Bones and Joints	0.0	0.0	11.5	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	11.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	11.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	11.5	0
Other Urinary Organs	0.0	0.0	11.5	0
Eye and Orbit	0.0	0.0	11.5	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	11.5	0
Thyroid	0.0	0.0	11.5	0
Other Endocrine including Thymus	0.0	0.0	11.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	11.5	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	11.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	11.5	0
Chronic Myeloid Leukemia	0.0	0.0	11.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.5	0
Other Leukemia	0.0	0.0	11.5	0
Other Acute Leukemia	0.0	0.0	11.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	11.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	11.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	178.9	104.8	282.7	19
Oral Cavity and Pharynx	0.0	0.0	32.9	0
Lip	0.0	0.0	32.9	0
Tongue	0.0	0.0	32.9	0
Salivary Gland	0.0	0.0	32.9	0
Floor of Mouth	0.0	0.0	32.9	0
Gum and Other Mouth	0.0	0.0	32.9	0
Nasopharynx	0.0	0.0	32.9	0
Tonsil	0.0	0.0	32.9	0
Oropharynx	0.0	0.0	32.9	0
Hypopharynx	0.0	0.0	32.9	0
Other Oral Cavity and Pharynx	0.0	0.0	32.9	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	32.9	0
Small Intestine	0.0	0.0	32.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	32.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	32.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	32.9	0
Liver	0.0	0.0	32.9	0
Intrahepatic Bile Duct	0.0	0.0	32.9	0
Gallbladder	0.0	0.0	32.9	0
Other Biliary	0.0	0.0	32.9	0
Pancreas	0.0	0.0	32.9	0
Retroperitoneum	0.0	0.0	32.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.9	0
Other Digestive Organs	0.0	0.0	32.9	0
Respiratory System	77.4	31.8	154.0	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.9	0
Larynx	0.0	0.0	32.9	0
Lung and Bronchus	77.4	31.8	154.0	8
Pleura	0.0	0.0	32.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.9	0
Bones and Joints	0.0	0.0	32.9	0
Soft Tissue including Heart	0.0	0.0	32.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	32.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	32.9	0
Ureter	0.0	0.0	32.9	0
Other Urinary Organs	0.0	0.0	32.9	0
Eye and Orbit	0.0	0.0	32.9	0
Brain and Other Nervous System	0.0	0.0	32.9	0
Endocrine System	0.0	0.0	32.9	0
Thyroid	0.0	0.0	32.9	0
Other Endocrine including Thymus	0.0	0.0	32.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	32.9	0
Acute Lymphocytic Leukemia	0.0	0.0	32.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.9	0
Other Lymphocytic Leukemia	0.0	0.0	32.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.9	0
Chronic Myeloid Leukemia	0.0	0.0	32.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.9	0
Other Leukemia	0.0	0.0	32.9	0
Other Acute Leukemia	0.0	0.0	32.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	32.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	202.8	85.6	385.3	11
Oral Cavity and Pharynx	0.0	0.0	57.1	0
Lip	0.0	0.0	57.1	0
Tongue	0.0	0.0	57.1	0
Salivary Gland	0.0	0.0	57.1	0
Floor of Mouth	0.0	0.0	57.1	0
Gum and Other Mouth	0.0	0.0	57.1	0
Nasopharynx	0.0	0.0	57.1	0
Tonsil	0.0	0.0	57.1	0
Oropharynx	0.0	0.0	57.1	0
Hypopharynx	0.0	0.0	57.1	0
Other Oral Cavity and Pharynx	0.0	0.0	57.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	57.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	57.1	0
Colon and Rectum	0.0	0.0	57.1	0
Colon excluding Rectum	0.0	0.0	57.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	57.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	57.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	57.1	0
Liver	0.0	0.0	57.1	0
Intrahepatic Bile Duct	0.0	0.0	57.1	0
Gallbladder	0.0	0.0	57.1	0
Other Biliary	0.0	0.0	57.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	57.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	57.1	0
Other Digestive Organs	0.0	0.0	57.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	57.1	0
Larynx	0.0	0.0	57.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	57.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	57.1	0
Bones and Joints	0.0	0.0	57.1	0
Soft Tissue including Heart	0.0	0.0	57.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	57.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	57.1	0
Ureter	0.0	0.0	57.1	0
Other Urinary Organs	0.0	0.0	57.1	0
Eye and Orbit	0.0	0.0	57.1	0
Brain and Other Nervous System	0.0	0.0	57.1	0
Endocrine System	0.0	0.0	57.1	0
Thyroid	0.0	0.0	57.1	0
Other Endocrine including Thymus	0.0	0.0	57.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	57.1	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	57.1	0
Leukemia	0.0	0.0	57.1	0
Lymphocytic Leukemia	0.0	0.0	57.1	0
Acute Lymphocytic Leukemia	0.0	0.0	57.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	57.1	0
Other Lymphocytic Leukemia	0.0	0.0	57.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	57.1	0
Acute Myeloid Leukemia	0.0	0.0	57.1	0
Acute Monocytic Leukemia	0.0	0.0	57.1	0
Chronic Myeloid Leukemia	0.0	0.0	57.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	57.1	0
Other Leukemia	0.0	0.0	57.1	0
Other Acute Leukemia	0.0	0.0	57.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	57.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	57.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	395.7	0
Tongue	0.0	0.0	395.7	0
Salivary Gland	0.0	0.0	395.7	0
Floor of Mouth	0.0	0.0	395.7	0
Gum and Other Mouth	0.0	0.0	395.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	395.7	0
Oropharynx	0.0	0.0	395.7	0
Hypopharynx	0.0	0.0	395.7	0
Other Oral Cavity and Pharynx	0.0	0.0	395.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	395.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	395.7	0
Colon and Rectum	0.0	0.0	395.7	0
Colon excluding Rectum	0.0	0.0	395.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	395.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	395.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	395.7	0
Liver	0.0	0.0	395.7	0
Intrahepatic Bile Duct	0.0	0.0	395.7	0
Gallbladder	0.0	0.0	395.7	0
Other Biliary	0.0	0.0	395.7	0
Pancreas	0.0	0.0	395.7	0
Retroperitoneum	0.0	0.0	395.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	395.7	0
Other Digestive Organs	0.0	0.0	395.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	395.7	0
Larynx	0.0	0.0	395.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	395.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	395.7	0
Bones and Joints	0.0	0.0	395.7	0
Soft Tissue including Heart	0.0	0.0	395.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	395.7	0
Melanoma of the Skin	0.0	0.0	395.7	0
Other Non-Epithelial Skin	0.0	0.0	395.7	0
Urinary System	0.0	0.0	395.7	0
Urinary Bladder	0.0	0.0	395.7	0
Kidney and Renal Pelvis	0.0	0.0	395.7	0
Ureter	0.0	0.0	395.7	0
Other Urinary Organs	0.0	0.0	395.7	0
Eye and Orbit	0.0	0.0	395.7	0
Brain and Other Nervous System	0.0	0.0	395.7	0
Endocrine System	0.0	0.0	395.7	0
Thyroid	0.0	0.0	395.7	0
Other Endocrine including Thymus	0.0	0.0	395.7	0
Lymphoma	0.0	0.0	395.7	0
Hodgkin Lymphoma	0.0	0.0	395.7	0
Non-Hodgkin Lymphoma	0.0	0.0	395.7	0
Myeloma	0.0	0.0	395.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	395.7	0
Acute Lymphocytic Leukemia	0.0	0.0	395.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	395.7	0
Other Lymphocytic Leukemia	0.0	0.0	395.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	395.7	0
Chronic Myeloid Leukemia	0.0	0.0	395.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	395.7	0
Other Leukemia	0.0	0.0	395.7	0
Other Acute Leukemia	0.0	0.0	395.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	395.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	395.7	0
Miscellaneous Malignant Cancer	0.0	0.0	395.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	190.5	140.0	251.8	59
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	11.9	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	11.9	0
Floor of Mouth	0.0	0.0	11.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	11.9	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	11.9	0
Hypopharynx	0.0	0.0	11.9	0
Other Oral Cavity and Pharynx	0.0	0.0	11.9	0
Digestive System	33.6	17.2	59.3	13
Esophagus	0.0	0.0	11.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	11.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	11.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	11.9	0
Gallbladder	0.0	0.0	11.9	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	11.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.9	0
Other Digestive Organs	0.0	0.0	11.9	0
Respiratory System	61.0	35.7	96.5	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	11.9	0
Larynx	0.0	0.0	11.9	0
Lung and Bronchus	61.0	35.7	96.5	19
Pleura	0.0	0.0	11.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.9	0
Bones and Joints	0.0	0.0	11.9	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	11.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	11.9	0
Other Urinary Organs	0.0	0.0	11.9	0
Eye and Orbit	0.0	0.0	11.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	11.9	0
Thyroid	0.0	0.0	11.9	0
Other Endocrine including Thymus	0.0	0.0	11.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	11.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	11.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	11.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	11.9	0
Acute Myeloid Leukemia	0.0	0.0	11.9	0
Acute Monocytic Leukemia	0.0	0.0	11.9	0
Chronic Myeloid Leukemia	0.0	0.0	11.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.9	0
Other Leukemia	0.0	0.0	11.9	0
Other Acute Leukemia	0.0	0.0	11.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	11.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	11.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	417.2	239.7	661.5	19
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	64.9	0
Tongue	0.0	0.0	64.9	0
Salivary Gland	0.0	0.0	64.9	0
Floor of Mouth	0.0	0.0	64.9	0
Gum and Other Mouth	0.0	0.0	64.9	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	64.9	0
Oropharynx	0.0	0.0	64.9	0
Hypopharynx	0.0	0.0	64.9	0
Other Oral Cavity and Pharynx	0.0	0.0	64.9	0
Digestive System	190.0	83.5	359.8	10
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	64.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	64.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	64.9	0
Liver	0.0	0.0	64.9	0
Intrahepatic Bile Duct	0.0	0.0	64.9	0
Gallbladder	0.0	0.0	64.9	0
Other Biliary	0.0	0.0	64.9	0
Pancreas	0.0	0.0	64.9	0
Retroperitoneum	0.0	0.0	64.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.9	0
Other Digestive Organs	0.0	0.0	64.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.9	0
Larynx	0.0	0.0	64.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.9	0
Bones and Joints	0.0	0.0	64.9	0
Soft Tissue including Heart	0.0	0.0	64.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	64.9	0
Melanoma of the Skin	0.0	0.0	64.9	0
Other Non-Epithelial Skin	0.0	0.0	64.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	64.9	0
Ureter	0.0	0.0	64.9	0
Other Urinary Organs	0.0	0.0	64.9	0
Eye and Orbit	0.0	0.0	64.9	0
Brain and Other Nervous System	0.0	0.0	64.9	0
Endocrine System	0.0	0.0	64.9	0
Thyroid	0.0	0.0	64.9	0
Other Endocrine including Thymus	0.0	0.0	64.9	0
Lymphoma	0.0	0.0	64.9	0
Hodgkin Lymphoma	0.0	0.0	64.9	0
Non-Hodgkin Lymphoma	0.0	0.0	64.9	0
Myeloma	0.0	0.0	64.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	64.9	0
Acute Lymphocytic Leukemia	0.0	0.0	64.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.9	0
Other Lymphocytic Leukemia	0.0	0.0	64.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	64.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.9	0
Other Leukemia	0.0	0.0	64.9	0
Other Acute Leukemia	0.0	0.0	64.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	64.9	0
Miscellaneous Malignant Cancer	0.0	0.0	64.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	202.2	62.9	462.8	6
Oral Cavity and Pharynx	0.0	0.0	130.9	0
Lip	0.0	0.0	130.9	0
Tongue	0.0	0.0	130.9	0
Salivary Gland	0.0	0.0	130.9	0
Floor of Mouth	0.0	0.0	130.9	0
Gum and Other Mouth	0.0	0.0	130.9	0
Nasopharynx	0.0	0.0	130.9	0
Tonsil	0.0	0.0	130.9	0
Oropharynx	0.0	0.0	130.9	0
Hypopharynx	0.0	0.0	130.9	0
Other Oral Cavity and Pharynx	0.0	0.0	130.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	130.9	0
Stomach	0.0	0.0	130.9	0
Small Intestine	0.0	0.0	130.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	130.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	130.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	130.9	0
Liver	0.0	0.0	130.9	0
Intrahepatic Bile Duct	0.0	0.0	130.9	0
Gallbladder	0.0	0.0	130.9	0
Other Biliary	0.0	0.0	130.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	130.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	130.9	0
Other Digestive Organs	0.0	0.0	130.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	130.9	0
Larynx	0.0	0.0	130.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	130.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	130.9	0
Bones and Joints	0.0	0.0	130.9	0
Soft Tissue including Heart	0.0	0.0	130.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	130.9	0
Melanoma of the Skin	0.0	0.0	130.9	0
Other Non-Epithelial Skin	0.0	0.0	130.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	130.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	130.9	0
Other Urinary Organs	0.0	0.0	130.9	0
Eye and Orbit	0.0	0.0	130.9	0
Brain and Other Nervous System	0.0	0.0	130.9	0
Endocrine System	0.0	0.0	130.9	0
Thyroid	0.0	0.0	130.9	0
Other Endocrine including Thymus	0.0	0.0	130.9	0
Lymphoma	0.0	0.0	130.9	0
Hodgkin Lymphoma	0.0	0.0	130.9	0
Non-Hodgkin Lymphoma	0.0	0.0	130.9	0
Myeloma	0.0	0.0	130.9	0
Leukemia	0.0	0.0	130.9	0
Lymphocytic Leukemia	0.0	0.0	130.9	0
Acute Lymphocytic Leukemia	0.0	0.0	130.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	130.9	0
Other Lymphocytic Leukemia	0.0	0.0	130.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	130.9	0
Acute Myeloid Leukemia	0.0	0.0	130.9	0
Acute Monocytic Leukemia	0.0	0.0	130.9	0
Chronic Myeloid Leukemia	0.0	0.0	130.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	130.9	0
Other Leukemia	0.0	0.0	130.9	0
Other Acute Leukemia	0.0	0.0	130.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	130.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	130.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	313.7	153.9	560.3	12
Oral Cavity and Pharynx	0.0	0.0	100.1	0
Lip	0.0	0.0	100.1	0
Tongue	0.0	0.0	100.1	0
Salivary Gland	0.0	0.0	100.1	0
Floor of Mouth	0.0	0.0	100.1	0
Gum and Other Mouth	0.0	0.0	100.1	0
Nasopharynx	0.0	0.0	100.1	0
Tonsil	0.0	0.0	100.1	0
Oropharynx	0.0	0.0	100.1	0
Hypopharynx	0.0	0.0	100.1	0
Other Oral Cavity and Pharynx	0.0	0.0	100.1	0
Digestive System	207.0	80.8	423.8	8
Esophagus	0.0	0.0	100.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	100.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	100.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	100.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	100.1	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	100.1	0
Other Biliary	0.0	0.0	100.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	100.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	100.1	0
Other Digestive Organs	0.0	0.0	100.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	100.1	0
Larynx	0.0	0.0	100.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	100.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	100.1	0
Bones and Joints	0.0	0.0	100.1	0
Soft Tissue including Heart	0.0	0.0	100.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	100.1	0
Melanoma of the Skin	0.0	0.0	100.1	0
Other Non-Epithelial Skin	0.0	0.0	100.1	0
Urinary System	0.0	0.0	100.1	0
Urinary Bladder	0.0	0.0	100.1	0
Kidney and Renal Pelvis	0.0	0.0	100.1	0
Ureter	0.0	0.0	100.1	0
Other Urinary Organs	0.0	0.0	100.1	0
Eye and Orbit	0.0	0.0	100.1	0
Brain and Other Nervous System	0.0	0.0	100.1	0
Endocrine System	0.0	0.0	100.1	0
Thyroid	0.0	0.0	100.1	0
Other Endocrine including Thymus	0.0	0.0	100.1	0
Lymphoma	0.0	0.0	100.1	0
Hodgkin Lymphoma	0.0	0.0	100.1	0
Non-Hodgkin Lymphoma	0.0	0.0	100.1	0
Myeloma	0.0	0.0	100.1	0
Leukemia	0.0	0.0	100.1	0
Lymphocytic Leukemia	0.0	0.0	100.1	0
Acute Lymphocytic Leukemia	0.0	0.0	100.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	100.1	0
Other Lymphocytic Leukemia	0.0	0.0	100.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	100.1	0
Acute Myeloid Leukemia	0.0	0.0	100.1	0
Acute Monocytic Leukemia	0.0	0.0	100.1	0
Chronic Myeloid Leukemia	0.0	0.0	100.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	100.1	0
Other Leukemia	0.0	0.0	100.1	0
Other Acute Leukemia	0.0	0.0	100.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	100.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	100.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	192.3	46.4	478.2	6
Oral Cavity and Pharynx	0.0	0.0	127.0	0
Lip	0.0	0.0	127.0	0
Tongue	0.0	0.0	127.0	0
Salivary Gland	0.0	0.0	127.0	0
Floor of Mouth	0.0	0.0	127.0	0
Gum and Other Mouth	0.0	0.0	127.0	0
Nasopharynx	0.0	0.0	127.0	0
Tonsil	0.0	0.0	127.0	0
Oropharynx	0.0	0.0	127.0	0
Hypopharynx	0.0	0.0	127.0	0
Other Oral Cavity and Pharynx	0.0	0.0	127.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	127.0	0
Stomach	0.0	0.0	127.0	0
Small Intestine	0.0	0.0	127.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	127.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	127.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	127.0	0
Liver	0.0	0.0	127.0	0
Intrahepatic Bile Duct	0.0	0.0	127.0	0
Gallbladder	0.0	0.0	127.0	0
Other Biliary	0.0	0.0	127.0	0
Pancreas	0.0	0.0	127.0	0
Retroperitoneum	0.0	0.0	127.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.0	0
Other Digestive Organs	0.0	0.0	127.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.0	0
Larynx	0.0	0.0	127.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	127.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.0	0
Bones and Joints	0.0	0.0	127.0	0
Soft Tissue including Heart	0.0	0.0	127.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	127.0	0
Melanoma of the Skin	0.0	0.0	127.0	0
Other Non-Epithelial Skin	0.0	0.0	127.0	0
Urinary System	0.0	0.0	127.0	0
Urinary Bladder	0.0	0.0	127.0	0
Kidney and Renal Pelvis	0.0	0.0	127.0	0
Ureter	0.0	0.0	127.0	0
Other Urinary Organs	0.0	0.0	127.0	0
Eye and Orbit	0.0	0.0	127.0	0
Brain and Other Nervous System	0.0	0.0	127.0	0
Endocrine System	0.0	0.0	127.0	0
Thyroid	0.0	0.0	127.0	0
Other Endocrine including Thymus	0.0	0.0	127.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	127.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	127.0	0
Leukemia	0.0	0.0	127.0	0
Lymphocytic Leukemia	0.0	0.0	127.0	0
Acute Lymphocytic Leukemia	0.0	0.0	127.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.0	0
Other Lymphocytic Leukemia	0.0	0.0	127.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.0	0
Acute Myeloid Leukemia	0.0	0.0	127.0	0
Acute Monocytic Leukemia	0.0	0.0	127.0	0
Chronic Myeloid Leukemia	0.0	0.0	127.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.0	0
Other Leukemia	0.0	0.0	127.0	0
Other Acute Leukemia	0.0	0.0	127.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	127.0	0
Miscellaneous Malignant Cancer	0.0	0.0	127.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	53.1	0
Lip	0.0	0.0	53.1	0
Tongue	0.0	0.0	53.1	0
Salivary Gland	0.0	0.0	53.1	0
Floor of Mouth	0.0	0.0	53.1	0
Gum and Other Mouth	0.0	0.0	53.1	0
Nasopharynx	0.0	0.0	53.1	0
Tonsil	0.0	0.0	53.1	0
Oropharynx	0.0	0.0	53.1	0
Hypopharynx	0.0	0.0	53.1	0
Other Oral Cavity and Pharynx	0.0	0.0	53.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	53.1	0
Small Intestine	0.0	0.0	53.1	0
Colon and Rectum	0.0	0.0	53.1	0
Colon excluding Rectum	0.0	0.0	53.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	53.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	53.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	53.1	0
Liver	0.0	0.0	53.1	0
Intrahepatic Bile Duct	0.0	0.0	53.1	0
Gallbladder	0.0	0.0	53.1	0
Other Biliary	0.0	0.0	53.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	53.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.1	0
Other Digestive Organs	0.0	0.0	53.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.1	0
Larynx	0.0	0.0	53.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	53.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.1	0
Bones and Joints	0.0	0.0	53.1	0
Soft Tissue including Heart	0.0	0.0	53.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	53.1	0
Melanoma of the Skin	0.0	0.0	53.1	0
Other Non-Epithelial Skin	0.0	0.0	53.1	0
Urinary System	0.0	0.0	53.1	0
Urinary Bladder	0.0	0.0	53.1	0
Kidney and Renal Pelvis	0.0	0.0	53.1	0
Ureter	0.0	0.0	53.1	0
Other Urinary Organs	0.0	0.0	53.1	0
Eye and Orbit	0.0	0.0	53.1	0
Brain and Other Nervous System	0.0	0.0	53.1	0
Endocrine System	0.0	0.0	53.1	0
Thyroid	0.0	0.0	53.1	0
Other Endocrine including Thymus	0.0	0.0	53.1	0
Lymphoma	0.0	0.0	53.1	0
Hodgkin Lymphoma	0.0	0.0	53.1	0
Non-Hodgkin Lymphoma	0.0	0.0	53.1	0
Myeloma	0.0	0.0	53.1	0
Leukemia	0.0	0.0	53.1	0
Lymphocytic Leukemia	0.0	0.0	53.1	0
Acute Lymphocytic Leukemia	0.0	0.0	53.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.1	0
Other Lymphocytic Leukemia	0.0	0.0	53.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	53.1	0
Acute Myeloid Leukemia	0.0	0.0	53.1	0
Acute Monocytic Leukemia	0.0	0.0	53.1	0
Chronic Myeloid Leukemia	0.0	0.0	53.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.1	0
Other Leukemia	0.0	0.0	53.1	0
Other Acute Leukemia	0.0	0.0	53.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	53.1	0
Miscellaneous Malignant Cancer	0.0	0.0	53.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	257.4	83.7	581.7	7
Oral Cavity and Pharynx	0.0	0.0	159.8	0
Lip	0.0	0.0	159.8	0
Tongue	0.0	0.0	159.8	0
Salivary Gland	0.0	0.0	159.8	0
Floor of Mouth	0.0	0.0	159.8	0
Gum and Other Mouth	0.0	0.0	159.8	0
Nasopharynx	0.0	0.0	159.8	0
Tonsil	0.0	0.0	159.8	0
Oropharynx	0.0	0.0	159.8	0
Hypopharynx	0.0	0.0	159.8	0
Other Oral Cavity and Pharynx	0.0	0.0	159.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	159.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	159.8	0
Colon and Rectum	0.0	0.0	159.8	0
Colon excluding Rectum	0.0	0.0	159.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	159.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	159.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	159.8	0
Liver	0.0	0.0	159.8	0
Intrahepatic Bile Duct	0.0	0.0	159.8	0
Gallbladder	0.0	0.0	159.8	0
Other Biliary	0.0	0.0	159.8	0
Pancreas	0.0	0.0	159.8	0
Retroperitoneum	0.0	0.0	159.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	159.8	0
Other Digestive Organs	0.0	0.0	159.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	159.8	0
Larynx	0.0	0.0	159.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	159.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	159.8	0
Bones and Joints	0.0	0.0	159.8	0
Soft Tissue including Heart	0.0	0.0	159.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	159.8	0
Melanoma of the Skin	0.0	0.0	159.8	0
Other Non-Epithelial Skin	0.0	0.0	159.8	0
Urinary System	0.0	0.0	159.8	0
Urinary Bladder	0.0	0.0	159.8	0
Kidney and Renal Pelvis	0.0	0.0	159.8	0
Ureter	0.0	0.0	159.8	0
Other Urinary Organs	0.0	0.0	159.8	0
Eye and Orbit	0.0	0.0	159.8	0
Brain and Other Nervous System	0.0	0.0	159.8	0
Endocrine System	0.0	0.0	159.8	0
Thyroid	0.0	0.0	159.8	0
Other Endocrine including Thymus	0.0	0.0	159.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	159.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	159.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	159.8	0
Acute Lymphocytic Leukemia	0.0	0.0	159.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	159.8	0
Other Lymphocytic Leukemia	0.0	0.0	159.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	159.8	0
Chronic Myeloid Leukemia	0.0	0.0	159.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	159.8	0
Other Leukemia	0.0	0.0	159.8	0
Other Acute Leukemia	0.0	0.0	159.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	159.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	159.8	0
Miscellaneous Malignant Cancer	0.0	0.0	159.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	101.2	0
Lip	0.0	0.0	101.2	0
Tongue	0.0	0.0	101.2	0
Salivary Gland	0.0	0.0	101.2	0
Floor of Mouth	0.0	0.0	101.2	0
Gum and Other Mouth	0.0	0.0	101.2	0
Nasopharynx	0.0	0.0	101.2	0
Tonsil	0.0	0.0	101.2	0
Oropharynx	0.0	0.0	101.2	0
Hypopharynx	0.0	0.0	101.2	0
Other Oral Cavity and Pharynx	0.0	0.0	101.2	0
Digestive System	0.0	0.0	101.2	0
Esophagus	0.0	0.0	101.2	0
Stomach	0.0	0.0	101.2	0
Small Intestine	0.0	0.0	101.2	0
Colon and Rectum	0.0	0.0	101.2	0
Colon excluding Rectum	0.0	0.0	101.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	101.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	101.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	101.2	0
Liver	0.0	0.0	101.2	0
Intrahepatic Bile Duct	0.0	0.0	101.2	0
Gallbladder	0.0	0.0	101.2	0
Other Biliary	0.0	0.0	101.2	0
Pancreas	0.0	0.0	101.2	0
Retroperitoneum	0.0	0.0	101.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	101.2	0
Other Digestive Organs	0.0	0.0	101.2	0
Respiratory System	0.0	0.0	101.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	101.2	0
Larynx	0.0	0.0	101.2	0
Lung and Bronchus	0.0	0.0	101.2	0
Pleura	0.0	0.0	101.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	101.2	0
Bones and Joints	0.0	0.0	101.2	0
Soft Tissue including Heart	0.0	0.0	101.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	101.2	0
Melanoma of the Skin	0.0	0.0	101.2	0
Other Non-Epithelial Skin	0.0	0.0	101.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	101.2	0
Ureter	0.0	0.0	101.2	0
Other Urinary Organs	0.0	0.0	101.2	0
Eye and Orbit	0.0	0.0	101.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	101.2	0
Thyroid	0.0	0.0	101.2	0
Other Endocrine including Thymus	0.0	0.0	101.2	0
Lymphoma	0.0	0.0	101.2	0
Hodgkin Lymphoma	0.0	0.0	101.2	0
Non-Hodgkin Lymphoma	0.0	0.0	101.2	0
Myeloma	0.0	0.0	101.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	101.2	0
Acute Lymphocytic Leukemia	0.0	0.0	101.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	101.2	0
Other Lymphocytic Leukemia	0.0	0.0	101.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	101.2	0
Chronic Myeloid Leukemia	0.0	0.0	101.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	101.2	0
Other Leukemia	0.0	0.0	101.2	0
Other Acute Leukemia	0.0	0.0	101.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	101.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	101.2	0
Miscellaneous Malignant Cancer	0.0	0.0	101.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	187.8	81.6	355.7	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	60.4	0
Tongue	0.0	0.0	60.4	0
Salivary Gland	0.0	0.0	60.4	0
Floor of Mouth	0.0	0.0	60.4	0
Gum and Other Mouth	0.0	0.0	60.4	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	60.4	0
Oropharynx	0.0	0.0	60.4	0
Hypopharynx	0.0	0.0	60.4	0
Other Oral Cavity and Pharynx	0.0	0.0	60.4	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	60.4	0
Small Intestine	0.0	0.0	60.4	0
Colon and Rectum	0.0	0.0	60.4	0
Colon excluding Rectum	0.0	0.0	60.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	60.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	60.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	60.4	0
Gallbladder	0.0	0.0	60.4	0
Other Biliary	0.0	0.0	60.4	0
Pancreas	0.0	0.0	60.4	0
Retroperitoneum	0.0	0.0	60.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	60.4	0
Other Digestive Organs	0.0	0.0	60.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	60.4	0
Larynx	0.0	0.0	60.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	60.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	60.4	0
Bones and Joints	0.0	0.0	60.4	0
Soft Tissue including Heart	0.0	0.0	60.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	60.4	0
Melanoma of the Skin	0.0	0.0	60.4	0
Other Non-Epithelial Skin	0.0	0.0	60.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	60.4	0
Ureter	0.0	0.0	60.4	0
Other Urinary Organs	0.0	0.0	60.4	0
Eye and Orbit	0.0	0.0	60.4	0
Brain and Other Nervous System	0.0	0.0	60.4	0
Endocrine System	0.0	0.0	60.4	0
Thyroid	0.0	0.0	60.4	0
Other Endocrine including Thymus	0.0	0.0	60.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	60.4	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	60.4	0
Leukemia	0.0	0.0	60.4	0
Lymphocytic Leukemia	0.0	0.0	60.4	0
Acute Lymphocytic Leukemia	0.0	0.0	60.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	60.4	0
Other Lymphocytic Leukemia	0.0	0.0	60.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	60.4	0
Acute Myeloid Leukemia	0.0	0.0	60.4	0
Acute Monocytic Leukemia	0.0	0.0	60.4	0
Chronic Myeloid Leukemia	0.0	0.0	60.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	60.4	0
Other Leukemia	0.0	0.0	60.4	0
Other Acute Leukemia	0.0	0.0	60.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	60.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	60.4	0
Miscellaneous Malignant Cancer	0.0	0.0	60.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	322.6	126.4	646.0	8
Oral Cavity and Pharynx	0.0	0.0	126.9	0
Lip	0.0	0.0	126.9	0
Tongue	0.0	0.0	126.9	0
Salivary Gland	0.0	0.0	126.9	0
Floor of Mouth	0.0	0.0	126.9	0
Gum and Other Mouth	0.0	0.0	126.9	0
Nasopharynx	0.0	0.0	126.9	0
Tonsil	0.0	0.0	126.9	0
Oropharynx	0.0	0.0	126.9	0
Hypopharynx	0.0	0.0	126.9	0
Other Oral Cavity and Pharynx	0.0	0.0	126.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	126.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	126.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	126.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	126.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	126.9	0
Liver	0.0	0.0	126.9	0
Intrahepatic Bile Duct	0.0	0.0	126.9	0
Gallbladder	0.0	0.0	126.9	0
Other Biliary	0.0	0.0	126.9	0
Pancreas	0.0	0.0	126.9	0
Retroperitoneum	0.0	0.0	126.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	126.9	0
Other Digestive Organs	0.0	0.0	126.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	126.9	0
Larynx	0.0	0.0	126.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	126.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	126.9	0
Bones and Joints	0.0	0.0	126.9	0
Soft Tissue including Heart	0.0	0.0	126.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	126.9	0
Melanoma of the Skin	0.0	0.0	126.9	0
Other Non-Epithelial Skin	0.0	0.0	126.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	126.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	126.9	0
Other Urinary Organs	0.0	0.0	126.9	0
Eye and Orbit	0.0	0.0	126.9	0
Brain and Other Nervous System	0.0	0.0	126.9	0
Endocrine System	0.0	0.0	126.9	0
Thyroid	0.0	0.0	126.9	0
Other Endocrine including Thymus	0.0	0.0	126.9	0
Lymphoma	0.0	0.0	126.9	0
Hodgkin Lymphoma	0.0	0.0	126.9	0
Non-Hodgkin Lymphoma	0.0	0.0	126.9	0
Myeloma	0.0	0.0	126.9	0
Leukemia	0.0	0.0	126.9	0
Lymphocytic Leukemia	0.0	0.0	126.9	0
Acute Lymphocytic Leukemia	0.0	0.0	126.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	126.9	0
Other Lymphocytic Leukemia	0.0	0.0	126.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	126.9	0
Acute Myeloid Leukemia	0.0	0.0	126.9	0
Acute Monocytic Leukemia	0.0	0.0	126.9	0
Chronic Myeloid Leukemia	0.0	0.0	126.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	126.9	0
Other Leukemia	0.0	0.0	126.9	0
Other Acute Leukemia	0.0	0.0	126.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	126.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	126.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	189.1	93.2	340.3	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	63.7	0
Tongue	0.0	0.0	63.7	0
Salivary Gland	0.0	0.0	63.7	0
Floor of Mouth	0.0	0.0	63.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	63.7	0
Tonsil	0.0	0.0	63.7	0
Oropharynx	0.0	0.0	63.7	0
Hypopharynx	0.0	0.0	63.7	0
Other Oral Cavity and Pharynx	0.0	0.0	63.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	63.7	0
Stomach	0.0	0.0	63.7	0
Small Intestine	0.0	0.0	63.7	0
Colon and Rectum	0.0	0.0	63.7	0
Colon excluding Rectum	0.0	0.0	63.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	63.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	63.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	63.7	0
Liver	0.0	0.0	63.7	0
Intrahepatic Bile Duct	0.0	0.0	63.7	0
Gallbladder	0.0	0.0	63.7	0
Other Biliary	0.0	0.0	63.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	63.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	63.7	0
Other Digestive Organs	0.0	0.0	63.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	63.7	0
Larynx	0.0	0.0	63.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	63.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	63.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	63.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	63.7	0
Melanoma of the Skin	0.0	0.0	63.7	0
Other Non-Epithelial Skin	0.0	0.0	63.7	0
Urinary System	0.0	0.0	63.7	0
Urinary Bladder	0.0	0.0	63.7	0
Kidney and Renal Pelvis	0.0	0.0	63.7	0
Ureter	0.0	0.0	63.7	0
Other Urinary Organs	0.0	0.0	63.7	0
Eye and Orbit	0.0	0.0	63.7	0
Brain and Other Nervous System	0.0	0.0	63.7	0
Endocrine System	0.0	0.0	63.7	0
Thyroid	0.0	0.0	63.7	0
Other Endocrine including Thymus	0.0	0.0	63.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	63.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	63.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	63.7	0
Acute Lymphocytic Leukemia	0.0	0.0	63.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	63.7	0
Other Lymphocytic Leukemia	0.0	0.0	63.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	63.7	0
Chronic Myeloid Leukemia	0.0	0.0	63.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	63.7	0
Other Leukemia	0.0	0.0	63.7	0
Other Acute Leukemia	0.0	0.0	63.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	63.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	63.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	690.7	0
Lip	0.0	0.0	690.7	0
Tongue	0.0	0.0	690.7	0
Salivary Gland	0.0	0.0	690.7	0
Floor of Mouth	0.0	0.0	690.7	0
Gum and Other Mouth	0.0	0.0	690.7	0
Nasopharynx	0.0	0.0	690.7	0
Tonsil	0.0	0.0	690.7	0
Oropharynx	0.0	0.0	690.7	0
Hypopharynx	0.0	0.0	690.7	0
Other Oral Cavity and Pharynx	0.0	0.0	690.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	690.7	0
Stomach	0.0	0.0	690.7	0
Small Intestine	0.0	0.0	690.7	0
Colon and Rectum	0.0	0.0	690.7	0
Colon excluding Rectum	0.0	0.0	690.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	690.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	690.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	690.7	0
Liver	0.0	0.0	690.7	0
Intrahepatic Bile Duct	0.0	0.0	690.7	0
Gallbladder	0.0	0.0	690.7	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	690.7	0
Retroperitoneum	0.0	0.0	690.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	690.7	0
Other Digestive Organs	0.0	0.0	690.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	690.7	0
Larynx	0.0	0.0	690.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	690.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	690.7	0
Bones and Joints	0.0	0.0	690.7	0
Soft Tissue including Heart	0.0	0.0	690.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	690.7	0
Melanoma of the Skin	0.0	0.0	690.7	0
Other Non-Epithelial Skin	0.0	0.0	690.7	0
Urinary System	0.0	0.0	690.7	0
Urinary Bladder	0.0	0.0	690.7	0
Kidney and Renal Pelvis	0.0	0.0	690.7	0
Ureter	0.0	0.0	690.7	0
Other Urinary Organs	0.0	0.0	690.7	0
Eye and Orbit	0.0	0.0	690.7	0
Brain and Other Nervous System	0.0	0.0	690.7	0
Endocrine System	0.0	0.0	690.7	0
Thyroid	0.0	0.0	690.7	0
Other Endocrine including Thymus	0.0	0.0	690.7	0
Lymphoma	0.0	0.0	690.7	0
Hodgkin Lymphoma	0.0	0.0	690.7	0
Non-Hodgkin Lymphoma	0.0	0.0	690.7	0
Myeloma	0.0	0.0	690.7	0
Leukemia	0.0	0.0	690.7	0
Lymphocytic Leukemia	0.0	0.0	690.7	0
Acute Lymphocytic Leukemia	0.0	0.0	690.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	690.7	0
Other Lymphocytic Leukemia	0.0	0.0	690.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	690.7	0
Acute Myeloid Leukemia	0.0	0.0	690.7	0
Acute Monocytic Leukemia	0.0	0.0	690.7	0
Chronic Myeloid Leukemia	0.0	0.0	690.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	690.7	0
Other Leukemia	0.0	0.0	690.7	0
Other Acute Leukemia	0.0	0.0	690.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	690.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	690.7	0
Miscellaneous Malignant Cancer	0.0	0.0	690.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	452.5	248.5	739.9	16
Oral Cavity and Pharynx	0.0	0.0	78.9	0
Lip	0.0	0.0	78.9	0
Tongue	0.0	0.0	78.9	0
Salivary Gland	0.0	0.0	78.9	0
Floor of Mouth	0.0	0.0	78.9	0
Gum and Other Mouth	0.0	0.0	78.9	0
Nasopharynx	0.0	0.0	78.9	0
Tonsil	0.0	0.0	78.9	0
Oropharynx	0.0	0.0	78.9	0
Hypopharynx	0.0	0.0	78.9	0
Other Oral Cavity and Pharynx	0.0	0.0	78.9	0
Digestive System	259.3	116.1	483.6	10
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	78.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	78.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	78.9	0
Liver	0.0	0.0	78.9	0
Intrahepatic Bile Duct	0.0	0.0	78.9	0
Gallbladder	0.0	0.0	78.9	0
Other Biliary	0.0	0.0	78.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	78.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	78.9	0
Other Digestive Organs	0.0	0.0	78.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	78.9	0
Larynx	0.0	0.0	78.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	78.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	78.9	0
Bones and Joints	0.0	0.0	78.9	0
Soft Tissue including Heart	0.0	0.0	78.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1998/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	78.9	0
Melanoma of the Skin	0.0	0.0	78.9	0
Other Non-Epithelial Skin	0.0	0.0	78.9	0
Urinary System	0.0	0.0	78.9	0
Urinary Bladder	0.0	0.0	78.9	0
Kidney and Renal Pelvis	0.0	0.0	78.9	0
Ureter	0.0	0.0	78.9	0
Other Urinary Organs	0.0	0.0	78.9	0
Eye and Orbit	0.0	0.0	78.9	0
Brain and Other Nervous System	0.0	0.0	78.9	0
Endocrine System	0.0	0.0	78.9	0
Thyroid	0.0	0.0	78.9	0
Other Endocrine including Thymus	0.0	0.0	78.9	0
Lymphoma	0.0	0.0	78.9	0
Hodgkin Lymphoma	0.0	0.0	78.9	0
Non-Hodgkin Lymphoma	0.0	0.0	78.9	0
Myeloma	0.0	0.0	78.9	0
Leukemia	0.0	0.0	78.9	0
Lymphocytic Leukemia	0.0	0.0	78.9	0
Acute Lymphocytic Leukemia	0.0	0.0	78.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	78.9	0
Other Lymphocytic Leukemia	0.0	0.0	78.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	78.9	0
Acute Myeloid Leukemia	0.0	0.0	78.9	0
Acute Monocytic Leukemia	0.0	0.0	78.9	0
Chronic Myeloid Leukemia	0.0	0.0	78.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	78.9	0
Other Leukemia	0.0	0.0	78.9	0
Other Acute Leukemia	0.0	0.0	78.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	78.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	78.9	0
Miscellaneous Malignant Cancer	0.0	0.0	78.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	700.7	0
Oral Cavity and Pharynx	0.0	0.0	700.7	0
Lip	0.0	0.0	700.7	0
Tongue	0.0	0.0	700.7	0
Salivary Gland	0.0	0.0	700.7	0
Floor of Mouth	0.0	0.0	700.7	0
Gum and Other Mouth	0.0	0.0	700.7	0
Nasopharynx	0.0	0.0	700.7	0
Tonsil	0.0	0.0	700.7	0
Oropharynx	0.0	0.0	700.7	0
Hypopharynx	0.0	0.0	700.7	0
Other Oral Cavity and Pharynx	0.0	0.0	700.7	0
Digestive System	0.0	0.0	700.7	0
Esophagus	0.0	0.0	700.7	0
Stomach	0.0	0.0	700.7	0
Small Intestine	0.0	0.0	700.7	0
Colon and Rectum	0.0	0.0	700.7	0
Colon excluding Rectum	0.0	0.0	700.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	700.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	700.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	700.7	0
Liver	0.0	0.0	700.7	0
Intrahepatic Bile Duct	0.0	0.0	700.7	0
Gallbladder	0.0	0.0	700.7	0
Other Biliary	0.0	0.0	700.7	0
Pancreas	0.0	0.0	700.7	0
Retroperitoneum	0.0	0.0	700.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	700.7	0
Other Digestive Organs	0.0	0.0	700.7	0
Respiratory System	0.0	0.0	700.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	700.7	0
Larynx	0.0	0.0	700.7	0
Lung and Bronchus	0.0	0.0	700.7	0
Pleura	0.0	0.0	700.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	700.7	0
Bones and Joints	0.0	0.0	700.7	0
Soft Tissue including Heart	0.0	0.0	700.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	700.7	0
Melanoma of the Skin	0.0	0.0	700.7	0
Other Non-Epithelial Skin	0.0	0.0	700.7	0
Urinary System	0.0	0.0	700.7	0
Urinary Bladder	0.0	0.0	700.7	0
Kidney and Renal Pelvis	0.0	0.0	700.7	0
Ureter	0.0	0.0	700.7	0
Other Urinary Organs	0.0	0.0	700.7	0
Eye and Orbit	0.0	0.0	700.7	0
Brain and Other Nervous System	0.0	0.0	700.7	0
Endocrine System	0.0	0.0	700.7	0
Thyroid	0.0	0.0	700.7	0
Other Endocrine including Thymus	0.0	0.0	700.7	0
Lymphoma	0.0	0.0	700.7	0
Hodgkin Lymphoma	0.0	0.0	700.7	0
Non-Hodgkin Lymphoma	0.0	0.0	700.7	0
Myeloma	0.0	0.0	700.7	0
Leukemia	0.0	0.0	700.7	0
Lymphocytic Leukemia	0.0	0.0	700.7	0
Acute Lymphocytic Leukemia	0.0	0.0	700.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	700.7	0
Other Lymphocytic Leukemia	0.0	0.0	700.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	700.7	0
Acute Myeloid Leukemia	0.0	0.0	700.7	0
Acute Monocytic Leukemia	0.0	0.0	700.7	0
Chronic Myeloid Leukemia	0.0	0.0	700.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	700.7	0
Other Leukemia	0.0	0.0	700.7	0
Other Acute Leukemia	0.0	0.0	700.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	700.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	700.7	0
Miscellaneous Malignant Cancer	0.0	0.0	700.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	783.6	0
Tongue	0.0	0.0	783.6	0
Salivary Gland	0.0	0.0	783.6	0
Floor of Mouth	0.0	0.0	783.6	0
Gum and Other Mouth	0.0	0.0	783.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	783.6	0
Oropharynx	0.0	0.0	783.6	0
Hypopharynx	0.0	0.0	783.6	0
Other Oral Cavity and Pharynx	0.0	0.0	783.6	0
Digestive System	0.0	0.0	783.6	0
Esophagus	0.0	0.0	783.6	0
Stomach	0.0	0.0	783.6	0
Small Intestine	0.0	0.0	783.6	0
Colon and Rectum	0.0	0.0	783.6	0
Colon excluding Rectum	0.0	0.0	783.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	783.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	783.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	783.6	0
Liver	0.0	0.0	783.6	0
Intrahepatic Bile Duct	0.0	0.0	783.6	0
Gallbladder	0.0	0.0	783.6	0
Other Biliary	0.0	0.0	783.6	0
Pancreas	0.0	0.0	783.6	0
Retroperitoneum	0.0	0.0	783.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	783.6	0
Other Digestive Organs	0.0	0.0	783.6	0
Respiratory System	0.0	0.0	783.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	783.6	0
Larynx	0.0	0.0	783.6	0
Lung and Bronchus	0.0	0.0	783.6	0
Pleura	0.0	0.0	783.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	783.6	0
Bones and Joints	0.0	0.0	783.6	0
Soft Tissue including Heart	0.0	0.0	783.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	783.6	0
Melanoma of the Skin	0.0	0.0	783.6	0
Other Non-Epithelial Skin	0.0	0.0	783.6	0
Urinary System	0.0	0.0	783.6	0
Urinary Bladder	0.0	0.0	783.6	0
Kidney and Renal Pelvis	0.0	0.0	783.6	0
Ureter	0.0	0.0	783.6	0
Other Urinary Organs	0.0	0.0	783.6	0
Eye and Orbit	0.0	0.0	783.6	0
Brain and Other Nervous System	0.0	0.0	783.6	0
Endocrine System	0.0	0.0	783.6	0
Thyroid	0.0	0.0	783.6	0
Other Endocrine including Thymus	0.0	0.0	783.6	0
Lymphoma	0.0	0.0	783.6	0
Hodgkin Lymphoma	0.0	0.0	783.6	0
Non-Hodgkin Lymphoma	0.0	0.0	783.6	0
Myeloma	0.0	0.0	783.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	783.6	0
Acute Lymphocytic Leukemia	0.0	0.0	783.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	783.6	0
Other Lymphocytic Leukemia	0.0	0.0	783.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	783.6	0
Chronic Myeloid Leukemia	0.0	0.0	783.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	783.6	0
Other Leukemia	0.0	0.0	783.6	0
Other Acute Leukemia	0.0	0.0	783.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	783.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	783.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	169.8	146.0	195.9	228
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	2.4	0
Floor of Mouth	0.0	0.0	2.4	0
Gum and Other Mouth	0.0	0.0	2.4	0
Nasopharynx	0.0	0.0	2.4	0
Tonsil	0.0	0.0	2.4	0
Oropharynx	0.0	0.0	2.4	0
Hypopharynx	0.0	0.0	2.4	0
Other Oral Cavity and Pharynx	0.0	0.0	2.4	0
Digestive System	41.9	29.8	56.5	51
Esophagus	^	^	^	^
Stomach	5.5	2.1	11.2	8
Small Intestine	^	^	^	^
Colon and Rectum	14.0	7.3	23.5	16
Colon excluding Rectum	11.6	5.5	20.6	13
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	2.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	2.4	0
Other Biliary	0.0	0.0	2.4	0
Pancreas	15.7	8.6	25.7	18
Retroperitoneum	0.0	0.0	2.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.4	0
Other Digestive Organs	0.0	0.0	2.4	0
Respiratory System	43.9	32.6	57.5	59
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.4	0
Larynx	0.0	0.0	2.4	0
Lung and Bronchus	43.9	32.6	57.5	59
Pleura	0.0	0.0	2.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	6.6	2.6	13.2	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	2.4	0
Other Urinary Organs	0.0	0.0	2.4	0
Eye and Orbit	0.0	0.0	2.4	0
Brain and Other Nervous System	5.4	2.3	10.5	9
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	2.4	0
Lymphoma	6.0	2.5	11.9	10
Hodgkin Lymphoma	0.0	0.0	2.4	0
Non-Hodgkin Lymphoma	6.0	2.5	11.9	10
Myeloma	6.6	2.6	13.1	8
Leukemia	9.9	4.6	17.9	12
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	2.4	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.4	0
Myeloid and Monocytic Leukemia	4.9	1.6	10.7	7
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.4	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.4	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	11.7	6.7	18.9	19

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	226.6	117.0	383.2	14
Oral Cavity and Pharynx	0.0	0.0	41.5	0
Lip	0.0	0.0	41.5	0
Tongue	0.0	0.0	41.5	0
Salivary Gland	0.0	0.0	41.5	0
Floor of Mouth	0.0	0.0	41.5	0
Gum and Other Mouth	0.0	0.0	41.5	0
Nasopharynx	0.0	0.0	41.5	0
Tonsil	0.0	0.0	41.5	0
Oropharynx	0.0	0.0	41.5	0
Hypopharynx	0.0	0.0	41.5	0
Other Oral Cavity and Pharynx	0.0	0.0	41.5	0
Digestive System	96.2	31.4	208.9	6
Esophagus	0.0	0.0	41.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	41.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	41.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	41.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	41.5	0
Liver	0.0	0.0	41.5	0
Intrahepatic Bile Duct	0.0	0.0	41.5	0
Gallbladder	0.0	0.0	41.5	0
Other Biliary	0.0	0.0	41.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	41.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	41.5	0
Other Digestive Organs	0.0	0.0	41.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	41.5	0
Larynx	0.0	0.0	41.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	41.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	41.5	0
Bones and Joints	0.0	0.0	41.5	0
Soft Tissue including Heart	0.0	0.0	41.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	41.5	0
Melanoma of the Skin	0.0	0.0	41.5	0
Other Non-Epithelial Skin	0.0	0.0	41.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	41.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	41.5	0
Other Urinary Organs	0.0	0.0	41.5	0
Eye and Orbit	0.0	0.0	41.5	0
Brain and Other Nervous System	0.0	0.0	41.5	0
Endocrine System	0.0	0.0	41.5	0
Thyroid	0.0	0.0	41.5	0
Other Endocrine including Thymus	0.0	0.0	41.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	41.5	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	41.5	0
Leukemia	0.0	0.0	41.5	0
Lymphocytic Leukemia	0.0	0.0	41.5	0
Acute Lymphocytic Leukemia	0.0	0.0	41.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	41.5	0
Other Lymphocytic Leukemia	0.0	0.0	41.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	41.5	0
Acute Myeloid Leukemia	0.0	0.0	41.5	0
Acute Monocytic Leukemia	0.0	0.0	41.5	0
Chronic Myeloid Leukemia	0.0	0.0	41.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	41.5	0
Other Leukemia	0.0	0.0	41.5	0
Other Acute Leukemia	0.0	0.0	41.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	41.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	41.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	1,908.5	0
Oral Cavity and Pharynx	0.0	0.0	1,908.5	0
Lip	0.0	0.0	1,908.5	0
Tongue	0.0	0.0	1,908.5	0
Salivary Gland	0.0	0.0	1,908.5	0
Floor of Mouth	0.0	0.0	1,908.5	0
Gum and Other Mouth	0.0	0.0	1,908.5	0
Nasopharynx	0.0	0.0	1,908.5	0
Tonsil	0.0	0.0	1,908.5	0
Oropharynx	0.0	0.0	1,908.5	0
Hypopharynx	0.0	0.0	1,908.5	0
Other Oral Cavity and Pharynx	0.0	0.0	1,908.5	0
Digestive System	0.0	0.0	1,908.5	0
Esophagus	0.0	0.0	1,908.5	0
Stomach	0.0	0.0	1,908.5	0
Small Intestine	0.0	0.0	1,908.5	0
Colon and Rectum	0.0	0.0	1,908.5	0
Colon excluding Rectum	0.0	0.0	1,908.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,908.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,908.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,908.5	0
Liver	0.0	0.0	1,908.5	0
Intrahepatic Bile Duct	0.0	0.0	1,908.5	0
Gallbladder	0.0	0.0	1,908.5	0
Other Biliary	0.0	0.0	1,908.5	0
Pancreas	0.0	0.0	1,908.5	0
Retroperitoneum	0.0	0.0	1,908.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,908.5	0
Other Digestive Organs	0.0	0.0	1,908.5	0
Respiratory System	0.0	0.0	1,908.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,908.5	0
Larynx	0.0	0.0	1,908.5	0
Lung and Bronchus	0.0	0.0	1,908.5	0
Pleura	0.0	0.0	1,908.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,908.5	0
Bones and Joints	0.0	0.0	1,908.5	0
Soft Tissue including Heart	0.0	0.0	1,908.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	1,908.5	0
Melanoma of the Skin	0.0	0.0	1,908.5	0
Other Non-Epithelial Skin	0.0	0.0	1,908.5	0
Urinary System	0.0	0.0	1,908.5	0
Urinary Bladder	0.0	0.0	1,908.5	0
Kidney and Renal Pelvis	0.0	0.0	1,908.5	0
Ureter	0.0	0.0	1,908.5	0
Other Urinary Organs	0.0	0.0	1,908.5	0
Eye and Orbit	0.0	0.0	1,908.5	0
Brain and Other Nervous System	0.0	0.0	1,908.5	0
Endocrine System	0.0	0.0	1,908.5	0
Thyroid	0.0	0.0	1,908.5	0
Other Endocrine including Thymus	0.0	0.0	1,908.5	0
Lymphoma	0.0	0.0	1,908.5	0
Hodgkin Lymphoma	0.0	0.0	1,908.5	0
Non-Hodgkin Lymphoma	0.0	0.0	1,908.5	0
Myeloma	0.0	0.0	1,908.5	0
Leukemia	0.0	0.0	1,908.5	0
Lymphocytic Leukemia	0.0	0.0	1,908.5	0
Acute Lymphocytic Leukemia	0.0	0.0	1,908.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,908.5	0
Other Lymphocytic Leukemia	0.0	0.0	1,908.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,908.5	0
Acute Myeloid Leukemia	0.0	0.0	1,908.5	0
Acute Monocytic Leukemia	0.0	0.0	1,908.5	0
Chronic Myeloid Leukemia	0.0	0.0	1,908.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,908.5	0
Other Leukemia	0.0	0.0	1,908.5	0
Other Acute Leukemia	0.0	0.0	1,908.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,908.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	1,908.5	0
Miscellaneous Malignant Cancer	0.0	0.0	1,908.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	837.4	0
Lip	0.0	0.0	837.4	0
Tongue	0.0	0.0	837.4	0
Salivary Gland	0.0	0.0	837.4	0
Floor of Mouth	0.0	0.0	837.4	0
Gum and Other Mouth	0.0	0.0	837.4	0
Nasopharynx	0.0	0.0	837.4	0
Tonsil	0.0	0.0	837.4	0
Oropharynx	0.0	0.0	837.4	0
Hypopharynx	0.0	0.0	837.4	0
Other Oral Cavity and Pharynx	0.0	0.0	837.4	0
Digestive System	0.0	0.0	837.4	0
Esophagus	0.0	0.0	837.4	0
Stomach	0.0	0.0	837.4	0
Small Intestine	0.0	0.0	837.4	0
Colon and Rectum	0.0	0.0	837.4	0
Colon excluding Rectum	0.0	0.0	837.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	837.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	837.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	837.4	0
Liver	0.0	0.0	837.4	0
Intrahepatic Bile Duct	0.0	0.0	837.4	0
Gallbladder	0.0	0.0	837.4	0
Other Biliary	0.0	0.0	837.4	0
Pancreas	0.0	0.0	837.4	0
Retroperitoneum	0.0	0.0	837.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	837.4	0
Other Digestive Organs	0.0	0.0	837.4	0
Respiratory System	0.0	0.0	837.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	837.4	0
Larynx	0.0	0.0	837.4	0
Lung and Bronchus	0.0	0.0	837.4	0
Pleura	0.0	0.0	837.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	837.4	0
Bones and Joints	0.0	0.0	837.4	0
Soft Tissue including Heart	0.0	0.0	837.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	837.4	0
Melanoma of the Skin	0.0	0.0	837.4	0
Other Non-Epithelial Skin	0.0	0.0	837.4	0
Urinary System	0.0	0.0	837.4	0
Urinary Bladder	0.0	0.0	837.4	0
Kidney and Renal Pelvis	0.0	0.0	837.4	0
Ureter	0.0	0.0	837.4	0
Other Urinary Organs	0.0	0.0	837.4	0
Eye and Orbit	0.0	0.0	837.4	0
Brain and Other Nervous System	0.0	0.0	837.4	0
Endocrine System	0.0	0.0	837.4	0
Thyroid	0.0	0.0	837.4	0
Other Endocrine including Thymus	0.0	0.0	837.4	0
Lymphoma	0.0	0.0	837.4	0
Hodgkin Lymphoma	0.0	0.0	837.4	0
Non-Hodgkin Lymphoma	0.0	0.0	837.4	0
Myeloma	0.0	0.0	837.4	0
Leukemia	0.0	0.0	837.4	0
Lymphocytic Leukemia	0.0	0.0	837.4	0
Acute Lymphocytic Leukemia	0.0	0.0	837.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	837.4	0
Other Lymphocytic Leukemia	0.0	0.0	837.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	837.4	0
Acute Myeloid Leukemia	0.0	0.0	837.4	0
Acute Monocytic Leukemia	0.0	0.0	837.4	0
Chronic Myeloid Leukemia	0.0	0.0	837.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	837.4	0
Other Leukemia	0.0	0.0	837.4	0
Other Acute Leukemia	0.0	0.0	837.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	837.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	837.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	127.1	0
Lip	0.0	0.0	127.1	0
Tongue	0.0	0.0	127.1	0
Salivary Gland	0.0	0.0	127.1	0
Floor of Mouth	0.0	0.0	127.1	0
Gum and Other Mouth	0.0	0.0	127.1	0
Nasopharynx	0.0	0.0	127.1	0
Tonsil	0.0	0.0	127.1	0
Oropharynx	0.0	0.0	127.1	0
Hypopharynx	0.0	0.0	127.1	0
Other Oral Cavity and Pharynx	0.0	0.0	127.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	127.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	127.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	127.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	127.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	127.1	0
Gallbladder	0.0	0.0	127.1	0
Other Biliary	0.0	0.0	127.1	0
Pancreas	0.0	0.0	127.1	0
Retroperitoneum	0.0	0.0	127.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	127.1	0
Other Digestive Organs	0.0	0.0	127.1	0
Respiratory System	0.0	0.0	127.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	127.1	0
Larynx	0.0	0.0	127.1	0
Lung and Bronchus	0.0	0.0	127.1	0
Pleura	0.0	0.0	127.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	127.1	0
Bones and Joints	0.0	0.0	127.1	0
Soft Tissue including Heart	0.0	0.0	127.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	127.1	0
Melanoma of the Skin	0.0	0.0	127.1	0
Other Non-Epithelial Skin	0.0	0.0	127.1	0
Urinary System	0.0	0.0	127.1	0
Urinary Bladder	0.0	0.0	127.1	0
Kidney and Renal Pelvis	0.0	0.0	127.1	0
Ureter	0.0	0.0	127.1	0
Other Urinary Organs	0.0	0.0	127.1	0
Eye and Orbit	0.0	0.0	127.1	0
Brain and Other Nervous System	0.0	0.0	127.1	0
Endocrine System	0.0	0.0	127.1	0
Thyroid	0.0	0.0	127.1	0
Other Endocrine including Thymus	0.0	0.0	127.1	0
Lymphoma	0.0	0.0	127.1	0
Hodgkin Lymphoma	0.0	0.0	127.1	0
Non-Hodgkin Lymphoma	0.0	0.0	127.1	0
Myeloma	0.0	0.0	127.1	0
Leukemia	0.0	0.0	127.1	0
Lymphocytic Leukemia	0.0	0.0	127.1	0
Acute Lymphocytic Leukemia	0.0	0.0	127.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	127.1	0
Other Lymphocytic Leukemia	0.0	0.0	127.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	127.1	0
Acute Myeloid Leukemia	0.0	0.0	127.1	0
Acute Monocytic Leukemia	0.0	0.0	127.1	0
Chronic Myeloid Leukemia	0.0	0.0	127.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	127.1	0
Other Leukemia	0.0	0.0	127.1	0
Other Acute Leukemia	0.0	0.0	127.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	127.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	127.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	184.0	141.9	233.6	77
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.3	0
Tongue	0.0	0.0	8.3	0
Salivary Gland	0.0	0.0	8.3	0
Floor of Mouth	0.0	0.0	8.3	0
Gum and Other Mouth	0.0	0.0	8.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	8.3	0
Oropharynx	0.0	0.0	8.3	0
Hypopharynx	0.0	0.0	8.3	0
Other Oral Cavity and Pharynx	0.0	0.0	8.3	0
Digestive System	44.7	25.5	71.4	19
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	15.4	5.9	32.2	8
Colon excluding Rectum	10.3	3.5	23.7	6
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	8.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	8.3	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	8.3	0
Other Biliary	0.0	0.0	8.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.3	0
Other Digestive Organs	0.0	0.0	8.3	0
Respiratory System	53.4	32.1	82.3	21
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.3	0
Larynx	0.0	0.0	8.3	0
Lung and Bronchus	53.4	32.1	82.3	21
Pleura	0.0	0.0	8.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.3	0
Bones and Joints	0.0	0.0	8.3	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	8.3	0
Urinary System	22.1	7.7	46.2	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	8.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	8.3	0
Thyroid	0.0	0.0	8.3	0
Other Endocrine including Thymus	0.0	0.0	8.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	8.3	0
Lymphocytic Leukemia	0.0	0.0	8.3	0
Acute Lymphocytic Leukemia	0.0	0.0	8.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	8.3	0
Other Lymphocytic Leukemia	0.0	0.0	8.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	8.3	0
Acute Myeloid Leukemia	0.0	0.0	8.3	0
Acute Monocytic Leukemia	0.0	0.0	8.3	0
Chronic Myeloid Leukemia	0.0	0.0	8.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.3	0
Other Leukemia	0.0	0.0	8.3	0
Other Acute Leukemia	0.0	0.0	8.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	8.3	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	17.2	6.7	35.1	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	191.9	0
Lip	0.0	0.0	191.9	0
Tongue	0.0	0.0	191.9	0
Salivary Gland	0.0	0.0	191.9	0
Floor of Mouth	0.0	0.0	191.9	0
Gum and Other Mouth	0.0	0.0	191.9	0
Nasopharynx	0.0	0.0	191.9	0
Tonsil	0.0	0.0	191.9	0
Oropharynx	0.0	0.0	191.9	0
Hypopharynx	0.0	0.0	191.9	0
Other Oral Cavity and Pharynx	0.0	0.0	191.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	191.9	0
Stomach	0.0	0.0	191.9	0
Small Intestine	0.0	0.0	191.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	191.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	191.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	191.9	0
Liver	0.0	0.0	191.9	0
Intrahepatic Bile Duct	0.0	0.0	191.9	0
Gallbladder	0.0	0.0	191.9	0
Other Biliary	0.0	0.0	191.9	0
Pancreas	0.0	0.0	191.9	0
Retroperitoneum	0.0	0.0	191.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	191.9	0
Other Digestive Organs	0.0	0.0	191.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	191.9	0
Larynx	0.0	0.0	191.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	191.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	191.9	0
Bones and Joints	0.0	0.0	191.9	0
Soft Tissue including Heart	0.0	0.0	191.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	191.9	0
Melanoma of the Skin	0.0	0.0	191.9	0
Other Non-Epithelial Skin	0.0	0.0	191.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	191.9	0
Ureter	0.0	0.0	191.9	0
Other Urinary Organs	0.0	0.0	191.9	0
Eye and Orbit	0.0	0.0	191.9	0
Brain and Other Nervous System	0.0	0.0	191.9	0
Endocrine System	0.0	0.0	191.9	0
Thyroid	0.0	0.0	191.9	0
Other Endocrine including Thymus	0.0	0.0	191.9	0
Lymphoma	0.0	0.0	191.9	0
Hodgkin Lymphoma	0.0	0.0	191.9	0
Non-Hodgkin Lymphoma	0.0	0.0	191.9	0
Myeloma	0.0	0.0	191.9	0
Leukemia	0.0	0.0	191.9	0
Lymphocytic Leukemia	0.0	0.0	191.9	0
Acute Lymphocytic Leukemia	0.0	0.0	191.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	191.9	0
Other Lymphocytic Leukemia	0.0	0.0	191.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	191.9	0
Acute Myeloid Leukemia	0.0	0.0	191.9	0
Acute Monocytic Leukemia	0.0	0.0	191.9	0
Chronic Myeloid Leukemia	0.0	0.0	191.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	191.9	0
Other Leukemia	0.0	0.0	191.9	0
Other Acute Leukemia	0.0	0.0	191.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	191.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	191.9	0
Miscellaneous Malignant Cancer	0.0	0.0	191.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	197.2	131.8	280.6	32
Oral Cavity and Pharynx	0.0	0.0	17.5	0
Lip	0.0	0.0	17.5	0
Tongue	0.0	0.0	17.5	0
Salivary Gland	0.0	0.0	17.5	0
Floor of Mouth	0.0	0.0	17.5	0
Gum and Other Mouth	0.0	0.0	17.5	0
Nasopharynx	0.0	0.0	17.5	0
Tonsil	0.0	0.0	17.5	0
Oropharynx	0.0	0.0	17.5	0
Hypopharynx	0.0	0.0	17.5	0
Other Oral Cavity and Pharynx	0.0	0.0	17.5	0
Digestive System	41.1	15.4	84.8	7
Esophagus	0.0	0.0	17.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	17.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	17.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	17.5	0
Other Biliary	0.0	0.0	17.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	17.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	17.5	0
Other Digestive Organs	0.0	0.0	17.5	0
Respiratory System	61.8	28.6	112.9	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	17.5	0
Larynx	0.0	0.0	17.5	0
Lung and Bronchus	61.8	28.6	112.9	10
Pleura	0.0	0.0	17.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	17.5	0
Bones and Joints	0.0	0.0	17.5	0
Soft Tissue including Heart	0.0	0.0	17.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	17.5	0
Melanoma of the Skin	0.0	0.0	17.5	0
Other Non-Epithelial Skin	0.0	0.0	17.5	0
Urinary System	0.0	0.0	17.5	0
Urinary Bladder	0.0	0.0	17.5	0
Kidney and Renal Pelvis	0.0	0.0	17.5	0
Ureter	0.0	0.0	17.5	0
Other Urinary Organs	0.0	0.0	17.5	0
Eye and Orbit	0.0	0.0	17.5	0
Brain and Other Nervous System	0.0	0.0	17.5	0
Endocrine System	0.0	0.0	17.5	0
Thyroid	0.0	0.0	17.5	0
Other Endocrine including Thymus	0.0	0.0	17.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	17.5	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	17.5	0
Lymphocytic Leukemia	0.0	0.0	17.5	0
Acute Lymphocytic Leukemia	0.0	0.0	17.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	17.5	0
Other Lymphocytic Leukemia	0.0	0.0	17.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	17.5	0
Acute Myeloid Leukemia	0.0	0.0	17.5	0
Acute Monocytic Leukemia	0.0	0.0	17.5	0
Chronic Myeloid Leukemia	0.0	0.0	17.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	17.5	0
Other Leukemia	0.0	0.0	17.5	0
Other Acute Leukemia	0.0	0.0	17.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	17.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	17.5	0
Miscellaneous Malignant Cancer	53.9	22.5	104.1	8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	169.5	123.7	225.3	55
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	11.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	11.1	0
Floor of Mouth	0.0	0.0	11.1	0
Gum and Other Mouth	0.0	0.0	11.1	0
Nasopharynx	0.0	0.0	11.1	0
Tonsil	0.0	0.0	11.1	0
Oropharynx	0.0	0.0	11.1	0
Hypopharynx	0.0	0.0	11.1	0
Other Oral Cavity and Pharynx	0.0	0.0	11.1	0
Digestive System	36.9	16.5	68.8	11
Esophagus	^	^	^	^
Stomach	0.0	0.0	11.1	0
Small Intestine	0.0	0.0	11.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	11.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	11.1	0
Other Biliary	0.0	0.0	11.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	11.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	73.3	44.2	113.0	23
Nose, Nasal Cavity and Middle Ear	0.0	0.0	11.1	0
Larynx	0.0	0.0	11.1	0
Lung and Bronchus	73.3	44.2	113.0	23
Pleura	0.0	0.0	11.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.1	0
Bones and Joints	0.0	0.0	11.1	0
Soft Tissue including Heart	0.0	0.0	11.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	11.1	0
Melanoma of the Skin	0.0	0.0	11.1	0
Other Non-Epithelial Skin	0.0	0.0	11.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	11.1	0
Other Urinary Organs	0.0	0.0	11.1	0
Eye and Orbit	0.0	0.0	11.1	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	11.1	0
Thyroid	0.0	0.0	11.1	0
Other Endocrine including Thymus	0.0	0.0	11.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	11.1	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	11.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	11.1	0
Acute Lymphocytic Leukemia	0.0	0.0	11.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	11.1	0
Other Lymphocytic Leukemia	0.0	0.0	11.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	11.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.1	0
Other Leukemia	0.0	0.0	11.1	0
Other Acute Leukemia	0.0	0.0	11.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	11.1	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	17.6	6.3	38.7	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	317.7	212.4	453.5	31
Oral Cavity and Pharynx	0.0	0.0	32.2	0
Lip	0.0	0.0	32.2	0
Tongue	0.0	0.0	32.2	0
Salivary Gland	0.0	0.0	32.2	0
Floor of Mouth	0.0	0.0	32.2	0
Gum and Other Mouth	0.0	0.0	32.2	0
Nasopharynx	0.0	0.0	32.2	0
Tonsil	0.0	0.0	32.2	0
Oropharynx	0.0	0.0	32.2	0
Hypopharynx	0.0	0.0	32.2	0
Other Oral Cavity and Pharynx	0.0	0.0	32.2	0
Digestive System	60.4	21.5	130.2	6
Esophagus	0.0	0.0	32.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	32.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	32.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	32.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	32.2	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	32.2	0
Other Biliary	0.0	0.0	32.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	32.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.2	0
Other Digestive Organs	0.0	0.0	32.2	0
Respiratory System	120.2	60.6	210.1	12
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.2	0
Larynx	^	^	^	^
Lung and Bronchus	109.6	53.2	196.4	11
Pleura	0.0	0.0	32.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.2	0
Bones and Joints	0.0	0.0	32.2	0
Soft Tissue including Heart	0.0	0.0	32.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	32.2	0
Melanoma of the Skin	0.0	0.0	32.2	0
Other Non-Epithelial Skin	0.0	0.0	32.2	0
Urinary System	0.0	0.0	32.2	0
Urinary Bladder	0.0	0.0	32.2	0
Kidney and Renal Pelvis	0.0	0.0	32.2	0
Ureter	0.0	0.0	32.2	0
Other Urinary Organs	0.0	0.0	32.2	0
Eye and Orbit	0.0	0.0	32.2	0
Brain and Other Nervous System	0.0	0.0	32.2	0
Endocrine System	0.0	0.0	32.2	0
Thyroid	0.0	0.0	32.2	0
Other Endocrine including Thymus	0.0	0.0	32.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	32.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	32.2	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	32.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	32.2	0
Acute Myeloid Leukemia	0.0	0.0	32.2	0
Acute Monocytic Leukemia	0.0	0.0	32.2	0
Chronic Myeloid Leukemia	0.0	0.0	32.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	32.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	360.8	190.8	598.3	17
Oral Cavity and Pharynx	0.0	0.0	55.6	0
Lip	0.0	0.0	55.6	0
Tongue	0.0	0.0	55.6	0
Salivary Gland	0.0	0.0	55.6	0
Floor of Mouth	0.0	0.0	55.6	0
Gum and Other Mouth	0.0	0.0	55.6	0
Nasopharynx	0.0	0.0	55.6	0
Tonsil	0.0	0.0	55.6	0
Oropharynx	0.0	0.0	55.6	0
Hypopharynx	0.0	0.0	55.6	0
Other Oral Cavity and Pharynx	0.0	0.0	55.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	55.6	0
Stomach	0.0	0.0	55.6	0
Small Intestine	0.0	0.0	55.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	55.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	55.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.6	0
Liver	0.0	0.0	55.6	0
Intrahepatic Bile Duct	0.0	0.0	55.6	0
Gallbladder	0.0	0.0	55.6	0
Other Biliary	0.0	0.0	55.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	55.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.6	0
Other Digestive Organs	0.0	0.0	55.6	0
Respiratory System	113.2	33.1	257.5	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.6	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	55.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.6	0
Bones and Joints	0.0	0.0	55.6	0
Soft Tissue including Heart	0.0	0.0	55.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	55.6	0
Melanoma of the Skin	0.0	0.0	55.6	0
Other Non-Epithelial Skin	0.0	0.0	55.6	0
Urinary System	0.0	0.0	55.6	0
Urinary Bladder	0.0	0.0	55.6	0
Kidney and Renal Pelvis	0.0	0.0	55.6	0
Ureter	0.0	0.0	55.6	0
Other Urinary Organs	0.0	0.0	55.6	0
Eye and Orbit	0.0	0.0	55.6	0
Brain and Other Nervous System	0.0	0.0	55.6	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	55.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.6	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	55.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	55.6	0
Acute Lymphocytic Leukemia	0.0	0.0	55.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.6	0
Other Lymphocytic Leukemia	0.0	0.0	55.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	55.6	0
Acute Myeloid Leukemia	0.0	0.0	55.6	0
Acute Monocytic Leukemia	0.0	0.0	55.6	0
Chronic Myeloid Leukemia	0.0	0.0	55.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	55.6	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	55.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	369.4	0
Lip	0.0	0.0	369.4	0
Tongue	0.0	0.0	369.4	0
Salivary Gland	0.0	0.0	369.4	0
Floor of Mouth	0.0	0.0	369.4	0
Gum and Other Mouth	0.0	0.0	369.4	0
Nasopharynx	0.0	0.0	369.4	0
Tonsil	0.0	0.0	369.4	0
Oropharynx	0.0	0.0	369.4	0
Hypopharynx	0.0	0.0	369.4	0
Other Oral Cavity and Pharynx	0.0	0.0	369.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	369.4	0
Stomach	0.0	0.0	369.4	0
Small Intestine	0.0	0.0	369.4	0
Colon and Rectum	0.0	0.0	369.4	0
Colon excluding Rectum	0.0	0.0	369.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	369.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	369.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	369.4	0
Liver	0.0	0.0	369.4	0
Intrahepatic Bile Duct	0.0	0.0	369.4	0
Gallbladder	0.0	0.0	369.4	0
Other Biliary	0.0	0.0	369.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	369.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	369.4	0
Other Digestive Organs	0.0	0.0	369.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	369.4	0
Larynx	0.0	0.0	369.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	369.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	369.4	0
Bones and Joints	0.0	0.0	369.4	0
Soft Tissue including Heart	0.0	0.0	369.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	369.4	0
Melanoma of the Skin	0.0	0.0	369.4	0
Other Non-Epithelial Skin	0.0	0.0	369.4	0
Urinary System	0.0	0.0	369.4	0
Urinary Bladder	0.0	0.0	369.4	0
Kidney and Renal Pelvis	0.0	0.0	369.4	0
Ureter	0.0	0.0	369.4	0
Other Urinary Organs	0.0	0.0	369.4	0
Eye and Orbit	0.0	0.0	369.4	0
Brain and Other Nervous System	0.0	0.0	369.4	0
Endocrine System	0.0	0.0	369.4	0
Thyroid	0.0	0.0	369.4	0
Other Endocrine including Thymus	0.0	0.0	369.4	0
Lymphoma	0.0	0.0	369.4	0
Hodgkin Lymphoma	0.0	0.0	369.4	0
Non-Hodgkin Lymphoma	0.0	0.0	369.4	0
Myeloma	0.0	0.0	369.4	0
Leukemia	0.0	0.0	369.4	0
Lymphocytic Leukemia	0.0	0.0	369.4	0
Acute Lymphocytic Leukemia	0.0	0.0	369.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	369.4	0
Other Lymphocytic Leukemia	0.0	0.0	369.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	369.4	0
Acute Myeloid Leukemia	0.0	0.0	369.4	0
Acute Monocytic Leukemia	0.0	0.0	369.4	0
Chronic Myeloid Leukemia	0.0	0.0	369.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	369.4	0
Other Leukemia	0.0	0.0	369.4	0
Other Acute Leukemia	0.0	0.0	369.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	369.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	369.4	0
Miscellaneous Malignant Cancer	0.0	0.0	369.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	194.4	141.2	258.7	55
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	11.2	0
Tongue	0.0	0.0	11.2	0
Salivary Gland	0.0	0.0	11.2	0
Floor of Mouth	0.0	0.0	11.2	0
Gum and Other Mouth	0.0	0.0	11.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	11.2	0
Oropharynx	0.0	0.0	11.2	0
Hypopharynx	0.0	0.0	11.2	0
Other Oral Cavity and Pharynx	0.0	0.0	11.2	0
Digestive System	63.9	34.4	105.3	16
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	11.2	0
Colon and Rectum	30.7	11.1	63.4	7
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	11.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	11.2	0
Gallbladder	0.0	0.0	11.2	0
Other Biliary	0.0	0.0	11.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	11.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	11.2	0
Other Digestive Organs	0.0	0.0	11.2	0
Respiratory System	43.1	21.7	75.2	13
Nose, Nasal Cavity and Middle Ear	0.0	0.0	11.2	0
Larynx	0.0	0.0	11.2	0
Lung and Bronchus	43.1	21.7	75.2	13
Pleura	0.0	0.0	11.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	11.2	0
Bones and Joints	0.0	0.0	11.2	0
Soft Tissue including Heart	0.0	0.0	11.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	11.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	11.2	0
Other Urinary Organs	0.0	0.0	11.2	0
Eye and Orbit	0.0	0.0	11.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	11.2	0
Thyroid	0.0	0.0	11.2	0
Other Endocrine including Thymus	0.0	0.0	11.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	11.2	0
Other Lymphocytic Leukemia	0.0	0.0	11.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	11.2	0
Acute Myeloid Leukemia	0.0	0.0	11.2	0
Acute Monocytic Leukemia	0.0	0.0	11.2	0
Chronic Myeloid Leukemia	0.0	0.0	11.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	11.2	0
Other Leukemia	0.0	0.0	11.2	0
Other Acute Leukemia	0.0	0.0	11.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	11.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	11.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	292.5	158.0	485.9	15
Oral Cavity and Pharynx	0.0	0.0	61.0	0
Lip	0.0	0.0	61.0	0
Tongue	0.0	0.0	61.0	0
Salivary Gland	0.0	0.0	61.0	0
Floor of Mouth	0.0	0.0	61.0	0
Gum and Other Mouth	0.0	0.0	61.0	0
Nasopharynx	0.0	0.0	61.0	0
Tonsil	0.0	0.0	61.0	0
Oropharynx	0.0	0.0	61.0	0
Hypopharynx	0.0	0.0	61.0	0
Other Oral Cavity and Pharynx	0.0	0.0	61.0	0
Digestive System	122.7	43.0	263.3	6
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	61.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	61.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	61.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	61.0	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	61.0	0
Pancreas	0.0	0.0	61.0	0
Retroperitoneum	0.0	0.0	61.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	61.0	0
Other Digestive Organs	0.0	0.0	61.0	0
Respiratory System	130.2	45.3	278.7	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	61.0	0
Larynx	0.0	0.0	61.0	0
Lung and Bronchus	130.2	45.3	278.7	6
Pleura	0.0	0.0	61.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	61.0	0
Bones and Joints	0.0	0.0	61.0	0
Soft Tissue including Heart	0.0	0.0	61.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	61.0	0
Melanoma of the Skin	0.0	0.0	61.0	0
Other Non-Epithelial Skin	0.0	0.0	61.0	0
Urinary System	0.0	0.0	61.0	0
Urinary Bladder	0.0	0.0	61.0	0
Kidney and Renal Pelvis	0.0	0.0	61.0	0
Ureter	0.0	0.0	61.0	0
Other Urinary Organs	0.0	0.0	61.0	0
Eye and Orbit	0.0	0.0	61.0	0
Brain and Other Nervous System	0.0	0.0	61.0	0
Endocrine System	0.0	0.0	61.0	0
Thyroid	0.0	0.0	61.0	0
Other Endocrine including Thymus	0.0	0.0	61.0	0
Lymphoma	0.0	0.0	61.0	0
Hodgkin Lymphoma	0.0	0.0	61.0	0
Non-Hodgkin Lymphoma	0.0	0.0	61.0	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	61.0	0
Other Lymphocytic Leukemia	0.0	0.0	61.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	61.0	0
Acute Myeloid Leukemia	0.0	0.0	61.0	0
Acute Monocytic Leukemia	0.0	0.0	61.0	0
Chronic Myeloid Leukemia	0.0	0.0	61.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	61.0	0
Other Leukemia	0.0	0.0	61.0	0
Other Acute Leukemia	0.0	0.0	61.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	61.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	61.0	0
Miscellaneous Malignant Cancer	0.0	0.0	61.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	420.1	177.8	797.1	11
Oral Cavity and Pharynx	0.0	0.0	122.2	0
Lip	0.0	0.0	122.2	0
Tongue	0.0	0.0	122.2	0
Salivary Gland	0.0	0.0	122.2	0
Floor of Mouth	0.0	0.0	122.2	0
Gum and Other Mouth	0.0	0.0	122.2	0
Nasopharynx	0.0	0.0	122.2	0
Tonsil	0.0	0.0	122.2	0
Oropharynx	0.0	0.0	122.2	0
Hypopharynx	0.0	0.0	122.2	0
Other Oral Cavity and Pharynx	0.0	0.0	122.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	122.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	122.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	122.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	122.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	122.2	0
Liver	0.0	0.0	122.2	0
Intrahepatic Bile Duct	0.0	0.0	122.2	0
Gallbladder	0.0	0.0	122.2	0
Other Biliary	0.0	0.0	122.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	122.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	122.2	0
Other Digestive Organs	0.0	0.0	122.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	122.2	0
Larynx	0.0	0.0	122.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	122.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	122.2	0
Bones and Joints	0.0	0.0	122.2	0
Soft Tissue including Heart	0.0	0.0	122.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	122.2	0
Melanoma of the Skin	0.0	0.0	122.2	0
Other Non-Epithelial Skin	0.0	0.0	122.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	122.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	122.2	0
Other Urinary Organs	0.0	0.0	122.2	0
Eye and Orbit	0.0	0.0	122.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	122.2	0
Thyroid	0.0	0.0	122.2	0
Other Endocrine including Thymus	0.0	0.0	122.2	0
Lymphoma	0.0	0.0	122.2	0
Hodgkin Lymphoma	0.0	0.0	122.2	0
Non-Hodgkin Lymphoma	0.0	0.0	122.2	0
Myeloma	0.0	0.0	122.2	0
Leukemia	0.0	0.0	122.2	0
Lymphocytic Leukemia	0.0	0.0	122.2	0
Acute Lymphocytic Leukemia	0.0	0.0	122.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	122.2	0
Other Lymphocytic Leukemia	0.0	0.0	122.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	122.2	0
Acute Myeloid Leukemia	0.0	0.0	122.2	0
Acute Monocytic Leukemia	0.0	0.0	122.2	0
Chronic Myeloid Leukemia	0.0	0.0	122.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	122.2	0
Other Leukemia	0.0	0.0	122.2	0
Other Acute Leukemia	0.0	0.0	122.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	122.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	122.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	101.6	0
Lip	0.0	0.0	101.6	0
Tongue	0.0	0.0	101.6	0
Salivary Gland	0.0	0.0	101.6	0
Floor of Mouth	0.0	0.0	101.6	0
Gum and Other Mouth	0.0	0.0	101.6	0
Nasopharynx	0.0	0.0	101.6	0
Tonsil	0.0	0.0	101.6	0
Oropharynx	0.0	0.0	101.6	0
Hypopharynx	0.0	0.0	101.6	0
Other Oral Cavity and Pharynx	0.0	0.0	101.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	101.6	0
Stomach	0.0	0.0	101.6	0
Small Intestine	0.0	0.0	101.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	101.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	101.6	0
Liver	0.0	0.0	101.6	0
Intrahepatic Bile Duct	0.0	0.0	101.6	0
Gallbladder	0.0	0.0	101.6	0
Other Biliary	0.0	0.0	101.6	0
Pancreas	0.0	0.0	101.6	0
Retroperitoneum	0.0	0.0	101.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	101.6	0
Other Digestive Organs	0.0	0.0	101.6	0
Respiratory System	0.0	0.0	101.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	101.6	0
Larynx	0.0	0.0	101.6	0
Lung and Bronchus	0.0	0.0	101.6	0
Pleura	0.0	0.0	101.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	101.6	0
Bones and Joints	0.0	0.0	101.6	0
Soft Tissue including Heart	0.0	0.0	101.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	101.6	0
Melanoma of the Skin	0.0	0.0	101.6	0
Other Non-Epithelial Skin	0.0	0.0	101.6	0
Urinary System	0.0	0.0	101.6	0
Urinary Bladder	0.0	0.0	101.6	0
Kidney and Renal Pelvis	0.0	0.0	101.6	0
Ureter	0.0	0.0	101.6	0
Other Urinary Organs	0.0	0.0	101.6	0
Eye and Orbit	0.0	0.0	101.6	0
Brain and Other Nervous System	0.0	0.0	101.6	0
Endocrine System	0.0	0.0	101.6	0
Thyroid	0.0	0.0	101.6	0
Other Endocrine including Thymus	0.0	0.0	101.6	0
Lymphoma	0.0	0.0	101.6	0
Hodgkin Lymphoma	0.0	0.0	101.6	0
Non-Hodgkin Lymphoma	0.0	0.0	101.6	0
Myeloma	0.0	0.0	101.6	0
Leukemia	0.0	0.0	101.6	0
Lymphocytic Leukemia	0.0	0.0	101.6	0
Acute Lymphocytic Leukemia	0.0	0.0	101.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	101.6	0
Other Lymphocytic Leukemia	0.0	0.0	101.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	101.6	0
Acute Myeloid Leukemia	0.0	0.0	101.6	0
Acute Monocytic Leukemia	0.0	0.0	101.6	0
Chronic Myeloid Leukemia	0.0	0.0	101.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	101.6	0
Other Leukemia	0.0	0.0	101.6	0
Other Acute Leukemia	0.0	0.0	101.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	101.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	101.6	0
Miscellaneous Malignant Cancer	0.0	0.0	101.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	172.2	63.7	379.8	7
Oral Cavity and Pharynx	0.0	0.0	128.2	0
Lip	0.0	0.0	128.2	0
Tongue	0.0	0.0	128.2	0
Salivary Gland	0.0	0.0	128.2	0
Floor of Mouth	0.0	0.0	128.2	0
Gum and Other Mouth	0.0	0.0	128.2	0
Nasopharynx	0.0	0.0	128.2	0
Tonsil	0.0	0.0	128.2	0
Oropharynx	0.0	0.0	128.2	0
Hypopharynx	0.0	0.0	128.2	0
Other Oral Cavity and Pharynx	0.0	0.0	128.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	128.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	128.2	0
Colon and Rectum	0.0	0.0	128.2	0
Colon excluding Rectum	0.0	0.0	128.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	128.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	128.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	128.2	0
Liver	0.0	0.0	128.2	0
Intrahepatic Bile Duct	0.0	0.0	128.2	0
Gallbladder	0.0	0.0	128.2	0
Other Biliary	0.0	0.0	128.2	0
Pancreas	0.0	0.0	128.2	0
Retroperitoneum	0.0	0.0	128.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	128.2	0
Other Digestive Organs	0.0	0.0	128.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	128.2	0
Larynx	0.0	0.0	128.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	128.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	128.2	0
Bones and Joints	0.0	0.0	128.2	0
Soft Tissue including Heart	0.0	0.0	128.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	128.2	0
Melanoma of the Skin	0.0	0.0	128.2	0
Other Non-Epithelial Skin	0.0	0.0	128.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	128.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	128.2	0
Other Urinary Organs	0.0	0.0	128.2	0
Eye and Orbit	0.0	0.0	128.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	128.2	0
Thyroid	0.0	0.0	128.2	0
Other Endocrine including Thymus	0.0	0.0	128.2	0
Lymphoma	0.0	0.0	128.2	0
Hodgkin Lymphoma	0.0	0.0	128.2	0
Non-Hodgkin Lymphoma	0.0	0.0	128.2	0
Myeloma	0.0	0.0	128.2	0
Leukemia	0.0	0.0	128.2	0
Lymphocytic Leukemia	0.0	0.0	128.2	0
Acute Lymphocytic Leukemia	0.0	0.0	128.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	128.2	0
Other Lymphocytic Leukemia	0.0	0.0	128.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	128.2	0
Acute Myeloid Leukemia	0.0	0.0	128.2	0
Acute Monocytic Leukemia	0.0	0.0	128.2	0
Chronic Myeloid Leukemia	0.0	0.0	128.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	128.2	0
Other Leukemia	0.0	0.0	128.2	0
Other Acute Leukemia	0.0	0.0	128.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	128.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	128.2	0
Miscellaneous Malignant Cancer	0.0	0.0	128.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	160.1	77.5	289.5	11
Oral Cavity and Pharynx	0.0	0.0	52.0	0
Lip	0.0	0.0	52.0	0
Tongue	0.0	0.0	52.0	0
Salivary Gland	0.0	0.0	52.0	0
Floor of Mouth	0.0	0.0	52.0	0
Gum and Other Mouth	0.0	0.0	52.0	0
Nasopharynx	0.0	0.0	52.0	0
Tonsil	0.0	0.0	52.0	0
Oropharynx	0.0	0.0	52.0	0
Hypopharynx	0.0	0.0	52.0	0
Other Oral Cavity and Pharynx	0.0	0.0	52.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	52.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	52.0	0
Colon and Rectum	0.0	0.0	52.0	0
Colon excluding Rectum	0.0	0.0	52.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	52.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	52.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	52.0	0
Liver	0.0	0.0	52.0	0
Intrahepatic Bile Duct	0.0	0.0	52.0	0
Gallbladder	0.0	0.0	52.0	0
Other Biliary	0.0	0.0	52.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	52.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	52.0	0
Other Digestive Organs	0.0	0.0	52.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	52.0	0
Larynx	0.0	0.0	52.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	52.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	52.0	0
Bones and Joints	0.0	0.0	52.0	0
Soft Tissue including Heart	0.0	0.0	52.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	52.0	0
Melanoma of the Skin	0.0	0.0	52.0	0
Other Non-Epithelial Skin	0.0	0.0	52.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	52.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	52.0	0
Other Urinary Organs	0.0	0.0	52.0	0
Eye and Orbit	0.0	0.0	52.0	0
Brain and Other Nervous System	0.0	0.0	52.0	0
Endocrine System	0.0	0.0	52.0	0
Thyroid	0.0	0.0	52.0	0
Other Endocrine including Thymus	0.0	0.0	52.0	0
Lymphoma	0.0	0.0	52.0	0
Hodgkin Lymphoma	0.0	0.0	52.0	0
Non-Hodgkin Lymphoma	0.0	0.0	52.0	0
Myeloma	0.0	0.0	52.0	0
Leukemia	0.0	0.0	52.0	0
Lymphocytic Leukemia	0.0	0.0	52.0	0
Acute Lymphocytic Leukemia	0.0	0.0	52.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	52.0	0
Other Lymphocytic Leukemia	0.0	0.0	52.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	52.0	0
Acute Myeloid Leukemia	0.0	0.0	52.0	0
Acute Monocytic Leukemia	0.0	0.0	52.0	0
Chronic Myeloid Leukemia	0.0	0.0	52.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	52.0	0
Other Leukemia	0.0	0.0	52.0	0
Other Acute Leukemia	0.0	0.0	52.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	52.0	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	151.6	0
Lip	0.0	0.0	151.6	0
Tongue	0.0	0.0	151.6	0
Salivary Gland	0.0	0.0	151.6	0
Floor of Mouth	0.0	0.0	151.6	0
Gum and Other Mouth	0.0	0.0	151.6	0
Nasopharynx	0.0	0.0	151.6	0
Tonsil	0.0	0.0	151.6	0
Oropharynx	0.0	0.0	151.6	0
Hypopharynx	0.0	0.0	151.6	0
Other Oral Cavity and Pharynx	0.0	0.0	151.6	0
Digestive System	0.0	0.0	151.6	0
Esophagus	0.0	0.0	151.6	0
Stomach	0.0	0.0	151.6	0
Small Intestine	0.0	0.0	151.6	0
Colon and Rectum	0.0	0.0	151.6	0
Colon excluding Rectum	0.0	0.0	151.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	151.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	151.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	151.6	0
Liver	0.0	0.0	151.6	0
Intrahepatic Bile Duct	0.0	0.0	151.6	0
Gallbladder	0.0	0.0	151.6	0
Other Biliary	0.0	0.0	151.6	0
Pancreas	0.0	0.0	151.6	0
Retroperitoneum	0.0	0.0	151.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	151.6	0
Other Digestive Organs	0.0	0.0	151.6	0
Respiratory System	0.0	0.0	151.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	151.6	0
Larynx	0.0	0.0	151.6	0
Lung and Bronchus	0.0	0.0	151.6	0
Pleura	0.0	0.0	151.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	151.6	0
Bones and Joints	0.0	0.0	151.6	0
Soft Tissue including Heart	0.0	0.0	151.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	151.6	0
Melanoma of the Skin	0.0	0.0	151.6	0
Other Non-Epithelial Skin	0.0	0.0	151.6	0
Urinary System	0.0	0.0	151.6	0
Urinary Bladder	0.0	0.0	151.6	0
Kidney and Renal Pelvis	0.0	0.0	151.6	0
Ureter	0.0	0.0	151.6	0
Other Urinary Organs	0.0	0.0	151.6	0
Eye and Orbit	0.0	0.0	151.6	0
Brain and Other Nervous System	0.0	0.0	151.6	0
Endocrine System	0.0	0.0	151.6	0
Thyroid	0.0	0.0	151.6	0
Other Endocrine including Thymus	0.0	0.0	151.6	0
Lymphoma	0.0	0.0	151.6	0
Hodgkin Lymphoma	0.0	0.0	151.6	0
Non-Hodgkin Lymphoma	0.0	0.0	151.6	0
Myeloma	0.0	0.0	151.6	0
Leukemia	0.0	0.0	151.6	0
Lymphocytic Leukemia	0.0	0.0	151.6	0
Acute Lymphocytic Leukemia	0.0	0.0	151.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	151.6	0
Other Lymphocytic Leukemia	0.0	0.0	151.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	151.6	0
Acute Myeloid Leukemia	0.0	0.0	151.6	0
Acute Monocytic Leukemia	0.0	0.0	151.6	0
Chronic Myeloid Leukemia	0.0	0.0	151.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	151.6	0
Other Leukemia	0.0	0.0	151.6	0
Other Acute Leukemia	0.0	0.0	151.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	151.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	151.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	105.1	0
Lip	0.0	0.0	105.1	0
Tongue	0.0	0.0	105.1	0
Salivary Gland	0.0	0.0	105.1	0
Floor of Mouth	0.0	0.0	105.1	0
Gum and Other Mouth	0.0	0.0	105.1	0
Nasopharynx	0.0	0.0	105.1	0
Tonsil	0.0	0.0	105.1	0
Oropharynx	0.0	0.0	105.1	0
Hypopharynx	0.0	0.0	105.1	0
Other Oral Cavity and Pharynx	0.0	0.0	105.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	105.1	0
Stomach	0.0	0.0	105.1	0
Small Intestine	0.0	0.0	105.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	105.1	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	105.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	105.1	0
Liver	0.0	0.0	105.1	0
Intrahepatic Bile Duct	0.0	0.0	105.1	0
Gallbladder	0.0	0.0	105.1	0
Other Biliary	0.0	0.0	105.1	0
Pancreas	0.0	0.0	105.1	0
Retroperitoneum	0.0	0.0	105.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	105.1	0
Other Digestive Organs	0.0	0.0	105.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	105.1	0
Larynx	0.0	0.0	105.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	105.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	105.1	0
Bones and Joints	0.0	0.0	105.1	0
Soft Tissue including Heart	0.0	0.0	105.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	105.1	0
Melanoma of the Skin	0.0	0.0	105.1	0
Other Non-Epithelial Skin	0.0	0.0	105.1	0
Urinary System	0.0	0.0	105.1	0
Urinary Bladder	0.0	0.0	105.1	0
Kidney and Renal Pelvis	0.0	0.0	105.1	0
Ureter	0.0	0.0	105.1	0
Other Urinary Organs	0.0	0.0	105.1	0
Eye and Orbit	0.0	0.0	105.1	0
Brain and Other Nervous System	0.0	0.0	105.1	0
Endocrine System	0.0	0.0	105.1	0
Thyroid	0.0	0.0	105.1	0
Other Endocrine including Thymus	0.0	0.0	105.1	0
Lymphoma	0.0	0.0	105.1	0
Hodgkin Lymphoma	0.0	0.0	105.1	0
Non-Hodgkin Lymphoma	0.0	0.0	105.1	0
Myeloma	0.0	0.0	105.1	0
Leukemia	0.0	0.0	105.1	0
Lymphocytic Leukemia	0.0	0.0	105.1	0
Acute Lymphocytic Leukemia	0.0	0.0	105.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	105.1	0
Other Lymphocytic Leukemia	0.0	0.0	105.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	105.1	0
Acute Myeloid Leukemia	0.0	0.0	105.1	0
Acute Monocytic Leukemia	0.0	0.0	105.1	0
Chronic Myeloid Leukemia	0.0	0.0	105.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	105.1	0
Other Leukemia	0.0	0.0	105.1	0
Other Acute Leukemia	0.0	0.0	105.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	105.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	105.1	0
Miscellaneous Malignant Cancer	0.0	0.0	105.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	137.0	54.5	275.7	9
Oral Cavity and Pharynx	0.0	0.0	58.7	0
Lip	0.0	0.0	58.7	0
Tongue	0.0	0.0	58.7	0
Salivary Gland	0.0	0.0	58.7	0
Floor of Mouth	0.0	0.0	58.7	0
Gum and Other Mouth	0.0	0.0	58.7	0
Nasopharynx	0.0	0.0	58.7	0
Tonsil	0.0	0.0	58.7	0
Oropharynx	0.0	0.0	58.7	0
Hypopharynx	0.0	0.0	58.7	0
Other Oral Cavity and Pharynx	0.0	0.0	58.7	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	58.7	0
Small Intestine	0.0	0.0	58.7	0
Colon and Rectum	0.0	0.0	58.7	0
Colon excluding Rectum	0.0	0.0	58.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	58.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	58.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	58.7	0
Liver	0.0	0.0	58.7	0
Intrahepatic Bile Duct	0.0	0.0	58.7	0
Gallbladder	0.0	0.0	58.7	0
Other Biliary	0.0	0.0	58.7	0
Pancreas	0.0	0.0	58.7	0
Retroperitoneum	0.0	0.0	58.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	58.7	0
Other Digestive Organs	0.0	0.0	58.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	58.7	0
Larynx	0.0	0.0	58.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	58.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	58.7	0
Bones and Joints	0.0	0.0	58.7	0
Soft Tissue including Heart	0.0	0.0	58.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	58.7	0
Melanoma of the Skin	0.0	0.0	58.7	0
Other Non-Epithelial Skin	0.0	0.0	58.7	0
Urinary System	0.0	0.0	58.7	0
Urinary Bladder	0.0	0.0	58.7	0
Kidney and Renal Pelvis	0.0	0.0	58.7	0
Ureter	0.0	0.0	58.7	0
Other Urinary Organs	0.0	0.0	58.7	0
Eye and Orbit	0.0	0.0	58.7	0
Brain and Other Nervous System	0.0	0.0	58.7	0
Endocrine System	0.0	0.0	58.7	0
Thyroid	0.0	0.0	58.7	0
Other Endocrine including Thymus	0.0	0.0	58.7	0
Lymphoma	0.0	0.0	58.7	0
Hodgkin Lymphoma	0.0	0.0	58.7	0
Non-Hodgkin Lymphoma	0.0	0.0	58.7	0
Myeloma	0.0	0.0	58.7	0
Leukemia	0.0	0.0	58.7	0
Lymphocytic Leukemia	0.0	0.0	58.7	0
Acute Lymphocytic Leukemia	0.0	0.0	58.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	58.7	0
Other Lymphocytic Leukemia	0.0	0.0	58.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	58.7	0
Acute Myeloid Leukemia	0.0	0.0	58.7	0
Acute Monocytic Leukemia	0.0	0.0	58.7	0
Chronic Myeloid Leukemia	0.0	0.0	58.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	58.7	0
Other Leukemia	0.0	0.0	58.7	0
Other Acute Leukemia	0.0	0.0	58.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	58.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	58.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	342.8	153.3	642.8	11
Oral Cavity and Pharynx	0.0	0.0	119.9	0
Lip	0.0	0.0	119.9	0
Tongue	0.0	0.0	119.9	0
Salivary Gland	0.0	0.0	119.9	0
Floor of Mouth	0.0	0.0	119.9	0
Gum and Other Mouth	0.0	0.0	119.9	0
Nasopharynx	0.0	0.0	119.9	0
Tonsil	0.0	0.0	119.9	0
Oropharynx	0.0	0.0	119.9	0
Hypopharynx	0.0	0.0	119.9	0
Other Oral Cavity and Pharynx	0.0	0.0	119.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	119.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	119.9	0
Colon and Rectum	0.0	0.0	119.9	0
Colon excluding Rectum	0.0	0.0	119.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	119.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	119.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	119.9	0
Gallbladder	0.0	0.0	119.9	0
Other Biliary	0.0	0.0	119.9	0
Pancreas	0.0	0.0	119.9	0
Retroperitoneum	0.0	0.0	119.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	119.9	0
Other Digestive Organs	0.0	0.0	119.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	119.9	0
Larynx	0.0	0.0	119.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	119.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	119.9	0
Bones and Joints	0.0	0.0	119.9	0
Soft Tissue including Heart	0.0	0.0	119.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	119.9	0
Melanoma of the Skin	0.0	0.0	119.9	0
Other Non-Epithelial Skin	0.0	0.0	119.9	0
Urinary System	0.0	0.0	119.9	0
Urinary Bladder	0.0	0.0	119.9	0
Kidney and Renal Pelvis	0.0	0.0	119.9	0
Ureter	0.0	0.0	119.9	0
Other Urinary Organs	0.0	0.0	119.9	0
Eye and Orbit	0.0	0.0	119.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	119.9	0
Thyroid	0.0	0.0	119.9	0
Other Endocrine including Thymus	0.0	0.0	119.9	0
Lymphoma	0.0	0.0	119.9	0
Hodgkin Lymphoma	0.0	0.0	119.9	0
Non-Hodgkin Lymphoma	0.0	0.0	119.9	0
Myeloma	0.0	0.0	119.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	119.9	0
Acute Lymphocytic Leukemia	0.0	0.0	119.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	119.9	0
Other Lymphocytic Leukemia	0.0	0.0	119.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	119.9	0
Acute Myeloid Leukemia	0.0	0.0	119.9	0
Acute Monocytic Leukemia	0.0	0.0	119.9	0
Chronic Myeloid Leukemia	0.0	0.0	119.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	119.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	119.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	119.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	285.8	157.5	472.4	15
Oral Cavity and Pharynx	0.0	0.0	64.0	0
Lip	0.0	0.0	64.0	0
Tongue	0.0	0.0	64.0	0
Salivary Gland	0.0	0.0	64.0	0
Floor of Mouth	0.0	0.0	64.0	0
Gum and Other Mouth	0.0	0.0	64.0	0
Nasopharynx	0.0	0.0	64.0	0
Tonsil	0.0	0.0	64.0	0
Oropharynx	0.0	0.0	64.0	0
Hypopharynx	0.0	0.0	64.0	0
Other Oral Cavity and Pharynx	0.0	0.0	64.0	0
Digestive System	111.0	39.7	241.2	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	64.0	0
Small Intestine	0.0	0.0	64.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	64.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	64.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	64.0	0
Liver	0.0	0.0	64.0	0
Intrahepatic Bile Duct	0.0	0.0	64.0	0
Gallbladder	0.0	0.0	64.0	0
Other Biliary	0.0	0.0	64.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	64.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.0	0
Other Digestive Organs	0.0	0.0	64.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.0	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.0	0
Bones and Joints	0.0	0.0	64.0	0
Soft Tissue including Heart	0.0	0.0	64.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	64.0	0
Melanoma of the Skin	0.0	0.0	64.0	0
Other Non-Epithelial Skin	0.0	0.0	64.0	0
Urinary System	0.0	0.0	64.0	0
Urinary Bladder	0.0	0.0	64.0	0
Kidney and Renal Pelvis	0.0	0.0	64.0	0
Ureter	0.0	0.0	64.0	0
Other Urinary Organs	0.0	0.0	64.0	0
Eye and Orbit	0.0	0.0	64.0	0
Brain and Other Nervous System	0.0	0.0	64.0	0
Endocrine System	0.0	0.0	64.0	0
Thyroid	0.0	0.0	64.0	0
Other Endocrine including Thymus	0.0	0.0	64.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	64.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	64.0	0
Lymphocytic Leukemia	0.0	0.0	64.0	0
Acute Lymphocytic Leukemia	0.0	0.0	64.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	64.0	0
Other Lymphocytic Leukemia	0.0	0.0	64.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.0	0
Acute Myeloid Leukemia	0.0	0.0	64.0	0
Acute Monocytic Leukemia	0.0	0.0	64.0	0
Chronic Myeloid Leukemia	0.0	0.0	64.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.0	0
Other Leukemia	0.0	0.0	64.0	0
Other Acute Leukemia	0.0	0.0	64.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	64.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	688.1	0
Oral Cavity and Pharynx	0.0	0.0	688.1	0
Lip	0.0	0.0	688.1	0
Tongue	0.0	0.0	688.1	0
Salivary Gland	0.0	0.0	688.1	0
Floor of Mouth	0.0	0.0	688.1	0
Gum and Other Mouth	0.0	0.0	688.1	0
Nasopharynx	0.0	0.0	688.1	0
Tonsil	0.0	0.0	688.1	0
Oropharynx	0.0	0.0	688.1	0
Hypopharynx	0.0	0.0	688.1	0
Other Oral Cavity and Pharynx	0.0	0.0	688.1	0
Digestive System	0.0	0.0	688.1	0
Esophagus	0.0	0.0	688.1	0
Stomach	0.0	0.0	688.1	0
Small Intestine	0.0	0.0	688.1	0
Colon and Rectum	0.0	0.0	688.1	0
Colon excluding Rectum	0.0	0.0	688.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	688.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	688.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	688.1	0
Liver	0.0	0.0	688.1	0
Intrahepatic Bile Duct	0.0	0.0	688.1	0
Gallbladder	0.0	0.0	688.1	0
Other Biliary	0.0	0.0	688.1	0
Pancreas	0.0	0.0	688.1	0
Retroperitoneum	0.0	0.0	688.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	688.1	0
Other Digestive Organs	0.0	0.0	688.1	0
Respiratory System	0.0	0.0	688.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	688.1	0
Larynx	0.0	0.0	688.1	0
Lung and Bronchus	0.0	0.0	688.1	0
Pleura	0.0	0.0	688.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	688.1	0
Bones and Joints	0.0	0.0	688.1	0
Soft Tissue including Heart	0.0	0.0	688.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	688.1	0
Melanoma of the Skin	0.0	0.0	688.1	0
Other Non-Epithelial Skin	0.0	0.0	688.1	0
Urinary System	0.0	0.0	688.1	0
Urinary Bladder	0.0	0.0	688.1	0
Kidney and Renal Pelvis	0.0	0.0	688.1	0
Ureter	0.0	0.0	688.1	0
Other Urinary Organs	0.0	0.0	688.1	0
Eye and Orbit	0.0	0.0	688.1	0
Brain and Other Nervous System	0.0	0.0	688.1	0
Endocrine System	0.0	0.0	688.1	0
Thyroid	0.0	0.0	688.1	0
Other Endocrine including Thymus	0.0	0.0	688.1	0
Lymphoma	0.0	0.0	688.1	0
Hodgkin Lymphoma	0.0	0.0	688.1	0
Non-Hodgkin Lymphoma	0.0	0.0	688.1	0
Myeloma	0.0	0.0	688.1	0
Leukemia	0.0	0.0	688.1	0
Lymphocytic Leukemia	0.0	0.0	688.1	0
Acute Lymphocytic Leukemia	0.0	0.0	688.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	688.1	0
Other Lymphocytic Leukemia	0.0	0.0	688.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	688.1	0
Acute Myeloid Leukemia	0.0	0.0	688.1	0
Acute Monocytic Leukemia	0.0	0.0	688.1	0
Chronic Myeloid Leukemia	0.0	0.0	688.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	688.1	0
Other Leukemia	0.0	0.0	688.1	0
Other Acute Leukemia	0.0	0.0	688.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	688.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	688.1	0
Miscellaneous Malignant Cancer	0.0	0.0	688.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	216.9	97.6	408.4	10
Oral Cavity and Pharynx	0.0	0.0	77.5	0
Lip	0.0	0.0	77.5	0
Tongue	0.0	0.0	77.5	0
Salivary Gland	0.0	0.0	77.5	0
Floor of Mouth	0.0	0.0	77.5	0
Gum and Other Mouth	0.0	0.0	77.5	0
Nasopharynx	0.0	0.0	77.5	0
Tonsil	0.0	0.0	77.5	0
Oropharynx	0.0	0.0	77.5	0
Hypopharynx	0.0	0.0	77.5	0
Other Oral Cavity and Pharynx	0.0	0.0	77.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	77.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	77.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	77.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	77.5	0
Liver	0.0	0.0	77.5	0
Intrahepatic Bile Duct	0.0	0.0	77.5	0
Gallbladder	0.0	0.0	77.5	0
Other Biliary	0.0	0.0	77.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	77.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	77.5	0
Other Digestive Organs	0.0	0.0	77.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	77.5	0
Larynx	0.0	0.0	77.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	77.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	77.5	0
Bones and Joints	0.0	0.0	77.5	0
Soft Tissue including Heart	0.0	0.0	77.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

1999/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	77.5	0
Melanoma of the Skin	0.0	0.0	77.5	0
Other Non-Epithelial Skin	0.0	0.0	77.5	0
Urinary System	0.0	0.0	77.5	0
Urinary Bladder	0.0	0.0	77.5	0
Kidney and Renal Pelvis	0.0	0.0	77.5	0
Ureter	0.0	0.0	77.5	0
Other Urinary Organs	0.0	0.0	77.5	0
Eye and Orbit	0.0	0.0	77.5	0
Brain and Other Nervous System	0.0	0.0	77.5	0
Endocrine System	0.0	0.0	77.5	0
Thyroid	0.0	0.0	77.5	0
Other Endocrine including Thymus	0.0	0.0	77.5	0
Lymphoma	0.0	0.0	77.5	0
Hodgkin Lymphoma	0.0	0.0	77.5	0
Non-Hodgkin Lymphoma	0.0	0.0	77.5	0
Myeloma	0.0	0.0	77.5	0
Leukemia	0.0	0.0	77.5	0
Lymphocytic Leukemia	0.0	0.0	77.5	0
Acute Lymphocytic Leukemia	0.0	0.0	77.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	77.5	0
Other Lymphocytic Leukemia	0.0	0.0	77.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	77.5	0
Acute Myeloid Leukemia	0.0	0.0	77.5	0
Acute Monocytic Leukemia	0.0	0.0	77.5	0
Chronic Myeloid Leukemia	0.0	0.0	77.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	77.5	0
Other Leukemia	0.0	0.0	77.5	0
Other Acute Leukemia	0.0	0.0	77.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	77.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	77.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	403.2	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	403.2	0
Floor of Mouth	0.0	0.0	403.2	0
Gum and Other Mouth	0.0	0.0	403.2	0
Nasopharynx	0.0	0.0	403.2	0
Tonsil	0.0	0.0	403.2	0
Oropharynx	0.0	0.0	403.2	0
Hypopharynx	0.0	0.0	403.2	0
Other Oral Cavity and Pharynx	0.0	0.0	403.2	0
Digestive System	0.0	0.0	403.2	0
Esophagus	0.0	0.0	403.2	0
Stomach	0.0	0.0	403.2	0
Small Intestine	0.0	0.0	403.2	0
Colon and Rectum	0.0	0.0	403.2	0
Colon excluding Rectum	0.0	0.0	403.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	403.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	403.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	403.2	0
Liver	0.0	0.0	403.2	0
Intrahepatic Bile Duct	0.0	0.0	403.2	0
Gallbladder	0.0	0.0	403.2	0
Other Biliary	0.0	0.0	403.2	0
Pancreas	0.0	0.0	403.2	0
Retroperitoneum	0.0	0.0	403.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	403.2	0
Other Digestive Organs	0.0	0.0	403.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	403.2	0
Larynx	0.0	0.0	403.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	403.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	403.2	0
Bones and Joints	0.0	0.0	403.2	0
Soft Tissue including Heart	0.0	0.0	403.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	403.2	0
Melanoma of the Skin	0.0	0.0	403.2	0
Other Non-Epithelial Skin	0.0	0.0	403.2	0
Urinary System	0.0	0.0	403.2	0
Urinary Bladder	0.0	0.0	403.2	0
Kidney and Renal Pelvis	0.0	0.0	403.2	0
Ureter	0.0	0.0	403.2	0
Other Urinary Organs	0.0	0.0	403.2	0
Eye and Orbit	0.0	0.0	403.2	0
Brain and Other Nervous System	0.0	0.0	403.2	0
Endocrine System	0.0	0.0	403.2	0
Thyroid	0.0	0.0	403.2	0
Other Endocrine including Thymus	0.0	0.0	403.2	0
Lymphoma	0.0	0.0	403.2	0
Hodgkin Lymphoma	0.0	0.0	403.2	0
Non-Hodgkin Lymphoma	0.0	0.0	403.2	0
Myeloma	0.0	0.0	403.2	0
Leukemia	0.0	0.0	403.2	0
Lymphocytic Leukemia	0.0	0.0	403.2	0
Acute Lymphocytic Leukemia	0.0	0.0	403.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	403.2	0
Other Lymphocytic Leukemia	0.0	0.0	403.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	403.2	0
Acute Myeloid Leukemia	0.0	0.0	403.2	0
Acute Monocytic Leukemia	0.0	0.0	403.2	0
Chronic Myeloid Leukemia	0.0	0.0	403.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	403.2	0
Other Leukemia	0.0	0.0	403.2	0
Other Acute Leukemia	0.0	0.0	403.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	403.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	403.2	0
Miscellaneous Malignant Cancer	0.0	0.0	403.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	340.9	0
Lip	0.0	0.0	340.9	0
Tongue	0.0	0.0	340.9	0
Salivary Gland	0.0	0.0	340.9	0
Floor of Mouth	0.0	0.0	340.9	0
Gum and Other Mouth	0.0	0.0	340.9	0
Nasopharynx	0.0	0.0	340.9	0
Tonsil	0.0	0.0	340.9	0
Oropharynx	0.0	0.0	340.9	0
Hypopharynx	0.0	0.0	340.9	0
Other Oral Cavity and Pharynx	0.0	0.0	340.9	0
Digestive System	0.0	0.0	340.9	0
Esophagus	0.0	0.0	340.9	0
Stomach	0.0	0.0	340.9	0
Small Intestine	0.0	0.0	340.9	0
Colon and Rectum	0.0	0.0	340.9	0
Colon excluding Rectum	0.0	0.0	340.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	340.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	340.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	340.9	0
Liver	0.0	0.0	340.9	0
Intrahepatic Bile Duct	0.0	0.0	340.9	0
Gallbladder	0.0	0.0	340.9	0
Other Biliary	0.0	0.0	340.9	0
Pancreas	0.0	0.0	340.9	0
Retroperitoneum	0.0	0.0	340.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	340.9	0
Other Digestive Organs	0.0	0.0	340.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	340.9	0
Larynx	0.0	0.0	340.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	340.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	340.9	0
Bones and Joints	0.0	0.0	340.9	0
Soft Tissue including Heart	0.0	0.0	340.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	340.9	0
Melanoma of the Skin	0.0	0.0	340.9	0
Other Non-Epithelial Skin	0.0	0.0	340.9	0
Urinary System	0.0	0.0	340.9	0
Urinary Bladder	0.0	0.0	340.9	0
Kidney and Renal Pelvis	0.0	0.0	340.9	0
Ureter	0.0	0.0	340.9	0
Other Urinary Organs	0.0	0.0	340.9	0
Eye and Orbit	0.0	0.0	340.9	0
Brain and Other Nervous System	0.0	0.0	340.9	0
Endocrine System	0.0	0.0	340.9	0
Thyroid	0.0	0.0	340.9	0
Other Endocrine including Thymus	0.0	0.0	340.9	0
Lymphoma	0.0	0.0	340.9	0
Hodgkin Lymphoma	0.0	0.0	340.9	0
Non-Hodgkin Lymphoma	0.0	0.0	340.9	0
Myeloma	0.0	0.0	340.9	0
Leukemia	0.0	0.0	340.9	0
Lymphocytic Leukemia	0.0	0.0	340.9	0
Acute Lymphocytic Leukemia	0.0	0.0	340.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	340.9	0
Other Lymphocytic Leukemia	0.0	0.0	340.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	340.9	0
Acute Myeloid Leukemia	0.0	0.0	340.9	0
Acute Monocytic Leukemia	0.0	0.0	340.9	0
Chronic Myeloid Leukemia	0.0	0.0	340.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	340.9	0
Other Leukemia	0.0	0.0	340.9	0
Other Acute Leukemia	0.0	0.0	340.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	340.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	340.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	186.0	162.4	211.7	271
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2.3	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	2.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	2.3	0
Oropharynx	0.0	0.0	2.3	0
Hypopharynx	0.0	0.0	2.3	0
Other Oral Cavity and Pharynx	0.0	0.0	2.3	0
Digestive System	34.3	24.9	45.9	51
Esophagus	2.9	1.0	6.8	6
Stomach	^	^	^	^
Small Intestine	0.0	0.0	2.3	0
Colon and Rectum	14.3	8.0	23.0	18
Colon excluding Rectum	12.7	6.8	21.0	16
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	2.3	0
Liver and Intrahepatic Bile Duct	9.3	5.1	15.4	15
Liver	8.0	4.2	13.8	13
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	2.3	0
Other Biliary	^	^	^	^
Pancreas	4.6	1.9	9.3	8
Retroperitoneum	0.0	0.0	2.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	60.3	47.2	75.5	83
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.3	0
Larynx	0.0	0.0	2.3	0
Lung and Bronchus	60.3	47.2	75.5	83
Pleura	0.0	0.0	2.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.3	0
Bones and Joints	0.0	0.0	2.3	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2.3	0
Urinary System	7.9	3.6	14.6	11
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	4.7	1.9	9.7	8
Ureter	0.0	0.0	2.3	0
Other Urinary Organs	0.0	0.0	2.3	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	3.2	1.2	7.0	7
Endocrine System	0.0	0.0	2.3	0
Thyroid	0.0	0.0	2.3	0
Other Endocrine including Thymus	0.0	0.0	2.3	0
Lymphoma	8.8	4.0	16.2	12
Hodgkin Lymphoma	0.0	0.0	2.3	0
Non-Hodgkin Lymphoma	8.8	4.0	16.2	12
Myeloma	^	^	^	^
Leukemia	10.1	4.9	17.6	13
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.3	0
Myeloid and Monocytic Leukemia	4.4	1.6	9.5	7
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.3	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	2.3	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	12.9	7.4	20.7	19

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	221.8	119.5	366.0	15
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	38.2	0
Tongue	0.0	0.0	38.2	0
Salivary Gland	0.0	0.0	38.2	0
Floor of Mouth	0.0	0.0	38.2	0
Gum and Other Mouth	0.0	0.0	38.2	0
Nasopharynx	0.0	0.0	38.2	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	38.2	0
Hypopharynx	0.0	0.0	38.2	0
Other Oral Cavity and Pharynx	0.0	0.0	38.2	0
Digestive System	102.8	35.9	215.5	6
Esophagus	0.0	0.0	38.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	38.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	38.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	38.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	38.2	0
Liver	0.0	0.0	38.2	0
Intrahepatic Bile Duct	0.0	0.0	38.2	0
Gallbladder	0.0	0.0	38.2	0
Other Biliary	0.0	0.0	38.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	38.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	38.2	0
Other Digestive Organs	0.0	0.0	38.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	38.2	0
Larynx	0.0	0.0	38.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	38.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	38.2	0
Bones and Joints	0.0	0.0	38.2	0
Soft Tissue including Heart	0.0	0.0	38.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	38.2	0
Melanoma of the Skin	0.0	0.0	38.2	0
Other Non-Epithelial Skin	0.0	0.0	38.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	38.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	38.2	0
Other Urinary Organs	0.0	0.0	38.2	0
Eye and Orbit	0.0	0.0	38.2	0
Brain and Other Nervous System	0.0	0.0	38.2	0
Endocrine System	0.0	0.0	38.2	0
Thyroid	0.0	0.0	38.2	0
Other Endocrine including Thymus	0.0	0.0	38.2	0
Lymphoma	0.0	0.0	38.2	0
Hodgkin Lymphoma	0.0	0.0	38.2	0
Non-Hodgkin Lymphoma	0.0	0.0	38.2	0
Myeloma	0.0	0.0	38.2	0
Leukemia	0.0	0.0	38.2	0
Lymphocytic Leukemia	0.0	0.0	38.2	0
Acute Lymphocytic Leukemia	0.0	0.0	38.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	38.2	0
Other Lymphocytic Leukemia	0.0	0.0	38.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	38.2	0
Acute Myeloid Leukemia	0.0	0.0	38.2	0
Acute Monocytic Leukemia	0.0	0.0	38.2	0
Chronic Myeloid Leukemia	0.0	0.0	38.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	38.2	0
Other Leukemia	0.0	0.0	38.2	0
Other Acute Leukemia	0.0	0.0	38.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	38.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	38.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	866.4	0
Lip	0.0	0.0	866.4	0
Tongue	0.0	0.0	866.4	0
Salivary Gland	0.0	0.0	866.4	0
Floor of Mouth	0.0	0.0	866.4	0
Gum and Other Mouth	0.0	0.0	866.4	0
Nasopharynx	0.0	0.0	866.4	0
Tonsil	0.0	0.0	866.4	0
Oropharynx	0.0	0.0	866.4	0
Hypopharynx	0.0	0.0	866.4	0
Other Oral Cavity and Pharynx	0.0	0.0	866.4	0
Digestive System	0.0	0.0	866.4	0
Esophagus	0.0	0.0	866.4	0
Stomach	0.0	0.0	866.4	0
Small Intestine	0.0	0.0	866.4	0
Colon and Rectum	0.0	0.0	866.4	0
Colon excluding Rectum	0.0	0.0	866.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	866.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	866.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	866.4	0
Liver	0.0	0.0	866.4	0
Intrahepatic Bile Duct	0.0	0.0	866.4	0
Gallbladder	0.0	0.0	866.4	0
Other Biliary	0.0	0.0	866.4	0
Pancreas	0.0	0.0	866.4	0
Retroperitoneum	0.0	0.0	866.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	866.4	0
Other Digestive Organs	0.0	0.0	866.4	0
Respiratory System	0.0	0.0	866.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	866.4	0
Larynx	0.0	0.0	866.4	0
Lung and Bronchus	0.0	0.0	866.4	0
Pleura	0.0	0.0	866.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	866.4	0
Bones and Joints	0.0	0.0	866.4	0
Soft Tissue including Heart	0.0	0.0	866.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	866.4	0
Melanoma of the Skin	0.0	0.0	866.4	0
Other Non-Epithelial Skin	0.0	0.0	866.4	0
Urinary System	0.0	0.0	866.4	0
Urinary Bladder	0.0	0.0	866.4	0
Kidney and Renal Pelvis	0.0	0.0	866.4	0
Ureter	0.0	0.0	866.4	0
Other Urinary Organs	0.0	0.0	866.4	0
Eye and Orbit	0.0	0.0	866.4	0
Brain and Other Nervous System	0.0	0.0	866.4	0
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	866.4	0
Lymphoma	0.0	0.0	866.4	0
Hodgkin Lymphoma	0.0	0.0	866.4	0
Non-Hodgkin Lymphoma	0.0	0.0	866.4	0
Myeloma	0.0	0.0	866.4	0
Leukemia	0.0	0.0	866.4	0
Lymphocytic Leukemia	0.0	0.0	866.4	0
Acute Lymphocytic Leukemia	0.0	0.0	866.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	866.4	0
Other Lymphocytic Leukemia	0.0	0.0	866.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	866.4	0
Acute Myeloid Leukemia	0.0	0.0	866.4	0
Acute Monocytic Leukemia	0.0	0.0	866.4	0
Chronic Myeloid Leukemia	0.0	0.0	866.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	866.4	0
Other Leukemia	0.0	0.0	866.4	0
Other Acute Leukemia	0.0	0.0	866.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	866.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	866.4	0
Miscellaneous Malignant Cancer	0.0	0.0	866.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	682.6	0
Oral Cavity and Pharynx	0.0	0.0	682.6	0
Lip	0.0	0.0	682.6	0
Tongue	0.0	0.0	682.6	0
Salivary Gland	0.0	0.0	682.6	0
Floor of Mouth	0.0	0.0	682.6	0
Gum and Other Mouth	0.0	0.0	682.6	0
Nasopharynx	0.0	0.0	682.6	0
Tonsil	0.0	0.0	682.6	0
Oropharynx	0.0	0.0	682.6	0
Hypopharynx	0.0	0.0	682.6	0
Other Oral Cavity and Pharynx	0.0	0.0	682.6	0
Digestive System	0.0	0.0	682.6	0
Esophagus	0.0	0.0	682.6	0
Stomach	0.0	0.0	682.6	0
Small Intestine	0.0	0.0	682.6	0
Colon and Rectum	0.0	0.0	682.6	0
Colon excluding Rectum	0.0	0.0	682.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	682.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	682.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	682.6	0
Liver	0.0	0.0	682.6	0
Intrahepatic Bile Duct	0.0	0.0	682.6	0
Gallbladder	0.0	0.0	682.6	0
Other Biliary	0.0	0.0	682.6	0
Pancreas	0.0	0.0	682.6	0
Retroperitoneum	0.0	0.0	682.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	682.6	0
Other Digestive Organs	0.0	0.0	682.6	0
Respiratory System	0.0	0.0	682.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	682.6	0
Larynx	0.0	0.0	682.6	0
Lung and Bronchus	0.0	0.0	682.6	0
Pleura	0.0	0.0	682.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	682.6	0
Bones and Joints	0.0	0.0	682.6	0
Soft Tissue including Heart	0.0	0.0	682.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	682.6	0
Melanoma of the Skin	0.0	0.0	682.6	0
Other Non-Epithelial Skin	0.0	0.0	682.6	0
Urinary System	0.0	0.0	682.6	0
Urinary Bladder	0.0	0.0	682.6	0
Kidney and Renal Pelvis	0.0	0.0	682.6	0
Ureter	0.0	0.0	682.6	0
Other Urinary Organs	0.0	0.0	682.6	0
Eye and Orbit	0.0	0.0	682.6	0
Brain and Other Nervous System	0.0	0.0	682.6	0
Endocrine System	0.0	0.0	682.6	0
Thyroid	0.0	0.0	682.6	0
Other Endocrine including Thymus	0.0	0.0	682.6	0
Lymphoma	0.0	0.0	682.6	0
Hodgkin Lymphoma	0.0	0.0	682.6	0
Non-Hodgkin Lymphoma	0.0	0.0	682.6	0
Myeloma	0.0	0.0	682.6	0
Leukemia	0.0	0.0	682.6	0
Lymphocytic Leukemia	0.0	0.0	682.6	0
Acute Lymphocytic Leukemia	0.0	0.0	682.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	682.6	0
Other Lymphocytic Leukemia	0.0	0.0	682.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	682.6	0
Acute Myeloid Leukemia	0.0	0.0	682.6	0
Acute Monocytic Leukemia	0.0	0.0	682.6	0
Chronic Myeloid Leukemia	0.0	0.0	682.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	682.6	0
Other Leukemia	0.0	0.0	682.6	0
Other Acute Leukemia	0.0	0.0	682.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	682.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	682.6	0
Miscellaneous Malignant Cancer	0.0	0.0	682.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	117.8	0
Lip	0.0	0.0	117.8	0
Tongue	0.0	0.0	117.8	0
Salivary Gland	0.0	0.0	117.8	0
Floor of Mouth	0.0	0.0	117.8	0
Gum and Other Mouth	0.0	0.0	117.8	0
Nasopharynx	0.0	0.0	117.8	0
Tonsil	0.0	0.0	117.8	0
Oropharynx	0.0	0.0	117.8	0
Hypopharynx	0.0	0.0	117.8	0
Other Oral Cavity and Pharynx	0.0	0.0	117.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	117.8	0
Stomach	0.0	0.0	117.8	0
Small Intestine	0.0	0.0	117.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	117.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	117.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	117.8	0
Liver	0.0	0.0	117.8	0
Intrahepatic Bile Duct	0.0	0.0	117.8	0
Gallbladder	0.0	0.0	117.8	0
Other Biliary	0.0	0.0	117.8	0
Pancreas	0.0	0.0	117.8	0
Retroperitoneum	0.0	0.0	117.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	117.8	0
Other Digestive Organs	0.0	0.0	117.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	117.8	0
Larynx	0.0	0.0	117.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	117.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	117.8	0
Bones and Joints	0.0	0.0	117.8	0
Soft Tissue including Heart	0.0	0.0	117.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	117.8	0
Melanoma of the Skin	0.0	0.0	117.8	0
Other Non-Epithelial Skin	0.0	0.0	117.8	0
Urinary System	0.0	0.0	117.8	0
Urinary Bladder	0.0	0.0	117.8	0
Kidney and Renal Pelvis	0.0	0.0	117.8	0
Ureter	0.0	0.0	117.8	0
Other Urinary Organs	0.0	0.0	117.8	0
Eye and Orbit	0.0	0.0	117.8	0
Brain and Other Nervous System	0.0	0.0	117.8	0
Endocrine System	0.0	0.0	117.8	0
Thyroid	0.0	0.0	117.8	0
Other Endocrine including Thymus	0.0	0.0	117.8	0
Lymphoma	0.0	0.0	117.8	0
Hodgkin Lymphoma	0.0	0.0	117.8	0
Non-Hodgkin Lymphoma	0.0	0.0	117.8	0
Myeloma	0.0	0.0	117.8	0
Leukemia	0.0	0.0	117.8	0
Lymphocytic Leukemia	0.0	0.0	117.8	0
Acute Lymphocytic Leukemia	0.0	0.0	117.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	117.8	0
Other Lymphocytic Leukemia	0.0	0.0	117.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	117.8	0
Acute Myeloid Leukemia	0.0	0.0	117.8	0
Acute Monocytic Leukemia	0.0	0.0	117.8	0
Chronic Myeloid Leukemia	0.0	0.0	117.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	117.8	0
Other Leukemia	0.0	0.0	117.8	0
Other Acute Leukemia	0.0	0.0	117.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	117.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	117.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	162.1	120.4	212.0	61
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	8.1	0
Floor of Mouth	0.0	0.0	8.1	0
Gum and Other Mouth	0.0	0.0	8.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	8.1	0
Oropharynx	0.0	0.0	8.1	0
Hypopharynx	0.0	0.0	8.1	0
Other Oral Cavity and Pharynx	0.0	0.0	8.1	0
Digestive System	50.6	28.6	80.9	18
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	24.9	9.4	50.1	7
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	8.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.1	0
Gallbladder	0.0	0.0	8.1	0
Other Biliary	0.0	0.0	8.1	0
Pancreas	15.5	5.2	33.7	6
Retroperitoneum	0.0	0.0	8.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.1	0
Other Digestive Organs	0.0	0.0	8.1	0
Respiratory System	42.1	23.2	68.8	17
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.1	0
Larynx	0.0	0.0	8.1	0
Lung and Bronchus	42.1	23.2	68.8	17
Pleura	0.0	0.0	8.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	8.1	0
Melanoma of the Skin	0.0	0.0	8.1	0
Other Non-Epithelial Skin	0.0	0.0	8.1	0
Urinary System	0.0	0.0	8.1	0
Urinary Bladder	0.0	0.0	8.1	0
Kidney and Renal Pelvis	0.0	0.0	8.1	0
Ureter	0.0	0.0	8.1	0
Other Urinary Organs	0.0	0.0	8.1	0
Eye and Orbit	0.0	0.0	8.1	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	8.1	0
Thyroid	0.0	0.0	8.1	0
Other Endocrine including Thymus	0.0	0.0	8.1	0
Lymphoma	20.9	6.6	45.5	6
Hodgkin Lymphoma	0.0	0.0	8.1	0
Non-Hodgkin Lymphoma	20.9	6.6	45.5	6
Myeloma	0.0	0.0	8.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	8.1	0
Acute Lymphocytic Leukemia	0.0	0.0	8.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	8.1	0
Other Lymphocytic Leukemia	0.0	0.0	8.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.1	0
Chronic Myeloid Leukemia	0.0	0.0	8.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.1	0
Other Leukemia	0.0	0.0	8.1	0
Other Acute Leukemia	0.0	0.0	8.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	8.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	8.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	184.5	0
Lip	0.0	0.0	184.5	0
Tongue	0.0	0.0	184.5	0
Salivary Gland	0.0	0.0	184.5	0
Floor of Mouth	0.0	0.0	184.5	0
Gum and Other Mouth	0.0	0.0	184.5	0
Nasopharynx	0.0	0.0	184.5	0
Tonsil	0.0	0.0	184.5	0
Oropharynx	0.0	0.0	184.5	0
Hypopharynx	0.0	0.0	184.5	0
Other Oral Cavity and Pharynx	0.0	0.0	184.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	184.5	0
Small Intestine	0.0	0.0	184.5	0
Colon and Rectum	0.0	0.0	184.5	0
Colon excluding Rectum	0.0	0.0	184.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	184.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	184.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	184.5	0
Liver	0.0	0.0	184.5	0
Intrahepatic Bile Duct	0.0	0.0	184.5	0
Gallbladder	0.0	0.0	184.5	0
Other Biliary	0.0	0.0	184.5	0
Pancreas	0.0	0.0	184.5	0
Retroperitoneum	0.0	0.0	184.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	184.5	0
Other Digestive Organs	0.0	0.0	184.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	184.5	0
Larynx	0.0	0.0	184.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	184.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	184.5	0
Bones and Joints	0.0	0.0	184.5	0
Soft Tissue including Heart	0.0	0.0	184.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	184.5	0
Melanoma of the Skin	0.0	0.0	184.5	0
Other Non-Epithelial Skin	0.0	0.0	184.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	184.5	0
Ureter	0.0	0.0	184.5	0
Other Urinary Organs	0.0	0.0	184.5	0
Eye and Orbit	0.0	0.0	184.5	0
Brain and Other Nervous System	0.0	0.0	184.5	0
Endocrine System	0.0	0.0	184.5	0
Thyroid	0.0	0.0	184.5	0
Other Endocrine including Thymus	0.0	0.0	184.5	0
Lymphoma	0.0	0.0	184.5	0
Hodgkin Lymphoma	0.0	0.0	184.5	0
Non-Hodgkin Lymphoma	0.0	0.0	184.5	0
Myeloma	0.0	0.0	184.5	0
Leukemia	0.0	0.0	184.5	0
Lymphocytic Leukemia	0.0	0.0	184.5	0
Acute Lymphocytic Leukemia	0.0	0.0	184.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	184.5	0
Other Lymphocytic Leukemia	0.0	0.0	184.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	184.5	0
Acute Myeloid Leukemia	0.0	0.0	184.5	0
Acute Monocytic Leukemia	0.0	0.0	184.5	0
Chronic Myeloid Leukemia	0.0	0.0	184.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	184.5	0
Other Leukemia	0.0	0.0	184.5	0
Other Acute Leukemia	0.0	0.0	184.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	184.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	184.5	0
Miscellaneous Malignant Cancer	0.0	0.0	184.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	237.4	166.4	325.5	41
Oral Cavity and Pharynx	0.0	0.0	16.9	0
Lip	0.0	0.0	16.9	0
Tongue	0.0	0.0	16.9	0
Salivary Gland	0.0	0.0	16.9	0
Floor of Mouth	0.0	0.0	16.9	0
Gum and Other Mouth	0.0	0.0	16.9	0
Nasopharynx	0.0	0.0	16.9	0
Tonsil	0.0	0.0	16.9	0
Oropharynx	0.0	0.0	16.9	0
Hypopharynx	0.0	0.0	16.9	0
Other Oral Cavity and Pharynx	0.0	0.0	16.9	0
Digestive System	50.9	20.6	99.9	8
Esophagus	^	^	^	^
Stomach	0.0	0.0	16.9	0
Small Intestine	0.0	0.0	16.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	16.9	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	16.9	0
Liver	0.0	0.0	16.9	0
Intrahepatic Bile Duct	0.0	0.0	16.9	0
Gallbladder	0.0	0.0	16.9	0
Other Biliary	0.0	0.0	16.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	16.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	16.9	0
Other Digestive Organs	0.0	0.0	16.9	0
Respiratory System	56.7	25.0	106.5	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	16.9	0
Larynx	0.0	0.0	16.9	0
Lung and Bronchus	52.5	21.9	101.5	8
Pleura	0.0	0.0	16.9	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.0	0.0	16.9	0
Soft Tissue including Heart	0.0	0.0	16.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	16.9	0
Melanoma of the Skin	0.0	0.0	16.9	0
Other Non-Epithelial Skin	0.0	0.0	16.9	0
Urinary System	0.0	0.0	16.9	0
Urinary Bladder	0.0	0.0	16.9	0
Kidney and Renal Pelvis	0.0	0.0	16.9	0
Ureter	0.0	0.0	16.9	0
Other Urinary Organs	0.0	0.0	16.9	0
Eye and Orbit	0.0	0.0	16.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	16.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	16.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	16.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	16.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	16.9	0
Acute Myeloid Leukemia	0.0	0.0	16.9	0
Acute Monocytic Leukemia	0.0	0.0	16.9	0
Chronic Myeloid Leukemia	0.0	0.0	16.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	16.9	0
Other Leukemia	0.0	0.0	16.9	0
Other Acute Leukemia	0.0	0.0	16.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	16.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	16.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	236.9	180.5	303.8	73
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	10.8	0
Tongue	0.0	0.0	10.8	0
Salivary Gland	0.0	0.0	10.8	0
Floor of Mouth	0.0	0.0	10.8	0
Gum and Other Mouth	0.0	0.0	10.8	0
Nasopharynx	0.0	0.0	10.8	0
Tonsil	0.0	0.0	10.8	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	10.8	0
Other Oral Cavity and Pharynx	0.0	0.0	10.8	0
Digestive System	66.1	36.4	107.7	18
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	10.8	0
Colon and Rectum	22.6	7.1	50.1	6
Colon excluding Rectum	22.6	7.1	50.1	6
Rectum and Rectosigmoid Junction	0.0	0.0	10.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	10.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	10.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.8	0
Other Digestive Organs	0.0	0.0	10.8	0
Respiratory System	75.5	46.8	114.0	25
Nose, Nasal Cavity and Middle Ear	0.0	0.0	10.8	0
Larynx	^	^	^	^
Lung and Bronchus	72.9	44.7	111.0	24
Pleura	0.0	0.0	10.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.8	0
Bones and Joints	0.0	0.0	10.8	0
Soft Tissue including Heart	0.0	0.0	10.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	10.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	10.8	0
Other Urinary Organs	0.0	0.0	10.8	0
Eye and Orbit	0.0	0.0	10.8	0
Brain and Other Nervous System	0.0	0.0	10.8	0
Endocrine System	0.0	0.0	10.8	0
Thyroid	0.0	0.0	10.8	0
Other Endocrine including Thymus	0.0	0.0	10.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	10.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	10.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	10.8	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	10.8	0
Chronic Myeloid Leukemia	0.0	0.0	10.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.8	0
Other Leukemia	0.0	0.0	10.8	0
Other Acute Leukemia	0.0	0.0	10.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	10.8	0
Miscellaneous Malignant Cancer	21.1	7.9	44.3	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	279.6	180.0	410.5	26
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	31.9	0
Tongue	0.0	0.0	31.9	0
Salivary Gland	0.0	0.0	31.9	0
Floor of Mouth	0.0	0.0	31.9	0
Gum and Other Mouth	0.0	0.0	31.9	0
Nasopharynx	0.0	0.0	31.9	0
Tonsil	0.0	0.0	31.9	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	31.9	0
Other Oral Cavity and Pharynx	0.0	0.0	31.9	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	31.9	0
Small Intestine	0.0	0.0	31.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	31.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	31.9	0
Liver	0.0	0.0	31.9	0
Intrahepatic Bile Duct	0.0	0.0	31.9	0
Gallbladder	0.0	0.0	31.9	0
Other Biliary	0.0	0.0	31.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	31.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.9	0
Other Digestive Organs	0.0	0.0	31.9	0
Respiratory System	75.5	27.5	157.9	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.9	0
Larynx	0.0	0.0	31.9	0
Lung and Bronchus	75.5	27.5	157.9	6
Pleura	0.0	0.0	31.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.9	0
Bones and Joints	0.0	0.0	31.9	0
Soft Tissue including Heart	0.0	0.0	31.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	31.9	0
Melanoma of the Skin	0.0	0.0	31.9	0
Other Non-Epithelial Skin	0.0	0.0	31.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	31.9	0
Ureter	0.0	0.0	31.9	0
Other Urinary Organs	0.0	0.0	31.9	0
Eye and Orbit	0.0	0.0	31.9	0
Brain and Other Nervous System	0.0	0.0	31.9	0
Endocrine System	0.0	0.0	31.9	0
Thyroid	0.0	0.0	31.9	0
Other Endocrine including Thymus	0.0	0.0	31.9	0
Lymphoma	0.0	0.0	31.9	0
Hodgkin Lymphoma	0.0	0.0	31.9	0
Non-Hodgkin Lymphoma	0.0	0.0	31.9	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	31.9	0
Acute Lymphocytic Leukemia	0.0	0.0	31.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	31.9	0
Other Lymphocytic Leukemia	0.0	0.0	31.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	31.9	0
Chronic Myeloid Leukemia	0.0	0.0	31.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.9	0
Other Leukemia	0.0	0.0	31.9	0
Other Acute Leukemia	0.0	0.0	31.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	31.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	31.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	156.2	63.8	303.3	9
Oral Cavity and Pharynx	0.0	0.0	49.5	0
Lip	0.0	0.0	49.5	0
Tongue	0.0	0.0	49.5	0
Salivary Gland	0.0	0.0	49.5	0
Floor of Mouth	0.0	0.0	49.5	0
Gum and Other Mouth	0.0	0.0	49.5	0
Nasopharynx	0.0	0.0	49.5	0
Tonsil	0.0	0.0	49.5	0
Oropharynx	0.0	0.0	49.5	0
Hypopharynx	0.0	0.0	49.5	0
Other Oral Cavity and Pharynx	0.0	0.0	49.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	49.5	0
Stomach	0.0	0.0	49.5	0
Small Intestine	0.0	0.0	49.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	49.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	49.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	49.5	0
Liver	0.0	0.0	49.5	0
Intrahepatic Bile Duct	0.0	0.0	49.5	0
Gallbladder	0.0	0.0	49.5	0
Other Biliary	0.0	0.0	49.5	0
Pancreas	0.0	0.0	49.5	0
Retroperitoneum	0.0	0.0	49.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	49.5	0
Other Digestive Organs	0.0	0.0	49.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	49.5	0
Larynx	0.0	0.0	49.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	49.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	49.5	0
Bones and Joints	0.0	0.0	49.5	0
Soft Tissue including Heart	0.0	0.0	49.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	49.5	0
Melanoma of the Skin	0.0	0.0	49.5	0
Other Non-Epithelial Skin	0.0	0.0	49.5	0
Urinary System	0.0	0.0	49.5	0
Urinary Bladder	0.0	0.0	49.5	0
Kidney and Renal Pelvis	0.0	0.0	49.5	0
Ureter	0.0	0.0	49.5	0
Other Urinary Organs	0.0	0.0	49.5	0
Eye and Orbit	0.0	0.0	49.5	0
Brain and Other Nervous System	0.0	0.0	49.5	0
Endocrine System	0.0	0.0	49.5	0
Thyroid	0.0	0.0	49.5	0
Other Endocrine including Thymus	0.0	0.0	49.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	49.5	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	49.5	0
Lymphocytic Leukemia	0.0	0.0	49.5	0
Acute Lymphocytic Leukemia	0.0	0.0	49.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	49.5	0
Other Lymphocytic Leukemia	0.0	0.0	49.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	49.5	0
Acute Myeloid Leukemia	0.0	0.0	49.5	0
Acute Monocytic Leukemia	0.0	0.0	49.5	0
Chronic Myeloid Leukemia	0.0	0.0	49.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	49.5	0
Other Leukemia	0.0	0.0	49.5	0
Other Acute Leukemia	0.0	0.0	49.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	49.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	49.5	0
Miscellaneous Malignant Cancer	0.0	0.0	49.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	361.8	0
Lip	0.0	0.0	361.8	0
Tongue	0.0	0.0	361.8	0
Salivary Gland	0.0	0.0	361.8	0
Floor of Mouth	0.0	0.0	361.8	0
Gum and Other Mouth	0.0	0.0	361.8	0
Nasopharynx	0.0	0.0	361.8	0
Tonsil	0.0	0.0	361.8	0
Oropharynx	0.0	0.0	361.8	0
Hypopharynx	0.0	0.0	361.8	0
Other Oral Cavity and Pharynx	0.0	0.0	361.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	361.8	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	361.8	0
Colon and Rectum	0.0	0.0	361.8	0
Colon excluding Rectum	0.0	0.0	361.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	361.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	361.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	361.8	0
Liver	0.0	0.0	361.8	0
Intrahepatic Bile Duct	0.0	0.0	361.8	0
Gallbladder	0.0	0.0	361.8	0
Other Biliary	0.0	0.0	361.8	0
Pancreas	0.0	0.0	361.8	0
Retroperitoneum	0.0	0.0	361.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	361.8	0
Other Digestive Organs	0.0	0.0	361.8	0
Respiratory System	0.0	0.0	361.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	361.8	0
Larynx	0.0	0.0	361.8	0
Lung and Bronchus	0.0	0.0	361.8	0
Pleura	0.0	0.0	361.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	361.8	0
Bones and Joints	0.0	0.0	361.8	0
Soft Tissue including Heart	0.0	0.0	361.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	361.8	0
Melanoma of the Skin	0.0	0.0	361.8	0
Other Non-Epithelial Skin	0.0	0.0	361.8	0
Urinary System	0.0	0.0	361.8	0
Urinary Bladder	0.0	0.0	361.8	0
Kidney and Renal Pelvis	0.0	0.0	361.8	0
Ureter	0.0	0.0	361.8	0
Other Urinary Organs	0.0	0.0	361.8	0
Eye and Orbit	0.0	0.0	361.8	0
Brain and Other Nervous System	0.0	0.0	361.8	0
Endocrine System	0.0	0.0	361.8	0
Thyroid	0.0	0.0	361.8	0
Other Endocrine including Thymus	0.0	0.0	361.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	361.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	361.8	0
Leukemia	0.0	0.0	361.8	0
Lymphocytic Leukemia	0.0	0.0	361.8	0
Acute Lymphocytic Leukemia	0.0	0.0	361.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	361.8	0
Other Lymphocytic Leukemia	0.0	0.0	361.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	361.8	0
Acute Myeloid Leukemia	0.0	0.0	361.8	0
Acute Monocytic Leukemia	0.0	0.0	361.8	0
Chronic Myeloid Leukemia	0.0	0.0	361.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	361.8	0
Other Leukemia	0.0	0.0	361.8	0
Other Acute Leukemia	0.0	0.0	361.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	361.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	361.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	289.7	225.2	364.9	90
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	10.6	0
Tongue	0.0	0.0	10.6	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	10.6	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	10.6	0
Tonsil	0.0	0.0	10.6	0
Oropharynx	0.0	0.0	10.6	0
Hypopharynx	0.0	0.0	10.6	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	71.8	41.6	113.1	22
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	10.6	0
Colon and Rectum	30.9	12.4	60.7	9
Colon excluding Rectum	25.9	9.0	54.9	7
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	10.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	10.6	0
Other Biliary	0.0	0.0	10.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	10.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.6	0
Other Digestive Organs	0.0	0.0	10.6	0
Respiratory System	81.6	51.5	121.3	28
Nose, Nasal Cavity and Middle Ear	0.0	0.0	10.6	0
Larynx	0.0	0.0	10.6	0
Lung and Bronchus	73.9	47.0	109.8	27
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.6	0
Bones and Joints	0.0	0.0	10.6	0
Soft Tissue including Heart	0.0	0.0	10.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	10.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	10.6	0
Other Urinary Organs	0.0	0.0	10.6	0
Eye and Orbit	0.0	0.0	10.6	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	10.6	0
Thyroid	0.0	0.0	10.6	0
Other Endocrine including Thymus	0.0	0.0	10.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	10.6	0
Other Lymphocytic Leukemia	0.0	0.0	10.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	10.6	0
Chronic Myeloid Leukemia	0.0	0.0	10.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.6	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	251.8	125.0	439.8	12
Oral Cavity and Pharynx	0.0	0.0	58.3	0
Lip	0.0	0.0	58.3	0
Tongue	0.0	0.0	58.3	0
Salivary Gland	0.0	0.0	58.3	0
Floor of Mouth	0.0	0.0	58.3	0
Gum and Other Mouth	0.0	0.0	58.3	0
Nasopharynx	0.0	0.0	58.3	0
Tonsil	0.0	0.0	58.3	0
Oropharynx	0.0	0.0	58.3	0
Hypopharynx	0.0	0.0	58.3	0
Other Oral Cavity and Pharynx	0.0	0.0	58.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	58.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	58.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	58.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	58.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	58.3	0
Gallbladder	0.0	0.0	58.3	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	58.3	0
Retroperitoneum	0.0	0.0	58.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	58.3	0
Other Digestive Organs	0.0	0.0	58.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	58.3	0
Larynx	0.0	0.0	58.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	58.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	58.3	0
Bones and Joints	0.0	0.0	58.3	0
Soft Tissue including Heart	0.0	0.0	58.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	58.3	0
Melanoma of the Skin	0.0	0.0	58.3	0
Other Non-Epithelial Skin	0.0	0.0	58.3	0
Urinary System	0.0	0.0	58.3	0
Urinary Bladder	0.0	0.0	58.3	0
Kidney and Renal Pelvis	0.0	0.0	58.3	0
Ureter	0.0	0.0	58.3	0
Other Urinary Organs	0.0	0.0	58.3	0
Eye and Orbit	0.0	0.0	58.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	58.3	0
Thyroid	0.0	0.0	58.3	0
Other Endocrine including Thymus	0.0	0.0	58.3	0
Lymphoma	0.0	0.0	58.3	0
Hodgkin Lymphoma	0.0	0.0	58.3	0
Non-Hodgkin Lymphoma	0.0	0.0	58.3	0
Myeloma	0.0	0.0	58.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	58.3	0
Acute Lymphocytic Leukemia	0.0	0.0	58.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	58.3	0
Other Lymphocytic Leukemia	0.0	0.0	58.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	58.3	0
Chronic Myeloid Leukemia	0.0	0.0	58.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	58.3	0
Other Leukemia	0.0	0.0	58.3	0
Other Acute Leukemia	0.0	0.0	58.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	58.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	58.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	99.5	0
Lip	0.0	0.0	99.5	0
Tongue	0.0	0.0	99.5	0
Salivary Gland	0.0	0.0	99.5	0
Floor of Mouth	0.0	0.0	99.5	0
Gum and Other Mouth	0.0	0.0	99.5	0
Nasopharynx	0.0	0.0	99.5	0
Tonsil	0.0	0.0	99.5	0
Oropharynx	0.0	0.0	99.5	0
Hypopharynx	0.0	0.0	99.5	0
Other Oral Cavity and Pharynx	0.0	0.0	99.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	99.5	0
Stomach	0.0	0.0	99.5	0
Small Intestine	0.0	0.0	99.5	0
Colon and Rectum	0.0	0.0	99.5	0
Colon excluding Rectum	0.0	0.0	99.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	99.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	99.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	99.5	0
Liver	0.0	0.0	99.5	0
Intrahepatic Bile Duct	0.0	0.0	99.5	0
Gallbladder	0.0	0.0	99.5	0
Other Biliary	0.0	0.0	99.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	99.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	99.5	0
Other Digestive Organs	0.0	0.0	99.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	99.5	0
Larynx	0.0	0.0	99.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	99.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	99.5	0
Bones and Joints	0.0	0.0	99.5	0
Soft Tissue including Heart	0.0	0.0	99.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	99.5	0
Melanoma of the Skin	0.0	0.0	99.5	0
Other Non-Epithelial Skin	0.0	0.0	99.5	0
Urinary System	0.0	0.0	99.5	0
Urinary Bladder	0.0	0.0	99.5	0
Kidney and Renal Pelvis	0.0	0.0	99.5	0
Ureter	0.0	0.0	99.5	0
Other Urinary Organs	0.0	0.0	99.5	0
Eye and Orbit	0.0	0.0	99.5	0
Brain and Other Nervous System	0.0	0.0	99.5	0
Endocrine System	0.0	0.0	99.5	0
Thyroid	0.0	0.0	99.5	0
Other Endocrine including Thymus	0.0	0.0	99.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	99.5	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	99.5	0
Leukemia	0.0	0.0	99.5	0
Lymphocytic Leukemia	0.0	0.0	99.5	0
Acute Lymphocytic Leukemia	0.0	0.0	99.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	99.5	0
Other Lymphocytic Leukemia	0.0	0.0	99.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	99.5	0
Acute Myeloid Leukemia	0.0	0.0	99.5	0
Acute Monocytic Leukemia	0.0	0.0	99.5	0
Chronic Myeloid Leukemia	0.0	0.0	99.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	99.5	0
Other Leukemia	0.0	0.0	99.5	0
Other Acute Leukemia	0.0	0.0	99.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	99.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	99.5	0
Miscellaneous Malignant Cancer	0.0	0.0	99.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	395.2	184.1	712.7	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	96.7	0
Tongue	0.0	0.0	96.7	0
Salivary Gland	0.0	0.0	96.7	0
Floor of Mouth	0.0	0.0	96.7	0
Gum and Other Mouth	0.0	0.0	96.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	96.7	0
Oropharynx	0.0	0.0	96.7	0
Hypopharynx	0.0	0.0	96.7	0
Other Oral Cavity and Pharynx	0.0	0.0	96.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	96.7	0
Stomach	0.0	0.0	96.7	0
Small Intestine	0.0	0.0	96.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	96.7	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	96.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	96.7	0
Liver	0.0	0.0	96.7	0
Intrahepatic Bile Duct	0.0	0.0	96.7	0
Gallbladder	0.0	0.0	96.7	0
Other Biliary	0.0	0.0	96.7	0
Pancreas	0.0	0.0	96.7	0
Retroperitoneum	0.0	0.0	96.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.7	0
Other Digestive Organs	0.0	0.0	96.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.7	0
Larynx	0.0	0.0	96.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	96.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.7	0
Bones and Joints	0.0	0.0	96.7	0
Soft Tissue including Heart	0.0	0.0	96.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	96.7	0
Melanoma of the Skin	0.0	0.0	96.7	0
Other Non-Epithelial Skin	0.0	0.0	96.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	96.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	96.7	0
Other Urinary Organs	0.0	0.0	96.7	0
Eye and Orbit	0.0	0.0	96.7	0
Brain and Other Nervous System	0.0	0.0	96.7	0
Endocrine System	0.0	0.0	96.7	0
Thyroid	0.0	0.0	96.7	0
Other Endocrine including Thymus	0.0	0.0	96.7	0
Lymphoma	0.0	0.0	96.7	0
Hodgkin Lymphoma	0.0	0.0	96.7	0
Non-Hodgkin Lymphoma	0.0	0.0	96.7	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	96.7	0
Lymphocytic Leukemia	0.0	0.0	96.7	0
Acute Lymphocytic Leukemia	0.0	0.0	96.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	96.7	0
Other Lymphocytic Leukemia	0.0	0.0	96.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.7	0
Acute Myeloid Leukemia	0.0	0.0	96.7	0
Acute Monocytic Leukemia	0.0	0.0	96.7	0
Chronic Myeloid Leukemia	0.0	0.0	96.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.7	0
Other Leukemia	0.0	0.0	96.7	0
Other Acute Leukemia	0.0	0.0	96.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	96.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	119.9	0
Lip	0.0	0.0	119.9	0
Tongue	0.0	0.0	119.9	0
Salivary Gland	0.0	0.0	119.9	0
Floor of Mouth	0.0	0.0	119.9	0
Gum and Other Mouth	0.0	0.0	119.9	0
Nasopharynx	0.0	0.0	119.9	0
Tonsil	0.0	0.0	119.9	0
Oropharynx	0.0	0.0	119.9	0
Hypopharynx	0.0	0.0	119.9	0
Other Oral Cavity and Pharynx	0.0	0.0	119.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	119.9	0
Stomach	0.0	0.0	119.9	0
Small Intestine	0.0	0.0	119.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	119.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	119.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	119.9	0
Liver	0.0	0.0	119.9	0
Intrahepatic Bile Duct	0.0	0.0	119.9	0
Gallbladder	0.0	0.0	119.9	0
Other Biliary	0.0	0.0	119.9	0
Pancreas	0.0	0.0	119.9	0
Retroperitoneum	0.0	0.0	119.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	119.9	0
Other Digestive Organs	0.0	0.0	119.9	0
Respiratory System	0.0	0.0	119.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	119.9	0
Larynx	0.0	0.0	119.9	0
Lung and Bronchus	0.0	0.0	119.9	0
Pleura	0.0	0.0	119.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	119.9	0
Bones and Joints	0.0	0.0	119.9	0
Soft Tissue including Heart	0.0	0.0	119.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	119.9	0
Melanoma of the Skin	0.0	0.0	119.9	0
Other Non-Epithelial Skin	0.0	0.0	119.9	0
Urinary System	0.0	0.0	119.9	0
Urinary Bladder	0.0	0.0	119.9	0
Kidney and Renal Pelvis	0.0	0.0	119.9	0
Ureter	0.0	0.0	119.9	0
Other Urinary Organs	0.0	0.0	119.9	0
Eye and Orbit	0.0	0.0	119.9	0
Brain and Other Nervous System	0.0	0.0	119.9	0
Endocrine System	0.0	0.0	119.9	0
Thyroid	0.0	0.0	119.9	0
Other Endocrine including Thymus	0.0	0.0	119.9	0
Lymphoma	0.0	0.0	119.9	0
Hodgkin Lymphoma	0.0	0.0	119.9	0
Non-Hodgkin Lymphoma	0.0	0.0	119.9	0
Myeloma	0.0	0.0	119.9	0
Leukemia	0.0	0.0	119.9	0
Lymphocytic Leukemia	0.0	0.0	119.9	0
Acute Lymphocytic Leukemia	0.0	0.0	119.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	119.9	0
Other Lymphocytic Leukemia	0.0	0.0	119.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	119.9	0
Acute Myeloid Leukemia	0.0	0.0	119.9	0
Acute Monocytic Leukemia	0.0	0.0	119.9	0
Chronic Myeloid Leukemia	0.0	0.0	119.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	119.9	0
Other Leukemia	0.0	0.0	119.9	0
Other Acute Leukemia	0.0	0.0	119.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	119.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	119.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	218.8	110.1	379.9	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	50.3	0
Tongue	0.0	0.0	50.3	0
Salivary Gland	0.0	0.0	50.3	0
Floor of Mouth	0.0	0.0	50.3	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	50.3	0
Tonsil	0.0	0.0	50.3	0
Oropharynx	0.0	0.0	50.3	0
Hypopharynx	0.0	0.0	50.3	0
Other Oral Cavity and Pharynx	0.0	0.0	50.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	50.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	50.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	50.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	50.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	50.3	0
Liver	0.0	0.0	50.3	0
Intrahepatic Bile Duct	0.0	0.0	50.3	0
Gallbladder	0.0	0.0	50.3	0
Other Biliary	0.0	0.0	50.3	0
Pancreas	0.0	0.0	50.3	0
Retroperitoneum	0.0	0.0	50.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	50.3	0
Other Digestive Organs	0.0	0.0	50.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	50.3	0
Larynx	0.0	0.0	50.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	50.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	50.3	0
Bones and Joints	0.0	0.0	50.3	0
Soft Tissue including Heart	0.0	0.0	50.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	50.3	0
Melanoma of the Skin	0.0	0.0	50.3	0
Other Non-Epithelial Skin	0.0	0.0	50.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	50.3	0
Ureter	0.0	0.0	50.3	0
Other Urinary Organs	0.0	0.0	50.3	0
Eye and Orbit	0.0	0.0	50.3	0
Brain and Other Nervous System	0.0	0.0	50.3	0
Endocrine System	0.0	0.0	50.3	0
Thyroid	0.0	0.0	50.3	0
Other Endocrine including Thymus	0.0	0.0	50.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	50.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	50.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	50.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	50.3	0
Acute Myeloid Leukemia	0.0	0.0	50.3	0
Acute Monocytic Leukemia	0.0	0.0	50.3	0
Chronic Myeloid Leukemia	0.0	0.0	50.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	50.3	0
Other Leukemia	0.0	0.0	50.3	0
Other Acute Leukemia	0.0	0.0	50.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	50.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	50.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	145.4	0
Lip	0.0	0.0	145.4	0
Tongue	0.0	0.0	145.4	0
Salivary Gland	0.0	0.0	145.4	0
Floor of Mouth	0.0	0.0	145.4	0
Gum and Other Mouth	0.0	0.0	145.4	0
Nasopharynx	0.0	0.0	145.4	0
Tonsil	0.0	0.0	145.4	0
Oropharynx	0.0	0.0	145.4	0
Hypopharynx	0.0	0.0	145.4	0
Other Oral Cavity and Pharynx	0.0	0.0	145.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	145.4	0
Stomach	0.0	0.0	145.4	0
Small Intestine	0.0	0.0	145.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	145.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	145.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	145.4	0
Liver	0.0	0.0	145.4	0
Intrahepatic Bile Duct	0.0	0.0	145.4	0
Gallbladder	0.0	0.0	145.4	0
Other Biliary	0.0	0.0	145.4	0
Pancreas	0.0	0.0	145.4	0
Retroperitoneum	0.0	0.0	145.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	145.4	0
Other Digestive Organs	0.0	0.0	145.4	0
Respiratory System	0.0	0.0	145.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	145.4	0
Larynx	0.0	0.0	145.4	0
Lung and Bronchus	0.0	0.0	145.4	0
Pleura	0.0	0.0	145.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	145.4	0
Bones and Joints	0.0	0.0	145.4	0
Soft Tissue including Heart	0.0	0.0	145.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	145.4	0
Melanoma of the Skin	0.0	0.0	145.4	0
Other Non-Epithelial Skin	0.0	0.0	145.4	0
Urinary System	0.0	0.0	145.4	0
Urinary Bladder	0.0	0.0	145.4	0
Kidney and Renal Pelvis	0.0	0.0	145.4	0
Ureter	0.0	0.0	145.4	0
Other Urinary Organs	0.0	0.0	145.4	0
Eye and Orbit	0.0	0.0	145.4	0
Brain and Other Nervous System	0.0	0.0	145.4	0
Endocrine System	0.0	0.0	145.4	0
Thyroid	0.0	0.0	145.4	0
Other Endocrine including Thymus	0.0	0.0	145.4	0
Lymphoma	0.0	0.0	145.4	0
Hodgkin Lymphoma	0.0	0.0	145.4	0
Non-Hodgkin Lymphoma	0.0	0.0	145.4	0
Myeloma	0.0	0.0	145.4	0
Leukemia	0.0	0.0	145.4	0
Lymphocytic Leukemia	0.0	0.0	145.4	0
Acute Lymphocytic Leukemia	0.0	0.0	145.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	145.4	0
Other Lymphocytic Leukemia	0.0	0.0	145.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	145.4	0
Acute Myeloid Leukemia	0.0	0.0	145.4	0
Acute Monocytic Leukemia	0.0	0.0	145.4	0
Chronic Myeloid Leukemia	0.0	0.0	145.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	145.4	0
Other Leukemia	0.0	0.0	145.4	0
Other Acute Leukemia	0.0	0.0	145.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	145.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	145.4	0
Miscellaneous Malignant Cancer	0.0	0.0	145.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	301.2	134.6	566.0	11
Oral Cavity and Pharynx	0.0	0.0	106.0	0
Lip	0.0	0.0	106.0	0
Tongue	0.0	0.0	106.0	0
Salivary Gland	0.0	0.0	106.0	0
Floor of Mouth	0.0	0.0	106.0	0
Gum and Other Mouth	0.0	0.0	106.0	0
Nasopharynx	0.0	0.0	106.0	0
Tonsil	0.0	0.0	106.0	0
Oropharynx	0.0	0.0	106.0	0
Hypopharynx	0.0	0.0	106.0	0
Other Oral Cavity and Pharynx	0.0	0.0	106.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	106.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	106.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	106.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	106.0	0
Liver	0.0	0.0	106.0	0
Intrahepatic Bile Duct	0.0	0.0	106.0	0
Gallbladder	0.0	0.0	106.0	0
Other Biliary	0.0	0.0	106.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	106.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	106.0	0
Other Digestive Organs	0.0	0.0	106.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	106.0	0
Larynx	0.0	0.0	106.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	106.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	106.0	0
Bones and Joints	0.0	0.0	106.0	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	106.0	0
Melanoma of the Skin	0.0	0.0	106.0	0
Other Non-Epithelial Skin	0.0	0.0	106.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	106.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	106.0	0
Other Urinary Organs	0.0	0.0	106.0	0
Eye and Orbit	0.0	0.0	106.0	0
Brain and Other Nervous System	0.0	0.0	106.0	0
Endocrine System	0.0	0.0	106.0	0
Thyroid	0.0	0.0	106.0	0
Other Endocrine including Thymus	0.0	0.0	106.0	0
Lymphoma	0.0	0.0	106.0	0
Hodgkin Lymphoma	0.0	0.0	106.0	0
Non-Hodgkin Lymphoma	0.0	0.0	106.0	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	106.0	0
Lymphocytic Leukemia	0.0	0.0	106.0	0
Acute Lymphocytic Leukemia	0.0	0.0	106.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	106.0	0
Other Lymphocytic Leukemia	0.0	0.0	106.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	106.0	0
Acute Myeloid Leukemia	0.0	0.0	106.0	0
Acute Monocytic Leukemia	0.0	0.0	106.0	0
Chronic Myeloid Leukemia	0.0	0.0	106.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	106.0	0
Other Leukemia	0.0	0.0	106.0	0
Other Acute Leukemia	0.0	0.0	106.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	106.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	106.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	328.7	190.4	520.4	20
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	55.8	0
Tongue	0.0	0.0	55.8	0
Salivary Gland	0.0	0.0	55.8	0
Floor of Mouth	0.0	0.0	55.8	0
Gum and Other Mouth	0.0	0.0	55.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	55.8	0
Oropharynx	0.0	0.0	55.8	0
Hypopharynx	0.0	0.0	55.8	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	55.8	0
Small Intestine	0.0	0.0	55.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	55.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.8	0
Liver	0.0	0.0	55.8	0
Intrahepatic Bile Duct	0.0	0.0	55.8	0
Gallbladder	0.0	0.0	55.8	0
Other Biliary	0.0	0.0	55.8	0
Pancreas	0.0	0.0	55.8	0
Retroperitoneum	0.0	0.0	55.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.8	0
Other Digestive Organs	0.0	0.0	55.8	0
Respiratory System	104.3	39.9	218.2	7
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.8	0
Larynx	^	^	^	^
Lung and Bronchus	87.8	30.2	195.3	6
Pleura	0.0	0.0	55.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.8	0
Bones and Joints	0.0	0.0	55.8	0
Soft Tissue including Heart	0.0	0.0	55.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	55.8	0
Melanoma of the Skin	0.0	0.0	55.8	0
Other Non-Epithelial Skin	0.0	0.0	55.8	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	55.8	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	55.8	0
Other Urinary Organs	0.0	0.0	55.8	0
Eye and Orbit	0.0	0.0	55.8	0
Brain and Other Nervous System	0.0	0.0	55.8	0
Endocrine System	0.0	0.0	55.8	0
Thyroid	0.0	0.0	55.8	0
Other Endocrine including Thymus	0.0	0.0	55.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	55.8	0
Leukemia	0.0	0.0	55.8	0
Lymphocytic Leukemia	0.0	0.0	55.8	0
Acute Lymphocytic Leukemia	0.0	0.0	55.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.8	0
Other Lymphocytic Leukemia	0.0	0.0	55.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	55.8	0
Acute Myeloid Leukemia	0.0	0.0	55.8	0
Acute Monocytic Leukemia	0.0	0.0	55.8	0
Chronic Myeloid Leukemia	0.0	0.0	55.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.8	0
Other Leukemia	0.0	0.0	55.8	0
Other Acute Leukemia	0.0	0.0	55.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	55.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	55.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	109.9	0
Lip	0.0	0.0	109.9	0
Tongue	0.0	0.0	109.9	0
Salivary Gland	0.0	0.0	109.9	0
Floor of Mouth	0.0	0.0	109.9	0
Gum and Other Mouth	0.0	0.0	109.9	0
Nasopharynx	0.0	0.0	109.9	0
Tonsil	0.0	0.0	109.9	0
Oropharynx	0.0	0.0	109.9	0
Hypopharynx	0.0	0.0	109.9	0
Other Oral Cavity and Pharynx	0.0	0.0	109.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	109.9	0
Stomach	0.0	0.0	109.9	0
Small Intestine	0.0	0.0	109.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	109.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	109.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	109.9	0
Liver	0.0	0.0	109.9	0
Intrahepatic Bile Duct	0.0	0.0	109.9	0
Gallbladder	0.0	0.0	109.9	0
Other Biliary	0.0	0.0	109.9	0
Pancreas	0.0	0.0	109.9	0
Retroperitoneum	0.0	0.0	109.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	109.9	0
Other Digestive Organs	0.0	0.0	109.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	109.9	0
Larynx	0.0	0.0	109.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	109.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	109.9	0
Bones and Joints	0.0	0.0	109.9	0
Soft Tissue including Heart	0.0	0.0	109.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	109.9	0
Melanoma of the Skin	0.0	0.0	109.9	0
Other Non-Epithelial Skin	0.0	0.0	109.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	109.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	109.9	0
Other Urinary Organs	0.0	0.0	109.9	0
Eye and Orbit	0.0	0.0	109.9	0
Brain and Other Nervous System	0.0	0.0	109.9	0
Endocrine System	0.0	0.0	109.9	0
Thyroid	0.0	0.0	109.9	0
Other Endocrine including Thymus	0.0	0.0	109.9	0
Lymphoma	0.0	0.0	109.9	0
Hodgkin Lymphoma	0.0	0.0	109.9	0
Non-Hodgkin Lymphoma	0.0	0.0	109.9	0
Myeloma	0.0	0.0	109.9	0
Leukemia	0.0	0.0	109.9	0
Lymphocytic Leukemia	0.0	0.0	109.9	0
Acute Lymphocytic Leukemia	0.0	0.0	109.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	109.9	0
Other Lymphocytic Leukemia	0.0	0.0	109.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	109.9	0
Acute Myeloid Leukemia	0.0	0.0	109.9	0
Acute Monocytic Leukemia	0.0	0.0	109.9	0
Chronic Myeloid Leukemia	0.0	0.0	109.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	109.9	0
Other Leukemia	0.0	0.0	109.9	0
Other Acute Leukemia	0.0	0.0	109.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	109.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	109.9	0
Miscellaneous Malignant Cancer	0.0	0.0	109.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	157.0	70.5	299.5	9
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	62.7	0
Tongue	0.0	0.0	62.7	0
Salivary Gland	0.0	0.0	62.7	0
Floor of Mouth	0.0	0.0	62.7	0
Gum and Other Mouth	0.0	0.0	62.7	0
Nasopharynx	0.0	0.0	62.7	0
Tonsil	0.0	0.0	62.7	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	62.7	0
Other Oral Cavity and Pharynx	0.0	0.0	62.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	62.7	0
Stomach	0.0	0.0	62.7	0
Small Intestine	0.0	0.0	62.7	0
Colon and Rectum	0.0	0.0	62.7	0
Colon excluding Rectum	0.0	0.0	62.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	62.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	62.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	62.7	0
Liver	0.0	0.0	62.7	0
Intrahepatic Bile Duct	0.0	0.0	62.7	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	62.7	0
Pancreas	0.0	0.0	62.7	0
Retroperitoneum	0.0	0.0	62.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	62.7	0
Other Digestive Organs	0.0	0.0	62.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	62.7	0
Larynx	0.0	0.0	62.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	62.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	62.7	0
Bones and Joints	0.0	0.0	62.7	0
Soft Tissue including Heart	0.0	0.0	62.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	62.7	0
Melanoma of the Skin	0.0	0.0	62.7	0
Other Non-Epithelial Skin	0.0	0.0	62.7	0
Urinary System	0.0	0.0	62.7	0
Urinary Bladder	0.0	0.0	62.7	0
Kidney and Renal Pelvis	0.0	0.0	62.7	0
Ureter	0.0	0.0	62.7	0
Other Urinary Organs	0.0	0.0	62.7	0
Eye and Orbit	0.0	0.0	62.7	0
Brain and Other Nervous System	0.0	0.0	62.7	0
Endocrine System	0.0	0.0	62.7	0
Thyroid	0.0	0.0	62.7	0
Other Endocrine including Thymus	0.0	0.0	62.7	0
Lymphoma	0.0	0.0	62.7	0
Hodgkin Lymphoma	0.0	0.0	62.7	0
Non-Hodgkin Lymphoma	0.0	0.0	62.7	0
Myeloma	0.0	0.0	62.7	0
Leukemia	0.0	0.0	62.7	0
Lymphocytic Leukemia	0.0	0.0	62.7	0
Acute Lymphocytic Leukemia	0.0	0.0	62.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	62.7	0
Other Lymphocytic Leukemia	0.0	0.0	62.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	62.7	0
Acute Myeloid Leukemia	0.0	0.0	62.7	0
Acute Monocytic Leukemia	0.0	0.0	62.7	0
Chronic Myeloid Leukemia	0.0	0.0	62.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	62.7	0
Other Leukemia	0.0	0.0	62.7	0
Other Acute Leukemia	0.0	0.0	62.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	62.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	62.7	0
Miscellaneous Malignant Cancer	0.0	0.0	62.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	1,571.9	0
Lip	0.0	0.0	1,571.9	0
Tongue	0.0	0.0	1,571.9	0
Salivary Gland	0.0	0.0	1,571.9	0
Floor of Mouth	0.0	0.0	1,571.9	0
Gum and Other Mouth	0.0	0.0	1,571.9	0
Nasopharynx	0.0	0.0	1,571.9	0
Tonsil	0.0	0.0	1,571.9	0
Oropharynx	0.0	0.0	1,571.9	0
Hypopharynx	0.0	0.0	1,571.9	0
Other Oral Cavity and Pharynx	0.0	0.0	1,571.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	1,571.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	1,571.9	0
Colon and Rectum	0.0	0.0	1,571.9	0
Colon excluding Rectum	0.0	0.0	1,571.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	1,571.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	1,571.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	1,571.9	0
Liver	0.0	0.0	1,571.9	0
Intrahepatic Bile Duct	0.0	0.0	1,571.9	0
Gallbladder	0.0	0.0	1,571.9	0
Other Biliary	0.0	0.0	1,571.9	0
Pancreas	0.0	0.0	1,571.9	0
Retroperitoneum	0.0	0.0	1,571.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1,571.9	0
Other Digestive Organs	0.0	0.0	1,571.9	0
Respiratory System	0.0	0.0	1,571.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1,571.9	0
Larynx	0.0	0.0	1,571.9	0
Lung and Bronchus	0.0	0.0	1,571.9	0
Pleura	0.0	0.0	1,571.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1,571.9	0
Bones and Joints	0.0	0.0	1,571.9	0
Soft Tissue including Heart	0.0	0.0	1,571.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	1,571.9	0
Melanoma of the Skin	0.0	0.0	1,571.9	0
Other Non-Epithelial Skin	0.0	0.0	1,571.9	0
Urinary System	0.0	0.0	1,571.9	0
Urinary Bladder	0.0	0.0	1,571.9	0
Kidney and Renal Pelvis	0.0	0.0	1,571.9	0
Ureter	0.0	0.0	1,571.9	0
Other Urinary Organs	0.0	0.0	1,571.9	0
Eye and Orbit	0.0	0.0	1,571.9	0
Brain and Other Nervous System	0.0	0.0	1,571.9	0
Endocrine System	0.0	0.0	1,571.9	0
Thyroid	0.0	0.0	1,571.9	0
Other Endocrine including Thymus	0.0	0.0	1,571.9	0
Lymphoma	0.0	0.0	1,571.9	0
Hodgkin Lymphoma	0.0	0.0	1,571.9	0
Non-Hodgkin Lymphoma	0.0	0.0	1,571.9	0
Myeloma	0.0	0.0	1,571.9	0
Leukemia	0.0	0.0	1,571.9	0
Lymphocytic Leukemia	0.0	0.0	1,571.9	0
Acute Lymphocytic Leukemia	0.0	0.0	1,571.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	1,571.9	0
Other Lymphocytic Leukemia	0.0	0.0	1,571.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	1,571.9	0
Acute Myeloid Leukemia	0.0	0.0	1,571.9	0
Acute Monocytic Leukemia	0.0	0.0	1,571.9	0
Chronic Myeloid Leukemia	0.0	0.0	1,571.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1,571.9	0
Other Leukemia	0.0	0.0	1,571.9	0
Other Acute Leukemia	0.0	0.0	1,571.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1,571.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	1,571.9	0
Miscellaneous Malignant Cancer	0.0	0.0	1,571.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	308.8	151.3	545.3	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	77.2	0
Tongue	0.0	0.0	77.2	0
Salivary Gland	0.0	0.0	77.2	0
Floor of Mouth	0.0	0.0	77.2	0
Gum and Other Mouth	0.0	0.0	77.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	77.2	0
Oropharynx	0.0	0.0	77.2	0
Hypopharynx	0.0	0.0	77.2	0
Other Oral Cavity and Pharynx	0.0	0.0	77.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	77.2	0
Stomach	0.0	0.0	77.2	0
Small Intestine	0.0	0.0	77.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	77.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	77.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	77.2	0
Liver	0.0	0.0	77.2	0
Intrahepatic Bile Duct	0.0	0.0	77.2	0
Gallbladder	0.0	0.0	77.2	0
Other Biliary	0.0	0.0	77.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	77.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	77.2	0
Other Digestive Organs	0.0	0.0	77.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	77.2	0
Larynx	0.0	0.0	77.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	77.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	77.2	0
Bones and Joints	0.0	0.0	77.2	0
Soft Tissue including Heart	0.0	0.0	77.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2000/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	77.2	0
Melanoma of the Skin	0.0	0.0	77.2	0
Other Non-Epithelial Skin	0.0	0.0	77.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	77.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	77.2	0
Other Urinary Organs	0.0	0.0	77.2	0
Eye and Orbit	0.0	0.0	77.2	0
Brain and Other Nervous System	0.0	0.0	77.2	0
Endocrine System	0.0	0.0	77.2	0
Thyroid	0.0	0.0	77.2	0
Other Endocrine including Thymus	0.0	0.0	77.2	0
Lymphoma	0.0	0.0	77.2	0
Hodgkin Lymphoma	0.0	0.0	77.2	0
Non-Hodgkin Lymphoma	0.0	0.0	77.2	0
Myeloma	0.0	0.0	77.2	0
Leukemia	0.0	0.0	77.2	0
Lymphocytic Leukemia	0.0	0.0	77.2	0
Acute Lymphocytic Leukemia	0.0	0.0	77.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	77.2	0
Other Lymphocytic Leukemia	0.0	0.0	77.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	77.2	0
Acute Myeloid Leukemia	0.0	0.0	77.2	0
Acute Monocytic Leukemia	0.0	0.0	77.2	0
Chronic Myeloid Leukemia	0.0	0.0	77.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	77.2	0
Other Leukemia	0.0	0.0	77.2	0
Other Acute Leukemia	0.0	0.0	77.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	77.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	77.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	421.7	0
Tongue	0.0	0.0	421.7	0
Salivary Gland	0.0	0.0	421.7	0
Floor of Mouth	0.0	0.0	421.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	421.7	0
Tonsil	0.0	0.0	421.7	0
Oropharynx	0.0	0.0	421.7	0
Hypopharynx	0.0	0.0	421.7	0
Other Oral Cavity and Pharynx	0.0	0.0	421.7	0
Digestive System	0.0	0.0	421.7	0
Esophagus	0.0	0.0	421.7	0
Stomach	0.0	0.0	421.7	0
Small Intestine	0.0	0.0	421.7	0
Colon and Rectum	0.0	0.0	421.7	0
Colon excluding Rectum	0.0	0.0	421.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	421.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	421.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	421.7	0
Liver	0.0	0.0	421.7	0
Intrahepatic Bile Duct	0.0	0.0	421.7	0
Gallbladder	0.0	0.0	421.7	0
Other Biliary	0.0	0.0	421.7	0
Pancreas	0.0	0.0	421.7	0
Retroperitoneum	0.0	0.0	421.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	421.7	0
Other Digestive Organs	0.0	0.0	421.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	421.7	0
Larynx	0.0	0.0	421.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	421.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	421.7	0
Bones and Joints	0.0	0.0	421.7	0
Soft Tissue including Heart	0.0	0.0	421.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	421.7	0
Melanoma of the Skin	0.0	0.0	421.7	0
Other Non-Epithelial Skin	0.0	0.0	421.7	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	421.7	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	421.7	0
Other Urinary Organs	0.0	0.0	421.7	0
Eye and Orbit	0.0	0.0	421.7	0
Brain and Other Nervous System	0.0	0.0	421.7	0
Endocrine System	0.0	0.0	421.7	0
Thyroid	0.0	0.0	421.7	0
Other Endocrine including Thymus	0.0	0.0	421.7	0
Lymphoma	0.0	0.0	421.7	0
Hodgkin Lymphoma	0.0	0.0	421.7	0
Non-Hodgkin Lymphoma	0.0	0.0	421.7	0
Myeloma	0.0	0.0	421.7	0
Leukemia	0.0	0.0	421.7	0
Lymphocytic Leukemia	0.0	0.0	421.7	0
Acute Lymphocytic Leukemia	0.0	0.0	421.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	421.7	0
Other Lymphocytic Leukemia	0.0	0.0	421.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	421.7	0
Acute Myeloid Leukemia	0.0	0.0	421.7	0
Acute Monocytic Leukemia	0.0	0.0	421.7	0
Chronic Myeloid Leukemia	0.0	0.0	421.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	421.7	0
Other Leukemia	0.0	0.0	421.7	0
Other Acute Leukemia	0.0	0.0	421.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	421.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	421.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	372.3	0
Lip	0.0	0.0	372.3	0
Tongue	0.0	0.0	372.3	0
Salivary Gland	0.0	0.0	372.3	0
Floor of Mouth	0.0	0.0	372.3	0
Gum and Other Mouth	0.0	0.0	372.3	0
Nasopharynx	0.0	0.0	372.3	0
Tonsil	0.0	0.0	372.3	0
Oropharynx	0.0	0.0	372.3	0
Hypopharynx	0.0	0.0	372.3	0
Other Oral Cavity and Pharynx	0.0	0.0	372.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	372.3	0
Stomach	0.0	0.0	372.3	0
Small Intestine	0.0	0.0	372.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	372.3	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	372.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	372.3	0
Liver	0.0	0.0	372.3	0
Intrahepatic Bile Duct	0.0	0.0	372.3	0
Gallbladder	0.0	0.0	372.3	0
Other Biliary	0.0	0.0	372.3	0
Pancreas	0.0	0.0	372.3	0
Retroperitoneum	0.0	0.0	372.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	372.3	0
Other Digestive Organs	0.0	0.0	372.3	0
Respiratory System	0.0	0.0	372.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	372.3	0
Larynx	0.0	0.0	372.3	0
Lung and Bronchus	0.0	0.0	372.3	0
Pleura	0.0	0.0	372.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	372.3	0
Bones and Joints	0.0	0.0	372.3	0
Soft Tissue including Heart	0.0	0.0	372.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	372.3	0
Melanoma of the Skin	0.0	0.0	372.3	0
Other Non-Epithelial Skin	0.0	0.0	372.3	0
Urinary System	0.0	0.0	372.3	0
Urinary Bladder	0.0	0.0	372.3	0
Kidney and Renal Pelvis	0.0	0.0	372.3	0
Ureter	0.0	0.0	372.3	0
Other Urinary Organs	0.0	0.0	372.3	0
Eye and Orbit	0.0	0.0	372.3	0
Brain and Other Nervous System	0.0	0.0	372.3	0
Endocrine System	0.0	0.0	372.3	0
Thyroid	0.0	0.0	372.3	0
Other Endocrine including Thymus	0.0	0.0	372.3	0
Lymphoma	0.0	0.0	372.3	0
Hodgkin Lymphoma	0.0	0.0	372.3	0
Non-Hodgkin Lymphoma	0.0	0.0	372.3	0
Myeloma	0.0	0.0	372.3	0
Leukemia	0.0	0.0	372.3	0
Lymphocytic Leukemia	0.0	0.0	372.3	0
Acute Lymphocytic Leukemia	0.0	0.0	372.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	372.3	0
Other Lymphocytic Leukemia	0.0	0.0	372.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	372.3	0
Acute Myeloid Leukemia	0.0	0.0	372.3	0
Acute Monocytic Leukemia	0.0	0.0	372.3	0
Chronic Myeloid Leukemia	0.0	0.0	372.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	372.3	0
Other Leukemia	0.0	0.0	372.3	0
Other Acute Leukemia	0.0	0.0	372.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	372.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	372.3	0
Miscellaneous Malignant Cancer	0.0	0.0	372.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	184.5	161.0	210.2	261
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	2.2	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	2.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	2.2	0
Tonsil	0.0	0.0	2.2	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	2.2	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	45.6	34.3	59.0	65
Esophagus	^	^	^	^
Stomach	6.8	2.8	13.4	9
Small Intestine	0.0	0.0	2.2	0
Colon and Rectum	15.7	9.3	24.4	20
Colon excluding Rectum	11.9	6.4	19.9	14
Rectum and Rectosigmoid Junction	3.8	1.2	8.4	6
Anus, Anal Canal and Anorectum	0.0	0.0	2.2	0
Liver and Intrahepatic Bile Duct	8.1	4.1	14.0	14
Liver	7.5	3.7	13.3	13
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.8	5.8	18.0	16
Retroperitoneum	0.0	0.0	2.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.2	0
Other Digestive Organs	0.0	0.0	2.2	0
Respiratory System	54.3	42.0	68.6	76
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.2	0
Larynx	0.0	0.0	2.2	0
Lung and Bronchus	54.3	42.0	68.6	76
Pleura	0.0	0.0	2.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.2	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2.2	0
Urinary System	10.8	5.4	18.6	13
Urinary Bladder	6.2	2.2	12.8	6
Kidney and Renal Pelvis	4.6	1.6	9.8	7
Ureter	0.0	0.0	2.2	0
Other Urinary Organs	0.0	0.0	2.2	0
Eye and Orbit	0.0	0.0	2.2	0
Brain and Other Nervous System	4.3	2.1	8.0	11
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	2.2	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	5.7	2.4	11.2	9
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	5.1	2.0	10.3	8
Myeloma	4.8	1.6	10.2	6
Leukemia	3.6	1.2	8.1	6
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.2	0
Chronic Myeloid Leukemia	0.0	0.0	2.2	0
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	2.2	0
Other Acute Leukemia	0.0	0.0	2.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	2.2	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	13.9	8.0	22.2	18

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	260.7	156.1	402.1	21
Oral Cavity and Pharynx	0.0	0.0	36.6	0
Lip	0.0	0.0	36.6	0
Tongue	0.0	0.0	36.6	0
Salivary Gland	0.0	0.0	36.6	0
Floor of Mouth	0.0	0.0	36.6	0
Gum and Other Mouth	0.0	0.0	36.6	0
Nasopharynx	0.0	0.0	36.6	0
Tonsil	0.0	0.0	36.6	0
Oropharynx	0.0	0.0	36.6	0
Hypopharynx	0.0	0.0	36.6	0
Other Oral Cavity and Pharynx	0.0	0.0	36.6	0
Digestive System	102.5	43.1	198.6	8
Esophagus	^	^	^	^
Stomach	0.0	0.0	36.6	0
Small Intestine	0.0	0.0	36.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	36.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	36.6	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	36.6	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	36.6	0
Other Biliary	0.0	0.0	36.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	36.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	36.6	0
Other Digestive Organs	0.0	0.0	36.6	0
Respiratory System	91.1	31.7	192.5	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	36.6	0
Larynx	0.0	0.0	36.6	0
Lung and Bronchus	91.1	31.7	192.5	6
Pleura	0.0	0.0	36.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	36.6	0
Bones and Joints	0.0	0.0	36.6	0
Soft Tissue including Heart	0.0	0.0	36.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	36.6	0
Melanoma of the Skin	0.0	0.0	36.6	0
Other Non-Epithelial Skin	0.0	0.0	36.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	36.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	36.6	0
Other Urinary Organs	0.0	0.0	36.6	0
Eye and Orbit	0.0	0.0	36.6	0
Brain and Other Nervous System	0.0	0.0	36.6	0
Endocrine System	0.0	0.0	36.6	0
Thyroid	0.0	0.0	36.6	0
Other Endocrine including Thymus	0.0	0.0	36.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	36.6	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	36.6	0
Leukemia	0.0	0.0	36.6	0
Lymphocytic Leukemia	0.0	0.0	36.6	0
Acute Lymphocytic Leukemia	0.0	0.0	36.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	36.6	0
Other Lymphocytic Leukemia	0.0	0.0	36.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	36.6	0
Acute Myeloid Leukemia	0.0	0.0	36.6	0
Acute Monocytic Leukemia	0.0	0.0	36.6	0
Chronic Myeloid Leukemia	0.0	0.0	36.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	36.6	0
Other Leukemia	0.0	0.0	36.6	0
Other Acute Leukemia	0.0	0.0	36.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	36.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	36.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	788.7	0
Lip	0.0	0.0	788.7	0
Tongue	0.0	0.0	788.7	0
Salivary Gland	0.0	0.0	788.7	0
Floor of Mouth	0.0	0.0	788.7	0
Gum and Other Mouth	0.0	0.0	788.7	0
Nasopharynx	0.0	0.0	788.7	0
Tonsil	0.0	0.0	788.7	0
Oropharynx	0.0	0.0	788.7	0
Hypopharynx	0.0	0.0	788.7	0
Other Oral Cavity and Pharynx	0.0	0.0	788.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	788.7	0
Stomach	0.0	0.0	788.7	0
Small Intestine	0.0	0.0	788.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	788.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	788.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	788.7	0
Liver	0.0	0.0	788.7	0
Intrahepatic Bile Duct	0.0	0.0	788.7	0
Gallbladder	0.0	0.0	788.7	0
Other Biliary	0.0	0.0	788.7	0
Pancreas	0.0	0.0	788.7	0
Retroperitoneum	0.0	0.0	788.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	788.7	0
Other Digestive Organs	0.0	0.0	788.7	0
Respiratory System	0.0	0.0	788.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	788.7	0
Larynx	0.0	0.0	788.7	0
Lung and Bronchus	0.0	0.0	788.7	0
Pleura	0.0	0.0	788.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	788.7	0
Bones and Joints	0.0	0.0	788.7	0
Soft Tissue including Heart	0.0	0.0	788.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	788.7	0
Melanoma of the Skin	0.0	0.0	788.7	0
Other Non-Epithelial Skin	0.0	0.0	788.7	0
Urinary System	0.0	0.0	788.7	0
Urinary Bladder	0.0	0.0	788.7	0
Kidney and Renal Pelvis	0.0	0.0	788.7	0
Ureter	0.0	0.0	788.7	0
Other Urinary Organs	0.0	0.0	788.7	0
Eye and Orbit	0.0	0.0	788.7	0
Brain and Other Nervous System	0.0	0.0	788.7	0
Endocrine System	0.0	0.0	788.7	0
Thyroid	0.0	0.0	788.7	0
Other Endocrine including Thymus	0.0	0.0	788.7	0
Lymphoma	0.0	0.0	788.7	0
Hodgkin Lymphoma	0.0	0.0	788.7	0
Non-Hodgkin Lymphoma	0.0	0.0	788.7	0
Myeloma	0.0	0.0	788.7	0
Leukemia	0.0	0.0	788.7	0
Lymphocytic Leukemia	0.0	0.0	788.7	0
Acute Lymphocytic Leukemia	0.0	0.0	788.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	788.7	0
Other Lymphocytic Leukemia	0.0	0.0	788.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	788.7	0
Acute Myeloid Leukemia	0.0	0.0	788.7	0
Acute Monocytic Leukemia	0.0	0.0	788.7	0
Chronic Myeloid Leukemia	0.0	0.0	788.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	788.7	0
Other Leukemia	0.0	0.0	788.7	0
Other Acute Leukemia	0.0	0.0	788.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	788.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	788.7	0
Miscellaneous Malignant Cancer	0.0	0.0	788.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	566.1	0
Oral Cavity and Pharynx	0.0	0.0	566.1	0
Lip	0.0	0.0	566.1	0
Tongue	0.0	0.0	566.1	0
Salivary Gland	0.0	0.0	566.1	0
Floor of Mouth	0.0	0.0	566.1	0
Gum and Other Mouth	0.0	0.0	566.1	0
Nasopharynx	0.0	0.0	566.1	0
Tonsil	0.0	0.0	566.1	0
Oropharynx	0.0	0.0	566.1	0
Hypopharynx	0.0	0.0	566.1	0
Other Oral Cavity and Pharynx	0.0	0.0	566.1	0
Digestive System	0.0	0.0	566.1	0
Esophagus	0.0	0.0	566.1	0
Stomach	0.0	0.0	566.1	0
Small Intestine	0.0	0.0	566.1	0
Colon and Rectum	0.0	0.0	566.1	0
Colon excluding Rectum	0.0	0.0	566.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	566.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	566.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	566.1	0
Liver	0.0	0.0	566.1	0
Intrahepatic Bile Duct	0.0	0.0	566.1	0
Gallbladder	0.0	0.0	566.1	0
Other Biliary	0.0	0.0	566.1	0
Pancreas	0.0	0.0	566.1	0
Retroperitoneum	0.0	0.0	566.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	566.1	0
Other Digestive Organs	0.0	0.0	566.1	0
Respiratory System	0.0	0.0	566.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	566.1	0
Larynx	0.0	0.0	566.1	0
Lung and Bronchus	0.0	0.0	566.1	0
Pleura	0.0	0.0	566.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	566.1	0
Bones and Joints	0.0	0.0	566.1	0
Soft Tissue including Heart	0.0	0.0	566.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	566.1	0
Melanoma of the Skin	0.0	0.0	566.1	0
Other Non-Epithelial Skin	0.0	0.0	566.1	0
Urinary System	0.0	0.0	566.1	0
Urinary Bladder	0.0	0.0	566.1	0
Kidney and Renal Pelvis	0.0	0.0	566.1	0
Ureter	0.0	0.0	566.1	0
Other Urinary Organs	0.0	0.0	566.1	0
Eye and Orbit	0.0	0.0	566.1	0
Brain and Other Nervous System	0.0	0.0	566.1	0
Endocrine System	0.0	0.0	566.1	0
Thyroid	0.0	0.0	566.1	0
Other Endocrine including Thymus	0.0	0.0	566.1	0
Lymphoma	0.0	0.0	566.1	0
Hodgkin Lymphoma	0.0	0.0	566.1	0
Non-Hodgkin Lymphoma	0.0	0.0	566.1	0
Myeloma	0.0	0.0	566.1	0
Leukemia	0.0	0.0	566.1	0
Lymphocytic Leukemia	0.0	0.0	566.1	0
Acute Lymphocytic Leukemia	0.0	0.0	566.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	566.1	0
Other Lymphocytic Leukemia	0.0	0.0	566.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	566.1	0
Acute Myeloid Leukemia	0.0	0.0	566.1	0
Acute Monocytic Leukemia	0.0	0.0	566.1	0
Chronic Myeloid Leukemia	0.0	0.0	566.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	566.1	0
Other Leukemia	0.0	0.0	566.1	0
Other Acute Leukemia	0.0	0.0	566.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	566.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	566.1	0
Miscellaneous Malignant Cancer	0.0	0.0	566.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	230.7	71.2	518.9	6
Oral Cavity and Pharynx	0.0	0.0	116.4	0
Lip	0.0	0.0	116.4	0
Tongue	0.0	0.0	116.4	0
Salivary Gland	0.0	0.0	116.4	0
Floor of Mouth	0.0	0.0	116.4	0
Gum and Other Mouth	0.0	0.0	116.4	0
Nasopharynx	0.0	0.0	116.4	0
Tonsil	0.0	0.0	116.4	0
Oropharynx	0.0	0.0	116.4	0
Hypopharynx	0.0	0.0	116.4	0
Other Oral Cavity and Pharynx	0.0	0.0	116.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	116.4	0
Stomach	0.0	0.0	116.4	0
Small Intestine	0.0	0.0	116.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	116.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	116.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	116.4	0
Gallbladder	0.0	0.0	116.4	0
Other Biliary	0.0	0.0	116.4	0
Pancreas	0.0	0.0	116.4	0
Retroperitoneum	0.0	0.0	116.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	116.4	0
Other Digestive Organs	0.0	0.0	116.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	116.4	0
Larynx	0.0	0.0	116.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	116.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	116.4	0
Bones and Joints	0.0	0.0	116.4	0
Soft Tissue including Heart	0.0	0.0	116.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	116.4	0
Melanoma of the Skin	0.0	0.0	116.4	0
Other Non-Epithelial Skin	0.0	0.0	116.4	0
Urinary System	0.0	0.0	116.4	0
Urinary Bladder	0.0	0.0	116.4	0
Kidney and Renal Pelvis	0.0	0.0	116.4	0
Ureter	0.0	0.0	116.4	0
Other Urinary Organs	0.0	0.0	116.4	0
Eye and Orbit	0.0	0.0	116.4	0
Brain and Other Nervous System	0.0	0.0	116.4	0
Endocrine System	0.0	0.0	116.4	0
Thyroid	0.0	0.0	116.4	0
Other Endocrine including Thymus	0.0	0.0	116.4	0
Lymphoma	0.0	0.0	116.4	0
Hodgkin Lymphoma	0.0	0.0	116.4	0
Non-Hodgkin Lymphoma	0.0	0.0	116.4	0
Myeloma	0.0	0.0	116.4	0
Leukemia	0.0	0.0	116.4	0
Lymphocytic Leukemia	0.0	0.0	116.4	0
Acute Lymphocytic Leukemia	0.0	0.0	116.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	116.4	0
Other Lymphocytic Leukemia	0.0	0.0	116.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	116.4	0
Acute Myeloid Leukemia	0.0	0.0	116.4	0
Acute Monocytic Leukemia	0.0	0.0	116.4	0
Chronic Myeloid Leukemia	0.0	0.0	116.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	116.4	0
Other Leukemia	0.0	0.0	116.4	0
Other Acute Leukemia	0.0	0.0	116.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	116.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	116.4	0
Miscellaneous Malignant Cancer	0.0	0.0	116.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	219.5	172.0	274.6	88
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	7.5	0
Tongue	0.0	0.0	7.5	0
Salivary Gland	0.0	0.0	7.5	0
Floor of Mouth	0.0	0.0	7.5	0
Gum and Other Mouth	0.0	0.0	7.5	0
Nasopharynx	0.0	0.0	7.5	0
Tonsil	0.0	0.0	7.5	0
Oropharynx	0.0	0.0	7.5	0
Hypopharynx	0.0	0.0	7.5	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	52.6	32.0	80.3	24
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	7.5	0
Colon and Rectum	21.5	10.4	38.9	12
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	12.1	4.2	26.6	7
Anus, Anal Canal and Anorectum	0.0	0.0	7.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	7.5	0
Gallbladder	0.0	0.0	7.5	0
Other Biliary	0.0	0.0	7.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	7.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	7.5	0
Other Digestive Organs	0.0	0.0	7.5	0
Respiratory System	78.4	51.1	113.5	30
Nose, Nasal Cavity and Middle Ear	0.0	0.0	7.5	0
Larynx	0.0	0.0	7.5	0
Lung and Bronchus	78.4	51.1	113.5	30
Pleura	0.0	0.0	7.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	7.5	0
Bones and Joints	0.0	0.0	7.5	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	7.5	0
Ureter	0.0	0.0	7.5	0
Other Urinary Organs	0.0	0.0	7.5	0
Eye and Orbit	0.0	0.0	7.5	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	7.5	0
Thyroid	0.0	0.0	7.5	0
Other Endocrine including Thymus	0.0	0.0	7.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	7.5	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	7.5	0
Acute Lymphocytic Leukemia	0.0	0.0	7.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	7.5	0
Other Lymphocytic Leukemia	0.0	0.0	7.5	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	7.5	0
Chronic Myeloid Leukemia	0.0	0.0	7.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.5	0
Other Leukemia	0.0	0.0	7.5	0
Other Acute Leukemia	0.0	0.0	7.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	7.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	7.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	194.4	0
Lip	0.0	0.0	194.4	0
Tongue	0.0	0.0	194.4	0
Salivary Gland	0.0	0.0	194.4	0
Floor of Mouth	0.0	0.0	194.4	0
Gum and Other Mouth	0.0	0.0	194.4	0
Nasopharynx	0.0	0.0	194.4	0
Tonsil	0.0	0.0	194.4	0
Oropharynx	0.0	0.0	194.4	0
Hypopharynx	0.0	0.0	194.4	0
Other Oral Cavity and Pharynx	0.0	0.0	194.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	194.4	0
Stomach	0.0	0.0	194.4	0
Small Intestine	0.0	0.0	194.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	194.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	194.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	194.4	0
Liver	0.0	0.0	194.4	0
Intrahepatic Bile Duct	0.0	0.0	194.4	0
Gallbladder	0.0	0.0	194.4	0
Other Biliary	0.0	0.0	194.4	0
Pancreas	0.0	0.0	194.4	0
Retroperitoneum	0.0	0.0	194.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	194.4	0
Other Digestive Organs	0.0	0.0	194.4	0
Respiratory System	0.0	0.0	194.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	194.4	0
Larynx	0.0	0.0	194.4	0
Lung and Bronchus	0.0	0.0	194.4	0
Pleura	0.0	0.0	194.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	194.4	0
Bones and Joints	0.0	0.0	194.4	0
Soft Tissue including Heart	0.0	0.0	194.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	194.4	0
Melanoma of the Skin	0.0	0.0	194.4	0
Other Non-Epithelial Skin	0.0	0.0	194.4	0
Urinary System	0.0	0.0	194.4	0
Urinary Bladder	0.0	0.0	194.4	0
Kidney and Renal Pelvis	0.0	0.0	194.4	0
Ureter	0.0	0.0	194.4	0
Other Urinary Organs	0.0	0.0	194.4	0
Eye and Orbit	0.0	0.0	194.4	0
Brain and Other Nervous System	0.0	0.0	194.4	0
Endocrine System	0.0	0.0	194.4	0
Thyroid	0.0	0.0	194.4	0
Other Endocrine including Thymus	0.0	0.0	194.4	0
Lymphoma	0.0	0.0	194.4	0
Hodgkin Lymphoma	0.0	0.0	194.4	0
Non-Hodgkin Lymphoma	0.0	0.0	194.4	0
Myeloma	0.0	0.0	194.4	0
Leukemia	0.0	0.0	194.4	0
Lymphocytic Leukemia	0.0	0.0	194.4	0
Acute Lymphocytic Leukemia	0.0	0.0	194.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	194.4	0
Other Lymphocytic Leukemia	0.0	0.0	194.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	194.4	0
Acute Myeloid Leukemia	0.0	0.0	194.4	0
Acute Monocytic Leukemia	0.0	0.0	194.4	0
Chronic Myeloid Leukemia	0.0	0.0	194.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	194.4	0
Other Leukemia	0.0	0.0	194.4	0
Other Acute Leukemia	0.0	0.0	194.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	194.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	194.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	210.7	145.7	292.2	39
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	16.7	0
Tongue	0.0	0.0	16.7	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	16.7	0
Gum and Other Mouth	0.0	0.0	16.7	0
Nasopharynx	0.0	0.0	16.7	0
Tonsil	0.0	0.0	16.7	0
Oropharynx	0.0	0.0	16.7	0
Hypopharynx	0.0	0.0	16.7	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	93.1	51.7	151.4	17
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	16.7	0
Colon and Rectum	33.8	11.3	73.9	7
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	16.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	16.7	0
Gallbladder	0.0	0.0	16.7	0
Other Biliary	0.0	0.0	16.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	16.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	16.7	0
Other Digestive Organs	0.0	0.0	16.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	16.7	0
Larynx	0.0	0.0	16.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	16.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	16.7	0
Bones and Joints	0.0	0.0	16.7	0
Soft Tissue including Heart	0.0	0.0	16.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	16.7	0
Melanoma of the Skin	0.0	0.0	16.7	0
Other Non-Epithelial Skin	0.0	0.0	16.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	16.7	0
Other Urinary Organs	0.0	0.0	16.7	0
Eye and Orbit	0.0	0.0	16.7	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	16.7	0
Thyroid	0.0	0.0	16.7	0
Other Endocrine including Thymus	0.0	0.0	16.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	16.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	16.7	0
Acute Lymphocytic Leukemia	0.0	0.0	16.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	16.7	0
Other Lymphocytic Leukemia	0.0	0.0	16.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	16.7	0
Chronic Myeloid Leukemia	0.0	0.0	16.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	16.7	0
Other Leukemia	0.0	0.0	16.7	0
Other Acute Leukemia	0.0	0.0	16.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	16.7	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	168.0	126.7	217.8	62
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	10.1	0
Tongue	0.0	0.0	10.1	0
Salivary Gland	0.0	0.0	10.1	0
Floor of Mouth	0.0	0.0	10.1	0
Gum and Other Mouth	0.0	0.0	10.1	0
Nasopharynx	0.0	0.0	10.1	0
Tonsil	0.0	0.0	10.1	0
Oropharynx	0.0	0.0	10.1	0
Hypopharynx	0.0	0.0	10.1	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	33.1	15.5	60.5	10
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	10.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	10.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	10.1	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	10.1	0
Other Biliary	0.0	0.0	10.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	10.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	10.1	0
Other Digestive Organs	0.0	0.0	10.1	0
Respiratory System	81.4	53.7	117.6	31
Nose, Nasal Cavity and Middle Ear	0.0	0.0	10.1	0
Larynx	^	^	^	^
Lung and Bronchus	79.2	51.9	115.2	30
Pleura	0.0	0.0	10.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	10.1	0
Bones and Joints	0.0	0.0	10.1	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	10.1	0
Melanoma of the Skin	0.0	0.0	10.1	0
Other Non-Epithelial Skin	0.0	0.0	10.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	10.1	0
Other Urinary Organs	0.0	0.0	10.1	0
Eye and Orbit	0.0	0.0	10.1	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	10.1	0
Thyroid	0.0	0.0	10.1	0
Other Endocrine including Thymus	0.0	0.0	10.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	10.1	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	10.1	0
Lymphocytic Leukemia	0.0	0.0	10.1	0
Acute Lymphocytic Leukemia	0.0	0.0	10.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	10.1	0
Other Lymphocytic Leukemia	0.0	0.0	10.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	10.1	0
Acute Myeloid Leukemia	0.0	0.0	10.1	0
Acute Monocytic Leukemia	0.0	0.0	10.1	0
Chronic Myeloid Leukemia	0.0	0.0	10.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	10.1	0
Other Leukemia	0.0	0.0	10.1	0
Other Acute Leukemia	0.0	0.0	10.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	10.1	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	212.5	127.3	329.1	20
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.2	0
Tongue	0.0	0.0	32.2	0
Salivary Gland	0.0	0.0	32.2	0
Floor of Mouth	0.0	0.0	32.2	0
Gum and Other Mouth	0.0	0.0	32.2	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	32.2	0
Oropharynx	0.0	0.0	32.2	0
Hypopharynx	0.0	0.0	32.2	0
Other Oral Cavity and Pharynx	0.0	0.0	32.2	0
Digestive System	82.6	32.9	165.4	7
Esophagus	0.0	0.0	32.2	0
Stomach	0.0	0.0	32.2	0
Small Intestine	0.0	0.0	32.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	32.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	32.2	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	32.2	0
Other Biliary	0.0	0.0	32.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	32.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.2	0
Other Digestive Organs	^	^	^	^
Respiratory System	0.0	0.0	32.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.2	0
Larynx	0.0	0.0	32.2	0
Lung and Bronchus	0.0	0.0	32.2	0
Pleura	0.0	0.0	32.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.2	0
Bones and Joints	0.0	0.0	32.2	0
Soft Tissue including Heart	0.0	0.0	32.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	32.2	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	32.2	0
Ureter	0.0	0.0	32.2	0
Other Urinary Organs	0.0	0.0	32.2	0
Eye and Orbit	0.0	0.0	32.2	0
Brain and Other Nervous System	0.0	0.0	32.2	0
Endocrine System	0.0	0.0	32.2	0
Thyroid	0.0	0.0	32.2	0
Other Endocrine including Thymus	0.0	0.0	32.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	32.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	32.2	0
Acute Lymphocytic Leukemia	0.0	0.0	32.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.2	0
Other Lymphocytic Leukemia	0.0	0.0	32.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.2	0
Chronic Myeloid Leukemia	0.0	0.0	32.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.2	0
Other Leukemia	0.0	0.0	32.2	0
Other Acute Leukemia	0.0	0.0	32.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	32.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	241.9	128.7	403.8	16
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	48.5	0
Tongue	0.0	0.0	48.5	0
Salivary Gland	0.0	0.0	48.5	0
Floor of Mouth	0.0	0.0	48.5	0
Gum and Other Mouth	0.0	0.0	48.5	0
Nasopharynx	0.0	0.0	48.5	0
Tonsil	0.0	0.0	48.5	0
Oropharynx	0.0	0.0	48.5	0
Hypopharynx	0.0	0.0	48.5	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	79.5	28.5	172.7	6
Esophagus	0.0	0.0	48.5	0
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	48.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	48.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	48.5	0
Liver	0.0	0.0	48.5	0
Intrahepatic Bile Duct	0.0	0.0	48.5	0
Gallbladder	0.0	0.0	48.5	0
Other Biliary	0.0	0.0	48.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	48.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	48.5	0
Other Digestive Organs	0.0	0.0	48.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	48.5	0
Larynx	0.0	0.0	48.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	48.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	48.5	0
Bones and Joints	0.0	0.0	48.5	0
Soft Tissue including Heart	0.0	0.0	48.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	48.5	0
Melanoma of the Skin	0.0	0.0	48.5	0
Other Non-Epithelial Skin	0.0	0.0	48.5	0
Urinary System	0.0	0.0	48.5	0
Urinary Bladder	0.0	0.0	48.5	0
Kidney and Renal Pelvis	0.0	0.0	48.5	0
Ureter	0.0	0.0	48.5	0
Other Urinary Organs	0.0	0.0	48.5	0
Eye and Orbit	0.0	0.0	48.5	0
Brain and Other Nervous System	0.0	0.0	48.5	0
Endocrine System	0.0	0.0	48.5	0
Thyroid	0.0	0.0	48.5	0
Other Endocrine including Thymus	0.0	0.0	48.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	0.0	0.0	48.5	0
Myeloma	0.0	0.0	48.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	48.5	0
Acute Lymphocytic Leukemia	0.0	0.0	48.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	48.5	0
Other Lymphocytic Leukemia	0.0	0.0	48.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	48.5	0
Acute Myeloid Leukemia	0.0	0.0	48.5	0
Acute Monocytic Leukemia	0.0	0.0	48.5	0
Chronic Myeloid Leukemia	0.0	0.0	48.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	48.5	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	48.5	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	48.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	348.7	0
Lip	0.0	0.0	348.7	0
Tongue	0.0	0.0	348.7	0
Salivary Gland	0.0	0.0	348.7	0
Floor of Mouth	0.0	0.0	348.7	0
Gum and Other Mouth	0.0	0.0	348.7	0
Nasopharynx	0.0	0.0	348.7	0
Tonsil	0.0	0.0	348.7	0
Oropharynx	0.0	0.0	348.7	0
Hypopharynx	0.0	0.0	348.7	0
Other Oral Cavity and Pharynx	0.0	0.0	348.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	348.7	0
Stomach	0.0	0.0	348.7	0
Small Intestine	0.0	0.0	348.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	348.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	348.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	348.7	0
Liver	0.0	0.0	348.7	0
Intrahepatic Bile Duct	0.0	0.0	348.7	0
Gallbladder	0.0	0.0	348.7	0
Other Biliary	0.0	0.0	348.7	0
Pancreas	0.0	0.0	348.7	0
Retroperitoneum	0.0	0.0	348.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	348.7	0
Other Digestive Organs	0.0	0.0	348.7	0
Respiratory System	0.0	0.0	348.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	348.7	0
Larynx	0.0	0.0	348.7	0
Lung and Bronchus	0.0	0.0	348.7	0
Pleura	0.0	0.0	348.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	348.7	0
Bones and Joints	0.0	0.0	348.7	0
Soft Tissue including Heart	0.0	0.0	348.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	348.7	0
Melanoma of the Skin	0.0	0.0	348.7	0
Other Non-Epithelial Skin	0.0	0.0	348.7	0
Urinary System	0.0	0.0	348.7	0
Urinary Bladder	0.0	0.0	348.7	0
Kidney and Renal Pelvis	0.0	0.0	348.7	0
Ureter	0.0	0.0	348.7	0
Other Urinary Organs	0.0	0.0	348.7	0
Eye and Orbit	0.0	0.0	348.7	0
Brain and Other Nervous System	0.0	0.0	348.7	0
Endocrine System	0.0	0.0	348.7	0
Thyroid	0.0	0.0	348.7	0
Other Endocrine including Thymus	0.0	0.0	348.7	0
Lymphoma	0.0	0.0	348.7	0
Hodgkin Lymphoma	0.0	0.0	348.7	0
Non-Hodgkin Lymphoma	0.0	0.0	348.7	0
Myeloma	0.0	0.0	348.7	0
Leukemia	0.0	0.0	348.7	0
Lymphocytic Leukemia	0.0	0.0	348.7	0
Acute Lymphocytic Leukemia	0.0	0.0	348.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	348.7	0
Other Lymphocytic Leukemia	0.0	0.0	348.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	348.7	0
Acute Myeloid Leukemia	0.0	0.0	348.7	0
Acute Monocytic Leukemia	0.0	0.0	348.7	0
Chronic Myeloid Leukemia	0.0	0.0	348.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	348.7	0
Other Leukemia	0.0	0.0	348.7	0
Other Acute Leukemia	0.0	0.0	348.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	348.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	348.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	196.1	147.3	254.2	67
Oral Cavity and Pharynx	0.0	0.0	9.7	0
Lip	0.0	0.0	9.7	0
Tongue	0.0	0.0	9.7	0
Salivary Gland	0.0	0.0	9.7	0
Floor of Mouth	0.0	0.0	9.7	0
Gum and Other Mouth	0.0	0.0	9.7	0
Nasopharynx	0.0	0.0	9.7	0
Tonsil	0.0	0.0	9.7	0
Oropharynx	0.0	0.0	9.7	0
Hypopharynx	0.0	0.0	9.7	0
Other Oral Cavity and Pharynx	0.0	0.0	9.7	0
Digestive System	47.4	25.1	79.5	15
Esophagus	^	^	^	^
Stomach	0.0	0.0	9.7	0
Small Intestine	0.0	0.0	9.7	0
Colon and Rectum	27.5	10.9	54.6	8
Colon excluding Rectum	27.5	10.9	54.6	8
Rectum and Rectosigmoid Junction	0.0	0.0	9.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	9.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.7	0
Gallbladder	0.0	0.0	9.7	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.7	0
Other Digestive Organs	0.0	0.0	9.7	0
Respiratory System	50.0	28.6	80.0	19
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.7	0
Larynx	0.0	0.0	9.7	0
Lung and Bronchus	50.0	28.6	80.0	19
Pleura	0.0	0.0	9.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.7	0
Bones and Joints	0.0	0.0	9.7	0
Soft Tissue including Heart	0.0	0.0	9.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	9.7	0
Ureter	0.0	0.0	9.7	0
Other Urinary Organs	0.0	0.0	9.7	0
Eye and Orbit	0.0	0.0	9.7	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	9.7	0
Thyroid	0.0	0.0	9.7	0
Other Endocrine including Thymus	0.0	0.0	9.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	21.9	7.6	46.6	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	9.7	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.7	0
Chronic Myeloid Leukemia	0.0	0.0	9.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.7	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	9.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	207.4	95.3	379.6	10
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	56.6	0
Tongue	0.0	0.0	56.6	0
Salivary Gland	0.0	0.0	56.6	0
Floor of Mouth	0.0	0.0	56.6	0
Gum and Other Mouth	0.0	0.0	56.6	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	56.6	0
Oropharynx	0.0	0.0	56.6	0
Hypopharynx	0.0	0.0	56.6	0
Other Oral Cavity and Pharynx	0.0	0.0	56.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	56.6	0
Stomach	0.0	0.0	56.6	0
Small Intestine	0.0	0.0	56.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	56.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	56.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	56.6	0
Liver	0.0	0.0	56.6	0
Intrahepatic Bile Duct	0.0	0.0	56.6	0
Gallbladder	0.0	0.0	56.6	0
Other Biliary	0.0	0.0	56.6	0
Pancreas	0.0	0.0	56.6	0
Retroperitoneum	0.0	0.0	56.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	56.6	0
Other Digestive Organs	0.0	0.0	56.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	56.6	0
Larynx	0.0	0.0	56.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	56.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	56.6	0
Bones and Joints	0.0	0.0	56.6	0
Soft Tissue including Heart	0.0	0.0	56.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	56.6	0
Melanoma of the Skin	0.0	0.0	56.6	0
Other Non-Epithelial Skin	0.0	0.0	56.6	0
Urinary System	0.0	0.0	56.6	0
Urinary Bladder	0.0	0.0	56.6	0
Kidney and Renal Pelvis	0.0	0.0	56.6	0
Ureter	0.0	0.0	56.6	0
Other Urinary Organs	0.0	0.0	56.6	0
Eye and Orbit	0.0	0.0	56.6	0
Brain and Other Nervous System	0.0	0.0	56.6	0
Endocrine System	0.0	0.0	56.6	0
Thyroid	0.0	0.0	56.6	0
Other Endocrine including Thymus	0.0	0.0	56.6	0
Lymphoma	0.0	0.0	56.6	0
Hodgkin Lymphoma	0.0	0.0	56.6	0
Non-Hodgkin Lymphoma	0.0	0.0	56.6	0
Myeloma	0.0	0.0	56.6	0
Leukemia	0.0	0.0	56.6	0
Lymphocytic Leukemia	0.0	0.0	56.6	0
Acute Lymphocytic Leukemia	0.0	0.0	56.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	56.6	0
Other Lymphocytic Leukemia	0.0	0.0	56.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	56.6	0
Acute Myeloid Leukemia	0.0	0.0	56.6	0
Acute Monocytic Leukemia	0.0	0.0	56.6	0
Chronic Myeloid Leukemia	0.0	0.0	56.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	56.6	0
Other Leukemia	0.0	0.0	56.6	0
Other Acute Leukemia	0.0	0.0	56.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	56.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	56.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	198.1	68.0	426.2	7
Oral Cavity and Pharynx	0.0	0.0	96.2	0
Lip	0.0	0.0	96.2	0
Tongue	0.0	0.0	96.2	0
Salivary Gland	0.0	0.0	96.2	0
Floor of Mouth	0.0	0.0	96.2	0
Gum and Other Mouth	0.0	0.0	96.2	0
Nasopharynx	0.0	0.0	96.2	0
Tonsil	0.0	0.0	96.2	0
Oropharynx	0.0	0.0	96.2	0
Hypopharynx	0.0	0.0	96.2	0
Other Oral Cavity and Pharynx	0.0	0.0	96.2	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	96.2	0
Small Intestine	0.0	0.0	96.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	96.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	96.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	96.2	0
Liver	0.0	0.0	96.2	0
Intrahepatic Bile Duct	0.0	0.0	96.2	0
Gallbladder	0.0	0.0	96.2	0
Other Biliary	0.0	0.0	96.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	96.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.2	0
Other Digestive Organs	0.0	0.0	96.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.2	0
Larynx	0.0	0.0	96.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	96.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.2	0
Bones and Joints	0.0	0.0	96.2	0
Soft Tissue including Heart	0.0	0.0	96.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	96.2	0
Melanoma of the Skin	0.0	0.0	96.2	0
Other Non-Epithelial Skin	0.0	0.0	96.2	0
Urinary System	0.0	0.0	96.2	0
Urinary Bladder	0.0	0.0	96.2	0
Kidney and Renal Pelvis	0.0	0.0	96.2	0
Ureter	0.0	0.0	96.2	0
Other Urinary Organs	0.0	0.0	96.2	0
Eye and Orbit	0.0	0.0	96.2	0
Brain and Other Nervous System	0.0	0.0	96.2	0
Endocrine System	0.0	0.0	96.2	0
Thyroid	0.0	0.0	96.2	0
Other Endocrine including Thymus	0.0	0.0	96.2	0
Lymphoma	0.0	0.0	96.2	0
Hodgkin Lymphoma	0.0	0.0	96.2	0
Non-Hodgkin Lymphoma	0.0	0.0	96.2	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	96.2	0
Lymphocytic Leukemia	0.0	0.0	96.2	0
Acute Lymphocytic Leukemia	0.0	0.0	96.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	96.2	0
Other Lymphocytic Leukemia	0.0	0.0	96.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.2	0
Acute Myeloid Leukemia	0.0	0.0	96.2	0
Acute Monocytic Leukemia	0.0	0.0	96.2	0
Chronic Myeloid Leukemia	0.0	0.0	96.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.2	0
Other Leukemia	0.0	0.0	96.2	0
Other Acute Leukemia	0.0	0.0	96.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	96.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	96.4	0
Lip	0.0	0.0	96.4	0
Tongue	0.0	0.0	96.4	0
Salivary Gland	0.0	0.0	96.4	0
Floor of Mouth	0.0	0.0	96.4	0
Gum and Other Mouth	0.0	0.0	96.4	0
Nasopharynx	0.0	0.0	96.4	0
Tonsil	0.0	0.0	96.4	0
Oropharynx	0.0	0.0	96.4	0
Hypopharynx	0.0	0.0	96.4	0
Other Oral Cavity and Pharynx	0.0	0.0	96.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	96.4	0
Stomach	0.0	0.0	96.4	0
Small Intestine	0.0	0.0	96.4	0
Colon and Rectum	0.0	0.0	96.4	0
Colon excluding Rectum	0.0	0.0	96.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	96.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	96.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	96.4	0
Liver	0.0	0.0	96.4	0
Intrahepatic Bile Duct	0.0	0.0	96.4	0
Gallbladder	0.0	0.0	96.4	0
Other Biliary	0.0	0.0	96.4	0
Pancreas	0.0	0.0	96.4	0
Retroperitoneum	0.0	0.0	96.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.4	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.4	0
Larynx	0.0	0.0	96.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	96.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.4	0
Bones and Joints	0.0	0.0	96.4	0
Soft Tissue including Heart	0.0	0.0	96.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	96.4	0
Melanoma of the Skin	0.0	0.0	96.4	0
Other Non-Epithelial Skin	0.0	0.0	96.4	0
Urinary System	0.0	0.0	96.4	0
Urinary Bladder	0.0	0.0	96.4	0
Kidney and Renal Pelvis	0.0	0.0	96.4	0
Ureter	0.0	0.0	96.4	0
Other Urinary Organs	0.0	0.0	96.4	0
Eye and Orbit	0.0	0.0	96.4	0
Brain and Other Nervous System	0.0	0.0	96.4	0
Endocrine System	0.0	0.0	96.4	0
Thyroid	0.0	0.0	96.4	0
Other Endocrine including Thymus	0.0	0.0	96.4	0
Lymphoma	0.0	0.0	96.4	0
Hodgkin Lymphoma	0.0	0.0	96.4	0
Non-Hodgkin Lymphoma	0.0	0.0	96.4	0
Myeloma	0.0	0.0	96.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	96.4	0
Other Lymphocytic Leukemia	0.0	0.0	96.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.4	0
Acute Myeloid Leukemia	0.0	0.0	96.4	0
Acute Monocytic Leukemia	0.0	0.0	96.4	0
Chronic Myeloid Leukemia	0.0	0.0	96.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.4	0
Other Leukemia	0.0	0.0	96.4	0
Other Acute Leukemia	0.0	0.0	96.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	96.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	430.0	163.5	851.6	7
Oral Cavity and Pharynx	0.0	0.0	108.3	0
Lip	0.0	0.0	108.3	0
Tongue	0.0	0.0	108.3	0
Salivary Gland	0.0	0.0	108.3	0
Floor of Mouth	0.0	0.0	108.3	0
Gum and Other Mouth	0.0	0.0	108.3	0
Nasopharynx	0.0	0.0	108.3	0
Tonsil	0.0	0.0	108.3	0
Oropharynx	0.0	0.0	108.3	0
Hypopharynx	0.0	0.0	108.3	0
Other Oral Cavity and Pharynx	0.0	0.0	108.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	108.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	108.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	108.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	108.3	0
Liver	0.0	0.0	108.3	0
Intrahepatic Bile Duct	0.0	0.0	108.3	0
Gallbladder	0.0	0.0	108.3	0
Other Biliary	0.0	0.0	108.3	0
Pancreas	0.0	0.0	108.3	0
Retroperitoneum	0.0	0.0	108.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	108.3	0
Other Digestive Organs	0.0	0.0	108.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	108.3	0
Larynx	0.0	0.0	108.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	108.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	108.3	0
Bones and Joints	0.0	0.0	108.3	0
Soft Tissue including Heart	0.0	0.0	108.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	108.3	0
Melanoma of the Skin	0.0	0.0	108.3	0
Other Non-Epithelial Skin	0.0	0.0	108.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	108.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	108.3	0
Other Urinary Organs	0.0	0.0	108.3	0
Eye and Orbit	0.0	0.0	108.3	0
Brain and Other Nervous System	0.0	0.0	108.3	0
Endocrine System	0.0	0.0	108.3	0
Thyroid	0.0	0.0	108.3	0
Other Endocrine including Thymus	0.0	0.0	108.3	0
Lymphoma	0.0	0.0	108.3	0
Hodgkin Lymphoma	0.0	0.0	108.3	0
Non-Hodgkin Lymphoma	0.0	0.0	108.3	0
Myeloma	0.0	0.0	108.3	0
Leukemia	0.0	0.0	108.3	0
Lymphocytic Leukemia	0.0	0.0	108.3	0
Acute Lymphocytic Leukemia	0.0	0.0	108.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	108.3	0
Other Lymphocytic Leukemia	0.0	0.0	108.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	108.3	0
Acute Myeloid Leukemia	0.0	0.0	108.3	0
Acute Monocytic Leukemia	0.0	0.0	108.3	0
Chronic Myeloid Leukemia	0.0	0.0	108.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	108.3	0
Other Leukemia	0.0	0.0	108.3	0
Other Acute Leukemia	0.0	0.0	108.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	108.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	108.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	184.1	90.7	326.2	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	50.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	50.3	0
Floor of Mouth	0.0	0.0	50.3	0
Gum and Other Mouth	0.0	0.0	50.3	0
Nasopharynx	0.0	0.0	50.3	0
Tonsil	0.0	0.0	50.3	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	50.3	0
Other Oral Cavity and Pharynx	0.0	0.0	50.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	50.3	0
Stomach	0.0	0.0	50.3	0
Small Intestine	0.0	0.0	50.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	50.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	50.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	50.3	0
Gallbladder	0.0	0.0	50.3	0
Other Biliary	0.0	0.0	50.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	50.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	50.3	0
Other Digestive Organs	0.0	0.0	50.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	50.3	0
Larynx	0.0	0.0	50.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	50.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	50.3	0
Bones and Joints	0.0	0.0	50.3	0
Soft Tissue including Heart	0.0	0.0	50.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	50.3	0
Melanoma of the Skin	0.0	0.0	50.3	0
Other Non-Epithelial Skin	0.0	0.0	50.3	0
Urinary System	0.0	0.0	50.3	0
Urinary Bladder	0.0	0.0	50.3	0
Kidney and Renal Pelvis	0.0	0.0	50.3	0
Ureter	0.0	0.0	50.3	0
Other Urinary Organs	0.0	0.0	50.3	0
Eye and Orbit	0.0	0.0	50.3	0
Brain and Other Nervous System	0.0	0.0	50.3	0
Endocrine System	0.0	0.0	50.3	0
Thyroid	0.0	0.0	50.3	0
Other Endocrine including Thymus	0.0	0.0	50.3	0
Lymphoma	0.0	0.0	50.3	0
Hodgkin Lymphoma	0.0	0.0	50.3	0
Non-Hodgkin Lymphoma	0.0	0.0	50.3	0
Myeloma	0.0	0.0	50.3	0
Leukemia	0.0	0.0	50.3	0
Lymphocytic Leukemia	0.0	0.0	50.3	0
Acute Lymphocytic Leukemia	0.0	0.0	50.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	50.3	0
Other Lymphocytic Leukemia	0.0	0.0	50.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	50.3	0
Acute Myeloid Leukemia	0.0	0.0	50.3	0
Acute Monocytic Leukemia	0.0	0.0	50.3	0
Chronic Myeloid Leukemia	0.0	0.0	50.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	50.3	0
Other Leukemia	0.0	0.0	50.3	0
Other Acute Leukemia	0.0	0.0	50.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	50.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	50.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	148.5	0
Lip	0.0	0.0	148.5	0
Tongue	0.0	0.0	148.5	0
Salivary Gland	0.0	0.0	148.5	0
Floor of Mouth	0.0	0.0	148.5	0
Gum and Other Mouth	0.0	0.0	148.5	0
Nasopharynx	0.0	0.0	148.5	0
Tonsil	0.0	0.0	148.5	0
Oropharynx	0.0	0.0	148.5	0
Hypopharynx	0.0	0.0	148.5	0
Other Oral Cavity and Pharynx	0.0	0.0	148.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	148.5	0
Stomach	0.0	0.0	148.5	0
Small Intestine	0.0	0.0	148.5	0
Colon and Rectum	0.0	0.0	148.5	0
Colon excluding Rectum	0.0	0.0	148.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	148.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	148.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	148.5	0
Liver	0.0	0.0	148.5	0
Intrahepatic Bile Duct	0.0	0.0	148.5	0
Gallbladder	0.0	0.0	148.5	0
Other Biliary	0.0	0.0	148.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	148.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	148.5	0
Other Digestive Organs	0.0	0.0	148.5	0
Respiratory System	0.0	0.0	148.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	148.5	0
Larynx	0.0	0.0	148.5	0
Lung and Bronchus	0.0	0.0	148.5	0
Pleura	0.0	0.0	148.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	148.5	0
Bones and Joints	0.0	0.0	148.5	0
Soft Tissue including Heart	0.0	0.0	148.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	148.5	0
Melanoma of the Skin	0.0	0.0	148.5	0
Other Non-Epithelial Skin	0.0	0.0	148.5	0
Urinary System	0.0	0.0	148.5	0
Urinary Bladder	0.0	0.0	148.5	0
Kidney and Renal Pelvis	0.0	0.0	148.5	0
Ureter	0.0	0.0	148.5	0
Other Urinary Organs	0.0	0.0	148.5	0
Eye and Orbit	0.0	0.0	148.5	0
Brain and Other Nervous System	0.0	0.0	148.5	0
Endocrine System	0.0	0.0	148.5	0
Thyroid	0.0	0.0	148.5	0
Other Endocrine including Thymus	0.0	0.0	148.5	0
Lymphoma	0.0	0.0	148.5	0
Hodgkin Lymphoma	0.0	0.0	148.5	0
Non-Hodgkin Lymphoma	0.0	0.0	148.5	0
Myeloma	0.0	0.0	148.5	0
Leukemia	0.0	0.0	148.5	0
Lymphocytic Leukemia	0.0	0.0	148.5	0
Acute Lymphocytic Leukemia	0.0	0.0	148.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	148.5	0
Other Lymphocytic Leukemia	0.0	0.0	148.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	148.5	0
Acute Myeloid Leukemia	0.0	0.0	148.5	0
Acute Monocytic Leukemia	0.0	0.0	148.5	0
Chronic Myeloid Leukemia	0.0	0.0	148.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	148.5	0
Other Leukemia	0.0	0.0	148.5	0
Other Acute Leukemia	0.0	0.0	148.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	148.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	148.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	100.6	0
Lip	0.0	0.0	100.6	0
Tongue	0.0	0.0	100.6	0
Salivary Gland	0.0	0.0	100.6	0
Floor of Mouth	0.0	0.0	100.6	0
Gum and Other Mouth	0.0	0.0	100.6	0
Nasopharynx	0.0	0.0	100.6	0
Tonsil	0.0	0.0	100.6	0
Oropharynx	0.0	0.0	100.6	0
Hypopharynx	0.0	0.0	100.6	0
Other Oral Cavity and Pharynx	0.0	0.0	100.6	0
Digestive System	0.0	0.0	100.6	0
Esophagus	0.0	0.0	100.6	0
Stomach	0.0	0.0	100.6	0
Small Intestine	0.0	0.0	100.6	0
Colon and Rectum	0.0	0.0	100.6	0
Colon excluding Rectum	0.0	0.0	100.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	100.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	100.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	100.6	0
Liver	0.0	0.0	100.6	0
Intrahepatic Bile Duct	0.0	0.0	100.6	0
Gallbladder	0.0	0.0	100.6	0
Other Biliary	0.0	0.0	100.6	0
Pancreas	0.0	0.0	100.6	0
Retroperitoneum	0.0	0.0	100.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	100.6	0
Other Digestive Organs	0.0	0.0	100.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	100.6	0
Larynx	0.0	0.0	100.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	100.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	100.6	0
Bones and Joints	0.0	0.0	100.6	0
Soft Tissue including Heart	0.0	0.0	100.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	100.6	0
Melanoma of the Skin	0.0	0.0	100.6	0
Other Non-Epithelial Skin	0.0	0.0	100.6	0
Urinary System	0.0	0.0	100.6	0
Urinary Bladder	0.0	0.0	100.6	0
Kidney and Renal Pelvis	0.0	0.0	100.6	0
Ureter	0.0	0.0	100.6	0
Other Urinary Organs	0.0	0.0	100.6	0
Eye and Orbit	0.0	0.0	100.6	0
Brain and Other Nervous System	0.0	0.0	100.6	0
Endocrine System	0.0	0.0	100.6	0
Thyroid	0.0	0.0	100.6	0
Other Endocrine including Thymus	0.0	0.0	100.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	100.6	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	100.6	0
Leukemia	0.0	0.0	100.6	0
Lymphocytic Leukemia	0.0	0.0	100.6	0
Acute Lymphocytic Leukemia	0.0	0.0	100.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	100.6	0
Other Lymphocytic Leukemia	0.0	0.0	100.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	100.6	0
Acute Myeloid Leukemia	0.0	0.0	100.6	0
Acute Monocytic Leukemia	0.0	0.0	100.6	0
Chronic Myeloid Leukemia	0.0	0.0	100.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	100.6	0
Other Leukemia	0.0	0.0	100.6	0
Other Acute Leukemia	0.0	0.0	100.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	100.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	100.6	0
Miscellaneous Malignant Cancer	0.0	0.0	100.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	191.0	90.6	345.4	13
Oral Cavity and Pharynx	0.0	0.0	55.8	0
Lip	0.0	0.0	55.8	0
Tongue	0.0	0.0	55.8	0
Salivary Gland	0.0	0.0	55.8	0
Floor of Mouth	0.0	0.0	55.8	0
Gum and Other Mouth	0.0	0.0	55.8	0
Nasopharynx	0.0	0.0	55.8	0
Tonsil	0.0	0.0	55.8	0
Oropharynx	0.0	0.0	55.8	0
Hypopharynx	0.0	0.0	55.8	0
Other Oral Cavity and Pharynx	0.0	0.0	55.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	55.8	0
Small Intestine	0.0	0.0	55.8	0
Colon and Rectum	0.0	0.0	55.8	0
Colon excluding Rectum	0.0	0.0	55.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	55.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	55.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.8	0
Liver	0.0	0.0	55.8	0
Intrahepatic Bile Duct	0.0	0.0	55.8	0
Gallbladder	0.0	0.0	55.8	0
Other Biliary	0.0	0.0	55.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	55.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.8	0
Other Digestive Organs	0.0	0.0	55.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.8	0
Larynx	0.0	0.0	55.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	55.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.8	0
Bones and Joints	0.0	0.0	55.8	0
Soft Tissue including Heart	0.0	0.0	55.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	55.8	0
Melanoma of the Skin	0.0	0.0	55.8	0
Other Non-Epithelial Skin	0.0	0.0	55.8	0
Urinary System	0.0	0.0	55.8	0
Urinary Bladder	0.0	0.0	55.8	0
Kidney and Renal Pelvis	0.0	0.0	55.8	0
Ureter	0.0	0.0	55.8	0
Other Urinary Organs	0.0	0.0	55.8	0
Eye and Orbit	0.0	0.0	55.8	0
Brain and Other Nervous System	0.0	0.0	55.8	0
Endocrine System	0.0	0.0	55.8	0
Thyroid	0.0	0.0	55.8	0
Other Endocrine including Thymus	0.0	0.0	55.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	55.8	0
Leukemia	0.0	0.0	55.8	0
Lymphocytic Leukemia	0.0	0.0	55.8	0
Acute Lymphocytic Leukemia	0.0	0.0	55.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.8	0
Other Lymphocytic Leukemia	0.0	0.0	55.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	55.8	0
Acute Myeloid Leukemia	0.0	0.0	55.8	0
Acute Monocytic Leukemia	0.0	0.0	55.8	0
Chronic Myeloid Leukemia	0.0	0.0	55.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.8	0
Other Leukemia	0.0	0.0	55.8	0
Other Acute Leukemia	0.0	0.0	55.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	55.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	55.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	172.7	61.8	372.8	6
Oral Cavity and Pharynx	0.0	0.0	99.2	0
Lip	0.0	0.0	99.2	0
Tongue	0.0	0.0	99.2	0
Salivary Gland	0.0	0.0	99.2	0
Floor of Mouth	0.0	0.0	99.2	0
Gum and Other Mouth	0.0	0.0	99.2	0
Nasopharynx	0.0	0.0	99.2	0
Tonsil	0.0	0.0	99.2	0
Oropharynx	0.0	0.0	99.2	0
Hypopharynx	0.0	0.0	99.2	0
Other Oral Cavity and Pharynx	0.0	0.0	99.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	99.2	0
Stomach	0.0	0.0	99.2	0
Small Intestine	0.0	0.0	99.2	0
Colon and Rectum	0.0	0.0	99.2	0
Colon excluding Rectum	0.0	0.0	99.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	99.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	99.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	99.2	0
Liver	0.0	0.0	99.2	0
Intrahepatic Bile Duct	0.0	0.0	99.2	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	99.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	99.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	99.2	0
Other Digestive Organs	0.0	0.0	99.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	99.2	0
Larynx	0.0	0.0	99.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	99.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	99.2	0
Bones and Joints	0.0	0.0	99.2	0
Soft Tissue including Heart	0.0	0.0	99.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	99.2	0
Melanoma of the Skin	0.0	0.0	99.2	0
Other Non-Epithelial Skin	0.0	0.0	99.2	0
Urinary System	0.0	0.0	99.2	0
Urinary Bladder	0.0	0.0	99.2	0
Kidney and Renal Pelvis	0.0	0.0	99.2	0
Ureter	0.0	0.0	99.2	0
Other Urinary Organs	0.0	0.0	99.2	0
Eye and Orbit	0.0	0.0	99.2	0
Brain and Other Nervous System	0.0	0.0	99.2	0
Endocrine System	0.0	0.0	99.2	0
Thyroid	0.0	0.0	99.2	0
Other Endocrine including Thymus	0.0	0.0	99.2	0
Lymphoma	0.0	0.0	99.2	0
Hodgkin Lymphoma	0.0	0.0	99.2	0
Non-Hodgkin Lymphoma	0.0	0.0	99.2	0
Myeloma	0.0	0.0	99.2	0
Leukemia	0.0	0.0	99.2	0
Lymphocytic Leukemia	0.0	0.0	99.2	0
Acute Lymphocytic Leukemia	0.0	0.0	99.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	99.2	0
Other Lymphocytic Leukemia	0.0	0.0	99.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	99.2	0
Acute Myeloid Leukemia	0.0	0.0	99.2	0
Acute Monocytic Leukemia	0.0	0.0	99.2	0
Chronic Myeloid Leukemia	0.0	0.0	99.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	99.2	0
Other Leukemia	0.0	0.0	99.2	0
Other Acute Leukemia	0.0	0.0	99.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	99.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	99.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	248.3	137.1	412.8	15
Oral Cavity and Pharynx	0.0	0.0	61.9	0
Lip	0.0	0.0	61.9	0
Tongue	0.0	0.0	61.9	0
Salivary Gland	0.0	0.0	61.9	0
Floor of Mouth	0.0	0.0	61.9	0
Gum and Other Mouth	0.0	0.0	61.9	0
Nasopharynx	0.0	0.0	61.9	0
Tonsil	0.0	0.0	61.9	0
Oropharynx	0.0	0.0	61.9	0
Hypopharynx	0.0	0.0	61.9	0
Other Oral Cavity and Pharynx	0.0	0.0	61.9	0
Digestive System	99.0	35.3	218.0	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	61.9	0
Small Intestine	0.0	0.0	61.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	61.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	61.9	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	61.9	0
Other Biliary	0.0	0.0	61.9	0
Pancreas	0.0	0.0	61.9	0
Retroperitoneum	0.0	0.0	61.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	61.9	0
Other Digestive Organs	0.0	0.0	61.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	61.9	0
Larynx	0.0	0.0	61.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	61.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	61.9	0
Bones and Joints	0.0	0.0	61.9	0
Soft Tissue including Heart	0.0	0.0	61.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	61.9	0
Melanoma of the Skin	0.0	0.0	61.9	0
Other Non-Epithelial Skin	0.0	0.0	61.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	61.9	0
Ureter	0.0	0.0	61.9	0
Other Urinary Organs	0.0	0.0	61.9	0
Eye and Orbit	0.0	0.0	61.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	61.9	0
Thyroid	0.0	0.0	61.9	0
Other Endocrine including Thymus	0.0	0.0	61.9	0
Lymphoma	0.0	0.0	61.9	0
Hodgkin Lymphoma	0.0	0.0	61.9	0
Non-Hodgkin Lymphoma	0.0	0.0	61.9	0
Myeloma	0.0	0.0	61.9	0
Leukemia	0.0	0.0	61.9	0
Lymphocytic Leukemia	0.0	0.0	61.9	0
Acute Lymphocytic Leukemia	0.0	0.0	61.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	61.9	0
Other Lymphocytic Leukemia	0.0	0.0	61.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	61.9	0
Acute Myeloid Leukemia	0.0	0.0	61.9	0
Acute Monocytic Leukemia	0.0	0.0	61.9	0
Chronic Myeloid Leukemia	0.0	0.0	61.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	61.9	0
Other Leukemia	0.0	0.0	61.9	0
Other Acute Leukemia	0.0	0.0	61.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	61.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	61.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	983.2	0
Oral Cavity and Pharynx	0.0	0.0	983.2	0
Lip	0.0	0.0	983.2	0
Tongue	0.0	0.0	983.2	0
Salivary Gland	0.0	0.0	983.2	0
Floor of Mouth	0.0	0.0	983.2	0
Gum and Other Mouth	0.0	0.0	983.2	0
Nasopharynx	0.0	0.0	983.2	0
Tonsil	0.0	0.0	983.2	0
Oropharynx	0.0	0.0	983.2	0
Hypopharynx	0.0	0.0	983.2	0
Other Oral Cavity and Pharynx	0.0	0.0	983.2	0
Digestive System	0.0	0.0	983.2	0
Esophagus	0.0	0.0	983.2	0
Stomach	0.0	0.0	983.2	0
Small Intestine	0.0	0.0	983.2	0
Colon and Rectum	0.0	0.0	983.2	0
Colon excluding Rectum	0.0	0.0	983.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	983.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	983.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	983.2	0
Liver	0.0	0.0	983.2	0
Intrahepatic Bile Duct	0.0	0.0	983.2	0
Gallbladder	0.0	0.0	983.2	0
Other Biliary	0.0	0.0	983.2	0
Pancreas	0.0	0.0	983.2	0
Retroperitoneum	0.0	0.0	983.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	983.2	0
Other Digestive Organs	0.0	0.0	983.2	0
Respiratory System	0.0	0.0	983.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	983.2	0
Larynx	0.0	0.0	983.2	0
Lung and Bronchus	0.0	0.0	983.2	0
Pleura	0.0	0.0	983.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	983.2	0
Bones and Joints	0.0	0.0	983.2	0
Soft Tissue including Heart	0.0	0.0	983.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	983.2	0
Melanoma of the Skin	0.0	0.0	983.2	0
Other Non-Epithelial Skin	0.0	0.0	983.2	0
Urinary System	0.0	0.0	983.2	0
Urinary Bladder	0.0	0.0	983.2	0
Kidney and Renal Pelvis	0.0	0.0	983.2	0
Ureter	0.0	0.0	983.2	0
Other Urinary Organs	0.0	0.0	983.2	0
Eye and Orbit	0.0	0.0	983.2	0
Brain and Other Nervous System	0.0	0.0	983.2	0
Endocrine System	0.0	0.0	983.2	0
Thyroid	0.0	0.0	983.2	0
Other Endocrine including Thymus	0.0	0.0	983.2	0
Lymphoma	0.0	0.0	983.2	0
Hodgkin Lymphoma	0.0	0.0	983.2	0
Non-Hodgkin Lymphoma	0.0	0.0	983.2	0
Myeloma	0.0	0.0	983.2	0
Leukemia	0.0	0.0	983.2	0
Lymphocytic Leukemia	0.0	0.0	983.2	0
Acute Lymphocytic Leukemia	0.0	0.0	983.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	983.2	0
Other Lymphocytic Leukemia	0.0	0.0	983.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	983.2	0
Acute Myeloid Leukemia	0.0	0.0	983.2	0
Acute Monocytic Leukemia	0.0	0.0	983.2	0
Chronic Myeloid Leukemia	0.0	0.0	983.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	983.2	0
Other Leukemia	0.0	0.0	983.2	0
Other Acute Leukemia	0.0	0.0	983.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	983.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	983.2	0
Miscellaneous Malignant Cancer	0.0	0.0	983.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	152.9	50.0	337.2	6
Oral Cavity and Pharynx	0.0	0.0	76.5	0
Lip	0.0	0.0	76.5	0
Tongue	0.0	0.0	76.5	0
Salivary Gland	0.0	0.0	76.5	0
Floor of Mouth	0.0	0.0	76.5	0
Gum and Other Mouth	0.0	0.0	76.5	0
Nasopharynx	0.0	0.0	76.5	0
Tonsil	0.0	0.0	76.5	0
Oropharynx	0.0	0.0	76.5	0
Hypopharynx	0.0	0.0	76.5	0
Other Oral Cavity and Pharynx	0.0	0.0	76.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	76.5	0
Stomach	0.0	0.0	76.5	0
Small Intestine	0.0	0.0	76.5	0
Colon and Rectum	0.0	0.0	76.5	0
Colon excluding Rectum	0.0	0.0	76.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	76.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	76.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	76.5	0
Gallbladder	0.0	0.0	76.5	0
Other Biliary	0.0	0.0	76.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	76.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	76.5	0
Other Digestive Organs	0.0	0.0	76.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	76.5	0
Larynx	0.0	0.0	76.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	76.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	76.5	0
Bones and Joints	0.0	0.0	76.5	0
Soft Tissue including Heart	0.0	0.0	76.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2001/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	76.5	0
Melanoma of the Skin	0.0	0.0	76.5	0
Other Non-Epithelial Skin	0.0	0.0	76.5	0
Urinary System	0.0	0.0	76.5	0
Urinary Bladder	0.0	0.0	76.5	0
Kidney and Renal Pelvis	0.0	0.0	76.5	0
Ureter	0.0	0.0	76.5	0
Other Urinary Organs	0.0	0.0	76.5	0
Eye and Orbit	0.0	0.0	76.5	0
Brain and Other Nervous System	0.0	0.0	76.5	0
Endocrine System	0.0	0.0	76.5	0
Thyroid	0.0	0.0	76.5	0
Other Endocrine including Thymus	0.0	0.0	76.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	76.5	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	76.5	0
Leukemia	0.0	0.0	76.5	0
Lymphocytic Leukemia	0.0	0.0	76.5	0
Acute Lymphocytic Leukemia	0.0	0.0	76.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	76.5	0
Other Lymphocytic Leukemia	0.0	0.0	76.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	76.5	0
Acute Myeloid Leukemia	0.0	0.0	76.5	0
Acute Monocytic Leukemia	0.0	0.0	76.5	0
Chronic Myeloid Leukemia	0.0	0.0	76.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	76.5	0
Other Leukemia	0.0	0.0	76.5	0
Other Acute Leukemia	0.0	0.0	76.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	76.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	76.5	0
Miscellaneous Malignant Cancer	0.0	0.0	76.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	342.1	0
Lip	0.0	0.0	342.1	0
Tongue	0.0	0.0	342.1	0
Salivary Gland	0.0	0.0	342.1	0
Floor of Mouth	0.0	0.0	342.1	0
Gum and Other Mouth	0.0	0.0	342.1	0
Nasopharynx	0.0	0.0	342.1	0
Tonsil	0.0	0.0	342.1	0
Oropharynx	0.0	0.0	342.1	0
Hypopharynx	0.0	0.0	342.1	0
Other Oral Cavity and Pharynx	0.0	0.0	342.1	0
Digestive System	0.0	0.0	342.1	0
Esophagus	0.0	0.0	342.1	0
Stomach	0.0	0.0	342.1	0
Small Intestine	0.0	0.0	342.1	0
Colon and Rectum	0.0	0.0	342.1	0
Colon excluding Rectum	0.0	0.0	342.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	342.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	342.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	342.1	0
Liver	0.0	0.0	342.1	0
Intrahepatic Bile Duct	0.0	0.0	342.1	0
Gallbladder	0.0	0.0	342.1	0
Other Biliary	0.0	0.0	342.1	0
Pancreas	0.0	0.0	342.1	0
Retroperitoneum	0.0	0.0	342.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	342.1	0
Other Digestive Organs	0.0	0.0	342.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	342.1	0
Larynx	0.0	0.0	342.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	342.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	342.1	0
Bones and Joints	0.0	0.0	342.1	0
Soft Tissue including Heart	0.0	0.0	342.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	342.1	0
Melanoma of the Skin	0.0	0.0	342.1	0
Other Non-Epithelial Skin	0.0	0.0	342.1	0
Urinary System	0.0	0.0	342.1	0
Urinary Bladder	0.0	0.0	342.1	0
Kidney and Renal Pelvis	0.0	0.0	342.1	0
Ureter	0.0	0.0	342.1	0
Other Urinary Organs	0.0	0.0	342.1	0
Eye and Orbit	0.0	0.0	342.1	0
Brain and Other Nervous System	0.0	0.0	342.1	0
Endocrine System	0.0	0.0	342.1	0
Thyroid	0.0	0.0	342.1	0
Other Endocrine including Thymus	0.0	0.0	342.1	0
Lymphoma	0.0	0.0	342.1	0
Hodgkin Lymphoma	0.0	0.0	342.1	0
Non-Hodgkin Lymphoma	0.0	0.0	342.1	0
Myeloma	0.0	0.0	342.1	0
Leukemia	0.0	0.0	342.1	0
Lymphocytic Leukemia	0.0	0.0	342.1	0
Acute Lymphocytic Leukemia	0.0	0.0	342.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	342.1	0
Other Lymphocytic Leukemia	0.0	0.0	342.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	342.1	0
Acute Myeloid Leukemia	0.0	0.0	342.1	0
Acute Monocytic Leukemia	0.0	0.0	342.1	0
Chronic Myeloid Leukemia	0.0	0.0	342.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	342.1	0
Other Leukemia	0.0	0.0	342.1	0
Other Acute Leukemia	0.0	0.0	342.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	342.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	342.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	283.9	0
Lip	0.0	0.0	283.9	0
Tongue	0.0	0.0	283.9	0
Salivary Gland	0.0	0.0	283.9	0
Floor of Mouth	0.0	0.0	283.9	0
Gum and Other Mouth	0.0	0.0	283.9	0
Nasopharynx	0.0	0.0	283.9	0
Tonsil	0.0	0.0	283.9	0
Oropharynx	0.0	0.0	283.9	0
Hypopharynx	0.0	0.0	283.9	0
Other Oral Cavity and Pharynx	0.0	0.0	283.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	283.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	283.9	0
Colon and Rectum	0.0	0.0	283.9	0
Colon excluding Rectum	0.0	0.0	283.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	283.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	283.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	283.9	0
Gallbladder	0.0	0.0	283.9	0
Other Biliary	0.0	0.0	283.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	283.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	283.9	0
Other Digestive Organs	0.0	0.0	283.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	283.9	0
Larynx	0.0	0.0	283.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	283.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	283.9	0
Bones and Joints	0.0	0.0	283.9	0
Soft Tissue including Heart	0.0	0.0	283.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	283.9	0
Melanoma of the Skin	0.0	0.0	283.9	0
Other Non-Epithelial Skin	0.0	0.0	283.9	0
Urinary System	0.0	0.0	283.9	0
Urinary Bladder	0.0	0.0	283.9	0
Kidney and Renal Pelvis	0.0	0.0	283.9	0
Ureter	0.0	0.0	283.9	0
Other Urinary Organs	0.0	0.0	283.9	0
Eye and Orbit	0.0	0.0	283.9	0
Brain and Other Nervous System	0.0	0.0	283.9	0
Endocrine System	0.0	0.0	283.9	0
Thyroid	0.0	0.0	283.9	0
Other Endocrine including Thymus	0.0	0.0	283.9	0
Lymphoma	0.0	0.0	283.9	0
Hodgkin Lymphoma	0.0	0.0	283.9	0
Non-Hodgkin Lymphoma	0.0	0.0	283.9	0
Myeloma	0.0	0.0	283.9	0
Leukemia	0.0	0.0	283.9	0
Lymphocytic Leukemia	0.0	0.0	283.9	0
Acute Lymphocytic Leukemia	0.0	0.0	283.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	283.9	0
Other Lymphocytic Leukemia	0.0	0.0	283.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	283.9	0
Acute Myeloid Leukemia	0.0	0.0	283.9	0
Acute Monocytic Leukemia	0.0	0.0	283.9	0
Chronic Myeloid Leukemia	0.0	0.0	283.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	283.9	0
Other Leukemia	0.0	0.0	283.9	0
Other Acute Leukemia	0.0	0.0	283.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	283.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	283.9	0
Miscellaneous Malignant Cancer	0.0	0.0	283.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	208.8	184.3	235.4	313
Oral Cavity and Pharynx	^	^	^	^
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	2.1	0
Gum and Other Mouth	0.0	0.0	2.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	2.1	0
Oropharynx	0.0	0.0	2.1	0
Hypopharynx	0.0	0.0	2.1	0
Other Oral Cavity and Pharynx	0.0	0.0	2.1	0
Digestive System	51.6	40.4	64.7	85
Esophagus	4.8	1.8	10.0	7
Stomach	8.2	4.1	14.4	12
Small Intestine	0.0	0.0	2.1	0
Colon and Rectum	15.8	9.9	23.6	26
Colon excluding Rectum	12.1	7.0	19.3	19
Rectum and Rectosigmoid Junction	3.7	1.3	7.9	7
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.4	3.1	11.5	12
Liver	4.3	1.7	8.7	8
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	2.1	0
Pancreas	12.5	7.4	19.4	22
Retroperitoneum	0.0	0.0	2.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.1	0
Other Digestive Organs	^	^	^	^
Respiratory System	56.3	44.1	70.5	84
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.1	0
Larynx	^	^	^	^
Lung and Bronchus	55.7	43.5	69.8	83
Pleura	0.0	0.0	2.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	5.9	2.4	11.6	10
Melanoma of the Skin	3.8	1.2	8.5	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	6.6	2.8	12.8	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	2.1	0
Other Urinary Organs	0.0	0.0	2.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	3.9	1.8	7.5	10
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	2.1	0
Lymphoma	7.7	3.7	13.9	11
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.5	2.8	12.3	9
Myeloma	^	^	^	^
Leukemia	10.3	5.2	17.7	13
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	2.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.1	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	18.0	11.2	27.1	25

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	154.8	75.6	272.3	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	36.0	0
Tongue	0.0	0.0	36.0	0
Salivary Gland	0.0	0.0	36.0	0
Floor of Mouth	0.0	0.0	36.0	0
Gum and Other Mouth	0.0	0.0	36.0	0
Nasopharynx	0.0	0.0	36.0	0
Tonsil	0.0	0.0	36.0	0
Oropharynx	0.0	0.0	36.0	0
Hypopharynx	0.0	0.0	36.0	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	^	^	^	^
Esophagus	0.0	0.0	36.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	36.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	36.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	36.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	36.0	0
Liver	0.0	0.0	36.0	0
Intrahepatic Bile Duct	0.0	0.0	36.0	0
Gallbladder	0.0	0.0	36.0	0
Other Biliary	0.0	0.0	36.0	0
Pancreas	0.0	0.0	36.0	0
Retroperitoneum	0.0	0.0	36.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	36.0	0
Other Digestive Organs	0.0	0.0	36.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	36.0	0
Larynx	0.0	0.0	36.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	36.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	36.0	0
Bones and Joints	0.0	0.0	36.0	0
Soft Tissue including Heart	0.0	0.0	36.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	36.0	0
Melanoma of the Skin	0.0	0.0	36.0	0
Other Non-Epithelial Skin	0.0	0.0	36.0	0
Urinary System	0.0	0.0	36.0	0
Urinary Bladder	0.0	0.0	36.0	0
Kidney and Renal Pelvis	0.0	0.0	36.0	0
Ureter	0.0	0.0	36.0	0
Other Urinary Organs	0.0	0.0	36.0	0
Eye and Orbit	0.0	0.0	36.0	0
Brain and Other Nervous System	0.0	0.0	36.0	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	36.0	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	36.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	36.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	36.0	0
Acute Lymphocytic Leukemia	0.0	0.0	36.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	36.0	0
Other Lymphocytic Leukemia	0.0	0.0	36.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	36.0	0
Acute Myeloid Leukemia	0.0	0.0	36.0	0
Acute Monocytic Leukemia	0.0	0.0	36.0	0
Chronic Myeloid Leukemia	0.0	0.0	36.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	36.0	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	36.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	36.0	0
Miscellaneous Malignant Cancer	0.0	0.0	36.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	892.0	0
Oral Cavity and Pharynx	0.0	0.0	892.0	0
Lip	0.0	0.0	892.0	0
Tongue	0.0	0.0	892.0	0
Salivary Gland	0.0	0.0	892.0	0
Floor of Mouth	0.0	0.0	892.0	0
Gum and Other Mouth	0.0	0.0	892.0	0
Nasopharynx	0.0	0.0	892.0	0
Tonsil	0.0	0.0	892.0	0
Oropharynx	0.0	0.0	892.0	0
Hypopharynx	0.0	0.0	892.0	0
Other Oral Cavity and Pharynx	0.0	0.0	892.0	0
Digestive System	0.0	0.0	892.0	0
Esophagus	0.0	0.0	892.0	0
Stomach	0.0	0.0	892.0	0
Small Intestine	0.0	0.0	892.0	0
Colon and Rectum	0.0	0.0	892.0	0
Colon excluding Rectum	0.0	0.0	892.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	892.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	892.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	892.0	0
Liver	0.0	0.0	892.0	0
Intrahepatic Bile Duct	0.0	0.0	892.0	0
Gallbladder	0.0	0.0	892.0	0
Other Biliary	0.0	0.0	892.0	0
Pancreas	0.0	0.0	892.0	0
Retroperitoneum	0.0	0.0	892.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	892.0	0
Other Digestive Organs	0.0	0.0	892.0	0
Respiratory System	0.0	0.0	892.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	892.0	0
Larynx	0.0	0.0	892.0	0
Lung and Bronchus	0.0	0.0	892.0	0
Pleura	0.0	0.0	892.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	892.0	0
Bones and Joints	0.0	0.0	892.0	0
Soft Tissue including Heart	0.0	0.0	892.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	892.0	0
Melanoma of the Skin	0.0	0.0	892.0	0
Other Non-Epithelial Skin	0.0	0.0	892.0	0
Urinary System	0.0	0.0	892.0	0
Urinary Bladder	0.0	0.0	892.0	0
Kidney and Renal Pelvis	0.0	0.0	892.0	0
Ureter	0.0	0.0	892.0	0
Other Urinary Organs	0.0	0.0	892.0	0
Eye and Orbit	0.0	0.0	892.0	0
Brain and Other Nervous System	0.0	0.0	892.0	0
Endocrine System	0.0	0.0	892.0	0
Thyroid	0.0	0.0	892.0	0
Other Endocrine including Thymus	0.0	0.0	892.0	0
Lymphoma	0.0	0.0	892.0	0
Hodgkin Lymphoma	0.0	0.0	892.0	0
Non-Hodgkin Lymphoma	0.0	0.0	892.0	0
Myeloma	0.0	0.0	892.0	0
Leukemia	0.0	0.0	892.0	0
Lymphocytic Leukemia	0.0	0.0	892.0	0
Acute Lymphocytic Leukemia	0.0	0.0	892.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	892.0	0
Other Lymphocytic Leukemia	0.0	0.0	892.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	892.0	0
Acute Myeloid Leukemia	0.0	0.0	892.0	0
Acute Monocytic Leukemia	0.0	0.0	892.0	0
Chronic Myeloid Leukemia	0.0	0.0	892.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	892.0	0
Other Leukemia	0.0	0.0	892.0	0
Other Acute Leukemia	0.0	0.0	892.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	892.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	892.0	0
Miscellaneous Malignant Cancer	0.0	0.0	892.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	499.3	0
Oral Cavity and Pharynx	0.0	0.0	499.3	0
Lip	0.0	0.0	499.3	0
Tongue	0.0	0.0	499.3	0
Salivary Gland	0.0	0.0	499.3	0
Floor of Mouth	0.0	0.0	499.3	0
Gum and Other Mouth	0.0	0.0	499.3	0
Nasopharynx	0.0	0.0	499.3	0
Tonsil	0.0	0.0	499.3	0
Oropharynx	0.0	0.0	499.3	0
Hypopharynx	0.0	0.0	499.3	0
Other Oral Cavity and Pharynx	0.0	0.0	499.3	0
Digestive System	0.0	0.0	499.3	0
Esophagus	0.0	0.0	499.3	0
Stomach	0.0	0.0	499.3	0
Small Intestine	0.0	0.0	499.3	0
Colon and Rectum	0.0	0.0	499.3	0
Colon excluding Rectum	0.0	0.0	499.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	499.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	499.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	499.3	0
Liver	0.0	0.0	499.3	0
Intrahepatic Bile Duct	0.0	0.0	499.3	0
Gallbladder	0.0	0.0	499.3	0
Other Biliary	0.0	0.0	499.3	0
Pancreas	0.0	0.0	499.3	0
Retroperitoneum	0.0	0.0	499.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	499.3	0
Other Digestive Organs	0.0	0.0	499.3	0
Respiratory System	0.0	0.0	499.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	499.3	0
Larynx	0.0	0.0	499.3	0
Lung and Bronchus	0.0	0.0	499.3	0
Pleura	0.0	0.0	499.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	499.3	0
Bones and Joints	0.0	0.0	499.3	0
Soft Tissue including Heart	0.0	0.0	499.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	499.3	0
Melanoma of the Skin	0.0	0.0	499.3	0
Other Non-Epithelial Skin	0.0	0.0	499.3	0
Urinary System	0.0	0.0	499.3	0
Urinary Bladder	0.0	0.0	499.3	0
Kidney and Renal Pelvis	0.0	0.0	499.3	0
Ureter	0.0	0.0	499.3	0
Other Urinary Organs	0.0	0.0	499.3	0
Eye and Orbit	0.0	0.0	499.3	0
Brain and Other Nervous System	0.0	0.0	499.3	0
Endocrine System	0.0	0.0	499.3	0
Thyroid	0.0	0.0	499.3	0
Other Endocrine including Thymus	0.0	0.0	499.3	0
Lymphoma	0.0	0.0	499.3	0
Hodgkin Lymphoma	0.0	0.0	499.3	0
Non-Hodgkin Lymphoma	0.0	0.0	499.3	0
Myeloma	0.0	0.0	499.3	0
Leukemia	0.0	0.0	499.3	0
Lymphocytic Leukemia	0.0	0.0	499.3	0
Acute Lymphocytic Leukemia	0.0	0.0	499.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	499.3	0
Other Lymphocytic Leukemia	0.0	0.0	499.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	499.3	0
Acute Myeloid Leukemia	0.0	0.0	499.3	0
Acute Monocytic Leukemia	0.0	0.0	499.3	0
Chronic Myeloid Leukemia	0.0	0.0	499.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	499.3	0
Other Leukemia	0.0	0.0	499.3	0
Other Acute Leukemia	0.0	0.0	499.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	499.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	499.3	0
Miscellaneous Malignant Cancer	0.0	0.0	499.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	322.6	147.0	601.6	10
Oral Cavity and Pharynx	0.0	0.0	111.1	0
Lip	0.0	0.0	111.1	0
Tongue	0.0	0.0	111.1	0
Salivary Gland	0.0	0.0	111.1	0
Floor of Mouth	0.0	0.0	111.1	0
Gum and Other Mouth	0.0	0.0	111.1	0
Nasopharynx	0.0	0.0	111.1	0
Tonsil	0.0	0.0	111.1	0
Oropharynx	0.0	0.0	111.1	0
Hypopharynx	0.0	0.0	111.1	0
Other Oral Cavity and Pharynx	0.0	0.0	111.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	111.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	111.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	111.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	111.1	0
Liver	0.0	0.0	111.1	0
Intrahepatic Bile Duct	0.0	0.0	111.1	0
Gallbladder	0.0	0.0	111.1	0
Other Biliary	0.0	0.0	111.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	111.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	111.1	0
Other Digestive Organs	0.0	0.0	111.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	111.1	0
Larynx	0.0	0.0	111.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	111.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	111.1	0
Bones and Joints	0.0	0.0	111.1	0
Soft Tissue including Heart	0.0	0.0	111.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	111.1	0
Melanoma of the Skin	0.0	0.0	111.1	0
Other Non-Epithelial Skin	0.0	0.0	111.1	0
Urinary System	0.0	0.0	111.1	0
Urinary Bladder	0.0	0.0	111.1	0
Kidney and Renal Pelvis	0.0	0.0	111.1	0
Ureter	0.0	0.0	111.1	0
Other Urinary Organs	0.0	0.0	111.1	0
Eye and Orbit	0.0	0.0	111.1	0
Brain and Other Nervous System	0.0	0.0	111.1	0
Endocrine System	0.0	0.0	111.1	0
Thyroid	0.0	0.0	111.1	0
Other Endocrine including Thymus	0.0	0.0	111.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	111.1	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	111.1	0
Leukemia	0.0	0.0	111.1	0
Lymphocytic Leukemia	0.0	0.0	111.1	0
Acute Lymphocytic Leukemia	0.0	0.0	111.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	111.1	0
Other Lymphocytic Leukemia	0.0	0.0	111.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	111.1	0
Acute Myeloid Leukemia	0.0	0.0	111.1	0
Acute Monocytic Leukemia	0.0	0.0	111.1	0
Chronic Myeloid Leukemia	0.0	0.0	111.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	111.1	0
Other Leukemia	0.0	0.0	111.1	0
Other Acute Leukemia	0.0	0.0	111.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	111.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	111.1	0
Miscellaneous Malignant Cancer	0.0	0.0	111.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	170.9	129.0	220.4	68
Oral Cavity and Pharynx	0.0	0.0	7.2	0
Lip	0.0	0.0	7.2	0
Tongue	0.0	0.0	7.2	0
Salivary Gland	0.0	0.0	7.2	0
Floor of Mouth	0.0	0.0	7.2	0
Gum and Other Mouth	0.0	0.0	7.2	0
Nasopharynx	0.0	0.0	7.2	0
Tonsil	0.0	0.0	7.2	0
Oropharynx	0.0	0.0	7.2	0
Hypopharynx	0.0	0.0	7.2	0
Other Oral Cavity and Pharynx	0.0	0.0	7.2	0
Digestive System	43.4	23.9	70.7	17
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	7.2	0
Colon and Rectum	13.5	4.2	30.5	6
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	7.2	0
Gallbladder	0.0	0.0	7.2	0
Other Biliary	0.0	0.0	7.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	7.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	7.2	0
Other Digestive Organs	0.0	0.0	7.2	0
Respiratory System	40.4	22.3	66.0	17
Nose, Nasal Cavity and Middle Ear	0.0	0.0	7.2	0
Larynx	0.0	0.0	7.2	0
Lung and Bronchus	40.4	22.3	66.0	17
Pleura	0.0	0.0	7.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	7.2	0
Bones and Joints	0.0	0.0	7.2	0
Soft Tissue including Heart	0.0	0.0	7.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	7.2	0
Melanoma of the Skin	0.0	0.0	7.2	0
Other Non-Epithelial Skin	0.0	0.0	7.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	7.2	0
Ureter	0.0	0.0	7.2	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	7.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	7.2	0
Thyroid	0.0	0.0	7.2	0
Other Endocrine including Thymus	0.0	0.0	7.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	7.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	7.2	0
Acute Lymphocytic Leukemia	0.0	0.0	7.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	7.2	0
Other Lymphocytic Leukemia	0.0	0.0	7.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	7.2	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.2	0
Other Leukemia	0.0	0.0	7.2	0
Other Acute Leukemia	0.0	0.0	7.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	7.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	7.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	254.2	90.7	581.4	6
Oral Cavity and Pharynx	0.0	0.0	202.0	0
Lip	0.0	0.0	202.0	0
Tongue	0.0	0.0	202.0	0
Salivary Gland	0.0	0.0	202.0	0
Floor of Mouth	0.0	0.0	202.0	0
Gum and Other Mouth	0.0	0.0	202.0	0
Nasopharynx	0.0	0.0	202.0	0
Tonsil	0.0	0.0	202.0	0
Oropharynx	0.0	0.0	202.0	0
Hypopharynx	0.0	0.0	202.0	0
Other Oral Cavity and Pharynx	0.0	0.0	202.0	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	202.0	0
Small Intestine	0.0	0.0	202.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	202.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	202.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	202.0	0
Liver	0.0	0.0	202.0	0
Intrahepatic Bile Duct	0.0	0.0	202.0	0
Gallbladder	0.0	0.0	202.0	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	202.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	202.0	0
Other Digestive Organs	0.0	0.0	202.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	202.0	0
Larynx	0.0	0.0	202.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	202.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	202.0	0
Bones and Joints	0.0	0.0	202.0	0
Soft Tissue including Heart	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	202.0	0
Melanoma of the Skin	0.0	0.0	202.0	0
Other Non-Epithelial Skin	0.0	0.0	202.0	0
Urinary System	0.0	0.0	202.0	0
Urinary Bladder	0.0	0.0	202.0	0
Kidney and Renal Pelvis	0.0	0.0	202.0	0
Ureter	0.0	0.0	202.0	0
Other Urinary Organs	0.0	0.0	202.0	0
Eye and Orbit	0.0	0.0	202.0	0
Brain and Other Nervous System	0.0	0.0	202.0	0
Endocrine System	0.0	0.0	202.0	0
Thyroid	0.0	0.0	202.0	0
Other Endocrine including Thymus	0.0	0.0	202.0	0
Lymphoma	0.0	0.0	202.0	0
Hodgkin Lymphoma	0.0	0.0	202.0	0
Non-Hodgkin Lymphoma	0.0	0.0	202.0	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	202.0	0
Lymphocytic Leukemia	0.0	0.0	202.0	0
Acute Lymphocytic Leukemia	0.0	0.0	202.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	202.0	0
Other Lymphocytic Leukemia	0.0	0.0	202.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	202.0	0
Acute Myeloid Leukemia	0.0	0.0	202.0	0
Acute Monocytic Leukemia	0.0	0.0	202.0	0
Chronic Myeloid Leukemia	0.0	0.0	202.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	202.0	0
Other Leukemia	0.0	0.0	202.0	0
Other Acute Leukemia	0.0	0.0	202.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	202.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	202.0	0
Miscellaneous Malignant Cancer	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	160.3	107.1	228.7	34
Oral Cavity and Pharynx	0.0	0.0	15.9	0
Lip	0.0	0.0	15.9	0
Tongue	0.0	0.0	15.9	0
Salivary Gland	0.0	0.0	15.9	0
Floor of Mouth	0.0	0.0	15.9	0
Gum and Other Mouth	0.0	0.0	15.9	0
Nasopharynx	0.0	0.0	15.9	0
Tonsil	0.0	0.0	15.9	0
Oropharynx	0.0	0.0	15.9	0
Hypopharynx	0.0	0.0	15.9	0
Other Oral Cavity and Pharynx	0.0	0.0	15.9	0
Digestive System	38.8	14.4	80.2	7
Esophagus	^	^	^	^
Stomach	0.0	0.0	15.9	0
Small Intestine	0.0	0.0	15.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	15.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	15.9	0
Liver	0.0	0.0	15.9	0
Intrahepatic Bile Duct	0.0	0.0	15.9	0
Gallbladder	0.0	0.0	15.9	0
Other Biliary	0.0	0.0	15.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.9	0
Other Digestive Organs	0.0	0.0	15.9	0
Respiratory System	36.5	15.4	71.9	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.9	0
Larynx	0.0	0.0	15.9	0
Lung and Bronchus	36.5	15.4	71.9	9
Pleura	0.0	0.0	15.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.9	0
Bones and Joints	0.0	0.0	15.9	0
Soft Tissue including Heart	0.0	0.0	15.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	15.9	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	15.9	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.9	0
Other Urinary Organs	0.0	0.0	15.9	0
Eye and Orbit	0.0	0.0	15.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	15.9	0
Thyroid	0.0	0.0	15.9	0
Other Endocrine including Thymus	0.0	0.0	15.9	0
Lymphoma	0.0	0.0	15.9	0
Hodgkin Lymphoma	0.0	0.0	15.9	0
Non-Hodgkin Lymphoma	0.0	0.0	15.9	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	15.9	0
Lymphocytic Leukemia	0.0	0.0	15.9	0
Acute Lymphocytic Leukemia	0.0	0.0	15.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	15.9	0
Other Lymphocytic Leukemia	0.0	0.0	15.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	15.9	0
Acute Myeloid Leukemia	0.0	0.0	15.9	0
Acute Monocytic Leukemia	0.0	0.0	15.9	0
Chronic Myeloid Leukemia	0.0	0.0	15.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.9	0
Other Leukemia	0.0	0.0	15.9	0
Other Acute Leukemia	0.0	0.0	15.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	15.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	192.7	145.9	248.7	69
Oral Cavity and Pharynx	0.0	0.0	9.7	0
Lip	0.0	0.0	9.7	0
Tongue	0.0	0.0	9.7	0
Salivary Gland	0.0	0.0	9.7	0
Floor of Mouth	0.0	0.0	9.7	0
Gum and Other Mouth	0.0	0.0	9.7	0
Nasopharynx	0.0	0.0	9.7	0
Tonsil	0.0	0.0	9.7	0
Oropharynx	0.0	0.0	9.7	0
Hypopharynx	0.0	0.0	9.7	0
Other Oral Cavity and Pharynx	0.0	0.0	9.7	0
Digestive System	34.8	16.4	63.0	11
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	9.7	0
Colon and Rectum	23.9	8.8	49.4	7
Colon excluding Rectum	23.9	8.8	49.4	7
Rectum and Rectosigmoid Junction	0.0	0.0	9.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	9.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.7	0
Gallbladder	0.0	0.0	9.7	0
Other Biliary	0.0	0.0	9.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.7	0
Other Digestive Organs	0.0	0.0	9.7	0
Respiratory System	60.5	36.7	93.1	23
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.7	0
Larynx	^	^	^	^
Lung and Bronchus	56.6	33.8	88.0	22
Pleura	0.0	0.0	9.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	9.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	9.7	0
Other Urinary Organs	0.0	0.0	9.7	0
Eye and Orbit	0.0	0.0	9.7	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	9.7	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	9.7	0
Lymphocytic Leukemia	0.0	0.0	9.7	0
Acute Lymphocytic Leukemia	0.0	0.0	9.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	9.7	0
Other Lymphocytic Leukemia	0.0	0.0	9.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	9.7	0
Acute Myeloid Leukemia	0.0	0.0	9.7	0
Acute Monocytic Leukemia	0.0	0.0	9.7	0
Chronic Myeloid Leukemia	0.0	0.0	9.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.7	0
Other Leukemia	0.0	0.0	9.7	0
Other Acute Leukemia	0.0	0.0	9.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	9.7	0
Miscellaneous Malignant Cancer	25.5	10.9	49.5	10

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	192.0	114.3	299.4	20
Oral Cavity and Pharynx	0.0	0.0	31.9	0
Lip	0.0	0.0	31.9	0
Tongue	0.0	0.0	31.9	0
Salivary Gland	0.0	0.0	31.9	0
Floor of Mouth	0.0	0.0	31.9	0
Gum and Other Mouth	0.0	0.0	31.9	0
Nasopharynx	0.0	0.0	31.9	0
Tonsil	0.0	0.0	31.9	0
Oropharynx	0.0	0.0	31.9	0
Hypopharynx	0.0	0.0	31.9	0
Other Oral Cavity and Pharynx	0.0	0.0	31.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	31.9	0
Stomach	0.0	0.0	31.9	0
Small Intestine	0.0	0.0	31.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	31.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	31.9	0
Gallbladder	0.0	0.0	31.9	0
Other Biliary	0.0	0.0	31.9	0
Pancreas	0.0	0.0	31.9	0
Retroperitoneum	0.0	0.0	31.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.9	0
Other Digestive Organs	0.0	0.0	31.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.9	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	31.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.9	0
Bones and Joints	0.0	0.0	31.9	0
Soft Tissue including Heart	0.0	0.0	31.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	31.9	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	31.9	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	31.9	0
Brain and Other Nervous System	0.0	0.0	31.9	0
Endocrine System	0.0	0.0	31.9	0
Thyroid	0.0	0.0	31.9	0
Other Endocrine including Thymus	0.0	0.0	31.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	0.0	0.0	31.9	0
Myeloma	0.0	0.0	31.9	0
Leukemia	0.0	0.0	31.9	0
Lymphocytic Leukemia	0.0	0.0	31.9	0
Acute Lymphocytic Leukemia	0.0	0.0	31.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	31.9	0
Other Lymphocytic Leukemia	0.0	0.0	31.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	31.9	0
Acute Myeloid Leukemia	0.0	0.0	31.9	0
Acute Monocytic Leukemia	0.0	0.0	31.9	0
Chronic Myeloid Leukemia	0.0	0.0	31.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.9	0
Other Leukemia	0.0	0.0	31.9	0
Other Acute Leukemia	0.0	0.0	31.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	31.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	31.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	180.0	78.3	336.0	10
Oral Cavity and Pharynx	0.0	0.0	45.3	0
Lip	0.0	0.0	45.3	0
Tongue	0.0	0.0	45.3	0
Salivary Gland	0.0	0.0	45.3	0
Floor of Mouth	0.0	0.0	45.3	0
Gum and Other Mouth	0.0	0.0	45.3	0
Nasopharynx	0.0	0.0	45.3	0
Tonsil	0.0	0.0	45.3	0
Oropharynx	0.0	0.0	45.3	0
Hypopharynx	0.0	0.0	45.3	0
Other Oral Cavity and Pharynx	0.0	0.0	45.3	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	45.3	0
Small Intestine	0.0	0.0	45.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	45.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	45.3	0
Liver	0.0	0.0	45.3	0
Intrahepatic Bile Duct	0.0	0.0	45.3	0
Gallbladder	0.0	0.0	45.3	0
Other Biliary	0.0	0.0	45.3	0
Pancreas	0.0	0.0	45.3	0
Retroperitoneum	0.0	0.0	45.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.3	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.3	0
Larynx	0.0	0.0	45.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	45.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.3	0
Bones and Joints	0.0	0.0	45.3	0
Soft Tissue including Heart	0.0	0.0	45.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	45.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	45.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	45.3	0
Other Urinary Organs	0.0	0.0	45.3	0
Eye and Orbit	0.0	0.0	45.3	0
Brain and Other Nervous System	0.0	0.0	45.3	0
Endocrine System	0.0	0.0	45.3	0
Thyroid	0.0	0.0	45.3	0
Other Endocrine including Thymus	0.0	0.0	45.3	0
Lymphoma	0.0	0.0	45.3	0
Hodgkin Lymphoma	0.0	0.0	45.3	0
Non-Hodgkin Lymphoma	0.0	0.0	45.3	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	45.3	0
Lymphocytic Leukemia	0.0	0.0	45.3	0
Acute Lymphocytic Leukemia	0.0	0.0	45.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	45.3	0
Other Lymphocytic Leukemia	0.0	0.0	45.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	45.3	0
Acute Myeloid Leukemia	0.0	0.0	45.3	0
Acute Monocytic Leukemia	0.0	0.0	45.3	0
Chronic Myeloid Leukemia	0.0	0.0	45.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.3	0
Other Leukemia	0.0	0.0	45.3	0
Other Acute Leukemia	0.0	0.0	45.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	45.3	0
Miscellaneous Malignant Cancer	0.0	0.0	45.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	390.7	0
Lip	0.0	0.0	390.7	0
Tongue	0.0	0.0	390.7	0
Salivary Gland	0.0	0.0	390.7	0
Floor of Mouth	0.0	0.0	390.7	0
Gum and Other Mouth	0.0	0.0	390.7	0
Nasopharynx	0.0	0.0	390.7	0
Tonsil	0.0	0.0	390.7	0
Oropharynx	0.0	0.0	390.7	0
Hypopharynx	0.0	0.0	390.7	0
Other Oral Cavity and Pharynx	0.0	0.0	390.7	0
Digestive System	0.0	0.0	390.7	0
Esophagus	0.0	0.0	390.7	0
Stomach	0.0	0.0	390.7	0
Small Intestine	0.0	0.0	390.7	0
Colon and Rectum	0.0	0.0	390.7	0
Colon excluding Rectum	0.0	0.0	390.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	390.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	390.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	390.7	0
Liver	0.0	0.0	390.7	0
Intrahepatic Bile Duct	0.0	0.0	390.7	0
Gallbladder	0.0	0.0	390.7	0
Other Biliary	0.0	0.0	390.7	0
Pancreas	0.0	0.0	390.7	0
Retroperitoneum	0.0	0.0	390.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	390.7	0
Other Digestive Organs	0.0	0.0	390.7	0
Respiratory System	0.0	0.0	390.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	390.7	0
Larynx	0.0	0.0	390.7	0
Lung and Bronchus	0.0	0.0	390.7	0
Pleura	0.0	0.0	390.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	390.7	0
Bones and Joints	0.0	0.0	390.7	0
Soft Tissue including Heart	0.0	0.0	390.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	390.7	0
Melanoma of the Skin	0.0	0.0	390.7	0
Other Non-Epithelial Skin	0.0	0.0	390.7	0
Urinary System	0.0	0.0	390.7	0
Urinary Bladder	0.0	0.0	390.7	0
Kidney and Renal Pelvis	0.0	0.0	390.7	0
Ureter	0.0	0.0	390.7	0
Other Urinary Organs	0.0	0.0	390.7	0
Eye and Orbit	0.0	0.0	390.7	0
Brain and Other Nervous System	0.0	0.0	390.7	0
Endocrine System	0.0	0.0	390.7	0
Thyroid	0.0	0.0	390.7	0
Other Endocrine including Thymus	0.0	0.0	390.7	0
Lymphoma	0.0	0.0	390.7	0
Hodgkin Lymphoma	0.0	0.0	390.7	0
Non-Hodgkin Lymphoma	0.0	0.0	390.7	0
Myeloma	0.0	0.0	390.7	0
Leukemia	0.0	0.0	390.7	0
Lymphocytic Leukemia	0.0	0.0	390.7	0
Acute Lymphocytic Leukemia	0.0	0.0	390.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	390.7	0
Other Lymphocytic Leukemia	0.0	0.0	390.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	390.7	0
Acute Myeloid Leukemia	0.0	0.0	390.7	0
Acute Monocytic Leukemia	0.0	0.0	390.7	0
Chronic Myeloid Leukemia	0.0	0.0	390.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	390.7	0
Other Leukemia	0.0	0.0	390.7	0
Other Acute Leukemia	0.0	0.0	390.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	390.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	390.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	120.6	86.8	162.2	54
Oral Cavity and Pharynx	0.0	0.0	9.0	0
Lip	0.0	0.0	9.0	0
Tongue	0.0	0.0	9.0	0
Salivary Gland	0.0	0.0	9.0	0
Floor of Mouth	0.0	0.0	9.0	0
Gum and Other Mouth	0.0	0.0	9.0	0
Nasopharynx	0.0	0.0	9.0	0
Tonsil	0.0	0.0	9.0	0
Oropharynx	0.0	0.0	9.0	0
Hypopharynx	0.0	0.0	9.0	0
Other Oral Cavity and Pharynx	0.0	0.0	9.0	0
Digestive System	12.7	5.4	26.6	8
Esophagus	0.0	0.0	9.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	9.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	9.0	0
Gallbladder	0.0	0.0	9.0	0
Other Biliary	0.0	0.0	9.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.0	0
Other Digestive Organs	0.0	0.0	9.0	0
Respiratory System	50.2	29.4	79.0	22
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.0	0
Larynx	0.0	0.0	9.0	0
Lung and Bronchus	50.2	29.4	79.0	22
Pleura	0.0	0.0	9.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.0	0
Bones and Joints	0.0	0.0	9.0	0
Soft Tissue including Heart	0.0	0.0	9.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	9.0	0
Melanoma of the Skin	0.0	0.0	9.0	0
Other Non-Epithelial Skin	0.0	0.0	9.0	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	9.0	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	9.0	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	9.0	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	9.0	0
Thyroid	0.0	0.0	9.0	0
Other Endocrine including Thymus	0.0	0.0	9.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	9.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	9.0	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	9.0	0
Acute Myeloid Leukemia	0.0	0.0	9.0	0
Acute Monocytic Leukemia	0.0	0.0	9.0	0
Chronic Myeloid Leukemia	0.0	0.0	9.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.0	0
Other Leukemia	0.0	0.0	9.0	0
Other Acute Leukemia	0.0	0.0	9.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	9.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	240.2	123.2	413.1	13
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	57.3	0
Tongue	0.0	0.0	57.3	0
Salivary Gland	0.0	0.0	57.3	0
Floor of Mouth	0.0	0.0	57.3	0
Gum and Other Mouth	0.0	0.0	57.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	57.3	0
Oropharynx	0.0	0.0	57.3	0
Hypopharynx	0.0	0.0	57.3	0
Other Oral Cavity and Pharynx	0.0	0.0	57.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	57.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	57.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	57.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	57.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	57.3	0
Gallbladder	0.0	0.0	57.3	0
Other Biliary	0.0	0.0	57.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	57.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	57.3	0
Other Digestive Organs	0.0	0.0	57.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	57.3	0
Larynx	0.0	0.0	57.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	57.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	57.3	0
Bones and Joints	0.0	0.0	57.3	0
Soft Tissue including Heart	0.0	0.0	57.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	57.3	0
Melanoma of the Skin	0.0	0.0	57.3	0
Other Non-Epithelial Skin	0.0	0.0	57.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	57.3	0
Other Urinary Organs	0.0	0.0	57.3	0
Eye and Orbit	0.0	0.0	57.3	0
Brain and Other Nervous System	0.0	0.0	57.3	0
Endocrine System	0.0	0.0	57.3	0
Thyroid	0.0	0.0	57.3	0
Other Endocrine including Thymus	0.0	0.0	57.3	0
Lymphoma	0.0	0.0	57.3	0
Hodgkin Lymphoma	0.0	0.0	57.3	0
Non-Hodgkin Lymphoma	0.0	0.0	57.3	0
Myeloma	0.0	0.0	57.3	0
Leukemia	0.0	0.0	57.3	0
Lymphocytic Leukemia	0.0	0.0	57.3	0
Acute Lymphocytic Leukemia	0.0	0.0	57.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	57.3	0
Other Lymphocytic Leukemia	0.0	0.0	57.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	57.3	0
Acute Myeloid Leukemia	0.0	0.0	57.3	0
Acute Monocytic Leukemia	0.0	0.0	57.3	0
Chronic Myeloid Leukemia	0.0	0.0	57.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	57.3	0
Other Leukemia	0.0	0.0	57.3	0
Other Acute Leukemia	0.0	0.0	57.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	57.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	57.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	242.8	108.3	459.5	10
Oral Cavity and Pharynx	0.0	0.0	91.6	0
Lip	0.0	0.0	91.6	0
Tongue	0.0	0.0	91.6	0
Salivary Gland	0.0	0.0	91.6	0
Floor of Mouth	0.0	0.0	91.6	0
Gum and Other Mouth	0.0	0.0	91.6	0
Nasopharynx	0.0	0.0	91.6	0
Tonsil	0.0	0.0	91.6	0
Oropharynx	0.0	0.0	91.6	0
Hypopharynx	0.0	0.0	91.6	0
Other Oral Cavity and Pharynx	0.0	0.0	91.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	91.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	91.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	91.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	91.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	91.6	0
Liver	0.0	0.0	91.6	0
Intrahepatic Bile Duct	0.0	0.0	91.6	0
Gallbladder	0.0	0.0	91.6	0
Other Biliary	0.0	0.0	91.6	0
Pancreas	0.0	0.0	91.6	0
Retroperitoneum	0.0	0.0	91.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	91.6	0
Other Digestive Organs	0.0	0.0	91.6	0
Respiratory System	159.6	51.6	357.1	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	91.6	0
Larynx	0.0	0.0	91.6	0
Lung and Bronchus	159.6	51.6	357.1	6
Pleura	0.0	0.0	91.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	91.6	0
Bones and Joints	0.0	0.0	91.6	0
Soft Tissue including Heart	0.0	0.0	91.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	91.6	0
Melanoma of the Skin	0.0	0.0	91.6	0
Other Non-Epithelial Skin	0.0	0.0	91.6	0
Urinary System	0.0	0.0	91.6	0
Urinary Bladder	0.0	0.0	91.6	0
Kidney and Renal Pelvis	0.0	0.0	91.6	0
Ureter	0.0	0.0	91.6	0
Other Urinary Organs	0.0	0.0	91.6	0
Eye and Orbit	0.0	0.0	91.6	0
Brain and Other Nervous System	0.0	0.0	91.6	0
Endocrine System	0.0	0.0	91.6	0
Thyroid	0.0	0.0	91.6	0
Other Endocrine including Thymus	0.0	0.0	91.6	0
Lymphoma	0.0	0.0	91.6	0
Hodgkin Lymphoma	0.0	0.0	91.6	0
Non-Hodgkin Lymphoma	0.0	0.0	91.6	0
Myeloma	0.0	0.0	91.6	0
Leukemia	0.0	0.0	91.6	0
Lymphocytic Leukemia	0.0	0.0	91.6	0
Acute Lymphocytic Leukemia	0.0	0.0	91.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	91.6	0
Other Lymphocytic Leukemia	0.0	0.0	91.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	91.6	0
Acute Myeloid Leukemia	0.0	0.0	91.6	0
Acute Monocytic Leukemia	0.0	0.0	91.6	0
Chronic Myeloid Leukemia	0.0	0.0	91.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	91.6	0
Other Leukemia	0.0	0.0	91.6	0
Other Acute Leukemia	0.0	0.0	91.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	91.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	91.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	311.4	137.7	581.4	9
Oral Cavity and Pharynx	0.0	0.0	91.5	0
Lip	0.0	0.0	91.5	0
Tongue	0.0	0.0	91.5	0
Salivary Gland	0.0	0.0	91.5	0
Floor of Mouth	0.0	0.0	91.5	0
Gum and Other Mouth	0.0	0.0	91.5	0
Nasopharynx	0.0	0.0	91.5	0
Tonsil	0.0	0.0	91.5	0
Oropharynx	0.0	0.0	91.5	0
Hypopharynx	0.0	0.0	91.5	0
Other Oral Cavity and Pharynx	0.0	0.0	91.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	91.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	91.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	91.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	91.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	91.5	0
Liver	0.0	0.0	91.5	0
Intrahepatic Bile Duct	0.0	0.0	91.5	0
Gallbladder	0.0	0.0	91.5	0
Other Biliary	0.0	0.0	91.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	91.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	91.5	0
Other Digestive Organs	0.0	0.0	91.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	91.5	0
Larynx	0.0	0.0	91.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	91.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	91.5	0
Bones and Joints	0.0	0.0	91.5	0
Soft Tissue including Heart	0.0	0.0	91.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	91.5	0
Melanoma of the Skin	0.0	0.0	91.5	0
Other Non-Epithelial Skin	0.0	0.0	91.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	91.5	0
Other Urinary Organs	0.0	0.0	91.5	0
Eye and Orbit	0.0	0.0	91.5	0
Brain and Other Nervous System	0.0	0.0	91.5	0
Endocrine System	0.0	0.0	91.5	0
Thyroid	0.0	0.0	91.5	0
Other Endocrine including Thymus	0.0	0.0	91.5	0
Lymphoma	0.0	0.0	91.5	0
Hodgkin Lymphoma	0.0	0.0	91.5	0
Non-Hodgkin Lymphoma	0.0	0.0	91.5	0
Myeloma	0.0	0.0	91.5	0
Leukemia	0.0	0.0	91.5	0
Lymphocytic Leukemia	0.0	0.0	91.5	0
Acute Lymphocytic Leukemia	0.0	0.0	91.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	91.5	0
Other Lymphocytic Leukemia	0.0	0.0	91.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	91.5	0
Acute Myeloid Leukemia	0.0	0.0	91.5	0
Acute Monocytic Leukemia	0.0	0.0	91.5	0
Chronic Myeloid Leukemia	0.0	0.0	91.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	91.5	0
Other Leukemia	0.0	0.0	91.5	0
Other Acute Leukemia	0.0	0.0	91.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	91.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	91.5	0
Miscellaneous Malignant Cancer	0.0	0.0	91.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	110.5	0
Lip	0.0	0.0	110.5	0
Tongue	0.0	0.0	110.5	0
Salivary Gland	0.0	0.0	110.5	0
Floor of Mouth	0.0	0.0	110.5	0
Gum and Other Mouth	0.0	0.0	110.5	0
Nasopharynx	0.0	0.0	110.5	0
Tonsil	0.0	0.0	110.5	0
Oropharynx	0.0	0.0	110.5	0
Hypopharynx	0.0	0.0	110.5	0
Other Oral Cavity and Pharynx	0.0	0.0	110.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	110.5	0
Stomach	0.0	0.0	110.5	0
Small Intestine	0.0	0.0	110.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	110.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	110.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	110.5	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	110.5	0
Other Biliary	0.0	0.0	110.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	110.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	110.5	0
Other Digestive Organs	0.0	0.0	110.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	110.5	0
Larynx	0.0	0.0	110.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	110.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	110.5	0
Bones and Joints	0.0	0.0	110.5	0
Soft Tissue including Heart	0.0	0.0	110.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	110.5	0
Melanoma of the Skin	0.0	0.0	110.5	0
Other Non-Epithelial Skin	0.0	0.0	110.5	0
Urinary System	0.0	0.0	110.5	0
Urinary Bladder	0.0	0.0	110.5	0
Kidney and Renal Pelvis	0.0	0.0	110.5	0
Ureter	0.0	0.0	110.5	0
Other Urinary Organs	0.0	0.0	110.5	0
Eye and Orbit	0.0	0.0	110.5	0
Brain and Other Nervous System	0.0	0.0	110.5	0
Endocrine System	0.0	0.0	110.5	0
Thyroid	0.0	0.0	110.5	0
Other Endocrine including Thymus	0.0	0.0	110.5	0
Lymphoma	0.0	0.0	110.5	0
Hodgkin Lymphoma	0.0	0.0	110.5	0
Non-Hodgkin Lymphoma	0.0	0.0	110.5	0
Myeloma	0.0	0.0	110.5	0
Leukemia	0.0	0.0	110.5	0
Lymphocytic Leukemia	0.0	0.0	110.5	0
Acute Lymphocytic Leukemia	0.0	0.0	110.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	110.5	0
Other Lymphocytic Leukemia	0.0	0.0	110.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	110.5	0
Acute Myeloid Leukemia	0.0	0.0	110.5	0
Acute Monocytic Leukemia	0.0	0.0	110.5	0
Chronic Myeloid Leukemia	0.0	0.0	110.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	110.5	0
Other Leukemia	0.0	0.0	110.5	0
Other Acute Leukemia	0.0	0.0	110.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	110.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	110.5	0
Miscellaneous Malignant Cancer	0.0	0.0	110.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	139.3	58.5	270.5	9
Oral Cavity and Pharynx	0.0	0.0	49.0	0
Lip	0.0	0.0	49.0	0
Tongue	0.0	0.0	49.0	0
Salivary Gland	0.0	0.0	49.0	0
Floor of Mouth	0.0	0.0	49.0	0
Gum and Other Mouth	0.0	0.0	49.0	0
Nasopharynx	0.0	0.0	49.0	0
Tonsil	0.0	0.0	49.0	0
Oropharynx	0.0	0.0	49.0	0
Hypopharynx	0.0	0.0	49.0	0
Other Oral Cavity and Pharynx	0.0	0.0	49.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	49.0	0
Stomach	0.0	0.0	49.0	0
Small Intestine	0.0	0.0	49.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	49.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	49.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	49.0	0
Liver	0.0	0.0	49.0	0
Intrahepatic Bile Duct	0.0	0.0	49.0	0
Gallbladder	0.0	0.0	49.0	0
Other Biliary	0.0	0.0	49.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	49.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	49.0	0
Other Digestive Organs	0.0	0.0	49.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	49.0	0
Larynx	0.0	0.0	49.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	49.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	49.0	0
Bones and Joints	0.0	0.0	49.0	0
Soft Tissue including Heart	0.0	0.0	49.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	49.0	0
Melanoma of the Skin	0.0	0.0	49.0	0
Other Non-Epithelial Skin	0.0	0.0	49.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	49.0	0
Ureter	0.0	0.0	49.0	0
Other Urinary Organs	0.0	0.0	49.0	0
Eye and Orbit	0.0	0.0	49.0	0
Brain and Other Nervous System	0.0	0.0	49.0	0
Endocrine System	0.0	0.0	49.0	0
Thyroid	0.0	0.0	49.0	0
Other Endocrine including Thymus	0.0	0.0	49.0	0
Lymphoma	0.0	0.0	49.0	0
Hodgkin Lymphoma	0.0	0.0	49.0	0
Non-Hodgkin Lymphoma	0.0	0.0	49.0	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	49.0	0
Lymphocytic Leukemia	0.0	0.0	49.0	0
Acute Lymphocytic Leukemia	0.0	0.0	49.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	49.0	0
Other Lymphocytic Leukemia	0.0	0.0	49.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	49.0	0
Acute Myeloid Leukemia	0.0	0.0	49.0	0
Acute Monocytic Leukemia	0.0	0.0	49.0	0
Chronic Myeloid Leukemia	0.0	0.0	49.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	49.0	0
Other Leukemia	0.0	0.0	49.0	0
Other Acute Leukemia	0.0	0.0	49.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	49.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	49.0	0
Miscellaneous Malignant Cancer	0.0	0.0	49.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	154.2	0
Lip	0.0	0.0	154.2	0
Tongue	0.0	0.0	154.2	0
Salivary Gland	0.0	0.0	154.2	0
Floor of Mouth	0.0	0.0	154.2	0
Gum and Other Mouth	0.0	0.0	154.2	0
Nasopharynx	0.0	0.0	154.2	0
Tonsil	0.0	0.0	154.2	0
Oropharynx	0.0	0.0	154.2	0
Hypopharynx	0.0	0.0	154.2	0
Other Oral Cavity and Pharynx	0.0	0.0	154.2	0
Digestive System	0.0	0.0	154.2	0
Esophagus	0.0	0.0	154.2	0
Stomach	0.0	0.0	154.2	0
Small Intestine	0.0	0.0	154.2	0
Colon and Rectum	0.0	0.0	154.2	0
Colon excluding Rectum	0.0	0.0	154.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	154.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	154.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	154.2	0
Liver	0.0	0.0	154.2	0
Intrahepatic Bile Duct	0.0	0.0	154.2	0
Gallbladder	0.0	0.0	154.2	0
Other Biliary	0.0	0.0	154.2	0
Pancreas	0.0	0.0	154.2	0
Retroperitoneum	0.0	0.0	154.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	154.2	0
Other Digestive Organs	0.0	0.0	154.2	0
Respiratory System	0.0	0.0	154.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	154.2	0
Larynx	0.0	0.0	154.2	0
Lung and Bronchus	0.0	0.0	154.2	0
Pleura	0.0	0.0	154.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	154.2	0
Bones and Joints	0.0	0.0	154.2	0
Soft Tissue including Heart	0.0	0.0	154.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	154.2	0
Melanoma of the Skin	0.0	0.0	154.2	0
Other Non-Epithelial Skin	0.0	0.0	154.2	0
Urinary System	0.0	0.0	154.2	0
Urinary Bladder	0.0	0.0	154.2	0
Kidney and Renal Pelvis	0.0	0.0	154.2	0
Ureter	0.0	0.0	154.2	0
Other Urinary Organs	0.0	0.0	154.2	0
Eye and Orbit	0.0	0.0	154.2	0
Brain and Other Nervous System	0.0	0.0	154.2	0
Endocrine System	0.0	0.0	154.2	0
Thyroid	0.0	0.0	154.2	0
Other Endocrine including Thymus	0.0	0.0	154.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	154.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	154.2	0
Leukemia	0.0	0.0	154.2	0
Lymphocytic Leukemia	0.0	0.0	154.2	0
Acute Lymphocytic Leukemia	0.0	0.0	154.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	154.2	0
Other Lymphocytic Leukemia	0.0	0.0	154.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	154.2	0
Acute Myeloid Leukemia	0.0	0.0	154.2	0
Acute Monocytic Leukemia	0.0	0.0	154.2	0
Chronic Myeloid Leukemia	0.0	0.0	154.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	154.2	0
Other Leukemia	0.0	0.0	154.2	0
Other Acute Leukemia	0.0	0.0	154.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	154.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	154.2	0
Miscellaneous Malignant Cancer	0.0	0.0	154.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	319.7	148.1	585.2	12
Oral Cavity and Pharynx	0.0	0.0	94.9	0
Lip	0.0	0.0	94.9	0
Tongue	0.0	0.0	94.9	0
Salivary Gland	0.0	0.0	94.9	0
Floor of Mouth	0.0	0.0	94.9	0
Gum and Other Mouth	0.0	0.0	94.9	0
Nasopharynx	0.0	0.0	94.9	0
Tonsil	0.0	0.0	94.9	0
Oropharynx	0.0	0.0	94.9	0
Hypopharynx	0.0	0.0	94.9	0
Other Oral Cavity and Pharynx	0.0	0.0	94.9	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	94.9	0
Small Intestine	0.0	0.0	94.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	94.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	94.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	94.9	0
Liver	0.0	0.0	94.9	0
Intrahepatic Bile Duct	0.0	0.0	94.9	0
Gallbladder	0.0	0.0	94.9	0
Other Biliary	0.0	0.0	94.9	0
Pancreas	0.0	0.0	94.9	0
Retroperitoneum	0.0	0.0	94.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.9	0
Other Digestive Organs	0.0	0.0	94.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.9	0
Larynx	0.0	0.0	94.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	94.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.9	0
Bones and Joints	0.0	0.0	94.9	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	94.9	0
Melanoma of the Skin	0.0	0.0	94.9	0
Other Non-Epithelial Skin	0.0	0.0	94.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	94.9	0
Ureter	0.0	0.0	94.9	0
Other Urinary Organs	0.0	0.0	94.9	0
Eye and Orbit	0.0	0.0	94.9	0
Brain and Other Nervous System	0.0	0.0	94.9	0
Endocrine System	0.0	0.0	94.9	0
Thyroid	0.0	0.0	94.9	0
Other Endocrine including Thymus	0.0	0.0	94.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	94.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	94.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	94.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.9	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	0.0	0.0	94.9	0
Acute Myeloid Leukemia	0.0	0.0	94.9	0
Acute Monocytic Leukemia	0.0	0.0	94.9	0
Chronic Myeloid Leukemia	0.0	0.0	94.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.9	0
Other Leukemia	0.0	0.0	94.9	0
Other Acute Leukemia	0.0	0.0	94.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.9	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	0.0	0.0	94.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	177.4	92.3	307.6	15
Oral Cavity and Pharynx	0.0	0.0	54.6	0
Lip	0.0	0.0	54.6	0
Tongue	0.0	0.0	54.6	0
Salivary Gland	0.0	0.0	54.6	0
Floor of Mouth	0.0	0.0	54.6	0
Gum and Other Mouth	0.0	0.0	54.6	0
Nasopharynx	0.0	0.0	54.6	0
Tonsil	0.0	0.0	54.6	0
Oropharynx	0.0	0.0	54.6	0
Hypopharynx	0.0	0.0	54.6	0
Other Oral Cavity and Pharynx	0.0	0.0	54.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	54.6	0
Stomach	0.0	0.0	54.6	0
Small Intestine	0.0	0.0	54.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	54.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	54.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	54.6	0
Liver	0.0	0.0	54.6	0
Intrahepatic Bile Duct	0.0	0.0	54.6	0
Gallbladder	0.0	0.0	54.6	0
Other Biliary	0.0	0.0	54.6	0
Pancreas	0.0	0.0	54.6	0
Retroperitoneum	0.0	0.0	54.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	54.6	0
Other Digestive Organs	0.0	0.0	54.6	0
Respiratory System	89.1	28.2	202.9	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	54.6	0
Larynx	0.0	0.0	54.6	0
Lung and Bronchus	89.1	28.2	202.9	6
Pleura	0.0	0.0	54.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	54.6	0
Bones and Joints	0.0	0.0	54.6	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	54.6	0
Melanoma of the Skin	0.0	0.0	54.6	0
Other Non-Epithelial Skin	0.0	0.0	54.6	0
Urinary System	0.0	0.0	54.6	0
Urinary Bladder	0.0	0.0	54.6	0
Kidney and Renal Pelvis	0.0	0.0	54.6	0
Ureter	0.0	0.0	54.6	0
Other Urinary Organs	0.0	0.0	54.6	0
Eye and Orbit	0.0	0.0	54.6	0
Brain and Other Nervous System	0.0	0.0	54.6	0
Endocrine System	0.0	0.0	54.6	0
Thyroid	0.0	0.0	54.6	0
Other Endocrine including Thymus	0.0	0.0	54.6	0
Lymphoma	0.0	0.0	54.6	0
Hodgkin Lymphoma	0.0	0.0	54.6	0
Non-Hodgkin Lymphoma	0.0	0.0	54.6	0
Myeloma	0.0	0.0	54.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	54.6	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	54.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	54.6	0
Acute Myeloid Leukemia	0.0	0.0	54.6	0
Acute Monocytic Leukemia	0.0	0.0	54.6	0
Chronic Myeloid Leukemia	0.0	0.0	54.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	54.6	0
Other Leukemia	0.0	0.0	54.6	0
Other Acute Leukemia	0.0	0.0	54.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	54.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	54.6	0
Miscellaneous Malignant Cancer	0.0	0.0	54.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	431.3	203.4	770.3	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	97.5	0
Tongue	0.0	0.0	97.5	0
Salivary Gland	0.0	0.0	97.5	0
Floor of Mouth	0.0	0.0	97.5	0
Gum and Other Mouth	0.0	0.0	97.5	0
Nasopharynx	0.0	0.0	97.5	0
Tonsil	0.0	0.0	97.5	0
Oropharynx	0.0	0.0	97.5	0
Hypopharynx	0.0	0.0	97.5	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	255.4	86.5	542.0	6
Esophagus	0.0	0.0	97.5	0
Stomach	0.0	0.0	97.5	0
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	97.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	97.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	97.5	0
Liver	0.0	0.0	97.5	0
Intrahepatic Bile Duct	0.0	0.0	97.5	0
Gallbladder	0.0	0.0	97.5	0
Other Biliary	0.0	0.0	97.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	97.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	97.5	0
Other Digestive Organs	^	^	^	^
Respiratory System	0.0	0.0	97.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	97.5	0
Larynx	0.0	0.0	97.5	0
Lung and Bronchus	0.0	0.0	97.5	0
Pleura	0.0	0.0	97.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	97.5	0
Bones and Joints	0.0	0.0	97.5	0
Soft Tissue including Heart	0.0	0.0	97.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	97.5	0
Melanoma of the Skin	0.0	0.0	97.5	0
Other Non-Epithelial Skin	0.0	0.0	97.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	97.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	97.5	0
Other Urinary Organs	0.0	0.0	97.5	0
Eye and Orbit	0.0	0.0	97.5	0
Brain and Other Nervous System	0.0	0.0	97.5	0
Endocrine System	0.0	0.0	97.5	0
Thyroid	0.0	0.0	97.5	0
Other Endocrine including Thymus	0.0	0.0	97.5	0
Lymphoma	0.0	0.0	97.5	0
Hodgkin Lymphoma	0.0	0.0	97.5	0
Non-Hodgkin Lymphoma	0.0	0.0	97.5	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	97.5	0
Lymphocytic Leukemia	0.0	0.0	97.5	0
Acute Lymphocytic Leukemia	0.0	0.0	97.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	97.5	0
Other Lymphocytic Leukemia	0.0	0.0	97.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	97.5	0
Acute Myeloid Leukemia	0.0	0.0	97.5	0
Acute Monocytic Leukemia	0.0	0.0	97.5	0
Chronic Myeloid Leukemia	0.0	0.0	97.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	97.5	0
Other Leukemia	0.0	0.0	97.5	0
Other Acute Leukemia	0.0	0.0	97.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	97.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	97.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	268.1	151.5	439.1	16
Oral Cavity and Pharynx	0.0	0.0	64.5	0
Lip	0.0	0.0	64.5	0
Tongue	0.0	0.0	64.5	0
Salivary Gland	0.0	0.0	64.5	0
Floor of Mouth	0.0	0.0	64.5	0
Gum and Other Mouth	0.0	0.0	64.5	0
Nasopharynx	0.0	0.0	64.5	0
Tonsil	0.0	0.0	64.5	0
Oropharynx	0.0	0.0	64.5	0
Hypopharynx	0.0	0.0	64.5	0
Other Oral Cavity and Pharynx	0.0	0.0	64.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	64.5	0
Stomach	0.0	0.0	64.5	0
Small Intestine	0.0	0.0	64.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	64.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	64.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	64.5	0
Gallbladder	0.0	0.0	64.5	0
Other Biliary	0.0	0.0	64.5	0
Pancreas	0.0	0.0	64.5	0
Retroperitoneum	0.0	0.0	64.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	64.5	0
Other Digestive Organs	0.0	0.0	64.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	64.5	0
Larynx	0.0	0.0	64.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	64.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	64.5	0
Bones and Joints	0.0	0.0	64.5	0
Soft Tissue including Heart	0.0	0.0	64.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	64.5	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	64.5	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	64.5	0
Other Urinary Organs	0.0	0.0	64.5	0
Eye and Orbit	0.0	0.0	64.5	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	64.5	0
Thyroid	0.0	0.0	64.5	0
Other Endocrine including Thymus	0.0	0.0	64.5	0
Lymphoma	0.0	0.0	64.5	0
Hodgkin Lymphoma	0.0	0.0	64.5	0
Non-Hodgkin Lymphoma	0.0	0.0	64.5	0
Myeloma	0.0	0.0	64.5	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	64.5	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	64.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	64.5	0
Acute Myeloid Leukemia	0.0	0.0	64.5	0
Acute Monocytic Leukemia	0.0	0.0	64.5	0
Chronic Myeloid Leukemia	0.0	0.0	64.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	64.5	0
Other Leukemia	0.0	0.0	64.5	0
Other Acute Leukemia	0.0	0.0	64.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	64.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	64.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	906.5	0
Lip	0.0	0.0	906.5	0
Tongue	0.0	0.0	906.5	0
Salivary Gland	0.0	0.0	906.5	0
Floor of Mouth	0.0	0.0	906.5	0
Gum and Other Mouth	0.0	0.0	906.5	0
Nasopharynx	0.0	0.0	906.5	0
Tonsil	0.0	0.0	906.5	0
Oropharynx	0.0	0.0	906.5	0
Hypopharynx	0.0	0.0	906.5	0
Other Oral Cavity and Pharynx	0.0	0.0	906.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	906.5	0
Small Intestine	0.0	0.0	906.5	0
Colon and Rectum	0.0	0.0	906.5	0
Colon excluding Rectum	0.0	0.0	906.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	906.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	906.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	906.5	0
Liver	0.0	0.0	906.5	0
Intrahepatic Bile Duct	0.0	0.0	906.5	0
Gallbladder	0.0	0.0	906.5	0
Other Biliary	0.0	0.0	906.5	0
Pancreas	0.0	0.0	906.5	0
Retroperitoneum	0.0	0.0	906.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	906.5	0
Other Digestive Organs	0.0	0.0	906.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	906.5	0
Larynx	0.0	0.0	906.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	906.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	906.5	0
Bones and Joints	0.0	0.0	906.5	0
Soft Tissue including Heart	0.0	0.0	906.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	906.5	0
Melanoma of the Skin	0.0	0.0	906.5	0
Other Non-Epithelial Skin	0.0	0.0	906.5	0
Urinary System	0.0	0.0	906.5	0
Urinary Bladder	0.0	0.0	906.5	0
Kidney and Renal Pelvis	0.0	0.0	906.5	0
Ureter	0.0	0.0	906.5	0
Other Urinary Organs	0.0	0.0	906.5	0
Eye and Orbit	0.0	0.0	906.5	0
Brain and Other Nervous System	0.0	0.0	906.5	0
Endocrine System	0.0	0.0	906.5	0
Thyroid	0.0	0.0	906.5	0
Other Endocrine including Thymus	0.0	0.0	906.5	0
Lymphoma	0.0	0.0	906.5	0
Hodgkin Lymphoma	0.0	0.0	906.5	0
Non-Hodgkin Lymphoma	0.0	0.0	906.5	0
Myeloma	0.0	0.0	906.5	0
Leukemia	0.0	0.0	906.5	0
Lymphocytic Leukemia	0.0	0.0	906.5	0
Acute Lymphocytic Leukemia	0.0	0.0	906.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	906.5	0
Other Lymphocytic Leukemia	0.0	0.0	906.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	906.5	0
Acute Myeloid Leukemia	0.0	0.0	906.5	0
Acute Monocytic Leukemia	0.0	0.0	906.5	0
Chronic Myeloid Leukemia	0.0	0.0	906.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	906.5	0
Other Leukemia	0.0	0.0	906.5	0
Other Acute Leukemia	0.0	0.0	906.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	906.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	906.5	0
Miscellaneous Malignant Cancer	0.0	0.0	906.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	123.3	40.3	277.6	6
Oral Cavity and Pharynx	0.0	0.0	73.9	0
Lip	0.0	0.0	73.9	0
Tongue	0.0	0.0	73.9	0
Salivary Gland	0.0	0.0	73.9	0
Floor of Mouth	0.0	0.0	73.9	0
Gum and Other Mouth	0.0	0.0	73.9	0
Nasopharynx	0.0	0.0	73.9	0
Tonsil	0.0	0.0	73.9	0
Oropharynx	0.0	0.0	73.9	0
Hypopharynx	0.0	0.0	73.9	0
Other Oral Cavity and Pharynx	0.0	0.0	73.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	73.9	0
Stomach	0.0	0.0	73.9	0
Small Intestine	0.0	0.0	73.9	0
Colon and Rectum	0.0	0.0	73.9	0
Colon excluding Rectum	0.0	0.0	73.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	73.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	73.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	73.9	0
Gallbladder	0.0	0.0	73.9	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	73.9	0
Retroperitoneum	0.0	0.0	73.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	73.9	0
Other Digestive Organs	0.0	0.0	73.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	73.9	0
Larynx	0.0	0.0	73.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	73.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	73.9	0
Bones and Joints	0.0	0.0	73.9	0
Soft Tissue including Heart	0.0	0.0	73.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2002/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	73.9	0
Melanoma of the Skin	0.0	0.0	73.9	0
Other Non-Epithelial Skin	0.0	0.0	73.9	0
Urinary System	0.0	0.0	73.9	0
Urinary Bladder	0.0	0.0	73.9	0
Kidney and Renal Pelvis	0.0	0.0	73.9	0
Ureter	0.0	0.0	73.9	0
Other Urinary Organs	0.0	0.0	73.9	0
Eye and Orbit	0.0	0.0	73.9	0
Brain and Other Nervous System	0.0	0.0	73.9	0
Endocrine System	0.0	0.0	73.9	0
Thyroid	0.0	0.0	73.9	0
Other Endocrine including Thymus	0.0	0.0	73.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	73.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	73.9	0
Leukemia	0.0	0.0	73.9	0
Lymphocytic Leukemia	0.0	0.0	73.9	0
Acute Lymphocytic Leukemia	0.0	0.0	73.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	73.9	0
Other Lymphocytic Leukemia	0.0	0.0	73.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	73.9	0
Acute Myeloid Leukemia	0.0	0.0	73.9	0
Acute Monocytic Leukemia	0.0	0.0	73.9	0
Chronic Myeloid Leukemia	0.0	0.0	73.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	73.9	0
Other Leukemia	0.0	0.0	73.9	0
Other Acute Leukemia	0.0	0.0	73.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	73.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	73.9	0
Miscellaneous Malignant Cancer	0.0	0.0	73.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	334.5	0
Lip	0.0	0.0	334.5	0
Tongue	0.0	0.0	334.5	0
Salivary Gland	0.0	0.0	334.5	0
Floor of Mouth	0.0	0.0	334.5	0
Gum and Other Mouth	0.0	0.0	334.5	0
Nasopharynx	0.0	0.0	334.5	0
Tonsil	0.0	0.0	334.5	0
Oropharynx	0.0	0.0	334.5	0
Hypopharynx	0.0	0.0	334.5	0
Other Oral Cavity and Pharynx	0.0	0.0	334.5	0
Digestive System	0.0	0.0	334.5	0
Esophagus	0.0	0.0	334.5	0
Stomach	0.0	0.0	334.5	0
Small Intestine	0.0	0.0	334.5	0
Colon and Rectum	0.0	0.0	334.5	0
Colon excluding Rectum	0.0	0.0	334.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	334.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	334.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	334.5	0
Liver	0.0	0.0	334.5	0
Intrahepatic Bile Duct	0.0	0.0	334.5	0
Gallbladder	0.0	0.0	334.5	0
Other Biliary	0.0	0.0	334.5	0
Pancreas	0.0	0.0	334.5	0
Retroperitoneum	0.0	0.0	334.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	334.5	0
Other Digestive Organs	0.0	0.0	334.5	0
Respiratory System	0.0	0.0	334.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	334.5	0
Larynx	0.0	0.0	334.5	0
Lung and Bronchus	0.0	0.0	334.5	0
Pleura	0.0	0.0	334.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	334.5	0
Bones and Joints	0.0	0.0	334.5	0
Soft Tissue including Heart	0.0	0.0	334.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	334.5	0
Melanoma of the Skin	0.0	0.0	334.5	0
Other Non-Epithelial Skin	0.0	0.0	334.5	0
Urinary System	0.0	0.0	334.5	0
Urinary Bladder	0.0	0.0	334.5	0
Kidney and Renal Pelvis	0.0	0.0	334.5	0
Ureter	0.0	0.0	334.5	0
Other Urinary Organs	0.0	0.0	334.5	0
Eye and Orbit	0.0	0.0	334.5	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	334.5	0
Thyroid	0.0	0.0	334.5	0
Other Endocrine including Thymus	0.0	0.0	334.5	0
Lymphoma	0.0	0.0	334.5	0
Hodgkin Lymphoma	0.0	0.0	334.5	0
Non-Hodgkin Lymphoma	0.0	0.0	334.5	0
Myeloma	0.0	0.0	334.5	0
Leukemia	0.0	0.0	334.5	0
Lymphocytic Leukemia	0.0	0.0	334.5	0
Acute Lymphocytic Leukemia	0.0	0.0	334.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	334.5	0
Other Lymphocytic Leukemia	0.0	0.0	334.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	334.5	0
Acute Myeloid Leukemia	0.0	0.0	334.5	0
Acute Monocytic Leukemia	0.0	0.0	334.5	0
Chronic Myeloid Leukemia	0.0	0.0	334.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	334.5	0
Other Leukemia	0.0	0.0	334.5	0
Other Acute Leukemia	0.0	0.0	334.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	334.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	334.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	260.9	0
Lip	0.0	0.0	260.9	0
Tongue	0.0	0.0	260.9	0
Salivary Gland	0.0	0.0	260.9	0
Floor of Mouth	0.0	0.0	260.9	0
Gum and Other Mouth	0.0	0.0	260.9	0
Nasopharynx	0.0	0.0	260.9	0
Tonsil	0.0	0.0	260.9	0
Oropharynx	0.0	0.0	260.9	0
Hypopharynx	0.0	0.0	260.9	0
Other Oral Cavity and Pharynx	0.0	0.0	260.9	0
Digestive System	0.0	0.0	260.9	0
Esophagus	0.0	0.0	260.9	0
Stomach	0.0	0.0	260.9	0
Small Intestine	0.0	0.0	260.9	0
Colon and Rectum	0.0	0.0	260.9	0
Colon excluding Rectum	0.0	0.0	260.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	260.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	260.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	260.9	0
Liver	0.0	0.0	260.9	0
Intrahepatic Bile Duct	0.0	0.0	260.9	0
Gallbladder	0.0	0.0	260.9	0
Other Biliary	0.0	0.0	260.9	0
Pancreas	0.0	0.0	260.9	0
Retroperitoneum	0.0	0.0	260.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	260.9	0
Other Digestive Organs	0.0	0.0	260.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	260.9	0
Larynx	0.0	0.0	260.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	260.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	260.9	0
Bones and Joints	0.0	0.0	260.9	0
Soft Tissue including Heart	0.0	0.0	260.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	260.9	0
Melanoma of the Skin	0.0	0.0	260.9	0
Other Non-Epithelial Skin	0.0	0.0	260.9	0
Urinary System	0.0	0.0	260.9	0
Urinary Bladder	0.0	0.0	260.9	0
Kidney and Renal Pelvis	0.0	0.0	260.9	0
Ureter	0.0	0.0	260.9	0
Other Urinary Organs	0.0	0.0	260.9	0
Eye and Orbit	0.0	0.0	260.9	0
Brain and Other Nervous System	0.0	0.0	260.9	0
Endocrine System	0.0	0.0	260.9	0
Thyroid	0.0	0.0	260.9	0
Other Endocrine including Thymus	0.0	0.0	260.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	260.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	260.9	0
Leukemia	0.0	0.0	260.9	0
Lymphocytic Leukemia	0.0	0.0	260.9	0
Acute Lymphocytic Leukemia	0.0	0.0	260.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	260.9	0
Other Lymphocytic Leukemia	0.0	0.0	260.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	260.9	0
Acute Myeloid Leukemia	0.0	0.0	260.9	0
Acute Monocytic Leukemia	0.0	0.0	260.9	0
Chronic Myeloid Leukemia	0.0	0.0	260.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	260.9	0
Other Leukemia	0.0	0.0	260.9	0
Other Acute Leukemia	0.0	0.0	260.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	260.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	260.9	0
Miscellaneous Malignant Cancer	0.0	0.0	260.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	177.2	155.3	201.0	280
Oral Cavity and Pharynx	5.1	2.0	10.2	8
Lip	0.0	0.0	2.0	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	2.0	0
Gum and Other Mouth	0.0	0.0	2.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	2.0	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	2.0	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	44.4	33.7	57.1	68
Esophagus	5.7	2.4	11.0	9
Stomach	3.6	1.2	8.0	6
Small Intestine	0.0	0.0	2.0	0
Colon and Rectum	13.9	8.2	21.7	21
Colon excluding Rectum	11.7	6.5	19.0	17
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	9.5	4.9	16.1	14
Liver	7.1	3.2	13.1	10
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	2.0	0
Pancreas	10.5	5.7	17.4	16
Retroperitoneum	0.0	0.0	2.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	2.0	0
Other Digestive Organs	0.0	0.0	2.0	0
Respiratory System	55.1	43.2	69.0	83
Nose, Nasal Cavity and Middle Ear	0.0	0.0	2.0	0
Larynx	^	^	^	^
Lung and Bronchus	54.7	42.8	68.5	82
Pleura	0.0	0.0	2.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	2.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	2.0	0
Urinary System	10.1	5.1	17.3	13
Urinary Bladder	6.4	2.6	12.5	8
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	2.0	0
Other Urinary Organs	0.0	0.0	2.0	0
Eye and Orbit	0.0	0.0	2.0	0
Brain and Other Nervous System	4.5	1.6	9.3	7
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	2.0	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	8.0	4.2	13.6	15
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.9	3.3	12.3	12
Myeloma	^	^	^	^
Leukemia	6.8	3.0	12.8	11
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	2.0	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	2.8	0.9	6.6	6
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	2.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	2.0	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	14.5	8.8	22.1	24

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	276.9	165.0	427.4	21
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.7	0
Tongue	0.0	0.0	35.7	0
Salivary Gland	0.0	0.0	35.7	0
Floor of Mouth	0.0	0.0	35.7	0
Gum and Other Mouth	0.0	0.0	35.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	35.7	0
Oropharynx	0.0	0.0	35.7	0
Hypopharynx	0.0	0.0	35.7	0
Other Oral Cavity and Pharynx	0.0	0.0	35.7	0
Digestive System	100.3	41.0	196.5	9
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	35.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	35.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	35.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.7	0
Gallbladder	0.0	0.0	35.7	0
Other Biliary	0.0	0.0	35.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	35.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.7	0
Other Digestive Organs	0.0	0.0	35.7	0
Respiratory System	90.1	31.7	189.3	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.7	0
Larynx	0.0	0.0	35.7	0
Lung and Bronchus	90.1	31.7	189.3	6
Pleura	0.0	0.0	35.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.7	0
Bones and Joints	0.0	0.0	35.7	0
Soft Tissue including Heart	0.0	0.0	35.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	35.7	0
Melanoma of the Skin	0.0	0.0	35.7	0
Other Non-Epithelial Skin	0.0	0.0	35.7	0
Urinary System	0.0	0.0	35.7	0
Urinary Bladder	0.0	0.0	35.7	0
Kidney and Renal Pelvis	0.0	0.0	35.7	0
Ureter	0.0	0.0	35.7	0
Other Urinary Organs	0.0	0.0	35.7	0
Eye and Orbit	0.0	0.0	35.7	0
Brain and Other Nervous System	0.0	0.0	35.7	0
Endocrine System	0.0	0.0	35.7	0
Thyroid	0.0	0.0	35.7	0
Other Endocrine including Thymus	0.0	0.0	35.7	0
Lymphoma	0.0	0.0	35.7	0
Hodgkin Lymphoma	0.0	0.0	35.7	0
Non-Hodgkin Lymphoma	0.0	0.0	35.7	0
Myeloma	0.0	0.0	35.7	0
Leukemia	0.0	0.0	35.7	0
Lymphocytic Leukemia	0.0	0.0	35.7	0
Acute Lymphocytic Leukemia	0.0	0.0	35.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.7	0
Other Lymphocytic Leukemia	0.0	0.0	35.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	35.7	0
Acute Myeloid Leukemia	0.0	0.0	35.7	0
Acute Monocytic Leukemia	0.0	0.0	35.7	0
Chronic Myeloid Leukemia	0.0	0.0	35.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.7	0
Other Leukemia	0.0	0.0	35.7	0
Other Acute Leukemia	0.0	0.0	35.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	35.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	639.6	0
Oral Cavity and Pharynx	0.0	0.0	639.6	0
Lip	0.0	0.0	639.6	0
Tongue	0.0	0.0	639.6	0
Salivary Gland	0.0	0.0	639.6	0
Floor of Mouth	0.0	0.0	639.6	0
Gum and Other Mouth	0.0	0.0	639.6	0
Nasopharynx	0.0	0.0	639.6	0
Tonsil	0.0	0.0	639.6	0
Oropharynx	0.0	0.0	639.6	0
Hypopharynx	0.0	0.0	639.6	0
Other Oral Cavity and Pharynx	0.0	0.0	639.6	0
Digestive System	0.0	0.0	639.6	0
Esophagus	0.0	0.0	639.6	0
Stomach	0.0	0.0	639.6	0
Small Intestine	0.0	0.0	639.6	0
Colon and Rectum	0.0	0.0	639.6	0
Colon excluding Rectum	0.0	0.0	639.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	639.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	639.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	639.6	0
Liver	0.0	0.0	639.6	0
Intrahepatic Bile Duct	0.0	0.0	639.6	0
Gallbladder	0.0	0.0	639.6	0
Other Biliary	0.0	0.0	639.6	0
Pancreas	0.0	0.0	639.6	0
Retroperitoneum	0.0	0.0	639.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	639.6	0
Other Digestive Organs	0.0	0.0	639.6	0
Respiratory System	0.0	0.0	639.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	639.6	0
Larynx	0.0	0.0	639.6	0
Lung and Bronchus	0.0	0.0	639.6	0
Pleura	0.0	0.0	639.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	639.6	0
Bones and Joints	0.0	0.0	639.6	0
Soft Tissue including Heart	0.0	0.0	639.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	639.6	0
Melanoma of the Skin	0.0	0.0	639.6	0
Other Non-Epithelial Skin	0.0	0.0	639.6	0
Urinary System	0.0	0.0	639.6	0
Urinary Bladder	0.0	0.0	639.6	0
Kidney and Renal Pelvis	0.0	0.0	639.6	0
Ureter	0.0	0.0	639.6	0
Other Urinary Organs	0.0	0.0	639.6	0
Eye and Orbit	0.0	0.0	639.6	0
Brain and Other Nervous System	0.0	0.0	639.6	0
Endocrine System	0.0	0.0	639.6	0
Thyroid	0.0	0.0	639.6	0
Other Endocrine including Thymus	0.0	0.0	639.6	0
Lymphoma	0.0	0.0	639.6	0
Hodgkin Lymphoma	0.0	0.0	639.6	0
Non-Hodgkin Lymphoma	0.0	0.0	639.6	0
Myeloma	0.0	0.0	639.6	0
Leukemia	0.0	0.0	639.6	0
Lymphocytic Leukemia	0.0	0.0	639.6	0
Acute Lymphocytic Leukemia	0.0	0.0	639.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	639.6	0
Other Lymphocytic Leukemia	0.0	0.0	639.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	639.6	0
Acute Myeloid Leukemia	0.0	0.0	639.6	0
Acute Monocytic Leukemia	0.0	0.0	639.6	0
Chronic Myeloid Leukemia	0.0	0.0	639.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	639.6	0
Other Leukemia	0.0	0.0	639.6	0
Other Acute Leukemia	0.0	0.0	639.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	639.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	639.6	0
Miscellaneous Malignant Cancer	0.0	0.0	639.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	488.3	0
Lip	0.0	0.0	488.3	0
Tongue	0.0	0.0	488.3	0
Salivary Gland	0.0	0.0	488.3	0
Floor of Mouth	0.0	0.0	488.3	0
Gum and Other Mouth	0.0	0.0	488.3	0
Nasopharynx	0.0	0.0	488.3	0
Tonsil	0.0	0.0	488.3	0
Oropharynx	0.0	0.0	488.3	0
Hypopharynx	0.0	0.0	488.3	0
Other Oral Cavity and Pharynx	0.0	0.0	488.3	0
Digestive System	0.0	0.0	488.3	0
Esophagus	0.0	0.0	488.3	0
Stomach	0.0	0.0	488.3	0
Small Intestine	0.0	0.0	488.3	0
Colon and Rectum	0.0	0.0	488.3	0
Colon excluding Rectum	0.0	0.0	488.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	488.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	488.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	488.3	0
Liver	0.0	0.0	488.3	0
Intrahepatic Bile Duct	0.0	0.0	488.3	0
Gallbladder	0.0	0.0	488.3	0
Other Biliary	0.0	0.0	488.3	0
Pancreas	0.0	0.0	488.3	0
Retroperitoneum	0.0	0.0	488.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	488.3	0
Other Digestive Organs	0.0	0.0	488.3	0
Respiratory System	0.0	0.0	488.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	488.3	0
Larynx	0.0	0.0	488.3	0
Lung and Bronchus	0.0	0.0	488.3	0
Pleura	0.0	0.0	488.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	488.3	0
Bones and Joints	0.0	0.0	488.3	0
Soft Tissue including Heart	0.0	0.0	488.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	488.3	0
Melanoma of the Skin	0.0	0.0	488.3	0
Other Non-Epithelial Skin	0.0	0.0	488.3	0
Urinary System	0.0	0.0	488.3	0
Urinary Bladder	0.0	0.0	488.3	0
Kidney and Renal Pelvis	0.0	0.0	488.3	0
Ureter	0.0	0.0	488.3	0
Other Urinary Organs	0.0	0.0	488.3	0
Eye and Orbit	0.0	0.0	488.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	488.3	0
Thyroid	0.0	0.0	488.3	0
Other Endocrine including Thymus	0.0	0.0	488.3	0
Lymphoma	0.0	0.0	488.3	0
Hodgkin Lymphoma	0.0	0.0	488.3	0
Non-Hodgkin Lymphoma	0.0	0.0	488.3	0
Myeloma	0.0	0.0	488.3	0
Leukemia	0.0	0.0	488.3	0
Lymphocytic Leukemia	0.0	0.0	488.3	0
Acute Lymphocytic Leukemia	0.0	0.0	488.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	488.3	0
Other Lymphocytic Leukemia	0.0	0.0	488.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	488.3	0
Acute Myeloid Leukemia	0.0	0.0	488.3	0
Acute Monocytic Leukemia	0.0	0.0	488.3	0
Chronic Myeloid Leukemia	0.0	0.0	488.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	488.3	0
Other Leukemia	0.0	0.0	488.3	0
Other Acute Leukemia	0.0	0.0	488.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	488.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	488.3	0
Miscellaneous Malignant Cancer	0.0	0.0	488.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	238.4	86.7	500.0	7
Oral Cavity and Pharynx	0.0	0.0	106.8	0
Lip	0.0	0.0	106.8	0
Tongue	0.0	0.0	106.8	0
Salivary Gland	0.0	0.0	106.8	0
Floor of Mouth	0.0	0.0	106.8	0
Gum and Other Mouth	0.0	0.0	106.8	0
Nasopharynx	0.0	0.0	106.8	0
Tonsil	0.0	0.0	106.8	0
Oropharynx	0.0	0.0	106.8	0
Hypopharynx	0.0	0.0	106.8	0
Other Oral Cavity and Pharynx	0.0	0.0	106.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	106.8	0
Small Intestine	0.0	0.0	106.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	106.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	106.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	106.8	0
Liver	0.0	0.0	106.8	0
Intrahepatic Bile Duct	0.0	0.0	106.8	0
Gallbladder	0.0	0.0	106.8	0
Other Biliary	0.0	0.0	106.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	106.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	106.8	0
Other Digestive Organs	0.0	0.0	106.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	106.8	0
Larynx	0.0	0.0	106.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	106.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	106.8	0
Bones and Joints	0.0	0.0	106.8	0
Soft Tissue including Heart	0.0	0.0	106.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	106.8	0
Melanoma of the Skin	0.0	0.0	106.8	0
Other Non-Epithelial Skin	0.0	0.0	106.8	0
Urinary System	0.0	0.0	106.8	0
Urinary Bladder	0.0	0.0	106.8	0
Kidney and Renal Pelvis	0.0	0.0	106.8	0
Ureter	0.0	0.0	106.8	0
Other Urinary Organs	0.0	0.0	106.8	0
Eye and Orbit	0.0	0.0	106.8	0
Brain and Other Nervous System	0.0	0.0	106.8	0
Endocrine System	0.0	0.0	106.8	0
Thyroid	0.0	0.0	106.8	0
Other Endocrine including Thymus	0.0	0.0	106.8	0
Lymphoma	0.0	0.0	106.8	0
Hodgkin Lymphoma	0.0	0.0	106.8	0
Non-Hodgkin Lymphoma	0.0	0.0	106.8	0
Myeloma	0.0	0.0	106.8	0
Leukemia	0.0	0.0	106.8	0
Lymphocytic Leukemia	0.0	0.0	106.8	0
Acute Lymphocytic Leukemia	0.0	0.0	106.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	106.8	0
Other Lymphocytic Leukemia	0.0	0.0	106.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	106.8	0
Acute Myeloid Leukemia	0.0	0.0	106.8	0
Acute Monocytic Leukemia	0.0	0.0	106.8	0
Chronic Myeloid Leukemia	0.0	0.0	106.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	106.8	0
Other Leukemia	0.0	0.0	106.8	0
Other Acute Leukemia	0.0	0.0	106.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	106.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	106.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	178.9	139.3	225.2	83
Oral Cavity and Pharynx	0.0	0.0	6.7	0
Lip	0.0	0.0	6.7	0
Tongue	0.0	0.0	6.7	0
Salivary Gland	0.0	0.0	6.7	0
Floor of Mouth	0.0	0.0	6.7	0
Gum and Other Mouth	0.0	0.0	6.7	0
Nasopharynx	0.0	0.0	6.7	0
Tonsil	0.0	0.0	6.7	0
Oropharynx	0.0	0.0	6.7	0
Hypopharynx	0.0	0.0	6.7	0
Other Oral Cavity and Pharynx	0.0	0.0	6.7	0
Digestive System	32.1	16.9	53.9	16
Esophagus	0.0	0.0	6.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	6.7	0
Colon and Rectum	12.2	4.3	26.2	7
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.7	0
Gallbladder	0.0	0.0	6.7	0
Other Biliary	0.0	0.0	6.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	6.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.7	0
Other Digestive Organs	0.0	0.0	6.7	0
Respiratory System	69.0	44.7	100.3	29
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.7	0
Larynx	0.0	0.0	6.7	0
Lung and Bronchus	69.0	44.7	100.3	29
Pleura	0.0	0.0	6.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	6.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	6.7	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	15.1	5.0	32.6	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	6.7	0
Other Urinary Organs	0.0	0.0	6.7	0
Eye and Orbit	0.0	0.0	6.7	0
Brain and Other Nervous System	12.2	4.1	26.8	6
Endocrine System	0.0	0.0	6.7	0
Thyroid	0.0	0.0	6.7	0
Other Endocrine including Thymus	0.0	0.0	6.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	6.7	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	6.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.7	0
Chronic Myeloid Leukemia	0.0	0.0	6.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.7	0
Other Leukemia	0.0	0.0	6.7	0
Other Acute Leukemia	0.0	0.0	6.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	6.7	0
Miscellaneous Malignant Cancer	13.0	4.6	28.0	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	303.1	108.5	666.9	6
Oral Cavity and Pharynx	0.0	0.0	192.1	0
Lip	0.0	0.0	192.1	0
Tongue	0.0	0.0	192.1	0
Salivary Gland	0.0	0.0	192.1	0
Floor of Mouth	0.0	0.0	192.1	0
Gum and Other Mouth	0.0	0.0	192.1	0
Nasopharynx	0.0	0.0	192.1	0
Tonsil	0.0	0.0	192.1	0
Oropharynx	0.0	0.0	192.1	0
Hypopharynx	0.0	0.0	192.1	0
Other Oral Cavity and Pharynx	0.0	0.0	192.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	192.1	0
Small Intestine	0.0	0.0	192.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	192.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	192.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	192.1	0
Liver	0.0	0.0	192.1	0
Intrahepatic Bile Duct	0.0	0.0	192.1	0
Gallbladder	0.0	0.0	192.1	0
Other Biliary	0.0	0.0	192.1	0
Pancreas	0.0	0.0	192.1	0
Retroperitoneum	0.0	0.0	192.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	192.1	0
Other Digestive Organs	0.0	0.0	192.1	0
Respiratory System	0.0	0.0	192.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	192.1	0
Larynx	0.0	0.0	192.1	0
Lung and Bronchus	0.0	0.0	192.1	0
Pleura	0.0	0.0	192.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	192.1	0
Bones and Joints	0.0	0.0	192.1	0
Soft Tissue including Heart	0.0	0.0	192.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	192.1	0
Melanoma of the Skin	0.0	0.0	192.1	0
Other Non-Epithelial Skin	0.0	0.0	192.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	192.1	0
Ureter	0.0	0.0	192.1	0
Other Urinary Organs	0.0	0.0	192.1	0
Eye and Orbit	0.0	0.0	192.1	0
Brain and Other Nervous System	0.0	0.0	192.1	0
Endocrine System	0.0	0.0	192.1	0
Thyroid	0.0	0.0	192.1	0
Other Endocrine including Thymus	0.0	0.0	192.1	0
Lymphoma	0.0	0.0	192.1	0
Hodgkin Lymphoma	0.0	0.0	192.1	0
Non-Hodgkin Lymphoma	0.0	0.0	192.1	0
Myeloma	0.0	0.0	192.1	0
Leukemia	0.0	0.0	192.1	0
Lymphocytic Leukemia	0.0	0.0	192.1	0
Acute Lymphocytic Leukemia	0.0	0.0	192.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	192.1	0
Other Lymphocytic Leukemia	0.0	0.0	192.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	192.1	0
Acute Myeloid Leukemia	0.0	0.0	192.1	0
Acute Monocytic Leukemia	0.0	0.0	192.1	0
Chronic Myeloid Leukemia	0.0	0.0	192.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	192.1	0
Other Leukemia	0.0	0.0	192.1	0
Other Acute Leukemia	0.0	0.0	192.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	192.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	192.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	134.2	85.9	197.7	27
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	15.5	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	15.5	0
Floor of Mouth	0.0	0.0	15.5	0
Gum and Other Mouth	0.0	0.0	15.5	0
Nasopharynx	0.0	0.0	15.5	0
Tonsil	0.0	0.0	15.5	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	15.5	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	47.3	21.3	88.5	10
Esophagus	^	^	^	^
Stomach	0.0	0.0	15.5	0
Small Intestine	0.0	0.0	15.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	15.5	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.5	0
Gallbladder	0.0	0.0	15.5	0
Other Biliary	0.0	0.0	15.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.5	0
Other Digestive Organs	0.0	0.0	15.5	0
Respiratory System	42.3	17.5	83.0	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.5	0
Larynx	0.0	0.0	15.5	0
Lung and Bronchus	42.3	17.5	83.0	8
Pleura	0.0	0.0	15.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.5	0
Bones and Joints	0.0	0.0	15.5	0
Soft Tissue including Heart	0.0	0.0	15.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	15.5	0
Urinary System	0.0	0.0	15.5	0
Urinary Bladder	0.0	0.0	15.5	0
Kidney and Renal Pelvis	0.0	0.0	15.5	0
Ureter	0.0	0.0	15.5	0
Other Urinary Organs	0.0	0.0	15.5	0
Eye and Orbit	0.0	0.0	15.5	0
Brain and Other Nervous System	0.0	0.0	15.5	0
Endocrine System	0.0	0.0	15.5	0
Thyroid	0.0	0.0	15.5	0
Other Endocrine including Thymus	0.0	0.0	15.5	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	15.5	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	0.0	0.0	15.5	0
Lymphocytic Leukemia	0.0	0.0	15.5	0
Acute Lymphocytic Leukemia	0.0	0.0	15.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	15.5	0
Other Lymphocytic Leukemia	0.0	0.0	15.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	15.5	0
Acute Myeloid Leukemia	0.0	0.0	15.5	0
Acute Monocytic Leukemia	0.0	0.0	15.5	0
Chronic Myeloid Leukemia	0.0	0.0	15.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.5	0
Other Leukemia	0.0	0.0	15.5	0
Other Acute Leukemia	0.0	0.0	15.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	15.5	0
Miscellaneous Malignant Cancer	0.0	0.0	15.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	209.0	162.9	263.4	81
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.3	0
Tongue	0.0	0.0	9.3	0
Salivary Gland	0.0	0.0	9.3	0
Floor of Mouth	0.0	0.0	9.3	0
Gum and Other Mouth	0.0	0.0	9.3	0
Nasopharynx	0.0	0.0	9.3	0
Tonsil	0.0	0.0	9.3	0
Oropharynx	0.0	0.0	9.3	0
Hypopharynx	0.0	0.0	9.3	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	46.7	27.0	74.6	18
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	9.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	9.3	0
Other Biliary	0.0	0.0	9.3	0
Pancreas	17.6	6.6	37.1	7
Retroperitoneum	0.0	0.0	9.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.3	0
Other Digestive Organs	0.0	0.0	9.3	0
Respiratory System	66.9	42.5	99.7	27
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.3	0
Larynx	0.0	0.0	9.3	0
Lung and Bronchus	66.9	42.5	99.7	27
Pleura	0.0	0.0	9.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.3	0
Bones and Joints	0.0	0.0	9.3	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	9.3	0
Urinary System	17.9	5.8	39.6	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	9.3	0
Other Urinary Organs	0.0	0.0	9.3	0
Eye and Orbit	0.0	0.0	9.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	9.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	20.7	7.5	43.4	7
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	9.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	9.3	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	9.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	0.0	0.0	9.3	0
Other Acute Leukemia	0.0	0.0	9.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	9.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	183.4	110.1	285.2	20
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	31.9	0
Tongue	0.0	0.0	31.9	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	31.9	0
Gum and Other Mouth	0.0	0.0	31.9	0
Nasopharynx	0.0	0.0	31.9	0
Tonsil	0.0	0.0	31.9	0
Oropharynx	0.0	0.0	31.9	0
Hypopharynx	0.0	0.0	31.9	0
Other Oral Cavity and Pharynx	0.0	0.0	31.9	0
Digestive System	83.5	37.0	159.4	9
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	31.9	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	31.9	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	31.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	31.9	0
Gallbladder	0.0	0.0	31.9	0
Other Biliary	0.0	0.0	31.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	31.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.9	0
Other Digestive Organs	0.0	0.0	31.9	0
Respiratory System	55.4	19.8	120.5	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.9	0
Larynx	0.0	0.0	31.9	0
Lung and Bronchus	55.4	19.8	120.5	6
Pleura	0.0	0.0	31.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.9	0
Bones and Joints	0.0	0.0	31.9	0
Soft Tissue including Heart	0.0	0.0	31.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	31.9	0
Melanoma of the Skin	0.0	0.0	31.9	0
Other Non-Epithelial Skin	0.0	0.0	31.9	0
Urinary System	0.0	0.0	31.9	0
Urinary Bladder	0.0	0.0	31.9	0
Kidney and Renal Pelvis	0.0	0.0	31.9	0
Ureter	0.0	0.0	31.9	0
Other Urinary Organs	0.0	0.0	31.9	0
Eye and Orbit	0.0	0.0	31.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	31.9	0
Thyroid	0.0	0.0	31.9	0
Other Endocrine including Thymus	0.0	0.0	31.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	31.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	31.9	0
Leukemia	0.0	0.0	31.9	0
Lymphocytic Leukemia	0.0	0.0	31.9	0
Acute Lymphocytic Leukemia	0.0	0.0	31.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	31.9	0
Other Lymphocytic Leukemia	0.0	0.0	31.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	31.9	0
Acute Myeloid Leukemia	0.0	0.0	31.9	0
Acute Monocytic Leukemia	0.0	0.0	31.9	0
Chronic Myeloid Leukemia	0.0	0.0	31.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.9	0
Other Leukemia	0.0	0.0	31.9	0
Other Acute Leukemia	0.0	0.0	31.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	31.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	31.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	110.1	38.4	232.0	7
Oral Cavity and Pharynx	0.0	0.0	43.5	0
Lip	0.0	0.0	43.5	0
Tongue	0.0	0.0	43.5	0
Salivary Gland	0.0	0.0	43.5	0
Floor of Mouth	0.0	0.0	43.5	0
Gum and Other Mouth	0.0	0.0	43.5	0
Nasopharynx	0.0	0.0	43.5	0
Tonsil	0.0	0.0	43.5	0
Oropharynx	0.0	0.0	43.5	0
Hypopharynx	0.0	0.0	43.5	0
Other Oral Cavity and Pharynx	0.0	0.0	43.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	43.5	0
Colon and Rectum	0.0	0.0	43.5	0
Colon excluding Rectum	0.0	0.0	43.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	43.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	43.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	43.5	0
Liver	0.0	0.0	43.5	0
Intrahepatic Bile Duct	0.0	0.0	43.5	0
Gallbladder	0.0	0.0	43.5	0
Other Biliary	0.0	0.0	43.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	43.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	43.5	0
Other Digestive Organs	0.0	0.0	43.5	0
Respiratory System	0.0	0.0	43.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	43.5	0
Larynx	0.0	0.0	43.5	0
Lung and Bronchus	0.0	0.0	43.5	0
Pleura	0.0	0.0	43.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	43.5	0
Bones and Joints	0.0	0.0	43.5	0
Soft Tissue including Heart	0.0	0.0	43.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	43.5	0
Melanoma of the Skin	0.0	0.0	43.5	0
Other Non-Epithelial Skin	0.0	0.0	43.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	43.5	0
Other Urinary Organs	0.0	0.0	43.5	0
Eye and Orbit	0.0	0.0	43.5	0
Brain and Other Nervous System	0.0	0.0	43.5	0
Endocrine System	0.0	0.0	43.5	0
Thyroid	0.0	0.0	43.5	0
Other Endocrine including Thymus	0.0	0.0	43.5	0
Lymphoma	0.0	0.0	43.5	0
Hodgkin Lymphoma	0.0	0.0	43.5	0
Non-Hodgkin Lymphoma	0.0	0.0	43.5	0
Myeloma	0.0	0.0	43.5	0
Leukemia	0.0	0.0	43.5	0
Lymphocytic Leukemia	0.0	0.0	43.5	0
Acute Lymphocytic Leukemia	0.0	0.0	43.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	43.5	0
Other Lymphocytic Leukemia	0.0	0.0	43.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	43.5	0
Acute Myeloid Leukemia	0.0	0.0	43.5	0
Acute Monocytic Leukemia	0.0	0.0	43.5	0
Chronic Myeloid Leukemia	0.0	0.0	43.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	43.5	0
Other Leukemia	0.0	0.0	43.5	0
Other Acute Leukemia	0.0	0.0	43.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	43.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	43.5	0
Miscellaneous Malignant Cancer	0.0	0.0	43.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	360.0	0
Lip	0.0	0.0	360.0	0
Tongue	0.0	0.0	360.0	0
Salivary Gland	0.0	0.0	360.0	0
Floor of Mouth	0.0	0.0	360.0	0
Gum and Other Mouth	0.0	0.0	360.0	0
Nasopharynx	0.0	0.0	360.0	0
Tonsil	0.0	0.0	360.0	0
Oropharynx	0.0	0.0	360.0	0
Hypopharynx	0.0	0.0	360.0	0
Other Oral Cavity and Pharynx	0.0	0.0	360.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	360.0	0
Stomach	0.0	0.0	360.0	0
Small Intestine	0.0	0.0	360.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	360.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	360.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	360.0	0
Liver	0.0	0.0	360.0	0
Intrahepatic Bile Duct	0.0	0.0	360.0	0
Gallbladder	0.0	0.0	360.0	0
Other Biliary	0.0	0.0	360.0	0
Pancreas	0.0	0.0	360.0	0
Retroperitoneum	0.0	0.0	360.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	360.0	0
Other Digestive Organs	0.0	0.0	360.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	360.0	0
Larynx	0.0	0.0	360.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	360.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	360.0	0
Bones and Joints	0.0	0.0	360.0	0
Soft Tissue including Heart	0.0	0.0	360.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	360.0	0
Melanoma of the Skin	0.0	0.0	360.0	0
Other Non-Epithelial Skin	0.0	0.0	360.0	0
Urinary System	0.0	0.0	360.0	0
Urinary Bladder	0.0	0.0	360.0	0
Kidney and Renal Pelvis	0.0	0.0	360.0	0
Ureter	0.0	0.0	360.0	0
Other Urinary Organs	0.0	0.0	360.0	0
Eye and Orbit	0.0	0.0	360.0	0
Brain and Other Nervous System	0.0	0.0	360.0	0
Endocrine System	0.0	0.0	360.0	0
Thyroid	0.0	0.0	360.0	0
Other Endocrine including Thymus	0.0	0.0	360.0	0
Lymphoma	0.0	0.0	360.0	0
Hodgkin Lymphoma	0.0	0.0	360.0	0
Non-Hodgkin Lymphoma	0.0	0.0	360.0	0
Myeloma	0.0	0.0	360.0	0
Leukemia	0.0	0.0	360.0	0
Lymphocytic Leukemia	0.0	0.0	360.0	0
Acute Lymphocytic Leukemia	0.0	0.0	360.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	360.0	0
Other Lymphocytic Leukemia	0.0	0.0	360.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	360.0	0
Acute Myeloid Leukemia	0.0	0.0	360.0	0
Acute Monocytic Leukemia	0.0	0.0	360.0	0
Chronic Myeloid Leukemia	0.0	0.0	360.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	360.0	0
Other Leukemia	0.0	0.0	360.0	0
Other Acute Leukemia	0.0	0.0	360.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	360.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	360.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	234.5	185.3	291.7	96
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.2	0
Tongue	0.0	0.0	8.2	0
Salivary Gland	0.0	0.0	8.2	0
Floor of Mouth	0.0	0.0	8.2	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	8.2	0
Tonsil	0.0	0.0	8.2	0
Oropharynx	0.0	0.0	8.2	0
Hypopharynx	0.0	0.0	8.2	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	62.3	37.3	95.9	23
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	8.2	0
Colon and Rectum	32.8	15.4	59.1	11
Colon excluding Rectum	23.3	9.1	46.5	8
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	8.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.2	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	47.4	28.8	73.1	23
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.2	0
Larynx	0.0	0.0	8.2	0
Lung and Bronchus	47.4	28.8	73.1	23
Pleura	0.0	0.0	8.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.2	0
Bones and Joints	0.0	0.0	8.2	0
Soft Tissue including Heart	0.0	0.0	8.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	24.5	9.5	49.0	7
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	8.2	0
Eye and Orbit	0.0	0.0	8.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	8.2	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	8.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	8.2	0
Acute Lymphocytic Leukemia	0.0	0.0	8.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	8.2	0
Other Lymphocytic Leukemia	0.0	0.0	8.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.2	0
Chronic Myeloid Leukemia	0.0	0.0	8.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	8.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	8.2	0
Miscellaneous Malignant Cancer	28.5	12.2	54.2	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	276.1	144.9	465.5	14
Oral Cavity and Pharynx	0.0	0.0	55.6	0
Lip	0.0	0.0	55.6	0
Tongue	0.0	0.0	55.6	0
Salivary Gland	0.0	0.0	55.6	0
Floor of Mouth	0.0	0.0	55.6	0
Gum and Other Mouth	0.0	0.0	55.6	0
Nasopharynx	0.0	0.0	55.6	0
Tonsil	0.0	0.0	55.6	0
Oropharynx	0.0	0.0	55.6	0
Hypopharynx	0.0	0.0	55.6	0
Other Oral Cavity and Pharynx	0.0	0.0	55.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	55.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	55.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	55.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	55.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	55.6	0
Liver	0.0	0.0	55.6	0
Intrahepatic Bile Duct	0.0	0.0	55.6	0
Gallbladder	0.0	0.0	55.6	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	55.6	0
Retroperitoneum	0.0	0.0	55.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	55.6	0
Other Digestive Organs	0.0	0.0	55.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	55.6	0
Larynx	0.0	0.0	55.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	55.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	55.6	0
Bones and Joints	0.0	0.0	55.6	0
Soft Tissue including Heart	0.0	0.0	55.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	55.6	0
Melanoma of the Skin	0.0	0.0	55.6	0
Other Non-Epithelial Skin	0.0	0.0	55.6	0
Urinary System	0.0	0.0	55.6	0
Urinary Bladder	0.0	0.0	55.6	0
Kidney and Renal Pelvis	0.0	0.0	55.6	0
Ureter	0.0	0.0	55.6	0
Other Urinary Organs	0.0	0.0	55.6	0
Eye and Orbit	0.0	0.0	55.6	0
Brain and Other Nervous System	0.0	0.0	55.6	0
Endocrine System	0.0	0.0	55.6	0
Thyroid	0.0	0.0	55.6	0
Other Endocrine including Thymus	0.0	0.0	55.6	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	55.6	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	55.6	0
Acute Lymphocytic Leukemia	0.0	0.0	55.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	55.6	0
Other Lymphocytic Leukemia	0.0	0.0	55.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	55.6	0
Chronic Myeloid Leukemia	0.0	0.0	55.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	55.6	0
Other Leukemia	0.0	0.0	55.6	0
Other Acute Leukemia	0.0	0.0	55.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	55.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	55.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	257.3	94.3	526.6	6
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	90.7	0
Tongue	0.0	0.0	90.7	0
Salivary Gland	0.0	0.0	90.7	0
Floor of Mouth	0.0	0.0	90.7	0
Gum and Other Mouth	0.0	0.0	90.7	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	90.7	0
Oropharynx	0.0	0.0	90.7	0
Hypopharynx	0.0	0.0	90.7	0
Other Oral Cavity and Pharynx	0.0	0.0	90.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	90.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	90.7	0
Colon and Rectum	0.0	0.0	90.7	0
Colon excluding Rectum	0.0	0.0	90.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	90.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	90.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	90.7	0
Liver	0.0	0.0	90.7	0
Intrahepatic Bile Duct	0.0	0.0	90.7	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	90.7	0
Pancreas	0.0	0.0	90.7	0
Retroperitoneum	0.0	0.0	90.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	90.7	0
Other Digestive Organs	0.0	0.0	90.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	90.7	0
Larynx	0.0	0.0	90.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	90.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	90.7	0
Bones and Joints	0.0	0.0	90.7	0
Soft Tissue including Heart	0.0	0.0	90.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	90.7	0
Melanoma of the Skin	0.0	0.0	90.7	0
Other Non-Epithelial Skin	0.0	0.0	90.7	0
Urinary System	0.0	0.0	90.7	0
Urinary Bladder	0.0	0.0	90.7	0
Kidney and Renal Pelvis	0.0	0.0	90.7	0
Ureter	0.0	0.0	90.7	0
Other Urinary Organs	0.0	0.0	90.7	0
Eye and Orbit	0.0	0.0	90.7	0
Brain and Other Nervous System	0.0	0.0	90.7	0
Endocrine System	0.0	0.0	90.7	0
Thyroid	0.0	0.0	90.7	0
Other Endocrine including Thymus	0.0	0.0	90.7	0
Lymphoma	0.0	0.0	90.7	0
Hodgkin Lymphoma	0.0	0.0	90.7	0
Non-Hodgkin Lymphoma	0.0	0.0	90.7	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	90.7	0
Lymphocytic Leukemia	0.0	0.0	90.7	0
Acute Lymphocytic Leukemia	0.0	0.0	90.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	90.7	0
Other Lymphocytic Leukemia	0.0	0.0	90.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	90.7	0
Acute Myeloid Leukemia	0.0	0.0	90.7	0
Acute Monocytic Leukemia	0.0	0.0	90.7	0
Chronic Myeloid Leukemia	0.0	0.0	90.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	90.7	0
Other Leukemia	0.0	0.0	90.7	0
Other Acute Leukemia	0.0	0.0	90.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	90.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	90.7	0
Miscellaneous Malignant Cancer	0.0	0.0	90.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	92.1	0
Lip	0.0	0.0	92.1	0
Tongue	0.0	0.0	92.1	0
Salivary Gland	0.0	0.0	92.1	0
Floor of Mouth	0.0	0.0	92.1	0
Gum and Other Mouth	0.0	0.0	92.1	0
Nasopharynx	0.0	0.0	92.1	0
Tonsil	0.0	0.0	92.1	0
Oropharynx	0.0	0.0	92.1	0
Hypopharynx	0.0	0.0	92.1	0
Other Oral Cavity and Pharynx	0.0	0.0	92.1	0
Digestive System	0.0	0.0	92.1	0
Esophagus	0.0	0.0	92.1	0
Stomach	0.0	0.0	92.1	0
Small Intestine	0.0	0.0	92.1	0
Colon and Rectum	0.0	0.0	92.1	0
Colon excluding Rectum	0.0	0.0	92.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	92.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	92.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	92.1	0
Liver	0.0	0.0	92.1	0
Intrahepatic Bile Duct	0.0	0.0	92.1	0
Gallbladder	0.0	0.0	92.1	0
Other Biliary	0.0	0.0	92.1	0
Pancreas	0.0	0.0	92.1	0
Retroperitoneum	0.0	0.0	92.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	92.1	0
Other Digestive Organs	0.0	0.0	92.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	92.1	0
Larynx	0.0	0.0	92.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	92.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	92.1	0
Bones and Joints	0.0	0.0	92.1	0
Soft Tissue including Heart	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	92.1	0
Melanoma of the Skin	0.0	0.0	92.1	0
Other Non-Epithelial Skin	0.0	0.0	92.1	0
Urinary System	0.0	0.0	92.1	0
Urinary Bladder	0.0	0.0	92.1	0
Kidney and Renal Pelvis	0.0	0.0	92.1	0
Ureter	0.0	0.0	92.1	0
Other Urinary Organs	0.0	0.0	92.1	0
Eye and Orbit	0.0	0.0	92.1	0
Brain and Other Nervous System	0.0	0.0	92.1	0
Endocrine System	0.0	0.0	92.1	0
Thyroid	0.0	0.0	92.1	0
Other Endocrine including Thymus	0.0	0.0	92.1	0
Lymphoma	0.0	0.0	92.1	0
Hodgkin Lymphoma	0.0	0.0	92.1	0
Non-Hodgkin Lymphoma	0.0	0.0	92.1	0
Myeloma	0.0	0.0	92.1	0
Leukemia	0.0	0.0	92.1	0
Lymphocytic Leukemia	0.0	0.0	92.1	0
Acute Lymphocytic Leukemia	0.0	0.0	92.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	92.1	0
Other Lymphocytic Leukemia	0.0	0.0	92.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	92.1	0
Acute Myeloid Leukemia	0.0	0.0	92.1	0
Acute Monocytic Leukemia	0.0	0.0	92.1	0
Chronic Myeloid Leukemia	0.0	0.0	92.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	92.1	0
Other Leukemia	0.0	0.0	92.1	0
Other Acute Leukemia	0.0	0.0	92.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	92.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	92.1	0
Miscellaneous Malignant Cancer	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	115.1	0
Lip	0.0	0.0	115.1	0
Tongue	0.0	0.0	115.1	0
Salivary Gland	0.0	0.0	115.1	0
Floor of Mouth	0.0	0.0	115.1	0
Gum and Other Mouth	0.0	0.0	115.1	0
Nasopharynx	0.0	0.0	115.1	0
Tonsil	0.0	0.0	115.1	0
Oropharynx	0.0	0.0	115.1	0
Hypopharynx	0.0	0.0	115.1	0
Other Oral Cavity and Pharynx	0.0	0.0	115.1	0
Digestive System	0.0	0.0	115.1	0
Esophagus	0.0	0.0	115.1	0
Stomach	0.0	0.0	115.1	0
Small Intestine	0.0	0.0	115.1	0
Colon and Rectum	0.0	0.0	115.1	0
Colon excluding Rectum	0.0	0.0	115.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	115.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	115.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	115.1	0
Liver	0.0	0.0	115.1	0
Intrahepatic Bile Duct	0.0	0.0	115.1	0
Gallbladder	0.0	0.0	115.1	0
Other Biliary	0.0	0.0	115.1	0
Pancreas	0.0	0.0	115.1	0
Retroperitoneum	0.0	0.0	115.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	115.1	0
Other Digestive Organs	0.0	0.0	115.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	115.1	0
Larynx	0.0	0.0	115.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	115.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	115.1	0
Bones and Joints	0.0	0.0	115.1	0
Soft Tissue including Heart	0.0	0.0	115.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	115.1	0
Melanoma of the Skin	0.0	0.0	115.1	0
Other Non-Epithelial Skin	0.0	0.0	115.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	115.1	0
Ureter	0.0	0.0	115.1	0
Other Urinary Organs	0.0	0.0	115.1	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	0.0	0.0	115.1	0
Endocrine System	0.0	0.0	115.1	0
Thyroid	0.0	0.0	115.1	0
Other Endocrine including Thymus	0.0	0.0	115.1	0
Lymphoma	0.0	0.0	115.1	0
Hodgkin Lymphoma	0.0	0.0	115.1	0
Non-Hodgkin Lymphoma	0.0	0.0	115.1	0
Myeloma	0.0	0.0	115.1	0
Leukemia	0.0	0.0	115.1	0
Lymphocytic Leukemia	0.0	0.0	115.1	0
Acute Lymphocytic Leukemia	0.0	0.0	115.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	115.1	0
Other Lymphocytic Leukemia	0.0	0.0	115.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	115.1	0
Acute Myeloid Leukemia	0.0	0.0	115.1	0
Acute Monocytic Leukemia	0.0	0.0	115.1	0
Chronic Myeloid Leukemia	0.0	0.0	115.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	115.1	0
Other Leukemia	0.0	0.0	115.1	0
Other Acute Leukemia	0.0	0.0	115.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	115.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	115.1	0
Miscellaneous Malignant Cancer	0.0	0.0	115.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	157.4	77.1	282.0	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	48.3	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	48.3	0
Floor of Mouth	0.0	0.0	48.3	0
Gum and Other Mouth	0.0	0.0	48.3	0
Nasopharynx	0.0	0.0	48.3	0
Tonsil	0.0	0.0	48.3	0
Oropharynx	0.0	0.0	48.3	0
Hypopharynx	0.0	0.0	48.3	0
Other Oral Cavity and Pharynx	0.0	0.0	48.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	48.3	0
Stomach	0.0	0.0	48.3	0
Small Intestine	0.0	0.0	48.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	48.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	48.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	48.3	0
Liver	0.0	0.0	48.3	0
Intrahepatic Bile Duct	0.0	0.0	48.3	0
Gallbladder	0.0	0.0	48.3	0
Other Biliary	0.0	0.0	48.3	0
Pancreas	0.0	0.0	48.3	0
Retroperitoneum	0.0	0.0	48.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	48.3	0
Other Digestive Organs	0.0	0.0	48.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	48.3	0
Larynx	0.0	0.0	48.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	48.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	48.3	0
Bones and Joints	0.0	0.0	48.3	0
Soft Tissue including Heart	0.0	0.0	48.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	48.3	0
Melanoma of the Skin	0.0	0.0	48.3	0
Other Non-Epithelial Skin	0.0	0.0	48.3	0
Urinary System	0.0	0.0	48.3	0
Urinary Bladder	0.0	0.0	48.3	0
Kidney and Renal Pelvis	0.0	0.0	48.3	0
Ureter	0.0	0.0	48.3	0
Other Urinary Organs	0.0	0.0	48.3	0
Eye and Orbit	0.0	0.0	48.3	0
Brain and Other Nervous System	0.0	0.0	48.3	0
Endocrine System	0.0	0.0	48.3	0
Thyroid	0.0	0.0	48.3	0
Other Endocrine including Thymus	0.0	0.0	48.3	0
Lymphoma	0.0	0.0	48.3	0
Hodgkin Lymphoma	0.0	0.0	48.3	0
Non-Hodgkin Lymphoma	0.0	0.0	48.3	0
Myeloma	0.0	0.0	48.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	48.3	0
Acute Lymphocytic Leukemia	0.0	0.0	48.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	48.3	0
Other Lymphocytic Leukemia	0.0	0.0	48.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	48.3	0
Chronic Myeloid Leukemia	0.0	0.0	48.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	48.3	0
Other Leukemia	0.0	0.0	48.3	0
Other Acute Leukemia	0.0	0.0	48.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	48.3	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	154.7	0
Oral Cavity and Pharynx	0.0	0.0	154.7	0
Lip	0.0	0.0	154.7	0
Tongue	0.0	0.0	154.7	0
Salivary Gland	0.0	0.0	154.7	0
Floor of Mouth	0.0	0.0	154.7	0
Gum and Other Mouth	0.0	0.0	154.7	0
Nasopharynx	0.0	0.0	154.7	0
Tonsil	0.0	0.0	154.7	0
Oropharynx	0.0	0.0	154.7	0
Hypopharynx	0.0	0.0	154.7	0
Other Oral Cavity and Pharynx	0.0	0.0	154.7	0
Digestive System	0.0	0.0	154.7	0
Esophagus	0.0	0.0	154.7	0
Stomach	0.0	0.0	154.7	0
Small Intestine	0.0	0.0	154.7	0
Colon and Rectum	0.0	0.0	154.7	0
Colon excluding Rectum	0.0	0.0	154.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	154.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	154.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	154.7	0
Liver	0.0	0.0	154.7	0
Intrahepatic Bile Duct	0.0	0.0	154.7	0
Gallbladder	0.0	0.0	154.7	0
Other Biliary	0.0	0.0	154.7	0
Pancreas	0.0	0.0	154.7	0
Retroperitoneum	0.0	0.0	154.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	154.7	0
Other Digestive Organs	0.0	0.0	154.7	0
Respiratory System	0.0	0.0	154.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	154.7	0
Larynx	0.0	0.0	154.7	0
Lung and Bronchus	0.0	0.0	154.7	0
Pleura	0.0	0.0	154.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	154.7	0
Bones and Joints	0.0	0.0	154.7	0
Soft Tissue including Heart	0.0	0.0	154.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	154.7	0
Melanoma of the Skin	0.0	0.0	154.7	0
Other Non-Epithelial Skin	0.0	0.0	154.7	0
Urinary System	0.0	0.0	154.7	0
Urinary Bladder	0.0	0.0	154.7	0
Kidney and Renal Pelvis	0.0	0.0	154.7	0
Ureter	0.0	0.0	154.7	0
Other Urinary Organs	0.0	0.0	154.7	0
Eye and Orbit	0.0	0.0	154.7	0
Brain and Other Nervous System	0.0	0.0	154.7	0
Endocrine System	0.0	0.0	154.7	0
Thyroid	0.0	0.0	154.7	0
Other Endocrine including Thymus	0.0	0.0	154.7	0
Lymphoma	0.0	0.0	154.7	0
Hodgkin Lymphoma	0.0	0.0	154.7	0
Non-Hodgkin Lymphoma	0.0	0.0	154.7	0
Myeloma	0.0	0.0	154.7	0
Leukemia	0.0	0.0	154.7	0
Lymphocytic Leukemia	0.0	0.0	154.7	0
Acute Lymphocytic Leukemia	0.0	0.0	154.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	154.7	0
Other Lymphocytic Leukemia	0.0	0.0	154.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	154.7	0
Acute Myeloid Leukemia	0.0	0.0	154.7	0
Acute Monocytic Leukemia	0.0	0.0	154.7	0
Chronic Myeloid Leukemia	0.0	0.0	154.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	154.7	0
Other Leukemia	0.0	0.0	154.7	0
Other Acute Leukemia	0.0	0.0	154.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	154.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	154.7	0
Miscellaneous Malignant Cancer	0.0	0.0	154.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	171.1	55.4	381.8	7
Oral Cavity and Pharynx	0.0	0.0	94.7	0
Lip	0.0	0.0	94.7	0
Tongue	0.0	0.0	94.7	0
Salivary Gland	0.0	0.0	94.7	0
Floor of Mouth	0.0	0.0	94.7	0
Gum and Other Mouth	0.0	0.0	94.7	0
Nasopharynx	0.0	0.0	94.7	0
Tonsil	0.0	0.0	94.7	0
Oropharynx	0.0	0.0	94.7	0
Hypopharynx	0.0	0.0	94.7	0
Other Oral Cavity and Pharynx	0.0	0.0	94.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	94.7	0
Stomach	0.0	0.0	94.7	0
Small Intestine	0.0	0.0	94.7	0
Colon and Rectum	0.0	0.0	94.7	0
Colon excluding Rectum	0.0	0.0	94.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	94.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	94.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	94.7	0
Liver	0.0	0.0	94.7	0
Intrahepatic Bile Duct	0.0	0.0	94.7	0
Gallbladder	0.0	0.0	94.7	0
Other Biliary	0.0	0.0	94.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	94.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.7	0
Other Digestive Organs	0.0	0.0	94.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.7	0
Larynx	0.0	0.0	94.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	94.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.7	0
Bones and Joints	0.0	0.0	94.7	0
Soft Tissue including Heart	0.0	0.0	94.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	94.7	0
Melanoma of the Skin	0.0	0.0	94.7	0
Other Non-Epithelial Skin	0.0	0.0	94.7	0
Urinary System	0.0	0.0	94.7	0
Urinary Bladder	0.0	0.0	94.7	0
Kidney and Renal Pelvis	0.0	0.0	94.7	0
Ureter	0.0	0.0	94.7	0
Other Urinary Organs	0.0	0.0	94.7	0
Eye and Orbit	0.0	0.0	94.7	0
Brain and Other Nervous System	0.0	0.0	94.7	0
Endocrine System	0.0	0.0	94.7	0
Thyroid	0.0	0.0	94.7	0
Other Endocrine including Thymus	0.0	0.0	94.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	0.0	0.0	94.7	0
Myeloma	0.0	0.0	94.7	0
Leukemia	0.0	0.0	94.7	0
Lymphocytic Leukemia	0.0	0.0	94.7	0
Acute Lymphocytic Leukemia	0.0	0.0	94.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.7	0
Other Lymphocytic Leukemia	0.0	0.0	94.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	94.7	0
Acute Myeloid Leukemia	0.0	0.0	94.7	0
Acute Monocytic Leukemia	0.0	0.0	94.7	0
Chronic Myeloid Leukemia	0.0	0.0	94.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.7	0
Other Leukemia	0.0	0.0	94.7	0
Other Acute Leukemia	0.0	0.0	94.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	94.7	0
Miscellaneous Malignant Cancer	0.0	0.0	94.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	234.6	113.4	414.9	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	53.5	0
Tongue	0.0	0.0	53.5	0
Salivary Gland	0.0	0.0	53.5	0
Floor of Mouth	0.0	0.0	53.5	0
Gum and Other Mouth	0.0	0.0	53.5	0
Nasopharynx	0.0	0.0	53.5	0
Tonsil	0.0	0.0	53.5	0
Oropharynx	0.0	0.0	53.5	0
Hypopharynx	0.0	0.0	53.5	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	53.5	0
Small Intestine	0.0	0.0	53.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	53.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	53.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	53.5	0
Liver	0.0	0.0	53.5	0
Intrahepatic Bile Duct	0.0	0.0	53.5	0
Gallbladder	0.0	0.0	53.5	0
Other Biliary	0.0	0.0	53.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	53.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.5	0
Other Digestive Organs	0.0	0.0	53.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.5	0
Larynx	0.0	0.0	53.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	53.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.5	0
Bones and Joints	0.0	0.0	53.5	0
Soft Tissue including Heart	0.0	0.0	53.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	53.5	0
Melanoma of the Skin	0.0	0.0	53.5	0
Other Non-Epithelial Skin	0.0	0.0	53.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	53.5	0
Ureter	0.0	0.0	53.5	0
Other Urinary Organs	0.0	0.0	53.5	0
Eye and Orbit	0.0	0.0	53.5	0
Brain and Other Nervous System	0.0	0.0	53.5	0
Endocrine System	0.0	0.0	53.5	0
Thyroid	0.0	0.0	53.5	0
Other Endocrine including Thymus	0.0	0.0	53.5	0
Lymphoma	0.0	0.0	53.5	0
Hodgkin Lymphoma	0.0	0.0	53.5	0
Non-Hodgkin Lymphoma	0.0	0.0	53.5	0
Myeloma	0.0	0.0	53.5	0
Leukemia	0.0	0.0	53.5	0
Lymphocytic Leukemia	0.0	0.0	53.5	0
Acute Lymphocytic Leukemia	0.0	0.0	53.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.5	0
Other Lymphocytic Leukemia	0.0	0.0	53.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	53.5	0
Acute Myeloid Leukemia	0.0	0.0	53.5	0
Acute Monocytic Leukemia	0.0	0.0	53.5	0
Chronic Myeloid Leukemia	0.0	0.0	53.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.5	0
Other Leukemia	0.0	0.0	53.5	0
Other Acute Leukemia	0.0	0.0	53.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.5	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	300.5	131.6	564.9	10
Oral Cavity and Pharynx	0.0	0.0	92.1	0
Lip	0.0	0.0	92.1	0
Tongue	0.0	0.0	92.1	0
Salivary Gland	0.0	0.0	92.1	0
Floor of Mouth	0.0	0.0	92.1	0
Gum and Other Mouth	0.0	0.0	92.1	0
Nasopharynx	0.0	0.0	92.1	0
Tonsil	0.0	0.0	92.1	0
Oropharynx	0.0	0.0	92.1	0
Hypopharynx	0.0	0.0	92.1	0
Other Oral Cavity and Pharynx	0.0	0.0	92.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	92.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	92.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	92.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	92.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	92.1	0
Gallbladder	0.0	0.0	92.1	0
Other Biliary	0.0	0.0	92.1	0
Pancreas	0.0	0.0	92.1	0
Retroperitoneum	0.0	0.0	92.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	92.1	0
Other Digestive Organs	0.0	0.0	92.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	92.1	0
Larynx	0.0	0.0	92.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	92.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	92.1	0
Bones and Joints	0.0	0.0	92.1	0
Soft Tissue including Heart	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	92.1	0
Melanoma of the Skin	0.0	0.0	92.1	0
Other Non-Epithelial Skin	0.0	0.0	92.1	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	92.1	0
Ureter	0.0	0.0	92.1	0
Other Urinary Organs	0.0	0.0	92.1	0
Eye and Orbit	0.0	0.0	92.1	0
Brain and Other Nervous System	0.0	0.0	92.1	0
Endocrine System	0.0	0.0	92.1	0
Thyroid	0.0	0.0	92.1	0
Other Endocrine including Thymus	0.0	0.0	92.1	0
Lymphoma	0.0	0.0	92.1	0
Hodgkin Lymphoma	0.0	0.0	92.1	0
Non-Hodgkin Lymphoma	0.0	0.0	92.1	0
Myeloma	0.0	0.0	92.1	0
Leukemia	0.0	0.0	92.1	0
Lymphocytic Leukemia	0.0	0.0	92.1	0
Acute Lymphocytic Leukemia	0.0	0.0	92.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	92.1	0
Other Lymphocytic Leukemia	0.0	0.0	92.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	92.1	0
Acute Myeloid Leukemia	0.0	0.0	92.1	0
Acute Monocytic Leukemia	0.0	0.0	92.1	0
Chronic Myeloid Leukemia	0.0	0.0	92.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	92.1	0
Other Leukemia	0.0	0.0	92.1	0
Other Acute Leukemia	0.0	0.0	92.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	92.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	92.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	204.3	106.0	357.6	13
Oral Cavity and Pharynx	0.0	0.0	67.2	0
Lip	0.0	0.0	67.2	0
Tongue	0.0	0.0	67.2	0
Salivary Gland	0.0	0.0	67.2	0
Floor of Mouth	0.0	0.0	67.2	0
Gum and Other Mouth	0.0	0.0	67.2	0
Nasopharynx	0.0	0.0	67.2	0
Tonsil	0.0	0.0	67.2	0
Oropharynx	0.0	0.0	67.2	0
Hypopharynx	0.0	0.0	67.2	0
Other Oral Cavity and Pharynx	0.0	0.0	67.2	0
Digestive System	111.0	43.0	236.0	7
Esophagus	^	^	^	^
Stomach	0.0	0.0	67.2	0
Small Intestine	0.0	0.0	67.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	67.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	67.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	67.2	0
Gallbladder	0.0	0.0	67.2	0
Other Biliary	0.0	0.0	67.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	67.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	67.2	0
Other Digestive Organs	0.0	0.0	67.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	67.2	0
Larynx	0.0	0.0	67.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	67.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	67.2	0
Bones and Joints	0.0	0.0	67.2	0
Soft Tissue including Heart	0.0	0.0	67.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	67.2	0
Melanoma of the Skin	0.0	0.0	67.2	0
Other Non-Epithelial Skin	0.0	0.0	67.2	0
Urinary System	0.0	0.0	67.2	0
Urinary Bladder	0.0	0.0	67.2	0
Kidney and Renal Pelvis	0.0	0.0	67.2	0
Ureter	0.0	0.0	67.2	0
Other Urinary Organs	0.0	0.0	67.2	0
Eye and Orbit	0.0	0.0	67.2	0
Brain and Other Nervous System	0.0	0.0	67.2	0
Endocrine System	0.0	0.0	67.2	0
Thyroid	0.0	0.0	67.2	0
Other Endocrine including Thymus	0.0	0.0	67.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	0.0	0.0	67.2	0
Myeloma	0.0	0.0	67.2	0
Leukemia	0.0	0.0	67.2	0
Lymphocytic Leukemia	0.0	0.0	67.2	0
Acute Lymphocytic Leukemia	0.0	0.0	67.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	67.2	0
Other Lymphocytic Leukemia	0.0	0.0	67.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	67.2	0
Acute Myeloid Leukemia	0.0	0.0	67.2	0
Acute Monocytic Leukemia	0.0	0.0	67.2	0
Chronic Myeloid Leukemia	0.0	0.0	67.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	67.2	0
Other Leukemia	0.0	0.0	67.2	0
Other Acute Leukemia	0.0	0.0	67.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	67.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	67.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	826.0	0
Lip	0.0	0.0	826.0	0
Tongue	0.0	0.0	826.0	0
Salivary Gland	0.0	0.0	826.0	0
Floor of Mouth	0.0	0.0	826.0	0
Gum and Other Mouth	0.0	0.0	826.0	0
Nasopharynx	0.0	0.0	826.0	0
Tonsil	0.0	0.0	826.0	0
Oropharynx	0.0	0.0	826.0	0
Hypopharynx	0.0	0.0	826.0	0
Other Oral Cavity and Pharynx	0.0	0.0	826.0	0
Digestive System	0.0	0.0	826.0	0
Esophagus	0.0	0.0	826.0	0
Stomach	0.0	0.0	826.0	0
Small Intestine	0.0	0.0	826.0	0
Colon and Rectum	0.0	0.0	826.0	0
Colon excluding Rectum	0.0	0.0	826.0	0
Rectum and Rectosigmoid Junction	0.0	0.0	826.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	826.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	826.0	0
Liver	0.0	0.0	826.0	0
Intrahepatic Bile Duct	0.0	0.0	826.0	0
Gallbladder	0.0	0.0	826.0	0
Other Biliary	0.0	0.0	826.0	0
Pancreas	0.0	0.0	826.0	0
Retroperitoneum	0.0	0.0	826.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	826.0	0
Other Digestive Organs	0.0	0.0	826.0	0
Respiratory System	0.0	0.0	826.0	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	826.0	0
Larynx	0.0	0.0	826.0	0
Lung and Bronchus	0.0	0.0	826.0	0
Pleura	0.0	0.0	826.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	826.0	0
Bones and Joints	0.0	0.0	826.0	0
Soft Tissue including Heart	0.0	0.0	826.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	826.0	0
Melanoma of the Skin	0.0	0.0	826.0	0
Other Non-Epithelial Skin	0.0	0.0	826.0	0
Urinary System	0.0	0.0	826.0	0
Urinary Bladder	0.0	0.0	826.0	0
Kidney and Renal Pelvis	0.0	0.0	826.0	0
Ureter	0.0	0.0	826.0	0
Other Urinary Organs	0.0	0.0	826.0	0
Eye and Orbit	0.0	0.0	826.0	0
Brain and Other Nervous System	0.0	0.0	826.0	0
Endocrine System	0.0	0.0	826.0	0
Thyroid	0.0	0.0	826.0	0
Other Endocrine including Thymus	0.0	0.0	826.0	0
Lymphoma	0.0	0.0	826.0	0
Hodgkin Lymphoma	0.0	0.0	826.0	0
Non-Hodgkin Lymphoma	0.0	0.0	826.0	0
Myeloma	0.0	0.0	826.0	0
Leukemia	0.0	0.0	826.0	0
Lymphocytic Leukemia	0.0	0.0	826.0	0
Acute Lymphocytic Leukemia	0.0	0.0	826.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	826.0	0
Other Lymphocytic Leukemia	0.0	0.0	826.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	826.0	0
Acute Myeloid Leukemia	0.0	0.0	826.0	0
Acute Monocytic Leukemia	0.0	0.0	826.0	0
Chronic Myeloid Leukemia	0.0	0.0	826.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	826.0	0
Other Leukemia	0.0	0.0	826.0	0
Other Acute Leukemia	0.0	0.0	826.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	826.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	826.0	0
Miscellaneous Malignant Cancer	0.0	0.0	826.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	291.6	145.5	510.7	12
Oral Cavity and Pharynx	0.0	0.0	72.8	0
Lip	0.0	0.0	72.8	0
Tongue	0.0	0.0	72.8	0
Salivary Gland	0.0	0.0	72.8	0
Floor of Mouth	0.0	0.0	72.8	0
Gum and Other Mouth	0.0	0.0	72.8	0
Nasopharynx	0.0	0.0	72.8	0
Tonsil	0.0	0.0	72.8	0
Oropharynx	0.0	0.0	72.8	0
Hypopharynx	0.0	0.0	72.8	0
Other Oral Cavity and Pharynx	0.0	0.0	72.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	72.8	0
Small Intestine	0.0	0.0	72.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	72.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	72.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	72.8	0
Liver	0.0	0.0	72.8	0
Intrahepatic Bile Duct	0.0	0.0	72.8	0
Gallbladder	0.0	0.0	72.8	0
Other Biliary	0.0	0.0	72.8	0
Pancreas	0.0	0.0	72.8	0
Retroperitoneum	0.0	0.0	72.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	72.8	0
Other Digestive Organs	0.0	0.0	72.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	72.8	0
Larynx	0.0	0.0	72.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	72.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	72.8	0
Bones and Joints	0.0	0.0	72.8	0
Soft Tissue including Heart	0.0	0.0	72.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2003/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	72.8	0
Melanoma of the Skin	0.0	0.0	72.8	0
Other Non-Epithelial Skin	0.0	0.0	72.8	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	72.8	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	72.8	0
Other Urinary Organs	0.0	0.0	72.8	0
Eye and Orbit	0.0	0.0	72.8	0
Brain and Other Nervous System	0.0	0.0	72.8	0
Endocrine System	0.0	0.0	72.8	0
Thyroid	0.0	0.0	72.8	0
Other Endocrine including Thymus	0.0	0.0	72.8	0
Lymphoma	0.0	0.0	72.8	0
Hodgkin Lymphoma	0.0	0.0	72.8	0
Non-Hodgkin Lymphoma	0.0	0.0	72.8	0
Myeloma	0.0	0.0	72.8	0
Leukemia	0.0	0.0	72.8	0
Lymphocytic Leukemia	0.0	0.0	72.8	0
Acute Lymphocytic Leukemia	0.0	0.0	72.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	72.8	0
Other Lymphocytic Leukemia	0.0	0.0	72.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	72.8	0
Acute Myeloid Leukemia	0.0	0.0	72.8	0
Acute Monocytic Leukemia	0.0	0.0	72.8	0
Chronic Myeloid Leukemia	0.0	0.0	72.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	72.8	0
Other Leukemia	0.0	0.0	72.8	0
Other Acute Leukemia	0.0	0.0	72.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	72.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	72.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	331.1	0
Oral Cavity and Pharynx	0.0	0.0	331.1	0
Lip	0.0	0.0	331.1	0
Tongue	0.0	0.0	331.1	0
Salivary Gland	0.0	0.0	331.1	0
Floor of Mouth	0.0	0.0	331.1	0
Gum and Other Mouth	0.0	0.0	331.1	0
Nasopharynx	0.0	0.0	331.1	0
Tonsil	0.0	0.0	331.1	0
Oropharynx	0.0	0.0	331.1	0
Hypopharynx	0.0	0.0	331.1	0
Other Oral Cavity and Pharynx	0.0	0.0	331.1	0
Digestive System	0.0	0.0	331.1	0
Esophagus	0.0	0.0	331.1	0
Stomach	0.0	0.0	331.1	0
Small Intestine	0.0	0.0	331.1	0
Colon and Rectum	0.0	0.0	331.1	0
Colon excluding Rectum	0.0	0.0	331.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	331.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	331.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	331.1	0
Liver	0.0	0.0	331.1	0
Intrahepatic Bile Duct	0.0	0.0	331.1	0
Gallbladder	0.0	0.0	331.1	0
Other Biliary	0.0	0.0	331.1	0
Pancreas	0.0	0.0	331.1	0
Retroperitoneum	0.0	0.0	331.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	331.1	0
Other Digestive Organs	0.0	0.0	331.1	0
Respiratory System	0.0	0.0	331.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	331.1	0
Larynx	0.0	0.0	331.1	0
Lung and Bronchus	0.0	0.0	331.1	0
Pleura	0.0	0.0	331.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	331.1	0
Bones and Joints	0.0	0.0	331.1	0
Soft Tissue including Heart	0.0	0.0	331.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	331.1	0
Melanoma of the Skin	0.0	0.0	331.1	0
Other Non-Epithelial Skin	0.0	0.0	331.1	0
Urinary System	0.0	0.0	331.1	0
Urinary Bladder	0.0	0.0	331.1	0
Kidney and Renal Pelvis	0.0	0.0	331.1	0
Ureter	0.0	0.0	331.1	0
Other Urinary Organs	0.0	0.0	331.1	0
Eye and Orbit	0.0	0.0	331.1	0
Brain and Other Nervous System	0.0	0.0	331.1	0
Endocrine System	0.0	0.0	331.1	0
Thyroid	0.0	0.0	331.1	0
Other Endocrine including Thymus	0.0	0.0	331.1	0
Lymphoma	0.0	0.0	331.1	0
Hodgkin Lymphoma	0.0	0.0	331.1	0
Non-Hodgkin Lymphoma	0.0	0.0	331.1	0
Myeloma	0.0	0.0	331.1	0
Leukemia	0.0	0.0	331.1	0
Lymphocytic Leukemia	0.0	0.0	331.1	0
Acute Lymphocytic Leukemia	0.0	0.0	331.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	331.1	0
Other Lymphocytic Leukemia	0.0	0.0	331.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	331.1	0
Acute Myeloid Leukemia	0.0	0.0	331.1	0
Acute Monocytic Leukemia	0.0	0.0	331.1	0
Chronic Myeloid Leukemia	0.0	0.0	331.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	331.1	0
Other Leukemia	0.0	0.0	331.1	0
Other Acute Leukemia	0.0	0.0	331.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	331.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	331.1	0
Miscellaneous Malignant Cancer	0.0	0.0	331.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	242.9	0
Lip	0.0	0.0	242.9	0
Tongue	0.0	0.0	242.9	0
Salivary Gland	0.0	0.0	242.9	0
Floor of Mouth	0.0	0.0	242.9	0
Gum and Other Mouth	0.0	0.0	242.9	0
Nasopharynx	0.0	0.0	242.9	0
Tonsil	0.0	0.0	242.9	0
Oropharynx	0.0	0.0	242.9	0
Hypopharynx	0.0	0.0	242.9	0
Other Oral Cavity and Pharynx	0.0	0.0	242.9	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	242.9	0
Small Intestine	0.0	0.0	242.9	0
Colon and Rectum	0.0	0.0	242.9	0
Colon excluding Rectum	0.0	0.0	242.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	242.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	242.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	242.9	0
Gallbladder	0.0	0.0	242.9	0
Other Biliary	0.0	0.0	242.9	0
Pancreas	0.0	0.0	242.9	0
Retroperitoneum	0.0	0.0	242.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	242.9	0
Other Digestive Organs	0.0	0.0	242.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	242.9	0
Larynx	0.0	0.0	242.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	242.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	242.9	0
Bones and Joints	0.0	0.0	242.9	0
Soft Tissue including Heart	0.0	0.0	242.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	242.9	0
Melanoma of the Skin	0.0	0.0	242.9	0
Other Non-Epithelial Skin	0.0	0.0	242.9	0
Urinary System	0.0	0.0	242.9	0
Urinary Bladder	0.0	0.0	242.9	0
Kidney and Renal Pelvis	0.0	0.0	242.9	0
Ureter	0.0	0.0	242.9	0
Other Urinary Organs	0.0	0.0	242.9	0
Eye and Orbit	0.0	0.0	242.9	0
Brain and Other Nervous System	0.0	0.0	242.9	0
Endocrine System	0.0	0.0	242.9	0
Thyroid	0.0	0.0	242.9	0
Other Endocrine including Thymus	0.0	0.0	242.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	242.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	242.9	0
Leukemia	0.0	0.0	242.9	0
Lymphocytic Leukemia	0.0	0.0	242.9	0
Acute Lymphocytic Leukemia	0.0	0.0	242.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	242.9	0
Other Lymphocytic Leukemia	0.0	0.0	242.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	242.9	0
Acute Myeloid Leukemia	0.0	0.0	242.9	0
Acute Monocytic Leukemia	0.0	0.0	242.9	0
Chronic Myeloid Leukemia	0.0	0.0	242.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	242.9	0
Other Leukemia	0.0	0.0	242.9	0
Other Acute Leukemia	0.0	0.0	242.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	242.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	242.9	0
Miscellaneous Malignant Cancer	0.0	0.0	242.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	167.2	145.9	190.4	260
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	1.9	0
Tongue	0.0	0.0	1.9	0
Salivary Gland	0.0	0.0	1.9	0
Floor of Mouth	0.0	0.0	1.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	1.9	0
Tonsil	0.0	0.0	1.9	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	1.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	44.3	33.7	56.7	69
Esophagus	3.1	1.2	6.5	7
Stomach	5.7	2.3	11.2	8
Small Intestine	^	^	^	^
Colon and Rectum	12.2	7.0	19.4	18
Colon excluding Rectum	11.0	6.1	18.0	16
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1.9	0
Liver and Intrahepatic Bile Duct	11.0	6.1	17.9	17
Liver	9.7	5.1	16.3	15
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	9.6	5.1	16.1	15
Retroperitoneum	0.0	0.0	1.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	52.6	40.9	66.2	79
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.9	0
Larynx	^	^	^	^
Lung and Bronchus	52.3	40.6	65.9	78
Pleura	0.0	0.0	1.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.9	0
Bones and Joints	0.0	0.0	1.9	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	1.9	0
Urinary System	7.2	3.5	12.8	12
Urinary Bladder	4.4	1.5	9.3	6
Kidney and Renal Pelvis	2.8	0.9	6.5	6
Ureter	0.0	0.0	1.9	0
Other Urinary Organs	0.0	0.0	1.9	0
Eye and Orbit	0.0	0.0	1.9	0
Brain and Other Nervous System	4.7	2.2	8.8	11
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	5.2	2.2	10.1	9
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.9	0
Chronic Myeloid Leukemia	0.0	0.0	1.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.9	0
Other Leukemia	0.0	0.0	1.9	0
Other Acute Leukemia	0.0	0.0	1.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	1.9	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	13.2	7.6	20.7	19

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	144.2	70.2	254.7	12
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	35.3	0
Tongue	0.0	0.0	35.3	0
Salivary Gland	0.0	0.0	35.3	0
Floor of Mouth	0.0	0.0	35.3	0
Gum and Other Mouth	0.0	0.0	35.3	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	35.3	0
Oropharynx	0.0	0.0	35.3	0
Hypopharynx	0.0	0.0	35.3	0
Other Oral Cavity and Pharynx	0.0	0.0	35.3	0
Digestive System	93.5	33.4	194.6	6
Esophagus	0.0	0.0	35.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	35.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	35.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	35.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.3	0
Gallbladder	0.0	0.0	35.3	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	35.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.3	0
Other Digestive Organs	0.0	0.0	35.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.3	0
Larynx	0.0	0.0	35.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	35.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.3	0
Bones and Joints	0.0	0.0	35.3	0
Soft Tissue including Heart	0.0	0.0	35.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	35.3	0
Melanoma of the Skin	0.0	0.0	35.3	0
Other Non-Epithelial Skin	0.0	0.0	35.3	0
Urinary System	0.0	0.0	35.3	0
Urinary Bladder	0.0	0.0	35.3	0
Kidney and Renal Pelvis	0.0	0.0	35.3	0
Ureter	0.0	0.0	35.3	0
Other Urinary Organs	0.0	0.0	35.3	0
Eye and Orbit	0.0	0.0	35.3	0
Brain and Other Nervous System	0.0	0.0	35.3	0
Endocrine System	0.0	0.0	35.3	0
Thyroid	0.0	0.0	35.3	0
Other Endocrine including Thymus	0.0	0.0	35.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	0.0	0.0	35.3	0
Myeloma	0.0	0.0	35.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	35.3	0
Other Lymphocytic Leukemia	0.0	0.0	35.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	35.3	0
Acute Myeloid Leukemia	0.0	0.0	35.3	0
Acute Monocytic Leukemia	0.0	0.0	35.3	0
Chronic Myeloid Leukemia	0.0	0.0	35.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.3	0
Other Leukemia	0.0	0.0	35.3	0
Other Acute Leukemia	0.0	0.0	35.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	35.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	607.9	0
Lip	0.0	0.0	607.9	0
Tongue	0.0	0.0	607.9	0
Salivary Gland	0.0	0.0	607.9	0
Floor of Mouth	0.0	0.0	607.9	0
Gum and Other Mouth	0.0	0.0	607.9	0
Nasopharynx	0.0	0.0	607.9	0
Tonsil	0.0	0.0	607.9	0
Oropharynx	0.0	0.0	607.9	0
Hypopharynx	0.0	0.0	607.9	0
Other Oral Cavity and Pharynx	0.0	0.0	607.9	0
Digestive System	0.0	0.0	607.9	0
Esophagus	0.0	0.0	607.9	0
Stomach	0.0	0.0	607.9	0
Small Intestine	0.0	0.0	607.9	0
Colon and Rectum	0.0	0.0	607.9	0
Colon excluding Rectum	0.0	0.0	607.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	607.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	607.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	607.9	0
Liver	0.0	0.0	607.9	0
Intrahepatic Bile Duct	0.0	0.0	607.9	0
Gallbladder	0.0	0.0	607.9	0
Other Biliary	0.0	0.0	607.9	0
Pancreas	0.0	0.0	607.9	0
Retroperitoneum	0.0	0.0	607.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	607.9	0
Other Digestive Organs	0.0	0.0	607.9	0
Respiratory System	0.0	0.0	607.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	607.9	0
Larynx	0.0	0.0	607.9	0
Lung and Bronchus	0.0	0.0	607.9	0
Pleura	0.0	0.0	607.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	607.9	0
Bones and Joints	0.0	0.0	607.9	0
Soft Tissue including Heart	0.0	0.0	607.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	607.9	0
Melanoma of the Skin	0.0	0.0	607.9	0
Other Non-Epithelial Skin	0.0	0.0	607.9	0
Urinary System	0.0	0.0	607.9	0
Urinary Bladder	0.0	0.0	607.9	0
Kidney and Renal Pelvis	0.0	0.0	607.9	0
Ureter	0.0	0.0	607.9	0
Other Urinary Organs	0.0	0.0	607.9	0
Eye and Orbit	0.0	0.0	607.9	0
Brain and Other Nervous System	0.0	0.0	607.9	0
Endocrine System	0.0	0.0	607.9	0
Thyroid	0.0	0.0	607.9	0
Other Endocrine including Thymus	0.0	0.0	607.9	0
Lymphoma	0.0	0.0	607.9	0
Hodgkin Lymphoma	0.0	0.0	607.9	0
Non-Hodgkin Lymphoma	0.0	0.0	607.9	0
Myeloma	0.0	0.0	607.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	607.9	0
Acute Lymphocytic Leukemia	0.0	0.0	607.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	607.9	0
Other Lymphocytic Leukemia	0.0	0.0	607.9	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	607.9	0
Chronic Myeloid Leukemia	0.0	0.0	607.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	607.9	0
Other Leukemia	0.0	0.0	607.9	0
Other Acute Leukemia	0.0	0.0	607.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	607.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	607.9	0
Miscellaneous Malignant Cancer	0.0	0.0	607.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	464.1	0
Lip	0.0	0.0	464.1	0
Tongue	0.0	0.0	464.1	0
Salivary Gland	0.0	0.0	464.1	0
Floor of Mouth	0.0	0.0	464.1	0
Gum and Other Mouth	0.0	0.0	464.1	0
Nasopharynx	0.0	0.0	464.1	0
Tonsil	0.0	0.0	464.1	0
Oropharynx	0.0	0.0	464.1	0
Hypopharynx	0.0	0.0	464.1	0
Other Oral Cavity and Pharynx	0.0	0.0	464.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	464.1	0
Stomach	0.0	0.0	464.1	0
Small Intestine	0.0	0.0	464.1	0
Colon and Rectum	0.0	0.0	464.1	0
Colon excluding Rectum	0.0	0.0	464.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	464.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	464.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	464.1	0
Liver	0.0	0.0	464.1	0
Intrahepatic Bile Duct	0.0	0.0	464.1	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	464.1	0
Pancreas	0.0	0.0	464.1	0
Retroperitoneum	0.0	0.0	464.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	464.1	0
Other Digestive Organs	0.0	0.0	464.1	0
Respiratory System	0.0	0.0	464.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	464.1	0
Larynx	0.0	0.0	464.1	0
Lung and Bronchus	0.0	0.0	464.1	0
Pleura	0.0	0.0	464.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	464.1	0
Bones and Joints	0.0	0.0	464.1	0
Soft Tissue including Heart	0.0	0.0	464.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	464.1	0
Melanoma of the Skin	0.0	0.0	464.1	0
Other Non-Epithelial Skin	0.0	0.0	464.1	0
Urinary System	0.0	0.0	464.1	0
Urinary Bladder	0.0	0.0	464.1	0
Kidney and Renal Pelvis	0.0	0.0	464.1	0
Ureter	0.0	0.0	464.1	0
Other Urinary Organs	0.0	0.0	464.1	0
Eye and Orbit	0.0	0.0	464.1	0
Brain and Other Nervous System	0.0	0.0	464.1	0
Endocrine System	0.0	0.0	464.1	0
Thyroid	0.0	0.0	464.1	0
Other Endocrine including Thymus	0.0	0.0	464.1	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	464.1	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	464.1	0
Leukemia	0.0	0.0	464.1	0
Lymphocytic Leukemia	0.0	0.0	464.1	0
Acute Lymphocytic Leukemia	0.0	0.0	464.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	464.1	0
Other Lymphocytic Leukemia	0.0	0.0	464.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	464.1	0
Acute Myeloid Leukemia	0.0	0.0	464.1	0
Acute Monocytic Leukemia	0.0	0.0	464.1	0
Chronic Myeloid Leukemia	0.0	0.0	464.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	464.1	0
Other Leukemia	0.0	0.0	464.1	0
Other Acute Leukemia	0.0	0.0	464.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	464.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	464.1	0
Miscellaneous Malignant Cancer	0.0	0.0	464.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	104.8	0
Lip	0.0	0.0	104.8	0
Tongue	0.0	0.0	104.8	0
Salivary Gland	0.0	0.0	104.8	0
Floor of Mouth	0.0	0.0	104.8	0
Gum and Other Mouth	0.0	0.0	104.8	0
Nasopharynx	0.0	0.0	104.8	0
Tonsil	0.0	0.0	104.8	0
Oropharynx	0.0	0.0	104.8	0
Hypopharynx	0.0	0.0	104.8	0
Other Oral Cavity and Pharynx	0.0	0.0	104.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	104.8	0
Small Intestine	0.0	0.0	104.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	104.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	104.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	104.8	0
Liver	0.0	0.0	104.8	0
Intrahepatic Bile Duct	0.0	0.0	104.8	0
Gallbladder	0.0	0.0	104.8	0
Other Biliary	0.0	0.0	104.8	0
Pancreas	0.0	0.0	104.8	0
Retroperitoneum	0.0	0.0	104.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	104.8	0
Other Digestive Organs	0.0	0.0	104.8	0
Respiratory System	0.0	0.0	104.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	104.8	0
Larynx	0.0	0.0	104.8	0
Lung and Bronchus	0.0	0.0	104.8	0
Pleura	0.0	0.0	104.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	104.8	0
Bones and Joints	0.0	0.0	104.8	0
Soft Tissue including Heart	0.0	0.0	104.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	104.8	0
Melanoma of the Skin	0.0	0.0	104.8	0
Other Non-Epithelial Skin	0.0	0.0	104.8	0
Urinary System	0.0	0.0	104.8	0
Urinary Bladder	0.0	0.0	104.8	0
Kidney and Renal Pelvis	0.0	0.0	104.8	0
Ureter	0.0	0.0	104.8	0
Other Urinary Organs	0.0	0.0	104.8	0
Eye and Orbit	0.0	0.0	104.8	0
Brain and Other Nervous System	0.0	0.0	104.8	0
Endocrine System	0.0	0.0	104.8	0
Thyroid	0.0	0.0	104.8	0
Other Endocrine including Thymus	0.0	0.0	104.8	0
Lymphoma	0.0	0.0	104.8	0
Hodgkin Lymphoma	0.0	0.0	104.8	0
Non-Hodgkin Lymphoma	0.0	0.0	104.8	0
Myeloma	0.0	0.0	104.8	0
Leukemia	0.0	0.0	104.8	0
Lymphocytic Leukemia	0.0	0.0	104.8	0
Acute Lymphocytic Leukemia	0.0	0.0	104.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	104.8	0
Other Lymphocytic Leukemia	0.0	0.0	104.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	104.8	0
Acute Myeloid Leukemia	0.0	0.0	104.8	0
Acute Monocytic Leukemia	0.0	0.0	104.8	0
Chronic Myeloid Leukemia	0.0	0.0	104.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	104.8	0
Other Leukemia	0.0	0.0	104.8	0
Other Acute Leukemia	0.0	0.0	104.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	104.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	104.8	0
Miscellaneous Malignant Cancer	0.0	0.0	104.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	229.4	183.8	281.7	100
Oral Cavity and Pharynx	0.0	0.0	6.3	0
Lip	0.0	0.0	6.3	0
Tongue	0.0	0.0	6.3	0
Salivary Gland	0.0	0.0	6.3	0
Floor of Mouth	0.0	0.0	6.3	0
Gum and Other Mouth	0.0	0.0	6.3	0
Nasopharynx	0.0	0.0	6.3	0
Tonsil	0.0	0.0	6.3	0
Oropharynx	0.0	0.0	6.3	0
Hypopharynx	0.0	0.0	6.3	0
Other Oral Cavity and Pharynx	0.0	0.0	6.3	0
Digestive System	44.5	26.5	68.9	21
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	6.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.3	0
Gallbladder	0.0	0.0	6.3	0
Other Biliary	0.0	0.0	6.3	0
Pancreas	16.3	5.8	33.9	6
Retroperitoneum	0.0	0.0	6.3	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	6.3	0
Respiratory System	75.8	50.9	107.2	33
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.0	0.0	6.3	0
Lung and Bronchus	75.0	50.2	106.4	32
Pleura	0.0	0.0	6.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.3	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	6.3	0
Melanoma of the Skin	0.0	0.0	6.3	0
Other Non-Epithelial Skin	0.0	0.0	6.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	6.3	0
Other Urinary Organs	0.0	0.0	6.3	0
Eye and Orbit	0.0	0.0	6.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	6.3	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	6.3	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	6.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.3	0
Chronic Myeloid Leukemia	0.0	0.0	6.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.3	0
Other Leukemia	0.0	0.0	6.3	0
Other Acute Leukemia	0.0	0.0	6.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	6.3	0
Miscellaneous Malignant Cancer	18.6	7.1	37.3	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	200.7	0
Lip	0.0	0.0	200.7	0
Tongue	0.0	0.0	200.7	0
Salivary Gland	0.0	0.0	200.7	0
Floor of Mouth	0.0	0.0	200.7	0
Gum and Other Mouth	0.0	0.0	200.7	0
Nasopharynx	0.0	0.0	200.7	0
Tonsil	0.0	0.0	200.7	0
Oropharynx	0.0	0.0	200.7	0
Hypopharynx	0.0	0.0	200.7	0
Other Oral Cavity and Pharynx	0.0	0.0	200.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	200.7	0
Stomach	0.0	0.0	200.7	0
Small Intestine	0.0	0.0	200.7	0
Colon and Rectum	0.0	0.0	200.7	0
Colon excluding Rectum	0.0	0.0	200.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	200.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	200.7	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	200.7	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	200.7	0
Other Biliary	0.0	0.0	200.7	0
Pancreas	0.0	0.0	200.7	0
Retroperitoneum	0.0	0.0	200.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	200.7	0
Other Digestive Organs	0.0	0.0	200.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	200.7	0
Larynx	0.0	0.0	200.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	200.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	200.7	0
Bones and Joints	0.0	0.0	200.7	0
Soft Tissue including Heart	0.0	0.0	200.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	200.7	0
Melanoma of the Skin	0.0	0.0	200.7	0
Other Non-Epithelial Skin	0.0	0.0	200.7	0
Urinary System	0.0	0.0	200.7	0
Urinary Bladder	0.0	0.0	200.7	0
Kidney and Renal Pelvis	0.0	0.0	200.7	0
Ureter	0.0	0.0	200.7	0
Other Urinary Organs	0.0	0.0	200.7	0
Eye and Orbit	0.0	0.0	200.7	0
Brain and Other Nervous System	0.0	0.0	200.7	0
Endocrine System	0.0	0.0	200.7	0
Thyroid	0.0	0.0	200.7	0
Other Endocrine including Thymus	0.0	0.0	200.7	0
Lymphoma	0.0	0.0	200.7	0
Hodgkin Lymphoma	0.0	0.0	200.7	0
Non-Hodgkin Lymphoma	0.0	0.0	200.7	0
Myeloma	0.0	0.0	200.7	0
Leukemia	0.0	0.0	200.7	0
Lymphocytic Leukemia	0.0	0.0	200.7	0
Acute Lymphocytic Leukemia	0.0	0.0	200.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	200.7	0
Other Lymphocytic Leukemia	0.0	0.0	200.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	200.7	0
Acute Myeloid Leukemia	0.0	0.0	200.7	0
Acute Monocytic Leukemia	0.0	0.0	200.7	0
Chronic Myeloid Leukemia	0.0	0.0	200.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	200.7	0
Other Leukemia	0.0	0.0	200.7	0
Other Acute Leukemia	0.0	0.0	200.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	200.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	200.7	0
Miscellaneous Malignant Cancer	0.0	0.0	200.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	163.6	109.8	232.4	34
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	15.4	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	15.4	0
Floor of Mouth	0.0	0.0	15.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	15.4	0
Tonsil	0.0	0.0	15.4	0
Oropharynx	0.0	0.0	15.4	0
Hypopharynx	0.0	0.0	15.4	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	28.6	9.5	63.3	6
Esophagus	0.0	0.0	15.4	0
Stomach	0.0	0.0	15.4	0
Small Intestine	0.0	0.0	15.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	15.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	15.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	15.4	0
Liver	0.0	0.0	15.4	0
Intrahepatic Bile Duct	0.0	0.0	15.4	0
Gallbladder	0.0	0.0	15.4	0
Other Biliary	0.0	0.0	15.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.4	0
Other Digestive Organs	0.0	0.0	15.4	0
Respiratory System	52.4	24.6	95.4	11
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.4	0
Larynx	0.0	0.0	15.4	0
Lung and Bronchus	52.4	24.6	95.4	11
Pleura	0.0	0.0	15.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.4	0
Bones and Joints	0.0	0.0	15.4	0
Soft Tissue including Heart	0.0	0.0	15.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	15.4	0
Melanoma of the Skin	0.0	0.0	15.4	0
Other Non-Epithelial Skin	0.0	0.0	15.4	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	15.4	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.4	0
Other Urinary Organs	0.0	0.0	15.4	0
Eye and Orbit	0.0	0.0	15.4	0
Brain and Other Nervous System	0.0	0.0	15.4	0
Endocrine System	0.0	0.0	15.4	0
Thyroid	0.0	0.0	15.4	0
Other Endocrine including Thymus	0.0	0.0	15.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	15.4	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	15.4	0
Leukemia	0.0	0.0	15.4	0
Lymphocytic Leukemia	0.0	0.0	15.4	0
Acute Lymphocytic Leukemia	0.0	0.0	15.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	15.4	0
Other Lymphocytic Leukemia	0.0	0.0	15.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	15.4	0
Acute Myeloid Leukemia	0.0	0.0	15.4	0
Acute Monocytic Leukemia	0.0	0.0	15.4	0
Chronic Myeloid Leukemia	0.0	0.0	15.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.4	0
Other Leukemia	0.0	0.0	15.4	0
Other Acute Leukemia	0.0	0.0	15.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	15.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	15.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	176.8	135.2	226.4	72
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	9.0	0
Tongue	0.0	0.0	9.0	0
Salivary Gland	0.0	0.0	9.0	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.0	0.0	9.0	0
Nasopharynx	0.0	0.0	9.0	0
Tonsil	0.0	0.0	9.0	0
Oropharynx	0.0	0.0	9.0	0
Hypopharynx	0.0	0.0	9.0	0
Other Oral Cavity and Pharynx	0.0	0.0	9.0	0
Digestive System	41.4	22.9	68.1	17
Esophagus	0.0	0.0	9.0	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	9.0	0
Colon and Rectum	23.8	9.5	47.3	8
Colon excluding Rectum	23.8	9.5	47.3	8
Rectum and Rectosigmoid Junction	0.0	0.0	9.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	9.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	9.0	0
Other Biliary	0.0	0.0	9.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	9.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	9.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	48.1	28.8	75.0	20
Nose, Nasal Cavity and Middle Ear	0.0	0.0	9.0	0
Larynx	0.0	0.0	9.0	0
Lung and Bronchus	48.1	28.8	75.0	20
Pleura	0.0	0.0	9.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	9.0	0
Bones and Joints	0.0	0.0	9.0	0
Soft Tissue including Heart	0.0	0.0	9.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	9.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	9.0	0
Other Urinary Organs	0.0	0.0	9.0	0
Eye and Orbit	0.0	0.0	9.0	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	9.0	0
Thyroid	0.0	0.0	9.0	0
Other Endocrine including Thymus	0.0	0.0	9.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	9.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	9.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	9.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	9.0	0
Acute Myeloid Leukemia	0.0	0.0	9.0	0
Acute Monocytic Leukemia	0.0	0.0	9.0	0
Chronic Myeloid Leukemia	0.0	0.0	9.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	9.0	0
Other Leukemia	0.0	0.0	9.0	0
Other Acute Leukemia	0.0	0.0	9.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	9.0	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	30.0	13.5	56.0	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	215.8	134.2	326.5	23
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	32.2	0
Tongue	0.0	0.0	32.2	0
Salivary Gland	0.0	0.0	32.2	0
Floor of Mouth	0.0	0.0	32.2	0
Gum and Other Mouth	0.0	0.0	32.2	0
Nasopharynx	0.0	0.0	32.2	0
Tonsil	0.0	0.0	32.2	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	32.2	0
Other Oral Cavity and Pharynx	0.0	0.0	32.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	32.2	0
Stomach	0.0	0.0	32.2	0
Small Intestine	0.0	0.0	32.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	32.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	32.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	32.2	0
Liver	0.0	0.0	32.2	0
Intrahepatic Bile Duct	0.0	0.0	32.2	0
Gallbladder	0.0	0.0	32.2	0
Other Biliary	0.0	0.0	32.2	0
Pancreas	0.0	0.0	32.2	0
Retroperitoneum	0.0	0.0	32.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	32.2	0
Other Digestive Organs	0.0	0.0	32.2	0
Respiratory System	77.1	32.4	152.1	8
Nose, Nasal Cavity and Middle Ear	0.0	0.0	32.2	0
Larynx	0.0	0.0	32.2	0
Lung and Bronchus	77.1	32.4	152.1	8
Pleura	0.0	0.0	32.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	32.2	0
Bones and Joints	0.0	0.0	32.2	0
Soft Tissue including Heart	0.0	0.0	32.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	32.2	0
Melanoma of the Skin	0.0	0.0	32.2	0
Other Non-Epithelial Skin	0.0	0.0	32.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	32.2	0
Ureter	0.0	0.0	32.2	0
Other Urinary Organs	0.0	0.0	32.2	0
Eye and Orbit	0.0	0.0	32.2	0
Brain and Other Nervous System	0.0	0.0	32.2	0
Endocrine System	0.0	0.0	32.2	0
Thyroid	0.0	0.0	32.2	0
Other Endocrine including Thymus	0.0	0.0	32.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	32.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	32.2	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	32.2	0
Acute Lymphocytic Leukemia	0.0	0.0	32.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	32.2	0
Other Lymphocytic Leukemia	0.0	0.0	32.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	32.2	0
Chronic Myeloid Leukemia	0.0	0.0	32.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	32.2	0
Other Leukemia	0.0	0.0	32.2	0
Other Acute Leukemia	0.0	0.0	32.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	32.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	32.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	180.6	87.6	319.4	12
Oral Cavity and Pharynx	0.0	0.0	43.6	0
Lip	0.0	0.0	43.6	0
Tongue	0.0	0.0	43.6	0
Salivary Gland	0.0	0.0	43.6	0
Floor of Mouth	0.0	0.0	43.6	0
Gum and Other Mouth	0.0	0.0	43.6	0
Nasopharynx	0.0	0.0	43.6	0
Tonsil	0.0	0.0	43.6	0
Oropharynx	0.0	0.0	43.6	0
Hypopharynx	0.0	0.0	43.6	0
Other Oral Cavity and Pharynx	0.0	0.0	43.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	43.6	0
Stomach	0.0	0.0	43.6	0
Small Intestine	0.0	0.0	43.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	43.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	43.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	43.6	0
Liver	0.0	0.0	43.6	0
Intrahepatic Bile Duct	0.0	0.0	43.6	0
Gallbladder	0.0	0.0	43.6	0
Other Biliary	0.0	0.0	43.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	43.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	43.6	0
Other Digestive Organs	0.0	0.0	43.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	43.6	0
Larynx	0.0	0.0	43.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	43.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	43.6	0
Bones and Joints	0.0	0.0	43.6	0
Soft Tissue including Heart	0.0	0.0	43.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	43.6	0
Melanoma of the Skin	0.0	0.0	43.6	0
Other Non-Epithelial Skin	0.0	0.0	43.6	0
Urinary System	0.0	0.0	43.6	0
Urinary Bladder	0.0	0.0	43.6	0
Kidney and Renal Pelvis	0.0	0.0	43.6	0
Ureter	0.0	0.0	43.6	0
Other Urinary Organs	0.0	0.0	43.6	0
Eye and Orbit	0.0	0.0	43.6	0
Brain and Other Nervous System	0.0	0.0	43.6	0
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	43.6	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	0.0	0.0	43.6	0
Hodgkin Lymphoma	0.0	0.0	43.6	0
Non-Hodgkin Lymphoma	0.0	0.0	43.6	0
Myeloma	0.0	0.0	43.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	43.6	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	43.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	43.6	0
Acute Myeloid Leukemia	0.0	0.0	43.6	0
Acute Monocytic Leukemia	0.0	0.0	43.6	0
Chronic Myeloid Leukemia	0.0	0.0	43.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	43.6	0
Other Leukemia	0.0	0.0	43.6	0
Other Acute Leukemia	0.0	0.0	43.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	43.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	43.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	353.7	0
Lip	0.0	0.0	353.7	0
Tongue	0.0	0.0	353.7	0
Salivary Gland	0.0	0.0	353.7	0
Floor of Mouth	0.0	0.0	353.7	0
Gum and Other Mouth	0.0	0.0	353.7	0
Nasopharynx	0.0	0.0	353.7	0
Tonsil	0.0	0.0	353.7	0
Oropharynx	0.0	0.0	353.7	0
Hypopharynx	0.0	0.0	353.7	0
Other Oral Cavity and Pharynx	0.0	0.0	353.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	353.7	0
Stomach	0.0	0.0	353.7	0
Small Intestine	0.0	0.0	353.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	353.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	353.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	353.7	0
Liver	0.0	0.0	353.7	0
Intrahepatic Bile Duct	0.0	0.0	353.7	0
Gallbladder	0.0	0.0	353.7	0
Other Biliary	0.0	0.0	353.7	0
Pancreas	0.0	0.0	353.7	0
Retroperitoneum	0.0	0.0	353.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	353.7	0
Other Digestive Organs	0.0	0.0	353.7	0
Respiratory System	0.0	0.0	353.7	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	353.7	0
Larynx	0.0	0.0	353.7	0
Lung and Bronchus	0.0	0.0	353.7	0
Pleura	0.0	0.0	353.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	353.7	0
Bones and Joints	0.0	0.0	353.7	0
Soft Tissue including Heart	0.0	0.0	353.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	353.7	0
Urinary System	0.0	0.0	353.7	0
Urinary Bladder	0.0	0.0	353.7	0
Kidney and Renal Pelvis	0.0	0.0	353.7	0
Ureter	0.0	0.0	353.7	0
Other Urinary Organs	0.0	0.0	353.7	0
Eye and Orbit	0.0	0.0	353.7	0
Brain and Other Nervous System	0.0	0.0	353.7	0
Endocrine System	0.0	0.0	353.7	0
Thyroid	0.0	0.0	353.7	0
Other Endocrine including Thymus	0.0	0.0	353.7	0
Lymphoma	0.0	0.0	353.7	0
Hodgkin Lymphoma	0.0	0.0	353.7	0
Non-Hodgkin Lymphoma	0.0	0.0	353.7	0
Myeloma	0.0	0.0	353.7	0
Leukemia	0.0	0.0	353.7	0
Lymphocytic Leukemia	0.0	0.0	353.7	0
Acute Lymphocytic Leukemia	0.0	0.0	353.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	353.7	0
Other Lymphocytic Leukemia	0.0	0.0	353.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	353.7	0
Acute Myeloid Leukemia	0.0	0.0	353.7	0
Acute Monocytic Leukemia	0.0	0.0	353.7	0
Chronic Myeloid Leukemia	0.0	0.0	353.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	353.7	0
Other Leukemia	0.0	0.0	353.7	0
Other Acute Leukemia	0.0	0.0	353.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	353.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	353.7	0
Miscellaneous Malignant Cancer	0.0	0.0	353.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	169.2	131.5	213.5	82
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	7.4	0
Tongue	0.0	0.0	7.4	0
Salivary Gland	0.0	0.0	7.4	0
Floor of Mouth	0.0	0.0	7.4	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	0.0	0.0	7.4	0
Tonsil	0.0	0.0	7.4	0
Oropharynx	0.0	0.0	7.4	0
Hypopharynx	0.0	0.0	7.4	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	37.9	20.7	62.3	17
Esophagus	0.0	0.0	7.4	0
Stomach	0.0	0.0	7.4	0
Small Intestine	0.0	0.0	7.4	0
Colon and Rectum	18.9	7.2	38.4	8
Colon excluding Rectum	18.9	7.2	38.4	8
Rectum and Rectosigmoid Junction	0.0	0.0	7.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	7.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	7.4	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	7.4	0
Other Biliary	0.0	0.0	7.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	7.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	7.4	0
Other Digestive Organs	0.0	0.0	7.4	0
Respiratory System	73.5	50.6	102.9	38
Nose, Nasal Cavity and Middle Ear	0.0	0.0	7.4	0
Larynx	0.0	0.0	7.4	0
Lung and Bronchus	68.7	47.4	96.1	37
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	7.4	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	7.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	7.4	0
Other Urinary Organs	0.0	0.0	7.4	0
Eye and Orbit	0.0	0.0	7.4	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	7.4	0
Thyroid	0.0	0.0	7.4	0
Other Endocrine including Thymus	0.0	0.0	7.4	0
Lymphoma	0.0	0.0	7.4	0
Hodgkin Lymphoma	0.0	0.0	7.4	0
Non-Hodgkin Lymphoma	0.0	0.0	7.4	0
Myeloma	0.0	0.0	7.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	7.4	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	7.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	7.4	0
Acute Myeloid Leukemia	0.0	0.0	7.4	0
Acute Monocytic Leukemia	0.0	0.0	7.4	0
Chronic Myeloid Leukemia	0.0	0.0	7.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	7.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	7.4	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	7.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	167.0	76.5	309.5	10
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	53.8	0
Tongue	0.0	0.0	53.8	0
Salivary Gland	0.0	0.0	53.8	0
Floor of Mouth	0.0	0.0	53.8	0
Gum and Other Mouth	0.0	0.0	53.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	53.8	0
Oropharynx	0.0	0.0	53.8	0
Hypopharynx	0.0	0.0	53.8	0
Other Oral Cavity and Pharynx	0.0	0.0	53.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	53.8	0
Stomach	0.0	0.0	53.8	0
Small Intestine	0.0	0.0	53.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	53.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	53.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	53.8	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	53.8	0
Other Biliary	0.0	0.0	53.8	0
Pancreas	0.0	0.0	53.8	0
Retroperitoneum	0.0	0.0	53.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.8	0
Other Digestive Organs	0.0	0.0	53.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.8	0
Larynx	0.0	0.0	53.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	53.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.8	0
Bones and Joints	0.0	0.0	53.8	0
Soft Tissue including Heart	0.0	0.0	53.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	53.8	0
Melanoma of the Skin	0.0	0.0	53.8	0
Other Non-Epithelial Skin	0.0	0.0	53.8	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	53.8	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	53.8	0
Other Urinary Organs	0.0	0.0	53.8	0
Eye and Orbit	0.0	0.0	53.8	0
Brain and Other Nervous System	0.0	0.0	53.8	0
Endocrine System	0.0	0.0	53.8	0
Thyroid	0.0	0.0	53.8	0
Other Endocrine including Thymus	0.0	0.0	53.8	0
Lymphoma	0.0	0.0	53.8	0
Hodgkin Lymphoma	0.0	0.0	53.8	0
Non-Hodgkin Lymphoma	0.0	0.0	53.8	0
Myeloma	0.0	0.0	53.8	0
Leukemia	0.0	0.0	53.8	0
Lymphocytic Leukemia	0.0	0.0	53.8	0
Acute Lymphocytic Leukemia	0.0	0.0	53.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.8	0
Other Lymphocytic Leukemia	0.0	0.0	53.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	53.8	0
Acute Myeloid Leukemia	0.0	0.0	53.8	0
Acute Monocytic Leukemia	0.0	0.0	53.8	0
Chronic Myeloid Leukemia	0.0	0.0	53.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.8	0
Other Leukemia	0.0	0.0	53.8	0
Other Acute Leukemia	0.0	0.0	53.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	53.8	0
Miscellaneous Malignant Cancer	0.0	0.0	53.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	303.4	131.9	571.0	9
Oral Cavity and Pharynx	0.0	0.0	88.6	0
Lip	0.0	0.0	88.6	0
Tongue	0.0	0.0	88.6	0
Salivary Gland	0.0	0.0	88.6	0
Floor of Mouth	0.0	0.0	88.6	0
Gum and Other Mouth	0.0	0.0	88.6	0
Nasopharynx	0.0	0.0	88.6	0
Tonsil	0.0	0.0	88.6	0
Oropharynx	0.0	0.0	88.6	0
Hypopharynx	0.0	0.0	88.6	0
Other Oral Cavity and Pharynx	0.0	0.0	88.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	88.6	0
Stomach	0.0	0.0	88.6	0
Small Intestine	0.0	0.0	88.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	88.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	88.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	88.6	0
Liver	0.0	0.0	88.6	0
Intrahepatic Bile Duct	0.0	0.0	88.6	0
Gallbladder	0.0	0.0	88.6	0
Other Biliary	0.0	0.0	88.6	0
Pancreas	0.0	0.0	88.6	0
Retroperitoneum	0.0	0.0	88.6	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	88.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	88.6	0
Larynx	0.0	0.0	88.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	88.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	88.6	0
Bones and Joints	0.0	0.0	88.6	0
Soft Tissue including Heart	0.0	0.0	88.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	88.6	0
Melanoma of the Skin	0.0	0.0	88.6	0
Other Non-Epithelial Skin	0.0	0.0	88.6	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	88.6	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	88.6	0
Other Urinary Organs	0.0	0.0	88.6	0
Eye and Orbit	0.0	0.0	88.6	0
Brain and Other Nervous System	0.0	0.0	88.6	0
Endocrine System	0.0	0.0	88.6	0
Thyroid	0.0	0.0	88.6	0
Other Endocrine including Thymus	0.0	0.0	88.6	0
Lymphoma	0.0	0.0	88.6	0
Hodgkin Lymphoma	0.0	0.0	88.6	0
Non-Hodgkin Lymphoma	0.0	0.0	88.6	0
Myeloma	0.0	0.0	88.6	0
Leukemia	0.0	0.0	88.6	0
Lymphocytic Leukemia	0.0	0.0	88.6	0
Acute Lymphocytic Leukemia	0.0	0.0	88.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	88.6	0
Other Lymphocytic Leukemia	0.0	0.0	88.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	88.6	0
Acute Myeloid Leukemia	0.0	0.0	88.6	0
Acute Monocytic Leukemia	0.0	0.0	88.6	0
Chronic Myeloid Leukemia	0.0	0.0	88.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	88.6	0
Other Leukemia	0.0	0.0	88.6	0
Other Acute Leukemia	0.0	0.0	88.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	88.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	88.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	235.7	101.3	452.0	9
Oral Cavity and Pharynx	0.0	0.0	85.1	0
Lip	0.0	0.0	85.1	0
Tongue	0.0	0.0	85.1	0
Salivary Gland	0.0	0.0	85.1	0
Floor of Mouth	0.0	0.0	85.1	0
Gum and Other Mouth	0.0	0.0	85.1	0
Nasopharynx	0.0	0.0	85.1	0
Tonsil	0.0	0.0	85.1	0
Oropharynx	0.0	0.0	85.1	0
Hypopharynx	0.0	0.0	85.1	0
Other Oral Cavity and Pharynx	0.0	0.0	85.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	85.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	85.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	85.1	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	85.1	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	85.1	0
Other Biliary	0.0	0.0	85.1	0
Pancreas	0.0	0.0	85.1	0
Retroperitoneum	0.0	0.0	85.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	85.1	0
Other Digestive Organs	0.0	0.0	85.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	85.1	0
Larynx	0.0	0.0	85.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	85.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	85.1	0
Bones and Joints	0.0	0.0	85.1	0
Soft Tissue including Heart	0.0	0.0	85.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	85.1	0
Melanoma of the Skin	0.0	0.0	85.1	0
Other Non-Epithelial Skin	0.0	0.0	85.1	0
Urinary System	0.0	0.0	85.1	0
Urinary Bladder	0.0	0.0	85.1	0
Kidney and Renal Pelvis	0.0	0.0	85.1	0
Ureter	0.0	0.0	85.1	0
Other Urinary Organs	0.0	0.0	85.1	0
Eye and Orbit	0.0	0.0	85.1	0
Brain and Other Nervous System	0.0	0.0	85.1	0
Endocrine System	0.0	0.0	85.1	0
Thyroid	0.0	0.0	85.1	0
Other Endocrine including Thymus	0.0	0.0	85.1	0
Lymphoma	0.0	0.0	85.1	0
Hodgkin Lymphoma	0.0	0.0	85.1	0
Non-Hodgkin Lymphoma	0.0	0.0	85.1	0
Myeloma	0.0	0.0	85.1	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	85.1	0
Acute Lymphocytic Leukemia	0.0	0.0	85.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	85.1	0
Other Lymphocytic Leukemia	0.0	0.0	85.1	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	85.1	0
Chronic Myeloid Leukemia	0.0	0.0	85.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	85.1	0
Other Leukemia	0.0	0.0	85.1	0
Other Acute Leukemia	0.0	0.0	85.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	85.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	85.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	208.9	65.7	463.2	6
Oral Cavity and Pharynx	0.0	0.0	97.1	0
Lip	0.0	0.0	97.1	0
Tongue	0.0	0.0	97.1	0
Salivary Gland	0.0	0.0	97.1	0
Floor of Mouth	0.0	0.0	97.1	0
Gum and Other Mouth	0.0	0.0	97.1	0
Nasopharynx	0.0	0.0	97.1	0
Tonsil	0.0	0.0	97.1	0
Oropharynx	0.0	0.0	97.1	0
Hypopharynx	0.0	0.0	97.1	0
Other Oral Cavity and Pharynx	0.0	0.0	97.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	97.1	0
Stomach	0.0	0.0	97.1	0
Small Intestine	0.0	0.0	97.1	0
Colon and Rectum	0.0	0.0	97.1	0
Colon excluding Rectum	0.0	0.0	97.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	97.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	97.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	97.1	0
Liver	0.0	0.0	97.1	0
Intrahepatic Bile Duct	0.0	0.0	97.1	0
Gallbladder	0.0	0.0	97.1	0
Other Biliary	0.0	0.0	97.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	97.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	97.1	0
Other Digestive Organs	0.0	0.0	97.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	97.1	0
Larynx	0.0	0.0	97.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	97.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	97.1	0
Bones and Joints	0.0	0.0	97.1	0
Soft Tissue including Heart	0.0	0.0	97.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	97.1	0
Melanoma of the Skin	0.0	0.0	97.1	0
Other Non-Epithelial Skin	0.0	0.0	97.1	0
Urinary System	0.0	0.0	97.1	0
Urinary Bladder	0.0	0.0	97.1	0
Kidney and Renal Pelvis	0.0	0.0	97.1	0
Ureter	0.0	0.0	97.1	0
Other Urinary Organs	0.0	0.0	97.1	0
Eye and Orbit	0.0	0.0	97.1	0
Brain and Other Nervous System	0.0	0.0	97.1	0
Endocrine System	0.0	0.0	97.1	0
Thyroid	0.0	0.0	97.1	0
Other Endocrine including Thymus	0.0	0.0	97.1	0
Lymphoma	0.0	0.0	97.1	0
Hodgkin Lymphoma	0.0	0.0	97.1	0
Non-Hodgkin Lymphoma	0.0	0.0	97.1	0
Myeloma	0.0	0.0	97.1	0
Leukemia	0.0	0.0	97.1	0
Lymphocytic Leukemia	0.0	0.0	97.1	0
Acute Lymphocytic Leukemia	0.0	0.0	97.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	97.1	0
Other Lymphocytic Leukemia	0.0	0.0	97.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	97.1	0
Acute Myeloid Leukemia	0.0	0.0	97.1	0
Acute Monocytic Leukemia	0.0	0.0	97.1	0
Chronic Myeloid Leukemia	0.0	0.0	97.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	97.1	0
Other Leukemia	0.0	0.0	97.1	0
Other Acute Leukemia	0.0	0.0	97.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	97.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	97.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	216.6	115.3	364.4	14
Oral Cavity and Pharynx	0.0	0.0	47.5	0
Lip	0.0	0.0	47.5	0
Tongue	0.0	0.0	47.5	0
Salivary Gland	0.0	0.0	47.5	0
Floor of Mouth	0.0	0.0	47.5	0
Gum and Other Mouth	0.0	0.0	47.5	0
Nasopharynx	0.0	0.0	47.5	0
Tonsil	0.0	0.0	47.5	0
Oropharynx	0.0	0.0	47.5	0
Hypopharynx	0.0	0.0	47.5	0
Other Oral Cavity and Pharynx	0.0	0.0	47.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	47.5	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	47.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	47.5	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	47.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	47.5	0
Liver	0.0	0.0	47.5	0
Intrahepatic Bile Duct	0.0	0.0	47.5	0
Gallbladder	0.0	0.0	47.5	0
Other Biliary	0.0	0.0	47.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	47.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	47.5	0
Other Digestive Organs	0.0	0.0	47.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	47.5	0
Larynx	0.0	0.0	47.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	47.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	47.5	0
Bones and Joints	0.0	0.0	47.5	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	47.5	0
Melanoma of the Skin	0.0	0.0	47.5	0
Other Non-Epithelial Skin	0.0	0.0	47.5	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	47.5	0
Other Urinary Organs	0.0	0.0	47.5	0
Eye and Orbit	0.0	0.0	47.5	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	47.5	0
Thyroid	0.0	0.0	47.5	0
Other Endocrine including Thymus	0.0	0.0	47.5	0
Lymphoma	0.0	0.0	47.5	0
Hodgkin Lymphoma	0.0	0.0	47.5	0
Non-Hodgkin Lymphoma	0.0	0.0	47.5	0
Myeloma	0.0	0.0	47.5	0
Leukemia	0.0	0.0	47.5	0
Lymphocytic Leukemia	0.0	0.0	47.5	0
Acute Lymphocytic Leukemia	0.0	0.0	47.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	47.5	0
Other Lymphocytic Leukemia	0.0	0.0	47.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	47.5	0
Acute Myeloid Leukemia	0.0	0.0	47.5	0
Acute Monocytic Leukemia	0.0	0.0	47.5	0
Chronic Myeloid Leukemia	0.0	0.0	47.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	47.5	0
Other Leukemia	0.0	0.0	47.5	0
Other Acute Leukemia	0.0	0.0	47.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	47.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	47.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	153.9	0
Lip	0.0	0.0	153.9	0
Tongue	0.0	0.0	153.9	0
Salivary Gland	0.0	0.0	153.9	0
Floor of Mouth	0.0	0.0	153.9	0
Gum and Other Mouth	0.0	0.0	153.9	0
Nasopharynx	0.0	0.0	153.9	0
Tonsil	0.0	0.0	153.9	0
Oropharynx	0.0	0.0	153.9	0
Hypopharynx	0.0	0.0	153.9	0
Other Oral Cavity and Pharynx	0.0	0.0	153.9	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	153.9	0
Small Intestine	0.0	0.0	153.9	0
Colon and Rectum	0.0	0.0	153.9	0
Colon excluding Rectum	0.0	0.0	153.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	153.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	153.9	0
Liver and Intrahepatic Bile Duct	0.0	0.0	153.9	0
Liver	0.0	0.0	153.9	0
Intrahepatic Bile Duct	0.0	0.0	153.9	0
Gallbladder	0.0	0.0	153.9	0
Other Biliary	0.0	0.0	153.9	0
Pancreas	0.0	0.0	153.9	0
Retroperitoneum	0.0	0.0	153.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	153.9	0
Other Digestive Organs	0.0	0.0	153.9	0
Respiratory System	0.0	0.0	153.9	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	153.9	0
Larynx	0.0	0.0	153.9	0
Lung and Bronchus	0.0	0.0	153.9	0
Pleura	0.0	0.0	153.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	153.9	0
Bones and Joints	0.0	0.0	153.9	0
Soft Tissue including Heart	0.0	0.0	153.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	153.9	0
Melanoma of the Skin	0.0	0.0	153.9	0
Other Non-Epithelial Skin	0.0	0.0	153.9	0
Urinary System	0.0	0.0	153.9	0
Urinary Bladder	0.0	0.0	153.9	0
Kidney and Renal Pelvis	0.0	0.0	153.9	0
Ureter	0.0	0.0	153.9	0
Other Urinary Organs	0.0	0.0	153.9	0
Eye and Orbit	0.0	0.0	153.9	0
Brain and Other Nervous System	0.0	0.0	153.9	0
Endocrine System	0.0	0.0	153.9	0
Thyroid	0.0	0.0	153.9	0
Other Endocrine including Thymus	0.0	0.0	153.9	0
Lymphoma	0.0	0.0	153.9	0
Hodgkin Lymphoma	0.0	0.0	153.9	0
Non-Hodgkin Lymphoma	0.0	0.0	153.9	0
Myeloma	0.0	0.0	153.9	0
Leukemia	0.0	0.0	153.9	0
Lymphocytic Leukemia	0.0	0.0	153.9	0
Acute Lymphocytic Leukemia	0.0	0.0	153.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	153.9	0
Other Lymphocytic Leukemia	0.0	0.0	153.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	153.9	0
Acute Myeloid Leukemia	0.0	0.0	153.9	0
Acute Monocytic Leukemia	0.0	0.0	153.9	0
Chronic Myeloid Leukemia	0.0	0.0	153.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	153.9	0
Other Leukemia	0.0	0.0	153.9	0
Other Acute Leukemia	0.0	0.0	153.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	153.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	153.9	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	292.5	115.0	578.9	10
Oral Cavity and Pharynx	0.0	0.0	94.7	0
Lip	0.0	0.0	94.7	0
Tongue	0.0	0.0	94.7	0
Salivary Gland	0.0	0.0	94.7	0
Floor of Mouth	0.0	0.0	94.7	0
Gum and Other Mouth	0.0	0.0	94.7	0
Nasopharynx	0.0	0.0	94.7	0
Tonsil	0.0	0.0	94.7	0
Oropharynx	0.0	0.0	94.7	0
Hypopharynx	0.0	0.0	94.7	0
Other Oral Cavity and Pharynx	0.0	0.0	94.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	94.7	0
Stomach	0.0	0.0	94.7	0
Small Intestine	0.0	0.0	94.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	94.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	94.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	94.7	0
Liver	0.0	0.0	94.7	0
Intrahepatic Bile Duct	0.0	0.0	94.7	0
Gallbladder	0.0	0.0	94.7	0
Other Biliary	0.0	0.0	94.7	0
Pancreas	0.0	0.0	94.7	0
Retroperitoneum	0.0	0.0	94.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	94.7	0
Other Digestive Organs	0.0	0.0	94.7	0
Respiratory System	165.8	45.7	391.2	6
Nose, Nasal Cavity and Middle Ear	0.0	0.0	94.7	0
Larynx	0.0	0.0	94.7	0
Lung and Bronchus	165.8	45.7	391.2	6
Pleura	0.0	0.0	94.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	94.7	0
Bones and Joints	0.0	0.0	94.7	0
Soft Tissue including Heart	0.0	0.0	94.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	94.7	0
Melanoma of the Skin	0.0	0.0	94.7	0
Other Non-Epithelial Skin	0.0	0.0	94.7	0
Urinary System	0.0	0.0	94.7	0
Urinary Bladder	0.0	0.0	94.7	0
Kidney and Renal Pelvis	0.0	0.0	94.7	0
Ureter	0.0	0.0	94.7	0
Other Urinary Organs	0.0	0.0	94.7	0
Eye and Orbit	0.0	0.0	94.7	0
Brain and Other Nervous System	0.0	0.0	94.7	0
Endocrine System	0.0	0.0	94.7	0
Thyroid	0.0	0.0	94.7	0
Other Endocrine including Thymus	0.0	0.0	94.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	94.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	94.7	0
Leukemia	0.0	0.0	94.7	0
Lymphocytic Leukemia	0.0	0.0	94.7	0
Acute Lymphocytic Leukemia	0.0	0.0	94.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	94.7	0
Other Lymphocytic Leukemia	0.0	0.0	94.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	94.7	0
Acute Myeloid Leukemia	0.0	0.0	94.7	0
Acute Monocytic Leukemia	0.0	0.0	94.7	0
Chronic Myeloid Leukemia	0.0	0.0	94.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	94.7	0
Other Leukemia	0.0	0.0	94.7	0
Other Acute Leukemia	0.0	0.0	94.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	94.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	94.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	272.2	146.2	452.6	16
Oral Cavity and Pharynx	0.0	0.0	53.0	0
Lip	0.0	0.0	53.0	0
Tongue	0.0	0.0	53.0	0
Salivary Gland	0.0	0.0	53.0	0
Floor of Mouth	0.0	0.0	53.0	0
Gum and Other Mouth	0.0	0.0	53.0	0
Nasopharynx	0.0	0.0	53.0	0
Tonsil	0.0	0.0	53.0	0
Oropharynx	0.0	0.0	53.0	0
Hypopharynx	0.0	0.0	53.0	0
Other Oral Cavity and Pharynx	0.0	0.0	53.0	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	53.0	0
Small Intestine	0.0	0.0	53.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	53.0	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	53.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	53.0	0
Liver	0.0	0.0	53.0	0
Intrahepatic Bile Duct	0.0	0.0	53.0	0
Gallbladder	0.0	0.0	53.0	0
Other Biliary	0.0	0.0	53.0	0
Pancreas	0.0	0.0	53.0	0
Retroperitoneum	0.0	0.0	53.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.0	0
Other Digestive Organs	0.0	0.0	53.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.0	0
Larynx	0.0	0.0	53.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	53.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.0	0
Bones and Joints	0.0	0.0	53.0	0
Soft Tissue including Heart	0.0	0.0	53.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	53.0	0
Melanoma of the Skin	0.0	0.0	53.0	0
Other Non-Epithelial Skin	0.0	0.0	53.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	53.0	0
Other Urinary Organs	0.0	0.0	53.0	0
Eye and Orbit	0.0	0.0	53.0	0
Brain and Other Nervous System	0.0	0.0	53.0	0
Endocrine System	0.0	0.0	53.0	0
Thyroid	0.0	0.0	53.0	0
Other Endocrine including Thymus	0.0	0.0	53.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	53.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	53.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	53.0	0
Acute Lymphocytic Leukemia	0.0	0.0	53.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.0	0
Other Lymphocytic Leukemia	0.0	0.0	53.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	53.0	0
Chronic Myeloid Leukemia	0.0	0.0	53.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.0	0
Other Leukemia	0.0	0.0	53.0	0
Other Acute Leukemia	0.0	0.0	53.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	53.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	221.1	91.0	436.5	8
Oral Cavity and Pharynx	0.0	0.0	91.2	0
Lip	0.0	0.0	91.2	0
Tongue	0.0	0.0	91.2	0
Salivary Gland	0.0	0.0	91.2	0
Floor of Mouth	0.0	0.0	91.2	0
Gum and Other Mouth	0.0	0.0	91.2	0
Nasopharynx	0.0	0.0	91.2	0
Tonsil	0.0	0.0	91.2	0
Oropharynx	0.0	0.0	91.2	0
Hypopharynx	0.0	0.0	91.2	0
Other Oral Cavity and Pharynx	0.0	0.0	91.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	91.2	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	91.2	0
Colon and Rectum	0.0	0.0	91.2	0
Colon excluding Rectum	0.0	0.0	91.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	91.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	91.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	91.2	0
Gallbladder	0.0	0.0	91.2	0
Other Biliary	0.0	0.0	91.2	0
Pancreas	0.0	0.0	91.2	0
Retroperitoneum	0.0	0.0	91.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	91.2	0
Other Digestive Organs	0.0	0.0	91.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	91.2	0
Larynx	0.0	0.0	91.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	91.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	91.2	0
Bones and Joints	0.0	0.0	91.2	0
Soft Tissue including Heart	0.0	0.0	91.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	91.2	0
Melanoma of the Skin	0.0	0.0	91.2	0
Other Non-Epithelial Skin	0.0	0.0	91.2	0
Urinary System	0.0	0.0	91.2	0
Urinary Bladder	0.0	0.0	91.2	0
Kidney and Renal Pelvis	0.0	0.0	91.2	0
Ureter	0.0	0.0	91.2	0
Other Urinary Organs	0.0	0.0	91.2	0
Eye and Orbit	0.0	0.0	91.2	0
Brain and Other Nervous System	0.0	0.0	91.2	0
Endocrine System	0.0	0.0	91.2	0
Thyroid	0.0	0.0	91.2	0
Other Endocrine including Thymus	0.0	0.0	91.2	0
Lymphoma	0.0	0.0	91.2	0
Hodgkin Lymphoma	0.0	0.0	91.2	0
Non-Hodgkin Lymphoma	0.0	0.0	91.2	0
Myeloma	0.0	0.0	91.2	0
Leukemia	0.0	0.0	91.2	0
Lymphocytic Leukemia	0.0	0.0	91.2	0
Acute Lymphocytic Leukemia	0.0	0.0	91.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	91.2	0
Other Lymphocytic Leukemia	0.0	0.0	91.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	91.2	0
Acute Myeloid Leukemia	0.0	0.0	91.2	0
Acute Monocytic Leukemia	0.0	0.0	91.2	0
Chronic Myeloid Leukemia	0.0	0.0	91.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	91.2	0
Other Leukemia	0.0	0.0	91.2	0
Other Acute Leukemia	0.0	0.0	91.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	91.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	91.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	138.4	62.0	269.2	9
Oral Cavity and Pharynx	0.0	0.0	66.0	0
Lip	0.0	0.0	66.0	0
Tongue	0.0	0.0	66.0	0
Salivary Gland	0.0	0.0	66.0	0
Floor of Mouth	0.0	0.0	66.0	0
Gum and Other Mouth	0.0	0.0	66.0	0
Nasopharynx	0.0	0.0	66.0	0
Tonsil	0.0	0.0	66.0	0
Oropharynx	0.0	0.0	66.0	0
Hypopharynx	0.0	0.0	66.0	0
Other Oral Cavity and Pharynx	0.0	0.0	66.0	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	66.0	0
Small Intestine	0.0	0.0	66.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	66.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	66.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	66.0	0
Liver	0.0	0.0	66.0	0
Intrahepatic Bile Duct	0.0	0.0	66.0	0
Gallbladder	0.0	0.0	66.0	0
Other Biliary	0.0	0.0	66.0	0
Pancreas	0.0	0.0	66.0	0
Retroperitoneum	0.0	0.0	66.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	66.0	0
Other Digestive Organs	0.0	0.0	66.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	66.0	0
Larynx	0.0	0.0	66.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	66.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	66.0	0
Bones and Joints	0.0	0.0	66.0	0
Soft Tissue including Heart	0.0	0.0	66.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	66.0	0
Melanoma of the Skin	0.0	0.0	66.0	0
Other Non-Epithelial Skin	0.0	0.0	66.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	66.0	0
Ureter	0.0	0.0	66.0	0
Other Urinary Organs	0.0	0.0	66.0	0
Eye and Orbit	0.0	0.0	66.0	0
Brain and Other Nervous System	0.0	0.0	66.0	0
Endocrine System	0.0	0.0	66.0	0
Thyroid	0.0	0.0	66.0	0
Other Endocrine including Thymus	0.0	0.0	66.0	0
Lymphoma	0.0	0.0	66.0	0
Hodgkin Lymphoma	0.0	0.0	66.0	0
Non-Hodgkin Lymphoma	0.0	0.0	66.0	0
Myeloma	0.0	0.0	66.0	0
Leukemia	0.0	0.0	66.0	0
Lymphocytic Leukemia	0.0	0.0	66.0	0
Acute Lymphocytic Leukemia	0.0	0.0	66.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	66.0	0
Other Lymphocytic Leukemia	0.0	0.0	66.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	66.0	0
Acute Myeloid Leukemia	0.0	0.0	66.0	0
Acute Monocytic Leukemia	0.0	0.0	66.0	0
Chronic Myeloid Leukemia	0.0	0.0	66.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	66.0	0
Other Leukemia	0.0	0.0	66.0	0
Other Acute Leukemia	0.0	0.0	66.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	66.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	66.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	819.4	0
Lip	0.0	0.0	819.4	0
Tongue	0.0	0.0	819.4	0
Salivary Gland	0.0	0.0	819.4	0
Floor of Mouth	0.0	0.0	819.4	0
Gum and Other Mouth	0.0	0.0	819.4	0
Nasopharynx	0.0	0.0	819.4	0
Tonsil	0.0	0.0	819.4	0
Oropharynx	0.0	0.0	819.4	0
Hypopharynx	0.0	0.0	819.4	0
Other Oral Cavity and Pharynx	0.0	0.0	819.4	0
Digestive System	0.0	0.0	819.4	0
Esophagus	0.0	0.0	819.4	0
Stomach	0.0	0.0	819.4	0
Small Intestine	0.0	0.0	819.4	0
Colon and Rectum	0.0	0.0	819.4	0
Colon excluding Rectum	0.0	0.0	819.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	819.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	819.4	0
Liver and Intrahepatic Bile Duct	0.0	0.0	819.4	0
Liver	0.0	0.0	819.4	0
Intrahepatic Bile Duct	0.0	0.0	819.4	0
Gallbladder	0.0	0.0	819.4	0
Other Biliary	0.0	0.0	819.4	0
Pancreas	0.0	0.0	819.4	0
Retroperitoneum	0.0	0.0	819.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	819.4	0
Other Digestive Organs	0.0	0.0	819.4	0
Respiratory System	0.0	0.0	819.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	819.4	0
Larynx	0.0	0.0	819.4	0
Lung and Bronchus	0.0	0.0	819.4	0
Pleura	0.0	0.0	819.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	819.4	0
Bones and Joints	0.0	0.0	819.4	0
Soft Tissue including Heart	0.0	0.0	819.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	819.4	0
Melanoma of the Skin	0.0	0.0	819.4	0
Other Non-Epithelial Skin	0.0	0.0	819.4	0
Urinary System	0.0	0.0	819.4	0
Urinary Bladder	0.0	0.0	819.4	0
Kidney and Renal Pelvis	0.0	0.0	819.4	0
Ureter	0.0	0.0	819.4	0
Other Urinary Organs	0.0	0.0	819.4	0
Eye and Orbit	0.0	0.0	819.4	0
Brain and Other Nervous System	0.0	0.0	819.4	0
Endocrine System	0.0	0.0	819.4	0
Thyroid	0.0	0.0	819.4	0
Other Endocrine including Thymus	0.0	0.0	819.4	0
Lymphoma	0.0	0.0	819.4	0
Hodgkin Lymphoma	0.0	0.0	819.4	0
Non-Hodgkin Lymphoma	0.0	0.0	819.4	0
Myeloma	0.0	0.0	819.4	0
Leukemia	0.0	0.0	819.4	0
Lymphocytic Leukemia	0.0	0.0	819.4	0
Acute Lymphocytic Leukemia	0.0	0.0	819.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	819.4	0
Other Lymphocytic Leukemia	0.0	0.0	819.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	819.4	0
Acute Myeloid Leukemia	0.0	0.0	819.4	0
Acute Monocytic Leukemia	0.0	0.0	819.4	0
Chronic Myeloid Leukemia	0.0	0.0	819.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	819.4	0
Other Leukemia	0.0	0.0	819.4	0
Other Acute Leukemia	0.0	0.0	819.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	819.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	819.4	0
Miscellaneous Malignant Cancer	0.0	0.0	819.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	310.0	159.3	533.2	13
Oral Cavity and Pharynx	0.0	0.0	73.4	0
Lip	0.0	0.0	73.4	0
Tongue	0.0	0.0	73.4	0
Salivary Gland	0.0	0.0	73.4	0
Floor of Mouth	0.0	0.0	73.4	0
Gum and Other Mouth	0.0	0.0	73.4	0
Nasopharynx	0.0	0.0	73.4	0
Tonsil	0.0	0.0	73.4	0
Oropharynx	0.0	0.0	73.4	0
Hypopharynx	0.0	0.0	73.4	0
Other Oral Cavity and Pharynx	0.0	0.0	73.4	0
Digestive System	169.7	60.9	357.3	6
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	73.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	73.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	73.4	0
Gallbladder	0.0	0.0	73.4	0
Other Biliary	0.0	0.0	73.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	73.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	73.4	0
Other Digestive Organs	0.0	0.0	73.4	0
Respiratory System	0.0	0.0	73.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	73.4	0
Larynx	0.0	0.0	73.4	0
Lung and Bronchus	0.0	0.0	73.4	0
Pleura	0.0	0.0	73.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	73.4	0
Bones and Joints	0.0	0.0	73.4	0
Soft Tissue including Heart	0.0	0.0	73.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2004/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	73.4	0
Melanoma of the Skin	0.0	0.0	73.4	0
Other Non-Epithelial Skin	0.0	0.0	73.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	73.4	0
Ureter	0.0	0.0	73.4	0
Other Urinary Organs	0.0	0.0	73.4	0
Eye and Orbit	0.0	0.0	73.4	0
Brain and Other Nervous System	0.0	0.0	73.4	0
Endocrine System	0.0	0.0	73.4	0
Thyroid	0.0	0.0	73.4	0
Other Endocrine including Thymus	0.0	0.0	73.4	0
Lymphoma	0.0	0.0	73.4	0
Hodgkin Lymphoma	0.0	0.0	73.4	0
Non-Hodgkin Lymphoma	0.0	0.0	73.4	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	73.4	0
Lymphocytic Leukemia	0.0	0.0	73.4	0
Acute Lymphocytic Leukemia	0.0	0.0	73.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	73.4	0
Other Lymphocytic Leukemia	0.0	0.0	73.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	73.4	0
Acute Myeloid Leukemia	0.0	0.0	73.4	0
Acute Monocytic Leukemia	0.0	0.0	73.4	0
Chronic Myeloid Leukemia	0.0	0.0	73.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	73.4	0
Other Leukemia	0.0	0.0	73.4	0
Other Acute Leukemia	0.0	0.0	73.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	73.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	73.4	0
Miscellaneous Malignant Cancer	0.0	0.0	73.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	320.6	0
Lip	0.0	0.0	320.6	0
Tongue	0.0	0.0	320.6	0
Salivary Gland	0.0	0.0	320.6	0
Floor of Mouth	0.0	0.0	320.6	0
Gum and Other Mouth	0.0	0.0	320.6	0
Nasopharynx	0.0	0.0	320.6	0
Tonsil	0.0	0.0	320.6	0
Oropharynx	0.0	0.0	320.6	0
Hypopharynx	0.0	0.0	320.6	0
Other Oral Cavity and Pharynx	0.0	0.0	320.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	320.6	0
Stomach	0.0	0.0	320.6	0
Small Intestine	0.0	0.0	320.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	320.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	320.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	320.6	0
Liver	0.0	0.0	320.6	0
Intrahepatic Bile Duct	0.0	0.0	320.6	0
Gallbladder	0.0	0.0	320.6	0
Other Biliary	0.0	0.0	320.6	0
Pancreas	0.0	0.0	320.6	0
Retroperitoneum	0.0	0.0	320.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	320.6	0
Other Digestive Organs	0.0	0.0	320.6	0
Respiratory System	0.0	0.0	320.6	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	320.6	0
Larynx	0.0	0.0	320.6	0
Lung and Bronchus	0.0	0.0	320.6	0
Pleura	0.0	0.0	320.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	320.6	0
Bones and Joints	0.0	0.0	320.6	0
Soft Tissue including Heart	0.0	0.0	320.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	320.6	0
Melanoma of the Skin	0.0	0.0	320.6	0
Other Non-Epithelial Skin	0.0	0.0	320.6	0
Urinary System	0.0	0.0	320.6	0
Urinary Bladder	0.0	0.0	320.6	0
Kidney and Renal Pelvis	0.0	0.0	320.6	0
Ureter	0.0	0.0	320.6	0
Other Urinary Organs	0.0	0.0	320.6	0
Eye and Orbit	0.0	0.0	320.6	0
Brain and Other Nervous System	0.0	0.0	320.6	0
Endocrine System	0.0	0.0	320.6	0
Thyroid	0.0	0.0	320.6	0
Other Endocrine including Thymus	0.0	0.0	320.6	0
Lymphoma	0.0	0.0	320.6	0
Hodgkin Lymphoma	0.0	0.0	320.6	0
Non-Hodgkin Lymphoma	0.0	0.0	320.6	0
Myeloma	0.0	0.0	320.6	0
Leukemia	0.0	0.0	320.6	0
Lymphocytic Leukemia	0.0	0.0	320.6	0
Acute Lymphocytic Leukemia	0.0	0.0	320.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	320.6	0
Other Lymphocytic Leukemia	0.0	0.0	320.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	320.6	0
Acute Myeloid Leukemia	0.0	0.0	320.6	0
Acute Monocytic Leukemia	0.0	0.0	320.6	0
Chronic Myeloid Leukemia	0.0	0.0	320.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	320.6	0
Other Leukemia	0.0	0.0	320.6	0
Other Acute Leukemia	0.0	0.0	320.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	320.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	320.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	214.8	0
Lip	0.0	0.0	214.8	0
Tongue	0.0	0.0	214.8	0
Salivary Gland	0.0	0.0	214.8	0
Floor of Mouth	0.0	0.0	214.8	0
Gum and Other Mouth	0.0	0.0	214.8	0
Nasopharynx	0.0	0.0	214.8	0
Tonsil	0.0	0.0	214.8	0
Oropharynx	0.0	0.0	214.8	0
Hypopharynx	0.0	0.0	214.8	0
Other Oral Cavity and Pharynx	0.0	0.0	214.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	214.8	0
Stomach	0.0	0.0	214.8	0
Small Intestine	0.0	0.0	214.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	0.0	0.0	214.8	0
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	214.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	214.8	0
Liver	0.0	0.0	214.8	0
Intrahepatic Bile Duct	0.0	0.0	214.8	0
Gallbladder	0.0	0.0	214.8	0
Other Biliary	0.0	0.0	214.8	0
Pancreas	0.0	0.0	214.8	0
Retroperitoneum	0.0	0.0	214.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	214.8	0
Other Digestive Organs	0.0	0.0	214.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	214.8	0
Larynx	0.0	0.0	214.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	214.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	214.8	0
Bones and Joints	0.0	0.0	214.8	0
Soft Tissue including Heart	0.0	0.0	214.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	214.8	0
Melanoma of the Skin	0.0	0.0	214.8	0
Other Non-Epithelial Skin	0.0	0.0	214.8	0
Urinary System	0.0	0.0	214.8	0
Urinary Bladder	0.0	0.0	214.8	0
Kidney and Renal Pelvis	0.0	0.0	214.8	0
Ureter	0.0	0.0	214.8	0
Other Urinary Organs	0.0	0.0	214.8	0
Eye and Orbit	0.0	0.0	214.8	0
Brain and Other Nervous System	0.0	0.0	214.8	0
Endocrine System	0.0	0.0	214.8	0
Thyroid	0.0	0.0	214.8	0
Other Endocrine including Thymus	0.0	0.0	214.8	0
Lymphoma	0.0	0.0	214.8	0
Hodgkin Lymphoma	0.0	0.0	214.8	0
Non-Hodgkin Lymphoma	0.0	0.0	214.8	0
Myeloma	0.0	0.0	214.8	0
Leukemia	0.0	0.0	214.8	0
Lymphocytic Leukemia	0.0	0.0	214.8	0
Acute Lymphocytic Leukemia	0.0	0.0	214.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	214.8	0
Other Lymphocytic Leukemia	0.0	0.0	214.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	214.8	0
Acute Myeloid Leukemia	0.0	0.0	214.8	0
Acute Monocytic Leukemia	0.0	0.0	214.8	0
Chronic Myeloid Leukemia	0.0	0.0	214.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	214.8	0
Other Leukemia	0.0	0.0	214.8	0
Other Acute Leukemia	0.0	0.0	214.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	214.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	214.8	0
Miscellaneous Malignant Cancer	0.0	0.0	214.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	167.5	147.5	189.2	298
Oral Cavity and Pharynx	3.9	1.5	8.1	7
Lip	0.0	0.0	1.8	0
Tongue	0.0	0.0	1.8	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	1.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	1.8	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	33.5	25.0	43.8	60
Esophagus	3.1	1.2	6.6	7
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	10.6	6.0	16.9	19
Colon excluding Rectum	8.2	4.3	14.0	15
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.5	3.1	11.6	12
Liver	5.5	2.4	10.5	10
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	1.8	0
Other Biliary	0.0	0.0	1.8	0
Pancreas	8.4	4.3	14.3	14
Retroperitoneum	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	1.8	0
Respiratory System	56.1	44.7	69.2	97
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.8	0
Larynx	^	^	^	^
Lung and Bronchus	55.2	44.0	68.2	96
Pleura	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.6	1.4	7.3	8
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	5.4	2.2	10.6	8
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	1.8	0
Other Urinary Organs	0.0	0.0	1.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	3.8	1.6	7.5	9
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	6.5	3.0	11.9	11
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.2	2.8	11.6	10
Myeloma	^	^	^	^
Leukemia	6.3	3.0	11.3	12
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.8	0
Myeloid and Monocytic Leukemia	3.9	1.4	8.3	7
Acute Myeloid Leukemia	3.6	1.2	8.0	6
Acute Monocytic Leukemia	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	14.1	8.9	20.9	27

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	184.7	99.2	306.3	16
Oral Cavity and Pharynx	0.0	0.0	35.0	0
Lip	0.0	0.0	35.0	0
Tongue	0.0	0.0	35.0	0
Salivary Gland	0.0	0.0	35.0	0
Floor of Mouth	0.0	0.0	35.0	0
Gum and Other Mouth	0.0	0.0	35.0	0
Nasopharynx	0.0	0.0	35.0	0
Tonsil	0.0	0.0	35.0	0
Oropharynx	0.0	0.0	35.0	0
Hypopharynx	0.0	0.0	35.0	0
Other Oral Cavity and Pharynx	0.0	0.0	35.0	0
Digestive System	58.9	18.5	133.8	6
Esophagus	0.0	0.0	35.0	0
Stomach	0.0	0.0	35.0	0
Small Intestine	0.0	0.0	35.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	35.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	35.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.0	0
Gallbladder	0.0	0.0	35.0	0
Other Biliary	0.0	0.0	35.0	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	35.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.0	0
Other Digestive Organs	0.0	0.0	35.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.0	0
Larynx	0.0	0.0	35.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	35.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.0	0
Bones and Joints	0.0	0.0	35.0	0
Soft Tissue including Heart	0.0	0.0	35.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	35.0	0
Melanoma of the Skin	0.0	0.0	35.0	0
Other Non-Epithelial Skin	0.0	0.0	35.0	0
Urinary System	0.0	0.0	35.0	0
Urinary Bladder	0.0	0.0	35.0	0
Kidney and Renal Pelvis	0.0	0.0	35.0	0
Ureter	0.0	0.0	35.0	0
Other Urinary Organs	0.0	0.0	35.0	0
Eye and Orbit	0.0	0.0	35.0	0
Brain and Other Nervous System	0.0	0.0	35.0	0
Endocrine System	0.0	0.0	35.0	0
Thyroid	0.0	0.0	35.0	0
Other Endocrine including Thymus	0.0	0.0	35.0	0
Lymphoma	0.0	0.0	35.0	0
Hodgkin Lymphoma	0.0	0.0	35.0	0
Non-Hodgkin Lymphoma	0.0	0.0	35.0	0
Myeloma	0.0	0.0	35.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	35.0	0
Acute Lymphocytic Leukemia	0.0	0.0	35.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.0	0
Other Lymphocytic Leukemia	0.0	0.0	35.0	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	0.0	0.0	35.0	0
Acute Monocytic Leukemia	0.0	0.0	35.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.0	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	35.0	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	579.3	0
Lip	0.0	0.0	579.3	0
Tongue	0.0	0.0	579.3	0
Salivary Gland	0.0	0.0	579.3	0
Floor of Mouth	0.0	0.0	579.3	0
Gum and Other Mouth	0.0	0.0	579.3	0
Nasopharynx	0.0	0.0	579.3	0
Tonsil	0.0	0.0	579.3	0
Oropharynx	0.0	0.0	579.3	0
Hypopharynx	0.0	0.0	579.3	0
Other Oral Cavity and Pharynx	0.0	0.0	579.3	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	579.3	0
Small Intestine	0.0	0.0	579.3	0
Colon and Rectum	0.0	0.0	579.3	0
Colon excluding Rectum	0.0	0.0	579.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	579.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	579.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	579.3	0
Liver	0.0	0.0	579.3	0
Intrahepatic Bile Duct	0.0	0.0	579.3	0
Gallbladder	0.0	0.0	579.3	0
Other Biliary	0.0	0.0	579.3	0
Pancreas	0.0	0.0	579.3	0
Retroperitoneum	0.0	0.0	579.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	579.3	0
Other Digestive Organs	0.0	0.0	579.3	0
Respiratory System	0.0	0.0	579.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	579.3	0
Larynx	0.0	0.0	579.3	0
Lung and Bronchus	0.0	0.0	579.3	0
Pleura	0.0	0.0	579.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	579.3	0
Bones and Joints	0.0	0.0	579.3	0
Soft Tissue including Heart	0.0	0.0	579.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	579.3	0
Melanoma of the Skin	0.0	0.0	579.3	0
Other Non-Epithelial Skin	0.0	0.0	579.3	0
Urinary System	0.0	0.0	579.3	0
Urinary Bladder	0.0	0.0	579.3	0
Kidney and Renal Pelvis	0.0	0.0	579.3	0
Ureter	0.0	0.0	579.3	0
Other Urinary Organs	0.0	0.0	579.3	0
Eye and Orbit	0.0	0.0	579.3	0
Brain and Other Nervous System	0.0	0.0	579.3	0
Endocrine System	0.0	0.0	579.3	0
Thyroid	0.0	0.0	579.3	0
Other Endocrine including Thymus	0.0	0.0	579.3	0
Lymphoma	0.0	0.0	579.3	0
Hodgkin Lymphoma	0.0	0.0	579.3	0
Non-Hodgkin Lymphoma	0.0	0.0	579.3	0
Myeloma	0.0	0.0	579.3	0
Leukemia	0.0	0.0	579.3	0
Lymphocytic Leukemia	0.0	0.0	579.3	0
Acute Lymphocytic Leukemia	0.0	0.0	579.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	579.3	0
Other Lymphocytic Leukemia	0.0	0.0	579.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	579.3	0
Acute Myeloid Leukemia	0.0	0.0	579.3	0
Acute Monocytic Leukemia	0.0	0.0	579.3	0
Chronic Myeloid Leukemia	0.0	0.0	579.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	579.3	0
Other Leukemia	0.0	0.0	579.3	0
Other Acute Leukemia	0.0	0.0	579.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	579.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	579.3	0
Miscellaneous Malignant Cancer	0.0	0.0	579.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	450.1	0
Lip	0.0	0.0	450.1	0
Tongue	0.0	0.0	450.1	0
Salivary Gland	0.0	0.0	450.1	0
Floor of Mouth	0.0	0.0	450.1	0
Gum and Other Mouth	0.0	0.0	450.1	0
Nasopharynx	0.0	0.0	450.1	0
Tonsil	0.0	0.0	450.1	0
Oropharynx	0.0	0.0	450.1	0
Hypopharynx	0.0	0.0	450.1	0
Other Oral Cavity and Pharynx	0.0	0.0	450.1	0
Digestive System	0.0	0.0	450.1	0
Esophagus	0.0	0.0	450.1	0
Stomach	0.0	0.0	450.1	0
Small Intestine	0.0	0.0	450.1	0
Colon and Rectum	0.0	0.0	450.1	0
Colon excluding Rectum	0.0	0.0	450.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	450.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	450.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	450.1	0
Liver	0.0	0.0	450.1	0
Intrahepatic Bile Duct	0.0	0.0	450.1	0
Gallbladder	0.0	0.0	450.1	0
Other Biliary	0.0	0.0	450.1	0
Pancreas	0.0	0.0	450.1	0
Retroperitoneum	0.0	0.0	450.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	450.1	0
Other Digestive Organs	0.0	0.0	450.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	450.1	0
Larynx	0.0	0.0	450.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	450.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	450.1	0
Bones and Joints	0.0	0.0	450.1	0
Soft Tissue including Heart	0.0	0.0	450.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	450.1	0
Melanoma of the Skin	0.0	0.0	450.1	0
Other Non-Epithelial Skin	0.0	0.0	450.1	0
Urinary System	0.0	0.0	450.1	0
Urinary Bladder	0.0	0.0	450.1	0
Kidney and Renal Pelvis	0.0	0.0	450.1	0
Ureter	0.0	0.0	450.1	0
Other Urinary Organs	0.0	0.0	450.1	0
Eye and Orbit	0.0	0.0	450.1	0
Brain and Other Nervous System	0.0	0.0	450.1	0
Endocrine System	0.0	0.0	450.1	0
Thyroid	0.0	0.0	450.1	0
Other Endocrine including Thymus	0.0	0.0	450.1	0
Lymphoma	0.0	0.0	450.1	0
Hodgkin Lymphoma	0.0	0.0	450.1	0
Non-Hodgkin Lymphoma	0.0	0.0	450.1	0
Myeloma	0.0	0.0	450.1	0
Leukemia	0.0	0.0	450.1	0
Lymphocytic Leukemia	0.0	0.0	450.1	0
Acute Lymphocytic Leukemia	0.0	0.0	450.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	450.1	0
Other Lymphocytic Leukemia	0.0	0.0	450.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	450.1	0
Acute Myeloid Leukemia	0.0	0.0	450.1	0
Acute Monocytic Leukemia	0.0	0.0	450.1	0
Chronic Myeloid Leukemia	0.0	0.0	450.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	450.1	0
Other Leukemia	0.0	0.0	450.1	0
Other Acute Leukemia	0.0	0.0	450.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	450.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	450.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	100.4	0
Tongue	0.0	0.0	100.4	0
Salivary Gland	0.0	0.0	100.4	0
Floor of Mouth	0.0	0.0	100.4	0
Gum and Other Mouth	0.0	0.0	100.4	0
Nasopharynx	0.0	0.0	100.4	0
Tonsil	0.0	0.0	100.4	0
Oropharynx	0.0	0.0	100.4	0
Hypopharynx	0.0	0.0	100.4	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	100.4	0
Small Intestine	0.0	0.0	100.4	0
Colon and Rectum	0.0	0.0	100.4	0
Colon excluding Rectum	0.0	0.0	100.4	0
Rectum and Rectosigmoid Junction	0.0	0.0	100.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	100.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	0.0	0.0	100.4	0
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	100.4	0
Other Biliary	0.0	0.0	100.4	0
Pancreas	0.0	0.0	100.4	0
Retroperitoneum	0.0	0.0	100.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	100.4	0
Other Digestive Organs	0.0	0.0	100.4	0
Respiratory System	0.0	0.0	100.4	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	100.4	0
Larynx	0.0	0.0	100.4	0
Lung and Bronchus	0.0	0.0	100.4	0
Pleura	0.0	0.0	100.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	100.4	0
Bones and Joints	0.0	0.0	100.4	0
Soft Tissue including Heart	0.0	0.0	100.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	100.4	0
Melanoma of the Skin	0.0	0.0	100.4	0
Other Non-Epithelial Skin	0.0	0.0	100.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	100.4	0
Ureter	0.0	0.0	100.4	0
Other Urinary Organs	0.0	0.0	100.4	0
Eye and Orbit	0.0	0.0	100.4	0
Brain and Other Nervous System	0.0	0.0	100.4	0
Endocrine System	0.0	0.0	100.4	0
Thyroid	0.0	0.0	100.4	0
Other Endocrine including Thymus	0.0	0.0	100.4	0
Lymphoma	0.0	0.0	100.4	0
Hodgkin Lymphoma	0.0	0.0	100.4	0
Non-Hodgkin Lymphoma	0.0	0.0	100.4	0
Myeloma	0.0	0.0	100.4	0
Leukemia	0.0	0.0	100.4	0
Lymphocytic Leukemia	0.0	0.0	100.4	0
Acute Lymphocytic Leukemia	0.0	0.0	100.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	100.4	0
Other Lymphocytic Leukemia	0.0	0.0	100.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	100.4	0
Acute Myeloid Leukemia	0.0	0.0	100.4	0
Acute Monocytic Leukemia	0.0	0.0	100.4	0
Chronic Myeloid Leukemia	0.0	0.0	100.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	100.4	0
Other Leukemia	0.0	0.0	100.4	0
Other Acute Leukemia	0.0	0.0	100.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	100.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	100.4	0
Miscellaneous Malignant Cancer	0.0	0.0	100.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	151.2	117.3	191.1	79
Oral Cavity and Pharynx	0.0	0.0	6.0	0
Lip	0.0	0.0	6.0	0
Tongue	0.0	0.0	6.0	0
Salivary Gland	0.0	0.0	6.0	0
Floor of Mouth	0.0	0.0	6.0	0
Gum and Other Mouth	0.0	0.0	6.0	0
Nasopharynx	0.0	0.0	6.0	0
Tonsil	0.0	0.0	6.0	0
Oropharynx	0.0	0.0	6.0	0
Hypopharynx	0.0	0.0	6.0	0
Other Oral Cavity and Pharynx	0.0	0.0	6.0	0
Digestive System	32.2	17.5	53.0	16
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.0	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	6.0	0
Gallbladder	0.0	0.0	6.0	0
Other Biliary	0.0	0.0	6.0	0
Pancreas	^	^	^	^
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	6.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	52.7	33.5	77.9	27
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.0	0
Larynx	0.0	0.0	6.0	0
Lung and Bronchus	52.7	33.5	77.9	27
Pleura	0.0	0.0	6.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	0.0	0.0	6.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	6.0	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	6.0	0
Other Urinary Organs	0.0	0.0	6.0	0
Eye and Orbit	0.0	0.0	6.0	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	6.0	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	6.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	6.0	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.0	0
Chronic Myeloid Leukemia	0.0	0.0	6.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.0	0
Other Leukemia	0.0	0.0	6.0	0
Other Acute Leukemia	0.0	0.0	6.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	6.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	202.0	0
Lip	0.0	0.0	202.0	0
Tongue	0.0	0.0	202.0	0
Salivary Gland	0.0	0.0	202.0	0
Floor of Mouth	0.0	0.0	202.0	0
Gum and Other Mouth	0.0	0.0	202.0	0
Nasopharynx	0.0	0.0	202.0	0
Tonsil	0.0	0.0	202.0	0
Oropharynx	0.0	0.0	202.0	0
Hypopharynx	0.0	0.0	202.0	0
Other Oral Cavity and Pharynx	0.0	0.0	202.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	202.0	0
Stomach	0.0	0.0	202.0	0
Small Intestine	0.0	0.0	202.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	202.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	202.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	202.0	0
Liver	0.0	0.0	202.0	0
Intrahepatic Bile Duct	0.0	0.0	202.0	0
Gallbladder	0.0	0.0	202.0	0
Other Biliary	0.0	0.0	202.0	0
Pancreas	0.0	0.0	202.0	0
Retroperitoneum	0.0	0.0	202.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	202.0	0
Other Digestive Organs	0.0	0.0	202.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	202.0	0
Larynx	0.0	0.0	202.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	202.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	202.0	0
Bones and Joints	0.0	0.0	202.0	0
Soft Tissue including Heart	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	202.0	0
Melanoma of the Skin	0.0	0.0	202.0	0
Other Non-Epithelial Skin	0.0	0.0	202.0	0
Urinary System	0.0	0.0	202.0	0
Urinary Bladder	0.0	0.0	202.0	0
Kidney and Renal Pelvis	0.0	0.0	202.0	0
Ureter	0.0	0.0	202.0	0
Other Urinary Organs	0.0	0.0	202.0	0
Eye and Orbit	0.0	0.0	202.0	0
Brain and Other Nervous System	0.0	0.0	202.0	0
Endocrine System	0.0	0.0	202.0	0
Thyroid	0.0	0.0	202.0	0
Other Endocrine including Thymus	0.0	0.0	202.0	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	202.0	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	202.0	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	202.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	202.0	0
Acute Myeloid Leukemia	0.0	0.0	202.0	0
Acute Monocytic Leukemia	0.0	0.0	202.0	0
Chronic Myeloid Leukemia	0.0	0.0	202.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	202.0	0
Other Leukemia	0.0	0.0	202.0	0
Other Acute Leukemia	0.0	0.0	202.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	202.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	202.0	0
Miscellaneous Malignant Cancer	0.0	0.0	202.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	199.3	138.7	275.1	39
Oral Cavity and Pharynx	0.0	0.0	15.3	0
Lip	0.0	0.0	15.3	0
Tongue	0.0	0.0	15.3	0
Salivary Gland	0.0	0.0	15.3	0
Floor of Mouth	0.0	0.0	15.3	0
Gum and Other Mouth	0.0	0.0	15.3	0
Nasopharynx	0.0	0.0	15.3	0
Tonsil	0.0	0.0	15.3	0
Oropharynx	0.0	0.0	15.3	0
Hypopharynx	0.0	0.0	15.3	0
Other Oral Cavity and Pharynx	0.0	0.0	15.3	0
Digestive System	48.6	21.5	91.5	9
Esophagus	0.0	0.0	15.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	15.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	15.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.3	0
Gallbladder	0.0	0.0	15.3	0
Other Biliary	^	^	^	^
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.3	0
Other Digestive Organs	0.0	0.0	15.3	0
Respiratory System	56.8	26.4	103.3	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.3	0
Larynx	0.0	0.0	15.3	0
Lung and Bronchus	56.8	26.4	103.3	10
Pleura	0.0	0.0	15.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.3	0
Bones and Joints	0.0	0.0	15.3	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	15.3	0
Melanoma of the Skin	0.0	0.0	15.3	0
Other Non-Epithelial Skin	0.0	0.0	15.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	15.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.3	0
Other Urinary Organs	0.0	0.0	15.3	0
Eye and Orbit	0.0	0.0	15.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	15.3	0
Thyroid	0.0	0.0	15.3	0
Other Endocrine including Thymus	0.0	0.0	15.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	15.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	15.3	0
Other Lymphocytic Leukemia	0.0	0.0	15.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	15.3	0
Acute Myeloid Leukemia	0.0	0.0	15.3	0
Acute Monocytic Leukemia	0.0	0.0	15.3	0
Chronic Myeloid Leukemia	0.0	0.0	15.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.3	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	15.3	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	15.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	132.5	97.5	175.2	57
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	8.8	0
Tongue	0.0	0.0	8.8	0
Salivary Gland	0.0	0.0	8.8	0
Floor of Mouth	0.0	0.0	8.8	0
Gum and Other Mouth	0.0	0.0	8.8	0
Nasopharynx	0.0	0.0	8.8	0
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	8.8	0
Hypopharynx	0.0	0.0	8.8	0
Other Oral Cavity and Pharynx	0.0	0.0	8.8	0
Digestive System	30.4	14.4	55.2	12
Esophagus	^	^	^	^
Stomach	0.0	0.0	8.8	0
Small Intestine	0.0	0.0	8.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	8.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.8	0
Gallbladder	0.0	0.0	8.8	0
Other Biliary	0.0	0.0	8.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	8.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.8	0
Other Digestive Organs	0.0	0.0	8.8	0
Respiratory System	21.0	9.7	39.7	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.8	0
Larynx	0.0	0.0	8.8	0
Lung and Bronchus	21.0	9.7	39.7	10
Pleura	0.0	0.0	8.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.8	0
Bones and Joints	0.0	0.0	8.8	0
Soft Tissue including Heart	0.0	0.0	8.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	13.2	3.9	31.1	6
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	8.8	0
Other Urinary Organs	0.0	0.0	8.8	0
Eye and Orbit	0.0	0.0	8.8	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	8.8	0
Thyroid	0.0	0.0	8.8	0
Other Endocrine including Thymus	0.0	0.0	8.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	8.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	8.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	8.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	8.8	0
Chronic Myeloid Leukemia	0.0	0.0	8.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	8.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	8.8	0
Miscellaneous Malignant Cancer	20.4	7.7	42.0	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	252.8	163.2	371.4	27
Oral Cavity and Pharynx	0.0	0.0	31.8	0
Lip	0.0	0.0	31.8	0
Tongue	0.0	0.0	31.8	0
Salivary Gland	0.0	0.0	31.8	0
Floor of Mouth	0.0	0.0	31.8	0
Gum and Other Mouth	0.0	0.0	31.8	0
Nasopharynx	0.0	0.0	31.8	0
Tonsil	0.0	0.0	31.8	0
Oropharynx	0.0	0.0	31.8	0
Hypopharynx	0.0	0.0	31.8	0
Other Oral Cavity and Pharynx	0.0	0.0	31.8	0
Digestive System	75.8	31.2	150.6	8
Esophagus	^	^	^	^
Stomach	0.0	0.0	31.8	0
Small Intestine	0.0	0.0	31.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	31.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	31.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	31.8	0
Liver	0.0	0.0	31.8	0
Intrahepatic Bile Duct	0.0	0.0	31.8	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	31.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	31.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.8	0
Other Digestive Organs	0.0	0.0	31.8	0
Respiratory System	95.0	44.0	175.9	10
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.8	0
Larynx	0.0	0.0	31.8	0
Lung and Bronchus	95.0	44.0	175.9	10
Pleura	0.0	0.0	31.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.8	0
Bones and Joints	0.0	0.0	31.8	0
Soft Tissue including Heart	0.0	0.0	31.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	31.8	0
Melanoma of the Skin	0.0	0.0	31.8	0
Other Non-Epithelial Skin	0.0	0.0	31.8	0
Urinary System	0.0	0.0	31.8	0
Urinary Bladder	0.0	0.0	31.8	0
Kidney and Renal Pelvis	0.0	0.0	31.8	0
Ureter	0.0	0.0	31.8	0
Other Urinary Organs	0.0	0.0	31.8	0
Eye and Orbit	0.0	0.0	31.8	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	31.8	0
Thyroid	0.0	0.0	31.8	0
Other Endocrine including Thymus	0.0	0.0	31.8	0
Lymphoma	0.0	0.0	31.8	0
Hodgkin Lymphoma	0.0	0.0	31.8	0
Non-Hodgkin Lymphoma	0.0	0.0	31.8	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	31.8	0
Acute Lymphocytic Leukemia	0.0	0.0	31.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	31.8	0
Other Lymphocytic Leukemia	0.0	0.0	31.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	31.8	0
Acute Myeloid Leukemia	0.0	0.0	31.8	0
Acute Monocytic Leukemia	0.0	0.0	31.8	0
Chronic Myeloid Leukemia	0.0	0.0	31.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	31.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	246.9	133.7	406.3	15
Oral Cavity and Pharynx	0.0	0.0	41.5	0
Lip	0.0	0.0	41.5	0
Tongue	0.0	0.0	41.5	0
Salivary Gland	0.0	0.0	41.5	0
Floor of Mouth	0.0	0.0	41.5	0
Gum and Other Mouth	0.0	0.0	41.5	0
Nasopharynx	0.0	0.0	41.5	0
Tonsil	0.0	0.0	41.5	0
Oropharynx	0.0	0.0	41.5	0
Hypopharynx	0.0	0.0	41.5	0
Other Oral Cavity and Pharynx	0.0	0.0	41.5	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	41.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	41.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	41.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	41.5	0
Liver	0.0	0.0	41.5	0
Intrahepatic Bile Duct	0.0	0.0	41.5	0
Gallbladder	0.0	0.0	41.5	0
Other Biliary	0.0	0.0	41.5	0
Pancreas	0.0	0.0	41.5	0
Retroperitoneum	0.0	0.0	41.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	41.5	0
Other Digestive Organs	0.0	0.0	41.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	41.5	0
Larynx	0.0	0.0	41.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	41.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	41.5	0
Bones and Joints	0.0	0.0	41.5	0
Soft Tissue including Heart	0.0	0.0	41.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	41.5	0
Melanoma of the Skin	0.0	0.0	41.5	0
Other Non-Epithelial Skin	0.0	0.0	41.5	0
Urinary System	0.0	0.0	41.5	0
Urinary Bladder	0.0	0.0	41.5	0
Kidney and Renal Pelvis	0.0	0.0	41.5	0
Ureter	0.0	0.0	41.5	0
Other Urinary Organs	0.0	0.0	41.5	0
Eye and Orbit	0.0	0.0	41.5	0
Brain and Other Nervous System	0.0	0.0	41.5	0
Endocrine System	0.0	0.0	41.5	0
Thyroid	0.0	0.0	41.5	0
Other Endocrine including Thymus	0.0	0.0	41.5	0
Lymphoma	0.0	0.0	41.5	0
Hodgkin Lymphoma	0.0	0.0	41.5	0
Non-Hodgkin Lymphoma	0.0	0.0	41.5	0
Myeloma	0.0	0.0	41.5	0
Leukemia	0.0	0.0	41.5	0
Lymphocytic Leukemia	0.0	0.0	41.5	0
Acute Lymphocytic Leukemia	0.0	0.0	41.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	41.5	0
Other Lymphocytic Leukemia	0.0	0.0	41.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	41.5	0
Acute Myeloid Leukemia	0.0	0.0	41.5	0
Acute Monocytic Leukemia	0.0	0.0	41.5	0
Chronic Myeloid Leukemia	0.0	0.0	41.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	41.5	0
Other Leukemia	0.0	0.0	41.5	0
Other Acute Leukemia	0.0	0.0	41.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	41.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	41.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	359.1	0
Lip	0.0	0.0	359.1	0
Tongue	0.0	0.0	359.1	0
Salivary Gland	0.0	0.0	359.1	0
Floor of Mouth	0.0	0.0	359.1	0
Gum and Other Mouth	0.0	0.0	359.1	0
Nasopharynx	0.0	0.0	359.1	0
Tonsil	0.0	0.0	359.1	0
Oropharynx	0.0	0.0	359.1	0
Hypopharynx	0.0	0.0	359.1	0
Other Oral Cavity and Pharynx	0.0	0.0	359.1	0
Digestive System	0.0	0.0	359.1	0
Esophagus	0.0	0.0	359.1	0
Stomach	0.0	0.0	359.1	0
Small Intestine	0.0	0.0	359.1	0
Colon and Rectum	0.0	0.0	359.1	0
Colon excluding Rectum	0.0	0.0	359.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	359.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	359.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	359.1	0
Liver	0.0	0.0	359.1	0
Intrahepatic Bile Duct	0.0	0.0	359.1	0
Gallbladder	0.0	0.0	359.1	0
Other Biliary	0.0	0.0	359.1	0
Pancreas	0.0	0.0	359.1	0
Retroperitoneum	0.0	0.0	359.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	359.1	0
Other Digestive Organs	0.0	0.0	359.1	0
Respiratory System	0.0	0.0	359.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	359.1	0
Larynx	0.0	0.0	359.1	0
Lung and Bronchus	0.0	0.0	359.1	0
Pleura	0.0	0.0	359.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	359.1	0
Bones and Joints	0.0	0.0	359.1	0
Soft Tissue including Heart	0.0	0.0	359.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	359.1	0
Melanoma of the Skin	0.0	0.0	359.1	0
Other Non-Epithelial Skin	0.0	0.0	359.1	0
Urinary System	0.0	0.0	359.1	0
Urinary Bladder	0.0	0.0	359.1	0
Kidney and Renal Pelvis	0.0	0.0	359.1	0
Ureter	0.0	0.0	359.1	0
Other Urinary Organs	0.0	0.0	359.1	0
Eye and Orbit	0.0	0.0	359.1	0
Brain and Other Nervous System	0.0	0.0	359.1	0
Endocrine System	0.0	0.0	359.1	0
Thyroid	0.0	0.0	359.1	0
Other Endocrine including Thymus	0.0	0.0	359.1	0
Lymphoma	0.0	0.0	359.1	0
Hodgkin Lymphoma	0.0	0.0	359.1	0
Non-Hodgkin Lymphoma	0.0	0.0	359.1	0
Myeloma	0.0	0.0	359.1	0
Leukemia	0.0	0.0	359.1	0
Lymphocytic Leukemia	0.0	0.0	359.1	0
Acute Lymphocytic Leukemia	0.0	0.0	359.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	359.1	0
Other Lymphocytic Leukemia	0.0	0.0	359.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	359.1	0
Acute Myeloid Leukemia	0.0	0.0	359.1	0
Acute Monocytic Leukemia	0.0	0.0	359.1	0
Chronic Myeloid Leukemia	0.0	0.0	359.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	359.1	0
Other Leukemia	0.0	0.0	359.1	0
Other Acute Leukemia	0.0	0.0	359.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	359.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	359.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	182.7	143.3	228.8	88
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	6.9	0
Tongue	0.0	0.0	6.9	0
Salivary Gland	0.0	0.0	6.9	0
Floor of Mouth	0.0	0.0	6.9	0
Gum and Other Mouth	0.0	0.0	6.9	0
Nasopharynx	0.0	0.0	6.9	0
Tonsil	0.0	0.0	6.9	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	6.9	0
Other Oral Cavity and Pharynx	0.0	0.0	6.9	0
Digestive System	45.7	27.2	70.9	21
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	6.9	0
Colon and Rectum	19.2	7.4	38.6	7
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	6.9	0
Other Biliary	0.0	0.0	6.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	6.9	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.0	0.0	6.9	0
Respiratory System	49.2	29.4	76.1	22
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.9	0
Larynx	0.0	0.0	6.9	0
Lung and Bronchus	49.2	29.4	76.1	22
Pleura	0.0	0.0	6.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.9	0
Bones and Joints	0.0	0.0	6.9	0
Soft Tissue including Heart	0.0	0.0	6.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	6.9	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	6.9	0
Other Urinary Organs	0.0	0.0	6.9	0
Eye and Orbit	0.0	0.0	6.9	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	6.9	0
Thyroid	0.0	0.0	6.9	0
Other Endocrine including Thymus	0.0	0.0	6.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	6.9	0
Chronic Lymphocytic Leukemia	0.0	0.0	6.9	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.9	0
Chronic Myeloid Leukemia	0.0	0.0	6.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.9	0
Other Leukemia	0.0	0.0	6.9	0
Other Acute Leukemia	0.0	0.0	6.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	6.9	0
Miscellaneous Malignant Cancer	31.4	15.0	55.7	12

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	108.7	37.3	235.2	6
Oral Cavity and Pharynx	0.0	0.0	53.7	0
Lip	0.0	0.0	53.7	0
Tongue	0.0	0.0	53.7	0
Salivary Gland	0.0	0.0	53.7	0
Floor of Mouth	0.0	0.0	53.7	0
Gum and Other Mouth	0.0	0.0	53.7	0
Nasopharynx	0.0	0.0	53.7	0
Tonsil	0.0	0.0	53.7	0
Oropharynx	0.0	0.0	53.7	0
Hypopharynx	0.0	0.0	53.7	0
Other Oral Cavity and Pharynx	0.0	0.0	53.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	53.7	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	53.7	0
Colon and Rectum	0.0	0.0	53.7	0
Colon excluding Rectum	0.0	0.0	53.7	0
Rectum and Rectosigmoid Junction	0.0	0.0	53.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	53.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	53.7	0
Liver	0.0	0.0	53.7	0
Intrahepatic Bile Duct	0.0	0.0	53.7	0
Gallbladder	0.0	0.0	53.7	0
Other Biliary	0.0	0.0	53.7	0
Pancreas	0.0	0.0	53.7	0
Retroperitoneum	0.0	0.0	53.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	53.7	0
Other Digestive Organs	0.0	0.0	53.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	53.7	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	53.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	53.7	0
Bones and Joints	0.0	0.0	53.7	0
Soft Tissue including Heart	0.0	0.0	53.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	53.7	0
Melanoma of the Skin	0.0	0.0	53.7	0
Other Non-Epithelial Skin	0.0	0.0	53.7	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	53.7	0
Ureter	0.0	0.0	53.7	0
Other Urinary Organs	0.0	0.0	53.7	0
Eye and Orbit	0.0	0.0	53.7	0
Brain and Other Nervous System	0.0	0.0	53.7	0
Endocrine System	0.0	0.0	53.7	0
Thyroid	0.0	0.0	53.7	0
Other Endocrine including Thymus	0.0	0.0	53.7	0
Lymphoma	0.0	0.0	53.7	0
Hodgkin Lymphoma	0.0	0.0	53.7	0
Non-Hodgkin Lymphoma	0.0	0.0	53.7	0
Myeloma	0.0	0.0	53.7	0
Leukemia	0.0	0.0	53.7	0
Lymphocytic Leukemia	0.0	0.0	53.7	0
Acute Lymphocytic Leukemia	0.0	0.0	53.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	53.7	0
Other Lymphocytic Leukemia	0.0	0.0	53.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	53.7	0
Acute Myeloid Leukemia	0.0	0.0	53.7	0
Acute Monocytic Leukemia	0.0	0.0	53.7	0
Chronic Myeloid Leukemia	0.0	0.0	53.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	53.7	0
Other Leukemia	0.0	0.0	53.7	0
Other Acute Leukemia	0.0	0.0	53.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	53.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	53.7	0
Miscellaneous Malignant Cancer	0.0	0.0	53.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	208.9	83.0	421.2	9
Oral Cavity and Pharynx	0.0	0.0	92.1	0
Lip	0.0	0.0	92.1	0
Tongue	0.0	0.0	92.1	0
Salivary Gland	0.0	0.0	92.1	0
Floor of Mouth	0.0	0.0	92.1	0
Gum and Other Mouth	0.0	0.0	92.1	0
Nasopharynx	0.0	0.0	92.1	0
Tonsil	0.0	0.0	92.1	0
Oropharynx	0.0	0.0	92.1	0
Hypopharynx	0.0	0.0	92.1	0
Other Oral Cavity and Pharynx	0.0	0.0	92.1	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	92.1	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	92.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	92.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	92.1	0
Liver	0.0	0.0	92.1	0
Intrahepatic Bile Duct	0.0	0.0	92.1	0
Gallbladder	0.0	0.0	92.1	0
Other Biliary	0.0	0.0	92.1	0
Pancreas	0.0	0.0	92.1	0
Retroperitoneum	0.0	0.0	92.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	92.1	0
Other Digestive Organs	0.0	0.0	92.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	92.1	0
Larynx	0.0	0.0	92.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	92.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	92.1	0
Bones and Joints	0.0	0.0	92.1	0
Soft Tissue including Heart	0.0	0.0	92.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	92.1	0
Melanoma of the Skin	0.0	0.0	92.1	0
Other Non-Epithelial Skin	0.0	0.0	92.1	0
Urinary System	0.0	0.0	92.1	0
Urinary Bladder	0.0	0.0	92.1	0
Kidney and Renal Pelvis	0.0	0.0	92.1	0
Ureter	0.0	0.0	92.1	0
Other Urinary Organs	0.0	0.0	92.1	0
Eye and Orbit	0.0	0.0	92.1	0
Brain and Other Nervous System	0.0	0.0	92.1	0
Endocrine System	0.0	0.0	92.1	0
Thyroid	0.0	0.0	92.1	0
Other Endocrine including Thymus	0.0	0.0	92.1	0
Lymphoma	0.0	0.0	92.1	0
Hodgkin Lymphoma	0.0	0.0	92.1	0
Non-Hodgkin Lymphoma	0.0	0.0	92.1	0
Myeloma	0.0	0.0	92.1	0
Leukemia	0.0	0.0	92.1	0
Lymphocytic Leukemia	0.0	0.0	92.1	0
Acute Lymphocytic Leukemia	0.0	0.0	92.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	92.1	0
Other Lymphocytic Leukemia	0.0	0.0	92.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	92.1	0
Acute Myeloid Leukemia	0.0	0.0	92.1	0
Acute Monocytic Leukemia	0.0	0.0	92.1	0
Chronic Myeloid Leukemia	0.0	0.0	92.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	92.1	0
Other Leukemia	0.0	0.0	92.1	0
Other Acute Leukemia	0.0	0.0	92.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	92.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	92.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	220.9	91.7	431.3	9
Oral Cavity and Pharynx	0.0	0.0	82.3	0
Lip	0.0	0.0	82.3	0
Tongue	0.0	0.0	82.3	0
Salivary Gland	0.0	0.0	82.3	0
Floor of Mouth	0.0	0.0	82.3	0
Gum and Other Mouth	0.0	0.0	82.3	0
Nasopharynx	0.0	0.0	82.3	0
Tonsil	0.0	0.0	82.3	0
Oropharynx	0.0	0.0	82.3	0
Hypopharynx	0.0	0.0	82.3	0
Other Oral Cavity and Pharynx	0.0	0.0	82.3	0
Digestive System	172.8	57.3	376.5	6
Esophagus	0.0	0.0	82.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	82.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	82.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	82.3	0
Other Biliary	0.0	0.0	82.3	0
Pancreas	0.0	0.0	82.3	0
Retroperitoneum	0.0	0.0	82.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	82.3	0
Other Digestive Organs	0.0	0.0	82.3	0
Respiratory System	0.0	0.0	82.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	82.3	0
Larynx	0.0	0.0	82.3	0
Lung and Bronchus	0.0	0.0	82.3	0
Pleura	0.0	0.0	82.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	82.3	0
Bones and Joints	0.0	0.0	82.3	0
Soft Tissue including Heart	0.0	0.0	82.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	82.3	0
Melanoma of the Skin	0.0	0.0	82.3	0
Other Non-Epithelial Skin	0.0	0.0	82.3	0
Urinary System	0.0	0.0	82.3	0
Urinary Bladder	0.0	0.0	82.3	0
Kidney and Renal Pelvis	0.0	0.0	82.3	0
Ureter	0.0	0.0	82.3	0
Other Urinary Organs	0.0	0.0	82.3	0
Eye and Orbit	0.0	0.0	82.3	0
Brain and Other Nervous System	0.0	0.0	82.3	0
Endocrine System	0.0	0.0	82.3	0
Thyroid	0.0	0.0	82.3	0
Other Endocrine including Thymus	0.0	0.0	82.3	0
Lymphoma	0.0	0.0	82.3	0
Hodgkin Lymphoma	0.0	0.0	82.3	0
Non-Hodgkin Lymphoma	0.0	0.0	82.3	0
Myeloma	0.0	0.0	82.3	0
Leukemia	0.0	0.0	82.3	0
Lymphocytic Leukemia	0.0	0.0	82.3	0
Acute Lymphocytic Leukemia	0.0	0.0	82.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	82.3	0
Other Lymphocytic Leukemia	0.0	0.0	82.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	82.3	0
Acute Myeloid Leukemia	0.0	0.0	82.3	0
Acute Monocytic Leukemia	0.0	0.0	82.3	0
Chronic Myeloid Leukemia	0.0	0.0	82.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	82.3	0
Other Leukemia	0.0	0.0	82.3	0
Other Acute Leukemia	0.0	0.0	82.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	82.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	82.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	223.7	103.3	421.4	10
Oral Cavity and Pharynx	0.0	0.0	93.3	0
Lip	0.0	0.0	93.3	0
Tongue	0.0	0.0	93.3	0
Salivary Gland	0.0	0.0	93.3	0
Floor of Mouth	0.0	0.0	93.3	0
Gum and Other Mouth	0.0	0.0	93.3	0
Nasopharynx	0.0	0.0	93.3	0
Tonsil	0.0	0.0	93.3	0
Oropharynx	0.0	0.0	93.3	0
Hypopharynx	0.0	0.0	93.3	0
Other Oral Cavity and Pharynx	0.0	0.0	93.3	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	93.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	93.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	93.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	93.3	0
Liver	0.0	0.0	93.3	0
Intrahepatic Bile Duct	0.0	0.0	93.3	0
Gallbladder	0.0	0.0	93.3	0
Other Biliary	0.0	0.0	93.3	0
Pancreas	0.0	0.0	93.3	0
Retroperitoneum	0.0	0.0	93.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	93.3	0
Other Digestive Organs	0.0	0.0	93.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	93.3	0
Larynx	0.0	0.0	93.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	93.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	93.3	0
Bones and Joints	0.0	0.0	93.3	0
Soft Tissue including Heart	0.0	0.0	93.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	93.3	0
Urinary System	0.0	0.0	93.3	0
Urinary Bladder	0.0	0.0	93.3	0
Kidney and Renal Pelvis	0.0	0.0	93.3	0
Ureter	0.0	0.0	93.3	0
Other Urinary Organs	0.0	0.0	93.3	0
Eye and Orbit	0.0	0.0	93.3	0
Brain and Other Nervous System	0.0	0.0	93.3	0
Endocrine System	0.0	0.0	93.3	0
Thyroid	0.0	0.0	93.3	0
Other Endocrine including Thymus	0.0	0.0	93.3	0
Lymphoma	0.0	0.0	93.3	0
Hodgkin Lymphoma	0.0	0.0	93.3	0
Non-Hodgkin Lymphoma	0.0	0.0	93.3	0
Myeloma	0.0	0.0	93.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	93.3	0
Other Lymphocytic Leukemia	0.0	0.0	93.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	93.3	0
Acute Myeloid Leukemia	0.0	0.0	93.3	0
Acute Monocytic Leukemia	0.0	0.0	93.3	0
Chronic Myeloid Leukemia	0.0	0.0	93.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	93.3	0
Other Leukemia	0.0	0.0	93.3	0
Other Acute Leukemia	0.0	0.0	93.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	93.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	93.3	0
Miscellaneous Malignant Cancer	0.0	0.0	93.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	190.5	99.4	325.6	13
Oral Cavity and Pharynx	0.0	0.0	45.9	0
Lip	0.0	0.0	45.9	0
Tongue	0.0	0.0	45.9	0
Salivary Gland	0.0	0.0	45.9	0
Floor of Mouth	0.0	0.0	45.9	0
Gum and Other Mouth	0.0	0.0	45.9	0
Nasopharynx	0.0	0.0	45.9	0
Tonsil	0.0	0.0	45.9	0
Oropharynx	0.0	0.0	45.9	0
Hypopharynx	0.0	0.0	45.9	0
Other Oral Cavity and Pharynx	0.0	0.0	45.9	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	45.9	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	45.9	0
Colon and Rectum	0.0	0.0	45.9	0
Colon excluding Rectum	0.0	0.0	45.9	0
Rectum and Rectosigmoid Junction	0.0	0.0	45.9	0
Anus, Anal Canal and Anorectum	0.0	0.0	45.9	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	45.9	0
Gallbladder	0.0	0.0	45.9	0
Other Biliary	0.0	0.0	45.9	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	45.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.9	0
Other Digestive Organs	0.0	0.0	45.9	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.9	0
Larynx	0.0	0.0	45.9	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	45.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.9	0
Bones and Joints	0.0	0.0	45.9	0
Soft Tissue including Heart	0.0	0.0	45.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	45.9	0
Melanoma of the Skin	0.0	0.0	45.9	0
Other Non-Epithelial Skin	0.0	0.0	45.9	0
Urinary System	0.0	0.0	45.9	0
Urinary Bladder	0.0	0.0	45.9	0
Kidney and Renal Pelvis	0.0	0.0	45.9	0
Ureter	0.0	0.0	45.9	0
Other Urinary Organs	0.0	0.0	45.9	0
Eye and Orbit	0.0	0.0	45.9	0
Brain and Other Nervous System	0.0	0.0	45.9	0
Endocrine System	0.0	0.0	45.9	0
Thyroid	0.0	0.0	45.9	0
Other Endocrine including Thymus	0.0	0.0	45.9	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	45.9	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	45.9	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	45.9	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	45.9	0
Myeloid and Monocytic Leukemia	0.0	0.0	45.9	0
Acute Myeloid Leukemia	0.0	0.0	45.9	0
Acute Monocytic Leukemia	0.0	0.0	45.9	0
Chronic Myeloid Leukemia	0.0	0.0	45.9	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.9	0
Other Leukemia	0.0	0.0	45.9	0
Other Acute Leukemia	0.0	0.0	45.9	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.9	0
Mesothelioma (ICD-10 only)	0.0	0.0	45.9	0
Miscellaneous Malignant Cancer	0.0	0.0	45.9	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	148.1	0
Lip	0.0	0.0	148.1	0
Tongue	0.0	0.0	148.1	0
Salivary Gland	0.0	0.0	148.1	0
Floor of Mouth	0.0	0.0	148.1	0
Gum and Other Mouth	0.0	0.0	148.1	0
Nasopharynx	0.0	0.0	148.1	0
Tonsil	0.0	0.0	148.1	0
Oropharynx	0.0	0.0	148.1	0
Hypopharynx	0.0	0.0	148.1	0
Other Oral Cavity and Pharynx	0.0	0.0	148.1	0
Digestive System	0.0	0.0	148.1	0
Esophagus	0.0	0.0	148.1	0
Stomach	0.0	0.0	148.1	0
Small Intestine	0.0	0.0	148.1	0
Colon and Rectum	0.0	0.0	148.1	0
Colon excluding Rectum	0.0	0.0	148.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	148.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	148.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	148.1	0
Liver	0.0	0.0	148.1	0
Intrahepatic Bile Duct	0.0	0.0	148.1	0
Gallbladder	0.0	0.0	148.1	0
Other Biliary	0.0	0.0	148.1	0
Pancreas	0.0	0.0	148.1	0
Retroperitoneum	0.0	0.0	148.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	148.1	0
Other Digestive Organs	0.0	0.0	148.1	0
Respiratory System	0.0	0.0	148.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	148.1	0
Larynx	0.0	0.0	148.1	0
Lung and Bronchus	0.0	0.0	148.1	0
Pleura	0.0	0.0	148.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	148.1	0
Bones and Joints	0.0	0.0	148.1	0
Soft Tissue including Heart	0.0	0.0	148.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	148.1	0
Melanoma of the Skin	0.0	0.0	148.1	0
Other Non-Epithelial Skin	0.0	0.0	148.1	0
Urinary System	0.0	0.0	148.1	0
Urinary Bladder	0.0	0.0	148.1	0
Kidney and Renal Pelvis	0.0	0.0	148.1	0
Ureter	0.0	0.0	148.1	0
Other Urinary Organs	0.0	0.0	148.1	0
Eye and Orbit	0.0	0.0	148.1	0
Brain and Other Nervous System	0.0	0.0	148.1	0
Endocrine System	0.0	0.0	148.1	0
Thyroid	0.0	0.0	148.1	0
Other Endocrine including Thymus	0.0	0.0	148.1	0
Lymphoma	0.0	0.0	148.1	0
Hodgkin Lymphoma	0.0	0.0	148.1	0
Non-Hodgkin Lymphoma	0.0	0.0	148.1	0
Myeloma	0.0	0.0	148.1	0
Leukemia	0.0	0.0	148.1	0
Lymphocytic Leukemia	0.0	0.0	148.1	0
Acute Lymphocytic Leukemia	0.0	0.0	148.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	148.1	0
Other Lymphocytic Leukemia	0.0	0.0	148.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	148.1	0
Acute Myeloid Leukemia	0.0	0.0	148.1	0
Acute Monocytic Leukemia	0.0	0.0	148.1	0
Chronic Myeloid Leukemia	0.0	0.0	148.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	148.1	0
Other Leukemia	0.0	0.0	148.1	0
Other Acute Leukemia	0.0	0.0	148.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	148.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	148.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	223.8	75.3	476.2	7
Oral Cavity and Pharynx	0.0	0.0	84.2	0
Lip	0.0	0.0	84.2	0
Tongue	0.0	0.0	84.2	0
Salivary Gland	0.0	0.0	84.2	0
Floor of Mouth	0.0	0.0	84.2	0
Gum and Other Mouth	0.0	0.0	84.2	0
Nasopharynx	0.0	0.0	84.2	0
Tonsil	0.0	0.0	84.2	0
Oropharynx	0.0	0.0	84.2	0
Hypopharynx	0.0	0.0	84.2	0
Other Oral Cavity and Pharynx	0.0	0.0	84.2	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	84.2	0
Stomach	0.0	0.0	84.2	0
Small Intestine	0.0	0.0	84.2	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	84.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	84.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	84.2	0
Liver	0.0	0.0	84.2	0
Intrahepatic Bile Duct	0.0	0.0	84.2	0
Gallbladder	0.0	0.0	84.2	0
Other Biliary	0.0	0.0	84.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	84.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	84.2	0
Other Digestive Organs	0.0	0.0	84.2	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	84.2	0
Larynx	0.0	0.0	84.2	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	84.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	84.2	0
Bones and Joints	0.0	0.0	84.2	0
Soft Tissue including Heart	0.0	0.0	84.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	84.2	0
Melanoma of the Skin	0.0	0.0	84.2	0
Other Non-Epithelial Skin	0.0	0.0	84.2	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	84.2	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	84.2	0
Other Urinary Organs	0.0	0.0	84.2	0
Eye and Orbit	0.0	0.0	84.2	0
Brain and Other Nervous System	0.0	0.0	84.2	0
Endocrine System	0.0	0.0	84.2	0
Thyroid	0.0	0.0	84.2	0
Other Endocrine including Thymus	0.0	0.0	84.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	84.2	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	84.2	0
Leukemia	0.0	0.0	84.2	0
Lymphocytic Leukemia	0.0	0.0	84.2	0
Acute Lymphocytic Leukemia	0.0	0.0	84.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	84.2	0
Other Lymphocytic Leukemia	0.0	0.0	84.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	84.2	0
Acute Myeloid Leukemia	0.0	0.0	84.2	0
Acute Monocytic Leukemia	0.0	0.0	84.2	0
Chronic Myeloid Leukemia	0.0	0.0	84.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	84.2	0
Other Leukemia	0.0	0.0	84.2	0
Other Acute Leukemia	0.0	0.0	84.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	84.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	84.2	0
Miscellaneous Malignant Cancer	0.0	0.0	84.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	164.3	74.3	305.4	11
Oral Cavity and Pharynx	0.0	0.0	50.6	0
Lip	0.0	0.0	50.6	0
Tongue	0.0	0.0	50.6	0
Salivary Gland	0.0	0.0	50.6	0
Floor of Mouth	0.0	0.0	50.6	0
Gum and Other Mouth	0.0	0.0	50.6	0
Nasopharynx	0.0	0.0	50.6	0
Tonsil	0.0	0.0	50.6	0
Oropharynx	0.0	0.0	50.6	0
Hypopharynx	0.0	0.0	50.6	0
Other Oral Cavity and Pharynx	0.0	0.0	50.6	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	50.6	0
Small Intestine	0.0	0.0	50.6	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	50.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	50.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	50.6	0
Liver	0.0	0.0	50.6	0
Intrahepatic Bile Duct	0.0	0.0	50.6	0
Gallbladder	0.0	0.0	50.6	0
Other Biliary	0.0	0.0	50.6	0
Pancreas	0.0	0.0	50.6	0
Retroperitoneum	0.0	0.0	50.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	50.6	0
Other Digestive Organs	0.0	0.0	50.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	50.6	0
Larynx	0.0	0.0	50.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	50.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	50.6	0
Bones and Joints	0.0	0.0	50.6	0
Soft Tissue including Heart	0.0	0.0	50.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	50.6	0
Melanoma of the Skin	0.0	0.0	50.6	0
Other Non-Epithelial Skin	0.0	0.0	50.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	50.6	0
Other Urinary Organs	0.0	0.0	50.6	0
Eye and Orbit	0.0	0.0	50.6	0
Brain and Other Nervous System	0.0	0.0	50.6	0
Endocrine System	0.0	0.0	50.6	0
Thyroid	0.0	0.0	50.6	0
Other Endocrine including Thymus	0.0	0.0	50.6	0
Lymphoma	0.0	0.0	50.6	0
Hodgkin Lymphoma	0.0	0.0	50.6	0
Non-Hodgkin Lymphoma	0.0	0.0	50.6	0
Myeloma	0.0	0.0	50.6	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	50.6	0
Acute Lymphocytic Leukemia	0.0	0.0	50.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	50.6	0
Other Lymphocytic Leukemia	0.0	0.0	50.6	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	50.6	0
Chronic Myeloid Leukemia	0.0	0.0	50.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	50.6	0
Other Leukemia	0.0	0.0	50.6	0
Other Acute Leukemia	0.0	0.0	50.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	50.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	50.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	84.3	0
Lip	0.0	0.0	84.3	0
Tongue	0.0	0.0	84.3	0
Salivary Gland	0.0	0.0	84.3	0
Floor of Mouth	0.0	0.0	84.3	0
Gum and Other Mouth	0.0	0.0	84.3	0
Nasopharynx	0.0	0.0	84.3	0
Tonsil	0.0	0.0	84.3	0
Oropharynx	0.0	0.0	84.3	0
Hypopharynx	0.0	0.0	84.3	0
Other Oral Cavity and Pharynx	0.0	0.0	84.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	84.3	0
Stomach	0.0	0.0	84.3	0
Small Intestine	0.0	0.0	84.3	0
Colon and Rectum	0.0	0.0	84.3	0
Colon excluding Rectum	0.0	0.0	84.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	84.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	84.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	84.3	0
Liver	0.0	0.0	84.3	0
Intrahepatic Bile Duct	0.0	0.0	84.3	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	84.3	0
Pancreas	0.0	0.0	84.3	0
Retroperitoneum	0.0	0.0	84.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	84.3	0
Other Digestive Organs	0.0	0.0	84.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	84.3	0
Larynx	0.0	0.0	84.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	84.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	84.3	0
Bones and Joints	0.0	0.0	84.3	0
Soft Tissue including Heart	0.0	0.0	84.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	84.3	0
Urinary System	0.0	0.0	84.3	0
Urinary Bladder	0.0	0.0	84.3	0
Kidney and Renal Pelvis	0.0	0.0	84.3	0
Ureter	0.0	0.0	84.3	0
Other Urinary Organs	0.0	0.0	84.3	0
Eye and Orbit	0.0	0.0	84.3	0
Brain and Other Nervous System	0.0	0.0	84.3	0
Endocrine System	0.0	0.0	84.3	0
Thyroid	0.0	0.0	84.3	0
Other Endocrine including Thymus	0.0	0.0	84.3	0
Lymphoma	0.0	0.0	84.3	0
Hodgkin Lymphoma	0.0	0.0	84.3	0
Non-Hodgkin Lymphoma	0.0	0.0	84.3	0
Myeloma	0.0	0.0	84.3	0
Leukemia	0.0	0.0	84.3	0
Lymphocytic Leukemia	0.0	0.0	84.3	0
Acute Lymphocytic Leukemia	0.0	0.0	84.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	84.3	0
Other Lymphocytic Leukemia	0.0	0.0	84.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	84.3	0
Acute Myeloid Leukemia	0.0	0.0	84.3	0
Acute Monocytic Leukemia	0.0	0.0	84.3	0
Chronic Myeloid Leukemia	0.0	0.0	84.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	84.3	0
Other Leukemia	0.0	0.0	84.3	0
Other Acute Leukemia	0.0	0.0	84.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	84.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	84.3	0
Miscellaneous Malignant Cancer	0.0	0.0	84.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	176.3	86.6	322.3	11
Oral Cavity and Pharynx	0.0	0.0	69.5	0
Lip	0.0	0.0	69.5	0
Tongue	0.0	0.0	69.5	0
Salivary Gland	0.0	0.0	69.5	0
Floor of Mouth	0.0	0.0	69.5	0
Gum and Other Mouth	0.0	0.0	69.5	0
Nasopharynx	0.0	0.0	69.5	0
Tonsil	0.0	0.0	69.5	0
Oropharynx	0.0	0.0	69.5	0
Hypopharynx	0.0	0.0	69.5	0
Other Oral Cavity and Pharynx	0.0	0.0	69.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	69.5	0
Stomach	0.0	0.0	69.5	0
Small Intestine	0.0	0.0	69.5	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	69.5	0
Liver and Intrahepatic Bile Duct	0.0	0.0	69.5	0
Liver	0.0	0.0	69.5	0
Intrahepatic Bile Duct	0.0	0.0	69.5	0
Gallbladder	0.0	0.0	69.5	0
Other Biliary	0.0	0.0	69.5	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	69.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	69.5	0
Other Digestive Organs	0.0	0.0	69.5	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	69.5	0
Larynx	0.0	0.0	69.5	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	69.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	69.5	0
Bones and Joints	0.0	0.0	69.5	0
Soft Tissue including Heart	0.0	0.0	69.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	69.5	0
Melanoma of the Skin	0.0	0.0	69.5	0
Other Non-Epithelial Skin	0.0	0.0	69.5	0
Urinary System	0.0	0.0	69.5	0
Urinary Bladder	0.0	0.0	69.5	0
Kidney and Renal Pelvis	0.0	0.0	69.5	0
Ureter	0.0	0.0	69.5	0
Other Urinary Organs	0.0	0.0	69.5	0
Eye and Orbit	0.0	0.0	69.5	0
Brain and Other Nervous System	0.0	0.0	69.5	0
Endocrine System	0.0	0.0	69.5	0
Thyroid	0.0	0.0	69.5	0
Other Endocrine including Thymus	0.0	0.0	69.5	0
Lymphoma	0.0	0.0	69.5	0
Hodgkin Lymphoma	0.0	0.0	69.5	0
Non-Hodgkin Lymphoma	0.0	0.0	69.5	0
Myeloma	0.0	0.0	69.5	0
Leukemia	0.0	0.0	69.5	0
Lymphocytic Leukemia	0.0	0.0	69.5	0
Acute Lymphocytic Leukemia	0.0	0.0	69.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	69.5	0
Other Lymphocytic Leukemia	0.0	0.0	69.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	69.5	0
Acute Myeloid Leukemia	0.0	0.0	69.5	0
Acute Monocytic Leukemia	0.0	0.0	69.5	0
Chronic Myeloid Leukemia	0.0	0.0	69.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	69.5	0
Other Leukemia	0.0	0.0	69.5	0
Other Acute Leukemia	0.0	0.0	69.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	69.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	69.5	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	765.8	0
Lip	0.0	0.0	765.8	0
Tongue	0.0	0.0	765.8	0
Salivary Gland	0.0	0.0	765.8	0
Floor of Mouth	0.0	0.0	765.8	0
Gum and Other Mouth	0.0	0.0	765.8	0
Nasopharynx	0.0	0.0	765.8	0
Tonsil	0.0	0.0	765.8	0
Oropharynx	0.0	0.0	765.8	0
Hypopharynx	0.0	0.0	765.8	0
Other Oral Cavity and Pharynx	0.0	0.0	765.8	0
Digestive System	0.0	0.0	765.8	0
Esophagus	0.0	0.0	765.8	0
Stomach	0.0	0.0	765.8	0
Small Intestine	0.0	0.0	765.8	0
Colon and Rectum	0.0	0.0	765.8	0
Colon excluding Rectum	0.0	0.0	765.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	765.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	765.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	765.8	0
Liver	0.0	0.0	765.8	0
Intrahepatic Bile Duct	0.0	0.0	765.8	0
Gallbladder	0.0	0.0	765.8	0
Other Biliary	0.0	0.0	765.8	0
Pancreas	0.0	0.0	765.8	0
Retroperitoneum	0.0	0.0	765.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	765.8	0
Other Digestive Organs	0.0	0.0	765.8	0
Respiratory System	0.0	0.0	765.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	765.8	0
Larynx	0.0	0.0	765.8	0
Lung and Bronchus	0.0	0.0	765.8	0
Pleura	0.0	0.0	765.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	765.8	0
Bones and Joints	0.0	0.0	765.8	0
Soft Tissue including Heart	0.0	0.0	765.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	765.8	0
Melanoma of the Skin	0.0	0.0	765.8	0
Other Non-Epithelial Skin	0.0	0.0	765.8	0
Urinary System	0.0	0.0	765.8	0
Urinary Bladder	0.0	0.0	765.8	0
Kidney and Renal Pelvis	0.0	0.0	765.8	0
Ureter	0.0	0.0	765.8	0
Other Urinary Organs	0.0	0.0	765.8	0
Eye and Orbit	0.0	0.0	765.8	0
Brain and Other Nervous System	0.0	0.0	765.8	0
Endocrine System	0.0	0.0	765.8	0
Thyroid	0.0	0.0	765.8	0
Other Endocrine including Thymus	0.0	0.0	765.8	0
Lymphoma	0.0	0.0	765.8	0
Hodgkin Lymphoma	0.0	0.0	765.8	0
Non-Hodgkin Lymphoma	0.0	0.0	765.8	0
Myeloma	0.0	0.0	765.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	765.8	0
Other Lymphocytic Leukemia	0.0	0.0	765.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	765.8	0
Acute Myeloid Leukemia	0.0	0.0	765.8	0
Acute Monocytic Leukemia	0.0	0.0	765.8	0
Chronic Myeloid Leukemia	0.0	0.0	765.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	765.8	0
Other Leukemia	0.0	0.0	765.8	0
Other Acute Leukemia	0.0	0.0	765.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	765.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	765.8	0
Miscellaneous Malignant Cancer	0.0	0.0	765.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	75.1	0
Lip	0.0	0.0	75.1	0
Tongue	0.0	0.0	75.1	0
Salivary Gland	0.0	0.0	75.1	0
Floor of Mouth	0.0	0.0	75.1	0
Gum and Other Mouth	0.0	0.0	75.1	0
Nasopharynx	0.0	0.0	75.1	0
Tonsil	0.0	0.0	75.1	0
Oropharynx	0.0	0.0	75.1	0
Hypopharynx	0.0	0.0	75.1	0
Other Oral Cavity and Pharynx	0.0	0.0	75.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	75.1	0
Small Intestine	0.0	0.0	75.1	0
Colon and Rectum	0.0	0.0	75.1	0
Colon excluding Rectum	0.0	0.0	75.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	75.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	75.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	75.1	0
Liver	0.0	0.0	75.1	0
Intrahepatic Bile Duct	0.0	0.0	75.1	0
Gallbladder	0.0	0.0	75.1	0
Other Biliary	0.0	0.0	75.1	0
Pancreas	0.0	0.0	75.1	0
Retroperitoneum	0.0	0.0	75.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	75.1	0
Other Digestive Organs	0.0	0.0	75.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	75.1	0
Larynx	0.0	0.0	75.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	75.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	75.1	0
Bones and Joints	0.0	0.0	75.1	0
Soft Tissue including Heart	0.0	0.0	75.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2005/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	75.1	0
Melanoma of the Skin	0.0	0.0	75.1	0
Other Non-Epithelial Skin	0.0	0.0	75.1	0
Urinary System	0.0	0.0	75.1	0
Urinary Bladder	0.0	0.0	75.1	0
Kidney and Renal Pelvis	0.0	0.0	75.1	0
Ureter	0.0	0.0	75.1	0
Other Urinary Organs	0.0	0.0	75.1	0
Eye and Orbit	0.0	0.0	75.1	0
Brain and Other Nervous System	0.0	0.0	75.1	0
Endocrine System	0.0	0.0	75.1	0
Thyroid	0.0	0.0	75.1	0
Other Endocrine including Thymus	0.0	0.0	75.1	0
Lymphoma	0.0	0.0	75.1	0
Hodgkin Lymphoma	0.0	0.0	75.1	0
Non-Hodgkin Lymphoma	0.0	0.0	75.1	0
Myeloma	0.0	0.0	75.1	0
Leukemia	0.0	0.0	75.1	0
Lymphocytic Leukemia	0.0	0.0	75.1	0
Acute Lymphocytic Leukemia	0.0	0.0	75.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	75.1	0
Other Lymphocytic Leukemia	0.0	0.0	75.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	75.1	0
Acute Myeloid Leukemia	0.0	0.0	75.1	0
Acute Monocytic Leukemia	0.0	0.0	75.1	0
Chronic Myeloid Leukemia	0.0	0.0	75.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	75.1	0
Other Leukemia	0.0	0.0	75.1	0
Other Acute Leukemia	0.0	0.0	75.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	75.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	75.1	0
Miscellaneous Malignant Cancer	0.0	0.0	75.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	329.8	0
Oral Cavity and Pharynx	0.0	0.0	329.8	0
Lip	0.0	0.0	329.8	0
Tongue	0.0	0.0	329.8	0
Salivary Gland	0.0	0.0	329.8	0
Floor of Mouth	0.0	0.0	329.8	0
Gum and Other Mouth	0.0	0.0	329.8	0
Nasopharynx	0.0	0.0	329.8	0
Tonsil	0.0	0.0	329.8	0
Oropharynx	0.0	0.0	329.8	0
Hypopharynx	0.0	0.0	329.8	0
Other Oral Cavity and Pharynx	0.0	0.0	329.8	0
Digestive System	0.0	0.0	329.8	0
Esophagus	0.0	0.0	329.8	0
Stomach	0.0	0.0	329.8	0
Small Intestine	0.0	0.0	329.8	0
Colon and Rectum	0.0	0.0	329.8	0
Colon excluding Rectum	0.0	0.0	329.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	329.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	329.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	329.8	0
Liver	0.0	0.0	329.8	0
Intrahepatic Bile Duct	0.0	0.0	329.8	0
Gallbladder	0.0	0.0	329.8	0
Other Biliary	0.0	0.0	329.8	0
Pancreas	0.0	0.0	329.8	0
Retroperitoneum	0.0	0.0	329.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	329.8	0
Other Digestive Organs	0.0	0.0	329.8	0
Respiratory System	0.0	0.0	329.8	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	329.8	0
Larynx	0.0	0.0	329.8	0
Lung and Bronchus	0.0	0.0	329.8	0
Pleura	0.0	0.0	329.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	329.8	0
Bones and Joints	0.0	0.0	329.8	0
Soft Tissue including Heart	0.0	0.0	329.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Aleutians East Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	329.8	0
Melanoma of the Skin	0.0	0.0	329.8	0
Other Non-Epithelial Skin	0.0	0.0	329.8	0
Urinary System	0.0	0.0	329.8	0
Urinary Bladder	0.0	0.0	329.8	0
Kidney and Renal Pelvis	0.0	0.0	329.8	0
Ureter	0.0	0.0	329.8	0
Other Urinary Organs	0.0	0.0	329.8	0
Eye and Orbit	0.0	0.0	329.8	0
Brain and Other Nervous System	0.0	0.0	329.8	0
Endocrine System	0.0	0.0	329.8	0
Thyroid	0.0	0.0	329.8	0
Other Endocrine including Thymus	0.0	0.0	329.8	0
Lymphoma	0.0	0.0	329.8	0
Hodgkin Lymphoma	0.0	0.0	329.8	0
Non-Hodgkin Lymphoma	0.0	0.0	329.8	0
Myeloma	0.0	0.0	329.8	0
Leukemia	0.0	0.0	329.8	0
Lymphocytic Leukemia	0.0	0.0	329.8	0
Acute Lymphocytic Leukemia	0.0	0.0	329.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	329.8	0
Other Lymphocytic Leukemia	0.0	0.0	329.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	329.8	0
Acute Myeloid Leukemia	0.0	0.0	329.8	0
Acute Monocytic Leukemia	0.0	0.0	329.8	0
Chronic Myeloid Leukemia	0.0	0.0	329.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	329.8	0
Other Leukemia	0.0	0.0	329.8	0
Other Acute Leukemia	0.0	0.0	329.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	329.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	329.8	0
Miscellaneous Malignant Cancer	0.0	0.0	329.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	211.2	0
Oral Cavity and Pharynx	0.0	0.0	211.2	0
Lip	0.0	0.0	211.2	0
Tongue	0.0	0.0	211.2	0
Salivary Gland	0.0	0.0	211.2	0
Floor of Mouth	0.0	0.0	211.2	0
Gum and Other Mouth	0.0	0.0	211.2	0
Nasopharynx	0.0	0.0	211.2	0
Tonsil	0.0	0.0	211.2	0
Oropharynx	0.0	0.0	211.2	0
Hypopharynx	0.0	0.0	211.2	0
Other Oral Cavity and Pharynx	0.0	0.0	211.2	0
Digestive System	0.0	0.0	211.2	0
Esophagus	0.0	0.0	211.2	0
Stomach	0.0	0.0	211.2	0
Small Intestine	0.0	0.0	211.2	0
Colon and Rectum	0.0	0.0	211.2	0
Colon excluding Rectum	0.0	0.0	211.2	0
Rectum and Rectosigmoid Junction	0.0	0.0	211.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	211.2	0
Liver and Intrahepatic Bile Duct	0.0	0.0	211.2	0
Liver	0.0	0.0	211.2	0
Intrahepatic Bile Duct	0.0	0.0	211.2	0
Gallbladder	0.0	0.0	211.2	0
Other Biliary	0.0	0.0	211.2	0
Pancreas	0.0	0.0	211.2	0
Retroperitoneum	0.0	0.0	211.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	211.2	0
Other Digestive Organs	0.0	0.0	211.2	0
Respiratory System	0.0	0.0	211.2	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	211.2	0
Larynx	0.0	0.0	211.2	0
Lung and Bronchus	0.0	0.0	211.2	0
Pleura	0.0	0.0	211.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	211.2	0
Bones and Joints	0.0	0.0	211.2	0
Soft Tissue including Heart	0.0	0.0	211.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Aleutians West Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	211.2	0
Melanoma of the Skin	0.0	0.0	211.2	0
Other Non-Epithelial Skin	0.0	0.0	211.2	0
Urinary System	0.0	0.0	211.2	0
Urinary Bladder	0.0	0.0	211.2	0
Kidney and Renal Pelvis	0.0	0.0	211.2	0
Ureter	0.0	0.0	211.2	0
Other Urinary Organs	0.0	0.0	211.2	0
Eye and Orbit	0.0	0.0	211.2	0
Brain and Other Nervous System	0.0	0.0	211.2	0
Endocrine System	0.0	0.0	211.2	0
Thyroid	0.0	0.0	211.2	0
Other Endocrine including Thymus	0.0	0.0	211.2	0
Lymphoma	0.0	0.0	211.2	0
Hodgkin Lymphoma	0.0	0.0	211.2	0
Non-Hodgkin Lymphoma	0.0	0.0	211.2	0
Myeloma	0.0	0.0	211.2	0
Leukemia	0.0	0.0	211.2	0
Lymphocytic Leukemia	0.0	0.0	211.2	0
Acute Lymphocytic Leukemia	0.0	0.0	211.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	211.2	0
Other Lymphocytic Leukemia	0.0	0.0	211.2	0
Myeloid and Monocytic Leukemia	0.0	0.0	211.2	0
Acute Myeloid Leukemia	0.0	0.0	211.2	0
Acute Monocytic Leukemia	0.0	0.0	211.2	0
Chronic Myeloid Leukemia	0.0	0.0	211.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	211.2	0
Other Leukemia	0.0	0.0	211.2	0
Other Acute Leukemia	0.0	0.0	211.2	0
Aleukemic, Subleukemic and NOS	0.0	0.0	211.2	0
Mesothelioma (ICD-10 only)	0.0	0.0	211.2	0
Miscellaneous Malignant Cancer	0.0	0.0	211.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	168.6	148.5	190.5	296
Oral Cavity and Pharynx	3.6	1.5	7.4	8
Lip	0.0	0.0	1.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1.8	0
Floor of Mouth	0.0	0.0	1.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	1.8	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	39.7	30.2	51.1	67
Esophagus	3.9	1.6	7.9	9
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	14.5	8.9	22.1	22
Colon excluding Rectum	12.8	7.5	20.0	19
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	1.8	0
Liver and Intrahepatic Bile Duct	5.3	2.4	9.8	11
Liver	4.4	1.7	8.8	8
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	1.8	0
Other Biliary	^	^	^	^
Pancreas	11.7	6.7	18.6	17
Retroperitoneum	0.0	0.0	1.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	49.3	38.7	61.8	83
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	48.8	38.1	61.2	81
Pleura	0.0	0.0	1.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.8	0
Bones and Joints	0.0	0.0	1.8	0
Soft Tissue including Heart	2.8	1.0	6.3	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Municipality of Anchorage

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	8.7	4.5	14.7	13
Urinary Bladder	4.7	1.8	9.4	7
Kidney and Renal Pelvis	4.0	1.4	8.5	6
Ureter	0.0	0.0	1.8	0
Other Urinary Organs	0.0	0.0	1.8	0
Eye and Orbit	0.0	0.0	1.8	0
Brain and Other Nervous System	4.4	1.7	8.9	8
Endocrine System	0.0	0.0	1.8	0
Thyroid	0.0	0.0	1.8	0
Other Endocrine including Thymus	0.0	0.0	1.8	0
Lymphoma	6.8	3.0	12.6	9
Hodgkin Lymphoma	0.0	0.0	1.8	0
Non-Hodgkin Lymphoma	6.8	3.0	12.6	9
Myeloma	^	^	^	^
Leukemia	11.9	6.9	18.8	20
Lymphocytic Leukemia	5.5	2.1	10.9	7
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	4.7	1.9	9.3	9
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	1.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	1.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	11.7	7.0	18.2	22

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	282.0	173.2	426.7	25
Oral Cavity and Pharynx	0.0	0.0	35.3	0
Lip	0.0	0.0	35.3	0
Tongue	0.0	0.0	35.3	0
Salivary Gland	0.0	0.0	35.3	0
Floor of Mouth	0.0	0.0	35.3	0
Gum and Other Mouth	0.0	0.0	35.3	0
Nasopharynx	0.0	0.0	35.3	0
Tonsil	0.0	0.0	35.3	0
Oropharynx	0.0	0.0	35.3	0
Hypopharynx	0.0	0.0	35.3	0
Other Oral Cavity and Pharynx	0.0	0.0	35.3	0
Digestive System	69.4	26.8	143.7	8
Esophagus	0.0	0.0	35.3	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	35.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	35.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	35.3	0
Gallbladder	0.0	0.0	35.3	0
Other Biliary	0.0	0.0	35.3	0
Pancreas	0.0	0.0	35.3	0
Retroperitoneum	0.0	0.0	35.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	35.3	0
Other Digestive Organs	0.0	0.0	35.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	35.3	0
Larynx	0.0	0.0	35.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	35.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	35.3	0
Bones and Joints	0.0	0.0	35.3	0
Soft Tissue including Heart	0.0	0.0	35.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Bethel Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	35.3	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	35.3	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	35.3	0
Other Urinary Organs	0.0	0.0	35.3	0
Eye and Orbit	0.0	0.0	35.3	0
Brain and Other Nervous System	0.0	0.0	35.3	0
Endocrine System	0.0	0.0	35.3	0
Thyroid	0.0	0.0	35.3	0
Other Endocrine including Thymus	0.0	0.0	35.3	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	35.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	35.3	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	35.3	0
Acute Lymphocytic Leukemia	0.0	0.0	35.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	35.3	0
Other Lymphocytic Leukemia	0.0	0.0	35.3	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	35.3	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	35.3	0
Other Leukemia	0.0	0.0	35.3	0
Other Acute Leukemia	0.0	0.0	35.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	35.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	35.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	585.0	0
Lip	0.0	0.0	585.0	0
Tongue	0.0	0.0	585.0	0
Salivary Gland	0.0	0.0	585.0	0
Floor of Mouth	0.0	0.0	585.0	0
Gum and Other Mouth	0.0	0.0	585.0	0
Nasopharynx	0.0	0.0	585.0	0
Tonsil	0.0	0.0	585.0	0
Oropharynx	0.0	0.0	585.0	0
Hypopharynx	0.0	0.0	585.0	0
Other Oral Cavity and Pharynx	0.0	0.0	585.0	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	585.0	0
Stomach	0.0	0.0	585.0	0
Small Intestine	0.0	0.0	585.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	585.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	585.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	585.0	0
Liver	0.0	0.0	585.0	0
Intrahepatic Bile Duct	0.0	0.0	585.0	0
Gallbladder	0.0	0.0	585.0	0
Other Biliary	0.0	0.0	585.0	0
Pancreas	0.0	0.0	585.0	0
Retroperitoneum	0.0	0.0	585.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	585.0	0
Other Digestive Organs	0.0	0.0	585.0	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	585.0	0
Larynx	0.0	0.0	585.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	585.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	585.0	0
Bones and Joints	0.0	0.0	585.0	0
Soft Tissue including Heart	0.0	0.0	585.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Bristol Bay Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	585.0	0
Urinary System	0.0	0.0	585.0	0
Urinary Bladder	0.0	0.0	585.0	0
Kidney and Renal Pelvis	0.0	0.0	585.0	0
Ureter	0.0	0.0	585.0	0
Other Urinary Organs	0.0	0.0	585.0	0
Eye and Orbit	0.0	0.0	585.0	0
Brain and Other Nervous System	0.0	0.0	585.0	0
Endocrine System	0.0	0.0	585.0	0
Thyroid	0.0	0.0	585.0	0
Other Endocrine including Thymus	0.0	0.0	585.0	0
Lymphoma	0.0	0.0	585.0	0
Hodgkin Lymphoma	0.0	0.0	585.0	0
Non-Hodgkin Lymphoma	0.0	0.0	585.0	0
Myeloma	0.0	0.0	585.0	0
Leukemia	0.0	0.0	585.0	0
Lymphocytic Leukemia	0.0	0.0	585.0	0
Acute Lymphocytic Leukemia	0.0	0.0	585.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	585.0	0
Other Lymphocytic Leukemia	0.0	0.0	585.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	585.0	0
Acute Myeloid Leukemia	0.0	0.0	585.0	0
Acute Monocytic Leukemia	0.0	0.0	585.0	0
Chronic Myeloid Leukemia	0.0	0.0	585.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	585.0	0
Other Leukemia	0.0	0.0	585.0	0
Other Acute Leukemia	0.0	0.0	585.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	585.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	585.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Denali Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	418.1	0
Lip	0.0	0.0	418.1	0
Tongue	0.0	0.0	418.1	0
Salivary Gland	0.0	0.0	418.1	0
Floor of Mouth	0.0	0.0	418.1	0
Gum and Other Mouth	0.0	0.0	418.1	0
Nasopharynx	0.0	0.0	418.1	0
Tonsil	0.0	0.0	418.1	0
Oropharynx	0.0	0.0	418.1	0
Hypopharynx	0.0	0.0	418.1	0
Other Oral Cavity and Pharynx	0.0	0.0	418.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	418.1	0
Small Intestine	0.0	0.0	418.1	0
Colon and Rectum	0.0	0.0	418.1	0
Colon excluding Rectum	0.0	0.0	418.1	0
Rectum and Rectosigmoid Junction	0.0	0.0	418.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	418.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	418.1	0
Liver	0.0	0.0	418.1	0
Intrahepatic Bile Duct	0.0	0.0	418.1	0
Gallbladder	0.0	0.0	418.1	0
Other Biliary	0.0	0.0	418.1	0
Pancreas	0.0	0.0	418.1	0
Retroperitoneum	0.0	0.0	418.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	418.1	0
Other Digestive Organs	0.0	0.0	418.1	0
Respiratory System	0.0	0.0	418.1	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	418.1	0
Larynx	0.0	0.0	418.1	0
Lung and Bronchus	0.0	0.0	418.1	0
Pleura	0.0	0.0	418.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	418.1	0
Bones and Joints	0.0	0.0	418.1	0
Soft Tissue including Heart	0.0	0.0	418.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Denali Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	418.1	0
Melanoma of the Skin	0.0	0.0	418.1	0
Other Non-Epithelial Skin	0.0	0.0	418.1	0
Urinary System	0.0	0.0	418.1	0
Urinary Bladder	0.0	0.0	418.1	0
Kidney and Renal Pelvis	0.0	0.0	418.1	0
Ureter	0.0	0.0	418.1	0
Other Urinary Organs	0.0	0.0	418.1	0
Eye and Orbit	0.0	0.0	418.1	0
Brain and Other Nervous System	0.0	0.0	418.1	0
Endocrine System	0.0	0.0	418.1	0
Thyroid	0.0	0.0	418.1	0
Other Endocrine including Thymus	0.0	0.0	418.1	0
Lymphoma	0.0	0.0	418.1	0
Hodgkin Lymphoma	0.0	0.0	418.1	0
Non-Hodgkin Lymphoma	0.0	0.0	418.1	0
Myeloma	0.0	0.0	418.1	0
Leukemia	0.0	0.0	418.1	0
Lymphocytic Leukemia	0.0	0.0	418.1	0
Acute Lymphocytic Leukemia	0.0	0.0	418.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	418.1	0
Other Lymphocytic Leukemia	0.0	0.0	418.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	418.1	0
Acute Myeloid Leukemia	0.0	0.0	418.1	0
Acute Monocytic Leukemia	0.0	0.0	418.1	0
Chronic Myeloid Leukemia	0.0	0.0	418.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	418.1	0
Other Leukemia	0.0	0.0	418.1	0
Other Acute Leukemia	0.0	0.0	418.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	418.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	418.1	0
Miscellaneous Malignant Cancer	0.0	0.0	418.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	160.4	54.4	357.0	6
Oral Cavity and Pharynx	0.0	0.0	97.3	0
Lip	0.0	0.0	97.3	0
Tongue	0.0	0.0	97.3	0
Salivary Gland	0.0	0.0	97.3	0
Floor of Mouth	0.0	0.0	97.3	0
Gum and Other Mouth	0.0	0.0	97.3	0
Nasopharynx	0.0	0.0	97.3	0
Tonsil	0.0	0.0	97.3	0
Oropharynx	0.0	0.0	97.3	0
Hypopharynx	0.0	0.0	97.3	0
Other Oral Cavity and Pharynx	0.0	0.0	97.3	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	97.3	0
Small Intestine	0.0	0.0	97.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	97.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	97.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	97.3	0
Gallbladder	0.0	0.0	97.3	0
Other Biliary	0.0	0.0	97.3	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	97.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	97.3	0
Other Digestive Organs	0.0	0.0	97.3	0
Respiratory System	0.0	0.0	97.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	97.3	0
Larynx	0.0	0.0	97.3	0
Lung and Bronchus	0.0	0.0	97.3	0
Pleura	0.0	0.0	97.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	97.3	0
Bones and Joints	0.0	0.0	97.3	0
Soft Tissue including Heart	0.0	0.0	97.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Dillingham Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	97.3	0
Melanoma of the Skin	0.0	0.0	97.3	0
Other Non-Epithelial Skin	0.0	0.0	97.3	0
Urinary System	0.0	0.0	97.3	0
Urinary Bladder	0.0	0.0	97.3	0
Kidney and Renal Pelvis	0.0	0.0	97.3	0
Ureter	0.0	0.0	97.3	0
Other Urinary Organs	0.0	0.0	97.3	0
Eye and Orbit	0.0	0.0	97.3	0
Brain and Other Nervous System	0.0	0.0	97.3	0
Endocrine System	0.0	0.0	97.3	0
Thyroid	0.0	0.0	97.3	0
Other Endocrine including Thymus	0.0	0.0	97.3	0
Lymphoma	0.0	0.0	97.3	0
Hodgkin Lymphoma	0.0	0.0	97.3	0
Non-Hodgkin Lymphoma	0.0	0.0	97.3	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	97.3	0
Lymphocytic Leukemia	0.0	0.0	97.3	0
Acute Lymphocytic Leukemia	0.0	0.0	97.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	97.3	0
Other Lymphocytic Leukemia	0.0	0.0	97.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	97.3	0
Acute Myeloid Leukemia	0.0	0.0	97.3	0
Acute Monocytic Leukemia	0.0	0.0	97.3	0
Chronic Myeloid Leukemia	0.0	0.0	97.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	97.3	0
Other Leukemia	0.0	0.0	97.3	0
Other Acute Leukemia	0.0	0.0	97.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	97.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	97.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	150.2	116.7	189.4	81
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	5.8	0
Tongue	0.0	0.0	5.8	0
Salivary Gland	0.0	0.0	5.8	0
Floor of Mouth	0.0	0.0	5.8	0
Gum and Other Mouth	0.0	0.0	5.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	5.8	0
Oropharynx	0.0	0.0	5.8	0
Hypopharynx	0.0	0.0	5.8	0
Other Oral Cavity and Pharynx	0.0	0.0	5.8	0
Digestive System	26.3	13.7	44.5	15
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	5.8	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	5.8	0
Gallbladder	0.0	0.0	5.8	0
Other Biliary	0.0	0.0	5.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	5.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	5.8	0
Other Digestive Organs	0.0	0.0	5.8	0
Respiratory System	39.2	24.5	59.1	26
Nose, Nasal Cavity and Middle Ear	0.0	0.0	5.8	0
Larynx	^	^	^	^
Lung and Bronchus	38.2	23.6	58.0	25
Pleura	0.0	0.0	5.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	5.8	0
Bones and Joints	0.0	0.0	5.8	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Fairbanks North Star Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	5.8	0
Melanoma of the Skin	0.0	0.0	5.8	0
Other Non-Epithelial Skin	0.0	0.0	5.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	5.8	0
Other Urinary Organs	0.0	0.0	5.8	0
Eye and Orbit	0.0	0.0	5.8	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	5.8	0
Thyroid	0.0	0.0	5.8	0
Other Endocrine including Thymus	0.0	0.0	5.8	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	5.8	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	5.8	0
Acute Lymphocytic Leukemia	0.0	0.0	5.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	5.8	0
Other Lymphocytic Leukemia	0.0	0.0	5.8	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	5.8	0
Chronic Myeloid Leukemia	0.0	0.0	5.8	0
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	5.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	5.8	0
Miscellaneous Malignant Cancer	15.7	6.1	31.6	7

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Haines Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	264.7	94.5	599.9	6
Oral Cavity and Pharynx	0.0	0.0	200.6	0
Lip	0.0	0.0	200.6	0
Tongue	0.0	0.0	200.6	0
Salivary Gland	0.0	0.0	200.6	0
Floor of Mouth	0.0	0.0	200.6	0
Gum and Other Mouth	0.0	0.0	200.6	0
Nasopharynx	0.0	0.0	200.6	0
Tonsil	0.0	0.0	200.6	0
Oropharynx	0.0	0.0	200.6	0
Hypopharynx	0.0	0.0	200.6	0
Other Oral Cavity and Pharynx	0.0	0.0	200.6	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	200.6	0
Small Intestine	0.0	0.0	200.6	0
Colon and Rectum	0.0	0.0	200.6	0
Colon excluding Rectum	0.0	0.0	200.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	200.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	200.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	200.6	0
Liver	0.0	0.0	200.6	0
Intrahepatic Bile Duct	0.0	0.0	200.6	0
Gallbladder	0.0	0.0	200.6	0
Other Biliary	0.0	0.0	200.6	0
Pancreas	0.0	0.0	200.6	0
Retroperitoneum	0.0	0.0	200.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	200.6	0
Other Digestive Organs	0.0	0.0	200.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	200.6	0
Larynx	0.0	0.0	200.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	200.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	200.6	0
Bones and Joints	0.0	0.0	200.6	0
Soft Tissue including Heart	0.0	0.0	200.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Haines Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	200.6	0
Melanoma of the Skin	0.0	0.0	200.6	0
Other Non-Epithelial Skin	0.0	0.0	200.6	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	200.6	0
Ureter	0.0	0.0	200.6	0
Other Urinary Organs	0.0	0.0	200.6	0
Eye and Orbit	0.0	0.0	200.6	0
Brain and Other Nervous System	0.0	0.0	200.6	0
Endocrine System	0.0	0.0	200.6	0
Thyroid	0.0	0.0	200.6	0
Other Endocrine including Thymus	0.0	0.0	200.6	0
Lymphoma	0.0	0.0	200.6	0
Hodgkin Lymphoma	0.0	0.0	200.6	0
Non-Hodgkin Lymphoma	0.0	0.0	200.6	0
Myeloma	0.0	0.0	200.6	0
Leukemia	0.0	0.0	200.6	0
Lymphocytic Leukemia	0.0	0.0	200.6	0
Acute Lymphocytic Leukemia	0.0	0.0	200.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	200.6	0
Other Lymphocytic Leukemia	0.0	0.0	200.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	200.6	0
Acute Myeloid Leukemia	0.0	0.0	200.6	0
Acute Monocytic Leukemia	0.0	0.0	200.6	0
Chronic Myeloid Leukemia	0.0	0.0	200.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	200.6	0
Other Leukemia	0.0	0.0	200.6	0
Other Acute Leukemia	0.0	0.0	200.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	200.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	200.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Juneau Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	163.4	111.4	229.5	38
Oral Cavity and Pharynx	0.0	0.0	15.2	0
Lip	0.0	0.0	15.2	0
Tongue	0.0	0.0	15.2	0
Salivary Gland	0.0	0.0	15.2	0
Floor of Mouth	0.0	0.0	15.2	0
Gum and Other Mouth	0.0	0.0	15.2	0
Nasopharynx	0.0	0.0	15.2	0
Tonsil	0.0	0.0	15.2	0
Oropharynx	0.0	0.0	15.2	0
Hypopharynx	0.0	0.0	15.2	0
Other Oral Cavity and Pharynx	0.0	0.0	15.2	0
Digestive System	47.5	21.4	88.7	10
Esophagus	0.0	0.0	15.2	0
Stomach	^	^	^	^
Small Intestine	^	^	^	^
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	15.2	0
Anus, Anal Canal and Anorectum	0.0	0.0	15.2	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	15.2	0
Gallbladder	0.0	0.0	15.2	0
Other Biliary	0.0	0.0	15.2	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	15.2	0
Peritoneum, Omentum and Mesentery	0.0	0.0	15.2	0
Other Digestive Organs	0.0	0.0	15.2	0
Respiratory System	36.3	15.0	71.9	9
Nose, Nasal Cavity and Middle Ear	0.0	0.0	15.2	0
Larynx	0.0	0.0	15.2	0
Lung and Bronchus	36.3	15.0	71.9	9
Pleura	0.0	0.0	15.2	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	15.2	0
Bones and Joints	0.0	0.0	15.2	0
Soft Tissue including Heart	0.0	0.0	15.2	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Juneau Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	15.2	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	15.2	0
Other Urinary Organs	0.0	0.0	15.2	0
Eye and Orbit	0.0	0.0	15.2	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	15.2	0
Thyroid	0.0	0.0	15.2	0
Other Endocrine including Thymus	0.0	0.0	15.2	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	0.0	0.0	15.2	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	15.2	0
Acute Lymphocytic Leukemia	0.0	0.0	15.2	0
Chronic Lymphocytic Leukemia	0.0	0.0	15.2	0
Other Lymphocytic Leukemia	0.0	0.0	15.2	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	15.2	0
Chronic Myeloid Leukemia	0.0	0.0	15.2	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	15.2	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	15.2	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	15.2	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	190.4	149.0	239.1	84
Oral Cavity and Pharynx	0.0	0.0	8.4	0
Lip	0.0	0.0	8.4	0
Tongue	0.0	0.0	8.4	0
Salivary Gland	0.0	0.0	8.4	0
Floor of Mouth	0.0	0.0	8.4	0
Gum and Other Mouth	0.0	0.0	8.4	0
Nasopharynx	0.0	0.0	8.4	0
Tonsil	0.0	0.0	8.4	0
Oropharynx	0.0	0.0	8.4	0
Hypopharynx	0.0	0.0	8.4	0
Other Oral Cavity and Pharynx	0.0	0.0	8.4	0
Digestive System	54.2	33.0	83.2	24
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	8.4	0
Colon and Rectum	16.3	6.3	34.1	8
Colon excluding Rectum	14.8	5.2	32.3	7
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	8.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	8.4	0
Gallbladder	0.0	0.0	8.4	0
Other Biliary	0.0	0.0	8.4	0
Pancreas	14.8	5.2	32.2	7
Retroperitoneum	0.0	0.0	8.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	8.4	0
Other Digestive Organs	^	^	^	^
Respiratory System	47.7	29.3	73.2	22
Nose, Nasal Cavity and Middle Ear	0.0	0.0	8.4	0
Larynx	^	^	^	^
Lung and Bronchus	45.6	27.6	70.8	21
Pleura	0.0	0.0	8.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	8.4	0
Bones and Joints	0.0	0.0	8.4	0
Soft Tissue including Heart	0.0	0.0	8.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Kenai Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	8.4	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	8.4	0
Other Urinary Organs	0.0	0.0	8.4	0
Eye and Orbit	0.0	0.0	8.4	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	8.4	0
Thyroid	0.0	0.0	8.4	0
Other Endocrine including Thymus	0.0	0.0	8.4	0
Lymphoma	16.1	5.8	34.5	6
Hodgkin Lymphoma	0.0	0.0	8.4	0
Non-Hodgkin Lymphoma	16.1	5.8	34.5	6
Myeloma	0.0	0.0	8.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	8.4	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	8.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	8.4	0
Acute Myeloid Leukemia	0.0	0.0	8.4	0
Acute Monocytic Leukemia	0.0	0.0	8.4	0
Chronic Myeloid Leukemia	0.0	0.0	8.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	8.4	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	0.0	0.0	8.4	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	21.4	8.7	42.5	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	187.8	111.3	293.7	19
Oral Cavity and Pharynx	0.0	0.0	31.4	0
Lip	0.0	0.0	31.4	0
Tongue	0.0	0.0	31.4	0
Salivary Gland	0.0	0.0	31.4	0
Floor of Mouth	0.0	0.0	31.4	0
Gum and Other Mouth	0.0	0.0	31.4	0
Nasopharynx	0.0	0.0	31.4	0
Tonsil	0.0	0.0	31.4	0
Oropharynx	0.0	0.0	31.4	0
Hypopharynx	0.0	0.0	31.4	0
Other Oral Cavity and Pharynx	0.0	0.0	31.4	0
Digestive System	94.9	43.0	177.4	9
Esophagus	^	^	^	^
Stomach	0.0	0.0	31.4	0
Small Intestine	0.0	0.0	31.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	31.4	0
Anus, Anal Canal and Anorectum	0.0	0.0	31.4	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	0.0	0.0	31.4	0
Other Biliary	0.0	0.0	31.4	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	31.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	31.4	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	31.4	0
Larynx	^	^	^	^
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	31.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	31.4	0
Bones and Joints	0.0	0.0	31.4	0
Soft Tissue including Heart	0.0	0.0	31.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Ketchikan Gateway Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	31.4	0
Melanoma of the Skin	0.0	0.0	31.4	0
Other Non-Epithelial Skin	0.0	0.0	31.4	0
Urinary System	0.0	0.0	31.4	0
Urinary Bladder	0.0	0.0	31.4	0
Kidney and Renal Pelvis	0.0	0.0	31.4	0
Ureter	0.0	0.0	31.4	0
Other Urinary Organs	0.0	0.0	31.4	0
Eye and Orbit	0.0	0.0	31.4	0
Brain and Other Nervous System	0.0	0.0	31.4	0
Endocrine System	0.0	0.0	31.4	0
Thyroid	0.0	0.0	31.4	0
Other Endocrine including Thymus	0.0	0.0	31.4	0
Lymphoma	0.0	0.0	31.4	0
Hodgkin Lymphoma	0.0	0.0	31.4	0
Non-Hodgkin Lymphoma	0.0	0.0	31.4	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	31.4	0
Lymphocytic Leukemia	0.0	0.0	31.4	0
Acute Lymphocytic Leukemia	0.0	0.0	31.4	0
Chronic Lymphocytic Leukemia	0.0	0.0	31.4	0
Other Lymphocytic Leukemia	0.0	0.0	31.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	31.4	0
Acute Myeloid Leukemia	0.0	0.0	31.4	0
Acute Monocytic Leukemia	0.0	0.0	31.4	0
Chronic Myeloid Leukemia	0.0	0.0	31.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	31.4	0
Other Leukemia	0.0	0.0	31.4	0
Other Acute Leukemia	0.0	0.0	31.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	31.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	31.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	208.4	112.3	345.6	15
Oral Cavity and Pharynx	0.0	0.0	40.7	0
Lip	0.0	0.0	40.7	0
Tongue	0.0	0.0	40.7	0
Salivary Gland	0.0	0.0	40.7	0
Floor of Mouth	0.0	0.0	40.7	0
Gum and Other Mouth	0.0	0.0	40.7	0
Nasopharynx	0.0	0.0	40.7	0
Tonsil	0.0	0.0	40.7	0
Oropharynx	0.0	0.0	40.7	0
Hypopharynx	0.0	0.0	40.7	0
Other Oral Cavity and Pharynx	0.0	0.0	40.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	40.7	0
Stomach	0.0	0.0	40.7	0
Small Intestine	0.0	0.0	40.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	40.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	40.7	0
Liver	0.0	0.0	40.7	0
Intrahepatic Bile Duct	0.0	0.0	40.7	0
Gallbladder	0.0	0.0	40.7	0
Other Biliary	0.0	0.0	40.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	40.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	40.7	0
Other Digestive Organs	0.0	0.0	40.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	40.7	0
Larynx	0.0	0.0	40.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	40.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	40.7	0
Bones and Joints	0.0	0.0	40.7	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Kodiak Island Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	40.7	0
Melanoma of the Skin	0.0	0.0	40.7	0
Other Non-Epithelial Skin	0.0	0.0	40.7	0
Urinary System	0.0	0.0	40.7	0
Urinary Bladder	0.0	0.0	40.7	0
Kidney and Renal Pelvis	0.0	0.0	40.7	0
Ureter	0.0	0.0	40.7	0
Other Urinary Organs	0.0	0.0	40.7	0
Eye and Orbit	0.0	0.0	40.7	0
Brain and Other Nervous System	0.0	0.0	40.7	0
Endocrine System	0.0	0.0	40.7	0
Thyroid	0.0	0.0	40.7	0
Other Endocrine including Thymus	0.0	0.0	40.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	40.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	40.7	0
Leukemia	0.0	0.0	40.7	0
Lymphocytic Leukemia	0.0	0.0	40.7	0
Acute Lymphocytic Leukemia	0.0	0.0	40.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	40.7	0
Other Lymphocytic Leukemia	0.0	0.0	40.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	40.7	0
Acute Myeloid Leukemia	0.0	0.0	40.7	0
Acute Monocytic Leukemia	0.0	0.0	40.7	0
Chronic Myeloid Leukemia	0.0	0.0	40.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	40.7	0
Other Leukemia	0.0	0.0	40.7	0
Other Acute Leukemia	0.0	0.0	40.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	40.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	40.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	364.5	0
Lip	0.0	0.0	364.5	0
Tongue	0.0	0.0	364.5	0
Salivary Gland	0.0	0.0	364.5	0
Floor of Mouth	0.0	0.0	364.5	0
Gum and Other Mouth	0.0	0.0	364.5	0
Nasopharynx	0.0	0.0	364.5	0
Tonsil	0.0	0.0	364.5	0
Oropharynx	0.0	0.0	364.5	0
Hypopharynx	0.0	0.0	364.5	0
Other Oral Cavity and Pharynx	0.0	0.0	364.5	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	364.5	0
Stomach	0.0	0.0	364.5	0
Small Intestine	0.0	0.0	364.5	0
Colon and Rectum	0.0	0.0	364.5	0
Colon excluding Rectum	0.0	0.0	364.5	0
Rectum and Rectosigmoid Junction	0.0	0.0	364.5	0
Anus, Anal Canal and Anorectum	0.0	0.0	364.5	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	0.0	0.0	364.5	0
Gallbladder	0.0	0.0	364.5	0
Other Biliary	0.0	0.0	364.5	0
Pancreas	0.0	0.0	364.5	0
Retroperitoneum	0.0	0.0	364.5	0
Peritoneum, Omentum and Mesentery	0.0	0.0	364.5	0
Other Digestive Organs	0.0	0.0	364.5	0
Respiratory System	0.0	0.0	364.5	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	364.5	0
Larynx	0.0	0.0	364.5	0
Lung and Bronchus	0.0	0.0	364.5	0
Pleura	0.0	0.0	364.5	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	364.5	0
Bones and Joints	0.0	0.0	364.5	0
Soft Tissue including Heart	0.0	0.0	364.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Lake and Peninsula Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	364.5	0
Melanoma of the Skin	0.0	0.0	364.5	0
Other Non-Epithelial Skin	0.0	0.0	364.5	0
Urinary System	0.0	0.0	364.5	0
Urinary Bladder	0.0	0.0	364.5	0
Kidney and Renal Pelvis	0.0	0.0	364.5	0
Ureter	0.0	0.0	364.5	0
Other Urinary Organs	0.0	0.0	364.5	0
Eye and Orbit	0.0	0.0	364.5	0
Brain and Other Nervous System	0.0	0.0	364.5	0
Endocrine System	0.0	0.0	364.5	0
Thyroid	0.0	0.0	364.5	0
Other Endocrine including Thymus	0.0	0.0	364.5	0
Lymphoma	0.0	0.0	364.5	0
Hodgkin Lymphoma	0.0	0.0	364.5	0
Non-Hodgkin Lymphoma	0.0	0.0	364.5	0
Myeloma	0.0	0.0	364.5	0
Leukemia	0.0	0.0	364.5	0
Lymphocytic Leukemia	0.0	0.0	364.5	0
Acute Lymphocytic Leukemia	0.0	0.0	364.5	0
Chronic Lymphocytic Leukemia	0.0	0.0	364.5	0
Other Lymphocytic Leukemia	0.0	0.0	364.5	0
Myeloid and Monocytic Leukemia	0.0	0.0	364.5	0
Acute Myeloid Leukemia	0.0	0.0	364.5	0
Acute Monocytic Leukemia	0.0	0.0	364.5	0
Chronic Myeloid Leukemia	0.0	0.0	364.5	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	364.5	0
Other Leukemia	0.0	0.0	364.5	0
Other Acute Leukemia	0.0	0.0	364.5	0
Aleukemic, Subleukemic and NOS	0.0	0.0	364.5	0
Mesothelioma (ICD-10 only)	0.0	0.0	364.5	0
Miscellaneous Malignant Cancer	0.0	0.0	364.5	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	174.9	138.0	217.8	93
Oral Cavity and Pharynx	0.0	0.0	6.3	0
Lip	0.0	0.0	6.3	0
Tongue	0.0	0.0	6.3	0
Salivary Gland	0.0	0.0	6.3	0
Floor of Mouth	0.0	0.0	6.3	0
Gum and Other Mouth	0.0	0.0	6.3	0
Nasopharynx	0.0	0.0	6.3	0
Tonsil	0.0	0.0	6.3	0
Oropharynx	0.0	0.0	6.3	0
Hypopharynx	0.0	0.0	6.3	0
Other Oral Cavity and Pharynx	0.0	0.0	6.3	0
Digestive System	38.4	21.8	61.5	20
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	6.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	6.3	0
Liver and Intrahepatic Bile Duct	^	^	^	^
Liver	^	^	^	^
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	6.3	0
Pancreas	12.6	3.9	28.1	6
Retroperitoneum	0.0	0.0	6.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	6.3	0
Other Digestive Organs	0.0	0.0	6.3	0
Respiratory System	45.7	28.4	68.9	24
Nose, Nasal Cavity and Middle Ear	0.0	0.0	6.3	0
Larynx	0.0	0.0	6.3	0
Lung and Bronchus	45.7	28.4	68.9	24
Pleura	0.0	0.0	6.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	6.3	0
Bones and Joints	0.0	0.0	6.3	0
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Matanuska-Susitna Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	6.3	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	6.3	0
Ureter	0.0	0.0	6.3	0
Other Urinary Organs	0.0	0.0	6.3	0
Eye and Orbit	0.0	0.0	6.3	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	6.3	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	6.3	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	0.0	0.0	6.3	0
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	6.3	0
Chronic Myeloid Leukemia	0.0	0.0	6.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	6.3	0
Other Leukemia	0.0	0.0	6.3	0
Other Acute Leukemia	0.0	0.0	6.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	6.3	0
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Nome Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	208.5	98.6	375.3	11
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	54.1	0
Tongue	0.0	0.0	54.1	0
Salivary Gland	0.0	0.0	54.1	0
Floor of Mouth	0.0	0.0	54.1	0
Gum and Other Mouth	0.0	0.0	54.1	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	54.1	0
Oropharynx	0.0	0.0	54.1	0
Hypopharynx	0.0	0.0	54.1	0
Other Oral Cavity and Pharynx	0.0	0.0	54.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	54.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	54.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	54.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	54.1	0
Liver	0.0	0.0	54.1	0
Intrahepatic Bile Duct	0.0	0.0	54.1	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	54.1	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	54.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	54.1	0
Other Digestive Organs	0.0	0.0	54.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	54.1	0
Larynx	0.0	0.0	54.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	54.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	54.1	0
Bones and Joints	0.0	0.0	54.1	0
Soft Tissue including Heart	0.0	0.0	54.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Nome Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	54.1	0
Urinary System	0.0	0.0	54.1	0
Urinary Bladder	0.0	0.0	54.1	0
Kidney and Renal Pelvis	0.0	0.0	54.1	0
Ureter	0.0	0.0	54.1	0
Other Urinary Organs	0.0	0.0	54.1	0
Eye and Orbit	0.0	0.0	54.1	0
Brain and Other Nervous System	0.0	0.0	54.1	0
Endocrine System	0.0	0.0	54.1	0
Thyroid	0.0	0.0	54.1	0
Other Endocrine including Thymus	0.0	0.0	54.1	0
Lymphoma	0.0	0.0	54.1	0
Hodgkin Lymphoma	0.0	0.0	54.1	0
Non-Hodgkin Lymphoma	0.0	0.0	54.1	0
Myeloma	0.0	0.0	54.1	0
Leukemia	0.0	0.0	54.1	0
Lymphocytic Leukemia	0.0	0.0	54.1	0
Acute Lymphocytic Leukemia	0.0	0.0	54.1	0
Chronic Lymphocytic Leukemia	0.0	0.0	54.1	0
Other Lymphocytic Leukemia	0.0	0.0	54.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	54.1	0
Acute Myeloid Leukemia	0.0	0.0	54.1	0
Acute Monocytic Leukemia	0.0	0.0	54.1	0
Chronic Myeloid Leukemia	0.0	0.0	54.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	54.1	0
Other Leukemia	0.0	0.0	54.1	0
Other Acute Leukemia	0.0	0.0	54.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	54.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	54.1	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/North Slope Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	96.6	0
Lip	0.0	0.0	96.6	0
Tongue	0.0	0.0	96.6	0
Salivary Gland	0.0	0.0	96.6	0
Floor of Mouth	0.0	0.0	96.6	0
Gum and Other Mouth	0.0	0.0	96.6	0
Nasopharynx	0.0	0.0	96.6	0
Tonsil	0.0	0.0	96.6	0
Oropharynx	0.0	0.0	96.6	0
Hypopharynx	0.0	0.0	96.6	0
Other Oral Cavity and Pharynx	0.0	0.0	96.6	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	96.6	0
Stomach	^	^	^	^
Small Intestine	0.0	0.0	96.6	0
Colon and Rectum	0.0	0.0	96.6	0
Colon excluding Rectum	0.0	0.0	96.6	0
Rectum and Rectosigmoid Junction	0.0	0.0	96.6	0
Anus, Anal Canal and Anorectum	0.0	0.0	96.6	0
Liver and Intrahepatic Bile Duct	0.0	0.0	96.6	0
Liver	0.0	0.0	96.6	0
Intrahepatic Bile Duct	0.0	0.0	96.6	0
Gallbladder	0.0	0.0	96.6	0
Other Biliary	0.0	0.0	96.6	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	96.6	0
Peritoneum, Omentum and Mesentery	0.0	0.0	96.6	0
Other Digestive Organs	0.0	0.0	96.6	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	96.6	0
Larynx	0.0	0.0	96.6	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	96.6	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	96.6	0
Bones and Joints	0.0	0.0	96.6	0
Soft Tissue including Heart	0.0	0.0	96.6	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/North Slope Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	96.6	0
Melanoma of the Skin	0.0	0.0	96.6	0
Other Non-Epithelial Skin	0.0	0.0	96.6	0
Urinary System	0.0	0.0	96.6	0
Urinary Bladder	0.0	0.0	96.6	0
Kidney and Renal Pelvis	0.0	0.0	96.6	0
Ureter	0.0	0.0	96.6	0
Other Urinary Organs	0.0	0.0	96.6	0
Eye and Orbit	0.0	0.0	96.6	0
Brain and Other Nervous System	0.0	0.0	96.6	0
Endocrine System	0.0	0.0	96.6	0
Thyroid	0.0	0.0	96.6	0
Other Endocrine including Thymus	0.0	0.0	96.6	0
Lymphoma	0.0	0.0	96.6	0
Hodgkin Lymphoma	0.0	0.0	96.6	0
Non-Hodgkin Lymphoma	0.0	0.0	96.6	0
Myeloma	0.0	0.0	96.6	0
Leukemia	0.0	0.0	96.6	0
Lymphocytic Leukemia	0.0	0.0	96.6	0
Acute Lymphocytic Leukemia	0.0	0.0	96.6	0
Chronic Lymphocytic Leukemia	0.0	0.0	96.6	0
Other Lymphocytic Leukemia	0.0	0.0	96.6	0
Myeloid and Monocytic Leukemia	0.0	0.0	96.6	0
Acute Myeloid Leukemia	0.0	0.0	96.6	0
Acute Monocytic Leukemia	0.0	0.0	96.6	0
Chronic Myeloid Leukemia	0.0	0.0	96.6	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	96.6	0
Other Leukemia	0.0	0.0	96.6	0
Other Acute Leukemia	0.0	0.0	96.6	0
Aleukemic, Subleukemic and NOS	0.0	0.0	96.6	0
Mesothelioma (ICD-10 only)	0.0	0.0	96.6	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	307.2	159.5	526.1	14
Oral Cavity and Pharynx	0.0	0.0	77.8	0
Lip	0.0	0.0	77.8	0
Tongue	0.0	0.0	77.8	0
Salivary Gland	0.0	0.0	77.8	0
Floor of Mouth	0.0	0.0	77.8	0
Gum and Other Mouth	0.0	0.0	77.8	0
Nasopharynx	0.0	0.0	77.8	0
Tonsil	0.0	0.0	77.8	0
Oropharynx	0.0	0.0	77.8	0
Hypopharynx	0.0	0.0	77.8	0
Other Oral Cavity and Pharynx	0.0	0.0	77.8	0
Digestive System	149.7	61.2	303.9	8
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	77.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	77.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	77.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	77.8	0
Liver	0.0	0.0	77.8	0
Intrahepatic Bile Duct	0.0	0.0	77.8	0
Gallbladder	0.0	0.0	77.8	0
Other Biliary	0.0	0.0	77.8	0
Pancreas	0.0	0.0	77.8	0
Retroperitoneum	0.0	0.0	77.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	77.8	0
Other Digestive Organs	0.0	0.0	77.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	77.8	0
Larynx	0.0	0.0	77.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	77.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	77.8	0
Bones and Joints	0.0	0.0	77.8	0
Soft Tissue including Heart	0.0	0.0	77.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Northwest Arctic Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	77.8	0
Melanoma of the Skin	0.0	0.0	77.8	0
Other Non-Epithelial Skin	0.0	0.0	77.8	0
Urinary System	0.0	0.0	77.8	0
Urinary Bladder	0.0	0.0	77.8	0
Kidney and Renal Pelvis	0.0	0.0	77.8	0
Ureter	0.0	0.0	77.8	0
Other Urinary Organs	0.0	0.0	77.8	0
Eye and Orbit	0.0	0.0	77.8	0
Brain and Other Nervous System	0.0	0.0	77.8	0
Endocrine System	0.0	0.0	77.8	0
Thyroid	0.0	0.0	77.8	0
Other Endocrine including Thymus	0.0	0.0	77.8	0
Lymphoma	0.0	0.0	77.8	0
Hodgkin Lymphoma	0.0	0.0	77.8	0
Non-Hodgkin Lymphoma	0.0	0.0	77.8	0
Myeloma	0.0	0.0	77.8	0
Leukemia	0.0	0.0	77.8	0
Lymphocytic Leukemia	0.0	0.0	77.8	0
Acute Lymphocytic Leukemia	0.0	0.0	77.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	77.8	0
Other Lymphocytic Leukemia	0.0	0.0	77.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	77.8	0
Acute Myeloid Leukemia	0.0	0.0	77.8	0
Acute Monocytic Leukemia	0.0	0.0	77.8	0
Chronic Myeloid Leukemia	0.0	0.0	77.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	77.8	0
Other Leukemia	0.0	0.0	77.8	0
Other Acute Leukemia	0.0	0.0	77.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	77.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	77.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	139.9	44.9	318.4	7
Oral Cavity and Pharynx	0.0	0.0	87.7	0
Lip	0.0	0.0	87.7	0
Tongue	0.0	0.0	87.7	0
Salivary Gland	0.0	0.0	87.7	0
Floor of Mouth	0.0	0.0	87.7	0
Gum and Other Mouth	0.0	0.0	87.7	0
Nasopharynx	0.0	0.0	87.7	0
Tonsil	0.0	0.0	87.7	0
Oropharynx	0.0	0.0	87.7	0
Hypopharynx	0.0	0.0	87.7	0
Other Oral Cavity and Pharynx	0.0	0.0	87.7	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	87.7	0
Stomach	0.0	0.0	87.7	0
Small Intestine	0.0	0.0	87.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	87.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	87.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	87.7	0
Liver	0.0	0.0	87.7	0
Intrahepatic Bile Duct	0.0	0.0	87.7	0
Gallbladder	0.0	0.0	87.7	0
Other Biliary	0.0	0.0	87.7	0
Pancreas	0.0	0.0	87.7	0
Retroperitoneum	0.0	0.0	87.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	87.7	0
Other Digestive Organs	0.0	0.0	87.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	87.7	0
Larynx	0.0	0.0	87.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	87.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	87.7	0
Bones and Joints	0.0	0.0	87.7	0
Soft Tissue including Heart	0.0	0.0	87.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Prince of Wales-Outer Ketchikan Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	0.0	0.0	87.7	0
Other Non-Epithelial Skin	^	^	^	^
Urinary System	0.0	0.0	87.7	0
Urinary Bladder	0.0	0.0	87.7	0
Kidney and Renal Pelvis	0.0	0.0	87.7	0
Ureter	0.0	0.0	87.7	0
Other Urinary Organs	0.0	0.0	87.7	0
Eye and Orbit	0.0	0.0	87.7	0
Brain and Other Nervous System	0.0	0.0	87.7	0
Endocrine System	0.0	0.0	87.7	0
Thyroid	0.0	0.0	87.7	0
Other Endocrine including Thymus	0.0	0.0	87.7	0
Lymphoma	0.0	0.0	87.7	0
Hodgkin Lymphoma	0.0	0.0	87.7	0
Non-Hodgkin Lymphoma	0.0	0.0	87.7	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	87.7	0
Lymphocytic Leukemia	0.0	0.0	87.7	0
Acute Lymphocytic Leukemia	0.0	0.0	87.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	87.7	0
Other Lymphocytic Leukemia	0.0	0.0	87.7	0
Myeloid and Monocytic Leukemia	0.0	0.0	87.7	0
Acute Myeloid Leukemia	0.0	0.0	87.7	0
Acute Monocytic Leukemia	0.0	0.0	87.7	0
Chronic Myeloid Leukemia	0.0	0.0	87.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	87.7	0
Other Leukemia	0.0	0.0	87.7	0
Other Acute Leukemia	0.0	0.0	87.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	87.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	87.7	0
Miscellaneous Malignant Cancer	0.0	0.0	87.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Sitka Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	183.7	101.1	305.6	15
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	45.0	0
Tongue	0.0	0.0	45.0	0
Salivary Gland	0.0	0.0	45.0	0
Floor of Mouth	0.0	0.0	45.0	0
Gum and Other Mouth	0.0	0.0	45.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	45.0	0
Oropharynx	0.0	0.0	45.0	0
Hypopharynx	0.0	0.0	45.0	0
Other Oral Cavity and Pharynx	0.0	0.0	45.0	0
Digestive System	83.7	30.6	179.0	6
Esophagus	^	^	^	^
Stomach	0.0	0.0	45.0	0
Small Intestine	0.0	0.0	45.0	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	45.0	0
Anus, Anal Canal and Anorectum	0.0	0.0	45.0	0
Liver and Intrahepatic Bile Duct	0.0	0.0	45.0	0
Liver	0.0	0.0	45.0	0
Intrahepatic Bile Duct	0.0	0.0	45.0	0
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	45.0	0
Pancreas	0.0	0.0	45.0	0
Retroperitoneum	0.0	0.0	45.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	45.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	45.0	0
Larynx	0.0	0.0	45.0	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	45.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	45.0	0
Bones and Joints	0.0	0.0	45.0	0
Soft Tissue including Heart	0.0	0.0	45.0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Sitka Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	45.0	0
Melanoma of the Skin	0.0	0.0	45.0	0
Other Non-Epithelial Skin	0.0	0.0	45.0	0
Urinary System	0.0	0.0	45.0	0
Urinary Bladder	0.0	0.0	45.0	0
Kidney and Renal Pelvis	0.0	0.0	45.0	0
Ureter	0.0	0.0	45.0	0
Other Urinary Organs	0.0	0.0	45.0	0
Eye and Orbit	0.0	0.0	45.0	0
Brain and Other Nervous System	^	^	^	^
Endocrine System	0.0	0.0	45.0	0
Thyroid	0.0	0.0	45.0	0
Other Endocrine including Thymus	0.0	0.0	45.0	0
Lymphoma	0.0	0.0	45.0	0
Hodgkin Lymphoma	0.0	0.0	45.0	0
Non-Hodgkin Lymphoma	0.0	0.0	45.0	0
Myeloma	0.0	0.0	45.0	0
Leukemia	0.0	0.0	45.0	0
Lymphocytic Leukemia	0.0	0.0	45.0	0
Acute Lymphocytic Leukemia	0.0	0.0	45.0	0
Chronic Lymphocytic Leukemia	0.0	0.0	45.0	0
Other Lymphocytic Leukemia	0.0	0.0	45.0	0
Myeloid and Monocytic Leukemia	0.0	0.0	45.0	0
Acute Myeloid Leukemia	0.0	0.0	45.0	0
Acute Monocytic Leukemia	0.0	0.0	45.0	0
Chronic Myeloid Leukemia	0.0	0.0	45.0	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	45.0	0
Other Leukemia	0.0	0.0	45.0	0
Other Acute Leukemia	0.0	0.0	45.0	0
Aleukemic, Subleukemic and NOS	0.0	0.0	45.0	0
Mesothelioma (ICD-10 only)	0.0	0.0	45.0	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	^	^	^	^
Oral Cavity and Pharynx	0.0	0.0	147.3	0
Lip	0.0	0.0	147.3	0
Tongue	0.0	0.0	147.3	0
Salivary Gland	0.0	0.0	147.3	0
Floor of Mouth	0.0	0.0	147.3	0
Gum and Other Mouth	0.0	0.0	147.3	0
Nasopharynx	0.0	0.0	147.3	0
Tonsil	0.0	0.0	147.3	0
Oropharynx	0.0	0.0	147.3	0
Hypopharynx	0.0	0.0	147.3	0
Other Oral Cavity and Pharynx	0.0	0.0	147.3	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	147.3	0
Stomach	0.0	0.0	147.3	0
Small Intestine	0.0	0.0	147.3	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	147.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	147.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	147.3	0
Liver	0.0	0.0	147.3	0
Intrahepatic Bile Duct	0.0	0.0	147.3	0
Gallbladder	0.0	0.0	147.3	0
Other Biliary	0.0	0.0	147.3	0
Pancreas	0.0	0.0	147.3	0
Retroperitoneum	0.0	0.0	147.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	147.3	0
Other Digestive Organs	0.0	0.0	147.3	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	147.3	0
Larynx	0.0	0.0	147.3	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	147.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	147.3	0
Bones and Joints	0.0	0.0	147.3	0
Soft Tissue including Heart	0.0	0.0	147.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Skagway-Hoonah-Angoon Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	147.3	0
Melanoma of the Skin	0.0	0.0	147.3	0
Other Non-Epithelial Skin	0.0	0.0	147.3	0
Urinary System	0.0	0.0	147.3	0
Urinary Bladder	0.0	0.0	147.3	0
Kidney and Renal Pelvis	0.0	0.0	147.3	0
Ureter	0.0	0.0	147.3	0
Other Urinary Organs	0.0	0.0	147.3	0
Eye and Orbit	0.0	0.0	147.3	0
Brain and Other Nervous System	0.0	0.0	147.3	0
Endocrine System	0.0	0.0	147.3	0
Thyroid	0.0	0.0	147.3	0
Other Endocrine including Thymus	0.0	0.0	147.3	0
Lymphoma	0.0	0.0	147.3	0
Hodgkin Lymphoma	0.0	0.0	147.3	0
Non-Hodgkin Lymphoma	0.0	0.0	147.3	0
Myeloma	^	^	^	^
Leukemia	0.0	0.0	147.3	0
Lymphocytic Leukemia	0.0	0.0	147.3	0
Acute Lymphocytic Leukemia	0.0	0.0	147.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	147.3	0
Other Lymphocytic Leukemia	0.0	0.0	147.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	147.3	0
Acute Myeloid Leukemia	0.0	0.0	147.3	0
Acute Monocytic Leukemia	0.0	0.0	147.3	0
Chronic Myeloid Leukemia	0.0	0.0	147.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	147.3	0
Other Leukemia	0.0	0.0	147.3	0
Other Acute Leukemia	0.0	0.0	147.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	147.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	147.3	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	243.7	114.4	445.7	11
Oral Cavity and Pharynx	0.0	0.0	78.4	0
Lip	0.0	0.0	78.4	0
Tongue	0.0	0.0	78.4	0
Salivary Gland	0.0	0.0	78.4	0
Floor of Mouth	0.0	0.0	78.4	0
Gum and Other Mouth	0.0	0.0	78.4	0
Nasopharynx	0.0	0.0	78.4	0
Tonsil	0.0	0.0	78.4	0
Oropharynx	0.0	0.0	78.4	0
Hypopharynx	0.0	0.0	78.4	0
Other Oral Cavity and Pharynx	0.0	0.0	78.4	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	78.4	0
Stomach	0.0	0.0	78.4	0
Small Intestine	0.0	0.0	78.4	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	78.4	0
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	0.0	0.0	78.4	0
Liver	0.0	0.0	78.4	0
Intrahepatic Bile Duct	0.0	0.0	78.4	0
Gallbladder	0.0	0.0	78.4	0
Other Biliary	0.0	0.0	78.4	0
Pancreas	0.0	0.0	78.4	0
Retroperitoneum	0.0	0.0	78.4	0
Peritoneum, Omentum and Mesentery	0.0	0.0	78.4	0
Other Digestive Organs	0.0	0.0	78.4	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	78.4	0
Larynx	0.0	0.0	78.4	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	78.4	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	78.4	0
Bones and Joints	0.0	0.0	78.4	0
Soft Tissue including Heart	0.0	0.0	78.4	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Southeast Fairbanks Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	^	^	^	^
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	0.0	0.0	78.4	0
Urinary System	0.0	0.0	78.4	0
Urinary Bladder	0.0	0.0	78.4	0
Kidney and Renal Pelvis	0.0	0.0	78.4	0
Ureter	0.0	0.0	78.4	0
Other Urinary Organs	0.0	0.0	78.4	0
Eye and Orbit	0.0	0.0	78.4	0
Brain and Other Nervous System	0.0	0.0	78.4	0
Endocrine System	0.0	0.0	78.4	0
Thyroid	0.0	0.0	78.4	0
Other Endocrine including Thymus	0.0	0.0	78.4	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	78.4	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	78.4	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	78.4	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	78.4	0
Myeloid and Monocytic Leukemia	0.0	0.0	78.4	0
Acute Myeloid Leukemia	0.0	0.0	78.4	0
Acute Monocytic Leukemia	0.0	0.0	78.4	0
Chronic Myeloid Leukemia	0.0	0.0	78.4	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	78.4	0
Other Leukemia	0.0	0.0	78.4	0
Other Acute Leukemia	0.0	0.0	78.4	0
Aleukemic, Subleukemic and NOS	0.0	0.0	78.4	0
Mesothelioma (ICD-10 only)	0.0	0.0	78.4	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	115.4	46.7	231.3	9
Oral Cavity and Pharynx	0.0	0.0	49.8	0
Lip	0.0	0.0	49.8	0
Tongue	0.0	0.0	49.8	0
Salivary Gland	0.0	0.0	49.8	0
Floor of Mouth	0.0	0.0	49.8	0
Gum and Other Mouth	0.0	0.0	49.8	0
Nasopharynx	0.0	0.0	49.8	0
Tonsil	0.0	0.0	49.8	0
Oropharynx	0.0	0.0	49.8	0
Hypopharynx	0.0	0.0	49.8	0
Other Oral Cavity and Pharynx	0.0	0.0	49.8	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	49.8	0
Small Intestine	0.0	0.0	49.8	0
Colon and Rectum	0.0	0.0	49.8	0
Colon excluding Rectum	0.0	0.0	49.8	0
Rectum and Rectosigmoid Junction	0.0	0.0	49.8	0
Anus, Anal Canal and Anorectum	0.0	0.0	49.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	49.8	0
Liver	0.0	0.0	49.8	0
Intrahepatic Bile Duct	0.0	0.0	49.8	0
Gallbladder	0.0	0.0	49.8	0
Other Biliary	0.0	0.0	49.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	49.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	49.8	0
Other Digestive Organs	0.0	0.0	49.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	49.8	0
Larynx	0.0	0.0	49.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	49.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	49.8	0
Bones and Joints	0.0	0.0	49.8	0
Soft Tissue including Heart	0.0	0.0	49.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Valdez-Cordova Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	49.8	0
Melanoma of the Skin	0.0	0.0	49.8	0
Other Non-Epithelial Skin	0.0	0.0	49.8	0
Urinary System	0.0	0.0	49.8	0
Urinary Bladder	0.0	0.0	49.8	0
Kidney and Renal Pelvis	0.0	0.0	49.8	0
Ureter	0.0	0.0	49.8	0
Other Urinary Organs	0.0	0.0	49.8	0
Eye and Orbit	0.0	0.0	49.8	0
Brain and Other Nervous System	0.0	0.0	49.8	0
Endocrine System	0.0	0.0	49.8	0
Thyroid	0.0	0.0	49.8	0
Other Endocrine including Thymus	0.0	0.0	49.8	0
Lymphoma	0.0	0.0	49.8	0
Hodgkin Lymphoma	0.0	0.0	49.8	0
Non-Hodgkin Lymphoma	0.0	0.0	49.8	0
Myeloma	0.0	0.0	49.8	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	49.8	0
Acute Lymphocytic Leukemia	0.0	0.0	49.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	49.8	0
Other Lymphocytic Leukemia	0.0	0.0	49.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	49.8	0
Acute Myeloid Leukemia	0.0	0.0	49.8	0
Acute Monocytic Leukemia	0.0	0.0	49.8	0
Chronic Myeloid Leukemia	0.0	0.0	49.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	49.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	49.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	49.8	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	258.7	118.9	477.6	10
Oral Cavity and Pharynx	0.0	0.0	83.8	0
Lip	0.0	0.0	83.8	0
Tongue	0.0	0.0	83.8	0
Salivary Gland	0.0	0.0	83.8	0
Floor of Mouth	0.0	0.0	83.8	0
Gum and Other Mouth	0.0	0.0	83.8	0
Nasopharynx	0.0	0.0	83.8	0
Tonsil	0.0	0.0	83.8	0
Oropharynx	0.0	0.0	83.8	0
Hypopharynx	0.0	0.0	83.8	0
Other Oral Cavity and Pharynx	0.0	0.0	83.8	0
Digestive System	^	^	^	^
Esophagus	0.0	0.0	83.8	0
Stomach	0.0	0.0	83.8	0
Small Intestine	0.0	0.0	83.8	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	^	^	^	^
Anus, Anal Canal and Anorectum	0.0	0.0	83.8	0
Liver and Intrahepatic Bile Duct	0.0	0.0	83.8	0
Liver	0.0	0.0	83.8	0
Intrahepatic Bile Duct	0.0	0.0	83.8	0
Gallbladder	0.0	0.0	83.8	0
Other Biliary	0.0	0.0	83.8	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	83.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	83.8	0
Other Digestive Organs	0.0	0.0	83.8	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	83.8	0
Larynx	0.0	0.0	83.8	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	83.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	83.8	0
Bones and Joints	0.0	0.0	83.8	0
Soft Tissue including Heart	0.0	0.0	83.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Wade Hampton Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	83.8	0
Melanoma of the Skin	0.0	0.0	83.8	0
Other Non-Epithelial Skin	0.0	0.0	83.8	0
Urinary System	^	^	^	^
Urinary Bladder	^	^	^	^
Kidney and Renal Pelvis	0.0	0.0	83.8	0
Ureter	0.0	0.0	83.8	0
Other Urinary Organs	0.0	0.0	83.8	0
Eye and Orbit	0.0	0.0	83.8	0
Brain and Other Nervous System	0.0	0.0	83.8	0
Endocrine System	0.0	0.0	83.8	0
Thyroid	0.0	0.0	83.8	0
Other Endocrine including Thymus	0.0	0.0	83.8	0
Lymphoma	0.0	0.0	83.8	0
Hodgkin Lymphoma	0.0	0.0	83.8	0
Non-Hodgkin Lymphoma	0.0	0.0	83.8	0
Myeloma	0.0	0.0	83.8	0
Leukemia	0.0	0.0	83.8	0
Lymphocytic Leukemia	0.0	0.0	83.8	0
Acute Lymphocytic Leukemia	0.0	0.0	83.8	0
Chronic Lymphocytic Leukemia	0.0	0.0	83.8	0
Other Lymphocytic Leukemia	0.0	0.0	83.8	0
Myeloid and Monocytic Leukemia	0.0	0.0	83.8	0
Acute Myeloid Leukemia	0.0	0.0	83.8	0
Acute Monocytic Leukemia	0.0	0.0	83.8	0
Chronic Myeloid Leukemia	0.0	0.0	83.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	83.8	0
Other Leukemia	0.0	0.0	83.8	0
Other Acute Leukemia	0.0	0.0	83.8	0
Aleukemic, Subleukemic and NOS	0.0	0.0	83.8	0
Mesothelioma (ICD-10 only)	0.0	0.0	83.8	0
Miscellaneous Malignant Cancer	0.0	0.0	83.8	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	177.2	87.0	323.6	11
Oral Cavity and Pharynx	0.0	0.0	69.1	0
Lip	0.0	0.0	69.1	0
Tongue	0.0	0.0	69.1	0
Salivary Gland	0.0	0.0	69.1	0
Floor of Mouth	0.0	0.0	69.1	0
Gum and Other Mouth	0.0	0.0	69.1	0
Nasopharynx	0.0	0.0	69.1	0
Tonsil	0.0	0.0	69.1	0
Oropharynx	0.0	0.0	69.1	0
Hypopharynx	0.0	0.0	69.1	0
Other Oral Cavity and Pharynx	0.0	0.0	69.1	0
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	^	^	^	^
Small Intestine	0.0	0.0	69.1	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	69.1	0
Anus, Anal Canal and Anorectum	0.0	0.0	69.1	0
Liver and Intrahepatic Bile Duct	0.0	0.0	69.1	0
Liver	0.0	0.0	69.1	0
Intrahepatic Bile Duct	0.0	0.0	69.1	0
Gallbladder	0.0	0.0	69.1	0
Other Biliary	^	^	^	^
Pancreas	0.0	0.0	69.1	0
Retroperitoneum	0.0	0.0	69.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	69.1	0
Other Digestive Organs	0.0	0.0	69.1	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	69.1	0
Larynx	0.0	0.0	69.1	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	69.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	69.1	0
Bones and Joints	0.0	0.0	69.1	0
Soft Tissue including Heart	0.0	0.0	69.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Wrangell-Petersburg Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	69.1	0
Melanoma of the Skin	0.0	0.0	69.1	0
Other Non-Epithelial Skin	0.0	0.0	69.1	0
Urinary System	^	^	^	^
Urinary Bladder	0.0	0.0	69.1	0
Kidney and Renal Pelvis	^	^	^	^
Ureter	0.0	0.0	69.1	0
Other Urinary Organs	0.0	0.0	69.1	0
Eye and Orbit	0.0	0.0	69.1	0
Brain and Other Nervous System	0.0	0.0	69.1	0
Endocrine System	0.0	0.0	69.1	0
Thyroid	0.0	0.0	69.1	0
Other Endocrine including Thymus	0.0	0.0	69.1	0
Lymphoma	0.0	0.0	69.1	0
Hodgkin Lymphoma	0.0	0.0	69.1	0
Non-Hodgkin Lymphoma	0.0	0.0	69.1	0
Myeloma	^	^	^	^
Leukemia	^	^	^	^
Lymphocytic Leukemia	^	^	^	^
Acute Lymphocytic Leukemia	0.0	0.0	69.1	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	69.1	0
Myeloid and Monocytic Leukemia	0.0	0.0	69.1	0
Acute Myeloid Leukemia	0.0	0.0	69.1	0
Acute Monocytic Leukemia	0.0	0.0	69.1	0
Chronic Myeloid Leukemia	0.0	0.0	69.1	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	69.1	0
Other Leukemia	0.0	0.0	69.1	0
Other Acute Leukemia	0.0	0.0	69.1	0
Aleukemic, Subleukemic and NOS	0.0	0.0	69.1	0
Mesothelioma (ICD-10 only)	0.0	0.0	69.1	0
Miscellaneous Malignant Cancer	0.0	0.0	69.1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	0.0	0.0	706.3	0
Oral Cavity and Pharynx	0.0	0.0	706.3	0
Lip	0.0	0.0	706.3	0
Tongue	0.0	0.0	706.3	0
Salivary Gland	0.0	0.0	706.3	0
Floor of Mouth	0.0	0.0	706.3	0
Gum and Other Mouth	0.0	0.0	706.3	0
Nasopharynx	0.0	0.0	706.3	0
Tonsil	0.0	0.0	706.3	0
Oropharynx	0.0	0.0	706.3	0
Hypopharynx	0.0	0.0	706.3	0
Other Oral Cavity and Pharynx	0.0	0.0	706.3	0
Digestive System	0.0	0.0	706.3	0
Esophagus	0.0	0.0	706.3	0
Stomach	0.0	0.0	706.3	0
Small Intestine	0.0	0.0	706.3	0
Colon and Rectum	0.0	0.0	706.3	0
Colon excluding Rectum	0.0	0.0	706.3	0
Rectum and Rectosigmoid Junction	0.0	0.0	706.3	0
Anus, Anal Canal and Anorectum	0.0	0.0	706.3	0
Liver and Intrahepatic Bile Duct	0.0	0.0	706.3	0
Liver	0.0	0.0	706.3	0
Intrahepatic Bile Duct	0.0	0.0	706.3	0
Gallbladder	0.0	0.0	706.3	0
Other Biliary	0.0	0.0	706.3	0
Pancreas	0.0	0.0	706.3	0
Retroperitoneum	0.0	0.0	706.3	0
Peritoneum, Omentum and Mesentery	0.0	0.0	706.3	0
Other Digestive Organs	0.0	0.0	706.3	0
Respiratory System	0.0	0.0	706.3	0
Nose, Nasal Cavity and Middle Ear	0.0	0.0	706.3	0
Larynx	0.0	0.0	706.3	0
Lung and Bronchus	0.0	0.0	706.3	0
Pleura	0.0	0.0	706.3	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	706.3	0
Bones and Joints	0.0	0.0	706.3	0
Soft Tissue including Heart	0.0	0.0	706.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Yakutat Borough

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	706.3	0
Melanoma of the Skin	0.0	0.0	706.3	0
Other Non-Epithelial Skin	0.0	0.0	706.3	0
Urinary System	0.0	0.0	706.3	0
Urinary Bladder	0.0	0.0	706.3	0
Kidney and Renal Pelvis	0.0	0.0	706.3	0
Ureter	0.0	0.0	706.3	0
Other Urinary Organs	0.0	0.0	706.3	0
Eye and Orbit	0.0	0.0	706.3	0
Brain and Other Nervous System	0.0	0.0	706.3	0
Endocrine System	0.0	0.0	706.3	0
Thyroid	0.0	0.0	706.3	0
Other Endocrine including Thymus	0.0	0.0	706.3	0
Lymphoma	0.0	0.0	706.3	0
Hodgkin Lymphoma	0.0	0.0	706.3	0
Non-Hodgkin Lymphoma	0.0	0.0	706.3	0
Myeloma	0.0	0.0	706.3	0
Leukemia	0.0	0.0	706.3	0
Lymphocytic Leukemia	0.0	0.0	706.3	0
Acute Lymphocytic Leukemia	0.0	0.0	706.3	0
Chronic Lymphocytic Leukemia	0.0	0.0	706.3	0
Other Lymphocytic Leukemia	0.0	0.0	706.3	0
Myeloid and Monocytic Leukemia	0.0	0.0	706.3	0
Acute Myeloid Leukemia	0.0	0.0	706.3	0
Acute Monocytic Leukemia	0.0	0.0	706.3	0
Chronic Myeloid Leukemia	0.0	0.0	706.3	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	706.3	0
Other Leukemia	0.0	0.0	706.3	0
Other Acute Leukemia	0.0	0.0	706.3	0
Aleukemic, Subleukemic and NOS	0.0	0.0	706.3	0
Mesothelioma (ICD-10 only)	0.0	0.0	706.3	0
Miscellaneous Malignant Cancer	0.0	0.0	706.3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	331.8	175.7	561.0	14
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	76.7	0
Tongue	0.0	0.0	76.7	0
Salivary Gland	0.0	0.0	76.7	0
Floor of Mouth	0.0	0.0	76.7	0
Gum and Other Mouth	0.0	0.0	76.7	0
Nasopharynx	0.0	0.0	76.7	0
Tonsil	0.0	0.0	76.7	0
Oropharynx	0.0	0.0	76.7	0
Hypopharynx	0.0	0.0	76.7	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	^	^	^	^
Esophagus	^	^	^	^
Stomach	0.0	0.0	76.7	0
Small Intestine	0.0	0.0	76.7	0
Colon and Rectum	^	^	^	^
Colon excluding Rectum	^	^	^	^
Rectum and Rectosigmoid Junction	0.0	0.0	76.7	0
Anus, Anal Canal and Anorectum	0.0	0.0	76.7	0
Liver and Intrahepatic Bile Duct	0.0	0.0	76.7	0
Liver	0.0	0.0	76.7	0
Intrahepatic Bile Duct	0.0	0.0	76.7	0
Gallbladder	0.0	0.0	76.7	0
Other Biliary	0.0	0.0	76.7	0
Pancreas	^	^	^	^
Retroperitoneum	0.0	0.0	76.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	76.7	0
Other Digestive Organs	0.0	0.0	76.7	0
Respiratory System	^	^	^	^
Nose, Nasal Cavity and Middle Ear	0.0	0.0	76.7	0
Larynx	0.0	0.0	76.7	0
Lung and Bronchus	^	^	^	^
Pleura	0.0	0.0	76.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	76.7	0
Bones and Joints	0.0	0.0	76.7	0
Soft Tissue including Heart	0.0	0.0	76.7	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006, by Borough/Census Area

2006/Yukon-Koyukuk Census Area

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.0	0.0	76.7	0
Melanoma of the Skin	0.0	0.0	76.7	0
Other Non-Epithelial Skin	0.0	0.0	76.7	0
Urinary System	0.0	0.0	76.7	0
Urinary Bladder	0.0	0.0	76.7	0
Kidney and Renal Pelvis	0.0	0.0	76.7	0
Ureter	0.0	0.0	76.7	0
Other Urinary Organs	0.0	0.0	76.7	0
Eye and Orbit	0.0	0.0	76.7	0
Brain and Other Nervous System	0.0	0.0	76.7	0
Endocrine System	0.0	0.0	76.7	0
Thyroid	0.0	0.0	76.7	0
Other Endocrine including Thymus	0.0	0.0	76.7	0
Lymphoma	^	^	^	^
Hodgkin Lymphoma	0.0	0.0	76.7	0
Non-Hodgkin Lymphoma	^	^	^	^
Myeloma	0.0	0.0	76.7	0
Leukemia	^	^	^	^
Lymphocytic Leukemia	0.0	0.0	76.7	0
Acute Lymphocytic Leukemia	0.0	0.0	76.7	0
Chronic Lymphocytic Leukemia	0.0	0.0	76.7	0
Other Lymphocytic Leukemia	0.0	0.0	76.7	0
Myeloid and Monocytic Leukemia	^	^	^	^
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	76.7	0
Chronic Myeloid Leukemia	0.0	0.0	76.7	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	76.7	0
Other Leukemia	0.0	0.0	76.7	0
Other Acute Leukemia	0.0	0.0	76.7	0
Aleukemic, Subleukemic and NOS	0.0	0.0	76.7	0
Mesothelioma (ICD-10 only)	0.0	0.0	76.7	0
Miscellaneous Malignant Cancer	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.